

IRC Checklist & Application

PS Ref: PS-REF

Combined IRC Checklist Template

Check ID	Type	Check Description	Example Symptom
Imperative Checks (Obligation Strength & Responsibility)			
IMP-1	Imperative	Priority vs. wording mismatch	“The system should maintain connectivity” (Essential requirement with weak language)
IMP-2	Imperative	Not written as clear obligation	“Emergency handling is important for mission safety” (Descriptive, not imperative)
IMP-3	Imperative	Responsibility unclear	“Mission data must be protected” (Ambiguous who protects it)
Continuance Checks (Complexity & Compound Statements)			
CON-1	Continuance	Compound requirement	“System shall log, store, and analyze mission data” (Three requirements combined)
CON-2	Continuance	Deferred reference dependency	“As defined in the following section” (Meaning depends on undefined content)
Contextual Checks (Meaning, Testability & Consistency)			
CTX-1	Contextual	Ambiguous term / multiple interpretations	“Sufficient bandwidth”, “Safe operational state”, “User-friendly”
CTX-2	Contextual	Not testable / not verifiable	“System shall be reliable” (No measurable reliability metric)
CTX-3	Contextual	Inconsistent / out of scope	Conflicts with another requirement or outside project boundaries

IRC Application Format & Recording Template

When applying the IRC framework during the Breakdown activity, record findings systematically using the following format:

PS Ref	IRC Flags	Reason	Clarify?	Question for Client
PS-REF	–	No incongruities identified under IRC checks.	N	N/A

Note: The complete filled IRC application table with all project findings and resolution results is provided in the main Analysis Report.