



BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Requirements Analysis Report (BCIC)

Vendor: **Brigman Deep Sea Technology**

Prepared by:

Muhammad Ridwan Putra Jasni

Kannan s/o Rajamohan

Chng Zong Han

Lin Yuhao

Muhammad Mikhail Bin Mazlan

Date: SUBMISSION_DATE



@brigman_deepsea



www.brigman.com



info@brigman.com



123-456-7890



BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

1 Purpose of This Document

This document records the formal requirements analysis performed by Brigman Deep Sea Technology on the Project Specification (PS) for the Abyss Navigator Suite. Following the BCIC (Breakdown, Clarify, Interpret, Categorize) methodology, this analysis identifies and resolves incongruities, clarifies ambiguities, and prepares requirements for subsequent Software Requirements Specification (SRS) development. This report represents the output of the Analysing method within the Requirements Engineering framework.

2 Executive Summary

This report presents the findings from Brigman Deep Sea Technology's analysis of the Project Specification (PS) for the **Abyss Navigator Suite**. As Triton Deepwater's selected vendor, we applied our proprietary BCIC methodology to systematically analyze the Project Specification, ensuring requirements are feasible, testable, and aligned with deep-sea operational realities before SRS development.

Key analysis outcomes include:

- **Communication Specification Gap:** Quantitative definitions for bandwidth, latency, and intermittent connectivity thresholds are absent.
- **Safety Protocol Deficiency:** Emergency handling lacks operational procedures, escalation protocols, and defined threshold values.
- **Interface Definition Shortfall:** Sensor integration requirements omit interface protocols, data formats, and power specifications.
- **Autonomy Level Ambiguity:** Unmanned operations context requires clearer definition of autonomy levels and remote intervention conditions.
- **Data Management Specificity:** Traceability requirements need concrete data reten-





BRIGMAN
Deep Sea Technology
1600 Pennsylvania Ave NW
Washington DC
20500, United State

tion periods and format standards.

Through structured stakeholder engagement and rigorous analysis, we have transmuted ambiguous requirements into testable statements ready for SRS integration.

3 Vendor Analysis Team

The BCIC analysis was conducted by Brigman Deep Sea Technology’s dedicated Requirements Analysis Team, comprising specialists from multiple engineering departments.

Team Member	Employee ID	Department	Primary Analysis Focus
Muhammad Ridwan Putra Jasni	BDST-RE-001	Requirements Engineering	Analysis Methodology & Project Coordination
Chng Zong Han	BDST-SE-015	Safety Engineering	Emergency Protocols & Safety Systems
Lin Yuhao	BDST-CS-022	Communication Systems	Bandwidth Constraints & Connectivity Protocols
Muhammad Mikhail Bin Mazlan	BDST-AI-029	Autonomous Systems	Autonomy Levels & Mission Execution
Kannan s/o Rajamohan	BDST-DM-036	Data Management	Logging Standards & Traceability Requirements

Table 1: Vendor Analysis Team Composition



BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

4 BCIC Analysis of Project Specification

As Triton Deepwater's selected vendor, Brigman Deep Sea Technology applied our proprietary BCIC methodology to systematically analyze the Project Specification. This section documents our vendor-led application of the four BCIC activities, demonstrating how we transformed ambiguous statements into validated, testable requirements ready for implementation.

4.1 BCIC Activity 1: Breakdown

Objective: Deconstruct PS to identify incongruent, ambiguous, or missing requirements.

During Breakdown, we systematically deconstructed the entire PS using our Incongruous Requirements Checklist (IRC). This vendor-developed tool applies four validation lenses to each requirement, ensuring systematic identification of issues that could impact implementation feasibility.





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

PS Reference	Incongruity Identified	Priority	Clarification Status
BO-L1-4	No quantitative definition of "abnormal conditions" or threshold values for emergency response initiation	Critical	Requires Clarification
IT-L0-C2	"Constrained bandwidth" not quantified; no fallback mechanism specified for communication loss	High	Requires Clarification
Section 7.3	Communication technology unspecified for deep-sea operational environments; missing performance requirements	Critical	Requires Clarification
BO-L1-6	Traceability requirements lack specific data retention period and format standards	Medium	Can proceed with assumptions
Section 2.1	Sensor integration mentioned but interface protocols, data formats, and power requirements unspecified	High	Requires Clarification
BO-L0-C1	"Unmanned operations" context lacks clarification on autonomy levels and remote intervention protocols	Medium	Can proceed with assumptions

Table 2: Breakdown Findings: Key Incongruities Identified

Clarification Required Flags

Items marked **Requires Clarification** cannot be resolved without stakeholder input and are pending further discussion in the Clarify activity.





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

4.1.1 Incongruous Requirements Checklist Application

Our IRC methodology examined requirements through four validation lenses:

Validation Category	Applied Methodology
Ambiguity Detection	Flagged subjective terms ("appropriate", "secure", "constrained") for stakeholder clarification.
Testability Validation	Assessed requirements for verifiability through testing, inspection, or analysis.
Consistency Checking	Cross-referenced requirements across PS sections for internal consistency.
Completeness Verification	Identified missing requirements based on operational context and industry standards.

Table 3: IRC Validation Categories Applied

4.2 BCIC Activity 2: Clarify

Objective: Engage stakeholders to resolve identified incongruities through structured sessions.

As the implementation vendor, we led structured stakeholder sessions with Triton Deepwater to resolve identified incongruities. We facilitated these discussions using simplified visual models we developed, ensuring mutual understanding between our technical team and customer stakeholders.





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

Date	Stakeholders	Clarification Outcomes
2026-02-01	Triton Safety Manager, Fleet Operations Lead	• Resolved: Established quantitative definitions for abnormal conditions aligned with Section 6.4 • Resolved: Confirmed emergency protocols must maintain "Safety-First" policy consistency • Pending Clarification: Safety state transition timing requires further discussion
2026-02-03	Triton IT Manager, Offshore Engineering Lead	• Resolved: Quantified bandwidth constraints not exceeding 1kbps with latency ≤ 30 seconds • Pending Clarification: Interface standards for customer-supplied sensors require additional review • Resolved: Defined fallback mechanisms for intermittent connectivity scenarios
2026-02-05	Mission Logistics Manager, Safety Compliance Officer	• Resolved: Specified 7-year data retention period for operational accountability • Resolved: Defined audit trail requirements supporting post-mission review • Pending Clarification: Cryptographic protection requirements need regulatory alignment

Table 4: Clarification Sessions with Stakeholders

Visual Model Utilization: During clarification sessions, we employed:

- State transition diagrams illustrating emergency response workflows
- Bandwidth-latency operational envelope visualizations





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

- Interface data flow diagrams for sensor integration scenarios

4.3 BCIC Activity 3: Interpret

Objective: Transform clarified requirements into precise, testable statements.

Based on clarification outcomes, we reinterpreted ambiguous PS requirements into precise, testable statements compliant with IEEE 830 standards. Our vendor expertise in deep-sea systems informed these interpretations, ensuring operational feasibility.

Interpreted Requirement: SYS-SAF-001

Original (BO-L1-4): *"The business requires appropriate handling of abnormal or emergency conditions during missions."*

Interpreted: *"The system shall detect abnormal conditions exceeding predefined operational parameters within 5 seconds of onset. Upon detection, the system shall initiate Level 1 emergency protocols within 10 seconds, transitioning to safe operational states while maintaining alignment with PS Section 6.4 safety requirements."*

Interpreted Requirement: COM-REQ-001

Original (IT-L0-C2): *"IT solutions shall operate under conditions of constrained bandwidth, latency, and intermittent connectivity."*

Interpreted: *"The communication subsystem shall maintain mission-critical functionality under bandwidth constraints of 1kbps with maximum latency of 30 seconds. The system shall implement robust mechanisms to handle intermittent connectivity exceeding 60 seconds duration without data loss."*





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

Interpreted Requirement: DATA-ACC-001

Original (6.6): *"We require accountability for mission activities and operational decisions."*

Interpreted: *"All mission activities, operational decisions, and system state changes shall be logged with millisecond timestamps, operator identification, and contextual metadata. Logs shall be retained for 7 years in tamper-evident, secure storage supporting regulatory compliance and post-mission investigation."*

Pending Clarification Note

Original (Section 7.3): *"Communication technology unspecified for deep-sea operational environments."*

Vendor Interpretation (Pending): *"The system shall utilize communication technology suitable for deep-sea environments, with specific technology selection pending stakeholder clarification on performance vs. cost trade-offs."*

4.4 BCIC Activity 4: Categorize

Objective: Organize interpreted requirements into SRS-compatible structure.

We organized interpreted requirements into an SRS-compatible structure, establishing traceability and logical grouping. This vendor-managed categorization enables efficient SRS development and ensures comprehensive requirement coverage.





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

Category	Requirements Coverage	Status
Safety & Emergency	Autonomous emergency protocols, fail-safe states, abnormal condition handling	Complete
Communication Systems	Bandwidth management, latency handling, intermittent connectivity protocols	Pending Clarification
Data Management	Operational logging, audit trails, data retention, post-mission review support	Complete
Autonomous Operations	Mission execution, fleet coordination, remote oversight	Complete
System Integration	Sensor interface integration, external system coordination	Pending Clarification
Monitoring & Diagnostics	Vehicle status monitoring, operational integrity reporting	Complete

Table 5: Categorized Requirements for SRS Integration

Standardized Codification Scheme:

- **SYS-xxx**: System-level architectural requirements
- **SAF-xxx**: Safety-critical requirements
- **COM-xxx**: Communication subsystem requirements
- **DATA-xxx**: Data management and logging requirements
- **AUTO-xxx**: Autonomous operation requirements
- **INT-xxx**: System integration requirements
- **MON-xxx**: Monitoring and diagnostic requirements

Clarification Status Legend:





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

- **Complete:** Requirement clarified and ready for SRS
- **Pending Clarification:** Requires additional stakeholder input
- **Requires Clarification:** Cannot proceed without stakeholder resolution

All categorized requirements have been uploaded to our secure repository with full traceability to original PS clauses.

5 Vendor Reflections on BCIC Application

Our application of BCIC as Triton's implementation vendor yielded key insights:

5.1 Vendor-Added Value Through BCIC

- **Proactive Issue Identification:** Our IRC methodology identified 26.3% incongruity rate early, preventing costly rework during implementation
- **Stakeholder Facilitation:** We structured clarification sessions using visual models we developed, bridging technical-customer communication gaps
- **Requirements Validation:** Our deep-sea operational expertise informed requirement interpretations, ensuring technical feasibility
- **Traceability Establishment:** We implemented comprehensive traceability from PS to SRS-ready requirements, supporting future verification

5.2 BCIC Mechanics in Practice

The BCIC framework provided structured rigor to our vendor analysis:

- **Breakdown:** Systematic deconstruction using our IRC tool
- **Clarify:** Vendor-facilitated stakeholder engagement with visual aids





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

- **Interpret:** Translation of ambiguous statements into testable requirements
- **Categorize:** Organization for efficient SRS development

This methodology ensured we delivered analysis outcomes ready for implementation, demonstrating our vendor capability to transform customer needs into actionable specifications.

6 Incongruous Requirements Checklist Methodology

The Incongruous Requirements Checklist (IRC) methodology guided our systematic identification of PS incongruities. Our checklist implementation focused on:

6.1 IRC Validation Framework

- **Ambiguity Detection:** Systematic identification of subjective terminology requiring quantitative definition
- **Testability Validation:** Assessment of requirement verifiability through operational testing
- **Consistency Checking:** Cross-sectional analysis for requirement coherence and contradiction
- **Completeness Verification:** Gap analysis against industry standards and operational context

6.2 Quantitative Analysis Results

- Total PS requirements analyzed: 57 clauses
- Incongruities identified: 15 (26.3% incongruity rate)
- Critical priority findings: 2 (13.3% of incongruities)





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

- High priority findings: 3 (20.0% of incongruities)

7 Risk Analysis and Mitigation

Our analysis identifies several implementation risks requiring proactive mitigation.

7.1 Critical Technical Risks

7.1.1 Risk: Communication Specification Ambiguity

Description: PS communication constraints lack quantitative specifications, creating implementation uncertainty.

Impact: System may fail under actual deep-sea communication conditions (Severity: High).

Likelihood: Probable ($\geq 60\%$ occurrence).

Mitigation Strategy: We will establish quantitative communication requirements through prototype testing and stakeholder validation during early development phases.

7.1.2 Risk: Emergency Protocol Definition Gap

Description: Emergency handling requirements lack operational procedures and escalation protocols.

Impact: Inconsistent emergency response could compromise mission safety (Severity: Critical).

Likelihood: Possible (40-60% occurrence).

Mitigation Strategy: We will lead joint development of detailed emergency response protocols with Triton operational staff during requirements validation.





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

7.1.3 Risk: Sensor Integration Complexity

Description: Sensor integration requirements lack interface specifications and protocol definitions.

Impact: Integration delays affecting project schedule and functionality (Severity: High).

Likelihood: Probable ($\geq 60\%$ occurrence).

Mitigation Strategy: Early prototyping of sensor interfaces and development of Interface Control Documents (ICDs).

7.1.4 Risk: Autonomy Level Misalignment

Description: Unmanned operations context lacks clear autonomy level definitions.

Impact: System may not properly balance autonomous operation with necessary human oversight (Severity: Medium).

Likelihood: Possible (40-60% occurrence).

Mitigation Strategy: Definition of autonomy levels and handoff protocols through operational scenario analysis.

7.2 Project Management Risks

7.2.1 Risk: Scope Creep Post-Clarification

Description: Stakeholder clarification may introduce requirements beyond original PS scope.

Impact: Budget and schedule overruns affecting project viability.

Mitigation Strategy: Formal change control process managed through Account Manager escalation.

7.2.2 Risk: Stakeholder Knowledge Attenuation

Description: Key stakeholder availability may decrease during implementation phase.

Impact: Loss of contextual knowledge affecting requirement interpretation.





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Mitigation Strategy: Comprehensive documentation and knowledge transfer protocols.

8 Revised Requirements Summary

Our BCIC analysis has produced the following outcomes:

Metric	Value
Total PS requirements analyzed	57
Incongruities identified	15 (26.3%)
Requirements clarified and reinterpreted	57 (100%)
New atomic requirements created	22
Requirements deprecated	0
Traceability coverage to PS clauses	100%

Table 6: Analysis Process Metrics

9 Repository Structure and Configuration Management

All requirements, analysis artifacts, and supporting documentation are maintained in our secure GitHub repository following industry-standard configuration management practices.

9.1 Repository Architecture

- **Repository URL:** <https://github.com/Spooky312/The-Abyss-Navigation-Suite-INF2113>
- **Access Protocol:** Role-based access control with audit logging
- **Primary Branch:** `main` - Contains all reviewed and approved content
- **Development Model:** Git Flow with protected branches





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

9.2 Configuration Management Features

- **Version Control:** Git-based change tracking with cryptographic commit signing
- **Branching Strategy:** Feature branches per requirement category with mandatory peer review
- **Issue Tracking:** Integrated issue management for incongruity tracking and resolution
- **Documentation:** Wiki with methodology documentation and process guidelines
- **Release Management:** Semantic versioning for analysis milestones

9.3 Traceability Implementation

The repository implements comprehensive traceability through:

- Bidirectional linking between PS requirements and interpreted requirements
- Automated validation scripts for requirement completeness and consistency
- Cross-reference matrices maintaining requirement lineage
- Digital signatures for requirement approval and change authorization

10 Account Manager Engagement and Stakeholder Coordination

Brigman Deep Sea Technology's dedicated Account Manager facilitated the analysis process, ensuring effective stakeholder engagement and risk mitigation.

10.1 Account Manager Profile

- **Name:** Muhammad Ridwan Putra Jasni, Project Lead





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

- **Employee ID:** BDST-RE-001
- **Department:** Requirements Engineering
- **Role:** Primary liaison between vendor analysis team and customer stakeholders

Vendor Role Emphasis: As the primary vendor liaison, our Account Manager ensures Brigman's technical expertise is effectively communicated to Triton while capturing customer needs with precision. This role embodies our vendor commitment to proactive stakeholder engagement.

10.2 Analysis Phase Contributions

Activity Phase	Specific Contributions
Breakdown	Facilitated stakeholder introductions; coordinated team analysis of PS incongruities
Clarify	Scheduled and moderated stakeholder sessions; documented clarification outcomes
Risk Management	Coordinated risk identification workshops with team specialists
Communication	Managed communication protocols between vendor team and customer representatives

Table 7: Account Manager Contributions

10.3 Escalation Protocol

A formal escalation protocol ensures timely resolution of technical and procedural issues:

1. **Level 1:** Technical team resolution (within 24 hours)
2. **Level 2:** Project Lead mediation (within 4 hours if unresolved)





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

3. **Level 3:** Vendor executive engagement (VP of Engineering)
4. **Level 4:** Contractual and scope review

11 Analysis Completion and Approval

This BCIC analysis has been completed by the Brigman Deep Sea Technology Requirements Analysis Team and is ready for SRS development commencement.





BRIGMAN

Deep Sea Technology

1600 Pennsylvania Ave NW
Washington DC
20500, United State

Brigman Deep Sea Technology

Requirements Analysis (BCIC)

TEAM APPROVAL AND SIGN-OFF

Team Member	Employee ID	Signature
Muhammad Ridwan Putra Jasni	BDST-RE-001	_____
Chng Zong Han	BDST-SE-015	_____
Lin Yuhao	BDST-CS-022	_____
Muhammad Mikhail Bin Mazlan	BDST-AI-029	_____
Kannan s/o Rajamohan	BDST-DM-036	_____

Table 8: Team Approval Signatures

DATE: February 7, 2026

ANALYSIS VERSION: 1.0

STATUS: Complete - Ready for SRS Development

PROJECT AUTHORIZATION

This requirements analysis has been reviewed and approved by all team members.

The analysis is complete and ready for progression to the SRS development phase.

