AMC Movie Planner v0.0.5 - Testing Document & Regression Suite

Code Version: v0.0.5

Focus Areas: Limitless Pagination Architecture, Time-Filtering, Visibility Parameter Refactoring.

1. Boundary Value Analysis (BVA)

Discord enforces strict API limits. I engineered artificial boundaries just below these limits to trigger chunking safely. This BVA tests the exact edges of the build_movie_embeds and chunking logic.

1.1 Field Character Limit (Max: 1024 chars)

The Trigger: current_field_chars + added_length > 1024

Test Path	Input (Length of Showtime String)	Expected Behavior
Below Bound	1,010 chars	Fits cleanly into a single "Showtimes" field.
On Bound	Exactly 1,024 chars	Fits into the current field. No split yet.
Just Above	1,025 chars	Creates a new field named "Showtimes (Cont.)" for the overflow.

1.2 Embed Field Count Limit (Max: 25 fields)

The Trigger: field_count >= 25

Test Path	Input (Number of Fields generated)	Expected Behavior

Below Bound	24 fields	Fits on the current (Part X) embed card.
On Bound	Exactly 25 fields	Fits on the current card. Triggers creation of a new Embed (Part X+1) for the next item.
Just Above	26 fields	25 fields go to Part 1, 1 field goes to Part 2.

1.3 Embed Character Limit (Max: 6000 chars)

The Trigger: current_embed_chars > 5500 (Safe Buffer)

Test Path	Input (Total text in one embed)	Expected Behavior
Below Bound	5,499 chars	Stays on the current embed card.
On Bound	5,500 chars	Stays on the current embed card.
Just Above	5,501 chars	Forces creation of a new Embed (Part X+1).

1.4 Message Embed Limit (Max: 10 embeds)

The Trigger: len(current_chunk) >= 10

Test Path	Input (Number of Embeds to send)	Expected Behavior
Below Bound	9 embeds (incl. header)	Sent in a single Discord message.

On Bound	10 embeds (incl. header)	Sent in a single Discord message. Next embed starts a new message.
Just Above	11 embeds (incl. header)	10 embeds sent in Message 1. 1 embed sent in Message 2.

1.5 Message Character Limit (Max: 6000 chars)

The Trigger: current_chunk_chars + embed_chars > 5800 (Safe Buffer)

Test Path	Input (Total characters in a chunk of embeds)	Expected Behavior
Below Bound	5,799 chars	Embed is appended to current message chunk.
On Bound	5,800 chars	Embed is appended to current message chunk.
Just Above	5,801 chars	Current chunk is sent. Offending embed starts a new message.

2. Truth Tables & Logic Paths

2.1 Visibility Parameter Logic (visible_to_all)

Rule: is_ephemeral = str(visible_to_all).strip().lower() != "true"

Input (visible_to_all)	.strip().lower() Result	Condition (!= "true")	is_ephemeral (Output)	Result in Discord

"true"	"true"	False	False	Publicly Visible
"True"	"true"	False	False	Publicly Visible
" TRUE "	"true"	False	False	Publicly Visible
"false"	"false"	True	True	Private / Ephemeral
"visable" *(Regression)*	"visable"	True	True	Private / Ephemeral
None (Empty)	"none"	True	True	Private / Ephemeral

2.2 Time-Filtering Logic (filter_future_showtimes)

Context: Current time is evaluated against the target_date and showtime_dt.

Target Date vs. Today	**Showtime vs. Current Time (Now)**	**Output**	**Action**
Target Date < Today	N/A (Past Date)	[]	Drops all times.
Target Date > Today	N/A (Future Date)	[...all]	Keeps all times.

Target Date == Today	Showtime < Now	Omitted	Drops past time.
Target Date == Today	Showtime > Now	Kept	Keeps future time.
Target Date == Today	Unparseable String	Kept (Safe Fail)	Keeps weird strings (e.g. "TBD").

3. Regression Test Suite

Test ID	Module	Description	Steps	Expected Result	Pass/Fail
RT-01	/showtimes	Validate Standard Day Lookup	Run /showtimes Friday.	Returns header embed + movie embeds for Friday.	[P]
RT-02	/showtimes	Validate Empty Day Cache	Modify JSON to remove Monday movies. Run /showtimes Monday.	Bot responds: "No showtimes found in cache for Monday."	[P]
RT-03	/movies	Validate Autocomplete	Type /movies m	Bot suggests active movies starting with/containing "m".	[P]

RT-04	/movies	Validate Future Time Filter	Run /movies [title] for a movie playing today.	Only showtimes *after* the current time are listed.	[P]
RT-05	/movies	Validate Exhausted Times	Run /movies [title] for a movie where all times have passed.	Bot responds: "There are no upcoming showtimes left..."	[P]
RT-06	Metadata	Validate Metadata Fallbacks	Inject movie into JSON with missing genre/rating (N/A).	Embeds explicitly show "**Genre:** Unknown | **Rating:** Unknown".	[P]
RT-07	System	Validate "Updating" Lockout	Temporarily set "updating": true in JSON. Run any command.	Bot responds: " Schedule Refreshing: Please wait..."	[P]
RT-08	/showtimes	Validate Time-Filtering	Set a movie's showtimes past time in today's JSON. Run /showtimes.	If movie showings are past, bot responds with embedded "There are no upcoming showtimes left..." and still includes tile	[P]