

# Product Management System

1. Spoorthy M S
2. Srushti B
3. Sneha M S

## Table of Contents

1. Introduction to the System .....	1
1.1 Problem Definition .....	1
1.2 Objectives and scope of the project.....	1
1.3 Benefits of the project .....	2
1.4 Limitations of the project .....	2
1.5 Feasibility Assessment .....	3
1.6 Tools used .....	4
2. Analysis of the System.....	5
2.1 System Requirement.....	8
2.2 Context Diagram .....	9
2.3 Level-0 DFD .....	9
2.3 Use Case Diagram.....	12
2.4 Sequence Diagram .....	14
2.5 System Flowchart.....	15
3. System Design.....	18
3.1 System Architecture .....	19
3.2 Design Class Diagram.....	20
3.3 Entity Relation Diagram (ERD) .....	21
3.3 Schema Diagram .....	23
3.4 Database Tables.....	25
4. System Implementation .....	27
4.1 Coding.....	28
4.2 Testing Strategies .....	28
4.3 Execution Snapshot.....	30
5. Conclusion.....	39
6. Reference and Bibliography .....	40

## 1. Introduction to the System

### 1.1 Problem Definition

This software, “Inventory Management System”, is used for recording the information about the day to day transaction of stocks of an organization. It stores purchase information of the products with credit/debit information from the supplier. Similarly, it stores sales information with credit/debit about the customers. If a product is purchased, then the related information is stored in stocks, that is, stocks are up to date. Another part is it prepares sales report after product is sold. In the sales information, the information about who sold the product is also kept, so there is no problem for misunderstandings in future.

### 1.2 Objectives and scope of the project

The project is a remarkable chance to experience the real world working environment and culture where the knowledge learned during the BIM course can be implemented. This project not only makes us familiar with the real working environment but also make us more mature in the way we deal with the real world problem and try to solve those problem in the best way possible by applying the knowledge we have acquired throughout the BIM course.

The main objective of the project is to analyze the existing system under study and give necessary suggestions or solutions to improve it. To implement the theoretical knowledge acquired from college in real working environment.

To enable us to understand how theory knowledge differs from practical life thus helping us to understand the complexity and unforeseen nature of problem and opportunity that exist in the country

As its name implies, the main objective of this software is to record the information about the stocks of an organization and perform basic operations,

## Product Management System

purchase and sales of the products. It is developed to increase the efficiency of an organization as it can perform tasks quickly and accurately.

This software can be useful for small to medium size organization where stocks are required to be managed day to day. This software can be useful for handling the inventory as compared with traditional paper system.

### 1.3 Benefits of the project

- Developed teamwork
- Developed coding and documentation skills
- Increased knowledge about how organization manages its inventory
- Learn to automate the existing system as far as practically within limited time constraints
- To enable the students gain better understanding of different aspects of the working environment and working condition.
- To help the students gain experience of professional working environment.
- To analyze the real world problem and find the solution using knowledge obtained.
- To enhance knowledge and skills necessary to be an effective manager.
- To develop and enhance research skills, report writing skills along with presentation and communication skills.
- To get career insights existing in the country.

### 1.4 Limitations of the project

Due to the constraints with time, there are certain limitations of this project; some of them are highlighted below:

- Does not consist accounting features

## Product Management System

- Not suitable for large organization
- Main focus was given in the functional requirement of the system
- Time period was not enough for a comprehensive study and development of the software of Inventory Management System.

### 1.5 Feasibility Assessment

The **feasibility study** is an evaluation and analysis of the potential of a proposed project which is based on extensive investigation and research to support the process of decision making.

- **Economic Feasibility**

As we need not to perform high level researches on our project, we did not spend any amount while preparing this project.

- **Technical Feasibility**

There is no problem in technical feasibility as it supports basic hardware and software. Other software required for this project can be easily available in the internet. To use this software, no technical person is required. It is user friendly and can be used by any non-technical person.

- **Operation Feasibility**

Our software runs smoothly in the given software and hardware requirements. It does not consist extra requirements.

- **Legal Feasibility**


This software does not hamper any legal matters, so it is legally feasible.

- **Schedule Feasibility**

We had about 4-5 months time to prepare this software and we have completed it within

## Product Management System

Gantt chart for Inventory Management System:




### 1.6 Tools used

For the development IMS system a variety of tools and techniques are used. For the development of the system the user requirements has to be written in the understandable form. The use of different graphical representation of the system process has been implemented in development of system for non technical users to understand the system working process. We used the mostly used Tools and techniques for system development as:

- Net Beans IDE (Coding)
- JDK 1.7\_3
- MySQL server
- MS Visio (Designing)
- MS Word (Documentation)
- Adobe Photoshop (Graphic Designing)

### 2. Analysis of the System

For the development of IMS we have follow a traditional system development procedure which is generally known as system development life cycle (SDLC). The general steps that we have followed for development of system can be shown below:



**Fig: System Development Life Cycle**

#### **System Investigation**

In this stage we analyzed Existing system and its defects were found out viewing those defects, we developed the software which addresses those defects. Once the investigation of the system is finish the stage of the system analysis starts

#### **System Analysis**

System analysis is the analysis of the problem that the organisation wants to solve with the information system. It consists of defining the problem, identifying its

## Product Management System

causes, specifying the solution, and identifying the information requirements that must be met by a system solution.

### **System Design**

After identifying the user requirements, specifications for the hardware, software, people and data resources were developed. The software module that satisfies the functional requirements of the proposed system was also developed. In this phase both logical and physical design of the system was done.

### **System Development**

After design the system the development of the system starts. We develop the system using different modules. Once the different modules are been developed they are integrated the whole system. There modules are developed using different tools and techniques.

### **System Testing**

Various tests were conducted at different times. Some of which are:

- Functional testing
- Module testing
- System testing

Functional and module testing has been conducted after creating function and module respectively to assure correct operation. Functional testing is done for the purpose of checking whether the functions used in system are operational or not. To check whether the modules function appropriately, module testing is done. After the operational system is built up, system testing is done to identify if there are any bugs in the system or not.



### **System Implementation**

After designing the system it was implemented and maintained. It involves installing the new system and changeover from the existing system to the new one.

### **System Maintenance**

For the smooth functioning of the system during its working life, maintenance is necessary. Small errors and system inconsistency may arise in the system which must be debugged and brought into regular operation.

### **Plans for System Implementation**

System implementation involves installation of the new system and switch from the existing system to the new one. System installation is not a major problem, as the system can be installed on a machine supporting certain minimum requirements. The changeover from the old system to a fully computerized new robust system requires in depth training familiarity of the users with the various aspect of the new system and making certain specific adjustments.

### **System Installation**

To install the IMS application on a certain machine, it requires the machine to fulfill minimal requirements and additionally, the backend software My SQL server needs to be installed.

With the successful installation of the IMS application, it will run as any other software present earlier in the machine.

### **Requirement of User's Training**

Any user with basic computer knowledge can operate the system in an efficient and effective way but since this system is completely new software, some general guidelines needs to be provided. This will help them to counter face the difficulties while dealing with the new software. The interface of the system is

## Product Management System

quite user friendly such that any user who can operate the operating system like Windows 98 and Windows XP can easily run the system.

### 2.1 System Requirement

- **Hardware requirement**
  - Pentium 3 or above
  - 512 MB RAM
  
- **Software Requirement**
  - Microsoft/Linux/Mac Operating System
  - Java Virtual Machine
  - Java Development Kit
  - Java core/unofficial API
    - JTattoo.jar
    - jCalendar.jar
  
- **User Requirement**
  - Basic Computer knowledge
  - File Browsing Skills

## 2.2 Context Diagram








Fig: Context Diagram for IMS

## 2.3 Level-0 DFD

After the development of the ERD the Data Flow Diagram for the IMS is created. It defines how the data actually flows in the system and the sources of data in the system

**TBL 3.1:** DFD symbols and their descriptions

<i>Symbols</i>	<i>Description</i>
	<i>Process</i>
	<i>Data Flow</i>
	<i>Entity</i>
	<i>Database</i>

## Product Management System




Fig: Collecting products from suppliers




Fig: Selling products to customers

### 2.3 Use Case Diagram

A use case diagram is a type of behavioral diagram defined by the Unified Modeling Language (UML) whose aim is to present a graphical overview of the functionality provided by a system in terms of actors, their goals (represented as use cases), and any dependencies between those use cases. It is used to identify the primary elements (actors) and processes (use cases) that form the system. The use case technique is used in software and systems engineering to capture the functional requirements of a system from the user's perspective. The use case shows how the different actor will be performing what activity within and application the following use case diagram show how different user will be performing the different activity within the application




Fig: Use Case Diagram for Admin




Fig: Use Case Diagram for Normal user

## 2.4 Sequence Diagram




Fig: Sequence diagram for Admin



## Product Management System




Fig: Sequence diagram for Normal user

### 2.5 System Flowchart

Flowcharts are a modeling technique. It is typically used to describe the detailed logic of a business process or business rule. A chart that traces the movement of data in a computer system and shows how the data is to be processed. It is also known as bubble chart; system flowchart. The chart is read from top to bottom, and left to right. Flow charts diagrams use a universal set of symbols. Ovals are beginning and ending points. Squares and rectangles are activities or steps. When a series of steps are condensed together, a rectangle with

## Product Management System

vertical lines on each end is used to indicate a sub-process. Diamonds are decisions. Circles connect parts of the diagram together.

The Activity Flow Chart for individual Actors of the system are separately created and listed as:




Fig: Change user details




Fig: Selling products to customers




Fig: Receiving products from suppliers

### 3. System Design

The goal of systems design is to build a system that is effective, reliable, and maintainable. To be effective, the system must satisfy the defined requirements

## Product Management System

and constraints. Users who use it to support the organizations business objectives also must accept the system.

A system is reliable if it adequately handles errors, such as input errors, processing errors, hardware failures, or human mistakes. Ideally, all errors can be prevented. A more realistic approach to building a reliable system is to plan for errors, detect them as early as possible, allow for their correction, and prevent them from damaging the system.

A system is maintainable if it is well design, flexible, and developed with future modifications in mind. No matter how well a system is designed and implemented, at some point it will need to be modified. Modifications will be necessary to correct problems, to adapt to changing user requirements, to enhance the system, or to take advantage

### 3.1 System Architecture

Two-tier architecture has been implemented in the system development. Three-tier is a client–server architecture in which consists of presentation logic and database logic.

Two-tier architecture then will have two processing nodes. Layers refer to a logical grouping of components which may or may not be physically located on one processing node.

IMS application will be a desktop application. It will consist of a database server. These server components can exist in the same sever computer or can be different computers such as Database Server.

#### **Component Architecture**

The IMS application will have 2 layers which are as:

## Product Management System

1. Presentation Layer
2. Data Access Layer

### **1. Presentation Layer**

This layer is responsible for presenting the data and information to the users in the format that the user can identify with i.e., in high level language. It is also liable for collecting events, responses and data from the various users. The presentation layer responds to the user request by receiving the required result from application layer and presenting in predetermined format. This layer will be developed by using JAVA.


### **2. Data Access Layer**

This layer is responsible for communicating with the presentation layer to get the data along with other information and with database for storage and retrieval of the data. It receives the information from the presentation layer, process that information as requested and if required, communicates with the database for further processing. The result received from the database is again presented to presentation layer.

## **3.2 Design Class Diagram**

The class diagram is the main building block of object oriented modeling. It is used both for general conceptual modeling of the systematic of the application, and for detailed modeling translating the models into programming code. Class diagrams can also be used for data modeling.<sup>[1]</sup> The classes in a class diagram represent both the main objects, interactions in the application and the classes to be programmed.

## Product Management System



A class with three sections.

In the diagram, classes are represented with boxes which contain three parts:


- The top part contains the name of the class. It is printed in Bold, centered and the first letter capitalized.
- The middle part contains the attributes of the class. They are left aligned and the first letter is lower case.
- The bottom part gives the methods or operations the class can take or undertake. They are also left aligned and the first letter is lower case.

### 3.3 Entity Relation Diagram (ERD)

For the development of the system, initially all the entities and there interrelation were identified. On the basis of that an ERD was developed. ERD consists of these components:


<b>Rectangles</b>	Represent entity sets
<b>Ellipses</b>	Represent attributes.
<b>Underline Ellipse</b>	Represent Primary Key
<b>Diamonds</b>	Represent relationship sets.
<b>Lines</b>	Link attributes to entity sets, entity sets to relationship sets

## Product Management System



Selling products to customers





Buying product from suppliers

### 3.3 Schema Diagram

With the reference of DFD and ERD, schema diagram was constructed. The schema diagram actually shows the tables, fields and relation between them. The diagram is constructed before actual coding of database. On the basis of this diagram, database is realized. Schema diagram shows which data will be stored where and what will be the relation between tables and fields.

# Product Management System



## 3.4 Database Tables

---

Suppliers	
<b>sid(PK)</b>	int
<b>suppliercode</b>	varchar
<b>fullname</b>	varchar
<b>location</b>	varchar
<b>debit</b>	double
<b>credit</b>	double
<b>balance</b>	double

---

---

customers	
<b>cid(PK)</b>	int
<b>suppliercode</b>	varchar
<b>fullname</b>	varchar
<b>location</b>	varchar
<b>debit</b>	double
<b>credit</b>	double
<b>balance</b>	double

---

---

products	
<b>pid(PK)</b>	int
<b>productcode</b>	varchar
<b>productname</b>	varchar
<b>suppliercode</b>	varchar
<b>date</b>	varchar
<b>quantity</b>	int
<b>costprice</b>	double
<b>sellingprice</b>	double
<b>brand</b>	varchar

---

## Product Management System

---

currentstocks	
productcode	varchar
productname	varchar
quantity	int

---

---

salesreport	
date	varchar
customercode	varchar
productcode	varchar
quantity	int
revenue	double
soldby	varchar

---

### **4. System Implementation**

System implementation involves installation of the new system and switch from the existing system to the new one. System installation is not a major problem, as the system can be installed on a machine supporting certain minimum requirements. The changeover from the old system to a fully computerized new robust system requires in depth training familiarity of the users with the various aspect of the new system and making certain specific adjustments.

To install the IMS application on a certain machine, it requires the machine to fulfill minimal requirements and additionally, the backend software MySQL server needs to be installed and JVM. With the successful installation of the IMS application, it will run as any other software present earlier in the machine.

### 4.1 Coding

```
public static void main(String[] args) {  
  
    try{  
  
        Properties p=new Properties();  
  
        p.put("logoString","IMS");  
  
        HiFiLookAndFeel.setCurrentTheme(p);  
  
        UIManager.setLookAndFeel("com.jtattoo.plaf.hifi.HiFiLookAndFeel");  
  
    }catch(ClassNotFoundException | InstantiationException |  
IllegalAccessException | UnsupportedLookAndFeelException e){  
  
        e.printStackTrace();  
  
    }  
  
    LoginDialog ld=new LoginDialog();  
  
    ld.setLocationRelativeTo(null);  
  
    ld.setDefaultCloseOperation(JFrame.DISPOSE_ON_CLOSE);  
  
    ld.setVisible(true);  
  
}
```

### 4.2 Testing Strategies

Software Testing is a critical element of software quality assurance and represents the ultimate review of specification, design, and code generation. Once source code has been generated, software must be tested to uncover and correct as many errors as possible before delivery to customer. Our goal is to design a series of test case that have a likelihood of finding errors. So, testing technique provide systematic guidance for designing tests that:

- ✓ Excise the internal logic of software component.
- ✓ Excise the input and output domains of the program to uncover errors in program function, behavior and performance.

A rich variety of test case design methods has evolved for software. This method provides the developer with a systematic approach to testing.

Any software can be tested in two ways:

- 1) White box testing:
- 2) Black box testing

### **1. White box testing**

White box testing is a test case design method that uses the control structure of the procedural design to derive test cases. White-box testing of software is predicated on close examination of procedural details. Logical paths through the software are tested by providing test cases that exercise specific sets of conditions and loops. White box testes focus on the program control structure.


### **2. Black box testing**

Black box testing focuses on the functional requirements of the software. It is user acceptance testing that has the objective of selling the user on the validity and the reliability of the system.

Black box testing is not an alternative to white box testing rather it is a complementary approach that is likely to uncover different class of error than white box method.

## 4.3 Execution Snapshot

Login Dialog:



The image shows a 'Login' dialog window with a dark, textured background. At the top center is a blue shield-shaped icon with three white silhouettes of people and the text 'MEMBER LOGIN' in a white box. Below this is a dark rectangular field containing the text 'ADMINISTRATOR' and a small downward-pointing arrow on the right. Underneath are two input fields: 'Username' and 'Password'. At the bottom are two buttons: 'Login' with a blue arrow icon and 'Clear' with a broom icon crossed out by a red 'X'.

Login

MEMBER LOGIN

ADMINISTRATOR

Username


Password

Login Clear



# Product Management System

Dashboard:



# Product Management System

## Suppliers:

Inventory Management System

File Action  
Menu

Home **SUPPLIERS** (Search using Full Name, Location, Phone OR Supplier Code) SEARCH

sid	supplier...	fullname	location	phone	debit	credit	balance
24	s10	Shyam	Pokhara	4222222	1400.0	600.0	2000.0

Suppliers

Products

Customers

Current Stocks

Sales Report

Users

**SUPPLIERS**

PLEASE ENTER ALL THE FIELDS

Supplier Code

Supplier's name

Location

Phone

Debit

Credit

Add Edit Delete Clear

View by Credit View by Debit

# Product Management System

## Products:

File Action

Menu

Home

Suppliers

Products

Customers

Current Stocks

Sales Report

Users

Refresh

PRODUCTS

(Search using Product Name, Brand Name, OR Product Code) SEARCH

pid	productcode	productname	quantity	costprice	sellingprice	brand
162	p100	wai wai	123	23.0	43.0	cg

PRODUCTS

PLEASE FILL ALL THE FIELDS

Select Supplier's Name

New Supplier? Click here!

Product Code

p100

Date

Product Name

wai wai

Quantity

123

Cost Price

23.0

Selling Price

43.0

Brand

cg

Add

Edit

Delete

Clear

Purchased Date: Fri Jul 25 00:00:00 NPT 2014

Supplier Info: Purchased from Shyam

# Product Management System

Customers:

File Action

Menu

Home

Suppliers

Products

Customers

Current Stocks

Sales Report

Users

Inventory Management System

CUSTOMERS

(Search using Full Name, Location, Phone OR Customer Code) SEARCH

cid	customer...	fullname	location	phone	debit	credit	balance
15	c10	Laxman	Ombahal	4333332	2000.0	0.0	2000.0

CUSTOMERS

PLEASE ENTER ALL THE FIELDS

Customer Code

Customer's name

Location

Phone

Debit

Credit

Add

Edit

Delete

Clear

View by Credit

View by Debit

# Product Management System

## Current Stocks:

File Action

Menu

Home

Suppliers

Products

Customers

Current Stocks

Sales Report

Users

Refresh

CURRENT STOCKS

productcode	productname	quantity	costprice	sellingprice
p100	wai wai	123	23.0	43.0

Sell a Product

SELECT A CUSTOMER

Date

Product Code

Product Name

Quantity

Cost Price


Selling Price

Sell

clear

# Product Management System

## Sales Report:



The screenshot shows a web application titled "Inventory Management System". On the left is a sidebar menu with icons and labels for: File Action, Menu, Home, Suppliers, Products, Customers, Current Stocks, Sales Report (highlighted), and Users. The main content area is titled "Sales Report" and features a "Refresh" button. Below the title is a table with the following data:

date	productname	quantity	revenue	fullname	soldby
Fri Jul 25 19:53:21 NPT ...	wai wai	30	1200.0	Laxman	user100

# Product Management System

## Users:

Inventory Management System

File Action

Menu

Home

Suppliers

Products

Customers

Current Stocks

Sales Report

Users

USERS

Users

id	fullname	location	phone	username	password	category	image
36	Sajan Raj...	kathmandu	9849284...	user100	test123	ADMINIST...	[B@1a34...

PLEASE FILL ALL THE FIELDS

ADMINISTRATOR

Full Name

Location

Phone

Username

Password

Select Image

Add Delete Clear

## Product Management System


Change Details:

The screenshot shows the 'Inventory Management System' window with the 'Edit Profile' tab selected. The 'Profile Detail' section contains the following fields:

Field	Value
Full Name	Sajan Rajbhandari
Location	kathmandu
Phone	9849284991
Username	user100
Password	.....
Category	ADMINISTRATOR

Below the fields are two buttons: 'Update' (with a person icon) and 'Clear' (with a broom icon). The left sidebar contains icons for Home, Suppliers, Products, Customers, Current Stocks, Sales Report, and Users.

Change theme:





### 5. Conclusion

The Inventory Management System is developed and designed for recording and managing the inventory of an organization. It can also be used for different institution with fewer modifications as per requirement. The system can be easily updated as the other institutional requirement may not be integrated on our project. After the continuous effort, testing and debugging the current system is ready to be implemented in an organization.

The system development project has developed the ability on us to implement the theoretical knowledge we have gained during BIM study in the real life scenario.

Some of the lesson that we had learned from the project are:-

- Sharpen the knowledge of working cooperatively in working organizational environment and work place.
- Know the value of time and discipline.
- Work in group and make group decision.
- Learnt communication skill, leadership quality and to make good public relation.

### 6. Reference and Bibliography

- Jimmy Wales, online encyclopedia Wikipedia, <http://www.wikipedia.org>
- James Gosling, Java (programming language) , <http://www.java.com>
- Names Allaire, Netbeans- Fully-featured Java IDE, [http:// www.netbeans.org](http://www.netbeans.org)
- James Gosling, Welcome to JavaWorld.com: how-to features and columns by Java experts; news; Java applets; sample code; tips, [http:// www.javaworld.com](http://www.javaworld.com)
- Pressman, Roger S. “Software Engineering A Practitioner’s Approach”
- John Osborn, JavaBeans: Developing Component Software in Java
- Doug Lea, Concurrent Programming in Java: Design Principles and Patterns, Addison-Wesley , November, 1996