Feedback — Week 2 Quiz

You submitted this quiz on **Sun 26 Oct 2014 8:11 AM PDT**. You got a score of **4.00** out of **5.00**. However, you will not get credit for it, since it was submitted past the deadline.

Question 1

Who created Markdown?

Your Answer		Score	Explanation
⦿ John Gruber	✔	1.00	
○ Hadley Wickham			
○ Yihui Xie			
○ Robert Gentleman			
Total		1.00 / 1.00	

Question 2

When writing a document in R Markdown, how do you denote the beginning of an R code chunk?

Your Answer		Score	Explanation
⦿ ```` ```{r} ````	✔	1.00	
○ `<rcode>`			
○ ```` ``` ````			

○
<code>

Total	1.00 / 1.00

Question 3

When using knitr, how do you indicate the height and width of a plot created in a code chunk?

Your Answer		Score	Explanation
○ Set the 'size' and 'scale' options for the code chunk			
○ Set the 'fig.height' and 'fig.width' options for the code chunk			
○ Set the 'dpi' option for the code chunk			
◉ Set the 'height' and 'width' options for the code chunk	✖	0.00	
Total		0.00 / 1.00	

Question 4

With some code chunks, we may not want the output generated by the chunk to be rendered into HTML but would prefer to print the output verbatim. How can we specify this preference for a given code chunk?

Your Answer		Score	Explanation
○ Set the option `highlight = TRUE`			
◉ Set the option `results = "asis"`	✔	1.00	
○ Set the option `tidy = FALSE`			
○ Set the option `message = FALSE`			

Total	1.00 / 1.00

Question 5

When using knitr and R Markdown and producing output in HTML, why should you never edit the resulting HTML file?

Your Answer		Score	Explanation
○	The HTML file is not a text file.		
○	Editing the HTML file requires knowledge of a separate markup language.		
●	Every time you knit() the R Markdown file, the HTML file will be overwritten	✔ 1.00	
○	The Markdown file generated by knitr is the appropriate file to edit.		
Total		1.00 / 1.00	