```
MINGW64:/c/myrepo

sivae@Siva MINGW64 /c/myrepo
$ git init
Initialized empty Git repository in C:/myrepo/.git/

sivae@Siva MINGW64 /c/myrepo (master)
$ echo "this is my second git commit" > siv.txt

sivae@Siva MINGW64 /c/myrepo (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        prasuu.txt
        siv.txt

nothing added to commit but untracked files present (use "git add" to track)

sivae@Siva MINGW64 /c/myrepo (master)
$ echo "WELCOME" > folder.txt

sivae@Siva MINGW64 /c/myrepo (master)
$ echo "MY WORLD" > folder2.txt

sivae@Siva MINGW64 /c/myrepo (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        folder.txt
        folder2.txt
        prasuu.txt
        siv.txt

nothing added to commit but untracked files present (use "git add" to track)

sivae@Siva MINGW64 /c/myrepo (master)
$ mv siv.txt first.txt

sivae@Siva MINGW64 /c/myrepo (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
        first.txt
        folder.txt
        folder2.txt
        prasuu.txt

nothing added to commit but untracked files present (use "git add" to track)
```

Git Add