

# 1. Introduction :

---

## Available Datasets:

All the datasets used in this thesis are reported in the folder “src/Datasets”

*dataset* : Finnmark, Hordaland, Nordland, Troms, Norway, Norway0714, More\_og\_Romsdal, Sor-Trondelag, Sogn\_og\_Fjordane, Rogaland\_og\_Agder,

*parameter*: cages, localities, numberSalmon, feedConsumption, restock, withdrawals, biomass

- if the dataset is ‘Norway’ or ‘Norway074’ also “price” as a parameter

- if the dataset is one of the county reported above also “seaAverageTemp” as a parameter.

---

## Available Evidences:

“src/Results”: Contains all the analysis results provided by SIA and MIA systems. Such as graphics, coefficients values,..

“src/Results\_Maps”: Contains the results provided by the Map system, in particular about all the parameter available in “Datasets/countiesAverages.csv”.

“src/Result\_Forecast”: Contains the evaluation MAPE results, future real values, prediction values and graphics about the parameter “feed Consumption” for a group of datasets (Troms, Finnmark, Hordaland, Nordland, Norway0714)

---

# 2. How to use the Python systems:

---

## SIA.py - Single Input Analyzer

It allows to do an initial analysis about a specific parameter of a dataset.

How to execute:

```
python SIA.py dataset parameter
```

Current examples:

```
python SIA.py Norway cages
```

```
python SIA.py Troms averageSeaTemp
```

```
python SIA.py Troms localities
```

---

## MIA.py - Multiple Input Analyzer

It allows to do an analysis between all the different parameters of a dataset.

It's possible to execute this system on a dataset only if has already been executed the SIA system for each single parameter of the dataset.

How to execute:

```
python MIA.py dataset
```

Current examples:

```
python MIA.py Norway
```

```
python MIA.py Troms
```

```
python MIA.py Finnmark
```

---

---

### **Map.py** – Cartographic visualization on Norway’s territory

It allows to display a specific parameter value about each single Norwegian county using a map. In this case the parameter has to be contained in the dataset “Datasets/countiesAverages.csv”.

How to execute:

```
python Map.py parameter
```

Current examples:

```
python Map.py averageSeaTemp  
python Map.py biomass  
python Map.py cages/localities  
python Map.py feedConsumption/biomass
```

---

### **ARIMA-Evaluate.py** – Evaluation system for ARIMA model configurations

It allows to test different configurations of an ARIMA model on a specific dataset’s parameter, and then provide the accuracy of each configuration reporting the corresponding MAPE value.

How to execute:

```
python ARIMA-Evaluate.py dataset parameter
```

Current examples:

```
python ARIMA-Evaluate.py Norway cages  
python ARIMA-Evaluate.py Troms localities  
python ARIMA-Evaluate.py Finnmark averageSeaTemp
```

---

### **ARIMA-Future.py** – Prediction system using ARIMA model

It allows to calculate predictions of future values about a dataset’s parameter. The system’s inputs are the followings:

- N : Desired number of predictions in the future (number of months).
- P, D, Q : Values for the specific ARIMA order, more details inside the report.

How to execute:

```
python ARIMA-Future.py dataset parameter N P D Q
```

Current examples:

```
python ARIMA-Future.py Norway0714 feedConsumption 12 6 1 0  
python ARIMA-Future.py Troms feedConsumption 12 2 0 0  
python ARIMA-Future.py Troms feedConsumption 12 6 1 0  
python ARIMA-Future.py Finnmark feedConsumption 12 6 1 0
```

---