

# MS-C1350 Partial differential equations Chapter 1 – Introduction

#### Riikka Korte

Department of Mathematics and Systems Analysis
Aalto University
riikka.korte@aalto.fi

September 3, 2024

## Official learning outcomes

- how to solve partial differential equations using separation of variables and Fourier techniques
- the physical interpretations of the equations
- the equations in the spherical and cylindrical coordinates
- the role of the fundamental solutions
- the maximum and comparison principles
- the variational forms of the equations.

Goal: to have more detailed learning goals biweekly this fall (work in progress -> also already published parts might be edited during the fall)

#### What we will do in this course

- We study three prototype equations: Laplace, heat and wave equation.
- First, we learn how to solve PDEs using Fourier series and Fourier transform.
- ► In the second part, we study each of the three equations one-by-one in more detail.
- We learn techniques that are useful in the study of also more general equations.

## Lecture 1

- What is a PDE?
- What is a solution to PDE?
- Well posed problem.
- ► Function spaces C,  $C_0$ ,  $C^k$  and  $C^\infty$ . Difference of C((0,1)) and C([0,1])?
- Introduction to Fourier series:
  - periodic functions,
  - $ightharpoonup L^p$  (and especially  $L^2$ ) functions,
  - (complex) inner product, orthonormal basis and representing an element of a vector space using a basis.





Example: 
$$\sum_{i,j=1}^{n} A_{ij} \frac{\partial^{2} \mathbf{u}}{\partial x_{i} \partial x_{j}} = f.$$

PDE = an equation involving an unknown function of two or more variables and its partial derivatives.

Example: 
$$\sum_{i,j=1}^{n} A_{ij} \frac{\partial^{2} \mathbf{u}}{\partial x_{i} \partial x_{j}} = f.$$

▶ PDEs are used to model a huge number of different phenomena e.g. in physics and engineering.

Example: 
$$\sum_{i,j=1}^n A_{ij} \frac{\partial^2 \mathbf{u}}{\partial x_i \partial x_j} = f.$$

- PDEs are used to model a huge number of different phenomena e.g. in physics and engineering.
- For most PDEs, there is no explicit formula for the solution.
  - (numerical) estimates for solutions
  - qualitative properties

Example: 
$$\sum_{i,j=1}^n A_{ij} \frac{\partial^2 \mathbf{u}}{\partial x_i \partial x_j} = f.$$

- PDEs are used to model a huge number of different phenomena e.g. in physics and engineering.
- For most PDEs, there is no explicit formula for the solution.
  - (numerical) estimates for solutions
  - qualitative properties
- There does not exist a general method for studying every PDE. Some methods have turned out to be more useful than others.

Example: 
$$\sum_{i,j=1}^n A_{ij} \frac{\partial^2 \mathbf{u}}{\partial x_i \partial x_j} = f.$$

- PDEs are used to model a huge number of different phenomena e.g. in physics and engineering.
- For most PDEs, there is no explicit formula for the solution.
  - (numerical) estimates for solutions
  - qualitative properties
- There does not exist a general method for studying every PDE. Some methods have turned out to be more useful than others.
- ► In this course, we study special cases, in which explicit solutions and representation formulas are available, but focus on features that are present also in more general situations.

Example: 
$$\sum_{i,j=1}^n A_{ij} \frac{\partial^2 \mathbf{u}}{\partial x_i \partial x_j} = f.$$

- PDEs are used to model a huge number of different phenomena e.g. in physics and engineering.
- For most PDEs, there is no explicit formula for the solution.
  - (numerical) estimates for solutions
  - qualitative properties
- There does not exist a general method for studying every PDE. Some methods have turned out to be more useful than others.
- In this course, we study special cases, in which explicit solutions and representation formulas are available, but focus on features that are present also in more general situations.
- Qualitative aspects are also important in numerical solutions of PDE. Without existence, uniqueness and stability, numerical methods may give inaccurate or completely wrong solutions.

## Introduction – types of equations

1. Laplace equation (elliptic)

$$\Delta u = f, \quad u = u(x), \quad \Delta \mathbf{u} = \sum_{j=1}^{n} \frac{\partial^{2} u}{\partial x_{j}^{2}},$$

## Introduction – types of equations

1. Laplace equation (elliptic)

$$\Delta u = f, \quad u = u(x), \quad \Delta u = \sum_{j=1}^{n} \frac{\partial^{2} u}{\partial x_{j}^{2}},$$

2. Heat equation (parabolic)

$$\frac{\partial u}{\partial t} - \Delta u = f, \quad u = u(x, t),$$

## Introduction - types of equations

1. Laplace equation (elliptic)

$$\Delta u = f, \quad u = u(x), \quad \Delta u = \sum_{j=1}^{n} \frac{\partial^{2} u}{\partial x_{j}^{2}},$$

2. Heat equation (parabolic)

$$\frac{\partial u}{\partial t} - \Delta u = f, \quad u = u(x, t),$$

3. Wave equation (hyperbolic)

$$\frac{\partial^2 u}{\partial t^2} - \Delta u = f \quad u = u(x, t).$$

## Introduction – types of equations

1. Laplace equation (elliptic)

$$\Delta u = f, \quad u = u(x), \quad \Delta u = \sum_{j=1}^{n} \frac{\partial^{2} u}{\partial x_{j}^{2}},$$

2. Heat equation (parabolic)

$$\frac{\partial u}{\partial t} - \Delta u = f, \quad u = u(x, t),$$

Wave equation (hyperbolic)

$$\frac{\partial^2 u}{\partial t^2} - \Delta u = f \quad u = u(x, t).$$

There are also PDEs that are in none of the above classes.

## Well posed problem

By finding a solution to a PDE we may mean

- Finding an explicit representation formulas for solutions, or
- deducing general properties that hold true for all solutions.

## Well posed problem

#### By finding a solution to a PDE we may mean

- Finding an explicit representation formulas for solutions, or
- deducing general properties that hold true for all solutions.

#### A PDE problem is well posed, if

- 1. **EXISTENCE**: the problem has a solution,
- 2. UNIQUENESS: there exists only one solution and
- STABILITY: the solution depends continuously on the data given in the problem.



## Introduction – what does it mean to be a solution

- Classical solution: all partial derivatives, which appear in the PDE, exist and are continuous.
  - $\Longrightarrow$  We can verify by direct computation that a function solves the PDE.

## Introduction – what does it mean to be a solution

- Classical solution: all partial derivatives, which appear in the PDE, exist and are continuous.
  - ⇒ We can verify by direct computation that a function solves the PDE.
- Weak solution: less regularity, e.g. saw tooth wave.

Many PDEs do not have any classical solutions, but some type of weak solutions might be physically meaningful.