```
Courses Aalto 2023 Spring Nuance Log out Help
```

### **Aalto 2023**

```
Index | Contest | Submissions | Pre | 0 | CP | 1 | 2a | 2b | 2c | 3a | 3b | 4 | 5 | 9a | 9c | IS | 4 | 6a | 6b | 9a |

MF | 1 | 2 | 9a | SO | 4 | 5 | 6 | P | 9a | X | 0a | 0b | 9a | 9b |
```

#### SO5: quicksort ★+

Please note that you can still submit, but as the course is already closed, your submissions will not be graded.

To get started with the development, download the code templates, unzip the file, edit so.cc, and run ./grading test or ./grading benchmark to try it out — see the instructions for more details!

Up	oload your solution as a file here	
_	ease upload here the file <b>so.cc</b> that contains your solution to task SO5.	
C	Choose File No file chosen	
or copy-paste your code here		
S	submit (a)	

#### Your submissions

Your submissions to SO5 will appear here; you can simply reload this page to see the latest updates.

### What you will need to do in this task

Please read the **general instructions for this exercise** first. Here are the additional instructions specific to this task:

Implement an efficient parallel sorting algorithm for the CPU, using the basic idea of quicksort.

### What I will try to do with your code

I will first run all kinds of tests to see that your code works correctly. You can try it out locally by running ./grading test, but please note that your code has to compile and work correctly not only on your own computer but also on our machines.

If all is fine, I will run the benchmarks. You can try it out on your own computer by running ./grading benchmark, but of course the precise running time on your own computer might be different from the performance on our grading hardware.


#### **Benchmarks**

Name	Parameters
benchmarks/1	n = 100000
the input contains 100000 integers, and the outpu	t should contain the same integers in order
benchmarks/2	n = 1000000
the input contains 1000000 integers, and the outp	ut should contain the same integers in order
benchmarks/3a	n = 10000000
the input contains 10000000 integers, and the out	
benchmarks/3b	n = 10000000
the input contains 10000000 integers, and the out	
	000007
benchmarks/3c	n = 9999997
the input contains 9999997 integers, and the outp	ut should contain the same integers in order
benchmarks/3d	n = 9999998
the input contains 9999998 integers, and the outp	ut should contain the same integers in order
benchmarks/3e	n = 9999999
the input contains 9999999 integers, and the outp	ut should contain the same integers in order
benchmarks/3f	n = 10000001
the input contains 10000001 integers, and the out	
benchmarks/3g	n = 10000002
the input contains 10000002 integers, and the out	
the input contains 10000002 integers, and the out	put should contain the same integers in order
benchmarks/3h	n = 10000003
the input contains 10000003 integers, and the out	put should contain the same integers in order
benchmarks/4	n = 10000000
the input contains 100000000 integers and the ou	utput should contain the same integers in order


# Grading

In this task your submission will be graded using benchmarks/4: the input contains 100000000 integers, and the output should contain the same integers in order.

The point thresholds are as follows. If you submit your solution no later than on **Sunday, 28 May 2023, at 23:59:59 (Helsinki)**, your score will be:



If you submit your solution after the deadline, but before the course ends on **Sunday, 04 June 2023, at 23:59:59** (**Helsinki**), your score will be:



# Contest

Your submissions to this task will also automatically take part in the **contest**, and you can receive **up to 2** additional points if your code is among the fastest solutions this year!

