

# Health AI Agent - Diagnostic Summary

Source File: GUR-0425-PA-0052271

## AI Generated Health Summary

ANALYSIS REPORT FOR: GUR-0425-PA-0052271

Date: 2026-01-20 12:45

SUMMARY: All extracted parameters are within normal physiological limits.

## Extracted Parameter Details

| Parameter                      | Value   | Unit                            | Status    | Ref Range Note |
|--------------------------------|---------|---------------------------------|-----------|----------------|
| Patient Id 2504160157 Srlno    | 157.0   | Date [x                         | Extracted | No Range       |
| Ae                             | 7.0     |                                 | Extracted | No Range       |
| Hb Aic                         | 5.87    | %                               | Extracted | No Range       |
| Poor Control = >               | 8.2     | % HbA1C                         | Extracted | No Range       |
| F - . ;                        | 4.0     | *. a                            | Extracted | No Range       |
| Bo: Aaa Drv Oe Ty Var Chen, Bn | 4.0     | fn,                             | Extracted | No Range       |
| Cari                           | 10211.0 |                                 | Extracted | No Range       |
| On Panel : * 3D/               | 4.0     | D Ultrasound                    | Extracted | No Range       |
| * Haryana Government   All Lab | 7.0     | rs. AVAILABLE   ® Color Doppler | Extracted | No Range       |
| Patient Id Srino. 157 Dae      | 7.0     |                                 | Extracted | No Range       |
| Quantity                       | 20.0    | mi.                             | Extracted | No Range       |
| Specific Gravity 1.015         | 1.0     | ,                               | Extracted | 005-1.025      |
| Ph                             | 6.0     |                                 | Extracted | 5.5-6.5        |
| Pus Cells /Hpf 1               | 2.0     |                                 | Extracted | 3-4            |
| On Panel : © 3D/               | 4.0     | D Ultrasound                    | Extracted | No Range       |
| ® Haryana Government [All Lab  | 7.0     | rs. AVAILABLE   ® Color Doppler | Extracted | No Range       |

DISCLAIMER: This report is generated by an AI prototype for experimental purposes. It is NOT a medical diagnosis. Please consult a certified pathologist or doctor for official interpretation.