

IIT Madras ONLINE DEGREE

Statistics for Data Science -1

Lecture 4.2: Association between two categorical variables-Introduction

Usha Mohan

Indian Institute of Technology Madras

1. Use of two-way contingency tables to understand association between two categorical variables.

- 1. Use of two-way contingency tables to understand association between two categorical variables.
- 2. Understand association between numerical variables through scatter plots; compute and interpret correlation.

- 1. Use of two-way contingency tables to understand association between two categorical variables.
- 2. Understand association between numerical variables through scatter plots; compute and interpret correlation.
- 3. Understand relationship between a categorical and numerical variable.

Introduction

- ► To understand the association between two categorical variables.
- Learn how to construct two-way contingency table.
- Learn concept of relative row/column frequencies and how to use them to determine whether there is an association between the categorical variables.

Contingency tables

Example 1: Gender versus use of smartphone

▶ A market research firm is interested in finding out whether ownership of a smartphone is associated with gender of a student. In other words, they want to find out whether more females own a smartphone while compared to males, or whether owning a smartphone is independent of gender.

- ▶ A market research firm is interested in finding out whether ownership of a smartphone is associated with gender of a student. In other words, they want to find out whether more females own a smartphone while compared to males, or whether owning a smartphone is independent of gender.
- ➤ To answer this question, a group of 100 college going children were surveyed about whether they owned a smart phone or not.

- ▶ A market research firm is interested in finding out whether ownership of a smartphone is associated with gender of a student. In other words, they want to find out whether more females own a smartphone while compared to males, or whether owning a smartphone is independent of gender.
- ➤ To answer this question, a group of 100 college going children were surveyed about whether they owned a smart phone or not.
- ► The categorical variables in this example are

- ▶ A market research firm is interested in finding out whether ownership of a smartphone is associated with gender of a student. In other words, they want to find out whether more females own a smartphone while compared to males, or whether owning a smartphone is independent of gender.
- ➤ To answer this question, a group of 100 college going children were surveyed about whether they owned a smart phone or not.
- ► The categorical variables in this example are
 - Gender: Male, Female (2 categories)- Nominal variable

- ▶ A market research firm is interested in finding out whether ownership of a smartphone is associated with gender of a student. In other words, they want to find out whether more females own a smartphone while compared to males, or whether owning a smartphone is independent of gender.
- ➤ To answer this question, a group of 100 college going children were surveyed about whether they owned a smart phone or not.
- The categorical variables in this example are
 - ► Gender: Male, Female (2 categories)- Nominal variable
 - Own a smartphone: Yes, No (2 categories)- Nominal variable

Contingency tables

Contingency tables

Example 1: Gender versus use of smartphone-summarize data

▶ We have the following summary statistics

Contingency tables

- ▶ We have the following summary statistics
 - 1. There are 44 female and 56 male students

Contingency tables

- We have the following summary statistics
 - 1. There are 44 female and 56 male students
 - 2. 76 students owned a smartphone, 24 did not own.

Contingency tables

- We have the following summary statistics
 - 1. There are 44 female and 56 male students
 - 2. 76 students owned a smartphone, 24 did not own.
 - 3. 34 female students owned a smartphone, 42 male students owned a smartphone.

- We have the following summary statistics
 - 1. There are 44 female and 56 male students
 - 2. 76 students owned a smartphone, 24 did not own.
 - 3. 34 female students owned a smartphone, 42 male students owned a smartphone.
- ► The data given in the example can be organized using a two-way table, referred to as a contingency table.

- We have the following summary statistics
 - 1. There are 44 female and 56 male students
 - 2. 76 students owned a smartphone, 24 did not own.
 - 3. 34 female students owned a smartphone, 42 male students owned a smartphone.
- ► The data given in the example can be organized using a two-way table, referred to as a contingency table.

	Own a smartphone		
Gender	No	Yes	Row total
Female	10	34	44
Male	14	42	56
Column total	24	76	100

Contingency tables

Contingency table using google sheets

- Step 1 Choose the columns of the variables for which you seek an association.
- Step 2 Go to Data-click on Pivot table option
- Step 3 Click on create option in the pivot table- it will open the pivot table editor:
 - 3.1 Under the Rows tab, click on the first categorical variable.
 - 3.2 Under the columns tab, click on the second categorical variable.
 - 3.3 Under the values tab, click on either of the variables and then click on the COUNTA tab under "summarize by" tab.

Contingency tables

Example 2: Income versus use of smartphone

▶ A market research firm is interested in finding out whether ownership of a smartphone is associated with income of an individual. In other words, they want to find out whether income is associated with ownership of a smartphone.

- ▶ A market research firm is interested in finding out whether ownership of a smartphone is associated with income of an individual. In other words, they want to find out whether income is associated with ownership of a smartphone.
- ➤ To answer this question, a group of 100 randomly picked individuals were surveyed about whether they owned a smart phone or not.

- ➤ A market research firm is interested in finding out whether ownership of a smartphone is associated with income of an individual. In other words, they want to find out whether income is associated with ownership of a smartphone.
- ➤ To answer this question, a group of 100 randomly picked individuals were surveyed about whether they owned a smart phone or not.
- ▶ The categorical variables in this example are

- ▶ A market research firm is interested in finding out whether ownership of a smartphone is associated with income of an individual. In other words, they want to find out whether income is associated with ownership of a smartphone.
- ➤ To answer this question, a group of 100 randomly picked individuals were surveyed about whether they owned a smart phone or not.
- ▶ The categorical variables in this example are
 - ▶ Income: Low, Medium, High (3 categories) -Ordinal variable

- ▶ A market research firm is interested in finding out whether ownership of a smartphone is associated with income of an individual. In other words, they want to find out whether income is associated with ownership of a smartphone.
- ➤ To answer this question, a group of 100 randomly picked individuals were surveyed about whether they owned a smart phone or not.
- ▶ The categorical variables in this example are
 - ► Income: Low, Medium, High (3 categories) -Ordinal variable
 - ▶ Own a smartphone: Yes, No (2 categories) Nominal variable

Example 2: Contingency table

Example 2: Contingency table

- We have the following summary statistics
 - 1. There are 20 High income, 66 medium income, and 14 low income participants.
 - 2. 62 participants owned a smartphone, 38 did not own.
 - 3. 18 High income participants owned a smartphone, 39 Medium income participants owned a smartphone, and 5 Low income participants owned a smartphone.

Example 2: Contingency table

- We have the following summary statistics
 - 1. There are 20 High income, 66 medium income, and 14 low income participants.
 - 2. 62 participants owned a smartphone, 38 did not own.
 - 18 High income participants owned a smartphone, 39 Medium income participants owned a smartphone, and 5 Low income participants owned a smartphone.
- ► The contingency table corresponding to the data is given below.

	Own a smartphone		
Income level	No	Yes	Row total
High	2	18	20
Medium	27	39	66
Low	9	5	14
Column total	38	62	100

Section summary

- Organize bivariate categorical data into a two-way tablecontingency table.
- ▶ If data is ordinal, maintain order of the variable in the table