



**IIT Madras**  
ONLINE DEGREE

# Statistics for Data Science -1

## Describing Categorical Data- Single Variable

Usha Mohan

Indian Institute of Technology Madras

# Know your purpose

- ▶ Have a purpose for every table or graph you create
  - ▶ Choose the table/graph to serve the purpose.

## Know your purpose

- ▶ Have a purpose for every table or graph you create
  - ▶ Choose the table/graph to serve the purpose.
- ▶ Pie charts are best to use when you are trying to compare parts of a whole.


- ▶ Have a purpose for every table or graph you create
  - ▶ Choose the table/graph to serve the purpose.
- ▶ Pie charts are best to use when you are trying to compare parts of a whole.
- ▶ Bar graphs are used to compare things between different groups.

## Label your data

- ▶ Label your chart to show the categories and indicate whether some have been combined or omitted.
- ▶ Name the bars in a bar chart.
- ▶ Name the slices in a pie chart.
- ▶ If you have omitted some of the cases, make sure the label of the plot defines the collection that is summarized.


# Label your data

Distribution of grades




## Label your data

Distribution of grades




Distribution of grades






## Many categories





## Many categories



A bar chart or pie chart with too many categories might conceal the more important categories. In some case, grouping other categories together might be done.


## Many categories




A bar chart or pie chart with too many categories might conceal the more important categories. In some case, grouping other categories together might be done.

## Many categories

Count of Category




Count of Category



A bar chart or pie chart with too many categories might conceal the more important categories. In some case, grouping other categories together might be done.

Count of category



- ▶ Displays of data must obey a fundamental rule called the area principle<sup>1</sup>.

A set of navigation icons typically found in Beamer presentations, including symbols for back, forward, search, and other slide controls.

## The area principle

- ▶ Displays of data must obey a fundamental rule called the area principle<sup>1</sup>.
- ▶ The **area principle** says that the area occupied by a part of the graph should correspond to the amount of data it represents.

---

<sup>1</sup>Stine, Robert, and Dean Foster. Statistics for Business: Decision Making and. Addison-Wesley, 2011.

## The area principle

- ▶ Displays of data must obey a fundamental rule called the area principle<sup>1</sup>.
- ▶ The **area principle** says that the area occupied by a part of the graph should correspond to the amount of data it represents.
- ▶ Violations of the area principle are a common way to mislead with statistics.

---

<sup>1</sup>Stine, Robert, and Dean Foster. Statistics for Business: Decision Making and. Addison-Wesley, 2011.

- ▶ Decorated graphics: Charts decorated to attract attention often violate the area principle<sup>2</sup>

◀ ◻ ▶ ◀ ◻ ▶ ◀ ≡ ▶ ◀ ≡ ▶ ≡ ↺ 🔍 ↻ 7 / 11



## Misleading graphs: violating area principle

- ▶ Decorated graphics: Charts decorated to attract attention often violate the area principle<sup>2</sup>




- ▶ No baseline and the chart shows bottles on top of labeled boxes of various sizes and shapes.

<sup>2</sup>Stine, Robert, and Dean Foster. Statistics for Business: Decision Making and. Addison-Wesley, 2011.

## Misleading graphs: violating area principle

- ▶ Decorated graphics: Charts decorated to attract attention often violate the area principle<sup>2</sup>



- ▶ No baseline and the chart shows bottles on top of labeled boxes of various sizes and shapes.
- ▶ Obeys area principle and accurate

<sup>2</sup>Stine, Robert, and Dean Foster. Statistics for Business: Decision Making and. Addison-Wesley, 2011.


# Misleading graphs: truncated graphs

## Misleading graphs: truncated graphs

- ▶ Another common violation is when the baseline of a bar chart is not at zero.



## Misleading graphs: truncated graphs

- ▶ Another common violation is when the baseline of a bar chart is not at zero.





## Misleading graphs: truncated graphs

- ▶ Another common violation is when the baseline of a bar chart is not at zero.



## Misleading graphs: truncated graphs

- ▶ Another common violation is when the baseline of a bar chart is not at zero.



Left graph exaggerates the number coming from the South and North. Graph on right shows same data with the baseline at zero.

# Indicating a $y$ - axis break



## Round-off errors


- ▶ Important to check for round-off errors.

---

<sup>3</sup>Stine, Robert, and Dean Foster. Statistics for Business: Decision Making and. Addison-Wesley, 2011.

## Round-off errors

- ▶ Important to check for round-off errors.
- ▶ When table entries are percentages or proportions, the total may sum to a value slightly different from 100% or 1. This might result in a pie chart where the total does not add up<sup>3</sup>.



<sup>3</sup>Stine, Robert, and Dean Foster. Statistics for Business: Decision Making and. Addison-Wesley, 2011.

1. Know your purpose and choose table/graph appropriately
2. Label your charts
3. Handle multiple categories appropriately.
4. Respect area principle
  - 4.1 Avoid overly decorated graphs
  - 4.2 Avoid truncated graphs- use special symbols to indicate vertical axis has been modified.
  - 4.3 Check for round-off errors