

MASTER OUTLINE — ORB WEAVER GUIDED TOUR ARCHITECTURE

(with explicit Codex implementation markers)

I. Problem Definition

1.1 Original failure

- Weaver introduces himself at the top of the landing page
- Tour stops immediately
- No continuation, no sequencing, no Preflight integration

1.2 Stage 1 objective

- Build **landing-page tour only**
- Weaver walks the visitor down the real page
- Allows interruptions
- Resumes correctly
- Stops at Preflight decision

II. Core Architectural Principle

The controller owns the sequence. The LLM owns the conversation.

This is the backbone of the entire system.

III. Rejected Approaches

- No fixed narration script
- No LLM deciding progression
- No timed slideshow
- No second LLM
- No Weaver declaring completion
- No forced Preflight
- No mechanical reading
- No banning verbatim reading

IV. Final Architecture

This is the full system.

A. Tour Curriculum (deterministic structure)

Defines *what must be understood*.

A.1 Chapters

- Meet Weaver
- Why Weaving Exists
- Trust
- How Orb Weaver Builds Intelligence
- Preflight Decision

A.2 Stops (multiple per chapter)

Each stop has:

- `id`
- `sectionDomSelector`
- `purpose`
- `mustUnderstand: TourConcept[]`

A.3 Stable Concept IDs

Each concept has:

ts

id: "RELATIONSHIP_MODEL"

description: "Products, policies, questions, services, and customer journeys are connected rather than isolated pages."

A.4 Avoid rules

A.5 Presentation guidance

A.6 Decision nodes

A.7 Deterministic next-step relationships

CODEX IMPLEMENTATION REQUIRED

Implement the curriculum structure in TypeScript

- `TourConcept`
- `TourStop`
- `TourChapter`
- Full curriculum JSON with stable concept IDs
- DOM selectors for each beat
- Decision node for Preflight

B. Tour Controller (deterministic progression)

Owens *where the visitor is* and *what comes next*.

B.1 Responsibilities

- Scroll control
- DOM verification
- Current chapter
- Current stop
- Completed concept IDs
- Remaining concept IDs
- Interruption state
- Resume logic
- Decision gates
- Preflight gating

B.2 Controller never generates speech

B.3 Controller never decides wording

B.4 Controller never trusts LLM for completion

🔥 CODEX IMPLEMENTATION REQUIRED

Implement the Tour Controller

- Stop sequencing
- Scroll-to-stop logic
- DOM evidence extraction
- Concept coverage tracking
- Interruption/resume state
- Completion verification
- Decision node handling
- Preflight gating logic

C. Verified DOM Evidence (truth source)

Provides the actual content Weaver must explain.

C.1 DOM extraction

C.2 Beat detection

C.3 Verified page evidence block

C.4 Prevents hallucinated content

CODEX IMPLEMENTATION REQUIRED

Implement DOM evidence extraction

- Extract visible text for each stop
- Provide to evaluateTourStep
- Ensure correct selectors for beats 1–10

D. Weaver Cognition (LLM reasoning)

Weaver is the **male Website ORB** host.

D.1 Identity doctrine

- Male
- He/him
- Confident host
- Not a chatbot
- Not OS-level intelligence

D.2 Presentation doctrine

- **ANCHOR** — quote strong branded lines verbatim
- **INTERPRET** — explain meaning
- **CONNECT** — relate to context
- **INVITE** — optional conversational space

D.3 Cognition rules

- Explain naturally
- No mechanical reading
- No paraphrasing strong branded lines
- No invented facts
- No invented actions
- No invented decision paths
- No progression decisions

D.4 Structured output

Weaver returns:

```
ts
spoken_output: string
covered_concepts: CoveredConcept[]
detected_visitor_intent?: string
suggested_transition?: string
```

D.5 CoveredConcept

```
ts
concept_id: string
supporting_excerpt: string
```

D.6 Weaver never declares completion

CODEX IMPLEMENTATION REQUIRED

Implement `evaluateTourStep()`

- Build full systemPrompt
- Inject identity doctrine
- Inject presentation doctrine
- Inject curriculum data
- Inject DOM evidence
- Inject interruption context
- Inject decision options
- Request structured JSON
- Route through existing Website ORB cognition

E. Controller Completion Verification

E.1 Controller checks:

- excerpt appears in spoken_output
- concept_id matches required concept
- all required concepts covered

E.2 Controller decides progression

E.3 Controller resumes after interruption

CODEX IMPLEMENTATION REQUIRED

Implement evaluateStopCompletion()

- Validate supporting excerpts
- Validate concept IDs
- Validate full coverage
- Advance stop/chapter

F. Preflight Decision Node

F.1 Weaver explains Preflight

F.2 Visitor chooses:

- Run Preflight Now
- Continue Tour & Onboarding

F.3 Weaver does NOT choose

F.4 Preflight gating:

Full scan locked until Preflight results reviewed.

CODEX IMPLEMENTATION REQUIRED

Implement Preflight decision node

- Stop auto-progression at beat-10
- Present decision options
- Route user choice
- Persist preflight_status
- Enforce full-scan gate

G. Interruption & Resume

G.1 Visitor interrupts anytime

G.2 Weaver answers naturally

G.3 Controller preserves:

- chapter
- stop
- covered concept IDs
- remaining concept IDs

G.4 Weaver resumes exactly where he left off

🔥 CODEX IMPLEMENTATION REQUIRED

Implement interruption/resume logic

- Track currentStopCoveredConceptIds
- Track completedTourConceptIds
- Re-inject remaining concepts into next prompt

H. One Cognition Path

H.1 No second LLM

H.2 No parallel reasoning

H.3 All tour reasoning flows through:

- existing Website ORB cognition
- existing TTS
- existing pointer/LiDAR truth

CODEX IMPLEMENTATION REQUIRED

Ensure evaluateTourStep uses existing ORB cognition

- No new LLM call
- No parallel reasoning engine

I. Acceptance Criteria

I.1 Full landing-page traversal

I.2 Natural narration

I.3 Interruption-native

I.4 DOM-verified

I.5 Concept-level completion

I.6 Deterministic progression

I.7 Preflight decision gate

I.8 No hallucinated actions

I.9 No skipped beats

I.10 No repeated beats

J. Implementation Risks (Codex must avoid)

- Adding a second LLM
- Skipping DOM verification
- Using timers instead of speech completion
- Letting Weaver declare completion
- Hardcoding narration
- Auto-running Preflight
- Losing interruption state
- Not using stable concept IDs

K. Final Outcome

You now have:

A deterministic, evidence-grounded, conversational curriculum executed by a male Website ORB host — Weaver — with perfect interruption recovery and enterprise-grade gating.

This is the architecture Codex must implement.

If you want, I can now produce:

- **A Codex Implementation Packet**
- **A full Curriculum JSON**
- **A full evaluateTourStep prompt template**
- **A full Controller Logic spec**

Just tell me which one you want next.