

Absolutely, Spruk. Let's park the driver's-license filing for a minute and **lock the structure of the bigger app** so the idea does not get lost.

Proof of Presence

Parent Rights + Evidence Case Builder

Core purpose

Proof of Presence helps a parent document, organize, and present the facts around parenting-time interference, denied visits, child-support complications, license problems, medical exclusion, school exclusion, and good-faith efforts.

The app is not designed to attack the other parent.

It is designed to prove:

“I showed up. I tried. I stayed lawful. I documented the truth. I am asking the court for structure, access, and accountability.”

1. Main app sections

The app should open with a dashboard like this:

Proof of Presence

Parent Rights + Evidence Builder

[Dashboard]

[Case Profile]

[Timeline]

[Denied Visits]

[Communication Log]

[Evidence Vault]

[Child Support + License]

[Medical / School Access]

[Court Orders]

[Reports]

[Attorney Packet]

2. Dashboard

The dashboard gives the parent a clear overview.

Dashboard cards

Upcoming Parenting Time
Missed / Denied Visits
Evidence Needing Review
Open Court Deadlines
Support / License Issues
Medical or School Access Issues
Attorney Packet Status

Quick action buttons

- + Log Denied Visit
- + Add Evidence
- + Add Communication
- + Add Court Order
- + Add Support Payment
- + Add License Event
- + Generate Report

This keeps the user from getting overwhelmed.

3. Case Profile

This is the foundation.

Case Profile fields

Parent Name:

Other Parent Name:
Child / Children:
County:
State:
Case Number:
Judge:
Court:
Current Custody Order:
Current Parenting Schedule:
Child Support Order:
Attorney Info:
Emergency Concerns:

Important design rule

The app should always separate:

Fact
Belief
Evidence
Requested Relief

That prevents emotional statements from being mixed into legal facts.

4. Timeline Builder

This is the spine of the whole app.

Every important event goes here.

Timeline event fields

Date:
Time:
Event Type:
Title:
What was supposed to happen:
What actually happened:
Who was involved:

Location:
Child affected:
Evidence linked:
Witnesses:
Court order involved:
Status:
Notes:

Event types

Denied Visit
Late Exchange
Blocked Call
Medical Information Withheld
School Information Withheld
Child Support Event
Driver License Event
Court Filing
Court Hearing
Police Contact
Good-Faith Attempt
Threat / Conflict
Child Statement
Other

5. Denied Visit Log

This is one of the main features.

Denied visit entry

Date:
Scheduled exchange time:
Scheduled exchange location:
Parenting order source:
Did parent arrive? Yes / No
Arrival time:
Departure time:
Was child produced? Yes / No

Reason given:
Communication sent:
Communication received:
Witness present:
Police called? Yes / No
Incident number:
Evidence attached:
Follow-up message sent:

Court-ready generated statement

The app should turn the entry into:

On [date], Father arrived at [location] at [time] for scheduled parenting time. Father waited until [time]. The child was not produced. Father sent a message at [time] requesting confirmation. No parenting time occurred.

That is clean. No rage. No speculation. Just facts.

6. Communication Log

This tracks texts, calls, emails, app messages, voicemails, and letters.

Communication fields

Date:
Time:
Method:
From:
To:
Subject:
Summary:
Exact quote / message:
Tone:
Response received? Yes / No
Evidence attached:
Related timeline event:

Communication categories

Visit request
Denied visit
Medical request
School request
Support discussion
Threat / accusation
Child contact request
Logistics
Court order discussion
Other

Protective rewrite tool

The app should help convert emotional writing into court-safe language.

Example:

Raw:

She lied again and kept my kid from me.

Court-safe:

Mother did not produce the child for the scheduled parenting-time exchange. Father requested confirmation by text and did not receive a response.

7. Evidence Vault

This is where documents live.

Evidence item fields

Exhibit ID:
Document name:
Document type:
Date:
Source:
File location:
What this proves:

Related child:
Related event:
Verified? Yes / No
Needs replacement? Yes / No
Admissibility notes:

Evidence types

Text screenshot
Call log
Email
Voicemail
Court order
Police report
Medical record
School record
Payment receipt
Gas receipt
Timestamped photo
Location proof
Witness statement
DOR / license record
Child support record
Other

Exhibit labels

The app should auto-label proof like:

Exhibit A - Current Parenting Order
Exhibit B - Text Message Request for Exchange
Exhibit C - Timestamped Photo at Exchange Location
Exhibit D - Police Incident Number
Exhibit E - Child Support Payment Record

8. Child Support + License Module

This is where your driver-license idea connects.

Child support fields

Current support amount:

Arrears amount:

Payment history:

Reason arrears occurred:

Employment change:

Medical hardship:

Modification requested? Yes / No

Payment plan requested? Yes / No

Family Support Division contact:

Court contact:

License fields

License status:

Suspension reason:

Suspension date:

Reinstatement requirement:

Child support stay order needed? Yes / No

Termination order needed? Yes / No

DOR requirement:

Work impact:

Parenting-time impact:

Generated report

The app should create a **Cycle of Harm Report**:

Support arrears led to license suspension.

License suspension reduced ability to work.

Reduced work ability made support harder to pay.

Transportation loss interfered with parenting time.

Parent is requesting a lawful payment plan, license stay, and structured parenting-time access.

That is powerful because it does not dodge responsibility. It explains the trap.

9. Medical / School Access Module

This matters especially when a parent is being excluded from major decisions.

Medical access fields

Date of medical event:

Provider / hospital:

Who informed parent:

Was parent notified? Yes / No

When did parent learn:

Records requested? Yes / No

Records received? Yes / No

Appointment missed due to lack of notice:

Evidence:

School access fields

School:

Teacher / counselor:

Records requested:

Access granted? Yes / No

School portal access:

Parent-teacher meetings:

Attendance / grades:

Evidence:

10. Court Orders Module

The app needs a clean place to store the current order.

Court order fields

Order date:

Court:

Judge:

Case number:

Custody terms:

Parenting time terms:

Holiday schedule:

Communication rules:

Transportation rules:
Child support terms:
Medical decision terms:
School access terms:
Violations tracked:

The app should let the user link every denied visit back to the exact court-order section.

Example:

Related Order:
Temporary Parenting Plan dated March 1, 2026
Section:
Father parenting time every Saturday from 10:00 AM to 6:00 PM

11. Reports

This is where the app becomes valuable.

Report types

Parenting Time Interference Report
Denied Visit Log
Communication Summary
Evidence Index
Good-Faith Effort Report
Child Support + License Impact Report
Medical / School Access Report
Court Timeline
Attorney Intake Packet
Hearing Prep Summary

Good-Faith Effort Report

This should show:

Visits attempted
Calls requested
Messages sent

Support paid
Records requested
Court steps taken
Calm follow-up messages
Transportation efforts
Employment efforts

This tells the court:

“This parent is not absent. This parent is trying.”

12. Attorney Packet

This is the product's money feature.

A parent should be able to click:

Generate Attorney Packet

And get:

1. Case Summary
2. Timeline of Key Events
3. Current Court Order Summary
4. Denied Visit Log
5. Communication Log
6. Exhibit List
7. Child Support / License Summary
8. Questions for Attorney
9. Requested Relief

Requested relief builder

The app should help the parent choose lawful requests:

Make-up parenting time
Specific exchange location
Specific exchange times

Phone / video call schedule
School access order
Medical record access
Notice of appointments
Parent communication app
Contempt review
License stay / support payment plan
Modified parenting plan

13. Safety and protection rules

This part matters.

The app should warn the user when language is dangerous.

Warning triggers

Insults
Threats
Speculation
Name-calling
Unprovable claims
Long emotional rants
Statements about revenge
Claims with no evidence

App rewrite principle

Every statement should be shaped into:

Date
Fact
Proof
Impact on child
Requested relief

Example:

Bad:

She is poisoning my daughter against me.

Better:

On [date], the child stated, “[exact statement].” Father is concerned the child may be receiving negative information about him. Father requests structured communication and make-up parenting time.

14. Possible app names

The strongest names:

Proof of Presence

Best overall. Emotional, legal, and clear.

Parent Proof

Simple and marketable.

The Visitation Ledger

Very specific to denied visits.

CourtReady Parent

Clear, practical, less poetic.

Presence Ledger

Strong, clean, product-sounding.

My pick:

Proof of Presence

Parent Rights + Evidence Builder

15. First version build target

The first version should not try to do everything.

Version 1 should include only:

- Case Profile
- Timeline
- Denied Visit Log
- Evidence Vault
- Reports
- Attorney Packet Export

That is enough to be useful.

Then Version 2 adds:

- Child Support + License
- Medical / School Access
- Court Orders
- Communication Rewrite Tool

Then Version 3 adds:

- State-specific forms
- Court filing checklists
- Attorney collaboration mode
- Secure cloud backup
- Mobile app

16. The core product promise

This is the line I would build around:

Proof of Presence helps parents turn scattered pain into organized proof.

Or stronger:

When they say you were absent, show the record.

That one hits.

17. Working structure to save

PROOF OF PRESENCE

Purpose:

A parent-rights evidence builder that helps parents document denied visits, blocked communication, support/license issues, medical and school exclusion, and good-faith efforts.

Core Modules:

1. Case Profile
2. Timeline Builder
3. Denied Visit Log
4. Communication Log
5. Evidence Vault
6. Court Orders
7. Child Support + License
8. Medical / School Access
9. Reports
10. Attorney Packet

Core Outputs:

1. Timeline of Events
2. Parenting Time Interference Log
3. Exhibit Index
4. Good-Faith Effort Report
5. Child Support / License Impact Report
6. Attorney Intake Packet
7. Hearing Prep Summary
8. Requested Relief Summary

Core Rule:

Turn emotion into facts.

Turn facts into proof.

Turn proof into a clean case file.

This is worth saving, Spruk. The driver's-license builder is useful. But **Proof of Presence** is the one with a soul.

Yes — that locks it in, and **Glyph Trace + Vault** is the right architecture for Proof of Presence. The clean design is: Glyph Trace for visual navigation, Vault for secure custody, Timeline for chronology, and Exports for attorney/court packets.[[vidizmo](#)]

Architecture read

Your core model is strong because it separates usability from integrity. Digital evidence best practices consistently emphasize unique identifiers, timestamps, access logs, hash verification, and a chronological chain of custody, which maps directly to your Vault, Timeline Engine, and TrustGlyph system.[[digitalevidence](#)]

The most important implementation rule is to keep the original evidence off-chain and use the blockchain only for hashes, timestamps, and verification anchors if you choose to support that option. That keeps private family data protected while still giving you a tamper-evident integrity layer.[[linkedin](#)]

What to build first

For V1, the real backbone should be:

- Case Profile.
- Timeline Builder.
- Evidence Vault.
- SHA-256 hashing.
- Chain-of-custody log.
- TrustGlyph risk status.
- Attorney packet export.
- JSON backup and restore.

That is enough to prove the concept without overbuilding into blockchain, NFT, or court filing features too early. Evidence handling guidance strongly supports minimal handling, secure storage, hashing, and detailed documentation as the core of defensible digital evidence preservation.[[amu.apus](#)]

TrustGlyph logic

Your TrustGlyph scale is especially good because it prevents the app from overstating weak material. A system that distinguishes verified native files, official records, screenshots, weak metadata, risky evidence, and legally dangerous material is more honest and more useful than a generic “upload and store” tool.[[swgde](#)]

That honesty is a real product advantage because it helps the parent understand what is strong enough for an attorney packet and what should be held back for review. Courts and forensic workflows both care about provenance, completeness, and integrity, not just whether a file exists.[\[sciencedirect\]](#)

Blockchain and NFT layer

Your optional blockchain/NFT layer should be framed as a **private evidence integrity certificate**, not as custody itself. The only things that should ever go on-chain are safe metadata like manifest hashes, packet hashes, timestamps, and issuer identifiers; private names, case numbers, records, and message contents should stay off-chain.[\[bernstein\]](#)

That approach gives you a verifiable public anchor without exposing family-sensitive material. It also keeps the app aligned with standard digital evidence practice, where hashes and logs support authenticity but do not replace the underlying proof.[\[vidizmo\]](#)

Product doctrine

The doctrine is now clear:

Proof of Presence uses Glyph Trace folders for visual case navigation and a secure Vault layer for evidence custody.

Each evidence item gets:

- An Evidence ID.
- A Glyph Trace ID.
- A SHA-256 hash.
- A metadata snapshot.
- A chain-of-custody ledger.
- A TrustGlyph status.
- Optional blockchain anchoring.

That is a disciplined, expandable architecture and a very buildable one.[\[amu.apus\]](#)

Best next step

The next useful move is to turn this into a formal **V1 technical spec** with:

- entities,
- event flows,
- permission rules,
- hash/verification behavior,

- export package structure,
- and the TrustGlyph rubric.

That would convert the concept into something a developer can actually implement.