

Proof of Presence

Jun 5, 2026

Parent Rights + Forensic-Aware Evidence Builder

Core product promise

When your presence is questioned, the record speaks.

Proof of Presence helps parents document denied visits, blocked communication, medical/school exclusion, support/license problems, and good-faith efforts in a structured, evidence-linked, court-aware format.

It is **not** built to attack the other parent.

It is built to prove:

I showed up. I tried. I stayed lawful. I documented the truth. I am asking for structure, access, and accountability.

1. Four-part foundation

Glyph Trace = visual case navigation

Vault = secure evidence custody

Timeline = factual chronology

Exhibits = attorney/court packet output

This is the core architecture.

2. Main app modules

Proof of Presence

- Dashboard
 - Case Foundation
 - Timeline Builder
 - Incident Intake
 - Denied Visit Log
 - Communication Log
 - Evidence Vault
 - Glyph Trace Folders
 - Chain of Custody Ledger
 - Court Orders
 - Support + License Impact
 - Medical / School Access
 - Reports
 - Attorney Packet
 - Risk Review
 - Export Center
 - Blockchain / NFT Integrity Anchor
-

3. Dashboard

The dashboard gives the parent a clean overview.

Dashboard cards

Upcoming Parenting Time
Missed / Denied Visits
Evidence Needing Review
Open Court Deadlines
Support / License Issues
Medical or School Access Issues
Attorney Packet Status
Risk Flags

Quick actions

- + Log Denied Visit
 - + Add Timeline Event
 - + Add Evidence
 - + Add Communication
 - + Add Court Order
 - + Add Support Payment
 - + Add License Event
 - + Generate Attorney Packet
-

4. Case Foundation

The case profile stores the basic legal structure.

Case ID:

Case Name:

Parent Name:

Other Parent Name:

Child / Children:

County:

State:

Court:

Case Number:

Judge:

Current Custody Order:

Current Parenting Schedule:

Child Support Order:

Attorney Info:

Emergency Concerns:

Created Date:

Last Updated:

The app should always separate:

Fact

Belief

Evidence

Requested Relief

That prevents emotional truth from getting mixed into court-risk language.

5. Timeline Builder

The timeline is the spine of the whole system.

It must work like the driver's-license timeline system:

- Add event
- Edit event
- Move event up/down
- Drag event into order
- Mark date exact / approximate / unknown
- Link evidence
- Link court-order section
- Link communication records
- Link witnesses
- Generate court-safe summary
- Export timeline

Timeline event fields

- Timeline Event ID:
- Date:
- Time:
- Date Confidence: Exact / Approximate / Unknown
- Event Type:
- Title:
- Location:
- People Involved:
- Child Involved:
- What Was Supposed To Happen:
- What Actually Happened:
- What I Did:
- What The Other Parent Did:
- What Happened Next:
- Witnesses:
- Linked Evidence:
- Linked Court Order:
- Risk Flags:
- Verification Status:
- Court-Safe Summary:

Timeline status labels

Verified
Needs Document
Approximate Date
Disputed
Possible Issue
Attorney Review Needed
Forensic Review Recommended
Do Not File Yet

6. Incident Intake

The fast-entry screen for new events.

Incident types

Denied Parenting Time
Late Exchange
Blocked Phone / Video Call
No Response to Child-Contact Request
Medical Information Withheld
School Information Withheld
Support Payment Issue
License / Support Consequence
Threat or Accusation
Police Contact
Child Statement
Emergency Issue
Good-Faith Attempt
Other

Every incident asks five questions:

1. What was supposed to happen?
2. What actually happened?
3. What proof exists?
4. How did you respond?
5. What do you want the court or attorney to understand?

Then the app generates a neutral court-safe summary.

7. Denied Visit Log

This is one of the main product features.

Denied visit fields

Denied Visit ID:

Date:

Scheduled Start Time:

Scheduled End Time:

Exchange Location:

Court Order Source:

Order Page / Section:

Did Parent Arrive? Yes / No

Arrival Time:

Departure Time:

Was Child Produced? Yes / No

Reason Given:

Communication Sent:

Communication Received:

Witness Present:

Police Called? Yes / No

Incident / Call Number:

Photo / Location Proof:

Gas Receipt:

Evidence Attached:

Requested Make-Up Time:

Follow-Up Message Sent:

Generated statement example

On [date], Father arrived at [location] at [time] for scheduled parenting time under [order]. Father waited until [time]. The child was not produced. Father sent a message at [time] requesting confirmation. No parenting time occurred.

8. Communication Log

Tracks texts, calls, emails, voicemails, parenting-app messages, and letters.

Communication fields

Communication ID:

Date:

Time:

Method:

From:

To:

Subject:

Exact Message:

Summary:

Tone:

Response Received? Yes / No

Linked Timeline Event:

Linked Evidence:

Native Export Available? Yes / No

Screenshot Only? Yes / No

Risk Level:

Court-Safe Summary:

Communication categories

Visit Request
Denied Visit
Medical Request
School Request
Support Discussion
Threat / Accusation
Child Contact Request
Logistics
Court Order Discussion
Other

Court-safe rewrite feature

Raw:

She lied again and kept my kid from me.

Court-safe:

The child was not produced for the scheduled parenting-time exchange. Father requested confirmation by text message and did not receive a response.

This protects the parent from turning pain into language that hurts the case.

9. Evidence Vault

The Vault is the secure evidence core.

It does not just store files. It tracks:

What the item is
Where it came from
Who collected it
When it was added
Whether it is native or screenshot-only
Whether metadata exists

Whether it has changed
How it was handled
Whether it is safe to export

Evidence item fields

Evidence ID:
Exhibit Label:
Evidence Title:
Evidence Type:
Source:
Original File Name:
Stored File Name:
Date Created:
Date Received:
Date Imported:
Collected By:
Device Used:
Storage Location:
SHA-256 Hash:
File Size:
Metadata Present? Yes / No / Unknown
Native File Preserved? Yes / No / Unknown
Screenshot Only? Yes / No
Related Timeline Event:
Related Court Order Section:
What This Proves:
Risk Level:
Attorney Review Needed? Yes / No
Forensic Review Recommended? Yes / No
Notes:

Evidence types

Text Message
Email
Voicemail
Audio Recording
Video Recording
Photo
Screenshot
Call Log
Court Order
Police Report
Medical Record
School Record
Child Support Record
License / DOR Record
Payment Receipt
Gas Receipt
Location Record
Witness Statement
Parenting App Export
Other

10. Glyph Trace Folders

Glyph Trace is the visual case navigation layer.

Glyph Trace / Case Root

- |
- Timeline Glyphs
- Denied Visit Glyphs
- Communication Glyphs
- Evidence Glyphs
- Court Order Glyphs
- Support / License Glyphs
- Medical / School Glyphs
- Export / Attorney Packet Glyphs

Each glyph is a visual wrapper around structured data.

Glyph meanings

Clock Glyph = time-based event
Link Glyph = connected exhibits
Shield Glyph = verified item
Folder Glyph = grouped events
Warning Glyph = disputed or incomplete item
Lock Glyph = vault-protected item
Chain Glyph = chain-of-custody complete
Blockchain Glyph = anchored hash / certificate

11. Glyph Trace ID

Every evidence item gets a unique identity.

Example:

Glyph Trace ID:
POP-CASE-2026-0001-EV-0012

Or branded style:

GTX-8F41-WA17-LIC-0012

Glyph Trace record

Glyph Trace ID:
Evidence ID:
Timeline Event ID:
File Hash:
Metadata Hash:
Created Timestamp:
Collector:
Device / Source:
Chain of Custody Entries:
Verification Status:
Risk Flags:
Blockchain Anchor:
NFT Certificate ID:

12. TrustGlyph Risk System

Each evidence item receives a visible trust/risk badge.

Glyph	Meaning	Court Packet Status
Green	Native file preserved, hash verified, metadata present	Safe to include
Blue	Official record: court, DOR, police, school, medical	Strong
Yellow	Screenshot or partial record with supporting proof	Include carefully
Orange	Metadata missing or source uncertain	Attorney review
Red	Edited, cropped, unclear origin, or disputed	Hold back
Black	Secret recording, unauthorized access, privacy concern	Do not export without attorney

The app should never pretend weak evidence is strong.

13. Chain of Custody Ledger

Every evidence action gets logged.

Custody log fields

Custody Log ID:

Vault Object ID:

Case ID:

Action:

Actor:

Actor Role:

Timestamp:

Device or Location:

Description:
Hash Before:
Hash After:
Export ID:
Recipient:
Notes:

Chain actions

Created
Received
Imported
Hashed
Metadata Captured
Verified
Viewed
Linked to Timeline
Linked to Order
Exported
Shared with Attorney
Printed
Archived
Flagged
Replaced
Hash Mismatch Detected

This gives the app its audit discipline.

14. Hash and verification flow

Import flow

1. User adds evidence.
2. App creates Evidence ID.
3. App stores original file in Vault.
4. App calculates SHA-256 hash.
5. App captures file size and metadata snapshot.
6. App creates Glyph Trace ID.
7. App logs chain-of-custody entry.
8. App assigns TrustGlyph risk status.
9. User links evidence to timeline event.

Verification flow

1. User clicks Verify Evidence.
2. App recalculates SHA-256 hash.
3. App compares new hash to original hash.
4. If same: Verified.
5. If different: Hash mismatch warning.
6. App logs verification event.

Verification result example

Evidence ID: POP-EV-000014
Original Hash: 9f3c2a...
Current Hash: 9f3c2a...
Status: VERIFIED — file matches original vault record.
Last Verified: 2026-06-05 4:11 PM

15. Metadata and native-file preservation

The app should teach and enforce this rule:

Preserve the original whenever possible. Use screenshots only as convenience copies, not as the only proof.

Screenshot warning

Screenshot Risk Notice:

Screenshots can be challenged because they may not preserve native metadata and can be edited. Keep the original message, email, app export, or device record when possible. Mark this screenshot as a reference copy unless verified by another source.

Metadata fields

Original File Preserved:

Original Filename:

Original File Size:

Creation Timestamp:

Modified Timestamp:

EXIF Data Present:

Device / Source:

Export Method:

Hash Created:

Hash Verified:

Metadata Notes:

16. High-risk evidence guardrails

The app must protect the user from dangerous evidence practices.

Recording warning

Before audio/video evidence:

Was everyone who was recorded aware of and legally permitted to be recorded?

State where recording occurred:

Consent type known? One-party / Two-party / Unknown

Attorney review needed? Yes

If unknown:

Do not rely on this recording without attorney review.

Unauthorized access warning

If the user logs evidence from:

Other parent's private account

Their password

Tracking app

Secret recording

Private messages accessed without permission

The app flags:

Potential legal/privacy issue. Do not export this into a court packet without attorney review.

17. Deepfake / authenticity risk layer

Because digital evidence can be challenged, the app includes an authenticity review.

Authenticity questions

Is this the original file?

Was it edited?

Was it downloaded from a platform?

Was it forwarded through another app?

Was it compressed?

Can the source account/device still be accessed?

Can a witness authenticate it?

Can an official record verify it?

Does it need forensic review?

Authenticity score

A — Strong: official record/native file/metadata preserved

B — Good: native export plus supporting context

C — Moderate: screenshot plus corroborating evidence

D — Weak: screenshot only or forwarded copy

F — Risk: edited, cropped, uncertain source, or legal concern

18. Court Orders Module

The app stores the current order and maps events to violations.

Court order fields

Court Order ID:

Order Date:

Court:

County:

Judge:

Case Number:

Order Type:

Custody Terms:

Parenting-Time Terms:

Exchange Location:

Holiday Schedule:

Communication Rules:

Medical Access:

School Access:

Support Terms:

Transportation Terms:

Uploaded Order:

Important Pages:

Violation map

Order Section:

Required Action:

Event Showing Noncompliance:

Evidence Linked:

Pattern Count:
Requested Relief:

19. Support + License Impact Module

This connects child support, license suspension, employment, and parenting time.

Support fields

Support Order Amount:
Arrears:
Payment History:
Reason for Arrears:
Job Loss:
Medical Hardship:
Reduced Hours:
Modification Requested:
Payment Plan Requested:
Family Support Division Contact:
Proof Linked:

License fields

License Status:
Suspension Reason:
Suspension Date:
Reinstatement Requirement:
Stay Order Needed:
Termination Order Needed:
DOR Requirement:
Work Impact:
Parenting-Time Impact:

Proof Linked:

Cycle of Harm report

Support arrears contributed to license suspension.

License suspension reduced parent's ability to work.

Reduced work ability made payment compliance harder.

Transportation loss interfered with parenting time.

Parent seeks a lawful payment plan, license stay/reinstatement path, and structured parenting access.

Important tone rule:

This report must sound responsible, not evasive.

20. Medical / School Access Module

Tracks exclusion from major child information.

Medical access fields

Medical Event ID:

Date:

Provider / Hospital:

Who Informed Parent:

Was Parent Notified? Yes / No

When Did Parent Learn:

Records Requested? Yes / No

Records Received? Yes / No

Appointment Missed Due to Lack of Notice:

Evidence Linked:

School access fields

School Access ID:

School:

Teacher / Counselor:

Records Requested:

Access Granted? Yes / No
School Portal Access:
Parent-Teacher Meetings:
Attendance / Grades:
Evidence Linked:

21. Reports

Case reports

Master Timeline
Denied Visit Log
Communication Summary
Evidence Index

Argument reports

Parenting-Time Interference Pattern
Good-Faith Effort Summary
Medical / School Exclusion Summary
Child Support + License Impact Summary
Court Order Violation Map

Forensic reports

Chain of Custody Report
Metadata Verification Report

Authenticity Risk Report
Hash Verification Report
Blockchain Anchor Report

Court / attorney packets

Attorney Intake Packet
Hearing Prep Summary
Requested Relief Summary
Court Packet Draft
Exhibit Packet

22. Attorney Packet

The attorney packet is the money feature.

1. Case Summary
2. Master Timeline
3. Current Court Order Summary
4. Denied Visit Log
5. Communication Summary
6. Exhibit Index
7. Chain of Custody Report
8. Risk Review Report
9. Child Support / License Summary
10. Medical / School Access Summary
11. Questions for Attorney
12. Requested Relief

Requested relief builder

Make-Up Parenting Time
Specific Exchange Location
Specific Exchange Times
Phone / Video Call Schedule

School Access Order
Medical Record Access
Notice of Appointments
Parent Communication App
Contempt Review
License Stay / Support Payment Plan
Modified Parenting Plan

23. Export Center

The app exports two different packet types.

Attorney packet

Includes:

Private notes
Risk notes
Forensic warnings
Full timeline
Exhibit index
Chain-of-custody ledger
Evidence manifest
Questions for attorney

Court packet draft

Cleaner and safer:

No private notes unless approved
No high-risk items unless approved

Court-safe summaries only
Exhibit index
Statement of facts
Motion / petition draft starter
Proposed order draft
Certificate of service draft

Export package structure

Attorney_Packet_POP-CASE-000001/

- |
- |— 00_README_Attorney_Review.txt
- |— 01_Case_Summary.pdf
- |— 02_Master_Timeline.pdf
- |— 03_Denied_Visit_Log.pdf
- |— 04_Communication_Summary.pdf
- |— 05_Exhibit_Index.pdf
- |— 06_Court_Order_Violation_Map.pdf
- |— 07_Good_Faith_Effort_Report.pdf
- |— 08_Support_License_Impact_Report.pdf
- |— 09_Risk_Review_Report.pdf
- |— 10_Chain_of_Custody_Report.pdf
- |— 11_Metadata_Verification_Report.pdf
- |— evidence/
- |— manifests/
- |— verifier/

24. Blockchain / NFT Integrity Anchor

This is optional and privacy-protected.

What goes on-chain

Case Manifest Hash
Evidence Bundle Hash
Export Packet Hash
Timestamp
Issuer ID
Verification Reference

What never goes on-chain

Child Names
Parent Names
Court Case Number
Medical Records
School Records
Text Message Contents
Photos
Videos
Audio
Addresses
Private Family Facts

NFT certificate framing

Not:

Custody Evidence NFT

Use:

Private Evidence Integrity Certificate

The NFT proves a hashed manifest existed at a certain time.
It does **not** expose private evidence.

25. Database entities

Case
Party
Child
Court
CourtOrder
CourtOrderSection
TimelineEvent
DeniedVisit
Incident
Communication
EvidenceItem
VaultObject
MetadataSnapshot
CustodyLogEntry
GlyphTraceFolder
GlyphTraceID
TrustGlyphStatus
RiskFlag
Witness
SupportRecord
LicenseRecord
MedicalAccessRecord
SchoolAccessRecord

Report
ExportPacket
ExportManifest
BlockchainAnchor
NFTCertificate
User
Permission
AuditLog

Main relationships

Case has many TimelineEvents.

TimelineEvent has many EvidenceItems.

EvidenceItem has one VaultObject.

VaultObject has many CustodyLogEntries.

TimelineEvent can link to CourtOrderSections.

Incident can generate TimelineEvent.

Communication can become EvidenceItem.

Report pulls from TimelineEvents + EvidenceItems + RiskFlags.

ExportPacket excludes high-risk/private items unless approved.

BlockchainAnchor references manifest hashes only.

26. User roles

Self-Represented Parent
Attorney
Paralegal
Forensic Consultant
Advocate / Case Helper
Read-Only Reviewer

Permissions

Parent can add facts and evidence.
Attorney can approve/export.
Forensic consultant can mark evidence reviewed.
Advocate can help organize but not edit locked evidence.
Read-only reviewer can view packet only.

27. Safety doctrine

Proof of Presence does not collect revenge material.

Proof of Presence does not help users spy.

Proof of Presence does not encourage secret recordings.

Proof of Presence does not guarantee admissibility.

Proof of Presence helps parents:

- preserve facts,
 - link proof,
 - protect metadata where possible,
 - document chain of custody,
 - avoid emotional court language,
 - prepare organized attorney/court packets,
 - and show good-faith lawful effort.
-

28. MVP build scope

Version 1 should be tight.

V1 screens

1. Case Profile
2. Timeline Builder
3. Incident / Denied Visit Intake
4. Evidence Vault
5. Hash Generator
6. Chain of Custody Log
7. TrustGlyph Status
8. Risk Review
9. Reports / Export
10. JSON Backup / Restore

V1 must-have features

Movable timeline
Evidence IDs
Glyph Trace IDs
SHA-256 file hashing
File metadata fields
Native-file warning
Screenshot risk flag
Chain-of-custody notes
Attorney-review-needed flag
Court-safe rewrite
Export risk review
Attorney packet export
Evidence manifest
Hash report

29. V1 user flow

Create Case



Add Timeline Event



Add Evidence



Hash Evidence



Assign TrustGlyph



Link Evidence to Event



Generate Court-Safe Summary



Review Risk Flags



Export Attorney Packet



Generate Manifest + Hash Report

30. V2 features

Communication Log

Court Orders Module

Support + License Module

Medical / School Access Module

Witness Tracker

DOCX / PDF Packet Generator

Exhibit Auto-Labeling

Private Notes vs Court Notes Separation

Attorney Approval Mode

31. V3 features

Mobile Capture App

Secure Evidence Vault

Immutable Audit Log

Attorney Collaboration Portal

Forensic Consultant Workflow

State-Specific Legal Checklists

Parenting App Import

Cloud Backup

E-Sign Declarations

Blockchain Anchor

NFT Integrity Certificate

Verification Portal

32. Locked architecture statement

Proof of Presence uses Glyph Trace folders for visual case navigation and a secure Vault layer for evidence custody.

Each evidence item receives:

- a unique Evidence ID,
- a Glyph Trace ID,
- a SHA-256 hash,
- a metadata snapshot,
- a chain-of-custody ledger,
- a TrustGlyph risk status,
- and optional blockchain/NFT integrity anchoring.

Private family evidence is never placed on-chain.

Only hashes, timestamps, and verification anchors may be publicly recorded.

The system does not guarantee admissibility.

It helps parents preserve, organize, verify, and present records responsibly.

33. Product essence

Turn emotion into facts.

Turn facts into proof.

Turn proof into a responsible case record.

Turn the case record into an attorney/court-ready packet.

This is the full outline so far, Spruk. The **timeline system** is the heart. The **Vault + Glyph Trace + hash ledger** is what makes it serious.