

CẤU TRÚC CÂY THÌ MỤC HIỆN TẠI (/)

■■■■	.bash_logout	
■■■■	.bashrc	
■■■■	.cache	
■	■■■■ pip	
■	■	■■■■ http-v2
■	■	■
■	■	■■■■ 0
■	■	■
■	■	■■■■ 0
■	■	■
■	■	■■■■ 3
■	■	■
■	■	■■■■ 3
■	■	■
■	■	■■■■ 7
■	■	■
■	■	■■■■ 00337129219114d85c3047267443a8eebbbc1f984d3c676ea2a4d6d
■	■	■■■■ 00337129219114d85c3047267443a8eebbbc1f984d3c676ea2a4d6d
■	■	■
■	■	■■■■ b
■	■	■
■	■	■■■■ 2
■	■	■
■	■	■■■■ 3
■	■	■
■	■	■■■■ 00b230b10cf4aa3c8bbf96554305c1d163395a0857b204fb67a54dd
■	■	■■■■ 00b230b10cf4aa3c8bbf96554305c1d163395a0857b204fb67a54dd
■	■	■
■	■	■■■■ 1
■	■	■
■	■	■■■■ 8
■	■	■
■	■	■■■■ b
■	■	■
■	■	■■■■ 8
■	■	■
■	■	■■■■ 018b8ddcb655e6515bf64bb1b86977b99f07e568ca0351e3b9e3b06
■	■	■■■■ 018b8ddcb655e6515bf64bb1b86977b99f07e568ca0351e3b9e3b06
■	■	■
■	■	■■■■ 9
■	■	■
■	■	■■■■ 7
■	■	■
■	■	■■■■ 0
■	■	■
■	■	■■■■ 019703caa5e05a9b9706ba214a5306e2d8c88aa3fa8b273c78e14b6
■	■	■■■■ 019703caa5e05a9b9706ba214a5306e2d8c88aa3fa8b273c78e14b6
■	■	■
■	■	■■■■ a
■	■	■
■	■	■■■■ 4
■	■	■
■	■	■■■■ 0
■	■	■
■	■	■■■■ 01a40e69133cae00a418944df93058fcdf9d6f64cf3656d5716568c
■	■	■■■■ 01a40e69133cae00a418944df93058fcdf9d6f64cf3656d5716568c
■	■	■
■	■	■■■■ b
■	■	■
■	■	■■■■ 3
■	■	■
■	■	■■■■ 01ab38ac63d82e82f212dd86d62de883eb0d7de6be8db88f70d14a6
■	■	■■■■ 01ab38ac63d82e82f212dd86d62de883eb0d7de6be8db88f70d14a6
■	■	■
■	■	■■■■ e
■	■	■
■	■	■■■■ d
■	■	■
■	■	■■■■ 9
■	■	■
■	■	■■■■ 01ed99b1dd6712ba64e01d1abb128f25d7effe56e8ddde80a1a82aa
■	■	■■■■ 01ed99b1dd6712ba64e01d1abb128f25d7effe56e8ddde80a1a82aa
■	■	■
■	■	■■■■ 2
■	■	■
■	■	■■■■ 2
■	■	■
■	■	■■■■ 7
■	■	■
■	■	■■■■ 7
■	■	■
■	■	■■■■ 022773cce31516c2cfe4b67df4ee6b745b1173bdf4e853c35972d6b
■	■	■■■■ 022773cce31516c2cfe4b67df4ee6b745b1173bdf4e853c35972d6b
■	■	■
■	■	■■■■ 3
■	■	■
■	■	■■■■ 6
■	■	■
■	■	■■■■ 0
■	■	■
■	■	■■■■ 023609bbabb217a106a69eed3964472481e1740667019ed30ab494d
■	■	■■■■ 023609bbabb217a106a69eed3964472481e1740667019ed30ab494d
■	■	■
■	■	■■■■ 8
■	■	■
■	■	■■■■ 0
■	■	■
■	■	■■■■ 8

■	■	■	■	■	■	■	■	■■■	028081972f5b8400e1ee68cd1fe11a0448c05d48318b7eabd222bc6
■	■	■	■	■	■	■	■	■■■	028081972f5b8400e1ee68cd1fe11a0448c05d48318b7eabd222bc6
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■	■■■	0285d89ec61d2122ee04e76a3ee11179de760ddae970ce497336889
■	■	■	■	■	■	■	■	■■■	0285d89ec61d2122ee04e76a3ee11179de760ddae970ce497336889
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■	■■■	02dad391e4e52572056facba6140bf282304fa3aa4a5a074859ec30
■	■	■	■	■	■	■	■	■■■	02dad391e4e52572056facba6140bf282304fa3aa4a5a074859ec30
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■	■	■■■	02ea3a40bec709fb2e3011abf56d9ff0e8a057e522b64b520bfc74f
■	■	■	■	■	■	■	■	■■■	02ea3a40bec709fb2e3011abf56d9ff0e8a057e522b64b520bfc74f
■	■	■	■	■	■■■	3			
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	03a5f39965cc12837b91e5f0b3b132c06fd66118abf3403d2c9654a
■	■	■	■	■	■	■	■	■■■	03a5f39965cc12837b91e5f0b3b132c06fd66118abf3403d2c9654a
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■	■■■	03b7e31ef41a67b4d5d0212d71d27b02703ce649d01a9d3a622a097
■	■	■	■	■	■	■	■	■■■	03b7e31ef41a67b4d5d0212d71d27b02703ce649d01a9d3a622a097
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■	■	■■■	03fe171d67b98146cdcd25e3e10b0fdb28a346a1500eac83f9613c5
■	■	■	■	■	■	■	■	■■■	03fe171d67b98146cdcd25e3e10b0fdb28a346a1500eac83f9613c5
■	■	■	■	■	■■■	4			
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■	■	■■■	0418c83b80f7f7bfaec2738bfbbee53d2c1562196c0781702f6eddo
■	■	■	■	■	■	■	■	■■■	0418c83b80f7f7bfaec2738bfbbee53d2c1562196c0781702f6eddo
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	046df54530e19066b4add1db381002b195b15dbdabc6020b26a061a
■	■	■	■	■	■	■	■	■■■	046df54530e19066b4add1db381002b195b15dbdabc6020b26a061a
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■	■■■	0478058a6d2e7828eaa0fdc96ba81d4cee3862c5c8a7760f8ac64eb
■	■	■	■	■	■	■	■	■■■	0478058a6d2e7828eaa0fdc96ba81d4cee3862c5c8a7760f8ac64eb
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	0489fdad9e76871abd0b43f13d927ace65338aa30ecc2fd5d0dc6a3
■	■	■	■	■	■	■	■	■■■	0489fdad9e76871abd0b43f13d927ace65338aa30ecc2fd5d0dc6a3
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■	■■■	048c47e014f7f1f9c634d0eb2b6cbc878fcbf733da21827fa01a669
■	■	■	■	■	■	■	■	■■■	048c47e014f7f1f9c634d0eb2b6cbc878fcbf733da21827fa01a669
■	■	■	■	■	■■■	d			

04d58174782988f1c045b49fdeb61a3bc528864578417d5fca8834e
04d58174782988f1c045b49fdeb61a3bc528864578417d5fca8834e

5
4
8
a
0548ad9355a421ef6b75925de6aac90258cb93cdb507fc8d95382ff
0548ad9355a421ef6b75925de6aac90258cb93cdb507fc8d95382ff
7
c
d
057cd13653910ecc5fd4ea98c87156830a236315394fdf9a779dc5e
057cd13653910ecc5fd4ea98c87156830a236315394fdf9a779dc5e
a
d
4
05ad45b5bdbbeafffa1a778b10fad8c20662c0c61ea6e7fcd24893e8
05ad45b5bdbbeafffa1a778b10fad8c20662c0c61ea6e7fcd24893e8
d
2
b
05d2b64c05880a9f3c9fc979c15cf2e6a96deb4d9953f4cf863dd87
05d2b64c05880a9f3c9fc979c15cf2e6a96deb4d9953f4cf863dd87
e
7
e
05e7e59b6cf962dd8a50a04495bb07aa41ca84dcb2fe580916dc2fc
05e7e59b6cf962dd8a50a04495bb07aa41ca84dcb2fe580916dc2fc

6
1
5
7
06157b7cdd06f38463833f5330de3cd7c67ddfc46b59f3d81786dd2
06157b7cdd06f38463833f5330de3cd7c67ddfc46b59f3d81786dd2
4
e
6
064e679f62af63f718d55b82d6c8dab123dbf6bab6495ede14fd8fc
064e679f62af63f718d55b82d6c8dab123dbf6bab6495ede14fd8fc
a
1
0
06a10a01993b98a46b24126de4370c3ed430c734a40d6ac34065ddc
06a10a01993b98a46b24126de4370c3ed430c734a40d6ac34065ddc
d
3
e
06d3e82fc4dd272933fb84f1d7dd4441d6771a7b551e5e9561662b3
06d3e82fc4dd272933fb84f1d7dd4441d6771a7b551e5e9561662b3
f
0
b
06f0bae1d3b2895efc515a122551a278806881bc4b098823a05fb8b
06f0bae1d3b2895efc515a122551a278806881bc4b098823a05fb8b
1
e

■	■	■	■	■	■	■	■	■■■	06f1ef0a7b7e31e90ac863c89f28b0d9efa84f8d7f3b92d1a20afde
■	■	■	■	■	■	■	■	■■■	06f1ef0a7b7e31e90ac863c89f28b0d9efa84f8d7f3b92d1a20afde
■	■	■	■	■■■	7				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	07593bb905dded4b84aacb1d96c1e64704669d6bab658dcaeab79c3	
■	■	■	■	■	■	■	■■■	07593bb905dded4b84aacb1d96c1e64704669d6bab658dcaeab79c3	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	079e2fc7be83e228aa80e87b0da1199408fbe135bffdf39f57ee1e9	
■	■	■	■	■	■	■	■■■	079e2fc7be83e228aa80e87b0da1199408fbe135bffdf39f57ee1e9	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	07a09bbe61bd4fc1d8dc2e00117d5a89be4f99b19a5a45f6816e725	
■	■	■	■	■	■	■	■■■	07a09bbe61bd4fc1d8dc2e00117d5a89be4f99b19a5a45f6816e725	
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	07a68ddc3289a48619ce6c214b90ea60f64ac34be7c048b66f25beb	
■	■	■	■	■	■	■	■■■	07a68ddc3289a48619ce6c214b90ea60f64ac34be7c048b66f25beb	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	07c5d98bea8cbc17c4288fb3e85cf6c4ff230a0fd2f146f494a5330	
■	■	■	■	■	■	■	■■■	07c5d98bea8cbc17c4288fb3e85cf6c4ff230a0fd2f146f494a5330	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	07d9db836b622469735f1dc24ff1a1cb6adb6dcf751a7526ef38f9b	
■	■	■	■	■	■	■	■■■	07d9db836b622469735f1dc24ff1a1cb6adb6dcf751a7526ef38f9b	
■	■	■	■	■■■	8				
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	0860560423fc5b90a3aa9b43d3515a5df4306bf87c56cc6560b30ad	
■	■	■	■	■	■	■	■■■	0860560423fc5b90a3aa9b43d3515a5df4306bf87c56cc6560b30ad	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	088856f2c6a7fbd7fb73c4996fc8bbbe4971cd8d6e059e82c1e766e	
■	■	■	■	■	■	■	■■■	088856f2c6a7fbd7fb73c4996fc8bbbe4971cd8d6e059e82c1e766e	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	08e0bfb505f5fc36196c51d5d61f8deee92ea6cfb56e42ede9abbff	
■	■	■	■	■	■	■	■■■	08e0bfb505f5fc36196c51d5d61f8deee92ea6cfb56e42ede9abbff	
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	08e10da6023709df6e6185f9b2cd1aa0ca4f2ed93d5cd498083f6dc	
■	■	■	■	■	■	■	■■■	08e10da6023709df6e6185f9b2cd1aa0ca4f2ed93d5cd498083f6dc	
■	■	■	■	■■■	9				
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	0986e74218a69e52ba13bce354bfcc2605ceaa519b7e93db100ebc9	
■	■	■	■	■	■	■	■■■	0986e74218a69e52ba13bce354bfcc2605ceaa519b7e93db100ebc9	

■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	09c848763b0eb6eed2c668e48e0d78b2d8c9b00af56a363e16ed47b
■	■	■	■	■	■	■■■	09c848763b0eb6eed2c668e48e0d78b2d8c9b00af56a363e16ed47b
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	09ef58260179e8db2673665919e5556942a78290f8c59e57867a7a2
■	■	■	■	■	■	■■■	09ef58260179e8db2673665919e5556942a78290f8c59e57867a7a2
■	■	■	■	■■■	a		
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	0a5b50aac9e22911a9e07de7b70cb2f99a1d1ad2d2a475d992a5dde
■	■	■	■	■	■	■■■	0a5b50aac9e22911a9e07de7b70cb2f99a1d1ad2d2a475d992a5dde
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	0a690ae203cfcecc7cd36937c2c67e726a0b8c17695217fa14b6dd6
■	■	■	■	■	■	■■■	0a690ae203cfcecc7cd36937c2c67e726a0b8c17695217fa14b6dd6
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	0aaead1b9064eb1e21d7b027b40511c3bc1cd95270b12c0140ad1c6
■	■	■	■	■	■	■■■	0aaead1b9064eb1e21d7b027b40511c3bc1cd95270b12c0140ad1c6
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	0ae07408521e0b64be0536da1df942bcacc17e893807d52130df764
■	■	■	■	■	■	■■■	0ae07408521e0b64be0536da1df942bcacc17e893807d52130df764
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	0ae84cda1068eb8069d0d031ff1b592b6ce0646c279bf59396ff2d0
■	■	■	■	■	■	■■■	0ae84cda1068eb8069d0d031ff1b592b6ce0646c279bf59396ff2d0
■	■	■	■	■■■	b		
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	0b0b047db41f75c2540ccdbd8bbbbbb9d7b46bb552990f8760f0ec89
■	■	■	■	■	■	■■■	0b0b047db41f75c2540ccdbd8bbbbbb9d7b46bb552990f8760f0ec89
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	0b1a295ddb2933f2945084b7d5c87edffc1a6474e567036176acaef
■	■	■	■	■	■	■■■	0b1a295ddb2933f2945084b7d5c87edffc1a6474e567036176acaef
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	0b592f244acdef74988f1a883082b2fa564971174345e288bf46957
■	■	■	■	■	■	■■■	0b592f244acdef74988f1a883082b2fa564971174345e288bf46957
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	0b61542dd4fd17173008ca290a30d5cad50d2eeb9e95d57ca1f9e72
■	■	■	■	■	■	■■■	0b61542dd4fd17173008ca290a30d5cad50d2eeb9e95d57ca1f9e72
■	■	■	■	■	■■■	7	
■	■	■	■	■	■■■	b	

```

7
0b7b7ce8511ac1f87e2d842eb950943dd2dfa63ab4d4d7c229423ea
0b7b7ce8511ac1f87e2d842eb950943dd2dfa63ab4d4d7c229423ea
8
c
1
0b8c14402d0a42a1afa27e381342c8ee814d5df97a04f9bed7f7c4a
0b8c14402d0a42a1afa27e381342c8ee814d5df97a04f9bed7f7c4a
9
e
7
0b9e7745e05e4ef6069669614ee40ff57efd2e5a715cd9640ebfe7d
0b9e7745e05e4ef6069669614ee40ff57efd2e5a715cd9640ebfe7d
b
8
1
0bb81274911f9523ab85b862cd376270447ca4cf963a6ac26596706
0bb81274911f9523ab85b862cd376270447ca4cf963a6ac26596706
c
5
a
0bc5adac67b22968d183f77f925e79c1f7c69c37236efb14f106abe
0bc5adac67b22968d183f77f925e79c1f7c69c37236efb14f106abe
f
1
f
0bf1f793dca1f481b1937618bb5723f52d1cd92393def558015f038
0bf1f793dca1f481b1937618bb5723f52d1cd92393def558015f038
7
f
0bf7fcf5fda51c744b053e87c8800aea90bd7db26075bc6e7034190
0bf7fcf5fda51c744b053e87c8800aea90bd7db26075bc6e7034190
d
b
0bfdb77d504cfcaed0b4a936be02e5af3a289a02c1093755994bc00
0bfdb77d504cfcaed0b4a936be02e5af3a289a02c1093755994bc00
c
2
1
8
0c218d526767991766d9b365a4f3e4449ce3579fd8b0f96a707d5a5
0c218d526767991766d9b365a4f3e4449ce3579fd8b0f96a707d5a5
3
7
d
0c37d286593ff8a75e8c6a5222ee2343acc1f326a2400db5eef97d2
0c37d286593ff8a75e8c6a5222ee2343acc1f326a2400db5eef97d2
c
5
0c3c5d3f0778e3469ba0f6fa34f6cea67ff2a6634625cda1a445c14
0c3c5d3f0778e3469ba0f6fa34f6cea67ff2a6634625cda1a445c14
6
b
f
0c6bf2a15fc6c65fde23df01a4dc0e703daadfd3c4c704b0e617fec
0c6bf2a15fc6c65fde23df01a4dc0e703daadfd3c4c704b0e617fec
9
d

```

0c9d841c561016979cc57abb2f0b6bb1267b556c53d7c003b53bc9d
0c9d841c561016979cc57abb2f0b6bb1267b556c53d7c003b53bc9d
e
3
2
0ce326f51e46521119ab924d0fba81137e049a4f03b455036f7f484
0ce326f51e46521119ab924d0fba81137e049a4f03b455036f7f484
d
9
d
6
0d9d6d4c9b15f2b98bfe99495c74c0724ce7eaaef2bd4e84ffe5041
0d9d6d4c9b15f2b98bfe99495c74c0724ce7eaaef2bd4e84ffe5041
d
c
c
0ddcc4d907dd4d8c3307074b6869d260abb891f5178579de5abe7ef
0ddcc4d907dd4d8c3307074b6869d260abb891f5178579de5abe7ef
f
d
7
0dfd7bcf00ae20cdcd2a65055cdf7aea05fd01f4e0b429d41610366
0dfd7bcf00ae20cdcd2a65055cdf7aea05fd01f4e0b429d41610366
e
3
0
a
0e30a3ca0bfeaf09d753fb82c80ae98fd26eded003b7f76206d9c7d
0e30a3ca0bfeaf09d753fb82c80ae98fd26eded003b7f76206d9c7d
5
0
a
0e50ad5a00d8235e8fc5ede169ebdcfecad12d71a7f2d82a7ced809
0e50ad5a00d8235e8fc5ede169ebdcfecad12d71a7f2d82a7ced809
a
e
7
0eae7a00527fee241b441f8abf62cd4c84923cdd740cf10f506036a
0eae7a00527fee241b441f8abf62cd4c84923cdd740cf10f506036a
b
2
c
0eb2c8959cd072705a7df3772b80d6a4b5657901a27db4dd3e24a79
0eb2c8959cd072705a7df3772b80d6a4b5657901a27db4dd3e24a79
f
1
3
b
0f13ba59d760fa8d4c408dce2a84306f622b4e773026aca615ec244
0f13ba59d760fa8d4c408dce2a84306f622b4e773026aca615ec244
5
c
0
0f5c0588e55f57a74287b6880bd043e15728a4ec800bbf4ccfa748c
0f5c0588e55f57a74287b6880bd043e15728a4ec800bbf4ccfa748c
6
3

```

2
0f632a0247cd0ecea4105745d6959e8b09eccc92e3c54343d8d2e78
0f632a0247cd0ecea4105745d6959e8b09eccc92e3c54343d8d2e78
b
9
e
0fb9e3091de4f40ea9031e23c8e25fea79ee5e5b34dcff8f41dc7ea
0fb9e3091de4f40ea9031e23c8e25fea79ee5e5b34dcff8f41dc7ea
1
0
0
6
3
10063826654c38f33fd7b1f8120272fd2000c2390d36097b7ed3f92
10063826654c38f33fd7b1f8120272fd2000c2390d36097b7ed3f92
1
6
9
101695f63897c95c77f7bfde3be87ed78064a556a913691089ad1a2
101695f63897c95c77f7bfde3be87ed78064a556a913691089ad1a2
2
9
9
1029992539519ac304dd191f43c11fab205a552dc08a8553e0cebeb
1029992539519ac304dd191f43c11fab205a552dc08a8553e0cebeb
d
d
0
10dd03aee0ddf30847ed79d305dff6751b2bd8c58457722cbf93da9
10dd03aee0ddf30847ed79d305dff6751b2bd8c58457722cbf93da9
e
9
2
10e920455aff9b9abbfbfd27e192530e13bfdc790cc01875bba4121a
10e920455aff9b9abbfbfd27e192530e13bfdc790cc01875bba4121a
1
2
3
9
11239635aea15d2c6d80998b7784325970f8df2e167305589723598
11239635aea15d2c6d80998b7784325970f8df2e167305589723598
f
6
5
11f654a04e406eb2c878675563f8c894e59e002d4b07566fddb9216
11f654a04e406eb2c878675563f8c894e59e002d4b07566fddb9216
2
6
b
d
126bdad15f3acd473b11bee70d17da7517ad2812b94618b97199883
126bdad15f3acd473b11bee70d17da7517ad2812b94618b97199883
a
e
5
12ae5abc3ac459350430b6f341fc79bcb433fc22f49ad21aa7a4ecb
12ae5abc3ac459350430b6f341fc79bcb433fc22f49ad21aa7a4ecb
f

```


■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■	■■■	12ff41a3429c56f30ab33ceba3a6697d71360959fdcfcdcf09375d72
■	■	■	■	■	■	■	■■■	12ff41a3429c56f30ab33ceba3a6697d71360959fdcfcdcf09375d72
■	■	■	■	■■■	3			
■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■		131729a925c3e89f0b24a3e17ad6bf27a2eb63b9521328b8ec49d8a
■	■	■	■	■	■	■■■		131729a925c3e89f0b24a3e17ad6bf27a2eb63b9521328b8ec49d8a
■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■		13228f733208259198767bc89aa56332be60b0c9f26e4f395df0d87
■	■	■	■	■	■	■■■		13228f733208259198767bc89aa56332be60b0c9f26e4f395df0d87
■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■		136544bb20a95998e8a523a0bc5508bd6c00cdee05b4d487d8387bo
■	■	■	■	■	■	■■■		136544bb20a95998e8a523a0bc5508bd6c00cdee05b4d487d8387bo
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■		13c5528b59580a7ac879db3623a1bb617722071958a67db8d82d003
■	■	■	■	■	■	■■■		13c5528b59580a7ac879db3623a1bb617722071958a67db8d82d003
■	■	■	■	■■■	4			
■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■		14aaf7643dce3f389cfaa2f24beba9e2d02071e4624c02c288b2a44
■	■	■	■	■	■	■■■		14aaf7643dce3f389cfaa2f24beba9e2d02071e4624c02c288b2a44
■	■	■	■	■■■	5			
■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■		153cb6e7c2b4ab6e182d8242d5048b066a1cb432566d0518eb08fa3
■	■	■	■	■	■	■■■		153cb6e7c2b4ab6e182d8242d5048b066a1cb432566d0518eb08fa3
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■		15cc82c17ceb36fd046a6e38fa5308eac4239962aaf55c7f9bca35e
■	■	■	■	■	■	■■■		15cc82c17ceb36fd046a6e38fa5308eac4239962aaf55c7f9bca35e
■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■		15d20ce7a6c5d0ec43a458f0584d0d3b225c3af1c5e82b9570cf0d0
■	■	■	■	■	■	■■■		15d20ce7a6c5d0ec43a458f0584d0d3b225c3af1c5e82b9570cf0d0
■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■		15d646861fae4432b420044afefe4399a36a7cdf21fb533c717743c
■	■	■	■	■	■	■■■		15d646861fae4432b420044afefe4399a36a7cdf21fb533c717743c
■	■	■	■	■■■	6			
■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■		16600863c0dafd3a214ae844871a46cd0cd819cab694731bfa58457
■	■	■	■	■	■	■■■		16600863c0dafd3a214ae844871a46cd0cd819cab694731bfa58457
■	■	■	■	■■■	7			

■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	176f700d5377d84942abb260cf6353f59f40156b7756955ea93ac6e
■	■	■	■	■	■	■■■	176f700d5377d84942abb260cf6353f59f40156b7756955ea93ac6e
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	17a5fb9b56261d074f374faac1a012d2091e629b7363a8f9c54ddd1
■	■	■	■	■	■	■■■	17a5fb9b56261d074f374faac1a012d2091e629b7363a8f9c54ddd1
■	■	■	■	■■■	8		
■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	18b1c348f0d7c3678ced5325bc1ad767f7e204525dbba361b9a541b
■	■	■	■	■	■	■■■	18b1c348f0d7c3678ced5325bc1ad767f7e204525dbba361b9a541b
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	18f66fffd0e865a2dfda960e1a2b7e2a65d83910db4ae860bc6a393
■	■	■	■	■	■	■■■	18f66fffd0e865a2dfda960e1a2b7e2a65d83910db4ae860bc6a393
■	■	■	■	■■■	9		
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	1909f84776f0d1fb47b41611a2af325640033ddb35f04220f8ca730
■	■	■	■	■	■	■■■	1909f84776f0d1fb47b41611a2af325640033ddb35f04220f8ca730
■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	19282c7a16585f343523becd344b5c20388065e1909e9c6df51ce7e
■	■	■	■	■	■	■■■	19282c7a16585f343523becd344b5c20388065e1909e9c6df51ce7e
■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	199d128a8b0a6a727869cf288f0802d0ddfe7785a99b6957366e40a
■	■	■	■	■	■	■■■	199d128a8b0a6a727869cf288f0802d0ddfe7785a99b6957366e40a
■	■	■	■	■■■	a		
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	1a001b268077ca05b14eca913670da8c8d1fdcadd73bf1359328fbf
■	■	■	■	■	■	■■■	1a001b268077ca05b14eca913670da8c8d1fdcadd73bf1359328fbf
■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	1a4e4303f159ed293067603cfffabc8f62edcc48130a9b20f653fbf
■	■	■	■	■	■	■■■	1a4e4303f159ed293067603cfffabc8f62edcc48130a9b20f653fbf
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	1a6d74fbbf12dc165f66de93af05f20b8f48ad34936c01c6f2403a9
■	■	■	■	■	■	■■■	1a6d74fbbf12dc165f66de93af05f20b8f48ad34936c01c6f2403a9
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	1aaf12502d9d2700532b5c7786558a9bfb4d409422398ffa270ae51
■	■	■	■	■	■	■■■	1aaf12502d9d2700532b5c7786558a9bfb4d409422398ffa270ae51

■	■	■	■	■■■	b				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1b0e189a74a9e3ca4e9876b48a54f21ae9e99efc507301fb3590a3f		
■	■	■	■	■	■	■■■	1b0e189a74a9e3ca4e9876b48a54f21ae9e99efc507301fb3590a3f		
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1b121906158ba2d12abc2c30cfac9ca37bf57e7f25d46922f9e3a0b		
■	■	■	■	■	■	■■■	1b121906158ba2d12abc2c30cfac9ca37bf57e7f25d46922f9e3a0b		
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	1b2e34cc891f703a9bad9baa905b87ed982410068b4ba2d06ddbcdd		
■	■	■	■	■	■	■■■	1b2e34cc891f703a9bad9baa905b87ed982410068b4ba2d06ddbcdd		
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	1b75086198072a307509e86a02f979a5cf04b18f3b938fad621b15e		
■	■	■	■	■	■	■■■	1b75086198072a307509e86a02f979a5cf04b18f3b938fad621b15e		
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	1bfb3d5604b86e6c5375c0e132c5796647ade6063f0960870971380		
■	■	■	■	■	■	■■■	1bfb3d5604b86e6c5375c0e132c5796647ade6063f0960870971380		
■	■	■	■	■■■	c				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	1c07d5bacf09155514ea444d3484a56998d5290f9aa96eb09e2614a		
■	■	■	■	■	■	■■■	1c07d5bacf09155514ea444d3484a56998d5290f9aa96eb09e2614a		
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1c1d13cf6f04e8ff2f63c381e5ba49724657496aaadff6b9c27bf2f		
■	■	■	■	■	■	■■■	1c1d13cf6f04e8ff2f63c381e5ba49724657496aaadff6b9c27bf2f		
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	1c27f2b7ae2eb6e3792627d204c058c10da2f626a3607ae1a5cfe4c		
■	■	■	■	■	■	■■■	1c27f2b7ae2eb6e3792627d204c058c10da2f626a3607ae1a5cfe4c		
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	1c7c2008a8c46018df2e85f2b762a1d61acd306021cbf0016b7ba8b		
■	■	■	■	■	■	■■■	1c7c2008a8c46018df2e85f2b762a1d61acd306021cbf0016b7ba8b		
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1c8e10853c02d3d760c845eaec231b5368cfc4edc0b799cabf5661b		
■	■	■	■	■	■	■■■	1c8e10853c02d3d760c845eaec231b5368cfc4edc0b799cabf5661b		
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	1c93f37d7cb9282c2abc48cb4d5831b40703314797b38c6f0afb73b		
■	■	■	■	■	■	■■■	1c93f37d7cb9282c2abc48cb4d5831b40703314797b38c6f0afb73b		
■	■	■	■	■	■■■	b			

■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■■■	1cbdf6447b1e3d3478ca80c9a308182b73022d3a1b7efe557f7eff4
■	■	■	■	■	■	■	■■■	1cbdf6447b1e3d3478ca80c9a308182b73022d3a1b7efe557f7eff4
■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	1cd889a4201acefcef764dbd1354d323a0aacbef67a06ba518bca5f	
■	■	■	■	■	■	■■■	1cd889a4201acefcef764dbd1354d323a0aacbef67a06ba518bca5f	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	1cdb7ff8437a1c768b1425dad8b3be5488d52afbfb12b29a4fd6912	
■	■	■	■	■	■	■■■	1cdb7ff8437a1c768b1425dad8b3be5488d52afbfb12b29a4fd6912	
■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	1cf30268bb5a1bc0f5505a076802e0add2694457c1b23031516e995	
■	■	■	■	■	■	■■■	1cf30268bb5a1bc0f5505a076802e0add2694457c1b23031516e995	
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	1cf4d6283e660310ee0b6375246a09d8c52872ba9af749fa72b7520	
■	■	■	■	■	■	■■■	1cf4d6283e660310ee0b6375246a09d8c52872ba9af749fa72b7520	
■	■	■	■	■■■	d			
■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	1d428a5d06689b7d452896e7d55bc8c1cbe7b6bd18ff95ec7fc20ef	
■	■	■	■	■	■	■■■	1d428a5d06689b7d452896e7d55bc8c1cbe7b6bd18ff95ec7fc20ef	
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	1d46884217ce0a3877aae5a70d973284295a14851929d3ed86a90b6	
■	■	■	■	■	■	■■■	1d46884217ce0a3877aae5a70d973284295a14851929d3ed86a90b6	
■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	1d979c6454e13dfceb909b38339281c5b84ea8790a4d17d6ec7bc7b	
■	■	■	■	■	■	■■■	1d979c6454e13dfceb909b38339281c5b84ea8790a4d17d6ec7bc7b	
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	1dc3232a49b4f396dda19f2b7550b64da4f69cba30184f144390d32	
■	■	■	■	■	■	■■■	1dc3232a49b4f396dda19f2b7550b64da4f69cba30184f144390d32	
■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	1dd49b150f0ed1dc7697f551b6d3247d399d628fc54d9d47b1c84b8	
■	■	■	■	■	■	■■■	1dd49b150f0ed1dc7697f551b6d3247d399d628fc54d9d47b1c84b8	
■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	1df16816f7063a3cf92c3041dad6034e226973628d4f239c6b1ba37	
■	■	■	■	■	■	■■■	1df16816f7063a3cf92c3041dad6034e226973628d4f239c6b1ba37	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	1dfb68cc191d605377cf41cbc6bc1ece9e01530936ab5fac88314df	
■	■	■	■	■	■	■■■	1dfb68cc191d605377cf41cbc6bc1ece9e01530936ab5fac88314df	
■	■	■	■	■■■	e			
■	■	■	■	■	■■■	2		

[illegible]

■	■	■	■	■	■	■	■	3	
■	■	■	■	■	■	■	■	20e5352f04cf71c8b045377db26b6024c74b6029df00d83e65a4198	
■	■	■	■	■	■	■	■	20e5352f04cf71c8b045377db26b6024c74b6029df00d83e65a4198	
■	■	■	■	■	■	■	f		
■	■	■	■	■	■	■	0		
■	■	■	■	■	■	■	2		
■	■	■	■	■	■	■	20f026162aab2a28139ca06ecf354e6cd04495a92ae0eb56b72720		
■	■	■	■	■	■	■	20f026162aab2a28139ca06ecf354e6cd04495a92ae0eb56b72720		
■	■	■	■	■	■	1			
■	■	■	■	■	■	1			
■	■	■	■	■	■	f			
■	■	■	■	■	■	3			
■	■	■	■	■	■	211f3723b5342be6de46a08bd3c752919ece8e1c6a031872a517651			
■	■	■	■	■	■	211f3723b5342be6de46a08bd3c752919ece8e1c6a031872a517651			
■	■	■	■	■	■	7			
■	■	■	■	■	■	2			
■	■	■	■	■	■	7			
■	■	■	■	■	■	217278e0ed1f044377def737d90002986693301afc10b89642ec201			
■	■	■	■	■	■	217278e0ed1f044377def737d90002986693301afc10b89642ec201			
■	■	■	■	■	■	a			
■	■	■	■	■	■	b			
■	■	■	■	■	■	8			
■	■	■	■	■	■	21ab8c59d539c12f6ddf01f737bb6f52216878d0aa1f1e0010bde1f			
■	■	■	■	■	■	21ab8c59d539c12f6ddf01f737bb6f52216878d0aa1f1e0010bde1f			
■	■	■	■	■	■	d			
■	■	■	■	■	■	2			
■	■	■	■	■	■	2			
■	■	■	■	■	■	21d22a58a58e3dc2ec54a2a17ec3812a46f5fbe0afb3c3524a79a0f			
■	■	■	■	■	■	21d22a58a58e3dc2ec54a2a17ec3812a46f5fbe0afb3c3524a79a0f			
■	■	■	■	■	■	2			
■	■	■	■	■	■	4			
■	■	■	■	■	■	3			
■	■	■	■	■	■	d			
■	■	■	■	■	■	2243d0affec8d5cb42efd43b1919d571bafc8fde77a75ce082333d3			
■	■	■	■	■	■	2243d0affec8d5cb42efd43b1919d571bafc8fde77a75ce082333d3			
■	■	■	■	■	■	6			
■	■	■	■	■	■	e			
■	■	■	■	■	■	2			
■	■	■	■	■	■	226e20ef37baae18486c4b142f19362b0176ef112b8135637169c62			
■	■	■	■	■	■	226e20ef37baae18486c4b142f19362b0176ef112b8135637169c62			
■	■	■	■	■	■	b			
■	■	■	■	■	■	0			
■	■	■	■	■	■	f			
■	■	■	■	■	■	22b0fbecb6cae9617f6595edd31075e4e55fa339ef43c6ab8818f30			
■	■	■	■	■	■	22b0fbecb6cae9617f6595edd31075e4e55fa339ef43c6ab8818f30			
■	■	■	■	■	■	5			
■	■	■	■	■	■	a			
■	■	■	■	■	■	22b5aaece02452f641dc8149f982647518d1a7a4a72fddd8bf6953f			
■	■	■	■	■	■	22b5aaece02452f641dc8149f982647518d1a7a4a72fddd8bf6953f			
■	■	■	■	■	■	3			
■	■	■	■	■	■	0			
■	■	■	■	■	■	c			
■	■	■	■	■	■	4			
■	■	■	■	■	■	230c440600644c60959630258c90aefd6820d229c956d3ac0e68daf			
■	■	■	■	■	■	230c440600644c60959630258c90aefd6820d229c956d3ac0e68daf			
■	■	■	■	■	■	f			
■	■	■	■	■	■	8			
■	■	■	■	■	■	230f8b4d7bde7be2bc5c069bcf81eb84d94c09fb905ba4bbb8100cb			

■	■	■	■	■	■	■	■	■■■	230f8b4d7bde7be2bc5c069bcf81eb84d94c09fb905ba4bbb8100cb
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	23446cc6157b1ce7d0c47be470d3e3e086ba28baabb823def5b31de	
■	■	■	■	■	■	■	■■■	23446cc6157b1ce7d0c47be470d3e3e086ba28baabb823def5b31de	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	237dae19f32ade930d048c46802d7e4db438ed85dbe7a0354109cd7	
■	■	■	■	■	■	■	■■■	237dae19f32ade930d048c46802d7e4db438ed85dbe7a0354109cd7	
■	■	■	■	■■■	4				
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	249966c7f1e7970eeae0088cdcd48fa18209582a788c44b34dc549c	
■	■	■	■	■	■	■	■■■	249966c7f1e7970eeae0088cdcd48fa18209582a788c44b34dc549c	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	24ca3abc02ebc6d6eb8f652d33f75f1d11a26ee9196b7d947744643	
■	■	■	■	■	■	■	■■■	24ca3abc02ebc6d6eb8f652d33f75f1d11a26ee9196b7d947744643	
■	■	■	■	■■■	6				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	264179aeab1d8942e5f72419f2c39e8a5577779f5155b081e3ad0fd	
■	■	■	■	■	■	■	■■■	264179aeab1d8942e5f72419f2c39e8a5577779f5155b081e3ad0fd	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	268d051e5863885220ef7b1acb75f686707fd7eed262fded7478ad0	
■	■	■	■	■	■	■	■■■	268d051e5863885220ef7b1acb75f686707fd7eed262fded7478ad0	
■	■	■	■	■■■	7				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	27477a5d306500b0a8bb48a637b8fec5cc8382cf8fe10d6fe63c4d7	
■	■	■	■	■	■	■	■■■	27477a5d306500b0a8bb48a637b8fec5cc8382cf8fe10d6fe63c4d7	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	27531308a1744cdbeefdf1cb93d08102f573d5f550c1bc7dbd2538d	
■	■	■	■	■	■	■	■■■	27531308a1744cdbeefdf1cb93d08102f573d5f550c1bc7dbd2538d	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	2761ca369d9f3611be239ea1250dc3cbfeb04255ab865eba3989708	
■	■	■	■	■	■	■	■■■	2761ca369d9f3611be239ea1250dc3cbfeb04255ab865eba3989708	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	27a1edde14be7542d9940d19df9c35f66993d91e675e58b5cb68a3f	
■	■	■	■	■	■	■	■■■	27a1edde14be7542d9940d19df9c35f66993d91e675e58b5cb68a3f	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	27f3c5429abc8a3f029c3bb7bfc578d9518b8eedc308af8374119b7	

27f3c5429abc8a3f029c3bb7bfc578d9518b8eedc308af8374119b7

8

7

0

b

2870b20b33ce731696b18d4300d7acf5c4bbc4246b7569c0efd4945

2870b20b33ce731696b18d4300d7acf5c4bbc4246b7569c0efd4945

d

2

287d279a724edf5b80d09d6d03e97c5c72c6dd774ca03662b9a4672

287d279a724edf5b80d09d6d03e97c5c72c6dd774ca03662b9a4672

9

6

8

28968f65141c5f6c178aa08235de8841d5ae7c75bd4e53668bb923f

28968f65141c5f6c178aa08235de8841d5ae7c75bd4e53668bb923f

f

e

289fe3659d0b2b8d995506e81aca8650ef189d57456624bea08b27d

289fe3659d0b2b8d995506e81aca8650ef189d57456624bea08b27d

9

0

9

3

29093f0c0ead1fc0c937ce198931aa95f6d0ee303e46cde29ae1f6f

29093f0c0ead1fc0c937ce198931aa95f6d0ee303e46cde29ae1f6f

6

2

b

2962bb6803a35ebe153c05247bfe076a442c89f15759694e00474f1

2962bb6803a35ebe153c05247bfe076a442c89f15759694e00474f1

d

8

c

29d8cf607ea2a16e44896c73540d5df26f948add1256f16dc4a896e

29d8cf607ea2a16e44896c73540d5df26f948add1256f16dc4a896e

a

0

e

4

2a0e43fbe34b1a4055bddb0045e9dd18336c621c89657554079156c

2a0e43fbe34b1a4055bddb0045e9dd18336c621c89657554079156c

4

1

c

2a41cb8e405637e51ada370419ba2d90cff5ec7779741a4b3b53a25

2a41cb8e405637e51ada370419ba2d90cff5ec7779741a4b3b53a25

5

a

f

2a5af1320411e8ad19ec89cf104aa8a3b020a8b042560e2c4e16abd

2a5af1320411e8ad19ec89cf104aa8a3b020a8b042560e2c4e16abd

a

e

b

2aaebf6b506fe2a373b26f648dfc83bfc153f7671297de820141e25

2aaebf6b506fe2a373b26f648dfc83bfc153f7671297de820141e25

e

■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■■■	2ae6e8c8068b9f22a236f6e89dab004ae518804ff74faab22571963
■	■	■	■	■	■	■	■■■	2ae6e8c8068b9f22a236f6e89dab004ae518804ff74faab22571963
■	■	■	■	■■■	b			
■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	2b03c93cb7bb3cb66e93ff5cfe7c2e9fcb14c5262b1516f1507f6e7	
■	■	■	■	■	■	■■■	2b03c93cb7bb3cb66e93ff5cfe7c2e9fcb14c5262b1516f1507f6e7	
■	■	■	■	■■■	c			
■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	2cb5f6bb359ebfdcac94dde219b7b67cb859795106c767d5d95cbad	
■	■	■	■	■	■	■■■	2cb5f6bb359ebfdcac94dde219b7b67cb859795106c767d5d95cbad	
■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	2cd9a30df6aecac75bcf0c8d225ffd68a7d38dccee1a44332df772c	
■	■	■	■	■	■	■■■	2cd9a30df6aecac75bcf0c8d225ffd68a7d38dccee1a44332df772c	
■	■	■	■	■■■	d			
■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	2d3382c1d03308691c50e9f2a8536719fa0aaed3db2a081e4bc56d0	
■	■	■	■	■	■	■■■	2d3382c1d03308691c50e9f2a8536719fa0aaed3db2a081e4bc56d0	
■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	2d74a73a77213b0be16659702085777dd9ab99b019e0d0459752e1a	
■	■	■	■	■	■	■■■	2d74a73a77213b0be16659702085777dd9ab99b019e0d0459752e1a	
■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	2da7d3d0cb8fda433ad45e6488916319f31afaacf7a668ca3d23a28	
■	■	■	■	■	■	■■■	2da7d3d0cb8fda433ad45e6488916319f31afaacf7a668ca3d23a28	
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	2dafea6c0f1b47eeb64a6589a2b29e655db43127283a1f06acd54eb	
■	■	■	■	■	■	■■■	2dafea6c0f1b47eeb64a6589a2b29e655db43127283a1f06acd54eb	
■	■	■	■	■■■	e			
■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	2e2d841f57ca6a43dfc96af93374304dda5b757176df2cce7ca2b18	
■	■	■	■	■	■	■■■	2e2d841f57ca6a43dfc96af93374304dda5b757176df2cce7ca2b18	
■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	2e5b6ced06806dcc8a76919087cfc0d76c4240a8acb8d34511ad15d	
■	■	■	■	■	■	■■■	2e5b6ced06806dcc8a76919087cfc0d76c4240a8acb8d34511ad15d	
■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	2e73c9ba8504aadd35c601460449f419f91b4a76257d47293825aca	
■	■	■	■	■	■	■■■	2e73c9ba8504aadd35c601460449f419f91b4a76257d47293825aca	
■	■	■	■	■	■■■	8		

■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■■■	2e8aeb758c5c6b860c1f9f008a86bc6e99781e69743af720d8569e0
■	■	■	■	■	■	■	■■■	2e8aeb758c5c6b860c1f9f008a86bc6e99781e69743af720d8569e0
■	■	■	■	■■■	f			
■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	2f4a612897beadcfabba10611e5f78783b6d8c4259a893cb1c04728
■	■	■	■	■	■	■	■■■	2f4a612897beadcfabba10611e5f78783b6d8c4259a893cb1c04728
■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■■■	2f8fd931c93c5be659802b8094f0c4661fada6cdc5186b2b7947e82
■	■	■	■	■	■	■	■■■	2f8fd931c93c5be659802b8094f0c4661fada6cdc5186b2b7947e82
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	2fc53b7a83bab1187656c1ba764ccfed80f33ac444c1c1ec254856e
■	■	■	■	■	■	■	■■■	2fc53b7a83bab1187656c1ba764ccfed80f33ac444c1c1ec254856e
■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■■■	2fe808e610e93cf96db8255254d3573a4af583e2ceb0d6c81239990
■	■	■	■	■	■	■	■■■	2fe808e610e93cf96db8255254d3573a4af583e2ceb0d6c81239990
■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■■■	2ffdd395dcb3a7e8edba3e0e56d3b4fe4ab9cf77874b9a82f9ab353
■	■	■	■	■	■	■	■■■	2ffdd395dcb3a7e8edba3e0e56d3b4fe4ab9cf77874b9a82f9ab353
■	■	■	■■■	3				
■	■	■	■	■■■	0			
■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	301f3f47e824fb3e5b4ae851bcee1aa30e8c242d1af7252c2e4c2f6
■	■	■	■	■	■	■	■■■	301f3f47e824fb3e5b4ae851bcee1aa30e8c242d1af7252c2e4c2f6
■	■	■	■	■	■■■	7		
■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	3074c0e398bdb34ceb38d2295722a6a3bb3e5a6769d72c5eb20336b
■	■	■	■	■	■	■	■■■	3074c0e398bdb34ceb38d2295722a6a3bb3e5a6769d72c5eb20336b
■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	30819a61fe989a2b79956c6f2b7c3b4f339383347bcb7b2849118f6
■	■	■	■	■	■	■	■■■	30819a61fe989a2b79956c6f2b7c3b4f339383347bcb7b2849118f6
■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	30d4e87d14e60af7dc987765da5deb104b436d2a6d316aab8420bff
■	■	■	■	■	■	■	■■■	30d4e87d14e60af7dc987765da5deb104b436d2a6d316aab8420bff
■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	30e314467d6fa2d8fd60f8d0a5d493b52d2e229224e345624971560
■	■	■	■	■	■	■	■■■	30e314467d6fa2d8fd60f8d0a5d493b52d2e229224e345624971560
■	■	■	■	■■■	1			

■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	f
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	314f4d52d16a39cfc3ba96bb62b328ce3091e665ffd27321b059685
■	■	■	■	■	■	■■■	314f4d52d16a39cfc3ba96bb62b328ce3091e665ffd27321b059685
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	31539552f2303282ae40da968a51b4e53cadfeaff6b349f1c1a078d
■	■	■	■	■	■	■■■	31539552f2303282ae40da968a51b4e53cadfeaff6b349f1c1a078d
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	315bd5994915d999cc934902f11d8d89b7bce4fc77ed43b9a66f4aa
■	■	■	■	■	■	■■■	315bd5994915d999cc934902f11d8d89b7bce4fc77ed43b9a66f4aa
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	316baf701dc0c8f6530e5ac976b2d7aadd515d9f8f4dc0d246127fc
■	■	■	■	■	■	■■■	316baf701dc0c8f6530e5ac976b2d7aadd515d9f8f4dc0d246127fc
■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	3195fafd7d52fac265e6034af1b6c3b25880e4e3127033a1600be2e
■	■	■	■	■	■	■■■	3195fafd7d52fac265e6034af1b6c3b25880e4e3127033a1600be2e
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	31f7b0f10d8b218b42531189f0fce3a7c6a2a602c899cf31e8b0b4a
■	■	■	■	■	■	■■■	31f7b0f10d8b218b42531189f0fce3a7c6a2a602c899cf31e8b0b4a
■	■	■	■	■■■	2		
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	32892568afc9b7dc18b8d6ed05ba87b18b12d095a8fb3559f7cdd02
■	■	■	■	■	■	■■■	32892568afc9b7dc18b8d6ed05ba87b18b12d095a8fb3559f7cdd02
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	32e0dbeda5382e1b11f4d6b3b9c1b908b0b64f6163776ee3904f271
■	■	■	■	■	■	■■■	32e0dbeda5382e1b11f4d6b3b9c1b908b0b64f6163776ee3904f271
■	■	■	■	■■■	3		
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	33177f7ce6b8649d8389e2232cc9309432b00e43b7f43c92974a03b
■	■	■	■	■	■	■■■	33177f7ce6b8649d8389e2232cc9309432b00e43b7f43c92974a03b
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	3354c6dd0ae115057f043a72c66428c23d5ed4de7e95c1852f00aed
■	■	■	■	■	■	■■■	3354c6dd0ae115057f043a72c66428c23d5ed4de7e95c1852f00aed
■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	33974f84394d9a943f68359da08431dab4af9f86c33962982ea21b5
■	■	■	■	■	■	■■■	33974f84394d9a943f68359da08431dab4af9f86c33962982ea21b5
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	d

```

f
33edfdc631388d50e17fdcf77f6245d6a716f94b1333842b4cce605
33edfdc631388d50e17fdcf77f6245d6a716f94b1333842b4cce605
4
1
e
a
341ea512d84df17c5b2a0a9679aff535c9472cefbaa844dcea059dd
341ea512d84df17c5b2a0a9679aff535c9472cefbaa844dcea059dd
5
7
c
3457ceeb165a10e21eb7a09c6caeb600430118fc38a3a3f373a2b18
3457ceeb165a10e21eb7a09c6caeb600430118fc38a3a3f373a2b18
9
0
34590d681e49b009612ed5de910297ee0514114bcba276b3aaca026
34590d681e49b009612ed5de910297ee0514114bcba276b3aaca026
9
e
0
349e0eee389fdb002ce5585018abd067aeb6edcde721e88767b426
349e0eee389fdb002ce5585018abd067aeb6edcde721e88767b426
a
349eadc05293f17eefad080834cbe1844a407bfb9c9e9b3609f33981
349eadc05293f17eefad080834cbe1844a407bfb9c9e9b3609f33981
b
e
5
34be5ec53ed5f70a5812fbdca421d7fb27970d25d25c88246a11c29
34be5ec53ed5f70a5812fbdca421d7fb27970d25d25c88246a11c29
e
4
e
34e4ed9f6da78ec378e04be04de734c69a68c889dbef86cb0f5f498
34e4ed9f6da78ec378e04be04de734c69a68c889dbef86cb0f5f498
5
4
34e542d91615b0c756d5e520848b0d106c12a418e67932313394eaa
34e542d91615b0c756d5e520848b0d106c12a418e67932313394eaa
5
1
2
f
3512fbd8d8220805569d06cc88d7dd9925057801b770edeb14f8192
3512fbd8d8220805569d06cc88d7dd9925057801b770edeb14f8192
4
6
4
354643208419209e38ef01f024e21c713c0c8bac129bf32752e8f68
354643208419209e38ef01f024e21c713c0c8bac129bf32752e8f68
8
d
9
358d9164fbffff48dd2beae0acf1ea26f4118d7610c16b731b69dce
358d9164fbffff48dd2beae0acf1ea26f4118d7610c16b731b69dce
9
6

```

[illegible]

■	■	■	■	■	■	■	■	■■■	38ed5385c8ba9d3edaa6cca1ec24d320dd6123b9d0c08fc4d95c78b
■	■	■	■	■	■	■	■	■■■	38ed5385c8ba9d3edaa6cca1ec24d320dd6123b9d0c08fc4d95c78b
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■		■■■	3a04df55830d80cfab386f222eb6310ec446e34bac34e16639ea8d8
■	■	■	■	■	■	■■■		■■■	3a04df55830d80cfab386f222eb6310ec446e34bac34e16639ea8d8
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■		■■■	3a228aa8c9104afd633e49cc82ece39db5f38c0a38ff739db12f841
■	■	■	■	■	■	■■■		■■■	3a228aa8c9104afd633e49cc82ece39db5f38c0a38ff739db12f841
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■		■■■	3a69f39514198eeb5876a234940f46350c8a28dfaf41635b2687c5c
■	■	■	■	■	■	■■■		■■■	3a69f39514198eeb5876a234940f46350c8a28dfaf41635b2687c5c
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■		■■■	3a77baefc44546f167bbd903d58fb657bd59fa6ea78cc9a2225e5c3
■	■	■	■	■	■	■■■		■■■	3a77baefc44546f167bbd903d58fb657bd59fa6ea78cc9a2225e5c3
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■		■■■	3a9fc348926953a6f708396b55f4a040c07cdd479338cbc22293d81
■	■	■	■	■	■	■■■		■■■	3a9fc348926953a6f708396b55f4a040c07cdd479338cbc22293d81
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■		■■■	3aca8d09c5cca075c2af15ae52b365bf655c7ad5164fdeb6aa32f60
■	■	■	■	■	■	■■■		■■■	3aca8d09c5cca075c2af15ae52b365bf655c7ad5164fdeb6aa32f60
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■		■■■	3ae3e3ca35bdad81e273cce2251a6d6a40825ed296eab539d2f675b
■	■	■	■	■	■	■■■		■■■	3ae3e3ca35bdad81e273cce2251a6d6a40825ed296eab539d2f675b
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■		■■■	3affe893d93be60913b352c80fad610362ef682082985bb6bb8ff4a
■	■	■	■	■	■	■■■		■■■	3affe893d93be60913b352c80fad610362ef682082985bb6bb8ff4a
■	■	■	■	■	■■■	b			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■		■■■	3b2d9f41e1df1d793bd65383aca747c187783f2c595c8ad4fd28c5d
■	■	■	■	■	■	■■■		■■■	3b2d9f41e1df1d793bd65383aca747c187783f2c595c8ad4fd28c5d
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■		■■■	3b629f6c9567c1aa7f940e4478a7b20f08b70f746e022cc283b44b0
■	■	■	■	■	■	■■■		■■■	3b629f6c9567c1aa7f940e4478a7b20f08b70f746e022cc283b44b0
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■		■■■	3b6c9fa26c7f731375203e366266c8c8983b5bbf01247b72ec78075
■	■	■	■	■	■	■■■		■■■	3b6c9fa26c7f731375203e366266c8c8983b5bbf01247b72ec78075

■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	3bc4ce10cb49248392004b93d14625a497187ce38f416b3c6864de4
■	■	■	■	■	■	■■■	3bc4ce10cb49248392004b93d14625a497187ce38f416b3c6864de4
■	■	■	■	■■■	c		
■	■	■	■	■	■■■	3	
■	■	■	■	■	■■■	6	
■	■	■	■	■	■■■	e	
■	■	■	■	■	■■■	3c36e82ecfdcf5e02f9958512f8c3d40758a5f36cb3b9c56e0f1fa9	
■	■	■	■	■	■■■	3c36e82ecfdcf5e02f9958512f8c3d40758a5f36cb3b9c56e0f1fa9	
■	■	■	■	■■■	d		
■	■	■	■	■	■■■	2	
■	■	■	■	■	■■■	5	
■	■	■	■	■	■■■	3cd25be0cd266ea5d871ebaf82a67407103a7960f994efbbfc59b76	
■	■	■	■	■	■■■	3cd25be0cd266ea5d871ebaf82a67407103a7960f994efbbfc59b76	
■	■	■	■	■■■	d		
■	■	■	■	■	■■■	0	
■	■	■	■	■	■■■	d	
■	■	■	■	■	■■■	1	
■	■	■	■	■	■■■	3d0d190ce14061b06575edb14077d403d89d9f3a4985531d9dc3ad8	
■	■	■	■	■	■■■	3d0d190ce14061b06575edb14077d403d89d9f3a4985531d9dc3ad8	
■	■	■	■	■■■	1		
■	■	■	■	■	■■■	c	
■	■	■	■	■	■■■	0	
■	■	■	■	■	■■■	3d1c0abb000b607af00bfb3428468c00220d6573acdb85246e582f6	
■	■	■	■	■	■■■	3d1c0abb000b607af00bfb3428468c00220d6573acdb85246e582f6	
■	■	■	■	■■■	2		
■	■	■	■	■	■■■	2	
■	■	■	■	■	■■■	b	
■	■	■	■	■	■■■	3d22bc0011f51acac996b2a73c59c8155607dc8e09e87be981a2903	
■	■	■	■	■	■■■	3d22bc0011f51acac996b2a73c59c8155607dc8e09e87be981a2903	
■	■	■	■	■	■■■	3	
■	■	■	■	■	■■■	a	
■	■	■	■	■	■■■	3d23a5ad548471fdadffd54fe2363185ef4648db7c0bf11d16c83f1	
■	■	■	■	■	■■■	3d23a5ad548471fdadffd54fe2363185ef4648db7c0bf11d16c83f1	
■	■	■	■	■■■	a		
■	■	■	■	■	■■■	3	
■	■	■	■	■	■■■	4	
■	■	■	■	■	■■■	3da34c449f44794ebdf0e0b361350908c05099c46a66a191fda09da	
■	■	■	■	■	■■■	3da34c449f44794ebdf0e0b361350908c05099c46a66a191fda09da	
■	■	■	■	■■■	b		
■	■	■	■	■	■■■	a	
■	■	■	■	■	■■■	4	
■	■	■	■	■	■■■	3dba48e33e4deae5b8e0b5d8173f7d8b9ede86f6e2f3b423cb21306	
■	■	■	■	■	■■■	3dba48e33e4deae5b8e0b5d8173f7d8b9ede86f6e2f3b423cb21306	
■	■	■	■	■■■	d		
■	■	■	■	■	■■■	1	
■	■	■	■	■	■■■	f	
■	■	■	■	■	■■■	3dd1f4d98e06e8eaf3ee367a99c3a0170ca8a80d66453edf736c718	
■	■	■	■	■	■■■	3dd1f4d98e06e8eaf3ee367a99c3a0170ca8a80d66453edf736c718	
■	■	■	■	■■■	f		
■	■	■	■	■	■■■	c	
■	■	■	■	■	■■■	b	
■	■	■	■	■	■■■	3dfcb7e42fc92d05cef1d9c327dc5fa5a668c24ec5f552922101323	
■	■	■	■	■	■■■	3dfcb7e42fc92d05cef1d9c327dc5fa5a668c24ec5f552922101323	
■	■	■	■	■■■	e		
■	■	■	■	■	■■■	4	

```

5
2
3e452bf333df8ab434b237eb8b1e3beee7a01b16817f3cf5b899663
3e452bf333df8ab434b237eb8b1e3beee7a01b16817f3cf5b899663
8
1
d
3e81dc750dd89c0518ae28e02a1f4bbaa8bc3764568a5cc4899e997
3e81dc750dd89c0518ae28e02a1f4bbaa8bc3764568a5cc4899e997
9
a
4
3e9a4e7f56493e9f06407dbc32afae529f65c7ec2e8742451dcc427
3e9a4e7f56493e9f06407dbc32afae529f65c7ec2e8742451dcc427
c
c
b
3eccb186dc8d81dea49a4c53bcf9990528939c550907cc39699c703
3eccb186dc8d81dea49a4c53bcf9990528939c550907cc39699c703
f
7
3
9
3f739e544512a168c5098e89d94c7d8625ea02fd75513bc420b8ff1
3f739e544512a168c5098e89d94c7d8625ea02fd75513bc420b8ff1
d
d
2
3fdd2b71a28cf7bb5ce73cb583d37608c207d0c18b05e0b512299e6
3fdd2b71a28cf7bb5ce73cb583d37608c207d0c18b05e0b512299e6
4
0
0
d
b
400db3c9a550719d76958c9c597bfbff6eb98533f684c02cc870de9
400db3c9a550719d76958c9c597bfbff6eb98533f684c02cc870de9
8
9
1
40891d2d8fb994beec7ad2f4c96608fbc74e746445a39bf181414d4
40891d2d8fb994beec7ad2f4c96608fbc74e746445a39bf181414d4
a
5
1
40a51659b1aa39eaf2b491d5061ac8a0a72d9128139b67639dd9229
40a51659b1aa39eaf2b491d5061ac8a0a72d9128139b67639dd9229
b
c
40abc79f9a6c58f1583f4a8faf950e33cf15369ae3c191435a25456
40abc79f9a6c58f1583f4a8faf950e33cf15369ae3c191435a25456
f
5
40af5b1e10bf7a2a8239625801feeb553c394b76f44b00bc6f56e18
40af5b1e10bf7a2a8239625801feeb553c394b76f44b00bc6f56e18
d
c
6

```



```

40dc633e687704cc5a0d465899a1dd796c4cb4f877cb4bda9ade247f
40dc633e687704cc5a0d465899a1dd796c4cb4f877cb4bda9ade247f
1
3
7
1
4137117f0d7764f89968fe3a27faba9176245bfcbdba3d7e3fe228d
4137117f0d7764f89968fe3a27faba9176245bfcbdba3d7e3fe228d
6
d
3
416d3f0a11cf13fd07b80f5fc7b93c14bd202d7c8cbf452b94832dd
416d3f0a11cf13fd07b80f5fc7b93c14bd202d7c8cbf452b94832dd
9
a
9
419a95ea71a3ec12367a64cf0ee0c19f3660b60c0a05a0940707db2
419a95ea71a3ec12367a64cf0ee0c19f3660b60c0a05a0940707db2
e
1
4
41e14ab5a5d8fe4e7b7c5f4b36607ea0aba732763cf8745347c7473
41e14ab5a5d8fe4e7b7c5f4b36607ea0aba732763cf8745347c7473
2
4
5
b
4245bcf11d9ccc37efa7a362bcce43ba7bd09565b901ac6eb7a4be1
4245bcf11d9ccc37efa7a362bcce43ba7bd09565b901ac6eb7a4be1
a
c
f
42acf9e9f48f7436716c7d1d944adf882d72ca03a0466e9df9650e5
42acf9e9f48f7436716c7d1d944adf882d72ca03a0466e9df9650e5
b
a
9
42ba9a37894d8b0dac0d81963db8b520d479a1fb77acba5052434c6
42ba9a37894d8b0dac0d81963db8b520d479a1fb77acba5052434c6
d
1
1
42d1107a684bc7c672578885df22c72ffd5845fb2dc3df299e45ff9
42d1107a684bc7c672578885df22c72ffd5845fb2dc3df299e45ff9
e
5
0
42e50682f98715bd35b26ccf1fb8e3d779be2ccc1c7058e11b57758
42e50682f98715bd35b26ccf1fb8e3d779be2ccc1c7058e11b57758
f
a
2
42fa2e9e1ea92496683c15a8b3455bd834dc5426b328d987d32b382
42fa2e9e1ea92496683c15a8b3455bd834dc5426b328d987d32b382
3
1
0
a

```

■	■	■	■	■	■	■	■	■■■	4310a14c9aa3ce1575b521b198f0b746bc0c8a0ed1817b28db2f59f
■	■	■	■	■	■	■	■	■■■	4310a14c9aa3ce1575b521b198f0b746bc0c8a0ed1817b28db2f59f
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	431dd9f07f3b04a35f8d2320c2a79f67dcb038b9edddccba5cc4050e	
■	■	■	■	■	■	■	■■■	431dd9f07f3b04a35f8d2320c2a79f67dcb038b9edddccba5cc4050e	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	4368af615325c467e2f5c1a4f39d1bcfa768fbef277db861c7bc04a	
■	■	■	■	■	■	■	■■■	4368af615325c467e2f5c1a4f39d1bcfa768fbef277db861c7bc04a	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	4386e6ebdc7ef55a214a2d97d2f4b05346876b277ca67c486bddfd1	
■	■	■	■	■	■	■	■■■	4386e6ebdc7ef55a214a2d97d2f4b05346876b277ca67c486bddfd1	
■	■	■	■	■■■	4				
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	446c9f53b0b263f7d8c307c1860f7e2a8d23469fe812ca8237db483	
■	■	■	■	■	■	■	■■■	446c9f53b0b263f7d8c307c1860f7e2a8d23469fe812ca8237db483	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	44a08affceccf45cc0123cfc1997487a75f3d1f8dfe80723c2ee839	
■	■	■	■	■	■	■	■■■	44a08affceccf45cc0123cfc1997487a75f3d1f8dfe80723c2ee839	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	44c503f246c9b7daee33dc2a85c7d3d53ce45c6e787b80ced82ef39	
■	■	■	■	■	■	■	■■■	44c503f246c9b7daee33dc2a85c7d3d53ce45c6e787b80ced82ef39	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	44e5b11a6caa92636d8ccfe658d420ba4ed8f67f7f4e835b214255a	
■	■	■	■	■	■	■	■■■	44e5b11a6caa92636d8ccfe658d420ba4ed8f67f7f4e835b214255a	
■	■	■	■	■■■	5				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	454dfe251c86db71803bf9442cbfcab5066a6426dabac8aae36c528	
■	■	■	■	■	■	■	■■■	454dfe251c86db71803bf9442cbfcab5066a6426dabac8aae36c528	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	45704cfe34b532cda787f37a7909644f07510f8eef34bb07ae387c5	
■	■	■	■	■	■	■	■■■	45704cfe34b532cda787f37a7909644f07510f8eef34bb07ae387c5	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	457dd06db1e54337c9200572f17873f3f1c6bbd6aacdbbf152685d3	
■	■	■	■	■	■	■	■■■	457dd06db1e54337c9200572f17873f3f1c6bbd6aacdbbf152685d3	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	45976c194ebb9180bf7410d422bcad653ce13bcb64dda0d07d72b09	
■	■	■	■	■	■	■	■■■	45976c194ebb9180bf7410d422bcad653ce13bcb64dda0d07d72b09	
■	■	■	■	■	■	■■■	c		

■	■	■	■	■	■	■	■	1	
■	■	■	■	■	■	■	■	459c164d9ee240dc086ea20e4130182feceabd583aa5367be8f6a67	
■	■	■	■	■	■	■	■	459c164d9ee240dc086ea20e4130182feceabd583aa5367be8f6a67	
■	■	■	■	■	■	■	■	7	
■	■	■	■	■	■	■	■	459c78bacdedb04c7e03d152081522ecf0ff46e1d14e7503997ea6c	
■	■	■	■	■	■	■	■	459c78bacdedb04c7e03d152081522ecf0ff46e1d14e7503997ea6c	
■	■	■	■	■	■	■	d		
■	■	■	■	■	■	■	■	8	
■	■	■	■	■	■	■	■	459d8ce4df49a01f08e7b976319318a499c03950bfadbe47aa43623	
■	■	■	■	■	■	■	■	459d8ce4df49a01f08e7b976319318a499c03950bfadbe47aa43623	
■	■	■	■	■	■	c			
■	■	■	■	■	■	a			
■	■	■	■	■	■	f			
■	■	■	■	■	■	■	■	45cafe48214d7598428574541330275f76c6cf9f369c7119546ecaf	
■	■	■	■	■	■	■	■	45cafe48214d7598428574541330275f76c6cf9f369c7119546ecaf	
■	■	■	■	■	■	f			
■	■	■	■	■	■	a			
■	■	■	■	■	■	■	■	1	
■	■	■	■	■	■	■	■	45fa1727e9083a99a37f2542d2e0e6ce00a1b371f106eb72a9ea128	
■	■	■	■	■	■	■	■	45fa1727e9083a99a37f2542d2e0e6ce00a1b371f106eb72a9ea128	
■	■	■	■	■	■	6			
■	■	■	■	■	■	0			
■	■	■	■	■	■	7			
■	■	■	■	■	■	■	■	8	
■	■	■	■	■	■	■	■	46078468a8caf16b29e47f0b88655880195da412f38ca5dbd95e6c8	
■	■	■	■	■	■	■	■	46078468a8caf16b29e47f0b88655880195da412f38ca5dbd95e6c8	
■	■	■	■	■	■	7			
■	■	■	■	■	■	8			
■	■	■	■	■	■	■	■	2	
■	■	■	■	■	■	■	■	46782699abbec5872b7532f8fdb60b49d903fe55317d456987dab6f	
■	■	■	■	■	■	■	■	46782699abbec5872b7532f8fdb60b49d903fe55317d456987dab6f	
■	■	■	■	■	■	f			
■	■	■	■	■	■	d			
■	■	■	■	■	■	■	■	467fd4ec0b1d83a9e4f9fe0a7d2343bd38774ff97eb356ab0273662	
■	■	■	■	■	■	■	■	467fd4ec0b1d83a9e4f9fe0a7d2343bd38774ff97eb356ab0273662	
■	■	■	■	■	■	9			
■	■	■	■	■	■	0			
■	■	■	■	■	■	9			
■	■	■	■	■	■	■	■	46909227f1541130d028b38ddc9c507c988ccf7346cc0d4124ca7eb	
■	■	■	■	■	■	■	■	46909227f1541130d028b38ddc9c507c988ccf7346cc0d4124ca7eb	
■	■	■	■	■	■	6			
■	■	■	■	■	■	a			
■	■	■	■	■	■	■	■	4696aaa16977e26e2eb515a6e626848ca8e370bcec1eb2ed96b0c16	
■	■	■	■	■	■	■	■	4696aaa16977e26e2eb515a6e626848ca8e370bcec1eb2ed96b0c16	
■	■	■	■	■	■	8			
■	■	■	■	■	■	■	■	5	
■	■	■	■	■	■	■	■	4698527a79f9330733a86dab7c1df21e2340d20e952d3a0f9b4cdc3	
■	■	■	■	■	■	■	■	4698527a79f9330733a86dab7c1df21e2340d20e952d3a0f9b4cdc3	
■	■	■	■	■	■	c			
■	■	■	■	■	■	d			
■	■	■	■	■	■	e			
■	■	■	■	■	■	■	■	46cde12f96c267f2dc363fc8a487a027a180c317a55a41e34662948	
■	■	■	■	■	■	■	■	46cde12f96c267f2dc363fc8a487a027a180c317a55a41e34662948	
■	■	■	■	■	■	d			
■	■	■	■	■	■	c			
■	■	■	■	■	■	f			
■	■	■	■	■	■	■	■	46dcf3374671c042df8f63114b06ab3dc9963156f48a3f9e8326b0d	
■	■	■	■	■	■	■	■	46dcf3374671c042df8f63114b06ab3dc9963156f48a3f9e8326b0d	

```

d
6
46dd6c7d38d9678c38989b4cd14dca9da87ef21be758c0f56968dec
46dd6c7d38d9678c38989b4cd14dca9da87ef21be758c0f56968dec
7
0
3
8
47038759fe6cdc8b7725f4ca10cfc19a04a3af998a695975ff292ed
47038759fe6cdc8b7725f4ca10cfc19a04a3af998a695975ff292ed
e
6
470e6e6a315630452ab5eff32bf42bbb896b22515a48c375493956f
470e6e6a315630452ab5eff32bf42bbb896b22515a48c375493956f
9
0
c
4790ca8165bbadcb20b5204df80c700ea35b7e1b69f9e91ca5ec1d4
4790ca8165bbadcb20b5204df80c700ea35b7e1b69f9e91ca5ec1d4
c
e
1
47ce13475c48bd77c4ca1e385d3ce58b7198f4da1731cbd483535c0
47ce13475c48bd77c4ca1e385d3ce58b7198f4da1731cbd483535c0
8
0
d
6
480d6f7ef777fd4fe0178a90255bde2c80a7d6807db13d9efb77f8d
480d6f7ef777fd4fe0178a90255bde2c80a7d6807db13d9efb77f8d
1
2
b
4812b02ad4ae2a0980c69c18fb91c898c181c9cef24b4b134327ac2
4812b02ad4ae2a0980c69c18fb91c898c181c9cef24b4b134327ac2
3
2
b
4832b1cb4ef76f49358320cbabf20b43455a58dae458e0d83172b04
4832b1cb4ef76f49358320cbabf20b43455a58dae458e0d83172b04
5
4
e
4854e629f0a37cfe4deef480af4404d6cd6775b7bd9f6a4609ace69
4854e629f0a37cfe4deef480af4404d6cd6775b7bd9f6a4609ace69
d
e
1
48de165402dc71db624d8df28aaeb706741853d4f60e7fc7fd14b24
48de165402dc71db624d8df28aaeb706741853d4f60e7fc7fd14b24
9
7
6
4
49764a1573fea3edd09e29ce6be7a050726879fca5b51581236c9f4
49764a1573fea3edd09e29ce6be7a050726879fca5b51581236c9f4
d
c

```

■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■		49dc7a86663adde22161edd13cb7dd4a41a29de77e55092d5cba180
■	■	■	■	■	■	■	■■■		49dc7a86663adde22161edd13cb7dd4a41a29de77e55092d5cba180
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■		49dd32e88479e1335e618226ee4e5e81457f770c81451bcac3ba1f9
■	■	■	■	■	■	■	■■■		49dd32e88479e1335e618226ee4e5e81457f770c81451bcac3ba1f9
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■			49e36f423abd428b6ee175da9b48fdb6f5eb69f72e711ccc0f7251d
■	■	■	■	■	■	■■■			49e36f423abd428b6ee175da9b48fdb6f5eb69f72e711ccc0f7251d
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■			4a070ed365bca2bf96100d1d63fe059a473c70ffe88bbdac5000593
■	■	■	■	■	■	■■■			4a070ed365bca2bf96100d1d63fe059a473c70ffe88bbdac5000593
■	■	■	■	■	■■■	3			
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■			4a39eaaff570279c384ea17c651304d20191daa0e1f8878ee125070
■	■	■	■	■	■	■■■			4a39eaaff570279c384ea17c651304d20191daa0e1f8878ee125070
■	■	■	■	■	■■■	7			
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■			4a75be5ec812145702e7abc0b090eee5a42b5f21dfa806aa0f24c90
■	■	■	■	■	■	■■■			4a75be5ec812145702e7abc0b090eee5a42b5f21dfa806aa0f24c90
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■			4a7acf7f8f37085ee6d5d23d1c67814cc5be0f91a335bf0f2018dec
■	■	■	■	■	■	■■■			4a7acf7f8f37085ee6d5d23d1c67814cc5be0f91a335bf0f2018dec
■	■	■	■	■	■■■	a			
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■			4aa072069bf7642ef18e8ec5e146cc9e6531c8776caa3aab0469021
■	■	■	■	■	■	■■■			4aa072069bf7642ef18e8ec5e146cc9e6531c8776caa3aab0469021
■	■	■	■	■	■■■	9			
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■			4aa9d3c3a21df43d881feb58aed7ecb5f945cfed694c4a7c12dd6d0
■	■	■	■	■	■	■■■			4aa9d3c3a21df43d881feb58aed7ecb5f945cfed694c4a7c12dd6d0
■	■	■	■	■	■■■	d			
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■			4aad339416e8026d1fa8b230a91e72b9dbcc20ce7675dd245fc4d95
■	■	■	■	■	■	■■■			4aad339416e8026d1fa8b230a91e72b9dbcc20ce7675dd245fc4d95
■	■	■	■	■	■■■	f			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■			4af2f2bf26d10a841568590c06f4ceb3d8c15499f6f67f10e803b6e
■	■	■	■	■	■	■■■			4af2f2bf26d10a841568590c06f4ceb3d8c15499f6f67f10e803b6e
■	■	■	■	■■■	b				
■	■	■	■	■	■■■	3			
■	■	■	■	■	■■■	b			
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■			4b3b05f30c97ca6caf341b00933bfefb791e056815228b3ae021f7a
■	■	■	■	■	■	■■■			4b3b05f30c97ca6caf341b00933bfefb791e056815228b3ae021f7a
■	■	■	■	■	■■■	5			
■	■	■	■	■	■■■	e			

5
 4b5e59b539626467d13713a9655bc305c777f505a839baf5c71e7d4
 4b5e59b539626467d13713a9655bc305c777f505a839baf5c71e7d4
 7
 3
 a
 4b73ab20020ce971c30a3511cbd0aa58e077202a569030c994e1895
 4b73ab20020ce971c30a3511cbd0aa58e077202a569030c994e1895
 a
 5
 8
 4ba581cba8032aae5211a6298c81137c8b03f92c716fbce559c85f1
 4ba581cba8032aae5211a6298c81137c8b03f92c716fbce559c85f1
 e
 0
 7
 4be07d3ac353e38d2c9e3a257cad36ee2a758fc88b4cd5f0d479a5a
 4be07d3ac353e38d2c9e3a257cad36ee2a758fc88b4cd5f0d479a5a
 6
 e
 4be6ea4c9825d8219df74a273b87a8ad3879d0ad9dd9bace41bb332
 4be6ea4c9825d8219df74a273b87a8ad3879d0ad9dd9bace41bb332
 8
 f
 4be8f79d037a8408436cfe043a5283bc83d37ff361458765097a0f4
 4be8f79d037a8408436cfe043a5283bc83d37ff361458765097a0f4
 f
 f
 2
 4bff26ef32315dfd047477146873846cf62cf49a0b94d6e0d62e6f4
 4bff26ef32315dfd047477146873846cf62cf49a0b94d6e0d62e6f4
 c
 0
 d
 7
 4c0d7267ec7375532d947db242b63eaf6affb47791350eda6d22220
 4c0d7267ec7375532d947db242b63eaf6affb47791350eda6d22220
 4
 4
 f
 4c44f933cbf0792672cc88a6d5e20e54fdb971b1a48fe9ad7258e43
 4c44f933cbf0792672cc88a6d5e20e54fdb971b1a48fe9ad7258e43
 5
 d
 c
 4c5dc2cce393740a56ba43d75a0e19767884b64c23ee156c9ee4c83
 4c5dc2cce393740a56ba43d75a0e19767884b64c23ee156c9ee4c83
 7
 3
 5
 4c735b8f7bc940949970fe7cc5df7f6636c3bc80cf42fc581e2a262
 4c735b8f7bc940949970fe7cc5df7f6636c3bc80cf42fc581e2a262
 f
 3
 d
 4cf3d75a15edb8b41e448268a3756ab95beb7e122f7dfe55c71f4f5
 4cf3d75a15edb8b41e448268a3756ab95beb7e122f7dfe55c71f4f5
 d

■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	4d206ff81012aef02b689c85e75effe59ddbf339b7e5abed6a3f382
■	■	■	■	■	■	■■■	4d206ff81012aef02b689c85e75effe59ddbf339b7e5abed6a3f382
■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	4d360e90c78e92f27e49ba1bbb4e73ca05a2ba92b2c34cc53406cef
■	■	■	■	■	■	■■■	4d360e90c78e92f27e49ba1bbb4e73ca05a2ba92b2c34cc53406cef
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	4d62c77251a8a769c49924626123de8febb8d05b0a8ba0d7bd5e6b1
■	■	■	■	■	■	■■■	4d62c77251a8a769c49924626123de8febb8d05b0a8ba0d7bd5e6b1
■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	4dd5cbd72dbbf4538fe948aac9b13fddf0fc510a62ceb42d073aa4e
■	■	■	■	■	■	■■■	4dd5cbd72dbbf4538fe948aac9b13fddf0fc510a62ceb42d073aa4e
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	4ddf163b95362654d353c1676c88db8194ac64b10257d7f0493e7b6
■	■	■	■	■	■	■■■	4ddf163b95362654d353c1676c88db8194ac64b10257d7f0493e7b6
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	4df4592389f74dd854e14fbc1f090839036ec1a3d17e7f4693d6b06
■	■	■	■	■	■	■■■	4df4592389f74dd854e14fbc1f090839036ec1a3d17e7f4693d6b06
■	■	■	■	■■■	e		
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	4ea76201e0590b8be0b20dcba3adb06e5a1bc8bc104cf8b530ce2a9
■	■	■	■	■	■	■■■	4ea76201e0590b8be0b20dcba3adb06e5a1bc8bc104cf8b530ce2a9
■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	4ec61ede633a2e6300104d0a3ba0dd102f75c9a4a82141f98af245c
■	■	■	■	■	■	■■■	4ec61ede633a2e6300104d0a3ba0dd102f75c9a4a82141f98af245c
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	4ee3138b60ee0c1b5c7c6d39d2830adba9f08a2f0a1a300dfb7d80b
■	■	■	■	■	■	■■■	4ee3138b60ee0c1b5c7c6d39d2830adba9f08a2f0a1a300dfb7d80b
■	■	■	■	■■■	f		
■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	4f25a39384b5a90088552061d45bffb7bc8e4ea036c467dda36077c
■	■	■	■	■	■	■■■	4f25a39384b5a90088552061d45bffb7bc8e4ea036c467dda36077c
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	4f25d1410652dea16b5c9eaccf1cbf1198e8e85778c2eb0d5bfb2c3
■	■	■	■	■	■	■■■	4f25d1410652dea16b5c9eaccf1cbf1198e8e85778c2eb0d5bfb2c3
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	4f5680b8c3a9079e8632c9ca877b4cf2117436cf944e94c8f23efdf

4f5680b8c3a9079e8632c9ca877b4cf2117436cf944e94c8f23efdf
c
6
5
4fc659c5f6aa65ea06a8aab500c28d357faea985093db0d4f080c00
4fc659c5f6aa65ea06a8aab500c28d357faea985093db0d4f080c00
d
3
3
4fd33e883a3cc368577fa4a99813c50900c643984b0a08e1eb1369b
4fd33e883a3cc368577fa4a99813c50900c643984b0a08e1eb1369b
f
8
6
4ff8606ef3565dd3d8cb49160a12b00a0874f4891b47bf246085586
4ff8606ef3565dd3d8cb49160a12b00a0874f4891b47bf246085586
5
0
1
a
6
501a6000a758f20ae92583ab706076d366212a920b87a5eadb7d22c
501a6000a758f20ae92583ab706076d366212a920b87a5eadb7d22c
c
d
5
50cd5d076782ac982704f22fef25b264ed19e15e63459bbd6a4ff6
50cd5d076782ac982704f22fef25b264ed19e15e63459bbd6a4ff6
d
2
9
50d29e5d48dd4cce6c95ce0880a008f168dcc60ed8781f80a7698d8
50d29e5d48dd4cce6c95ce0880a008f168dcc60ed8781f80a7698d8
1
2
8
f
5128faf84638c7b6f83fe2ce7c0307a95097049cbe8256e922efea5
5128faf84638c7b6f83fe2ce7c0307a95097049cbe8256e922efea5
8
4
a
5184aad3138f3c1f37287d167097a8f29f0dd44cb4d406be4a8adaa
5184aad3138f3c1f37287d167097a8f29f0dd44cb4d406be4a8adaa
2
4
e
a
524eaa378c5eeff9b07f34d936ce7bc411da078278be84566970502
524eaa378c5eeff9b07f34d936ce7bc411da078278be84566970502
8
b
7
528b7cf7a817d7a3e28fbf1a2b68305d313d24f70c86c06bf500271
528b7cf7a817d7a3e28fbf1a2b68305d313d24f70c86c06bf500271
9
d
8

■	■	■	■	■	■	■	■	■■■	529d899ead0a44e9413c02620d856780368c083eff8bf2466e32601
■	■	■	■	■	■	■	■	■■■	529d899ead0a44e9413c02620d856780368c083eff8bf2466e32601
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	534d2533ab74578c481e35aba42fd45f3408f92e8ac2eaed6745703	
■	■	■	■	■	■	■	■■■	534d2533ab74578c481e35aba42fd45f3408f92e8ac2eaed6745703	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	53be9ba711431b8cdb7f6e9a0b76e29ae3db828b8de5016878bcc36	
■	■	■	■	■	■	■	■■■	53be9ba711431b8cdb7f6e9a0b76e29ae3db828b8de5016878bcc36	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	53d47a5cb40d39eade49af40ab8c4c0e4c96be0bafb78f8aceb7736	
■	■	■	■	■	■	■	■■■	53d47a5cb40d39eade49af40ab8c4c0e4c96be0bafb78f8aceb7736	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	542b4cc43ba505501344f025a523bcd0be79d6594f1fd6a15e1d1c0	
■	■	■	■	■	■	■	■■■	542b4cc43ba505501344f025a523bcd0be79d6594f1fd6a15e1d1c0	
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	543aa8a9fde7f40c8e89cdfdb118205c269b75193742e5ffd04a7d	
■	■	■	■	■	■	■	■■■	543aa8a9fde7f40c8e89cdfdb118205c269b75193742e5ffd04a7d	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	543f795bc74255514b333d6f1c8e9827ded40ed5037cc3fd0148b16	
■	■	■	■	■	■	■	■■■	543f795bc74255514b333d6f1c8e9827ded40ed5037cc3fd0148b16	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	5476a143dce6084b405e3a177fcc1d99bfdd7f39750c5fddae7115c	
■	■	■	■	■	■	■	■■■	5476a143dce6084b405e3a177fcc1d99bfdd7f39750c5fddae7115c	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	5530f1e9a3cfd8e6de1ea1c65cd69a0dd95894d02ea98f5f5e1b13b	
■	■	■	■	■	■	■	■■■	5530f1e9a3cfd8e6de1ea1c65cd69a0dd95894d02ea98f5f5e1b13b	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	55891e6605f78c968186c65b9b2fcef7a29bd3f383b76364a0f8c1b	
■	■	■	■	■	■	■	■■■	55891e6605f78c968186c65b9b2fcef7a29bd3f383b76364a0f8c1b	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	559ece193217821a25b78966d49c85bdd7fe6abab499830357251e7	
■	■	■	■	■	■	■	■■■	559ece193217821a25b78966d49c85bdd7fe6abab499830357251e7	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	55d4c8133a45f43ced38fdeb92695c35b8442dfdf533c19663cb4d	

55d4c8133a45f43ced38fdebf92695c35b8442dfdf533c19663cb4d

e

8

9

55e89b09594758366a997abbae14a69af04566121efa35f87cbadc7

55e89b09594758366a997abbae14a69af04566121efa35f87cbadc7

6

1

f

1

561f16b16f46bbc29689a6651a536dcca73ec3bc37aa79f403e8c4

561f16b16f46bbc29689a6651a536dcca73ec3bc37aa79f403e8c4

4

7

c

5647cf9d176ce748b93e8a195e038fc239f9c2bbc22ca7578001af9

5647cf9d176ce748b93e8a195e038fc239f9c2bbc22ca7578001af9

5

a

a

565aafaeef0e3c0f92455a58ca7e67219732153fffe7a8207abbec9

565aafaeef0e3c0f92455a58ca7e67219732153fffe7a8207abbec9

6

4

0

566401ae40959bead265ace90a7274c3859f15e306122993c661fc3

566401ae40959bead265ace90a7274c3859f15e306122993c661fc3

a

f

7

56af78496c38fef99775682135b2516b2dc5d3b3aa44ad556f452b7

56af78496c38fef99775682135b2516b2dc5d3b3aa44ad556f452b7

7

3

4

3

57343517d635bc3fe6316bc49b8b14409de7f6e035e8b0a20da9b7a

57343517d635bc3fe6316bc49b8b14409de7f6e035e8b0a20da9b7a

8

c

5738c4b25a82a883edc7dc551625df6fb9eb9be67c759ad595ca094

5738c4b25a82a883edc7dc551625df6fb9eb9be67c759ad595ca094

7

0

6

57706903f0e62ca8da8a202cebceb856524e9fc7352ebb1a6ae815f

57706903f0e62ca8da8a202cebceb856524e9fc7352ebb1a6ae815f

a

5

577a58fe5036cab520bc9770a1adb20945e6126851b5cc456aee8a5

577a58fe5036cab520bc9770a1adb20945e6126851b5cc456aee8a5

8

6

a

5786a92b5f9b19a4294d64751aff96069349061b1d2fd113952fbd9

5786a92b5f9b19a4294d64751aff96069349061b1d2fd113952fbd9

8

2

■	■	■	■	■	■	■	■	■■■	57882f8d616cfbcb1be8728b9348f0661e4f483fc827c45657572e6
■	■	■	■	■	■	■	■	■■■	57882f8d616cfbcb1be8728b9348f0661e4f483fc827c45657572e6
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	57c330c950275aa24700cce3a559d3a0fda94fc19862dcb728a07bb	
■	■	■	■	■	■	■	■■■	57c330c950275aa24700cce3a559d3a0fda94fc19862dcb728a07bb	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	5814c4630dfd43def7561ac74826eb6d89814649d42c0230a267c6a	
■	■	■	■	■	■	■	■■■	5814c4630dfd43def7561ac74826eb6d89814649d42c0230a267c6a	
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	582d0593487b69da32c5a1e905255f1333fff2458c425362b248a1a	
■	■	■	■	■	■	■	■■■	582d0593487b69da32c5a1e905255f1333fff2458c425362b248a1a	
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	58532868e1634f9d6748d3217f2b145ee36ba8bd42e7677ec77f3cc	
■	■	■	■	■	■	■	■■■	58532868e1634f9d6748d3217f2b145ee36ba8bd42e7677ec77f3cc	
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	5888c6f1ae39c13772eae6e9fb73d02e60c31a71a9435059fa59283	
■	■	■	■	■	■	■	■■■	5888c6f1ae39c13772eae6e9fb73d02e60c31a71a9435059fa59283	
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	58bfa7096fc83196c1c694e2bbf7bed1d307fcd726fce13e59fcf9a	
■	■	■	■	■	■	■	■■■	58bfa7096fc83196c1c694e2bbf7bed1d307fcd726fce13e59fcf9a	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	591a0a7ea47d81cffb332bf5e1460e560ce743822558c6f345314d4	
■	■	■	■	■	■	■	■■■	591a0a7ea47d81cffb332bf5e1460e560ce743822558c6f345314d4	
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	595119384424f750543e201763b875c3f3e0ff028ba41e4b528b7dc	
■	■	■	■	■	■	■	■■■	595119384424f750543e201763b875c3f3e0ff028ba41e4b528b7dc	
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	595f01992f9f5fbeeec150b38875346e8994c242a466ab0cd4fed9ca	
■	■	■	■	■	■	■	■■■	595f01992f9f5fbeeec150b38875346e8994c242a466ab0cd4fed9ca	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	5996fcfbe78012a888f1de26cea15f92b90975e989bed6d89fde4ea	
■	■	■	■	■	■	■	■■■	5996fcfbe78012a888f1de26cea15f92b90975e989bed6d89fde4ea	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	59a18785e62fce449ed99cdc911eff8991d8e3902371dd1653365f6	
■	■	■	■	■	■	■	■■■	59a18785e62fce449ed99cdc911eff8991d8e3902371dd1653365f6	

■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	59ba2b14c4c997645c75bbc2527b3e06f18efc9f32227234c5c5e42	
■	■	■	■	■	■	■	■■■	59ba2b14c4c997645c75bbc2527b3e06f18efc9f32227234c5c5e42	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	5a36775f3fa009fca7cef486c6a3f76d523a2bc1fcda55d69bd0c7d	
■	■	■	■	■	■	■	■■■	5a36775f3fa009fca7cef486c6a3f76d523a2bc1fcda55d69bd0c7d	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	5a8daf4775c6bcefc7e43bf5194a1e329c571a7e76117fa102085b3	
■	■	■	■	■	■	■	■■■	5a8daf4775c6bcefc7e43bf5194a1e329c571a7e76117fa102085b3	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	5a91cad017aceab2ef1c132dfdc7bfbab650d7026ef40945ede25042	
■	■	■	■	■	■	■	■■■	5a91cad017aceab2ef1c132dfdc7bfbab650d7026ef40945ede25042	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	5aa3c5ded1a343cbaff92348d4d73d6ac614523e51d92dc6a15665e	
■	■	■	■	■	■	■	■■■	5aa3c5ded1a343cbaff92348d4d73d6ac614523e51d92dc6a15665e	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	5ac9b9faf854c67fea32ed6b399d877e634609bf4b905557c9a7747	
■	■	■	■	■	■	■	■■■	5ac9b9faf854c67fea32ed6b399d877e634609bf4b905557c9a7747	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	5b2393ad2613166ebc22873b29723042778f41b0dc2710929d04089	
■	■	■	■	■	■	■	■■■	5b2393ad2613166ebc22873b29723042778f41b0dc2710929d04089	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	5b576ddc69cb2cda42f61333b85f066e4990a5eab5c96e0670cbb44	
■	■	■	■	■	■	■	■■■	5b576ddc69cb2cda42f61333b85f066e4990a5eab5c96e0670cbb44	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	5b75e508f580f904eab3dbca1f05459c59ca796c558b9bc23073b4d	
■	■	■	■	■	■	■	■■■	5b75e508f580f904eab3dbca1f05459c59ca796c558b9bc23073b4d	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	5b84a9e9b14145dd9af8abce6c1c4201055a3ce60b894b8f12b8e43	
■	■	■	■	■	■	■	■■■	5b84a9e9b14145dd9af8abce6c1c4201055a3ce60b894b8f12b8e43	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	5bd894eeb3dfe1c8aaee1daecd7b74bbb314293813a730238621f07	
■	■	■	■	■	■	■	■■■	5bd894eeb3dfe1c8aaee1daecd7b74bbb314293813a730238621f07	
■	■	■	■	■	■■■	c			

■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	5c045f46f3f8b8e6dceaf7ab411e6dca1ceb6b66747423694f388f7
■	■	■	■	■	■	■■■	5c045f46f3f8b8e6dceaf7ab411e6dca1ceb6b66747423694f388f7
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	5c0c1e6a3a8ce642af4c8750eb1f23ec3a1664d04549c179e45537c
■	■	■	■	■	■	■■■	5c0c1e6a3a8ce642af4c8750eb1f23ec3a1664d04549c179e45537c
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	5c55e3259f7365f813ee7ec7af119e4957229a83b25f3dae14b81c3
■	■	■	■	■	■	■■■	5c55e3259f7365f813ee7ec7af119e4957229a83b25f3dae14b81c3
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	5c669db596403445cf2e6b6c73527f65c57d472975c236543a0756f
■	■	■	■	■	■	■■■	5c669db596403445cf2e6b6c73527f65c57d472975c236543a0756f
■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	5c7324e1f6f306065fa6d1263cbce82c8310fb4475bb74e6f90422e
■	■	■	■	■	■	■■■	5c7324e1f6f306065fa6d1263cbce82c8310fb4475bb74e6f90422e
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	5c80915e528917ee0ab1ec4449bdaf0c7a495c9aae262bfd378917e
■	■	■	■	■	■	■■■	5c80915e528917ee0ab1ec4449bdaf0c7a495c9aae262bfd378917e
■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	5ccaacde439fe2093ec071fa044ad90152dd39f9072cdbca13dd0ab
■	■	■	■	■	■	■■■	5ccaacde439fe2093ec071fa044ad90152dd39f9072cdbca13dd0ab
■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	5d1670580cd38118770584fc65fe4981414f8527bdedf378de182e8
■	■	■	■	■	■	■■■	5d1670580cd38118770584fc65fe4981414f8527bdedf378de182e8
■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■■■	5d467b733c7192a982133a604b40108522981f20a6152b89fc2a800
■	■	■	■	■	■	■■■	5d467b733c7192a982133a604b40108522981f20a6152b89fc2a800
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■■■	5d862704d3e17307bb96b138da639ffd45fddd47817efcb99021385
■	■	■	■	■	■	■■■	5d862704d3e17307bb96b138da639ffd45fddd47817efcb99021385
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	5e1566c3cd6ebe85e96ca647578431e485dbc275e8e8ec5aaf5ff3e
■	■	■	■	■	■	■■■	5e1566c3cd6ebe85e96ca647578431e485dbc275e8e8ec5aaf5ff3e
■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	5

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ e
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5e35e5b8dc7773ae3e720f685871cc3e1a64b41807d49368e02d9d4
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5e35e5b8dc7773ae3e720f685871cc3e1a64b41807d49368e02d9d4
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 7
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 6
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5ec76d3ea7d08dbfe328fb163efa03781dffaa1c3cff18783c797c5
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5ec76d3ea7d08dbfe328fb163efa03781dffaa1c3cff18783c797c5
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ f
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 0
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 0
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 4
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f004fdadf388c278d5412a92e3ce7a26319c3bb90a94b3c8fe8e1d
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f004fdadf388c278d5412a92e3ce7a26319c3bb90a94b3c8fe8e1d
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 4
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 6
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f4c69f467ad71e652bdb5f2149b9e6f574e714d4c2855845067063
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f4c69f467ad71e652bdb5f2149b9e6f574e714d4c2855845067063
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ d
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f4d1fd151c05c40bb008ed6ca0367becb93d15293f8e5181108294
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f4d1fd151c05c40bb008ed6ca0367becb93d15293f8e5181108294
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 7
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 8
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ d
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f78d0505cab38b9a72a8c052ec5a766d11b7bce75cffc191f70fa2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f78d0505cab38b9a72a8c052ec5a766d11b7bce75cffc191f70fa2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 8
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 9
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 6
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f8967c74e4544cc5f12bd1b2af0b9bc30b2a66d2c14469e23c6b12
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f8967c74e4544cc5f12bd1b2af0b9bc30b2a66d2c14469e23c6b12
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ b
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 4
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f8b4f515974d10181278b552dc71618e84c490945899dab6ceb929
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5f8b4f515974d10181278b552dc71618e84c490945899dab6ceb929
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 6
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 0
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ e
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 4
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 601e49f5abadc74fd5a1168de91b6f4dca586c1940a8bfd02f38058
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 601e49f5abadc74fd5a1168de91b6f4dca586c1940a8bfd02f38058
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 5
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 9
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 60259667d7d39bd8608113a500a5cb1d6dab87bd59c8ab501782e55
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 60259667d7d39bd8608113a500a5cb1d6dab87bd59c8ab501782e55
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ f
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 603f1e1594be154f400f417f3effab89178eb8cddb4ee58c458fe20
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 603f1e1594be154f400f417f3effab89178eb8cddb4ee58c458fe20
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 4
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ b
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 6043bf8844497d3f6893a24e04306574d9ae79a5a3804828cc5ad6e

■	■	■	■	■	■	■	■	■■■	6043bf8844497d3f6893a24e04306574d9ae79a5a3804828cc5ad6e
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	6078dc20a4decd97c7815787054cd3adb74e43f2df67c28b40c4814	
■	■	■	■	■	■	■	■■■	6078dc20a4decd97c7815787054cd3adb74e43f2df67c28b40c4814	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	608aef5c766ddd62f308ddb7605b7db37ef169993e97d2888d8ae77	
■	■	■	■	■	■	■	■■■	608aef5c766ddd62f308ddb7605b7db37ef169993e97d2888d8ae77	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	60d76000e692d001575cc8b3c5636dbc7c1427cc1b31cd5b6a7ddf5	
■	■	■	■	■	■	■	■■■	60d76000e692d001575cc8b3c5636dbc7c1427cc1b31cd5b6a7ddf5	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	60f70a67d951e0a2ab20c1d19a022a2f2cf913338e69bb3d1a46f0b	
■	■	■	■	■	■	■	■■■	60f70a67d951e0a2ab20c1d19a022a2f2cf913338e69bb3d1a46f0b	
■	■	■	■	■■■	1				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	614f46c6d1c16fa5b0800dfd0497e41c5b320e16ee8c9d943d4dd34	
■	■	■	■	■	■	■	■■■	614f46c6d1c16fa5b0800dfd0497e41c5b320e16ee8c9d943d4dd34	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	61678d682a1ea716fb4acccebc1350da197d2251a96e4b922006105	
■	■	■	■	■	■	■	■■■	61678d682a1ea716fb4acccebc1350da197d2251a96e4b922006105	
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	616d1b580a17f368dd2febe85938f75ffbc7af4d5b79213614dab74	
■	■	■	■	■	■	■	■■■	616d1b580a17f368dd2febe85938f75ffbc7af4d5b79213614dab74	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	61ab4d3286a741c2e0eb485fb9b434d2738db38f1d8a405e25a3348	
■	■	■	■	■	■	■	■■■	61ab4d3286a741c2e0eb485fb9b434d2738db38f1d8a405e25a3348	
■	■	■	■	■■■	2				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	6200f0cb0fa083443ffac8864dd532af9ba8cbfbc186abe7c61067f	
■	■	■	■	■	■	■	■■■	6200f0cb0fa083443ffac8864dd532af9ba8cbfbc186abe7c61067f	
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	62020f55e2dbe16717b4caafc533c47639c1c50d408d52d60e6c947	
■	■	■	■	■	■	■	■■■	62020f55e2dbe16717b4caafc533c47639c1c50d408d52d60e6c947	
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■	■■■	62355c5feaed9be0a92f7ae1fcc30578a4fcb239921cb44c018e598	
■	■	■	■	■	■	■	■■■	62355c5feaed9be0a92f7ae1fcc30578a4fcb239921cb44c018e598	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	3		

■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■		62c3d0615ba8d3d433f0a6bfd73aa2f2bd89fc24fd5b878a57f8bab
■	■	■	■	■	■	■	■■■		62c3d0615ba8d3d433f0a6bfd73aa2f2bd89fc24fd5b878a57f8bab
■	■	■	■	■	■■■		f		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■			62f2a511f15aaa94b7d87a1de568feb361a5c425a614e58d439d939
■	■	■	■	■	■	■■■			62f2a511f15aaa94b7d87a1de568feb361a5c425a614e58d439d939
■	■	■	■	■■■		3			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■			63234c3f8058e2c941361654e2dc2719410242e3191243f732cf488
■	■	■	■	■	■	■■■			63234c3f8058e2c941361654e2dc2719410242e3191243f732cf488
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■			632e3777f689094f96c0bfa14c16347c793efa4f08cda0636e248bc
■	■	■	■	■	■	■■■			632e3777f689094f96c0bfa14c16347c793efa4f08cda0636e248bc
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■			6350307711414bd3b35b3a3ad0b5700aa0de5d4d35f78f441b41018
■	■	■	■	■	■	■■■			6350307711414bd3b35b3a3ad0b5700aa0de5d4d35f78f441b41018
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■			63a61ab7ba6b1bca8b6c1d6d498e0e8de7000e4a973debe806f7c78
■	■	■	■	■	■	■■■			63a61ab7ba6b1bca8b6c1d6d498e0e8de7000e4a973debe806f7c78
■	■	■	■	■■■		4			
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■			6494fe8e51a375938431b401c38ddd49051280b96e2061fc81c1b8e
■	■	■	■	■	■	■■■			6494fe8e51a375938431b401c38ddd49051280b96e2061fc81c1b8e
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■			64cfc03e83f9fad4049b1d2a1d785c9273270a4ab9788b538f5054e
■	■	■	■	■	■	■■■			64cfc03e83f9fad4049b1d2a1d785c9273270a4ab9788b538f5054e
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■			64d04797cfff2e1788bae8a2e68d5192f1cd3661018256259f8b519e
■	■	■	■	■	■	■■■			64d04797cfff2e1788bae8a2e68d5192f1cd3661018256259f8b519e
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■			64f5625255b6899fe89c5c31507ff0f86c622b0dd1e2ceb91b19a1d
■	■	■	■	■	■	■■■			64f5625255b6899fe89c5c31507ff0f86c622b0dd1e2ceb91b19a1d
■	■	■	■	■■■		5			
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■			65072c35290c429df2e84cb69eba045284d50944561efa156675456
■	■	■	■	■	■	■■■			65072c35290c429df2e84cb69eba045284d50944561efa156675456
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	5		

651e58859e8db8c99b9e7068d03984cfd4577518ff0e021c717afbfbf	651e58859e8db8c99b9e7068d03984cfd4577518ff0e021c717afbfbf
2	2
4	4
d	d
6524d43e50c684f7bc0a217d6d81852a9810cfb8c62d1ff3cf7e277	6524d43e50c684f7bc0a217d6d81852a9810cfb8c62d1ff3cf7e277
6524d43e50c684f7bc0a217d6d81852a9810cfb8c62d1ff3cf7e277	6524d43e50c684f7bc0a217d6d81852a9810cfb8c62d1ff3cf7e277
5	5
a	a
3	3
655a3a483bd5f52b446a7e34a27e6171627cfbfee1e9366b5cfe412	655a3a483bd5f52b446a7e34a27e6171627cfbfee1e9366b5cfe412
655a3a483bd5f52b446a7e34a27e6171627cfbfee1e9366b5cfe412	655a3a483bd5f52b446a7e34a27e6171627cfbfee1e9366b5cfe412
8	8
d	d
0	0
658d0a44bdabc0d723afcd9f497eaa009ffe8cafc837a796530cf72	658d0a44bdabc0d723afcd9f497eaa009ffe8cafc837a796530cf72
658d0a44bdabc0d723afcd9f497eaa009ffe8cafc837a796530cf72	658d0a44bdabc0d723afcd9f497eaa009ffe8cafc837a796530cf72
9	9
5	5
0	0
65950daa380851e56b02e7bc3eb7cd44a520d383d78e5d743ebb3bb	65950daa380851e56b02e7bc3eb7cd44a520d383d78e5d743ebb3bb
65950daa380851e56b02e7bc3eb7cd44a520d383d78e5d743ebb3bb	65950daa380851e56b02e7bc3eb7cd44a520d383d78e5d743ebb3bb
a	a
f	f
8	8
65af88561e8b18ff500b9fe7d5ad34c1636e3423202d926b9e18a96	65af88561e8b18ff500b9fe7d5ad34c1636e3423202d926b9e18a96
65af88561e8b18ff500b9fe7d5ad34c1636e3423202d926b9e18a96	65af88561e8b18ff500b9fe7d5ad34c1636e3423202d926b9e18a96
6	6
7	7
4	4
5	5
667458edc9e0ed39e769804aa3133eb17a080e478292f994252272a	667458edc9e0ed39e769804aa3133eb17a080e478292f994252272a
667458edc9e0ed39e769804aa3133eb17a080e478292f994252272a	667458edc9e0ed39e769804aa3133eb17a080e478292f994252272a
d	d
8	8
667d84ce062715f3e21735be2c271dbc3954d692f44a2d4769947db	667d84ce062715f3e21735be2c271dbc3954d692f44a2d4769947db
667d84ce062715f3e21735be2c271dbc3954d692f44a2d4769947db	667d84ce062715f3e21735be2c271dbc3954d692f44a2d4769947db
8	8
0	0
4	4
6680465c66f90d5dba7423aa175d72f390d4883736cee302491f10f	6680465c66f90d5dba7423aa175d72f390d4883736cee302491f10f
6680465c66f90d5dba7423aa175d72f390d4883736cee302491f10f	6680465c66f90d5dba7423aa175d72f390d4883736cee302491f10f
2	2
6	6
66826e0bc2503bb8d4293b2cfa918e3e23e0c16d4c172feb7fd8d9d	66826e0bc2503bb8d4293b2cfa918e3e23e0c16d4c172feb7fd8d9d
66826e0bc2503bb8d4293b2cfa918e3e23e0c16d4c172feb7fd8d9d	66826e0bc2503bb8d4293b2cfa918e3e23e0c16d4c172feb7fd8d9d
9	9
3	3
e	e
6693e1519d65eb5c428a1dc918e384792ed26cc1ccecb2e5bf2e942	6693e1519d65eb5c428a1dc918e384792ed26cc1ccecb2e5bf2e942
6693e1519d65eb5c428a1dc918e384792ed26cc1ccecb2e5bf2e942	6693e1519d65eb5c428a1dc918e384792ed26cc1ccecb2e5bf2e942
9	9
9	9
66999797d5b55d8a499566f503c4fada357fdb6ea88ff58e1033fad	66999797d5b55d8a499566f503c4fada357fdb6ea88ff58e1033fad
66999797d5b55d8a499566f503c4fada357fdb6ea88ff58e1033fad	66999797d5b55d8a499566f503c4fada357fdb6ea88ff58e1033fad
d	d
3	3
2	2

■	■	■	■	■	■	■	■	■■■	66d324e0b7ff67fa941db0dfb9a1b7feda5dcacd97a9288ff7a5488
■	■	■	■	■	■	■	■	■■■	66d324e0b7ff67fa941db0dfb9a1b7feda5dcacd97a9288ff7a5488
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	66e3b8a6991d464e56fe1f23d0ae546295fdec	b4e6448db5b60f4b8
■	■	■	■	■	■	■	■■■	66e3b8a6991d464e56fe1f23d0ae546295fdec	b4e6448db5b60f4b8
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	66ec76a7b6ed4081044f5c7821af293b63c17bc2ac523ff93d5ca7d	
■	■	■	■	■	■	■	■■■	66ec76a7b6ed4081044f5c7821af293b63c17bc2ac523ff93d5ca7d	
■	■	■	■	■■■	7				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	670e63af65b8c183bd7aa4816532a21a1e3216fd4cf6557ce2b5d66	
■	■	■	■	■	■	■	■■■	670e63af65b8c183bd7aa4816532a21a1e3216fd4cf6557ce2b5d66	
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	6717d8b8b72866f162087b1470d9f2712947b3a295f8462ac087b4d	
■	■	■	■	■	■	■	■■■	6717d8b8b72866f162087b1470d9f2712947b3a295f8462ac087b4d	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	679d554903a7dff5bb778f33064f010b0ad17797dfea1de5044352	
■	■	■	■	■	■	■	■■■	679d554903a7dff5bb778f33064f010b0ad17797dfea1de5044352	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	67f06f9a67e44e284a63e45b57ff9db8630c40ea8cf861e444af047	
■	■	■	■	■	■	■	■■■	67f06f9a67e44e284a63e45b57ff9db8630c40ea8cf861e444af047	
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	67f5b5747518cbf74987d367c9e086a003d777484ff6398b7b101a9	
■	■	■	■	■	■	■	■■■	67f5b5747518cbf74987d367c9e086a003d777484ff6398b7b101a9	
■	■	■	■	■■■	8				
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	68d62d50655e89284750df1eefc750a2e793cb0abebf99c6a167ea0	
■	■	■	■	■	■	■	■■■	68d62d50655e89284750df1eefc750a2e793cb0abebf99c6a167ea0	
■	■	■	■	■■■	9				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	694e09c0003d19567fdb2596c6b054a0ce77fc7d3b9a537161efbe2	
■	■	■	■	■	■	■	■■■	694e09c0003d19567fdb2596c6b054a0ce77fc7d3b9a537161efbe2	
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	694e2bf3f7b9fc73e1690dea790651bcdc6cc58d6887ec476cdbbc4	
■	■	■	■	■	■	■	■■■	694e2bf3f7b9fc73e1690dea790651bcdc6cc58d6887ec476cdbbc4	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	69a81aa8a2cb7fa524553de2b9eb53438ed639323fa22f812aaa4df	
■	■	■	■	■	■	■	■■■	69a81aa8a2cb7fa524553de2b9eb53438ed639323fa22f812aaa4df	
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	4			

```

e
e
6a4eeef1d17bfffe6acce8d14fd112a56ee7689b5604d74d88030418e
6a4eeef1d17bfffe6acce8d14fd112a56ee7689b5604d74d88030418e
b
1
8
c
6b18c85cf d4fa601709844f7cb58b7e99398b3fb041b90d218502f7
6b18c85cf d4fa601709844f7cb58b7e99398b3fb041b90d218502f7
d
c
6b1dca4a6a43b1a55e7244fed18f96b1663a739e5cb7be1ec1db43b
6b1dca4a6a43b1a55e7244fed18f96b1663a739e5cb7be1ec1db43b
4
3
e
6b43e4b3a831ee464507ba55bb6d68651e7cff81ef7410783047d70
6b43e4b3a831ee464507ba55bb6d68651e7cff81ef7410783047d70
5
3
a
6b53a9dd0e4fce887cc28c1a921aa1bef e8c1a82e6c213d2542d2ac
6b53a9dd0e4fce887cc28c1a921aa1bef e8c1a82e6c213d2542d2ac
c
0
3
9
6c039f5ac321ecb96d7061ec6aacb2df96e167cdf4c1ac296c46805
6c039f5ac321ecb96d7061ec6aacb2df96e167cdf4c1ac296c46805
1
f
9
6c1f93f22f8a961a825c0728a0d7d8c6778e73589e95c0cac f39c00
6c1f93f22f8a961a825c0728a0d7d8c6778e73589e95c0cac f39c00
2
f
0
6c2f06fcc3fcae873103e7a4cb1c923d365cab3123659a21e8027f5
6c2f06fcc3fcae873103e7a4cb1c923d365cab3123659a21e8027f5
3
8
a
6c38af122a2c34054dbf7f6c516083a804efbc131ccd6960739e3e8
6c38af122a2c34054dbf7f6c516083a804efbc131ccd6960739e3e8
6
e
e
6c6eeaf6757edbde690577822daacaba826c2b12ce67b57b33e8021
6c6eeaf6757edbde690577822daacaba826c2b12ce67b57b33e8021
c
5
1
6cc5161850fca402176bdf26671053556bff2792d97708bc4b3fd94
6cc5161850fca402176bdf26671053556bff2792d97708bc4b3fd94
d
0
4

```

■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■		6d04f208cf2f3894cef5c68d998228093b6524f4160fb8d9dd9597c
■	■	■	■	■	■	■	■■■		6d04f208cf2f3894cef5c68d998228093b6524f4160fb8d9dd9597c
■	■	■	■	■	■■■			4	
■	■	■	■	■	■	■■■		5	
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■		6d45661c8528eec24a3bda8c6ac0b2d711be10662b13fbf9fb560c1
■	■	■	■	■	■	■	■■■		6d45661c8528eec24a3bda8c6ac0b2d711be10662b13fbf9fb560c1
■	■	■	■	■	■■■			5	
■	■	■	■	■	■	■■■		4	
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■		6d5467d2c70a18cfd346d327d4f7c0b258b26d4f49378413e1bea46
■	■	■	■	■	■	■	■■■		6d5467d2c70a18cfd346d327d4f7c0b258b26d4f49378413e1bea46
■	■	■	■	■■■				e	
■	■	■	■	■	■■■			2	
■	■	■	■	■	■	■■■		b	
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■		6e2b25980435d97ba759638321fc3ec3005e2bf7b14db96935837eb
■	■	■	■	■	■	■	■■■		6e2b25980435d97ba759638321fc3ec3005e2bf7b14db96935837eb
■	■	■	■	■	■■■			7	
■	■	■	■	■	■	■■■		5	
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■		6e752795b0bfb1feac8fb904d071810d09c92eae9d44357c61313aa
■	■	■	■	■	■	■	■■■		6e752795b0bfb1feac8fb904d071810d09c92eae9d44357c61313aa
■	■	■	■	■	■■■			8	
■	■	■	■	■	■	■■■		1	
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■		6e81a5998776efb38f930224b8ff215440479e9bb342f3dcde41c23
■	■	■	■	■	■	■	■■■		6e81a5998776efb38f930224b8ff215440479e9bb342f3dcde41c23
■	■	■	■	■	■■■			b	
■	■	■	■	■	■	■■■		5	
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■		6eb54f73ec3319c26d409c5299b2e8284e498cf06d63fea070ff7a5
■	■	■	■	■	■	■	■■■		6eb54f73ec3319c26d409c5299b2e8284e498cf06d63fea070ff7a5
■	■	■	■	■■■				f	
■	■	■	■	■	■■■			4	
■	■	■	■	■	■	■■■		1	
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■		6f41912d3f2f2364414aba5c0708d39431b6bc5f9c080855da269d3
■	■	■	■	■	■	■	■■■		6f41912d3f2f2364414aba5c0708d39431b6bc5f9c080855da269d3
■	■	■	■	■	■■■			b	
■	■	■	■	■	■	■■■		e	
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■		6fbe88fed55afa233a8851fd9907623b521cc399239b7307edd8b38
■	■	■	■	■	■	■	■■■		6fbe88fed55afa233a8851fd9907623b521cc399239b7307edd8b38
■	■	■	■	■	■	■■■		f	
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■		6fbf85f59629e6468a00e8df81e87b132ddc47a30799dbbe123046b
■	■	■	■	■	■	■	■■■		6fbf85f59629e6468a00e8df81e87b132ddc47a30799dbbe123046b
■	■	■	■	■	■■■			c	
■	■	■	■	■	■	■■■		d	
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■		6fcd3b126a7f28da8c6b250fb4d2c671ef6486a1bb6d5a360175316
■	■	■	■	■	■	■	■■■		6fcd3b126a7f28da8c6b250fb4d2c671ef6486a1bb6d5a360175316
■	■	■	■■■					7	
■	■	■	■	■■■				0	
■	■	■	■	■	■■■			0	
■	■	■	■	■	■	■■■		5	

```

a
7005aabcfc39781e51c0e3de730d96bbe6ce7f15fbad72a865d829e9
7005aabcfc39781e51c0e3de730d96bbe6ce7f15fbad72a865d829e9
7
f
2
707f29bf5a2c5234922a7b38fa6b01c3d7cf2f8e938595b7db28fe6
707f29bf5a2c5234922a7b38fa6b01c3d7cf2f8e938595b7db28fe6
9
9
6
709961bd10cdf7a4da0c968accf90e33d384913cbd9a19284515123
709961bd10cdf7a4da0c968accf90e33d384913cbd9a19284515123
f
7
7
70f7707d8a828ee907d426ac7967091226588628fc1f80ad2ba7139
70f7707d8a828ee907d426ac7967091226588628fc1f80ad2ba7139
d
0
70fd08e0ce4989bf6a500a3bc2ca126a6bdd924af86b2f9e03f7aef
70fd08e0ce4989bf6a500a3bc2ca126a6bdd924af86b2f9e03f7aef
1
2
6
0
712605de4e2d94db2e7e4d93509f980482ea8b94804b4660ae7c143
712605de4e2d94db2e7e4d93509f980482ea8b94804b4660ae7c143
4
0
d
7140d6ed1b1c89d89e9357c534bc4663b6b6ea323ad346668a972e6
7140d6ed1b1c89d89e9357c534bc4663b6b6ea323ad346668a972e6
5
3
f
7153f85f923c406fa4f801cf1383ca67a21c9b4ea4c496e3a00c52c
7153f85f923c406fa4f801cf1383ca67a21c9b4ea4c496e3a00c52c
d
4
715d4cd04b7aed2b81f7b9769654f0d4a9e7993ea355557c29a7797
715d4cd04b7aed2b81f7b9769654f0d4a9e7993ea355557c29a7797
b
6
c
71b6c803e9c1aaef633939017f228a1832bc8e3295feb059b05df60
71b6c803e9c1aaef633939017f228a1832bc8e3295feb059b05df60
9
2
71b929b59e30ca7f37605b6e9d3526a4fadcab84f08462dca570dd1
71b929b59e30ca7f37605b6e9d3526a4fadcab84f08462dca570dd1
2
0
f
7
720f7508f1bbefdd1a092026b5d8b520376c923ec867e2db9f0a346
720f7508f1bbefdd1a092026b5d8b520376c923ec867e2db9f0a346
4

```


■	■	■	■	■	■	■	■	■■■	73f3abcf6f7bae7a4f7224bca9394ab0b67176b94f9acd9c89ea7a
■	■	■	■	■	■	■	■	■■■	73f3abcf6f7bae7a4f7224bca9394ab0b67176b94f9acd9c89ea7a
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■	■■■	73fdab09de1972536edf9f68ebae6c11d71e85b23124007454a3f79
■	■	■	■	■	■	■	■	■■■	73fdab09de1972536edf9f68ebae6c11d71e85b23124007454a3f79
■	■	■	■	■■■	4				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■	■■■	7405b45a3ae328a8034f160731379ea498273d9496e940128448fa4
■	■	■	■	■	■	■	■	■■■	7405b45a3ae328a8034f160731379ea498273d9496e940128448fa4
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	740888090330b0dd7a2cf5dad2cb6e22a5d40cf4b894416c973d3fb
■	■	■	■	■	■	■	■	■■■	740888090330b0dd7a2cf5dad2cb6e22a5d40cf4b894416c973d3fb
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■	■■■	741844c74a780e96ee4d26c4fb06160b351b967236da5d2d6999d13
■	■	■	■	■	■	■	■	■■■	741844c74a780e96ee4d26c4fb06160b351b967236da5d2d6999d13
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■	■■■	74519485e1536359971ea776590d9b49239604b82f09cf4235d7592
■	■	■	■	■	■	■	■	■■■	74519485e1536359971ea776590d9b49239604b82f09cf4235d7592
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■	■■■	7467fa30bcf941f3aad858c0092276633eb18af5039734244692491
■	■	■	■	■	■	■	■	■■■	7467fa30bcf941f3aad858c0092276633eb18af5039734244692491
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■	■■■	74bdf372f3d845193f395b9ba4ed91510cd09dc32621fc25fe02568
■	■	■	■	■	■	■	■	■■■	74bdf372f3d845193f395b9ba4ed91510cd09dc32621fc25fe02568
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■	■■■	74e4b8dbca5ac8ed9b568934852785d2aee8cd8b880af52beb995fa
■	■	■	■	■	■	■	■	■■■	74e4b8dbca5ac8ed9b568934852785d2aee8cd8b880af52beb995fa
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■	■■■	74ea03321368424a9c35d4a1b205596def6149a6bce580ed8983e06
■	■	■	■	■	■	■	■	■■■	74ea03321368424a9c35d4a1b205596def6149a6bce580ed8983e06
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■	■■■	74f09646c419db58e72289c9d9958b156e21bab1ea0f1191be0fdd3
■	■	■	■	■	■	■	■	■■■	74f09646c419db58e72289c9d9958b156e21bab1ea0f1191be0fdd3
■	■	■	■	■■■	5				
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■	■■■	757b0a94491afab39f09977ff4ff93b398df2315f752fdc61f06c75
■	■	■	■	■	■	■	■	■■■	757b0a94491afab39f09977ff4ff93b398df2315f752fdc61f06c75
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	4		

75946f88adeb5de9b2d8ac2bb368c001b37cbd586c470e1a47e1f26
75946f88adeb5de9b2d8ac2bb368c001b37cbd586c470e1a47e1f26
a
e
759ae9b62b6737368b39d0cfd72406a310914695b670e0b343140c2
759ae9b62b6737368b39d0cfd72406a310914695b670e0b343140c2
a
e
2
75ae2ea86284b362d303de4fa8216bd2cdb94318dcfa2916e50770a
75ae2ea86284b362d303de4fa8216bd2cdb94318dcfa2916e50770a
6
1
5
5
7615591b7c1aa1d6d99b4d19be5c9e6a370bb94208eb3a4a666b106
7615591b7c1aa1d6d99b4d19be5c9e6a370bb94208eb3a4a666b106
3
1
7
76317b002de815b82dc42ab166c72f3c1d6915c889358986a6e9835
76317b002de815b82dc42ab166c72f3c1d6915c889358986a6e9835
c
3
763c329d011a2f5262c2b3658af7a680e539816180d001c94991612
763c329d011a2f5262c2b3658af7a680e539816180d001c94991612
4
1
9
76419ad3b11fa022cd6cf4c383b49e408c6573d5a27678794a2f332
76419ad3b11fa022cd6cf4c383b49e408c6573d5a27678794a2f332
7
5
f
7675fa45ecfc4ed9603efeaddd1f507d72370712afbe217457b94f6
7675fa45ecfc4ed9603efeaddd1f507d72370712afbe217457b94f6
8
0
5
76805b29e837e0d6e28e50fef9b9d6ee59999846862619841fb9f3c
76805b29e837e0d6e28e50fef9b9d6ee59999846862619841fb9f3c
a
f
768afc60dc2dbc932a489cd2484553485f87bcfecc3687d3b9b3e07
768afc60dc2dbc932a489cd2484553485f87bcfecc3687d3b9b3e07
a
1
b
76a1bc749640618783c63ea7e22750cdb7c0866c87572af29830bb4
76a1bc749640618783c63ea7e22750cdb7c0866c87572af29830bb4
7
1
a
1
771a19de4ac193828302b6b966792997c89a96a9b1e1081e1665488
771a19de4ac193828302b6b966792997c89a96a9b1e1081e1665488
6

[illegible]

■	■	■	■	■	■	■	■	■■■	79b477b1a7682428b09ec380b1a9c61c1e57598efebd6dc88a61922
■	■	■	■	■	■	■	■	■■■	79b477b1a7682428b09ec380b1a9c61c1e57598efebd6dc88a61922
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	79e6282994cdcad26989afa649d0b1fec7232572106137c0eeeb1e4	
■	■	■	■	■	■	■	■■■	79e6282994cdcad26989afa649d0b1fec7232572106137c0eeeb1e4	
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	7a5f717e7b3fb99ec006f4d173aad55224eb063005c662c586ba051	
■	■	■	■	■	■	■	■■■	7a5f717e7b3fb99ec006f4d173aad55224eb063005c662c586ba051	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	7a7544f20ac0c9e265a85b7d3ac7d5266b7b1ee499d454d2e3e6a61	
■	■	■	■	■	■	■	■■■	7a7544f20ac0c9e265a85b7d3ac7d5266b7b1ee499d454d2e3e6a61	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	7a897ead7c606b81fa0fc01455baeea61318fef9c15dc89b2214941	
■	■	■	■	■	■	■	■■■	7a897ead7c606b81fa0fc01455baeea61318fef9c15dc89b2214941	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	7a9a30b21c19476094e26577f75c0c2231dee2907c18b91fece5f2d	
■	■	■	■	■	■	■	■■■	7a9a30b21c19476094e26577f75c0c2231dee2907c18b91fece5f2d	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	7ae4eb961e865909af2fed553790ab4e7795325bbe186f6fd2907a2	
■	■	■	■	■	■	■	■■■	7ae4eb961e865909af2fed553790ab4e7795325bbe186f6fd2907a2	
■	■	■	■	■■■	b				
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	7b190e5eaec57a227a216cb9d3086ae5e31258699bccb82572891e4	
■	■	■	■	■	■	■	■■■	7b190e5eaec57a227a216cb9d3086ae5e31258699bccb82572891e4	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	7ba06c140b1fec85024826d632251543f3b6b78c2c8fa154be7dfe7	
■	■	■	■	■	■	■	■■■	7ba06c140b1fec85024826d632251543f3b6b78c2c8fa154be7dfe7	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	7bcb21ae39dcbaa6ef2ec164e30fe8d58ad45d81fc957ba55edaacd	
■	■	■	■	■	■	■	■■■	7bcb21ae39dcbaa6ef2ec164e30fe8d58ad45d81fc957ba55edaacd	
■	■	■	■	■■■	c				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	7c4b8a19f4f69494c22868b76649cd91120de17447e4ff71fb7a7f1	
■	■	■	■	■	■	■	■■■	7c4b8a19f4f69494c22868b76649cd91120de17447e4ff71fb7a7f1	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	7		

7c8b70396ad97f2d09000e2e2388af7c7fbc78398261bb52db3f267
c
b
9
7ccb994e5cb08d1aee93acb83ae5881083c4a349402f61c9f7d304f
7ccb994e5cb08d1aee93acb83ae5881083c4a349402f61c9f7d304f
d
0
6
d
7d06ddc2f8070ce09a5a2290e2020c460e8ab32b6a2c6b69fc06e97
7d06ddc2f8070ce09a5a2290e2020c460e8ab32b6a2c6b69fc06e97
b
e
7d0be049a04b5769dd9721cc258f755b637251a383bd88a21aeb01d
7d0be049a04b5769dd9721cc258f755b637251a383bd88a21aeb01d
9
2
5
7d925fad468f76878ae4f711adfcbdf1f191de63e2fbe786e8101a6d
7d925fad468f76878ae4f711adfcbdf1f191de63e2fbe786e8101a6d
f
c
7d9fc72980162cfdee107d68ed91af7f0d17635944a2be45d02dcc8
7d9fc72980162cfdee107d68ed91af7f0d17635944a2be45d02dcc8
e
2
0
f
7e20f67205460c2990dc3d43525f043c513381bcfe256dfd8072b3b
7e20f67205460c2990dc3d43525f043c513381bcfe256dfd8072b3b
7
9
9
7e799dd8124caf07a87e760488ab798314afa3e38857ed387bf0569
7e799dd8124caf07a87e760488ab798314afa3e38857ed387bf0569
f
0
c
2
7f0c22e0d79b4b8cfedeca6b0057b331b0ebf02a829c86a01e75b9e
7f0c22e0d79b4b8cfedeca6b0057b331b0ebf02a829c86a01e75b9e
1
3
4
7f134966aea71cee3f828ec6486d99df29263370ebd63521989935f
7f134966aea71cee3f828ec6486d99df29263370ebd63521989935f
4
a
d
7f4ada8a224440b8390f0efeb163a6ed9ae5758de0a3cf73ad26d4c
7f4ada8a224440b8390f0efeb163a6ed9ae5758de0a3cf73ad26d4c
8
0
6
0
5

■	■	■	■	■	■	■	■	■■■	806053c24018604b14c433ae0aaf9d9a49511a23bd0d62a22b13b0a
■	■	■	■	■	■	■	■	■■■	806053c24018604b14c433ae0aaf9d9a49511a23bd0d62a22b13b0a
■	■	■	■	■	■■■		8		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	808afb37e8c2ecb6f0bdac9f494b9ece22cd6a366cafc2c8b5edae2	
■	■	■	■	■	■	■	■■■	808afb37e8c2ecb6f0bdac9f494b9ece22cd6a366cafc2c8b5edae2	
■	■	■	■	■	■■■		b		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	80bbbedc01f3480d9d2c25f1fffd846f9cd7ebef7da832e822438a2	
■	■	■	■	■	■	■	■■■	80bbbedc01f3480d9d2c25f1fffd846f9cd7ebef7da832e822438a2	
■	■	■	■	■	■■■		c		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	80c53fecb34df2abdf90acb26fd7bac539add717dddfc16335cc791	
■	■	■	■	■	■	■	■■■	80c53fecb34df2abdf90acb26fd7bac539add717dddfc16335cc791	
■	■	■	■	■	■■■		f		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	80f8ec9d42ca16a4358091cbb467e17d7f2279c196a52819a8625e5	
■	■	■	■	■	■	■	■■■	80f8ec9d42ca16a4358091cbb467e17d7f2279c196a52819a8625e5	
■	■	■	■	■	■■■		1		
■	■	■	■	■	■■■		1		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	811cdc5b0df1a4862e5588ed7d10948f806b064e30962a3f3e310c2	
■	■	■	■	■	■	■	■■■	811cdc5b0df1a4862e5588ed7d10948f806b064e30962a3f3e310c2	
■	■	■	■	■	■■■		3		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	813cc7096c25ba43edba14a4ab40832db33af638c43e975795995ae	
■	■	■	■	■	■	■	■■■	813cc7096c25ba43edba14a4ab40832db33af638c43e975795995ae	
■	■	■	■	■	■■■		8		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	818ab32b02e66a290a94c6570df2f6046412549ea5918218a636bc8	
■	■	■	■	■	■	■	■■■	818ab32b02e66a290a94c6570df2f6046412549ea5918218a636bc8	
■	■	■	■	■	■■■		d		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	81dc46295fdf1e648c1bad281709948f289a47fa7c8927ae1c66848	
■	■	■	■	■	■	■	■■■	81dc46295fdf1e648c1bad281709948f289a47fa7c8927ae1c66848	
■	■	■	■	■	■■■		2		
■	■	■	■	■	■■■		a		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	82ae8fb1b9828cd36bfe734fbd552eddf80ca733f8dbc7887f270fb	
■	■	■	■	■	■	■	■■■	82ae8fb1b9828cd36bfe734fbd552eddf80ca733f8dbc7887f270fb	
■	■	■	■	■	■■■		c		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	82cb6a7ab0f2277a7c78261aeaa1f2c561796b9321bfd8c2937c5fa	
■	■	■	■	■	■	■	■■■	82cb6a7ab0f2277a7c78261aeaa1f2c561796b9321bfd8c2937c5fa	
■	■	■	■	■	■■■		d		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	82dd63f1a5364ed12d9b357ea1104468c830d6df8c8e207695ec2bb	

■	■	■	■	■	■	■	■	■■■	82dd63f1a5364ed12d9b357ea1104468c830d6df8c8e207695ec2bb
■	■	■	■	■■■	3				
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	833a29609ae36ee03a0bcdbe061f1c2b7d403c50b9185f2c14901a3		
■	■	■	■	■	■	■■■	833a29609ae36ee03a0bcdbe061f1c2b7d403c50b9185f2c14901a3		
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	8373246e5f31c690ad3409dd00d163a0822728b45a63b3db1ec1a80		
■	■	■	■	■	■	■■■	8373246e5f31c690ad3409dd00d163a0822728b45a63b3db1ec1a80		
■	■	■	■	■■■	4				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	8446ec362e64fea594777daa93d4452dcbbf73311fcc694233a3ca5		
■	■	■	■	■	■	■■■	8446ec362e64fea594777daa93d4452dcbbf73311fcc694233a3ca5		
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	84a03c0fcd969f036c764cf6263cbf51ec10e4907356fe593ed27d2		
■	■	■	■	■	■	■■■	84a03c0fcd969f036c764cf6263cbf51ec10e4907356fe593ed27d2		
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	84eb1c2586f7d4aa5805bcd621911709ca6d78d90a8d6dc5b0ca41a		
■	■	■	■	■	■	■■■	84eb1c2586f7d4aa5805bcd621911709ca6d78d90a8d6dc5b0ca41a		
■	■	■	■	■■■	5				
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	85385fd8a53d3d88ac67db4bf015be7ba931f024227668d42969ea9		
■	■	■	■	■	■	■■■	85385fd8a53d3d88ac67db4bf015be7ba931f024227668d42969ea9		
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	85a5a636b19a61951ae0b1e92a971a1ed6dbc0e704b05188c3bd86b		
■	■	■	■	■	■	■■■	85a5a636b19a61951ae0b1e92a971a1ed6dbc0e704b05188c3bd86b		
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	85b3292345b4b811fcdc07f610840a1cbf5e1da0277c10e12e25cdd		
■	■	■	■	■	■	■■■	85b3292345b4b811fcdc07f610840a1cbf5e1da0277c10e12e25cdd		
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	85dd3ba598079bd7606a08cf854f6cf005928a495ab737d8b3e854b		
■	■	■	■	■	■	■■■	85dd3ba598079bd7606a08cf854f6cf005928a495ab737d8b3e854b		
■	■	■	■	■■■	6				
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	8629c2a11ec637c98b2584fb192fe70c4f591de1fbe48e00881d985		
■	■	■	■	■	■	■■■	8629c2a11ec637c98b2584fb192fe70c4f591de1fbe48e00881d985		
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	5		

■	■	■	■	■	■	■	■	■■■	8644573457e0e09cd4d4ee5d45dd100805ee25f518be97e4067d03e
■	■	■	■	■	■	■	■	■■■	8644573457e0e09cd4d4ee5d45dd100805ee25f518be97e4067d03e
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	86f4b4a08f676858c70307d87b4f037f2a0958f1b20c39d1644c5a1	
■	■	■	■	■	■	■	■■■	86f4b4a08f676858c70307d87b4f037f2a0958f1b20c39d1644c5a1	
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	86fb8f1dd4fca925f14486231dc80883313b257c452d07a4ddfb0d3	
■	■	■	■	■	■	■	■■■	86fb8f1dd4fca925f14486231dc80883313b257c452d07a4ddfb0d3	
■	■	■	■	■■■	7				
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	871762efd86c287672357c9dbad2c79e747a09860b00f711baa84fe	
■	■	■	■	■	■	■	■■■	871762efd86c287672357c9dbad2c79e747a09860b00f711baa84fe	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	87471198cb7fc632cfcd6811310d8da1de7f956b049844a9c0ba89e	
■	■	■	■	■	■	■	■■■	87471198cb7fc632cfcd6811310d8da1de7f956b049844a9c0ba89e	
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	874aac7e0531859c4ffdba7c707fe13c5a17402412a957022cdd380	
■	■	■	■	■	■	■	■■■	874aac7e0531859c4ffdba7c707fe13c5a17402412a957022cdd380	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	87d2dc60118a31ee2e2082453b4f6fdd24b90bc86f11bc63ed0ce31	
■	■	■	■	■	■	■	■■■	87d2dc60118a31ee2e2082453b4f6fdd24b90bc86f11bc63ed0ce31	
■	■	■	■	■■■	8				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	880391ceaa7ea9d0d25150a9399a5a087ddfa4bf8c7291487df8c32	
■	■	■	■	■	■	■	■■■	880391ceaa7ea9d0d25150a9399a5a087ddfa4bf8c7291487df8c32	
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	880f1582dd670fc7bb7231974c67fd946d71685651b47a71086ce5a	
■	■	■	■	■	■	■	■■■	880f1582dd670fc7bb7231974c67fd946d71685651b47a71086ce5a	
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	881adb62a593fdbc521a5f13c5f6ef70e6fa0344a95806cbf62d4f4	
■	■	■	■	■	■	■	■■■	881adb62a593fdbc521a5f13c5f6ef70e6fa0344a95806cbf62d4f4	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	8842b5aef30466281e8bf7e0770031462413b763c739e7e7e63b44b	
■	■	■	■	■	■	■	■■■	8842b5aef30466281e8bf7e0770031462413b763c739e7e7e63b44b	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	88ce058c8ef8ff867a5dc7faa498d5b6aa7c830642b5bc2c335a276	
■	■	■	■	■	■	■	■■■	88ce058c8ef8ff867a5dc7faa498d5b6aa7c830642b5bc2c335a276	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	7		

[illegible]

■	■	■	■	■	■	■	■	■■■	8b943ef48adcc4dd67b8f823683c62f4681180d75dc1228a0a352b4
■	■	■	■	■	■	■	■	■■■	8b943ef48adcc4dd67b8f823683c62f4681180d75dc1228a0a352b4
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■	■■■	8b9d0aa3613c803854ae0abcba7d8434a5e579479fae524b100ae
■	■	■	■	■	■	■	■	■■■	8b9d0aa3613c803854ae0abcba7d8434a5e579479fae524b100ae
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■	■■■	8bd56e8541472760b8cb4d967160ee644b2fd6e5794754125ea7de5
■	■	■	■	■	■	■	■	■■■	8bd56e8541472760b8cb4d967160ee644b2fd6e5794754125ea7de5
■	■	■	■	■■■	c				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	8c0481a249f4fea42a8d02d1d310ab94b4f35e062f511304245480e
■	■	■	■	■	■	■	■	■■■	8c0481a249f4fea42a8d02d1d310ab94b4f35e062f511304245480e
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■	■■■	8c3ecf585c815a73af16247323d407e99afb8fdc40cee3542187ad4
■	■	■	■	■	■	■	■	■■■	8c3ecf585c815a73af16247323d407e99afb8fdc40cee3542187ad4
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■	■■■	8c444fd46d19394076791036cafd8c4973840a3b36e6f0f0de9074a
■	■	■	■	■	■	■	■	■■■	8c444fd46d19394076791036cafd8c4973840a3b36e6f0f0de9074a
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■	■■■	8c45a6fce8e3d1e5257df554670605066211bf217d024f9155c6dce
■	■	■	■	■	■	■	■	■■■	8c45a6fce8e3d1e5257df554670605066211bf217d024f9155c6dce
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■	■■■	8c583bfb2ba8f429d4f3cfa2202e873808c4faa469bf3d5b120b71f
■	■	■	■	■	■	■	■	■■■	8c583bfb2ba8f429d4f3cfa2202e873808c4faa469bf3d5b120b71f
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■	■■■	8c931d29807247202ca611e166838362cdf54758a3778c2d349ac0
■	■	■	■	■	■	■	■	■■■	8c931d29807247202ca611e166838362cdf54758a3778c2d349ac0
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■	■■■	8cd495d123673149888ed4d5fdfdb3133947bab06eedc47547f32a
■	■	■	■	■	■	■	■	■■■	8cd495d123673149888ed4d5fdfdb3133947bab06eedc47547f32a
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■	■■■	8cf9ce53e516e0f9a5963720c8453c7edbb1e3c76ce072d8d7073a0
■	■	■	■	■	■	■	■	■■■	8cf9ce53e516e0f9a5963720c8453c7edbb1e3c76ce072d8d7073a0
■	■	■	■	■■■	d				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■	■■■	8d09653b135b6271ae02e812f9b1b524a72b3bac915070457031720
■	■	■	■	■	■	■	■	■■■	8d09653b135b6271ae02e812f9b1b524a72b3bac915070457031720
■	■	■	■	■	■	■■■	e		


```

1
8d0e104919449355aedb55b5b546bb9fd53f0e1a8ca1b082109464e
8d0e104919449355aedb55b5b546bb9fd53f0e1a8ca1b082109464e
f
b
8d0fbf60356061d0cc15273d5c993059936bd17cc7cf1527aad61ce
8d0fbf60356061d0cc15273d5c993059936bd17cc7cf1527aad61ce
1
a
9
8d1a97867b09dceb34f8a29c00326000cd6ecb9bfff329ef27ded241
8d1a97867b09dceb34f8a29c00326000cd6ecb9bfff329ef27ded241
6
4
e
8d64ec7a8b3563ab154db640477bc08289b8d641b894a79bdc47242
8d64ec7a8b3563ab154db640477bc08289b8d641b894a79bdc47242
a
8
8d6a8b6c86c15b409338b21be5bbdf5ccec96b9ad012df737fa98ab
8d6a8b6c86c15b409338b21be5bbdf5ccec96b9ad012df737fa98ab
7
9
2
8d7927b94435a93adb994ac98542ca803d07ccfade626c36dcddd90
8d7927b94435a93adb994ac98542ca803d07ccfade626c36dcddd90
f
8
0
8df8070e7c660cc87e52f27cbfe6d7e6c48df541e87f9686dbb09a1
8df8070e7c660cc87e52f27cbfe6d7e6c48df541e87f9686dbb09a1
e
0
0
0
8e000e1f2a1e644539106bc8d5e0b1a791a3230f849eef1204d0ec6
8e000e1f2a1e644539106bc8d5e0b1a791a3230f849eef1204d0ec6
9
a
8e09ad2e4a886456b0ababf011bd9298aeaa02faa17da82c86da155
8e09ad2e4a886456b0ababf011bd9298aeaa02faa17da82c86da155
5
6
f
8e56f1c01cead8c0e3f4df184fa6e9977b173b918d6d37b4d5cbdd2
8e56f1c01cead8c0e3f4df184fa6e9977b173b918d6d37b4d5cbdd2
7
9
8
8e798d6130b509603c4474bb33ffc1fbafceb3702acd09334d5c18a
8e798d6130b509603c4474bb33ffc1fbafceb3702acd09334d5c18a
9
6
a
8e96a52d238835f1dc31a81bb7cdec1fb0cf2a3240d7f953379c006
8e96a52d238835f1dc31a81bb7cdec1fb0cf2a3240d7f953379c006
c
2

```

```

a
8ec2a1fd787af5614e7d860a34c41432e5d159f92c484eb60647057
8ec2a1fd787af5614e7d860a34c41432e5d159f92c484eb60647057
d
6
2
8ed62c04eaf55867d1144c58a17706e06376507220633ae6cd8f101
8ed62c04eaf55867d1144c58a17706e06376507220633ae6cd8f101
e
1
0
8ee10146d5dc8c165a896d7d9f9b02dde06ae299279f7947738a8f
8ee10146d5dc8c165a896d7d9f9b02dde06ae299279f7947738a8f
f
2
3
e
8f23e90ca98765c443942e0a6561b6e41f616b382b7c6426fe49b09
8f23e90ca98765c443942e0a6561b6e41f616b382b7c6426fe49b09
7
8
a
8f78a59c750512c5eff98117526033c3ddca4a99c7d75426a1ad494
8f78a59c750512c5eff98117526033c3ddca4a99c7d75426a1ad494
9
7
e
8f97ef75556783011e845ded3fc9022e2cd218389c6cb033450483a
8f97ef75556783011e845ded3fc9022e2cd218389c6cb033450483a
c
e
d
8fcedc8d08638672f59f10b6e7f2f9b15475f2ee43b839de5bbcfac
8fcedc8d08638672f59f10b6e7f2f9b15475f2ee43b839de5bbcfac
e
5
b
8fe5bd485338d23962f97236c9ba1c83907879be211a65c7103c347
8fe5bd485338d23962f97236c9ba1c83907879be211a65c7103c347
6
9
8fe6907f4279c81fda776a6940015e65eb7df981d2eab8270695b0c
8fe6907f4279c81fda776a6940015e65eb7df981d2eab8270695b0c
9
0
3
6
8
9036827cb86728e36bc9cb0035a9a65393d08f028ff1c9fba53ab09
9036827cb86728e36bc9cb0035a9a65393d08f028ff1c9fba53ab09
7
6
6
90766496ac9326eb5195febe7cddee67e8fb002065c186d866cec6e
90766496ac9326eb5195febe7cddee67e8fb002065c186d866cec6e
d
9076d3d738bf42d2cb2940e9088c9d7642c8eb86773061a4f78d1e3
9076d3d738bf42d2cb2940e9088c9d7642c8eb86773061a4f78d1e3

```

9
2
907923396c07545f603ffb5be242c341ec4018023517349a330426f
907923396c07545f603ffb5be242c341ec4018023517349a330426f
a
e
6
90ae6503c8787815d475c0122583172c9535977570b1798253641ea
90ae6503c8787815d475c0122583172c9535977570b1798253641ea
e
5
e
90e5ec504a237f2106beb7281d12e52d0e3d0f391509092f0d0ab38
90e5ec504a237f2106beb7281d12e52d0e3d0f391509092f0d0ab38
1
5
5
7
91557d66d1b0f67e930851e7c81c73240b407984b1fe61001551daf
91557d66d1b0f67e930851e7c81c73240b407984b1fe61001551daf
8
7
5
91875426d3c8f4993cab8b87c839da10d66f36384ff600c97514d0e
91875426d3c8f4993cab8b87c839da10d66f36384ff600c97514d0e
a
c
4
91ac4141ee513b48d6e2106b8504eedf08543a9ac70e664c84a86c9
91ac4141ee513b48d6e2106b8504eedf08543a9ac70e664c84a86c9
c
e
7
91ce7207f0e2688c725f5948ca7d56a6dfd1afa303f1db238eaf687
91ce7207f0e2688c725f5948ca7d56a6dfd1afa303f1db238eaf687
f
2
4
91f2477c9d51659507090ca4fe97cf79ea5543edc54a2b5d7bc03a4
91f2477c9d51659507090ca4fe97cf79ea5543edc54a2b5d7bc03a4
2
0
3
9
9203921823fe516519f571a329104abb1a021737733d8bd3c0350fa
9203921823fe516519f571a329104abb1a021737733d8bd3c0350fa
e
d
920ed8d233ad8e6b9848933a63b4e7d23bbc0e0ca7b80d06f55ecf6
920ed8d233ad8e6b9848933a63b4e7d23bbc0e0ca7b80d06f55ecf6
a
3
9
92a392c846e17a46c16491ce2be5f5d269e9a452fac5c13b2c0bb0c
92a392c846e17a46c16491ce2be5f5d269e9a452fac5c13b2c0bb0c
c
5
b

■	■	■	■	■	■	■	■	■■■	92c5b93c38732defddecf4729b984474f6e83faa3b6f40b2229f26d
■	■	■	■	■	■	■	■	■■■	92c5b93c38732defddecf4729b984474f6e83faa3b6f40b2229f26d
■	■	■	■	■	■■■		e		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■	■	■■■	92ef7419eb6827a0ce7bd2e8302e814f6bce116c07a95506ca8dd6b
■	■	■	■	■	■	■	■	■■■	92ef7419eb6827a0ce7bd2e8302e814f6bce116c07a95506ca8dd6b
■	■	■	■	■	■■■		f		
■	■	■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■	■	■■■	92fcc9f089f64cf4186a6b582cb8cb35eda39b71675c537bef4770
■	■	■	■	■	■	■	■	■■■	92fcc9f089f64cf4186a6b582cb8cb35eda39b71675c537bef4770
■	■	■	■	■■■			3		
■	■	■	■	■	■■■		0		
■	■	■	■	■	■	■	■	■■■	5
■	■	■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■	■	■■■	9305a9e52d32a90517dc3735658e0b7b86b46239fd457b2063368d0
■	■	■	■	■	■	■	■	■■■	9305a9e52d32a90517dc3735658e0b7b86b46239fd457b2063368d0
■	■	■	■	■	■■■		4		
■	■	■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■	■	■■■	9342ccd26cbebf3b7f292e682bc1a9e8141b62c8c93481f8de30cf7
■	■	■	■	■	■	■	■	■■■	9342ccd26cbebf3b7f292e682bc1a9e8141b62c8c93481f8de30cf7
■	■	■	■	■	■	■■■			b
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	934bf2d5c28a8b90b5e40a6b5966e30ed7ebbd447ed809cc0d25d35
■	■	■	■	■	■	■	■	■■■	934bf2d5c28a8b90b5e40a6b5966e30ed7ebbd447ed809cc0d25d35
■	■	■	■	■	■■■		d		
■	■	■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	93d1fbdd545cd156064245bd3d106b8fbcd5d018921b4431abad131
■	■	■	■	■	■	■	■	■■■	93d1fbdd545cd156064245bd3d106b8fbcd5d018921b4431abad131
■	■	■	■	■	■	■■■			9
■	■	■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■	■	■■■	93d97950cc81cd83b0e249430a36de5accec3a32e4332ff943eb6677
■	■	■	■	■	■	■	■	■■■	93d97950cc81cd83b0e249430a36de5accec3a32e4332ff943eb6677
■	■	■	■	■	■■■		f		
■	■	■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■	■	■■■	93faa72e9b610009c625257f708e040d9f9abb016531e372ec5acbo
■	■	■	■	■	■	■	■	■■■	93faa72e9b610009c625257f708e040d9f9abb016531e372ec5acbo
■	■	■	■	■■■			4		
■	■	■	■	■	■■■		2		
■	■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■	■	■■■	94204f57373584c91238c5173a2be6120c35a4d41dfa90895b2d2e9
■	■	■	■	■	■	■	■	■■■	94204f57373584c91238c5173a2be6120c35a4d41dfa90895b2d2e9
■	■	■	■	■	■■■		5		
■	■	■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■	■	■■■	9452417670b2e75527d793717779fce5d54e5f21adb3344c273876f
■	■	■	■	■	■	■	■	■■■	9452417670b2e75527d793717779fce5d54e5f21adb3344c273876f
■	■	■	■	■	■■■		9		
■	■	■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■	■	■■■	94988c83d502481915e1ee201204ec4116aa835622fad8ce8d051e0
■	■	■	■	■	■	■	■	■■■	94988c83d502481915e1ee201204ec4116aa835622fad8ce8d051e0
■	■	■	■	■	■	■■■			c


[illegible]


■	■	■	■	■	■	■	■	■■■	9722fb20e3ea9cc35611a7af210f3a3c5763e70a73b0619f2dce743
■	■	■	■	■	■	■	■	■■■	9722fb20e3ea9cc35611a7af210f3a3c5763e70a73b0619f2dce743
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	9723f956c2832f0bf7a0b916be4cb31c77752847964e667e66c6bd9
■	■	■	■	■	■	■	■	■■■	9723f956c2832f0bf7a0b916be4cb31c77752847964e667e66c6bd9
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■	■■■	9764e5308c030f26eca824de449ed9ad210cefc7708e40b21ef9198
■	■	■	■	■	■	■	■	■■■	9764e5308c030f26eca824de449ed9ad210cefc7708e40b21ef9198
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■	■■■	9794d5906c90b1e6a0ed1aeb14f63fbf0ce2aa06927600b74e87a09
■	■	■	■	■	■	■	■	■■■	9794d5906c90b1e6a0ed1aeb14f63fbf0ce2aa06927600b74e87a09
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■	■	■■■	97ee2deff81f22481585a810a16f757673e431d936f8f50e63baaef
■	■	■	■	■	■	■	■	■■■	97ee2deff81f22481585a810a16f757673e431d936f8f50e63baaef
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■	■■■	97fff0aeadf5dcd02e51ff23504c20a5f4012d558ca6f519d5a8dd2
■	■	■	■	■	■	■	■	■■■	97fff0aeadf5dcd02e51ff23504c20a5f4012d558ca6f519d5a8dd2
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■	■	■■■	981e47747c7255bc07b785ef8bb0900fe62dc6ec3b49d820faa4ff7
■	■	■	■	■	■	■	■	■■■	981e47747c7255bc07b785ef8bb0900fe62dc6ec3b49d820faa4ff7
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■	■■■	9823d7ce1d17c3663bfb20be158b0338bcbb3c3eb40cf5fbf294b73
■	■	■	■	■	■	■	■	■■■	9823d7ce1d17c3663bfb20be158b0338bcbb3c3eb40cf5fbf294b73
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■	■	■■■	9835da88643bb5594466ae2ff5927f70be5716051b4aed29d77d11c
■	■	■	■	■	■	■	■	■■■	9835da88643bb5594466ae2ff5927f70be5716051b4aed29d77d11c
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■	■	■■■	984e93a71ce4c1959c5b3b2244196383f4cc3fa7e16c491dc027bf8
■	■	■	■	■	■	■	■	■■■	984e93a71ce4c1959c5b3b2244196383f4cc3fa7e16c491dc027bf8
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■	■	■■■	989ef1bd3c8a6d885a48ce7e81153cafe75d7c49e62829679e912cd
■	■	■	■	■	■	■	■	■■■	989ef1bd3c8a6d885a48ce7e81153cafe75d7c49e62829679e912cd
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■	■	■■■	98b88854c6103fcdfce46cc77850925659eacf67aea3423d01e7ac1
■	■	■	■	■	■	■	■	■■■	98b88854c6103fcdfce46cc77850925659eacf67aea3423d01e7ac1
■	■	■	■	■	■■■	c			


■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■	■■■	98c96bc14d99811c8a79d29d3c4be7e9a6ce742ba458a996290dd24
■	■	■	■	■	■	■	■■■	98c96bc14d99811c8a79d29d3c4be7e9a6ce742ba458a996290dd24
■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■	■■■	99412fc32269b7ad0e422d90fb80e27b631d156cfbf7c60691b9a01
■	■	■	■	■	■	■	■■■	99412fc32269b7ad0e422d90fb80e27b631d156cfbf7c60691b9a01
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■	■■■	9960b398632a7c78b0873939521cdf1c8f2255d92eecba7553179fe
■	■	■	■	■	■	■	■■■	9960b398632a7c78b0873939521cdf1c8f2255d92eecba7553179fe
■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■	■■■	9a5979c3473735d747eec4d548521a1c79fe656c62db860b1a0255
■	■	■	■	■	■	■	■■■	9a5979c3473735d747eec4d548521a1c79fe656c62db860b1a0255
■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■	■■■	9b51619e20a708f99372afefd7dbe20a1b5e42ae213f02bf2726797
■	■	■	■	■	■	■	■■■	9b51619e20a708f99372afefd7dbe20a1b5e42ae213f02bf2726797
■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■■■	9b83e5c748eb7533b7f84be459069e76ce595ec257fd2b44e0b0565
■	■	■	■	■	■	■	■■■	9b83e5c748eb7533b7f84be459069e76ce595ec257fd2b44e0b0565
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■■■	9b87ecbb4ea3a6c3cd32a94d03fcf73aec07523a9aa6782333f97a7
■	■	■	■	■	■	■	■■■	9b87ecbb4ea3a6c3cd32a94d03fcf73aec07523a9aa6782333f97a7
■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■	7
■	■	■	■	■	■	■	■■■	9be77b5e893fdad28085ac2bcc214d89fa77341c157d6637cda0aab
■	■	■	■	■	■	■	■■■	9be77b5e893fdad28085ac2bcc214d89fa77341c157d6637cda0aab
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■	■■■	9c21be3250bb8058789300bf6ec856063ec4c049358305158aea849
■	■	■	■	■	■	■	■■■	9c21be3250bb8058789300bf6ec856063ec4c049358305158aea849
■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■	■■■	9c71578e4764d1ef96fca2347624e2843e2ae38a5d755999137e003
■	■	■	■	■	■	■	■■■	9c71578e4764d1ef96fca2347624e2843e2ae38a5d755999137e003
■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■	■■■	9c9a0d9b7030399fca15ba8ec7b3a8dfdf44308109b6e39d79d296a
■	■	■	■	■	■	■	■■■	9c9a0d9b7030399fca15ba8ec7b3a8dfdf44308109b6e39d79d296a
■	■	■	■	■	■■■	a		


9
5
9ca95ed574ce1bd512927fc0f2d829ae7daa1109481fda1942c4fd3
9ca95ed574ce1bd512927fc0f2d829ae7daa1109481fda1942c4fd3
c
6
9
9cc6939c61442ece13bdcac1a4f63ac9be8b2e7a5a8148e85ca678e
9cc6939c61442ece13bdcac1a4f63ac9be8b2e7a5a8148e85ca678e
e
1
f
9ce1f189185ef34561bfa36b126464b0470b134b3824245db668d4f
9ce1f189185ef34561bfa36b126464b0470b134b3824245db668d4f
d
1
b
5
9d1b5609ebe8e758b25afac0a3ddcc4e7db01242a2daf131637ef72
9d1b5609ebe8e758b25afac0a3ddcc4e7db01242a2daf131637ef72
4
6
9
9d4696ecb02e8047e3f010530d87eab44f0648b69b08ffc0bf88067
9d4696ecb02e8047e3f010530d87eab44f0648b69b08ffc0bf88067
e
1
0
b
9e10b8ed0de5945b74b115f32459edb435078d8c9b0c78ad8fb91f1
9e10b8ed0de5945b74b115f32459edb435078d8c9b0c78ad8fb91f1
e
8
9e1e87fd0b1feba06f600b881d4ff1fd1cc341220693d9024534a6b
9e1e87fd0b1feba06f600b881d4ff1fd1cc341220693d9024534a6b
2
9
3
9e293f5a39d8466e2b362aa21216c5e4bc32898b0a39bfff792d145
9e293f5a39d8466e2b362aa21216c5e4bc32898b0a39bfff792d145
4
b
1
9e4b14fdafddd2c2e51bfdcc571e110bf3f0f102590edda8aeca5b4
9e4b14fdafddd2c2e51bfdcc571e110bf3f0f102590edda8aeca5b4
5
8
a
9e58a08c68075808b8d5096945534f44297d6f779a5ec9782ce413c
9e58a08c68075808b8d5096945534f44297d6f779a5ec9782ce413c
6
c
e
9e6cec277ce6c67b568e96909a7a7b81017e369b2c0819abfa7db45
9e6cec277ce6c67b568e96909a7a7b81017e369b2c0819abfa7db45
7
6
b


■	■	■	■	■	■	■	■	■■■	9e76ba63914f47ca217a566da9735ea02483f163e0c8136378ab4c7
■	■	■	■	■	■	■	■	■■■	9e76ba63914f47ca217a566da9735ea02483f163e0c8136378ab4c7
■	■	■	■	■	■■■		c		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	3		
■	■	■	■	■	■	■	■■■	9ece3089c819b87d8b6c4d2422fd61761added8791d0643500b246b	
■	■	■	■	■	■	■	■■■	9ece3089c819b87d8b6c4d2422fd61761added8791d0643500b246b	
■	■	■	■	■	■■■		f		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	e		
■	■	■	■	■	■	■	■■■	9ef3ea448e23246bbb26b5010aa838fb1a3b86282d0499b6875128c	
■	■	■	■	■	■	■	■■■	9ef3ea448e23246bbb26b5010aa838fb1a3b86282d0499b6875128c	
■	■	■	■	■■■			f		
■	■	■	■	■	■■■		1		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	9f1218bbf9735cc082e83f15ec4ab51928d89f82806a04a2a203f08	
■	■	■	■	■	■	■	■■■	9f1218bbf9735cc082e83f15ec4ab51928d89f82806a04a2a203f08	
■	■	■	■	■	■■■		7		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	9f70c3e58839fc1646395144bb15f472e091b7b4bdc45411753a64f	
■	■	■	■	■	■	■	■■■	9f70c3e58839fc1646395144bb15f472e091b7b4bdc45411753a64f	
■	■	■	■	■	■■■		8		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	9f870124df63c0feb889b43887cf68e377df6c3bfff116e0355b0733	
■	■	■	■	■	■	■	■■■	9f870124df63c0feb889b43887cf68e377df6c3bfff116e0355b0733	
■	■	■	■	■	■■■		9		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	9f93306d7b672475999e1ccb003ed535876b07060341d71f2c054af	
■	■	■	■	■	■	■	■■■	9f93306d7b672475999e1ccb003ed535876b07060341d71f2c054af	
■	■	■	■■■				a		
■	■	■	■	■	■■■		0		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	a010d14d56fdfc8462183d86206734fc0a26fe02ca0e1ff53eaf7b2	
■	■	■	■	■	■	■	■■■	a010d14d56fdfc8462183d86206734fc0a26fe02ca0e1ff53eaf7b2	
■	■	■	■	■	■■■		3		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	a035f9d9464a3d5af4f93cdacfb32c3e74ef75273e13bea238c9528	
■	■	■	■	■	■	■	■■■	a035f9d9464a3d5af4f93cdacfb32c3e74ef75273e13bea238c9528	
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	a03e77d6fd1aff6b4ee6b34a140bd46cfb7fa1873254b62a2d30e9d	
■	■	■	■	■	■	■	■■■	a03e77d6fd1aff6b4ee6b34a140bd46cfb7fa1873254b62a2d30e9d	
■	■	■	■	■	■■■		5		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	a05ce8510cce1b9f85cccdaa68aef0c91c73d9fc5bc3881bc14568f	
■	■	■	■	■	■	■	■■■	a05ce8510cce1b9f85cccdaa68aef0c91c73d9fc5bc3881bc14568f	
■	■	■	■	■	■■■		6		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	a0685234214bcb23286935539f6dc58b6f90cc7c3ddc8926acf68f5	














2

a5ca29ca0ff51595f8d05731c7f9b139ebe02f1667681fc87c4ee76

a5ca29ca0ff51595f8d05731c7f9b139ebe02f1667681fc87c4ee76

6

6

a

e

a66ae379472dbeea46ca07696d8700c5e33326520b2d78aa52d2161

a66ae379472dbeea46ca07696d8700c5e33326520b2d78aa52d2161

d

3

a66d3a325ef610a9a2db55092702124a24eaaab8d4cccaf73a36b3f

a66d3a325ef610a9a2db55092702124a24eaaab8d4cccaf73a36b3f

8

d

0

a68d001271cd9a964c9bcb21558648eb7042535c06dea56f7304199

a68d001271cd9a964c9bcb21558648eb7042535c06dea56f7304199

d

6

7

a6d67136e2e451b66ee746b74cdf2dd1af99e9c0339b6e9bdc2e334

a6d67136e2e451b66ee746b74cdf2dd1af99e9c0339b6e9bdc2e334

7

2

e

b

a72eb059579f9fedd8655c66e2c96d0a162682c37691de84ee6878a

a72eb059579f9fedd8655c66e2c96d0a162682c37691de84ee6878a

6

7

a

a767af22e584f40fe99260e20d81cebdf94d5cdc6c53eb3f96eff47

a767af22e584f40fe99260e20d81cebdf94d5cdc6c53eb3f96eff47

8

2

5

4

a8254af8e065f0d4b0f2dde69c6a70f49269fcc694def2d706331bb

a8254af8e065f0d4b0f2dde69c6a70f49269fcc694def2d706331bb

d

1

f

a8d1f33c48a0f7d2671cd059e2869f57ca114dfba7de5789f4d0224

a8d1f33c48a0f7d2671cd059e2869f57ca114dfba7de5789f4d0224

e

6

a

a8e6aaf8a0b1446aea19243e08f78fc32651d4c06f7498a04b17fcb

a8e6aaf8a0b1446aea19243e08f78fc32651d4c06f7498a04b17fcb

b

1

3

2

ab132a18b118df597948976369370812f574f015d33465a24b7ba82

ab132a18b118df597948976369370812f574f015d33465a24b7ba82

8

d

[illegible]

■	■	■	■	■	■	■	■	■■■	acd9c8cac407f560011b0be2057392f1de63f7abd3cb3729956ce3a
■	■	■	■	■	■	■	■	■■■	acd9c8cac407f560011b0be2057392f1de63f7abd3cb3729956ce3a
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	acfb6d97970e03cb2a68946a421d74ca8797ab1c31db30b9202c550	
■	■	■	■	■	■	■	■■■	acfb6d97970e03cb2a68946a421d74ca8797ab1c31db30b9202c550	
■	■	■	■	■■■	d				
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	ad264d41777c463091d4b346bf61d69bec655adf759545436ec4a41	
■	■	■	■	■	■	■	■■■	ad264d41777c463091d4b346bf61d69bec655adf759545436ec4a41	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	adf86b60a5d5ddaeb23518c3a3fc455943e01094b724520e8f5fcfb	
■	■	■	■	■	■	■	■■■	adf86b60a5d5ddaeb23518c3a3fc455943e01094b724520e8f5fcfb	
■	■	■	■	■■■	e				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	ae49d3bbbc921e5d4375a43f8861a34155e7acce0d237d721bde8489	
■	■	■	■	■	■	■	■■■	ae49d3bbbc921e5d4375a43f8861a34155e7acce0d237d721bde8489	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	ae5faffb20c18d03a8d32e103e2a7344328d8d276566417eca03d00	
■	■	■	■	■	■	■	■■■	ae5faffb20c18d03a8d32e103e2a7344328d8d276566417eca03d00	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	ae98fc14bdd2ee1b10ec38b2f1932b92b622914c32b427ca2efedb1	
■	■	■	■	■	■	■	■■■	ae98fc14bdd2ee1b10ec38b2f1932b92b622914c32b427ca2efedb1	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	aedea0e8909156c0c2f9d858bf992564a238a36f33e56198db98b6c	
■	■	■	■	■	■	■	■■■	aedea0e8909156c0c2f9d858bf992564a238a36f33e56198db98b6c	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	aeffa1a8206bb30895a6278d82da2228b20736ed62924fde538fcc6	
■	■	■	■	■	■	■	■■■	aeffa1a8206bb30895a6278d82da2228b20736ed62924fde538fcc6	
■	■	■	■	■■■	f				
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	af258757f1a612c78255189ba078c6b04e6a60f6f563fe42d7a8eed	
■	■	■	■	■	■	■	■■■	af258757f1a612c78255189ba078c6b04e6a60f6f563fe42d7a8eed	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	af859bd6fcd8e9cbba15528c7ecc5d7256ced8414b27753a8060995	
■	■	■	■	■	■	■	■■■	af859bd6fcd8e9cbba15528c7ecc5d7256ced8414b27753a8060995	
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	af863570a93109dd2a13a5d9a2bae43704e10712f6af91c594577ab	

■	■	■	■	■	■	■	■	■■■	af863570a93109dd2a13a5d9a2bae43704e10712f6af91c594577ab
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■		af89410408b6dfeef1983db2a717e3c58e9f10f8f2ab2074b483c173
■	■	■	■	■	■	■	■■■		af89410408b6dfeef1983db2a717e3c58e9f10f8f2ab2074b483c173
■	■	■	■	■	■	■■■		f	
■	■	■	■	■	■	■■■		e	
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■		affe916b116a8bbf660f97cf70dc1be19b547beb79fab9ceed21d19
■	■	■	■	■	■	■	■■■		affe916b116a8bbf660f97cf70dc1be19b547beb79fab9ceed21d19
■	■	■	■■■					b	
■	■	■	■	■■■				0	
■	■	■	■	■	■■■			3	
■	■	■	■	■	■	■■■		6	
■	■	■	■	■	■	■	■■■		c
■	■	■	■	■	■	■	■■■		b036cf374473e954a7d0dbda4450875db8d8471b1d6496d711fe944
■	■	■	■	■	■	■	■■■		b036cf374473e954a7d0dbda4450875db8d8471b1d6496d711fe944
■	■	■	■	■	■■■			5	
■	■	■	■	■	■	■■■		8	
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■		b05806055798f1a8e06daeeae26d61d6215fde966de9c3795338ffd
■	■	■	■	■	■	■	■■■		b05806055798f1a8e06daeeae26d61d6215fde966de9c3795338ffd
■	■	■	■	■	■■■			b	
■	■	■	■	■	■	■■■		d	
■	■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■	■■■		b0bd5290e32d1846ada6b80a20520cc449074018d324ab640d42130
■	■	■	■	■	■	■	■■■		b0bd5290e32d1846ada6b80a20520cc449074018d324ab640d42130
■	■	■	■	■	■■■			c	
■	■	■	■	■	■	■■■		3	
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■		b0c304a2d0d2dd17cd2e818948220da223f52dfe26c6e170a35508e
■	■	■	■	■	■	■	■■■		b0c304a2d0d2dd17cd2e818948220da223f52dfe26c6e170a35508e
■	■	■	■	■	■■■			e	
■	■	■	■	■	■	■■■		e	
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■		b0ee35b3a5783ec6d7141807b0cc281637f97b28abc080ae78b4934
■	■	■	■	■	■	■	■■■		b0ee35b3a5783ec6d7141807b0cc281637f97b28abc080ae78b4934
■	■	■	■	■■■				1	
■	■	■	■	■	■■■			2	
■	■	■	■	■	■	■■■		4	
■	■	■	■	■	■	■	■■■		1
■	■	■	■	■	■	■	■■■		b124138b319c7f12c4cf78dd1d45182196e14e09a3bf6308a9dff82
■	■	■	■	■	■	■	■■■		b124138b319c7f12c4cf78dd1d45182196e14e09a3bf6308a9dff82
■	■	■	■	■	■■■			4	
■	■	■	■	■	■	■■■		7	
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■		b1471353eeadba80fadd3a003acd340429acb64380ecf1b551b2a50
■	■	■	■	■	■	■	■■■		b1471353eeadba80fadd3a003acd340429acb64380ecf1b551b2a50
■	■	■	■	■	■■■			e	
■	■	■	■	■	■	■■■		8	
■	■	■	■	■	■	■	■■■		b
■	■	■	■	■	■	■	■■■		b1e8b10e651f637d9cf561cd9e43552f92968baeca56824e7fe2433
■	■	■	■	■	■	■	■■■		b1e8b10e651f637d9cf561cd9e43552f92968baeca56824e7fe2433
■	■	■	■	■	■■■			f	
■	■	■	■	■	■	■■■		5	
■	■	■	■	■	■	■	■■■		d
■	■	■	■	■	■	■	■■■		b1f5dc01896eee598e8915be35e61304ad2b16363d00711f8576642
■	■	■	■	■	■	■	■■■		b1f5dc01896eee598e8915be35e61304ad2b16363d00711f8576642

■	■	■	■	■■■	2				
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	b23de389de909324fee7a580d53c9d3240f89c83ee0b56cf91b0040	
■	■	■	■	■	■	■	■■■	b23de389de909324fee7a580d53c9d3240f89c83ee0b56cf91b0040	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	b251beacd2ced3ea9a5952046e865850fcc9c98b071afa8d58aaa9	
■	■	■	■	■	■	■	■■■	b251beacd2ced3ea9a5952046e865850fcc9c98b071afa8d58aaa9	
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	b253771cf29c4f7c7db4c664e2d17c5f9b800a53a6e91a7f5970071	
■	■	■	■	■	■	■	■■■	b253771cf29c4f7c7db4c664e2d17c5f9b800a53a6e91a7f5970071	
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	b25e81db38f94e6c56a291f1361a8b25acc3e5e8b9f9f54c340576b	
■	■	■	■	■	■	■	■■■	b25e81db38f94e6c56a291f1361a8b25acc3e5e8b9f9f54c340576b	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	b2bc9b46ad9823305b4247547428d70a5708b40166821a81fcd5e1a	
■	■	■	■	■	■	■	■■■	b2bc9b46ad9823305b4247547428d70a5708b40166821a81fcd5e1a	
■	■	■	■	■■■	3				
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	b31293a66bb087b7aef4199cf529bd4d0f61c66eb9baca56826c272	
■	■	■	■	■	■	■	■■■	b31293a66bb087b7aef4199cf529bd4d0f61c66eb9baca56826c272	
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	b337bb9122951a015c4048036447fc93000dcbf0fd1c35daedafcaf	
■	■	■	■	■	■	■	■■■	b337bb9122951a015c4048036447fc93000dcbf0fd1c35daedafcaf	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	b3a97bc1a9c0f810c417dddae3418cb1376cbfe60815610c16980fb	
■	■	■	■	■	■	■	■■■	b3a97bc1a9c0f810c417dddae3418cb1376cbfe60815610c16980fb	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	b3cc1406516098ab4a750b6cbd4a676d7523e94d887a6af8781e2e3	
■	■	■	■	■	■	■	■■■	b3cc1406516098ab4a750b6cbd4a676d7523e94d887a6af8781e2e3	
■	■	■	■	■■■	4				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	b407847513873adf9b2c35a117dedb4fdd5c12e175318e3ad0062f0	
■	■	■	■	■	■	■	■■■	b407847513873adf9b2c35a117dedb4fdd5c12e175318e3ad0062f0	
■	■	■	■	■	■■■	1			
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	b4129c6f477ae9b963bdafa9f8eb39b26ace86ea93847a25041d3638	
■	■	■	■	■	■	■	■■■	b4129c6f477ae9b963bdafa9f8eb39b26ace86ea93847a25041d3638	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	0		

■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■		b4606978f2be58b0bc258e4ca23806d7340abcceb8b36a0124edad1
■	■	■	■	■	■	■	■■■		b4606978f2be58b0bc258e4ca23806d7340abcceb8b36a0124edad1
■	■	■	■	■	■■■		8		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■		b48303306194a4f86d005d7a1cb414569bffbb83e7dd2b2f1f4ec57
■	■	■	■	■	■	■	■■■		b48303306194a4f86d005d7a1cb414569bffbb83e7dd2b2f1f4ec57
■	■	■	■	■	■■■		9		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■		b49bacf94411293e9d8115a2a1b57c210212832c9ac66e038e6f473
■	■	■	■	■	■	■	■■■		b49bacf94411293e9d8115a2a1b57c210212832c9ac66e038e6f473
■	■	■	■	■	■■■		b		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■		b4b83e44cdc0422ba988fb4561a9f84cfd08d8720712b3cd3055ea1
■	■	■	■	■	■	■	■■■		b4b83e44cdc0422ba988fb4561a9f84cfd08d8720712b3cd3055ea1
■	■	■	■	■	■■■		f		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■		b4fe60c8b8cb38b6638e69fbc7651d2db1921054c28e2d897f018e8
■	■	■	■	■	■	■	■■■		b4fe60c8b8cb38b6638e69fbc7651d2db1921054c28e2d897f018e8
■	■	■	■	■■■			5		
■	■	■	■	■	■■■		3		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■		b53ba161a6555f6ad2a051c3d86539c12c28ca877ec0a46dec95bf9
■	■	■	■	■	■	■	■■■		b53ba161a6555f6ad2a051c3d86539c12c28ca877ec0a46dec95bf9
■	■	■	■	■	■■■		4		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■		b54ddc543403033ba740f6f58047870bf6f277fac17ac1b0362bb45
■	■	■	■	■	■	■	■■■		b54ddc543403033ba740f6f58047870bf6f277fac17ac1b0362bb45
■	■	■	■	■	■■■		9		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■		b5907e65ac4c681f49740d61f39aaff3a6b7c6915eefdf50c99597c
■	■	■	■	■	■	■	■■■		b5907e65ac4c681f49740d61f39aaff3a6b7c6915eefdf50c99597c
■	■	■	■	■	■■■		1		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■		b591444f03bee1725bb679caaf6fddf648531d8a0968a878d6ca7f3
■	■	■	■	■	■	■	■■■		b591444f03bee1725bb679caaf6fddf648531d8a0968a878d6ca7f3
■	■	■	■	■	■■■		a		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■		b5a044ce96235fe6a2a115d047b48c293a8674c0737b8c9b7a7a67a
■	■	■	■	■	■	■	■■■		b5a044ce96235fe6a2a115d047b48c293a8674c0737b8c9b7a7a67a
■	■	■	■	■	■■■		b		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■		b5b8a1b85c9dd13c914b4dbb0eed0bd54f4d05a9952f4bd417b57b4
■	■	■	■	■	■	■	■■■		b5b8a1b85c9dd13c914b4dbb0eed0bd54f4d05a9952f4bd417b57b4
■	■	■	■	■■■			6		
■	■	■	■	■	■■■		4		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■		b64df579821114bba0f28ba670ec1d9b0ef72011a4de8567a7fd91c

[illegible]

ba0bd05ccd867de1e58fc8de210018f921f00fbf73e237eab81a620
1
5
b
ba15b9a08d5e8b8dca6e79245ad741009b4bf33d0d7a1dcd53a4e61
ba15b9a08d5e8b8dca6e79245ad741009b4bf33d0d7a1dcd53a4e61
9
c
1
ba9c19c2561d76fe11ca6abb8ce94518d4f666f9c3e6597b9c8e36e
ba9c19c2561d76fe11ca6abb8ce94518d4f666f9c3e6597b9c8e36e
b
4
8
c
bb48c78698376aae45e53b71a7be16f745b33dcb7c1047a6073d1a6
bb48c78698376aae45e53b71a7be16f745b33dcb7c1047a6073d1a6
5
9
8
bb598d5d7a30936cf8d0c3d7860efec071bb107f64fb5f2a49e9ccb
bb598d5d7a30936cf8d0c3d7860efec071bb107f64fb5f2a49e9ccb
d
e
bb5de47a999286185176d441f157ba7e6a8775c116005413e071a49
bb5de47a999286185176d441f157ba7e6a8775c116005413e071a49
9
6
3
bb963dda174e9c1c2ca919446dd60fc76f9ba480c325f9e9ec1495c
bb963dda174e9c1c2ca919446dd60fc76f9ba480c325f9e9ec1495c
a
d
c
bbadc07fc383ff650474f2a8246a59ba64776ab6b35809d02400a39
bbadc07fc383ff650474f2a8246a59ba64776ab6b35809d02400a39
b
6
9
bbb69bb29d6aaa836036a6c23af27e450ce290c4d63414a28bd13f7
bbb69bb29d6aaa836036a6c23af27e450ce290c4d63414a28bd13f7
c
1
3
1
bc131409e1d4c2e7e6dd4d2cddf69fb2049e65046ac2b7e1be3427e
bc131409e1d4c2e7e6dd4d2cddf69fb2049e65046ac2b7e1be3427e
6
5
c
bc65c8da9753558247b3683eef3bf34ffefbbff8e1adffebbeec56d
bc65c8da9753558247b3683eef3bf34ffefbbff8e1adffebbeec56d
a
9
bc6a92086801a50dd5f583a80927b2c3c53468820b85fcb5292f97f
bc6a92086801a50dd5f583a80927b2c3c53468820b85fcb5292f97f
7

```

a
f
bc7afc8a9808f29951fb87d51d071a49897607c7a7d3362dbbf4ed6
bc7afc8a9808f29951fb87d51d071a49897607c7a7d3362dbbf4ed6
d
0
9
a
bd09ad44596b8685be61ec4172af4b5f29d90ad9b9e8ff8f3cbe713
bd09ad44596b8685be61ec4172af4b5f29d90ad9b9e8ff8f3cbe713
5
7
1
bd5714293eeb5c84ef97a9b03d08652bbefacd4faf33597b90348c6
bd5714293eeb5c84ef97a9b03d08652bbefacd4faf33597b90348c6
e
6
6
c
be66cd848d69075e713b6d441a3af0def57e79eb17a46e52042546a
be66cd848d69075e713b6d441a3af0def57e79eb17a46e52042546a
9
8
2
be982e9fe91d634bb582dd2caa77255e33e0182bcaa0012d77764fe
be982e9fe91d634bb582dd2caa77255e33e0182bcaa0012d77764fe
a
2
4
bea244765906ecdbbd880529adf5b2f87f73695db526cffc9f23687
bea244765906ecdbbd880529adf5b2f87f73695db526cffc9f23687
d
4
e
bed4e7c2b407105e5c80f6f3c9c9ce06074cd1bc90409700e448975
bed4e7c2b407105e5c80f6f3c9c9ce06074cd1bc90409700e448975
f
2
8
a
bf28a8a2ae6432f2ebac7c6f2455fd35d4c0a5e9fc0abbb7a092fc5
bf28a8a2ae6432f2ebac7c6f2455fd35d4c0a5e9fc0abbb7a092fc5
3
2
6
bf3267f7c23577ae0b0faf453791a1a31462d25b4ba87ec887cbf23
bf3267f7c23577ae0b0faf453791a1a31462d25b4ba87ec887cbf23
b
6
7
bfb679d3f32de8fa1f6604e697161e8f94f14e728bbd7e850b646aa
bfb679d3f32de8fa1f6604e697161e8f94f14e728bbd7e850b646aa
b
b
bfbbbb64251bb29d7400e962e6937ccfc7d6cf8628b719dcd859d1c8
bfbbbb64251bb29d7400e962e6937ccfc7d6cf8628b719dcd859d1c8
d
6

```

■	■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■	■■■		bfd6322b8f4c82d6b7ed54608512187e126478b3b0851b74973f4ad
■	■	■	■	■	■	■	■	■■■		bfd6322b8f4c82d6b7ed54608512187e126478b3b0851b74973f4ad
■	■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■	■■■		bff0f63b23a525266d50d3d4fca162a614481d6692a4b8cd9f3e220
■	■	■	■	■	■	■	■	■■■		bff0f63b23a525266d50d3d4fca162a614481d6692a4b8cd9f3e220
■	■	■	■	■■■	c					
■	■	■	■	■	■■■	0				
■	■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■			c01aca7e139593a072695b51b4df26b884f8ced433bd9780d29883b
■	■	■	■	■	■	■	■■■			c01aca7e139593a072695b51b4df26b884f8ced433bd9780d29883b
■	■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■			c0400f4849a16bb7ec1db13ba6d964327b0869995ab53c54f666865
■	■	■	■	■	■	■	■■■			c0400f4849a16bb7ec1db13ba6d964327b0869995ab53c54f666865
■	■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■			c0e854830132b4466a4ad702e2f7168f1253a791e391b297676ef2c
■	■	■	■	■	■	■	■■■			c0e854830132b4466a4ad702e2f7168f1253a791e391b297676ef2c
■	■	■	■	■	■■■	1				
■	■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■			c12a565bbb4247e5d7f709d0d3419cc3dea40058cfa7a931ef5c0de
■	■	■	■	■	■	■	■■■			c12a565bbb4247e5d7f709d0d3419cc3dea40058cfa7a931ef5c0de
■	■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■			c152eb6188cec74891b0c16703ab861dba913b78940279f8e1b90a6
■	■	■	■	■	■	■	■■■			c152eb6188cec74891b0c16703ab861dba913b78940279f8e1b90a6
■	■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■			c177ad67b7fd707ad65f87aa17c894ca67633730fecb39f5c5aa818
■	■	■	■	■	■	■	■■■			c177ad67b7fd707ad65f87aa17c894ca67633730fecb39f5c5aa818
■	■	■	■	■	■■■	2				
■	■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■			c238c2526956ca4e6adddf6c3f9ba57852fcf97ccd71583188e3963
■	■	■	■	■	■	■	■■■			c238c2526956ca4e6adddf6c3f9ba57852fcf97ccd71583188e3963
■	■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■			c285875f96171c5b0b5ace3d19f1edcac54cdf4106de311e7c2f667
■	■	■	■	■	■	■	■■■			c285875f96171c5b0b5ace3d19f1edcac54cdf4106de311e7c2f667
■	■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■			c2e34d9b0ab803c5f26c2d9d3282d5aea3df34d99e99745d9eb4d7c
■	■	■	■	■	■	■	■■■			c2e34d9b0ab803c5f26c2d9d3282d5aea3df34d99e99745d9eb4d7c
■	■	■	■	■	■■■	3				

■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	c31ccd7900777be3fef481822d3178b4a947ca4b8e21b15649fb213	
■	■	■	■	■	■	■	■■■	c31ccd7900777be3fef481822d3178b4a947ca4b8e21b15649fb213	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	c3594c92e768b679b9870d594b959f5949793a29e2d552556a9c9c4	
■	■	■	■	■	■	■	■■■	c3594c92e768b679b9870d594b959f5949793a29e2d552556a9c9c4	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	c3770110383f928ca90c23460011d26d6d44102d6edb9011627a46a	
■	■	■	■	■	■	■	■■■	c3770110383f928ca90c23460011d26d6d44102d6edb9011627a46a	
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	c37e473a3c88f293f49d265be9c83f6a03a2520055c74d0d5c895b8	
■	■	■	■	■	■	■	■■■	c37e473a3c88f293f49d265be9c83f6a03a2520055c74d0d5c895b8	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	c3b544ef11fe4fe835f560a76a5354707be5260d91ac80dea4a56b8	
■	■	■	■	■	■	■	■■■	c3b544ef11fe4fe835f560a76a5354707be5260d91ac80dea4a56b8	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	c3e88656ec9b47dda7b25b9c77869d1b29bbfbb6c0ed664eeae43a1	
■	■	■	■	■	■	■	■■■	c3e88656ec9b47dda7b25b9c77869d1b29bbfbb6c0ed664eeae43a1	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	c4024b82cfa89cab05f44fe8dac9f015061c1cb1a2534ff4f517950	
■	■	■	■	■	■	■	■■■	c4024b82cfa89cab05f44fe8dac9f015061c1cb1a2534ff4f517950	
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	c4203c5060d0f778eafd521050eab23e6aaa0f9eefa17eb1e671212	
■	■	■	■	■	■	■	■■■	c4203c5060d0f778eafd521050eab23e6aaa0f9eefa17eb1e671212	
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	c428c049587b7619a8a687619c14a001ba5e6188166fce55b12f1b9	
■	■	■	■	■	■	■	■■■	c428c049587b7619a8a687619c14a001ba5e6188166fce55b12f1b9	
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	c42ea31b751616024bdbf521f9d2f9f274fbc065b4462dc53b37974	
■	■	■	■	■	■	■	■■■	c42ea31b751616024bdbf521f9d2f9f274fbc065b4462dc53b37974	
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■	c434a2d4f63f6d4628e4d83ee1572e5459e8c1d2f2ea2318f3c8f6b	
■	■	■	■	■	■	■	■■■	c434a2d4f63f6d4628e4d83ee1572e5459e8c1d2f2ea2318f3c8f6b	
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	c43e84afae45975044360f49a6e49577cf0258509d410eb524551e9	
■	■	■	■	■	■	■	■■■	c43e84afae45975044360f49a6e49577cf0258509d410eb524551e9	
■	■	■	■	■	■■■	4			

[illegible]

■	■	■	■	■	■	■	■	■■■	c6306d205b48faecb62eb823053e850df036f38e59b11523829f5c3
■	■	■	■	■	■	■	■	■■■	c6306d205b48faecb62eb823053e850df036f38e59b11523829f5c3
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	c63ee2408f8573aa0c4ad4c2f3d0538ead9c0e46f592a32da81e101	
■	■	■	■	■	■	■	■■■	c63ee2408f8573aa0c4ad4c2f3d0538ead9c0e46f592a32da81e101	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	c6ddfd1eeec1b7420e536b2e81e48880458e0774433e2c75ae2fc4e	
■	■	■	■	■	■	■	■■■	c6ddfd1eeec1b7420e536b2e81e48880458e0774433e2c75ae2fc4e	
■	■	■	■	■■■	7				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	c70a9195a26067b3a2a350a6c113b427e57db371a601ed2444f43c8	
■	■	■	■	■	■	■	■■■	c70a9195a26067b3a2a350a6c113b427e57db371a601ed2444f43c8	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	c79714eeaf5c047f6c5624fccd640e820f5d1ae8ab77c947d067c61	
■	■	■	■	■	■	■	■■■	c79714eeaf5c047f6c5624fccd640e820f5d1ae8ab77c947d067c61	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	c7a4c1b87dc599a45499602eb975bc41fa865a3d322ded408de6f2d	
■	■	■	■	■	■	■	■■■	c7a4c1b87dc599a45499602eb975bc41fa865a3d322ded408de6f2d	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■	c7b4935110f1dcc4296ef650f9404b95ce58f2005c439e3e34b3899	
■	■	■	■	■	■	■	■■■	c7b4935110f1dcc4296ef650f9404b95ce58f2005c439e3e34b3899	
■	■	■	■	■■■	8				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■■■	c84608549463ae90303a0f39c4b1e01a1717f15e0529931eee51391	
■	■	■	■	■	■	■	■■■	c84608549463ae90303a0f39c4b1e01a1717f15e0529931eee51391	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	c88f851ff79f6d57068b1f52fe071b4c42f1d0ed8248abadb9f7f43	
■	■	■	■	■	■	■	■■■	c88f851ff79f6d57068b1f52fe071b4c42f1d0ed8248abadb9f7f43	
■	■	■	■	■■■	9				
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	c91f2e41337665457740aa256c527d2526390279f8c0d22dbb82a31	
■	■	■	■	■	■	■	■■■	c91f2e41337665457740aa256c527d2526390279f8c0d22dbb82a31	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	c96b6802a25a4b370c3ca6d6fb571548bcfe334038a6db5a0601ad0	
■	■	■	■	■	■	■	■■■	c96b6802a25a4b370c3ca6d6fb571548bcfe334038a6db5a0601ad0	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■■■	c97f624c7435286fb92f4d10973d9481c8d00ab9ed16328189e8f17	

■	■	■	■	■	■	■	■	■■■	c97f624c7435286fb92f4d10973d9481c8d00ab9ed16328189e8f17
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	c9d3e7de79ee25d0862ec83ea183536502ba97ed971b1c35e787d71	
■	■	■	■	■	■	■	■■■	c9d3e7de79ee25d0862ec83ea183536502ba97ed971b1c35e787d71	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	c9f0946fe1d567e24fa8ae804c7e99532d183dbc08503c00e4741a9	
■	■	■	■	■	■	■	■■■	c9f0946fe1d567e24fa8ae804c7e99532d183dbc08503c00e4741a9	
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	ca40521d6f4ca2bc510659d13a3cff56d7241103db5d1e645bc10f8	
■	■	■	■	■	■	■	■■■	ca40521d6f4ca2bc510659d13a3cff56d7241103db5d1e645bc10f8	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	cac102894bf9a0191da0809b709c984118b0b4c73f126e4f993fade	
■	■	■	■	■	■	■	■■■	cac102894bf9a0191da0809b709c984118b0b4c73f126e4f993fade	
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	cac4c49846401c981f0d7e42b48d2a9e7c310ce9af601e522fd1b83	
■	■	■	■	■	■	■	■■■	cac4c49846401c981f0d7e42b48d2a9e7c310ce9af601e522fd1b83	
■	■	■	■	■■■	b				
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	cb150cfdfd64a15aad202463b8760eb45e5a7352f2547dc2d99d519	
■	■	■	■	■	■	■	■■■	cb150cfdfd64a15aad202463b8760eb45e5a7352f2547dc2d99d519	
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	cb1e97e46c13ddc6e3af6354da2d587ab884fa951d22974751af5f4	
■	■	■	■	■	■	■	■■■	cb1e97e46c13ddc6e3af6354da2d587ab884fa951d22974751af5f4	
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	cb52a2d86b549893dbebd3c41cb632b74900e6546f238508e1029e0	
■	■	■	■	■	■	■	■■■	cb52a2d86b549893dbebd3c41cb632b74900e6546f238508e1029e0	
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	cb52f10f1afce27faca227d3664407b9ae425a7d5ec4698f3988eb5	
■	■	■	■	■	■	■	■■■	cb52f10f1afce27faca227d3664407b9ae425a7d5ec4698f3988eb5	
■	■	■	■	■■■	c				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	cc0739cd54b4eb78ac93db15c6b9aad4a7aa59199d000e016a231fe	
■	■	■	■	■	■	■	■■■	cc0739cd54b4eb78ac93db15c6b9aad4a7aa59199d000e016a231fe	
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	cc133da5701a066bc3777b2575e0daa601596f19871db4608ca98b9	
■	■	■	■	■	■	■	■■■	cc133da5701a066bc3777b2575e0daa601596f19871db4608ca98b9	
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	cc1bfff8b93542db1e8966134c8f3ff1ba593e7c8c6a82660226615e	

■	■	■	■	■	■	■	■	■■■	cc1bffa8b93542db1e8966134c8f3ff1ba593e7c8c6a82660226615e
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	cc55040824ee089dac43062d1dc7bc9c348f0bbb578eccef51a1abe	
■	■	■	■	■	■	■	■■■	cc55040824ee089dac43062d1dc7bc9c348f0bbb578eccef51a1abe	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■	■■■	cc902747510a1521fdae0cf35c9f9ba95bc0b0b19cddc266bccf83c	
■	■	■	■	■	■	■	■■■	cc902747510a1521fdae0cf35c9f9ba95bc0b0b19cddc266bccf83c	
■	■	■	■	■■■	d				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	cd5de44b899cbe1869765c21b55cffc53c0c0ffa9d3c6f1fd40a42a	
■	■	■	■	■	■	■	■■■	cd5de44b899cbe1869765c21b55cffc53c0c0ffa9d3c6f1fd40a42a	
■	■	■	■	■■■	e				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	ce045abdbb8c80ff4a4291dca0b8b4baf8fd3f59470b3527db001f1	
■	■	■	■	■	■	■	■■■	ce045abdbb8c80ff4a4291dca0b8b4baf8fd3f59470b3527db001f1	
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	ce32812beb16b2177b4c4a3410724125dbbeec01059d63c45ad7b3a	
■	■	■	■	■	■	■	■■■	ce32812beb16b2177b4c4a3410724125dbbeec01059d63c45ad7b3a	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	ce7cc71f6940430a904dc31b34c37b81cb8479e5de1b4f13e8e5f71	
■	■	■	■	■	■	■	■■■	ce7cc71f6940430a904dc31b34c37b81cb8479e5de1b4f13e8e5f71	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	ce912edf3c60d9041896cac1196277971e733f305597f57d2d9a294	
■	■	■	■	■	■	■	■■■	ce912edf3c60d9041896cac1196277971e733f305597f57d2d9a294	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	ced81c0de5aa0a88237b967eb77c52a05f488c56404db108c93fc4a	
■	■	■	■	■	■	■	■■■	ced81c0de5aa0a88237b967eb77c52a05f488c56404db108c93fc4a	
■	■	■	■	■■■	f				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	cf03377162fd071e75250e4827adf3bc208ef008cb9e4caa71d9566	
■	■	■	■	■	■	■	■■■	cf03377162fd071e75250e4827adf3bc208ef008cb9e4caa71d9566	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	cf4215965559ad672bb27c925fe184f772a428f8262b425d143f331	
■	■	■	■	■	■	■	■■■	cf4215965559ad672bb27c925fe184f772a428f8262b425d143f331	
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	cf468a7533ed55db1e32eed30078d5a0e5149ff8a8d9ee84e26f1b3	
■	■	■	■	■	■	■	■■■	cf468a7533ed55db1e32eed30078d5a0e5149ff8a8d9ee84e26f1b3	

■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	2
■	■	■	■	■	■	■	■■■	cf4e21a9dd3824f2a8d4bd195a4d78f1a473f55ef27b3e262dfa03c
■	■	■	■	■	■	■	■■■	cf4e21a9dd3824f2a8d4bd195a4d78f1a473f55ef27b3e262dfa03c
■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	cf6d09c92b27459f442bcfd167e1aa1c15cefc3f5865289eae15610	
■	■	■	■	■	■	■■■	cf6d09c92b27459f442bcfd167e1aa1c15cefc3f5865289eae15610	
■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	cfe05468a0571b2f45671a2e76765eaccb57f8d2c2795ff0efe7892	
■	■	■	■	■	■	■■■	cfe05468a0571b2f45671a2e76765eaccb57f8d2c2795ff0efe7892	
■	■	■	■■■	d				
■	■	■	■	■■■	0			
■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■■■	d01b75bf0e331a9e22160ebda15b330e26789777201136ee08c89b1	
■	■	■	■	■	■	■■■	d01b75bf0e331a9e22160ebda15b330e26789777201136ee08c89b1	
■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	d07fbafe04d712a3795c7f88cbbaa3fc419293161a3152f76a78e78	
■	■	■	■	■	■	■■■	d07fbafe04d712a3795c7f88cbbaa3fc419293161a3152f76a78e78	
■	■	■	■	■■■	1			
■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	d1cb971e4002948fc8aba2779da7e9a0d0a7391757e218cd43b212e	
■	■	■	■	■	■	■■■	d1cb971e4002948fc8aba2779da7e9a0d0a7391757e218cd43b212e	
■	■	■	■	■■■	2			
■	■	■	■	■	■■■	2		
■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	d2255f00783b7286163a5eaa1883e6b713954c895a2b209c4908fc0	
■	■	■	■	■	■	■■■	d2255f00783b7286163a5eaa1883e6b713954c895a2b209c4908fc0	
■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	d229e658a820de2d2c6312c1332c669f57c253ed8a87b4f3d914a4b	
■	■	■	■	■	■	■■■	d229e658a820de2d2c6312c1332c669f57c253ed8a87b4f3d914a4b	
■	■	■	■	■	■■■	d		
■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	d2de6508e2102726cab61e0536aee201ceaa1980c28535c8141402e	
■	■	■	■	■	■	■■■	d2de6508e2102726cab61e0536aee201ceaa1980c28535c8141402e	
■	■	■	■	■■■	3			
■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	d31ba0e7969814b3ffba17036245cbf6f4c4204d1fa08bf72ba00dc	
■	■	■	■	■	■	■■■	d31ba0e7969814b3ffba17036245cbf6f4c4204d1fa08bf72ba00dc	
■	■	■	■	■	■■■	c		
■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	d3c5b74c694618346c861664fc1a9743fa46a0b583d0c896eadbdb7	
■	■	■	■	■	■	■■■	d3c5b74c694618346c861664fc1a9743fa46a0b583d0c896eadbdb7	

■	■	■	■	■■■	4				
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	d432b1cbfd4fd18864f857dc9fc0ed73a4a67e17f3e105ebe79e52b	
■	■	■	■	■	■	■	■■■	d432b1cbfd4fd18864f857dc9fc0ed73a4a67e17f3e105ebe79e52b	
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	d444fbccb825a7327b43f56949e4d3366aeef8dd6d55d8e9c55c8ab	
■	■	■	■	■	■	■	■■■	d444fbccb825a7327b43f56949e4d3366aeef8dd6d55d8e9c55c8ab	
■	■	■	■	■■■	5				
■	■	■	■	■	■■■	4			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■■■	d54281fcf088397b1920cc3ffeaa37e892cfb2c017275b6e14eaade	
■	■	■	■	■	■	■	■■■	d54281fcf088397b1920cc3ffeaa37e892cfb2c017275b6e14eaade	
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	d585383cf79b2cf185e915a58c82687339a4a3942ed0489e61fbf32	
■	■	■	■	■	■	■	■■■	d585383cf79b2cf185e915a58c82687339a4a3942ed0489e61fbf32	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	d5acfabed8f7f5ebf300d652b27e531bb337d8c85b37d22def2b67f	
■	■	■	■	■	■	■	■■■	d5acfabed8f7f5ebf300d652b27e531bb337d8c85b37d22def2b67f	
■	■	■	■	■■■	6				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■	d6544d2b616237f3b51c48d10df6aa27071fdaa0a5b3feb0715d62b	
■	■	■	■	■	■	■	■■■	d6544d2b616237f3b51c48d10df6aa27071fdaa0a5b3feb0715d62b	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	d673d8ce4de817f0eee0e3a4018d938ae3f7b25c6d8b26b86fce15b	
■	■	■	■	■	■	■	■■■	d673d8ce4de817f0eee0e3a4018d938ae3f7b25c6d8b26b86fce15b	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	d6a5d0856a7e93554e8be85cae6a61e3c3d38bd36521d22d8c0dc50	
■	■	■	■	■	■	■	■■■	d6a5d0856a7e93554e8be85cae6a61e3c3d38bd36521d22d8c0dc50	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■	d6cf172ccbfc64fbd9508099165f97993d649370f236398f5ca0f1f	
■	■	■	■	■	■	■	■■■	d6cf172ccbfc64fbd9508099165f97993d649370f236398f5ca0f1f	
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■	d6d3bac35e834bfc5e17ee1004ced880326c05861c21c39fd8bf43b	
■	■	■	■	■	■	■	■■■	d6d3bac35e834bfc5e17ee1004ced880326c05861c21c39fd8bf43b	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■	■■■	d6eec7950102fad272af52d6b14f9e0772336894348a32508ea6982	
■	■	■	■	■	■	■	■■■	d6eec7950102fad272af52d6b14f9e0772336894348a32508ea6982	

■	■	■	■	■■■	7				
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■		d7baf11cef4c8d4f0f6105728ddb57c214e338423b42289405c7391	
■	■	■	■	■	■	■■■		d7baf11cef4c8d4f0f6105728ddb57c214e338423b42289405c7391	
■	■	■	■	■■■	8				
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■		d8659c525b4c58c691100c437d907168036f6af70ed979c9e53bee0	
■	■	■	■	■	■	■■■		d8659c525b4c58c691100c437d907168036f6af70ed979c9e53bee0	
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■		d87b20140422fe8fc3ccde46b57b4155e6a64e089bd003244f1b408	
■	■	■	■	■	■	■■■		d87b20140422fe8fc3ccde46b57b4155e6a64e089bd003244f1b408	
■	■	■	■	■■■	9				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■		d95e0f01da1bb1b7f2859ec329b3c5472f1f6ed5d0f1614e1da08bc	
■	■	■	■	■	■	■■■		d95e0f01da1bb1b7f2859ec329b3c5472f1f6ed5d0f1614e1da08bc	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■		d9aa3ff92caa5f70a6620ccf434e6c216aefdbdfb7ac307191e4da6	
■	■	■	■	■	■	■■■		d9aa3ff92caa5f70a6620ccf434e6c216aefdbdfb7ac307191e4da6	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■		d9e479ee5ab29dd944645c32aefa357246b55386fa1a4c39ce1e0d0	
■	■	■	■	■	■	■■■		d9e479ee5ab29dd944645c32aefa357246b55386fa1a4c39ce1e0d0	
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■		d9ec1bb4f4c55710e85a9def38965531d5de4a943d98f2ef88761b8	
■	■	■	■	■	■	■■■		d9ec1bb4f4c55710e85a9def38965531d5de4a943d98f2ef88761b8	
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■		daaa0e2684ddc216434203c34d2387c4b544ff5b16a788cb41a784f	
■	■	■	■	■	■	■■■		daaa0e2684ddc216434203c34d2387c4b544ff5b16a788cb41a784f	
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■		dab4cd08401edac747975ac5e86ee821f7e2c1221e4cb72ba4d4f2a	
■	■	■	■	■	■	■■■		dab4cd08401edac747975ac5e86ee821f7e2c1221e4cb72ba4d4f2a	
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■		dae791c7e7f37ceeed2b1136e4c2fe2f795c6645ab088d6588854fe	
■	■	■	■	■	■	■■■		dae791c7e7f37ceeed2b1136e4c2fe2f795c6645ab088d6588854fe	
■	■	■	■	■■■	b				
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■		db21157b4d2cb0b4cc626561c93ca6a460ff6f19d89de95652c7e0b	

■	■	■	■	■	■	■	■	■■■■	db21157b4d2cb0b4cc626561c93ca6a460ff6f19d89de95652c7e0b
■	■	■	■	■	■■■■	4			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■■	db4aeba3ee8fd23f0d147f933ddb8016ef0e2824878956509cb7813	
■	■	■	■	■	■	■	■■■■	db4aeba3ee8fd23f0d147f933ddb8016ef0e2824878956509cb7813	
■	■	■	■	■	■■■■	6			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■■■■	db6b96169594ca63e24258293b470142d76aac2f889f414bf3dbb89	
■	■	■	■	■	■	■	■■■■	db6b96169594ca63e24258293b470142d76aac2f889f414bf3dbb89	
■	■	■	■	■	■■■■	8			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■■■■	db824c526d765b86c60e3a8f549e4d9f6b2c1e8876b000670174e0b	
■	■	■	■	■	■	■	■■■■	db824c526d765b86c60e3a8f549e4d9f6b2c1e8876b000670174e0b	
■	■	■	■	■	■■■■	a			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■■	dba33a67311146168a4fca80712b2eebbf7ba0548a0b3ea7d14a34f	
■	■	■	■	■	■	■	■■■■	dba33a67311146168a4fca80712b2eebbf7ba0548a0b3ea7d14a34f	
■	■	■	■	■	■■■■	c			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■■	dbcd7e5b79c9822cc20f0a0321d7776a107e08b14ad027a81f34e3d	
■	■	■	■	■	■	■	■■■■	dbcd7e5b79c9822cc20f0a0321d7776a107e08b14ad027a81f34e3d	
■	■	■	■	■■■■	c				
■	■	■	■	■	■■■■	1			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■■	dc10e0f91481d0158a42177c2cf1b1c19a02b0c03742040e3264cac	
■	■	■	■	■	■	■	■■■■	dc10e0f91481d0158a42177c2cf1b1c19a02b0c03742040e3264cac	
■	■	■	■	■	■■■■	3			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■■	dc351b8f62cca9e981c973548c3c9f5a2661248630ec9d4b47d02be	
■	■	■	■	■	■	■	■■■■	dc351b8f62cca9e981c973548c3c9f5a2661248630ec9d4b47d02be	
■	■	■	■	■	■■■■	5			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■■■■	dc5413f055107b5633cbb591f2cf01ee69ace484f58cbd8d09acef7	
■	■	■	■	■	■	■	■■■■	dc5413f055107b5633cbb591f2cf01ee69ace484f58cbd8d09acef7	
■	■	■	■	■	■■■■	8			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■■	dc88d5baec6775684fc23e22df4d0ce017b721f8b74dc76e66b71a6	
■	■	■	■	■	■	■	■■■■	dc88d5baec6775684fc23e22df4d0ce017b721f8b74dc76e66b71a6	
■	■	■	■	■	■■■■	9			
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■■■■	dc9a7af666cafcb156cac8b83b87ef24f1172cc09045148f4f9dfa1	
■	■	■	■	■	■	■	■■■■	dc9a7af666cafcb156cac8b83b87ef24f1172cc09045148f4f9dfa1	
■	■	■	■	■	■■■■	b			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■■	dcb3fcb6a3ed619a70279596aa78642ea6f368351a81bd0da5969f8	
■	■	■	■	■	■	■	■■■■	dcb3fcb6a3ed619a70279596aa78642ea6f368351a81bd0da5969f8	
■	■	■	■	■■■■	d				

■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	dd0816be2482e48bb6ad7480c15b1d81e864b20945bacac1f2f1407
■	■	■	■	■	■	■■■	dd0816be2482e48bb6ad7480c15b1d81e864b20945bacac1f2f1407
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	dd1eb495fa45c2e8e78dcc14147d98c3b57a91598c6c58a747dc720
■	■	■	■	■	■	■■■	dd1eb495fa45c2e8e78dcc14147d98c3b57a91598c6c58a747dc720
■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■■■		dd206ee8d449d4bec512242e8f8ebadb5a808c682766018f3921f62
■	■	■	■	■	■■■		dd206ee8d449d4bec512242e8f8ebadb5a808c682766018f3921f62
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■■■		ddf4656832b2f30751d842b9f09f403e4dd04a9392a9689c268d352
■	■	■	■	■	■■■		ddf4656832b2f30751d842b9f09f403e4dd04a9392a9689c268d352
■	■	■	■	■	■■■	e	
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■■■		de16ec846d05b820cf14350b555c5b547ea8436dc36341d4133711e
■	■	■	■	■	■■■		de16ec846d05b820cf14350b555c5b547ea8436dc36341d4133711e
■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■■■		de437938ef85929246af957191da12fbc37876e8e6bf1a090f59e1d
■	■	■	■	■	■■■		de437938ef85929246af957191da12fbc37876e8e6bf1a090f59e1d
■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	7
■	■	■	■	■	■■■		dee67dad37bb9378a879969d4e91a7062d2b42ccc2263c954514350
■	■	■	■	■	■■■		dee67dad37bb9378a879969d4e91a7062d2b42ccc2263c954514350
■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■■■		def3cd8802414a0b0b532f077a57c52a1e1cb65ce070f1a2c4b0b12
■	■	■	■	■	■■■		def3cd8802414a0b0b532f077a57c52a1e1cb65ce070f1a2c4b0b12
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	5
■	■	■	■	■	■■■		defa510e250bc3055aade0826e335ef42d51347101cdba9023d87c2
■	■	■	■	■	■■■		defa510e250bc3055aade0826e335ef42d51347101cdba9023d87c2
■	■	■	■	■	■■■	f	
■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■■■		df2de705cba88154046c26b784a8747f7dce594f6f2e0563ca78772
■	■	■	■	■	■■■		df2de705cba88154046c26b784a8747f7dce594f6f2e0563ca78772
■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■■■		df3e6374dba50aac4fe2d8df4a63e4da7ebc6f424b0924302291c5a
■	■	■	■	■	■■■		df3e6374dba50aac4fe2d8df4a63e4da7ebc6f424b0924302291c5a
■	■	■	■	■	■■■	5	
■	■	■	■	■	■■■	1	

```

5
df5151e792305143e81ca2f7a2c963cbc786303eea65fcc2e65ccea
df5151e792305143e81ca2f7a2c963cbc786303eea65fcc2e65ccea
7
0
7
df707b1feda7f90798d38a25755c9d23b9441d40e0237567a452110
df707b1feda7f90798d38a25755c9d23b9441d40e0237567a452110
f
3
d
dff3d15775f7efad32d8ece4b90b653b67dcd6598271dcf06170522
dff3d15775f7efad32d8ece4b90b653b67dcd6598271dcf06170522
e
0
1
d
9
e01d9ae49e6adc6646c9f2136ef162187b48cf0195db7098f71cd7e
e01d9ae49e6adc6646c9f2136ef162187b48cf0195db7098f71cd7e
2
7
6
e0276893d7489dad47ee19221f613ef206616211fff534c1fdcf7065
e0276893d7489dad47ee19221f613ef206616211fff534c1fdcf7065
5
f
0
e05f0d91f8df88c9349b141f38a86eaea4bf18c9e6190a296b1ada3
e05f0d91f8df88c9349b141f38a86eaea4bf18c9e6190a296b1ada3
e
c
2
e0ec2dc4f16c229de1a3b9cfde95f8d429c0097f1325cf7842b15aa
e0ec2dc4f16c229de1a3b9cfde95f8d429c0097f1325cf7842b15aa
1
0
2
1
e102129ec3eda00211eef9e8d1b4a9f1ca870f9e1a83dc530f859b6
e102129ec3eda00211eef9e8d1b4a9f1ca870f9e1a83dc530f859b6
1
b
3
e11b36991e776aa5d2ff3446ec38bf5cd9b984686e90f90df41718
e11b36991e776aa5d2ff3446ec38bf5cd9b984686e90f90df41718
2
f
9
e12f9cafb6de6faf3aa7c51205ecfba3c9635fc47c9384914a52ce5
e12f9cafb6de6faf3aa7c51205ecfba3c9635fc47c9384914a52ce5
3
7
4
e1374613b89e5ef99ce404da422d6e391c381cb3e690748f4344db0
e1374613b89e5ef99ce404da422d6e391c381cb3e690748f4344db0
4
e

```


■	■	■	■	■	■	■	■	■■■	e4078b61fad089b817ff30bee6dd144e736780378455aaefb582148
■	■	■	■	■	■	■	■	■■■	e4078b61fad089b817ff30bee6dd144e736780378455aaefb582148
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■	■■■	e451e3d9f947df0a1f9239713f36b95f7be8d366bacac154aa4a879
■	■	■	■	■	■	■	■	■■■	e451e3d9f947df0a1f9239713f36b95f7be8d366bacac154aa4a879
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■	■	■■■	e473e9649c0c153685e808d68e28e05cc3ff4056e7dbc85e9322428
■	■	■	■	■	■	■	■	■■■	e473e9649c0c153685e808d68e28e05cc3ff4056e7dbc85e9322428
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■	■■■	e50d3d74e658cec8e7d42cc2de970550463f8f2f595ed600a096e60
■	■	■	■	■	■	■	■	■■■	e50d3d74e658cec8e7d42cc2de970550463f8f2f595ed600a096e60
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■	■	■■■	e5221576d172799c99acf2ccc900f57849f50c7444a740c7be1675a
■	■	■	■	■	■	■	■	■■■	e5221576d172799c99acf2ccc900f57849f50c7444a740c7be1675a
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■	■■■	e560fee78ddc6bc31dc01985feb54f4ec8bc62a1e36838a5747b951
■	■	■	■	■	■	■	■	■■■	e560fee78ddc6bc31dc01985feb54f4ec8bc62a1e36838a5747b951
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■	■■■	e5980d1b1a40b9579766c2e207e5f819f3cd862a46fe963b9d34164
■	■	■	■	■	■	■	■	■■■	e5980d1b1a40b9579766c2e207e5f819f3cd862a46fe963b9d34164
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■	■■■	e599b6418d10d681ba6db09fb679a0e09e0381cdddc5ba630943949
■	■	■	■	■	■	■	■	■■■	e599b6418d10d681ba6db09fb679a0e09e0381cdddc5ba630943949
■	■	■	■	■	■■■	d			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■	■■■	e5d36c5766a883bb74cecc6c18466900df278968351e1b75b19c906
■	■	■	■	■	■	■	■	■■■	e5d36c5766a883bb74cecc6c18466900df278968351e1b75b19c906
■	■	■	■	■	■■■	6			
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■	■■■	e6824d6367c1c5a1a3c1e65544b17f143cef818c945993c2ecf2dbb
■	■	■	■	■	■	■	■	■■■	e6824d6367c1c5a1a3c1e65544b17f143cef818c945993c2ecf2dbb
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■	■■■	e691483299f7c8c32d64bd2a6c8aba04364e3251e85b9ba909ad2db
■	■	■	■	■	■	■	■	■■■	e691483299f7c8c32d64bd2a6c8aba04364e3251e85b9ba909ad2db
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■	■■■	e6bb4bc5540d59226c7360a51b1504438674cff9b3213dfa8dad0b3
■	■	■	■	■	■	■	■	■■■	e6bb4bc5540d59226c7360a51b1504438674cff9b3213dfa8dad0b3

■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■■■	4
■	■	■	■	■	■	■■■	e6c64d93a658a6eb9d09e336e041394b16a3c65db2d86517cae558f
■	■	■	■	■	■	■■■	e6c64d93a658a6eb9d09e336e041394b16a3c65db2d86517cae558f
■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	e6d0192297b41cd73bc202847ac4712a2af8ad0fb0deeba2267e077
■	■	■	■	■	■	■■■	e6d0192297b41cd73bc202847ac4712a2af8ad0fb0deeba2267e077
■	■	■	■	■■■	7		
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	3
■	■	■	■	■	■	■■■	e75e3a72ec5ffce867a4e738b4b84c7a8477fb04f819b70bfe83747
■	■	■	■	■	■	■■■	e75e3a72ec5ffce867a4e738b4b84c7a8477fb04f819b70bfe83747
■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	e7cad37ded85890992758213b2a650dafd85f5d6924aceade59811e
■	■	■	■	■	■	■■■	e7cad37ded85890992758213b2a650dafd85f5d6924aceade59811e
■	■	■	■	■■■	8		
■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	c
■	■	■	■	■	■	■■■	e891cbc8086f8d997bac39425a40499e8f2dc3bc5ff9a09ed06444a
■	■	■	■	■	■	■■■	e891cbc8086f8d997bac39425a40499e8f2dc3bc5ff9a09ed06444a
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	e
■	■	■	■	■	■	■■■	e8aee2b0281e189cb2c9756d3dccf7d2720bc2769db71eaf3a21873
■	■	■	■	■	■	■■■	e8aee2b0281e189cb2c9756d3dccf7d2720bc2769db71eaf3a21873
■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	1
■	■	■	■	■	■	■■■	e8bd1d53b9712fa015d9a29e4851748dd0c234916fc2146014ee5a7
■	■	■	■	■	■	■■■	e8bd1d53b9712fa015d9a29e4851748dd0c234916fc2146014ee5a7
■	■	■	■	■■■	9		
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	b
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	e91bf4ce3bb3aee179adc2a799b2e9a1a369f2718c51fa2ed985b40
■	■	■	■	■	■	■■■	e91bf4ce3bb3aee179adc2a799b2e9a1a369f2718c51fa2ed985b40
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	f
■	■	■	■	■	■	■■■	e95df3587282402fa2fe868d06c711034f17567ebe972613410424f
■	■	■	■	■	■	■■■	e95df3587282402fa2fe868d06c711034f17567ebe972613410424f
■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	0
■	■	■	■	■	■	■■■	e99d0d04c5741fe8d990e1c7858d9318a94cc124506431f6648e6a1
■	■	■	■	■	■	■■■	e99d0d04c5741fe8d990e1c7858d9318a94cc124506431f6648e6a1
■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	e9ddabaae4f2f076db750b3d90a5477be1b87b191a515a9beb271a3
■	■	■	■	■	■	■■■	e9ddabaae4f2f076db750b3d90a5477be1b87b191a515a9beb271a3

```

a
1
0
2
ea10237d7e36760872cd7e0942790781abdf5cd55da38bba79b5064
ea10237d7e36760872cd7e0942790781abdf5cd55da38bba79b5064
9
0
d
ea90dfd1f6d50740d07ed4f10a57a61eda6c4c0bf864139330c00fa
ea90dfd1f6d50740d07ed4f10a57a61eda6c4c0bf864139330c00fa
c
6
1
eac61126daf80149d2a016f12a54eab5e3b5c1dbc77410ffa97edc
eac61126daf80149d2a016f12a54eab5e3b5c1dbc77410ffa97edc
d
7
2
ead7232851c1ef93c8b0b00532a6ebe9a68dc3aef3437af1631bf2a
ead7232851c1ef93c8b0b00532a6ebe9a68dc3aef3437af1631bf2a
b
0
b
7
eb0b7e287570ab5016d0a7e3ca554677bbafb669b25c815e698d1eb
eb0b7e287570ab5016d0a7e3ca554677bbafb669b25c815e698d1eb
2
3
2
eb232512e2ce7b4b251fae6d752f4c5462107a88e28db42ce27c71e
eb232512e2ce7b4b251fae6d752f4c5462107a88e28db42ce27c71e
5
4
a
eb54ad8098bbce2484999b06578a3689563ea077088029e738ccebfb
eb54ad8098bbce2484999b06578a3689563ea077088029e738ccebfb
6
3
a
eb63a36a9b0e17952b8a6f3e3bf1d701b68946965f8f2f66b93f080
eb63a36a9b0e17952b8a6f3e3bf1d701b68946965f8f2f66b93f080
8
c
d
eb8cd56ef455b7de93ea148bd0e376b9bfd7494c967be362707e63f
eb8cd56ef455b7de93ea148bd0e376b9bfd7494c967be362707e63f
a
7
c
eba7cdab71e7ecfd4883683a64614002e967d73415fb4eacd229815
eba7cdab71e7ecfd4883683a64614002e967d73415fb4eacd229815
d
b
ebadb73c6aaf128bc66e28ac5842254d8dad70e77d657cf0bee968
ebadb73c6aaf128bc66e28ac5842254d8dad70e77d657cf0bee968
c
8

```

■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■	6
■	■	■	■	■	■	■	■■■	ec836c1a06fa85a8ccf8642c5e8d6d2ef619e71aabef764b6064fcb
■	■	■	■	■	■	■	■■■	ec836c1a06fa85a8ccf8642c5e8d6d2ef619e71aabef764b6064fcb
■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	ec836c1a06fa85a8ccf8642c5e8d6d2ef619e71aabef764b6064fcb	
■	■	■	■	■	■	■■■	ec836c1a06fa85a8ccf8642c5e8d6d2ef619e71aabef764b6064fcb	
■	■	■	■	■■■	d			
■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	ed25d1bb38edf83d84e0a08c7e2111da8cb788eddb019df7a96d321	
■	■	■	■	■	■	■■■	ed25d1bb38edf83d84e0a08c7e2111da8cb788eddb019df7a96d321	
■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■	2	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	ed42bdfc39ef74774542999cf7dc2e8be68c79e2ce0048a59aa5670	
■	■	■	■	■	■	■■■	ed42bdfc39ef74774542999cf7dc2e8be68c79e2ce0048a59aa5670	
■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	ed8ea75bd339dd2e0f1e4e3cdfc21309d0a9761217ad908d83d31bo	
■	■	■	■	■	■	■■■	ed8ea75bd339dd2e0f1e4e3cdfc21309d0a9761217ad908d83d31bo	
■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■■■	c	
■	■	■	■	■	■	■■■	ed9ec686c1fb6d32dd1cf336773984b5868895006fc443fe59a17cf	
■	■	■	■	■	■	■■■	ed9ec686c1fb6d32dd1cf336773984b5868895006fc443fe59a17cf	
■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	edb3baf90632cffec441cc46b42df9b7b9bd5ae1fe19a2b8d93254f	
■	■	■	■	■	■	■■■	edb3baf90632cffec441cc46b42df9b7b9bd5ae1fe19a2b8d93254f	
■	■	■	■	■■■	e			
■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	ee05a71604d27eb0a70d8a3c628eb4b6a8ff5508c84e19b2d618944	
■	■	■	■	■	■	■■■	ee05a71604d27eb0a70d8a3c628eb4b6a8ff5508c84e19b2d618944	
■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■■■	ee24bc3de6d4893488df4593880132e374d595c0a3124d1ca1e62cf	
■	■	■	■	■	■	■■■	ee24bc3de6d4893488df4593880132e374d595c0a3124d1ca1e62cf	
■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■■■	ee279486658e109fcaefadddfbcafd37061a7b18ada033782dc6548	
■	■	■	■	■	■	■■■	ee279486658e109fcaefadddfbcafd37061a7b18ada033782dc6548	
■	■	■	■	■■■	7			
■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	ee78174c757ebf0a4ba8ee541daddfa331d8cf39fb436360a697cf9	
■	■	■	■	■	■	■■■	ee78174c757ebf0a4ba8ee541daddfa331d8cf39fb436360a697cf9	
■	■	■	■	■■■	9			
■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	b	

■	■	■	■	■	■	■	■	■■■	ee95b743d852950480e9f213cf1cb9d4b0ecef06be11f72fad1aba9
■	■	■	■	■	■	■	■	■■■	ee95b743d852950480e9f213cf1cb9d4b0ecef06be11f72fad1aba9
■	■	■	■	■	■■■		c		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■	e	
■	■	■	■	■	■	■	■■■	eecc	e42f2656f3a2d5d63fe33ff387843eec514498ca3a5c8986c02
■	■	■	■	■	■	■	■■■	eecc	e42f2656f3a2d5d63fe33ff387843eec514498ca3a5c8986c02
■	■	■	■	■	■■■		d		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	eed	3310dd30ebbbfb59e331e8f75d083e3cbc543b42b74ea2619fc0
■	■	■	■	■	■	■	■■■	eed	3310dd30ebbbfb59e331e8f75d083e3cbc543b42b74ea2619fc0
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	eede	0ec7db9eb6bb5df2dd2133296a4bbb476a2c8abd24309bf3e5d
■	■	■	■	■	■	■	■■■	eede	0ec7db9eb6bb5df2dd2133296a4bbb476a2c8abd24309bf3e5d
■	■	■	■	■■■			f		
■	■	■	■	■	■■■		1		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■	ef1781d64f97111f97e57476362f7013c40597cf6d505aa181ac2e6	
■	■	■	■	■	■	■	■■■	ef1781d64f97111f97e57476362f7013c40597cf6d505aa181ac2e6	
■	■	■	■	■	■■■		4		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	ef4ffe4b046aa2bf9145d5b2d185cee7cacc9251992b8dea090230c	
■	■	■	■	■	■	■	■■■	ef4ffe4b046aa2bf9145d5b2d185cee7cacc9251992b8dea090230c	
■	■	■	■	■■■			f		
■	■	■	■	■	■■■		0		
■	■	■	■	■	■■■		7		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	f07848d1d4dd1ef85dc0c367aed2173ca7a0ad1f3390a0afe61fd5a	
■	■	■	■	■	■	■	■■■	f07848d1d4dd1ef85dc0c367aed2173ca7a0ad1f3390a0afe61fd5a	
■	■	■	■	■	■■■		9		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■	f0920b9af58aa1880e714e757f10407734579222596e0098ccc69be	
■	■	■	■	■	■	■	■■■	f0920b9af58aa1880e714e757f10407734579222596e0098ccc69be	
■	■	■	■	■	■■■		a		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	f0a7dfd6faebe884216f61d528e2d71cdee1be31e8688ca77e3b16d	
■	■	■	■	■	■	■	■■■	f0a7dfd6faebe884216f61d528e2d71cdee1be31e8688ca77e3b16d	
■	■	■	■	■	■■■		d		
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■	■■■	f0df3a85265882ca6eaec454e7dc4ffb7c0ddb1b1dace08f72d9051	
■	■	■	■	■	■	■	■■■	f0df3a85265882ca6eaec454e7dc4ffb7c0ddb1b1dace08f72d9051	
■	■	■	■	■	■■■		e		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	f0e141ad2c9a2a2506dd1257574534064ffac0ad48b1eaeb82d7a83	
■	■	■	■	■	■	■	■■■	f0e141ad2c9a2a2506dd1257574534064ffac0ad48b1eaeb82d7a83	
■	■	■	■	■■■			1		
■	■	■	■	■	■■■		0		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	7		

■	■	■	■	■	■	■	■	■■■	f10b7cabba186dc8126682c787ab795d4ca43f373ef103753991dc6
■	■	■	■	■	■	■	■	■■■	f10b7cabba186dc8126682c787ab795d4ca43f373ef103753991dc6
■	■	■	■	■	■■■	7			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■	■	■■■	f177668b55736411c77d923756dd180e84294e3bc50211585678142
■	■	■	■	■	■	■	■	■■■	f177668b55736411c77d923756dd180e84294e3bc50211585678142
■	■	■	■	■	■■■	e			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■	■■■	f1e1f48532a143d1fa187854bd7b4c81f86d585b12afb5d14d1a68
■	■	■	■	■	■	■	■	■■■	f1e1f48532a143d1fa187854bd7b4c81f86d585b12afb5d14d1a68
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	9	
■	■	■	■	■	■	■	■	■■■	f1f693dc92a9e57b26651abe133655582eb2f2583b062ef2dfe8400
■	■	■	■	■	■	■	■	■■■	f1f693dc92a9e57b26651abe133655582eb2f2583b062ef2dfe8400
■	■	■	■	■	■■■	2			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	f	
■	■	■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■	■	■■■	f21f442d06ae72e19190f1c6b617a093f7a8e01d4efd337676f9887
■	■	■	■	■	■	■	■	■■■	f21f442d06ae72e19190f1c6b617a093f7a8e01d4efd337676f9887
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■	■■■	f2313c9c2f4156d5a4aa712ee66c366f6536642308f0d18bde5949c
■	■	■	■	■	■	■	■	■■■	f2313c9c2f4156d5a4aa712ee66c366f6536642308f0d18bde5949c
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■	■■■	f23f8855ba23d69e8a5eb4162b6b14a2d4bad120c66c6992c2a3428
■	■	■	■	■	■	■	■	■■■	f23f8855ba23d69e8a5eb4162b6b14a2d4bad120c66c6992c2a3428
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■	■■■	f34d849e676ea114c1e02a4545c707fc1c00c56d41ab7063aee5362
■	■	■	■	■	■	■	■	■■■	f34d849e676ea114c1e02a4545c707fc1c00c56d41ab7063aee5362
■	■	■	■	■	■■■	8			
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■	■	■■■	f38d0a2ad2680721cca1ec98a434938376ef815de5cfd21a5bd27b8
■	■	■	■	■	■	■	■	■■■	f38d0a2ad2680721cca1ec98a434938376ef815de5cfd21a5bd27b8
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■	■■■	7	
■	■	■	■	■	■	■	■	■■■	f39776487363fd4a100c6b93bd781022324cb2e94b79d73082d5197
■	■	■	■	■	■	■	■	■■■	f39776487363fd4a100c6b93bd781022324cb2e94b79d73082d5197
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■	■	■■■	f3a6530dc7fb03fabb45f38f86d64f93ec229749526b88172b3d7d2
■	■	■	■	■	■	■	■	■■■	f3a6530dc7fb03fabb45f38f86d64f93ec229749526b88172b3d7d2
■	■	■	■	■	■■■	b			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■	■	■■■	f3b584e90a466998b75f65a9344c87ce9569ff4a208c4ec059dd0e4
■	■	■	■	■	■	■	■	■■■	f3b584e90a466998b75f65a9344c87ce9569ff4a208c4ec059dd0e4

■	■	■	■	■	■■■	d	
■	■	■	■	■	■	■■■	8
■	■	■	■	■	■	■■■	9
■	■	■	■	■	■	■■■	f3d89399c2288195ea6858aa1e0821203e4edefd793932e4ccfa955
■	■	■	■	■	■	■■■	f3d89399c2288195ea6858aa1e0821203e4edefd793932e4ccfa955
■	■	■	■	■■■	4		
■	■	■	■	■	■■■	5	
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	f450d449939c703ff9efab7460fb58b78c3fb24ec4a49aef233262c
■	■	■	■	■	■	■■■	f450d449939c703ff9efab7460fb58b78c3fb24ec4a49aef233262c
■	■	■	■	■	■■■	3	
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	f45358cd40a41194f9ccb0fd307656472bab02e880659056d90bbfe
■	■	■	■	■	■	■■■	f45358cd40a41194f9ccb0fd307656472bab02e880659056d90bbfe
■	■	■	■	■	■■■	c	
■	■	■	■	■	■■■	1	
■	■	■	■	■	■■■	0	
■	■	■	■	■	■	■■■	f4c10bf8d64dc1967920aa8605a2cd045aa9f130afd0e9c3db20c7d
■	■	■	■	■	■	■■■	f4c10bf8d64dc1967920aa8605a2cd045aa9f130afd0e9c3db20c7d
■	■	■	■	■	■■■	e	
■	■	■	■	■	■■■	4	
■	■	■	■	■	■■■	5	
■	■	■	■	■	■	■■■	f4e4587dac20cad56975ca92d42c939e47fed9c27b67e913f2f0e37
■	■	■	■	■	■	■■■	f4e4587dac20cad56975ca92d42c939e47fed9c27b67e913f2f0e37
■	■	■	■	■	■■■	7	
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	f4e7a982087a3b75b34ec9bfcd02649b46e494fa9a64fb47abd21b7
■	■	■	■	■	■	■■■	f4e7a982087a3b75b34ec9bfcd02649b46e494fa9a64fb47abd21b7
■	■	■	■	■	■■■	f	
■	■	■	■	■	■■■	8	
■	■	■	■	■	■■■	4	
■	■	■	■	■	■	■■■	f4f844352cc00c68bccf12a93f9b714157905dab7a5d4501b180ef7
■	■	■	■	■	■	■■■	f4f844352cc00c68bccf12a93f9b714157905dab7a5d4501b180ef7
■	■	■	■	■■■	5		
■	■	■	■	■	■■■	2	
■	■	■	■	■	■■■	1	
■	■	■	■	■	■	■■■	d
■	■	■	■	■	■	■■■	f521d066c3c11e577ff9bac4a7e16276a9949d9058b502022df3ca8
■	■	■	■	■	■	■■■	f521d066c3c11e577ff9bac4a7e16276a9949d9058b502022df3ca8
■	■	■	■	■■■	4		
■	■	■	■	■	■■■	2	
■	■	■	■	■	■■■	6	
■	■	■	■	■	■	■■■	f54262c906f30cf1c5007c8ec9af9ade8b0d1f42c41333da9b6548e
■	■	■	■	■	■	■■■	f54262c906f30cf1c5007c8ec9af9ade8b0d1f42c41333da9b6548e
■	■	■	■	■	■■■	8	
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	f5488e4b9d9e12795b3ae821fc5d4edda1a99f24a19fa19ab7f9288
■	■	■	■	■	■	■■■	f5488e4b9d9e12795b3ae821fc5d4edda1a99f24a19fa19ab7f9288
■	■	■	■	■■■	7		
■	■	■	■	■	■■■	7	
■	■	■	■	■	■■■	8	
■	■	■	■	■	■	■■■	f577813f4ca515a35041c12b0f4316cdc549f31b0b105426fc1bf4c
■	■	■	■	■	■	■■■	f577813f4ca515a35041c12b0f4316cdc549f31b0b105426fc1bf4c
■	■	■	■	■■■	9		
■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■■■	a
■	■	■	■	■	■	■■■	f59aa970d0bc01c4cdc76d6bb2ee41ef566310664d41cff02c45f45

f59aa970d0bc01c4cdc76d6bb2ee41ef566310664d41cff02c45f45

b

f

6

f5bf61d556317048ec0f8d64e24ac9dde22abca94241aa5ff4a4e79

f5bf61d556317048ec0f8d64e24ac9dde22abca94241aa5ff4a4e79

d

1

0

f5d10ad86b4fdf72e5bfb44b2104e1ea56f008fa2a78c7b6ce617a5

f5d10ad86b4fdf72e5bfb44b2104e1ea56f008fa2a78c7b6ce617a5

e

8

2

f5e829e1a7e4385042c987077b233e1c44810e4dc30dc7a6910855e

f5e829e1a7e4385042c987077b233e1c44810e4dc30dc7a6910855e

6

0

4

9

f604923b52879a8e192dc1d1f69ab5e0c96f04c6e8801b034d5b62e

f604923b52879a8e192dc1d1f69ab5e0c96f04c6e8801b034d5b62e

7

c

9

f67c947ce58889f7d1e7d693339a32dbdf48027791c5f2a9aca736b

f67c947ce58889f7d1e7d693339a32dbdf48027791c5f2a9aca736b

8

e

0

f68e07acd5a8b2ef08bb3ddefc708273c231049b2e1e2775c5e384a

f68e07acd5a8b2ef08bb3ddefc708273c231049b2e1e2775c5e384a

a

2

5

f6a251e59fb6c4cdc90027f1cc53f74ed349a3ebf06ee105f739d6e

f6a251e59fb6c4cdc90027f1cc53f74ed349a3ebf06ee105f739d6e

e

1

0

f6e1029534c7949433c76df8b3c8d04f072873186d07dff77802579

f6e1029534c7949433c76df8b3c8d04f072873186d07dff77802579

7

4

3

a

f743ad7b568500dd5e8878784383c751d79de81dfb06fe3b9391324

f743ad7b568500dd5e8878784383c751d79de81dfb06fe3b9391324

8

a

a

f78aa88ac3f49c551f4baa1ad12b0152e90a9aa018437556d212bd9

f78aa88ac3f49c551f4baa1ad12b0152e90a9aa018437556d212bd9

c

5

3

f7c5361eb3f46fd5b2674256d692cde830180ca489cb100767d8f39

f7c5361eb3f46fd5b2674256d692cde830180ca489cb100767d8f39

■	■	■	■	■■■	8				
■	■	■	■	■	■■■	5			
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■		f85fc864d2d5fc000a0c70191cac33c091f085352a26cd5ba65ba1d	
■	■	■	■	■	■	■■■		f85fc864d2d5fc000a0c70191cac33c091f085352a26cd5ba65ba1d	
■	■	■	■	■	■■■	9			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■		f8925b7422d9573abf13edfdcaec72ed378ce0669b5a964a673c6d7	
■	■	■	■	■	■	■■■		f8925b7422d9573abf13edfdcaec72ed378ce0669b5a964a673c6d7	
■	■	■	■	■■■	9				
■	■	■	■	■	■■■	3			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■		f93074d9e1f2b9de00817f2e4f1eeb4dd3d692a2e2d462390cf22da	
■	■	■	■	■	■	■■■		f93074d9e1f2b9de00817f2e4f1eeb4dd3d692a2e2d462390cf22da	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■		f962e5e71203694d5370973d9c1e28688778c15f9790699913c9472	
■	■	■	■	■	■	■■■		f962e5e71203694d5370973d9c1e28688778c15f9790699913c9472	
■	■	■	■	■	■■■	a			
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■		f9acbc79c02ec839073f6473231d422f185648d6f5e67a2c99c67db	
■	■	■	■	■	■	■■■		f9acbc79c02ec839073f6473231d422f185648d6f5e67a2c99c67db	
■	■	■	■	■	■■■	c			
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■		f9c20f872b4e9d4140d42a5d071cd0793747c172e98d4a277f21c67	
■	■	■	■	■	■	■■■		f9c20f872b4e9d4140d42a5d071cd0793747c172e98d4a277f21c67	
■	■	■	■	■	■■■	f			
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■		f9f5d90d6638571c3b3c167ee5ae14eca0cd636ebde3fb4d2aa1995	
■	■	■	■	■	■	■■■		f9f5d90d6638571c3b3c167ee5ae14eca0cd636ebde3fb4d2aa1995	
■	■	■	■	■■■	a				
■	■	■	■	■	■■■	0			
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	4		
■	■	■	■	■	■	■■■		fa0343b425a1d8cad7f3e50a09999a345422a79f3ae86b7a62ced2c	
■	■	■	■	■	■	■■■		fa0343b425a1d8cad7f3e50a09999a345422a79f3ae86b7a62ced2c	
■	■	■	■	■	■■■	1			
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■■■		fa105e43eeabc31343199cb7db4e917bdd58a0f9dc63afdc187c943	
■	■	■	■	■	■	■■■		fa105e43eeabc31343199cb7db4e917bdd58a0f9dc63afdc187c943	
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■		fa169d8ca8767f4320a72433f1c163d73554b7dbaa683537a453030	
■	■	■	■	■	■	■■■		fa169d8ca8767f4320a72433f1c163d73554b7dbaa683537a453030	
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■■■		fa1be9dcaecb4bf7b878e8d31be7791cb5c54378047f1f169196b73	
■	■	■	■	■	■	■■■		fa1be9dcaecb4bf7b878e8d31be7791cb5c54378047f1f169196b73	
■	■	■	■	■	■■■	6			
■	■	■	■	■	■	■■■	9		

■	■	■	■	■	■	■	■■■	3	
■	■	■	■	■	■	■	■■■		fa6931ef01168763bf11c2539725b9f30d0117c07cd80f603c3d211
■	■	■	■	■	■	■	■■■		fa6931ef01168763bf11c2539725b9f30d0117c07cd80f603c3d211
■	■	■	■	■	■	■	■■■	b	
■	■	■	■	■	■	■	■■■		fa69bfbb5b97d780d952abb18191d0bf280872241f7652403f390e8
■	■	■	■	■	■	■	■■■		fa69bfbb5b97d780d952abb18191d0bf280872241f7652403f390e8
■	■	■	■	■	■■■		a		
■	■	■	■	■	■	■■■	6		
■	■	■	■	■	■	■	■■■	a	
■	■	■	■	■	■	■	■■■		faa6ab6aca82468c9d829519084781a14fееаaf3d647aa11c632265
■	■	■	■	■	■	■	■■■		faa6ab6aca82468c9d829519084781a14fееаaf3d647aa11c632265
■	■	■	■	■	■■■		b		
■	■	■	■	■	■	■■■	9		
■	■	■	■	■	■	■■■	0		
■	■	■	■	■	■	■	■■■		fab90cb3c80534a851af98c31041d92acda1adbbbb07b067d676f58
■	■	■	■	■	■	■	■■■		fab90cb3c80534a851af98c31041d92acda1adbbbb07b067d676f58
■	■	■	■	■	■	■■■	f		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■		fabfe664dbda7b88b146813dec553438d55d2f674e175159eb8cf19
■	■	■	■	■	■	■	■■■		fabfe664dbda7b88b146813dec553438d55d2f674e175159eb8cf19
■	■	■	■	■■■			b		
■	■	■	■	■	■■■		0		
■	■	■	■	■	■	■■■	7		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■	■■■		fb07dab4ca5757b80c833561e2e31c6508a0cbaee238079478be14f
■	■	■	■	■	■	■	■■■		fb07dab4ca5757b80c833561e2e31c6508a0cbaee238079478be14f
■	■	■	■	■	■■■		1		
■	■	■	■	■	■	■■■	b		
■	■	■	■	■	■	■■■	5		
■	■	■	■	■	■	■	■■■		fb1b562b9b7e2f43f3e3c3d0e3134fdff6af8928d8d76f2aac40887
■	■	■	■	■	■	■	■■■		fb1b562b9b7e2f43f3e3c3d0e3134fdff6af8928d8d76f2aac40887
■	■	■	■	■	■■■		4		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	8		
■	■	■	■	■	■	■	■■■		fb4d8ea1ad81b03981aa95f87d11527185f4b569298fe5fdd6acdb5
■	■	■	■	■	■	■	■■■		fb4d8ea1ad81b03981aa95f87d11527185f4b569298fe5fdd6acdb5
■	■	■	■	■	■■■		7		
■	■	■	■	■	■	■■■	2		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■	■■■		fb72c7b08277f1e40fcfcfaf977eecd5d5949cfbcce4c1932dcbb13e
■	■	■	■	■	■	■	■■■		fb72c7b08277f1e40fcfcfaf977eecd5d5949cfbcce4c1932dcbb13e
■	■	■	■	■	■■■		e		
■	■	■	■	■	■	■■■	3		
■	■	■	■	■	■	■■■	a		
■	■	■	■	■	■	■	■■■		fbe3a5eb3735a745707ab3bf39e17d76ea29c7cd1eaa7763f11e176
■	■	■	■	■	■	■	■■■		fbe3a5eb3735a745707ab3bf39e17d76ea29c7cd1eaa7763f11e176
■	■	■	■	■■■			c		
■	■	■	■	■	■■■		6		
■	■	■	■	■	■	■■■	d		
■	■	■	■	■	■	■■■	e		
■	■	■	■	■	■	■	■■■		fc6de7db5ee5dc73874f68245b0d2a634ab79af63e0e76379a8f0e1
■	■	■	■	■	■	■	■■■		fc6de7db5ee5dc73874f68245b0d2a634ab79af63e0e76379a8f0e1
■	■	■	■	■	■■■		8		
■	■	■	■	■	■	■■■	c		
■	■	■	■	■	■	■■■	1		
■	■	■	■	■	■	■	■■■		fc8c18f133f9315fa45e8c28dd272d88d23439a86e91510d99d91bc
■	■	■	■	■	■	■	■■■		fc8c18f133f9315fa45e8c28dd272d88d23439a86e91510d99d91bc
■	■	■	■	■	■■■		9		

0
fc9405ace71863cb24d888394f4c75a8ff373f22acf2b2e6edc2358
fc9405ace71863cb24d888394f4c75a8ff373f22acf2b2e6edc2358
a
c
4
fcac4e208403845873bf0ae6c19c15684e837cb4a36c54e1d981202
fcac4e208403845873bf0ae6c19c15684e837cb4a36c54e1d981202
d
6
7
9
fd679aa783225a8e98e1909428d2c405e7a6ed3bd0a3ee7f309044a
fd679aa783225a8e98e1909428d2c405e7a6ed3bd0a3ee7f309044a
b
9
b
fdb9b54ceb5aab895a9eb4085dd07f3b2fa15ac0eb9e12405ab4c54
fdb9b54ceb5aab895a9eb4085dd07f3b2fa15ac0eb9e12405ab4c54
c
4
2
fdc4280c998c3e3465da9a6c73e73126e1dd28159cf27c4e9d0ea2b
fdc4280c998c3e3465da9a6c73e73126e1dd28159cf27c4e9d0ea2b
f
9
0
fdf905fcc9e564bb64774f34c35a6363b5b096f50e06cdddc9ef5b
fdf905fcc9e564bb64774f34c35a6363b5b096f50e06cdddc9ef5b
e
9
7
a
fe97ab7b47295d7a73197dfff211a49ff2e2432753296487d2b8a3e
fe97ab7b47295d7a73197dfff211a49ff2e2432753296487d2b8a3e
c
d
2
fec25e682d47e84cb6c962654308a773ded84abadcee5ff8e0703e
fec25e682d47e84cb6c962654308a773ded84abadcee5ff8e0703e
f
9
fecf9ae8301921d77ac4620e2a5c224956a4ca2093f2b7e37fa89ba
fecf9ae8301921d77ac4620e2a5c224956a4ca2093f2b7e37fa89ba
f
5
2
1
ff52193ef9fa0b0ad8ce4be5cd7c2c183c10e4ff5310c8faa78507f
ff52193ef9fa0b0ad8ce4be5cd7c2c183c10e4ff5310c8faa78507f
7
0
ff57044fbdd8366a0aafc1423058140ac7d29cfda72f3b6a8255792
ff57044fbdd8366a0aafc1423058140ac7d29cfda72f3b6a8255792
7
c
d

```
ff7cd8c6249d79dd9876c91e33096fd644902ebeea4ca593ff78c19  
 e  
 b  
 ff7eb83f26be22ed468e4b33bcece267fd7387aba0b8986470a1690  
 ff7eb83f26be22ed468e4b33bcece267fd7387aba0b8986470a1690  
 9  
 4  
 1  
 ff9416b33ebf7e8313a608084c5f0817692d471e11d30447b9b7048  
 ff9416b33ebf7e8313a608084c5f0817692d471e11d30447b9b7048  
 selfcheck  
 fe300af6f7d708c14827daac3afc81fbb8306b73de8dd6e3f1f8ea3b  
 wheels  
 03  
 d5  
 1c  
 4b526a5ebf20295ae9d89c4d55f6c0d3f3d490c0a518ab4581  
 origin.json  
 snowflake_connector_python-2.7.12-py3-none-any.whl  
 0f  
 0e  
 7a  
 3094a4ceefe657bff7e12dd9592a9d5b6487ef4338ace0afa6  
 docx2txt-0.8-py3-none-any.whl  
 origin.json  
 11  
 5a  
 ad  
 ebef6395e95b1dfd742afb44db6d92bd5e8921a572b9ffa8618  
 etuples-0.3.9-py3-none-any.whl  
 origin.json  
 cb  
 ce  
 fde887a99f107a6055724dfa532f0bcd45031f636d9666731d  
 origin.json  
 pypandoc-1.6.3-py3-none-any.whl  
 15  
 08  
 5e  
 6ac1d06282a81a669d2838a217241e51bca4764e94e58971f5  
 origin.json  
 pycountry-20.7.3-py2.py3-none-any.whl  
 31  
 06  
 bd  
 d713c97979c62c4439b29393ac3bfc3dbaa64798a286b78502  
 exchange_calendars-3.4-py3-none-any.whl  
 origin.json  
 43  
 7b  
 57  
 f273dbfba4aafa48ea5cad08d20dc12b5a990b5ea8ebb44357  
 ace_tools-0.0.1-py3-none-any.whl  
 origin.json  
 4e  
 1e  
 4a
```

■	■	■	■	■	■	■■■	e2aa70c83251d869975a1b352db1d9a2c3b0e6c73ab8c2dd5d
■	■	■	■	■	■	■■■	origin.json
■	■	■	■	■	■	■■■	svglib-1.1.0-py3-none-any.whl
■	■	■	■■■	5d			
■	■	■	■	■■■	91		
■	■	■	■	■	■■■	81	
■	■	■	■	■	■	■■■	27ae6721acf3ddf1f8d6ccc2f06f527d520e7f9f65d7ed2fdf
■	■	■	■	■	■	■■■	aesara-2.7.3-py3-none-any.whl
■	■	■	■	■	■	■■■	origin.json
■	■	■	■	■■■	c8		
■	■	■	■	■	■■■	f5	
■	■	■	■	■	■	■■■	31a7345d2602ed1b2922963991c71c0fc7df37e25a6c9ba4e4
■	■	■	■	■	■	■■■	matplotlib_venn-0.11.6-py3-none-any.whl
■	■	■	■	■	■	■■■	origin.json
■	■	■	■■■	61			
■	■	■	■	■■■	05		
■	■	■	■	■	■■■	62	
■	■	■	■	■	■	■■■	44b0bf18a0f8f9a0d65337b11237ecf12926d0d6e3807500bb
■	■	■	■	■	■	■■■	dlib-19.24.2-cp311-cp311-linux_x86_64.whl
■	■	■	■	■	■	■■■	origin.json
■	■	■	■■■	65			
■	■	■	■	■■■	4f		
■	■	■	■	■	■■■	66	
■	■	■	■	■	■	■■■	bbda9866da446a72e206d6484cd97381cbc7859a7068541c36
■	■	■	■	■	■	■■■	fpdf-1.7.2-py2.py3-none-any.whl
■	■	■	■	■	■	■■■	origin.json
■	■	■	■■■	83			
■	■	■	■	■■■	b1		
■	■	■	■	■	■■■	d9	
■	■	■	■	■	■	■■■	119ef7c144b44d591ec0a9a140465133c23ea95d2a161184ba
■	■	■	■	■	■	■■■	moviepy-1.0.3-py3-none-any.whl
■	■	■	■	■	■	■■■	origin.json
■	■	■	■■■	8b			
■	■	■	■	■■■	5d		
■	■	■	■	■	■■■	d1	
■	■	■	■	■	■	■■■	417f9801f79a3cdf55660536e7e34a1e62ac83a6a2be626f42
■	■	■	■	■	■	■■■	origin.json
■	■	■	■	■	■	■■■	qrcode-7.3-py3-none-any.whl
■	■	■	■	■■■	81		
■	■	■	■	■	■■■	fd	
■	■	■	■	■	■	■■■	7edbf09827c7a7e2666e870b4c5c6b46c7ebd5defa399698bd
■	■	■	■	■	■	■■■	origin.json
■	■	■	■	■	■	■■■	pronouncing-0.2.0-py2.py3-none-any.whl
■	■	■	■■■	8d			
■	■	■	■	■■■	86		
■	■	■	■	■	■■■	58	
■	■	■	■	■	■	■■■	7da4a186a7bb721885e4fb811a54b5a0065b0c624a5deb1259
■	■	■	■	■	■	■■■	miniKanren-1.0.3-py3-none-any.whl
■	■	■	■	■	■	■■■	origin.json
■	■	■	■■■	93			
■	■	■	■	■■■	b3		
■	■	■	■	■	■■■	25	
■	■	■	■	■	■	■■■	4666fcf1b727038e85449f945927372776a07c3a12dc03f4bd
■	■	■	■	■	■	■■■	jax-0.2.28-py3-none-any.whl
■	■	■	■	■	■	■■■	origin.json
■	■	■	■■■	95			
■	■	■	■	■■■	8f		
■	■	■	■	■	■■■	45	

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fe0a5b5e232401da571d514eb545833fbe220993ac8336c94e
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cons-0.4.6-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 96
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 6c
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 0a
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ef3325d86b9a8f81580dd332d9ff195e71065f10e3008927a8
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ websockets-10.3-cp311-cp311-linux_x86_64.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ a2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 4c
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ f2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cd72d89ce3bf2e3bf1cabe73c71fceb7d68edf524f111d41d5
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ aeppl-0.0.31-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ a3
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 53
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c3
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c143c7ad142199d3e063ab53e691054de7075c808146433bdb
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ shap-0.39.0-cp311-cp311-linux_x86_64.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ac
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 47
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ce
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ e541f086abb2a2c394e38c8642ec85cb95ecf5af070c232f46
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Flask_CacheBuster-1.0.0-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ b2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 11
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ b8
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 209e41af524253c9ba6c2a8b8ecec0f98ecbc28c732512803c
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ python_docx-0.8.11-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ b8
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 34
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ a9
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c11a21ef1f1b6d2e5ae518dd5d28c0bd2b131c5d6e5d4417c3
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ logical_unification-0.4.6-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cb
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c6
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 48
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 7e03d742a16fc4995e4b841cba776c2006fdf0fd6057be5681
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Shapely-1.7.1-py2.py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ d6
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1d
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c8
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 8c29be1d73ca42d15977c75193d9f39a98499413c2838ac54c
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ odfpy-1.4.1-py2.py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ db
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bb
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 71
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ f5d253c5eb10c8820dfd0590cd228e312b0768adc537466b45
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ origin.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tabula-1.0.5-py3-none-any.whl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dd
```

```

■ ■ ■ ■ ■■■ b0
■ ■ ■ ■ ■■■ e9
■ ■ ■ ■ ■■■ f04e7ba0cc6daa058d9c5f4f389ada8a1cf9a6bb8b6f72ca8f
■ ■ ■ ■ ■■■ origin.json
■ ■ ■ ■ ■■■ pygraphviz-1.7-cp311-cp311-linux_x86_64.whl
■ ■ ■ ■■■■ df
■ ■ ■ ■■■■ 03
■ ■ ■ ■■■■ 19
■ ■ ■ ■■■■ 73d6ab496ab16b80e7ef09cf72ddd651100566f012ef712b41
■ ■ ■ ■■■■ origin.json
■ ■ ■ ■■■■ pytesseract-0.3.8-py2.py3-none-any.whl
■ ■ ■ ■■■■ ee
■ ■ ■ ■■■■ 4e
■ ■ ■ ■■■■ 19
■ ■ ■ ■■■■ b0935ea8d432182833c86e4a36f8026d8e212f8f7c5939cbca
■ ■ ■ ■■■■ origin.json
■ ■ ■ ■■■■ thrift-0.21.0-cp311-cp311-linux_x86_64.whl
■ ■ ■ ■■■■ f4
■ ■ ■ ■■■■ c7
■ ■ ■ ■■■■ af
■ ■ ■ ■■■■ d1d91f3decfaa7621033f30b69a29bf0b1206005663d233e7a
■ ■ ■ ■■■■ origin.json
■ ■ ■ ■■■■ python_pptx-0.6.21-py3-none-any.whl
■■■■ .config
■ ■■■■ matplotlib
■ ■ ■■■■ matplotlibrc
■■■■ .ipython
■ ■■■■ profile_default
■ ■ ■■■■ history.sqlite
■ ■ ■■■■ log
■ ■ ■■■■ pid
■ ■ ■■■■ security
■ ■ ■■■■ startup
■ ■ ■■■■ README
■■■■ .local
■ ■■■■ LICENSE
■ ■■■■ bin
■ ■ ■■■■ __pycache__
■ ■ ■ ■■■■ dumphdf.cpython-311.pyc
■ ■ ■ ■■■■ pdf2txt.cpython-311.pyc
■ ■ ■ ■■■■ read_zbar.cpython-311.pyc
■ ■ ■ ■■■■ vba_extract.cpython-311.pyc
■ ■ ■■■■ aesara-cache
■ ■ ■■■■ bokeh
■ ■ ■■■■ cairosvg
■ ■ ■■■■ camelot
■ ■ ■■■■ ccmake
■ ■ ■■■■ chardetect
■ ■ ■■■■ cmake
■ ■ ■■■■ convert-caffe2-to-onnx
■ ■ ■■■■ convert-onnx-to-caffe2
■ ■ ■■■■ cpack
■ ■ ■■■■ cpuinfo
■ ■ ■■■■ csv2ods
■ ■ ■■■■ csv2rdf
■ ■ ■■■■ ctest
■ ■ ■■■■ cygdb
■ ■ ■■■■ cython

```


■	■	■■■	cythonize
■	■	■■■	debugpy
■	■	■■■	docx2txt
■	■	■■■	dotenv
■	■	■■■	dumppdf.py
■	■	■■■	ecal
■	■	■■■	email_validator
■	■	■■■	f2py
■	■	■■■	f2py3
■	■	■■■	f2py3.11
■	■	■■■	faker
■	■	■■■	fastapi
■	■	■■■	fio
■	■	■■■	flask
■	■	■■■	fonttools
■	■	■■■	futurize
■	■	■■■	gtts-cli
■	■	■■■	httpx
■	■	■■■	hypercorn
■	■	■■■	imageio_download_bin
■	■	■■■	imageio_remove_bin
■	■	■■■	ipython
■	■	■■■	ipython3
■	■	■■■	isympy
■	■	■■■	jlpm
■	■	■■■	jsonschema
■	■	■■■	jupyter
■	■	■■■	jupyter-bundlerextension
■	■	■■■	jupyter-dejavu
■	■	■■■	jupyter-execute
■	■	■■■	jupyter-kernel
■	■	■■■	jupyter-kernelspec
■	■	■■■	jupyter-lab
■	■	■■■	jupyter-labextension
■	■	■■■	jupyter-labhub
■	■	■■■	jupyter-migrate
■	■	■■■	jupyter-nbclassic
■	■	■■■	jupyter-nbclassic-bundlerextension
■	■	■■■	jupyter-nbclassic-extension
■	■	■■■	jupyter-nbclassic-serverextension
■	■	■■■	jupyter-nbconvert
■	■	■■■	jupyter-nbextension
■	■	■■■	jupyter-notebook
■	■	■■■	jupyter-run
■	■	■■■	jupyter-server
■	■	■■■	jupyter-serverextension
■	■	■■■	jupyter-troubleshoot
■	■	■■■	jupyter-trust
■	■	■■■	lit
■	■	■■■	lsm2bin
■	■	■■■	mailodf
■	■	■■■	markdown-it
■	■	■■■	markdown2
■	■	■■■	mid3cp
■	■	■■■	mid3iconv
■	■	■■■	mid3v2
■	■	■■■	mne
■	■	■■■	moggsplit

■	■	■■■	mutagen-inspect
■	■	■■■	mutagen-pony
■	■	■■■	nltk
■	■	■■■	normalizer
■	■	■■■	numba
■	■	■■■	odf2mht
■	■	■■■	odf2xhtml
■	■	■■■	odf2xml
■	■	■■■	odfimgimport
■	■	■■■	odflint
■	■	■■■	odfmeta
■	■	■■■	odfoutline
■	■	■■■	odfuserfield
■	■	■■■	pasteurize
■	■	■■■	pdf2txt.py
■	■	■■■	pdfplumber
■	■	■■■	pt2to3
■	■	■■■	ptdump
■	■	■■■	ptrepack
■	■	■■■	pttree
■	■	■■■	py.test
■	■	■■■	pybabel
■	■	■■■	pyftmerge
■	■	■■■	pyftsubset
■	■	■■■	pygmentize
■	■	■■■	pyjson5
■	■	■■■	pyproj
■	■	■■■	pytesseract
■	■	■■■	pytest
■	■	■■■	qr
■	■	■■■	rdf2dot
■	■	■■■	rdfgraphisomorphism
■	■	■■■	rdfpipe
■	■	■■■	rdfs2dot
■	■	■■■	read_zbar
■	■	■■■	read_zbar.py
■	■	■■■	rio
■	■	■■■	send2trash
■	■	■■■	snowflake-dump-certs
■	■	■■■	snowflake-dump-ocsp-response
■	■	■■■	snowflake-dump-ocsp-response-cache
■	■	■■■	snowflake-export-certs
■	■	■■■	spacy
■	■	■■■	svg2pdf
■	■	■■■	tabulate
■	■	■■■	tiff2fsspec
■	■	■■■	tiffcomment
■	■	■■■	tiffiffile
■	■	■■■	torchrun
■	■	■■■	tqdm
■	■	■■■	ttx
■	■	■■■	typer
■	■	■■■	uvicorn
■	■	■■■	vba_extract.py
■	■	■■■	watchfiles
■	■	■■■	weasel
■	■	■■■	weasyprint
■	■	■■■	wordcloud_cli

```
■ ■ ■■■ wsdump
■ ■ ■■■ xml2odf
■ ■■■ data
■ ■ ■■■ afghanistan.json
■ ■ ■■■ albania.json
■ ■ ■■■ algeria.json
■ ■ ■■■ american_samoa.json
■ ■ ■■■ angola.json
■ ■ ■■■ anguilla.json
■ ■ ■■■ antarctica.json
■ ■ ■■■ antigua_and_barbuda.json
■ ■ ■■■ argentina.json
■ ■ ■■■ armenia.json
■ ■ ■■■ aruba.json
■ ■ ■■■ ashmore_and_cartier_island.json
■ ■ ■■■ australia.json
■ ■ ■■■ austria.json
■ ■ ■■■ azerbaijan.json
■ ■ ■■■ bahamas.json
■ ■ ■■■ bahrain.json
■ ■ ■■■ bangladesh.json
■ ■ ■■■ barbados.json
■ ■ ■■■ belarus.json
■ ■ ■■■ belgium.json
■ ■ ■■■ belize.json
■ ■ ■■■ benin.json
■ ■ ■■■ bermuda.json
■ ■ ■■■ bhutan.json
■ ■ ■■■ bolivia.json
■ ■ ■■■ bosnia_and_herzegovina.json
■ ■ ■■■ botswana.json
■ ■ ■■■ brazil.json
■ ■ ■■■ british_virgin_islands.json
■ ■ ■■■ brunei.json
■ ■ ■■■ bulgaria.json
■ ■ ■■■ burkina_faso.json
■ ■ ■■■ burma.json
■ ■ ■■■ burundi.json
■ ■ ■■■ cambodia.json
■ ■ ■■■ cameroon.json
■ ■ ■■■ canada.json
■ ■ ■■■ cape_verde.json
■ ■ ■■■ cayman_islands.json
■ ■ ■■■ central_african_republic.json
■ ■ ■■■ chad.json
■ ■ ■■■ chile.json
■ ■ ■■■ china.json
■ ■ ■■■ christmas_island.json
■ ■ ■■■ clipperton_island.json
■ ■ ■■■ cocos_keeling_islands.json
■ ■ ■■■ colombia.json
■ ■ ■■■ comoros.json
■ ■ ■■■ congo_democratic_republic_of_the.json
■ ■ ■■■ congo_republic_of_the.json
■ ■ ■■■ cook_islands.json
■ ■ ■■■ costa_rica.json
■ ■ ■■■ cote_d_ivoire.json
■ ■ ■■■ croatia.json
```

■	■	■■■	cuba.json
■	■	■■■	cyprus.json
■	■	■■■	czeck_republic.json
■	■	■■■	denmark.json
■	■	■■■	djibouti.json
■	■	■■■	dominica.json
■	■	■■■	dominican_republic.json
■	■	■■■	ecuador.json
■	■	■■■	egypt.json
■	■	■■■	el_salvador.json
■	■	■■■	equatorial_guinea.json
■	■	■■■	eritrea.json
■	■	■■■	estonia.json
■	■	■■■	ethiopia.json
■	■	■■■	europa_island.json
■	■	■■■	falkland_islands_islas_malvinas.json
■	■	■■■	faroe_islands.json
■	■	■■■	fiji.json
■	■	■■■	finland.json
■	■	■■■	france.json
■	■	■■■	french_guiana.json
■	■	■■■	french_polynesia.json
■	■	■■■	french_southern_and_antarctic_lands.json
■	■	■■■	gabon.json
■	■	■■■	gambia_the.json
■	■	■■■	gaza_strip.json
■	■	■■■	georgia.json
■	■	■■■	germany.json
■	■	■■■	ghana.json
■	■	■■■	gibraltar.json
■	■	■■■	glorioso_islands.json
■	■	■■■	greece.json
■	■	■■■	greenland.json
■	■	■■■	grenada.json
■	■	■■■	guadeloupe.json
■	■	■■■	guam.json
■	■	■■■	guatemala.json
■	■	■■■	guernsey.json
■	■	■■■	guinea.json
■	■	■■■	guinea_bissau.json
■	■	■■■	guyana.json
■	■	■■■	haiti.json
■	■	■■■	heard_island_and_mc_donald_islands.json
■	■	■■■	holy_see_vatican_city.json
■	■	■■■	honduras.json
■	■	■■■	hong_kong.json
■	■	■■■	howland_island.json
■	■	■■■	hungary.json
■	■	■■■	iceland.json
■	■	■■■	india.json
■	■	■■■	indonesia.json
■	■	■■■	iran.json
■	■	■■■	iraq.json
■	■	■■■	ireland.json
■	■	■■■	ireland_northern.json
■	■	■■■	israel.json
■	■	■■■	italy.json
■	■	■■■	jamaica.json

■	■	■■■	jan_mayen.json
■	■	■■■	japan.json
■	■	■■■	jarvis_island.json
■	■	■■■	jersey.json
■	■	■■■	johnston_atoll.json
■	■	■■■	jordan.json
■	■	■■■	juan_de_nova_island.json
■	■	■■■	kazakhstan.json
■	■	■■■	kenya.json
■	■	■■■	kiribati.json
■	■	■■■	korea_north.json
■	■	■■■	korea_south.json
■	■	■■■	kuwait.json
■	■	■■■	kyrgyzstan.json
■	■	■■■	laos.json
■	■	■■■	latvia.json
■	■	■■■	lebanon.json
■	■	■■■	lesotho.json
■	■	■■■	liberia.json
■	■	■■■	libya.json
■	■	■■■	liechtenstein.json
■	■	■■■	lithuania.json
■	■	■■■	luxembourg.json
■	■	■■■	macau.json
■	■	■■■	macedonia_former_yugoslav_republic_of.json
■	■	■■■	madagascar.json
■	■	■■■	malawi.json
■	■	■■■	malaysia.json
■	■	■■■	maldives.json
■	■	■■■	mali.json
■	■	■■■	malta.json
■	■	■■■	man_isle_of.json
■	■	■■■	marshall_islands.json
■	■	■■■	martinique.json
■	■	■■■	mauritania.json
■	■	■■■	mauritius.json
■	■	■■■	mayotte.json
■	■	■■■	mexico.json
■	■	■■■	micronesia_federated_states_of.json
■	■	■■■	midway_islands.json
■	■	■■■	moldova.json
■	■	■■■	monaco.json
■	■	■■■	mongolia.json
■	■	■■■	montserrat.json
■	■	■■■	morocco.json
■	■	■■■	mozambique.json
■	■	■■■	namibia.json
■	■	■■■	nauru.json
■	■	■■■	nepal.json
■	■	■■■	netherlands.json
■	■	■■■	netherlands_antilles.json
■	■	■■■	new_caledonia.json
■	■	■■■	new_zealand.json
■	■	■■■	nicaragua.json
■	■	■■■	niger.json
■	■	■■■	nigeria.json
■	■	■■■	niue.json
■	■	■■■	norfolk_island.json

■	■	■■■	northern_mariana_islands.json
■	■	■■■	norway.json
■	■	■■■	oman.json
■	■	■■■	pakistan.json
■	■	■■■	palau.json
■	■	■■■	panama.json
■	■	■■■	papua_new_guinea.json
■	■	■■■	paraguay.json
■	■	■■■	peru.json
■	■	■■■	philippines.json
■	■	■■■	pitcaim_islands.json
■	■	■■■	poland.json
■	■	■■■	portugal.json
■	■	■■■	puerto_rico.json
■	■	■■■	qatar.json
■	■	■■■	reunion.json
■	■	■■■	romania.json
■	■	■■■	russia.json
■	■	■■■	rwanda.json
■	■	■■■	saint_helena.json
■	■	■■■	saint_kitts_and_nevis.json
■	■	■■■	saint_lucia.json
■	■	■■■	saint_pierre_and_miquelon.json
■	■	■■■	saint_vincent_and_the_grenadines.json
■	■	■■■	samoa.json
■	■	■■■	san_marino.json
■	■	■■■	sao_tome_and_principe.json
■	■	■■■	saudi_arabia.json
■	■	■■■	scotland.json
■	■	■■■	senegal.json
■	■	■■■	serbia.json
■	■	■■■	seychelles.json
■	■	■■■	sierra_leone.json
■	■	■■■	singapore.json
■	■	■■■	slovakia.json
■	■	■■■	slovenia.json
■	■	■■■	solomon_islands.json
■	■	■■■	somalia.json
■	■	■■■	south_africa.json
■	■	■■■	south_georgia_and_south_sandwich_islands.json
■	■	■■■	south_sudan.json
■	■	■■■	spain.json
■	■	■■■	sri_lanka.json
■	■	■■■	sudan.json
■	■	■■■	suriname.json
■	■	■■■	svalbard.json
■	■	■■■	swaziland.json
■	■	■■■	sweden.json
■	■	■■■	switzerland.json
■	■	■■■	syria.json
■	■	■■■	taiwan.json
■	■	■■■	tajikistan.json
■	■	■■■	tanzania.json
■	■	■■■	thailand.json
■	■	■■■	tobago.json
■	■	■■■	toga.json
■	■	■■■	tokelau.json
■	■	■■■	tonga.json

- ■ ■■■ trinidad.json
- ■ ■■■ tunisia.json
- ■ ■■■ turkey.json
- ■ ■■■ turkmenistan.json
- ■ ■■■ tuvalu.json
- ■ ■■■ uganda.json
- ■ ■■■ ukraine.json
- ■ ■■■ united_arab_emirates.json
- ■ ■■■ united_kingdom.json
- ■ ■■■ united_states_of_america.json
- ■ ■■■ uruguay.json
- ■ ■■■ uzbekistan.json
- ■ ■■■ vanuatu.json
- ■ ■■■ venezuela.json
- ■ ■■■ vietnam.json
- ■ ■■■ virgin_islands.json
- ■ ■■■ wales.json
- ■ ■■■ wallis_and_futuna.json
- ■ ■■■ west_bank.json
- ■ ■■■ western_sahara.json
- ■ ■■■ yemen.json
- ■ ■■■ zambia.json
- ■ ■■■ zimbabwe.json
- ■■■ etc
- ■ ■■■ jupyter
 - ■ ■ ■■■ jupyter_notebook_config.d
 - ■ ■ ■ ■■■ jupyterlab.json
 - ■ ■ ■■■ jupyter_server_config.d
 - ■ ■ ■ ■■■ jupyterlab.json
 - ■ ■ ■ ■■■ nbclassic.json
 - ■ ■ ■ ■■■ notebook_shim.json
 - ■ ■ ■■■ nbconfig
 - ■ ■ ■ ■■■ notebook.d
 - ■ ■ ■ ■■■ jupyterlab-plotly.json
- ■■■ include
 - ■ ■■■ blosc2
 - ■ ■ ■■■ blosc2-common.h
 - ■ ■ ■■■ blosc2-export.h
 - ■ ■ ■■■ blosc2-stdio.h
 - ■ ■ ■■■ codecs-registry.h
 - ■ ■ ■■■ filters-registry.h
 - ■ ■■■ blosc2.h
- ■■■ lib
 - ■ ■■■ python3.11
 - ■ ■ ■■■ site-packages
 - ■ ■ ■ ■■■ 5bae8a57b5ef85818b48__mypyc.cpython-311-x86_64-linux-gnu.so
 - ■ ■ ■ ■■■ Brotli-1.1.0.dist-info
 - ■ ■ ■ ■■■ INSTALLER
 - ■ ■ ■ ■■■ LICENSE
 - ■ ■ ■ ■■■ METADATA
 - ■ ■ ■ ■■■ RECORD
 - ■ ■ ■ ■■■ WHEEL
 - ■ ■ ■ ■■■ top_level.txt
 - ■ ■ ■ ■■■ CairoSVG-2.5.2.dist-info
 - ■ ■ ■ ■■■ INSTALLER
 - ■ ■ ■ ■■■ LICENSE
 - ■ ■ ■ ■■■ METADATA
 - ■ ■ ■ ■■■ RECORD

```
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ Crypto
■ ■ ■ ■ ■ ■ ■ ■ Cipher
■ ■ ■ ■ ■ ■ ■ ■ AES.py
■ ■ ■ ■ ■ ■ ■ ■ AES.pyi
■ ■ ■ ■ ■ ■ ■ ■ ARC2.py
■ ■ ■ ■ ■ ■ ■ ■ ARC2.pyi
■ ■ ■ ■ ■ ■ ■ ■ ARC4.py
■ ■ ■ ■ ■ ■ ■ ■ ARC4.pyi
■ ■ ■ ■ ■ ■ ■ ■ Blowfish.py
■ ■ ■ ■ ■ ■ ■ ■ Blowfish.pyi
■ ■ ■ ■ ■ ■ ■ ■ CAST.py
■ ■ ■ ■ ■ ■ ■ ■ CAST.pyi
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20.py
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20.pyi
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20_Poly1305.py
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20_Poly1305.pyi
■ ■ ■ ■ ■ ■ ■ ■ DES.py
■ ■ ■ ■ ■ ■ ■ ■ DES.pyi
■ ■ ■ ■ ■ ■ ■ ■ DES3.py
■ ■ ■ ■ ■ ■ ■ ■ DES3.pyi
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_OAEP.py
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_OAEP.pyi
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_v1_5.py
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_v1_5.pyi
■ ■ ■ ■ ■ ■ ■ ■ Salsa20.py
■ ■ ■ ■ ■ ■ ■ ■ Salsa20.pyi
■ ■ ■ ■ ■ ■ ■ ■ _ARC4.abi3.so
■ ■ ■ ■ ■ ■ ■ ■ _EKSBlowfish.py
■ ■ ■ ■ ■ ■ ■ ■ _EKSBlowfish.pyi
■ ■ ■ ■ ■ ■ ■ ■ _Salsa20.abi3.so
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ AES.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ARC2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ARC4.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ Blowfish.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ CAST.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ChaCha20_Poly1305.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ DES.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ DES3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_OAEP.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ PKCS1_v1_5.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ Salsa20.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _EKSBlowfish.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_cbc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_ccm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_cfb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_ctr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_eax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_ecb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mode_gcm.cpython-311.pyc
```



```

■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ocb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ofb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_openpgp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_siv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _pkcs1_oaep_decode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _chacha20.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_cbc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_cbc.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ccm.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ccm.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_cfb.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_cfb.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ctr.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ctr.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_eax.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_eax.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ecb.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ecb.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_gcm.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_gcm.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ocb.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ocb.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ofb.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_ofb.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_openpgp.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_openpgp.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_siv.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode_siv.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _pkcs1_decode.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _pkcs1_oaep_decode.py
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_aes.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_aesni.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_arc2.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_blowfish.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_cast.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_cbc.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_cfb.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_ctr.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_des.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_des3.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_ecb.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_eksblowfish.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_ocb.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _raw_ofb.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ Hash
■ ■ ■ ■ ■ ■ ■ ■■■ BLAKE2b.py
■ ■ ■ ■ ■ ■ ■ ■■■ BLAKE2b.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ BLAKE2s.py
■ ■ ■ ■ ■ ■ ■ ■■■ BLAKE2s.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ CMAC.py
■ ■ ■ ■ ■ ■ ■ ■■■ CMAC.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ HMAC.py
■ ■ ■ ■ ■ ■ ■ ■■■ HMAC.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ KMAC128.py
■ ■ ■ ■ ■ ■ ■ ■■■ KMAC128.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ KMAC256.py
■ ■ ■ ■ ■ ■ ■ ■■■ KMAC256.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ KangarooTwelve.py

```



```

__pycache__
BLAKE2b.cpython-311.pyc
BLAKE2s.cpython-311.pyc
CMAC.cpython-311.pyc
HMAC.cpython-311.pyc
KMAC128.cpython-311.pyc
KMAC256.cpython-311.pyc
KangarooTwelve.cpython-311.pyc
MD2.cpython-311.pyc
MD4.cpython-311.pyc
MD5.cpython-311.pyc
Poly1305.cpython-311.pyc
RIPEMD.cpython-311.pyc
RIPEMD160.cpython-311.pyc
SHA.cpython-311.pyc
SHA1.cpython-311.pyc
SHA224.cpython-311.pyc
SHA256.cpython-311.pyc
SHA384.cpython-311.pyc
SHA3_224.cpython-311.pyc
SHA3_256.cpython-311.pyc
SHA3_384.cpython-311.pyc
SHA3_512.cpython-311.pyc
SHA512.cpython-311.pyc
SHAKE128.cpython-311.pyc
SHAKE256.cpython-311.pyc
TupleHash128.cpython-311.pyc
TupleHash256.cpython-311.pyc
TurboSHAKE128.cpython-311.pyc
TurboSHAKE256.cpython-311.pyc
__init__.cpython-311.pyc
cSHAKE128.cpython-311.pyc
cSHAKE256.cpython-311.pyc
keccak.cpython-311.pyc
_ghash_clmul.abi3.so
_ghash_portable.abi3.so
_keccak.abi3.so
_poly1305.abi3.so
cSHAKE128.py
cSHAKE128.pyi
cSHAKE256.py
cSHAKE256.pyi
keccak.py
keccak.pyi
IO
PEM.py
PEM.pyi
PKCS8.py
PKCS8.pyi
_PBES.py
_PBES.pyi
__init__.py
__pycache__
PEM.cpython-311.pyc
PKCS8.cpython-311.pyc
_PBES.cpython-311.pyc
__init__.cpython-311.pyc
Math

```

■	■	■	■	■	■	■■■ Numbers.py
■	■	■	■	■	■	■■■ Numbers.pyi
■	■	■	■	■	■	■■■ Primality.py
■	■	■	■	■	■	■■■ Primality.pyi
■	■	■	■	■	■	■■■ _IntegerBase.py
■	■	■	■	■	■	■■■ _IntegerBase.pyi
■	■	■	■	■	■	■■■ _IntegerCustom.py
■	■	■	■	■	■	■■■ _IntegerCustom.pyi
■	■	■	■	■	■	■■■ _IntegerGMP.py
■	■	■	■	■	■	■■■ _IntegerGMP.pyi
■	■	■	■	■	■	■■■ _IntegerNative.py
■	■	■	■	■	■	■■■ _IntegerNative.pyi
■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■ ■■■ Numbers.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ Primality.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _IntegerBase.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _IntegerCustom.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _IntegerGMP.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _IntegerNative.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■ _modexp.abi3.so
■	■	■	■	■	■■■	Protocol
■	■	■	■	■	■	■■■ DH.py
■	■	■	■	■	■	■■■ DH.pyi
■	■	■	■	■	■	■■■ KDF.py
■	■	■	■	■	■	■■■ KDF.pyi
■	■	■	■	■	■	■■■ SecretSharing.py
■	■	■	■	■	■	■■■ SecretSharing.pyi
■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■■■ __init__.pyi
■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■ ■■■ DH.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ KDF.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ SecretSharing.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■ _script.abi3.so
■	■	■	■	■	■■■	PublicKey
■	■	■	■	■	■	■■■ DSA.py
■	■	■	■	■	■	■■■ DSA.pyi
■	■	■	■	■	■	■■■ ECC.py
■	■	■	■	■	■	■■■ ECC.pyi
■	■	■	■	■	■	■■■ ElGamal.py
■	■	■	■	■	■	■■■ ElGamal.pyi
■	■	■	■	■	■	■■■ RSA.py
■	■	■	■	■	■	■■■ RSA.pyi
■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■■■ __init__.pyi
■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■ ■■■ DSA.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ ECC.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ ElGamal.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ RSA.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _curve.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _edwards.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _montgomery.cpython-311.pyc
■	■	■	■	■	■	■ ■■■ _nist_ecc.cpython-311.pyc

```
■ ■ ■ ■ ■ ■ ■ ■■■ _openssh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _point.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _curve.py
■ ■ ■ ■ ■ ■ ■ ■■■ _curve25519.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _curve448.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _ec_ws.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _ed25519.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _ed448.abi3.so
■ ■ ■ ■ ■ ■ ■ ■■■ _edwards.py
■ ■ ■ ■ ■ ■ ■ ■■■ _montgomery.py
■ ■ ■ ■ ■ ■ ■ ■■■ _nist_ecc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _openssh.py
■ ■ ■ ■ ■ ■ ■ ■■■ _openssh.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _point.py
■ ■ ■ ■ ■ ■ ■ ■■■ _point.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ Random
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ random.py
■ ■ ■ ■ ■ ■ ■ ■■■ random.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ SelfTest
■ ■ ■ ■ ■ ■ ■ ■■■ Cipher
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_AES.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ARC2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ARC4.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Blowfish.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_CAST.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_CBC.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_CCM.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_CFB.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_CTR.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Chacha20.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Chacha20_Poly1305.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_DES.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_DES3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_EAX.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_GCM.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_OCB.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_OFB.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_OpenPGP.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SIV.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Salsa20.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pkcs1_15.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pkcs1_oaep.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_AES.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ARC2.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ARC4.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_Blowfish.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_CAST.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_CBC.py
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_CCM.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_CFB.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_CTR.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ChaCha20.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ChaCha20_Poly1305.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_DES.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_DES3.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_EAX.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_GCM.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_OCB.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_OFB.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_OpenPGP.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SIV.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_Salsa20.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pkcs1_15.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pkcs1_oaep.py
■ ■ ■ ■ ■ ■ ■ ■■■ Hash
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_BLAKE2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_CMAC.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_HMAC.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_KMAC.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_KangarooTwelve.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_MD2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_MD4.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_MD5.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Poly1305.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_RIPEMD160.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA224.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA256.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA384.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_224.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_256.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_384.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_512.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA512.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHAKE.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_TupleHash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_TurboSHAKE.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_cSHAKE.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_keccak.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_BLAKE2.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_CMAC.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_HMAC.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_KMAC.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_KangarooTwelve.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_MD2.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_MD4.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_MD5.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_Poly1305.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_RIPEMD160.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA1.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA224.py
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA256.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA384.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_224.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_256.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_384.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_512.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA512.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_TupleHash.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_TurboSHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cSHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_keccak.py
■ ■ ■ ■ ■ ■ ■ ■■■ IO
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PBES.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PKCS8.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PBES.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_PKCS8.py
■ ■ ■ ■ ■ ■ ■ ■■■ Math
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Primality.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modexp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modmult.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Numbers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_Primality.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_modexp.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_modmult.py
■ ■ ■ ■ ■ ■ ■ ■■■ Protocol
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_KDF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SecretSharing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ecdh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rfc1751.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_KDF.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SecretSharing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ecdh.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rfc1751.py
■ ■ ■ ■ ■ ■ ■ ■■■ PublicKey
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_DSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Curve25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Curve448.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Ed25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Ed448.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_NIST.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ElGamal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_RSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_import_Curve25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_import_Curve448.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ test_import_DSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_import_ECC.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_import_RSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_DSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ECC_Curve25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ECC_Curve448.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ECC_Ed25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ECC_Ed448.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ECC_NIST.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ElGamal.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_RSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_import_Curve25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_import_Curve448.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_import_DSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_import_ECC.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_import_RSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■ Random
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_random.py
■ ■ ■ ■ ■ ■ ■ ■ ■ Signature
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_dss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_eddsa.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pkcs1_15.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_dss.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_eddsa.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pkcs1_15.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pss.py
■ ■ ■ ■ ■ ■ ■ ■ ■ Util
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_Counter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_Padding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_asn1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_number.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rfc1751.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_strxor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_Counter.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_Padding.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_asn1.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_number.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rfc1751.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_strxor.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ loader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ st_common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ loader.py

```



```

■ ■ ■ st_common.py
■ ■ ■ Signature
■ ■ ■ DSS.py
■ ■ ■ DSS.pyi
■ ■ ■ PKCS1_PSS.py
■ ■ ■ PKCS1_PSS.pyi
■ ■ ■ PKCS1_v1_5.py
■ ■ ■ PKCS1_v1_5.pyi
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ DSS.cpython-311.pyc
■ ■ ■ PKCS1_PSS.cpython-311.pyc
■ ■ ■ PKCS1_v1_5.cpython-311.pyc
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ eddsa.cpython-311.pyc
■ ■ ■ pkcs1_15.cpython-311.pyc
■ ■ ■ pss.cpython-311.pyc
■ ■ ■ eddsa.py
■ ■ ■ eddsa.pyi
■ ■ ■ pkcs1_15.py
■ ■ ■ pkcs1_15.pyi
■ ■ ■ pss.py
■ ■ ■ pss.pyi
■ ■ ■ Util
■ ■ ■ Counter.py
■ ■ ■ Counter.pyi
■ ■ ■ Padding.py
■ ■ ■ Padding.pyi
■ ■ ■ RFC1751.py
■ ■ ■ RFC1751.pyi
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ Counter.cpython-311.pyc
■ ■ ■ Padding.cpython-311.pyc
■ ■ ■ RFC1751.cpython-311.pyc
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _cpu_features.cpython-311.pyc
■ ■ ■ _file_system.cpython-311.pyc
■ ■ ■ _raw_api.cpython-311.pyc
■ ■ ■ asn1.cpython-311.pyc
■ ■ ■ number.cpython-311.pyc
■ ■ ■ py3compat.cpython-311.pyc
■ ■ ■ strxor.cpython-311.pyc
■ ■ ■ _cpu_features.py
■ ■ ■ _cpu_features.pyi
■ ■ ■ _cuid_c.abi3.so
■ ■ ■ _file_system.py
■ ■ ■ _file_system.pyi
■ ■ ■ _raw_api.py
■ ■ ■ _raw_api.pyi
■ ■ ■ _strxor.abi3.so
■ ■ ■ asn1.py
■ ■ ■ asn1.pyi
■ ■ ■ number.py
■ ■ ■ number.pyi
■ ■ ■ py3compat.py
■ ■ ■ py3compat.pyi
■ ■ ■ strxor.py

```

```

    strxor.pyi
    __init__.py
    __init__.pyi
    __pycache__
    __init__.cpython-311.pyc
    py.typed
    Cryptodome
    Cipher
    AES.py
    AES.pyi
    ARC2.py
    ARC2.pyi
    ARC4.py
    ARC4.pyi
    Blowfish.py
    Blowfish.pyi
    CAST.py
    CAST.pyi
    ChaCha20.py
    ChaCha20.pyi
    ChaCha20_Poly1305.py
    ChaCha20_Poly1305.pyi
    DES.py
    DES.pyi
    DES3.py
    DES3.pyi
    PKCS1_OAEP.py
    PKCS1_OAEP.pyi
    PKCS1_v1_5.py
    PKCS1_v1_5.pyi
    Salsa20.py
    Salsa20.pyi
    _ARC4.abi3.so
    _EKSBlowfish.py
    _EKSBlowfish.pyi
    _Salsa20.abi3.so
    __init__.py
    __init__.pyi
    __pycache__
    AES.cpython-311.pyc
    ARC2.cpython-311.pyc
    ARC4.cpython-311.pyc
    Blowfish.cpython-311.pyc
    CAST.cpython-311.pyc
    ChaCha20.cpython-311.pyc
    ChaCha20_Poly1305.cpython-311.pyc
    DES.cpython-311.pyc
    DES3.cpython-311.pyc
    PKCS1_OAEP.cpython-311.pyc
    PKCS1_v1_5.cpython-311.pyc
    Salsa20.cpython-311.pyc
    _EKSBlowfish.cpython-311.pyc
    __init__.cpython-311.pyc
    _mode_cbc.cpython-311.pyc
    _mode_ccm.cpython-311.pyc
    _mode_cfb.cpython-311.pyc
    _mode_ctr.cpython-311.pyc
    _mode_eax.cpython-311.pyc

```

```

mode_ecb.cpython-311.pyc
mode_gcm.cpython-311.pyc
mode_ocb.cpython-311.pyc
mode_ofb.cpython-311.pyc
mode_openpgp.cpython-311.pyc
mode_siv.cpython-311.pyc
pkcs1_oaep_decode.cpython-311.pyc
_chacha20.abi3.so
mode_cbc.py
mode_cbc.pyi
mode_ccm.py
mode_ccm.pyi
mode_cfb.py
mode_cfb.pyi
mode_ctr.py
mode_ctr.pyi
mode_eax.py
mode_eax.pyi
mode_ecb.py
mode_ecb.pyi
mode_gcm.py
mode_gcm.pyi
mode_ocb.py
mode_ocb.pyi
mode_ofb.py
mode_ofb.pyi
mode_openpgp.py
mode_openpgp.pyi
mode_siv.py
mode_siv.pyi
pkcs1_decode.abi3.so
pkcs1_oaep_decode.py
_raw_aes.abi3.so
_raw_aesni.abi3.so
_raw_arc2.abi3.so
_raw_blowfish.abi3.so
_raw_cast.abi3.so
_raw_cbc.abi3.so
_raw_cfb.abi3.so
_raw_ctr.abi3.so
_raw_des.abi3.so
_raw_des3.abi3.so
_raw_ecb.abi3.so
_raw_eksblowfish.abi3.so
_raw_ocb.abi3.so
_raw_ofb.abi3.so
Hash
BLAKE2b.py
BLAKE2b.pyi
BLAKE2s.py
BLAKE2s.pyi
CMAC.py
CMAC.pyi
HMAC.py
HMAC.pyi
KMAC128.py
KMAC128.pyi
KMAC256.py

```

						KMAC256.pyi
						KangarooTwelve.py
						KangarooTwelve.pyi
						MD2.py
						MD2.pyi
						MD4.py
						MD4.pyi
						MD5.py
						MD5.pyi
						Poly1305.py
						Poly1305.pyi
						RIPEND.py
						RIPEND.pyi
						RIPEND160.py
						RIPEND160.pyi
						SHA.py
						SHA.pyi
						SHA1.py
						SHA1.pyi
						SHA224.py
						SHA224.pyi
						SHA256.py
						SHA256.pyi
						SHA384.py
						SHA384.pyi
						SHA3_224.py
						SHA3_224.pyi
						SHA3_256.py
						SHA3_256.pyi
						SHA3_384.py
						SHA3_384.pyi
						SHA3_512.py
						SHA3_512.pyi
						SHA512.py
						SHA512.pyi
						SHAKE128.py
						SHAKE128.pyi
						SHAKE256.py
						SHAKE256.pyi
						TupleHash128.py
						TupleHash128.pyi
						TupleHash256.py
						TupleHash256.pyi
						TurboSHAKE128.py
						TurboSHAKE128.pyi
						TurboSHAKE256.py
						TurboSHAKE256.pyi
						_BLAKE2b.abi3.so
						_BLAKE2s.abi3.so
						_MD2.abi3.so
						_MD4.abi3.so
						_MD5.abi3.so
						_RIPEND160.abi3.so
						_SHA1.abi3.so
						_SHA224.abi3.so
						_SHA256.abi3.so
						_SHA384.abi3.so
						_SHA512.abi3.so

■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	BLAKE2b.cpython-311.pyc
■	■	■	■	■	■	■■■	BLAKE2s.cpython-311.pyc
■	■	■	■	■	■	■■■	CMAC.cpython-311.pyc
■	■	■	■	■	■	■■■	HMAC.cpython-311.pyc
■	■	■	■	■	■	■■■	KMAC128.cpython-311.pyc
■	■	■	■	■	■	■■■	KMAC256.cpython-311.pyc
■	■	■	■	■	■	■■■	KangarooTwelve.cpython-311.pyc
■	■	■	■	■	■	■■■	MD2.cpython-311.pyc
■	■	■	■	■	■	■■■	MD4.cpython-311.pyc
■	■	■	■	■	■	■■■	MD5.cpython-311.pyc
■	■	■	■	■	■	■■■	Poly1305.cpython-311.pyc
■	■	■	■	■	■	■■■	RIPEMD.cpython-311.pyc
■	■	■	■	■	■	■■■	RIPEMD160.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA1.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA224.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA256.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA384.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA3_224.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA3_256.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA3_384.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA3_512.cpython-311.pyc
■	■	■	■	■	■	■■■	SHA512.cpython-311.pyc
■	■	■	■	■	■	■■■	SHAKE128.cpython-311.pyc
■	■	■	■	■	■	■■■	SHAKE256.cpython-311.pyc
■	■	■	■	■	■	■■■	TupleHash128.cpython-311.pyc
■	■	■	■	■	■	■■■	TupleHash256.cpython-311.pyc
■	■	■	■	■	■	■■■	TurboSHAKE128.cpython-311.pyc
■	■	■	■	■	■	■■■	TurboSHAKE256.cpython-311.pyc
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	cSHAKE128.cpython-311.pyc
■	■	■	■	■	■	■■■	cSHAKE256.cpython-311.pyc
■	■	■	■	■	■	■■■	keccak.cpython-311.pyc
■	■	■	■	■	■	■■■	_ghash_clmul.abi3.so
■	■	■	■	■	■	■■■	_ghash_portable.abi3.so
■	■	■	■	■	■	■■■	_keccak.abi3.so
■	■	■	■	■	■	■■■	_poly1305.abi3.so
■	■	■	■	■	■	■■■	cSHAKE128.py
■	■	■	■	■	■	■■■	cSHAKE128.pyi
■	■	■	■	■	■	■■■	cSHAKE256.py
■	■	■	■	■	■	■■■	cSHAKE256.pyi
■	■	■	■	■	■	■■■	keccak.py
■	■	■	■	■	■	■■■	keccak.pyi
■	■	■	■	■	■■■	I0	
■	■	■	■	■	■	■■■	PEM.py
■	■	■	■	■	■	■■■	PEM.pyi
■	■	■	■	■	■	■■■	PKCS8.py
■	■	■	■	■	■	■■■	PKCS8.pyi
■	■	■	■	■	■	■■■	_PBES.py
■	■	■	■	■	■	■■■	_PBES.pyi
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	PEM.cpython-311.pyc
■	■	■	■	■	■	■■■	PKCS8.cpython-311.pyc
■	■	■	■	■	■	■■■	_PBES.cpython-311.pyc

[illegible]

```

████ _montgomery.cpython-311.pyc
████ _nist_ecc.cpython-311.pyc
████ _openssh.cpython-311.pyc
████ _point.cpython-311.pyc
████ _curve.py
████ _curve25519.abi3.so
████ _curve448.abi3.so
████ _ec_ws.abi3.so
████ _ed25519.abi3.so
████ _ed448.abi3.so
████ _edwards.py
████ _montgomery.py
████ _nist_ecc.py
████ _openssh.py
████ _openssh.pyi
████ _point.py
████ _point.pyi
████ Random
████ __init__.py
████ __init__.pyi
████ __pycache__
████ __init__.cpython-311.pyc
████ random.cpython-311.pyc
████ random.py
████ random.pyi
████ SelfTest
████ Cipher
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ common.cpython-311.pyc
████ test_AES.cpython-311.pyc
████ test_ARC2.cpython-311.pyc
████ test_ARC4.cpython-311.pyc
████ test_Blowfish.cpython-311.pyc
████ test_CAST.cpython-311.pyc
████ test_CBC.cpython-311.pyc
████ test_CCM.cpython-311.pyc
████ test_CFB.cpython-311.pyc
████ test_CTR.cpython-311.pyc
████ test_Chacha20.cpython-311.pyc
████ test_Chacha20_Poly1305.cpython-311.pyc
████ test_DES.cpython-311.pyc
████ test_DES3.cpython-311.pyc
████ test_EAX.cpython-311.pyc
████ test_GCM.cpython-311.pyc
████ test_OCB.cpython-311.pyc
████ test_OFB.cpython-311.pyc
████ test_OpenPGP.cpython-311.pyc
████ test_SIV.cpython-311.pyc
████ test_Salsa20.cpython-311.pyc
████ test_pkcs1_15.cpython-311.pyc
████ test_pkcs1_oaep.cpython-311.pyc
████ common.py
████ test_AES.py
████ test_ARC2.py
████ test_ARC4.py
████ test_Blowfish.py

```

■	■	■	■	■	■	■	■■■	test_CAST.py
■	■	■	■	■	■	■	■■■	test_CBC.py
■	■	■	■	■	■	■	■■■	test_CCM.py
■	■	■	■	■	■	■	■■■	test_CFB.py
■	■	■	■	■	■	■	■■■	test_CTR.py
■	■	■	■	■	■	■	■■■	test_ChaCha20.py
■	■	■	■	■	■	■	■■■	test_ChaCha20_Poly1305.py
■	■	■	■	■	■	■	■■■	test_DES.py
■	■	■	■	■	■	■	■■■	test_DES3.py
■	■	■	■	■	■	■	■■■	test_EAX.py
■	■	■	■	■	■	■	■■■	test_GCM.py
■	■	■	■	■	■	■	■■■	test_OCB.py
■	■	■	■	■	■	■	■■■	test_OFB.py
■	■	■	■	■	■	■	■■■	test_OpenPGP.py
■	■	■	■	■	■	■	■■■	test_SIV.py
■	■	■	■	■	■	■	■■■	test_Salsa20.py
■	■	■	■	■	■	■	■■■	test_pkcs1_15.py
■	■	■	■	■	■	■	■■■	test_pkcs1_oaep.py
■	■	■	■	■	■	■■■	Hash	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	common.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_BLAKE2.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_CMAC.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_HMAC.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_KMAC.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_KangarooTwelve.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_MD2.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_MD4.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_MD5.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_Poly1305.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_RIPEMD160.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA1.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA224.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA256.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA384.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA3_224.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA3_256.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA3_384.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA3_512.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHA512.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_SHAKE.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_TupleHash.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_TurboSHAKE.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cSHAKE.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_keccak.cpython-311.pyc
■	■	■	■	■	■	■■■	common.py	
■	■	■	■	■	■	■■■	test_BLAKE2.py	
■	■	■	■	■	■	■■■	test_CMAC.py	
■	■	■	■	■	■	■■■	test_HMAC.py	
■	■	■	■	■	■	■■■	test_KMAC.py	
■	■	■	■	■	■	■■■	test_KangarooTwelve.py	
■	■	■	■	■	■	■■■	test_MD2.py	
■	■	■	■	■	■	■■■	test_MD4.py	
■	■	■	■	■	■	■■■	test_MD5.py	
■	■	■	■	■	■	■■■	test_Poly1305.py	
■	■	■	■	■	■	■■■	test_RIPEMD160.py	


```
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA1.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA224.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA256.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA384.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_224.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_256.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_384.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA3_512.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHA512.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_TupleHash.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_TurboSHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cSHAKE.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_keccak.py
■ ■ ■ ■ ■ ■ ■ ■■■ IO
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PBES.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PKCS8.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_PBES.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_PKCS8.py
■ ■ ■ ■ ■ ■ ■ ■■■ Math
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Primality.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modexp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modmult.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_Numbers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_Primality.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_modexp.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_modmult.py
■ ■ ■ ■ ■ ■ ■ ■■■ Protocol
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_KDF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_SecretSharing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ecdh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rfc1751.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_KDF.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_SecretSharing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ecdh.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rfc1751.py
■ ■ ■ ■ ■ ■ ■ ■■■ PublicKey
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_DSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Curve25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Curve448.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Ed25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_Ed448.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ECC_NIST.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ElGamal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_RSA.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_Curve25519.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_Curve448.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_DSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_ECC.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_RSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_DSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Curve25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Curve448.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Ed25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_Ed448.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ECC_NIST.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ElGamal.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_RSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_Curve25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_Curve448.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_DSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_ECC.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_RSA.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ Random
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_random.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ Signature
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_eddsa.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pkcs1_15.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dss.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_eddsa.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pkcs1_15.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pss.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ Util
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Counter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Padding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_asn1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_number.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rfc1751.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_strxor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Counter.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_Padding.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_asn1.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_number.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rfc1751.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_strxor.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ loader.cpython-311.pyc
```

```

■ ■ ■ st_common.cpython-311.pyc
■ ■ ■ loader.py
■ ■ ■ st_common.py
■ ■ ■ Signature
■ ■ ■ DSS.py
■ ■ ■ DSS.pyi
■ ■ ■ PKCS1_PSS.py
■ ■ ■ PKCS1_PSS.pyi
■ ■ ■ PKCS1_v1_5.py
■ ■ ■ PKCS1_v1_5.pyi
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ DSS.cpython-311.pyc
■ ■ ■ PKCS1_PSS.cpython-311.pyc
■ ■ ■ PKCS1_v1_5.cpython-311.pyc
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ eddsa.cpython-311.pyc
■ ■ ■ pkcs1_15.cpython-311.pyc
■ ■ ■ pss.cpython-311.pyc
■ ■ ■ eddsa.py
■ ■ ■ eddsa.pyi
■ ■ ■ pkcs1_15.py
■ ■ ■ pkcs1_15.pyi
■ ■ ■ pss.py
■ ■ ■ pss.pyi
■ ■ ■ Util
■ ■ ■ Counter.py
■ ■ ■ Counter.pyi
■ ■ ■ Padding.py
■ ■ ■ Padding.pyi
■ ■ ■ RFC1751.py
■ ■ ■ RFC1751.pyi
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ Counter.cpython-311.pyc
■ ■ ■ Padding.cpython-311.pyc
■ ■ ■ RFC1751.cpython-311.pyc
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _cpu_features.cpython-311.pyc
■ ■ ■ _file_system.cpython-311.pyc
■ ■ ■ _raw_api.cpython-311.pyc
■ ■ ■ asn1.cpython-311.pyc
■ ■ ■ number.cpython-311.pyc
■ ■ ■ py3compat.cpython-311.pyc
■ ■ ■ strxor.cpython-311.pyc
■ ■ ■ _cpu_features.py
■ ■ ■ _cpu_features.pyi
■ ■ ■ _cuid_c.abi3.so
■ ■ ■ _file_system.py
■ ■ ■ _file_system.pyi
■ ■ ■ _raw_api.py
■ ■ ■ _raw_api.pyi
■ ■ ■ _strxor.abi3.so
■ ■ ■ asn1.py
■ ■ ■ asn1.pyi
■ ■ ■ number.py
■ ■ ■ number.pyi
■ ■ ■ py3compat.py
```

```

■      ■      ■      ■      ■      ■      py3compat.pyi
■      ■      ■      ■      ■      ■      ■■■ strxor.py
■      ■      ■      ■      ■      ■      ■■■ strxor.pyi
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __init__.pyi
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ py.typed
■      ■      ■      ■      ■■■ Cython
■      ■      ■      ■      ■■■ Build
■      ■      ■      ■      ■      ■■■ BuildExecutable.py
■      ■      ■      ■      ■      ■■■ Cythonize.py
■      ■      ■      ■      ■      ■■■ Dependencies.py
■      ■      ■      ■      ■      ■■■ Distutils.py
■      ■      ■      ■      ■      ■■■ Inline.py
■      ■      ■      ■      ■      ■■■ IpythonMagic.py
■      ■      ■      ■      ■      ■■■ Tests
■      ■      ■      ■      ■      ■      ■■■ TestCyCache.py
■      ■      ■      ■      ■      ■      ■■■ TestInline.py
■      ■      ■      ■      ■      ■      ■■■ TestIpythonMagic.py
■      ■      ■      ■      ■      ■      ■■■ TestStripLiterals.py
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ TestCyCache.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ TestInline.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ TestIpythonMagic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ TestStripLiterals.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ BuildExecutable.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ Cythonize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ Dependencies.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ Distutils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ Inline.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ IpythonMagic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■■■ CodeWriter.py
■      ■      ■      ■      ■■■ Compiler
■      ■      ■      ■      ■      ■■■ AnalysedTreeTransforms.py
■      ■      ■      ■      ■      ■■■ Annotate.py
■      ■      ■      ■      ■      ■■■ AutoDocTransforms.py
■      ■      ■      ■      ■      ■■■ Buffer.py
■      ■      ■      ■      ■      ■■■ Builtin.py
■      ■      ■      ■      ■      ■■■ CmdLine.py
■      ■      ■      ■      ■      ■■■ Code.pxd
■      ■      ■      ■      ■      ■■■ Code.py
■      ■      ■      ■      ■      ■■■ CodeGeneration.py
■      ■      ■      ■      ■      ■■■ CythonScope.py
■      ■      ■      ■      ■      ■■■ DebugFlags.py
■      ■      ■      ■      ■      ■■■ Errors.py
■      ■      ■      ■      ■      ■■■ ExprNodes.py
■      ■      ■      ■      ■      ■■■ FlowControl.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ FlowControl.pxd
■      ■      ■      ■      ■      ■■■ FlowControl.py
■      ■      ■      ■      ■      ■■■ FusedNode.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ FusedNode.py
■      ■      ■      ■      ■      ■■■ Future.py

```

```

■■■ Interpreter.py
■■■ Lexicon.py
■■■ Main.py
■■■ MemoryView.py
■■■ ModuleNode.py
■■■ Naming.py
■■■ Nodes.py
■■■ Optimize.py
■■■ Options.py
■■■ ParseTreeTransforms.pxd
■■■ ParseTreeTransforms.py
■■■ Parsing.pxd
■■■ Parsing.py
■■■ Pipeline.py
■■■ PyrexTypes.py
■■■ Pythran.py
■■■ Scanning.cpython-311-x86_64-linux-gnu.so
■■■ Scanning.pxd
■■■ Scanning.py
■■■ StringEncoding.py
■■■ Symtab.py
■■■ Tests
    ■■■ TestBuffer.py
    ■■■ TestCmdLine.py
    ■■■ TestFlowControl.py
    ■■■ TestGrammar.py
    ■■■ TestMemView.py
    ■■■ TestParseTreeTransforms.py
    ■■■ TestSignatureMatching.py
    ■■■ TestStringEncoding.py
    ■■■ TestTreeFragment.py
    ■■■ TestTreePath.py
    ■■■ TestTypes.py
    ■■■ TestUtilityLoad.py
    ■■■ TestVisitor.py
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ TestBuffer.cpython-311.pyc
        ■■■ TestCmdLine.cpython-311.pyc
        ■■■ TestFlowControl.cpython-311.pyc
        ■■■ TestGrammar.cpython-311.pyc
        ■■■ TestMemView.cpython-311.pyc
        ■■■ TestParseTreeTransforms.cpython-311.pyc
        ■■■ TestSignatureMatching.cpython-311.pyc
        ■■■ TestStringEncoding.cpython-311.pyc
        ■■■ TestTreeFragment.cpython-311.pyc
        ■■■ TestTreePath.cpython-311.pyc
        ■■■ TestTypes.cpython-311.pyc
        ■■■ TestUtilityLoad.cpython-311.pyc
        ■■■ TestVisitor.cpython-311.pyc
        ■■■ __init__.cpython-311.pyc
■■■ TreeFragment.py
■■■ TreePath.py
■■■ TypeInference.py
■■■ TypeSlots.py
■■■ UtilNodes.py
■■■ UtilityCode.py
■■■ Version.py
```

■	■	■	■	■	■	■■■	Visitor.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■	Visitor.pxd	
■	■	■	■	■	■	■■■	Visitor.py	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	AnalysedTreeTransforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Annotate.cpython-311.pyc
■	■	■	■	■	■	■	■■■	AutoDocTransforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Buffer.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Builtin.cpython-311.pyc
■	■	■	■	■	■	■	■■■	CmdLine.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Code.cpython-311.pyc
■	■	■	■	■	■	■	■■■	CodeGeneration.cpython-311.pyc
■	■	■	■	■	■	■	■■■	CythonScope.cpython-311.pyc
■	■	■	■	■	■	■	■■■	DebugFlags.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Errors.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ExprNodes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	FlowControl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	FusedNode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Future.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Interpreter.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Lexicon.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Main.cpython-311.pyc
■	■	■	■	■	■	■	■■■	MemoryView.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ModuleNode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Naming.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Nodes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Optimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Options.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ParseTreeTransforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Parsing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Pipeline.cpython-311.pyc
■	■	■	■	■	■	■	■■■	PyrexTypes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Pythran.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Scanning.cpython-311.pyc
■	■	■	■	■	■	■	■■■	StringEncoding.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Symtab.cpython-311.pyc
■	■	■	■	■	■	■	■■■	TreeFragment.cpython-311.pyc
■	■	■	■	■	■	■	■■■	TreePath.cpython-311.pyc
■	■	■	■	■	■	■	■■■	TypeInference.cpython-311.pyc
■	■	■	■	■	■	■	■■■	TypeSlots.cpython-311.pyc
■	■	■	■	■	■	■	■■■	UtilNodes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	UtilityCode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Version.cpython-311.pyc
■	■	■	■	■	■	■	■■■	Visitor.cpython-311.pyc
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■■■		Coverage.py	
■	■	■	■	■	■■■		Debugger	
■	■	■	■	■	■	■■■	Cygdb.py	
■	■	■	■	■	■	■■■	DebugWriter.py	
■	■	■	■	■	■	■■■	Tests	
■	■	■	■	■	■	■■■	TestLibCython.py	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	TestLibCython.cpython-311.pyc
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_libcython_in_gdb.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_libpython_in_gdb.cpython-311.pyc

```

■      ■      ■      ■      ■      ■      ■      cfuns.c
■      ■      ■      ■      ■      ■      ■      codefile
■      ■      ■      ■      ■      ■      ■      test_libcython_in_gdb.py
■      ■      ■      ■      ■      ■      ■      test_libpython_in_gdb.py
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      Cygdb.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      DebugWriter.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      libcython.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      libpython.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      libcython.py
■      ■      ■      ■      ■      ■      ■      libpython.py
■      ■      ■      ■      ■      ■      ■      Debugging.py
■      ■      ■      ■      ■      ■      ■      Distutils
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      build_ext.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      extension.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      old_build_ext.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      build_ext.py
■      ■      ■      ■      ■      ■      ■      extension.py
■      ■      ■      ■      ■      ■      ■      old_build_ext.py
■      ■      ■      ■      ■      ■      ■      Includes
■      ■      ■      ■      ■      ■      ■      Deprecated
■      ■      ■      ■      ■      ■      ■      python.pxd
■      ■      ■      ■      ■      ■      ■      python_bool.pxd
■      ■      ■      ■      ■      ■      ■      python_buffer.pxd
■      ■      ■      ■      ■      ■      ■      python_bytes.pxd
■      ■      ■      ■      ■      ■      ■      python_cobject.pxd
■      ■      ■      ■      ■      ■      ■      python_complex.pxd
■      ■      ■      ■      ■      ■      ■      python_dict.pxd
■      ■      ■      ■      ■      ■      ■      python_exc.pxd
■      ■      ■      ■      ■      ■      ■      python_float.pxd
■      ■      ■      ■      ■      ■      ■      python_function.pxd
■      ■      ■      ■      ■      ■      ■      python_getargs.pxd
■      ■      ■      ■      ■      ■      ■      python_instance.pxd
■      ■      ■      ■      ■      ■      ■      python_int.pxd
■      ■      ■      ■      ■      ■      ■      python_iterator.pxd
■      ■      ■      ■      ■      ■      ■      python_list.pxd
■      ■      ■      ■      ■      ■      ■      python_long.pxd
■      ■      ■      ■      ■      ■      ■      python_mapping.pxd
■      ■      ■      ■      ■      ■      ■      python_mem.pxd
■      ■      ■      ■      ■      ■      ■      python_method.pxd
■      ■      ■      ■      ■      ■      ■      python_module.pxd
■      ■      ■      ■      ■      ■      ■      python_number.pxd
■      ■      ■      ■      ■      ■      ■      python_object.pxd
■      ■      ■      ■      ■      ■      ■      python_oldbuffer.pxd
■      ■      ■      ■      ■      ■      ■      python_pycapsule.pxd
■      ■      ■      ■      ■      ■      ■      python_ref.pxd
■      ■      ■      ■      ■      ■      ■      python_sequence.pxd
■      ■      ■      ■      ■      ■      ■      python_set.pxd
■      ■      ■      ■      ■      ■      ■      python_string.pxd
■      ■      ■      ■      ■      ■      ■      python_tuple.pxd
■      ■      ■      ■      ■      ■      ■      python_type.pxd
■      ■      ■      ■      ■      ■      ■      python_unicode.pxd
■      ■      ■      ■      ■      ■      ■      python_version.pxd

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ python_weakref.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdio.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdlib.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stl.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ cpython
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ array.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ bool.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ buffer.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ bytearray.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ bytes.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ cellobject.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ ceval.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ cobject.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ codecs.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ complex.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ conversion.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ datetime.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ dict.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ exc.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ float.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ function.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ genobject.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ getargs.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ instance.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ int.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ iterator.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ iterobject.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ list.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ long.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ longintrepr.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ mapping.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ mem.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ memoryview.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ method.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ module.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ number.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ object.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ oldbuffer.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pycapsule.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pylifecycle.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pystate.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pythread.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ ref.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ sequence.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ set.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ slice.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ string.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ tuple.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ type.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ unicode.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ version.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ weakref.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ libc
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ errno.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ float.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ limits.pxd
```



```

■ ■ ■ ■ ■ ■ ■ ■■■ locale.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ math.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ setjmp.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ signal.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stddef.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdint.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdio.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdlib.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ string.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ time.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ libcpp
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ algorithm.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ cast.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ complex.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ deque.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ forward_list.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ functional.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ iterator.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ limits.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ list.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ map.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ memory.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pair.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ queue.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ set.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stack.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ string.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ typeindex.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ typeinfo.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ unordered_map.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ unordered_set.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ utility.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ vector.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ numpy
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ math.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ openmp.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ posix
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ dlfcn.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ fcntl.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ ioctl.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ mman.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ resource.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ select.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ signal.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stat.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdio.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stdlib.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ strings.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ time.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ types.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ unistd.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ wait.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ Plex
■ ■ ■ ■ ■ ■ ■ ■■■ Actions.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ Actions.pxd

```

```

■      ■      ■      ■      ■      ■      ■      ■      Actions.py
■      ■      ■      ■      ■      ■      ■      ■      DFA.py
■      ■      ■      ■      ■      ■      ■      ■      Errors.py
■      ■      ■      ■      ■      ■      ■      ■      Lexicons.py
■      ■      ■      ■      ■      ■      ■      ■      Machines.py
■      ■      ■      ■      ■      ■      ■      ■      Regexpys.py
■      ■      ■      ■      ■      ■      ■      ■      Scanners.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      Scanners.pxd
■      ■      ■      ■      ■      ■      ■      ■      Scanners.py
■      ■      ■      ■      ■      ■      ■      ■      Timing.py
■      ■      ■      ■      ■      ■      ■      ■      Traditional.py
■      ■      ■      ■      ■      ■      ■      ■      Transitions.py
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      Actions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      DFA.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      Errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      Lexicons.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      Machines.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      Regexpys.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      Scanners.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      Timing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      Traditional.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      Transitions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      Runtime
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ^      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      refnanny.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      refnanny.pyx
■      ■      ■      ■      ■      ■      Shadow.py
■      ■      ■      ■      ■      ■      StringIOTree.py
■      ■      ■      ■      ■      Tempita
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ^      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ^      _looper.cpython-311.pyc
■      ■      ■      ■      ■      ■      ^      _tempita.cpython-311.pyc
■      ■      ■      ■      ■      ■      ^      compat3.cpython-311.pyc
■      ■      ■      ■      ■      ■      _looper.py
■      ■      ■      ■      ■      ■      _tempita.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      _tempita.py
■      ■      ■      ■      ■      ^      compat3.py
■      ■      ■      ■      TestUtils.py
■      Tests
■      ■      ■      ■      ■      TestCodeWriter.py
■      ■      ■      ■      ■      TestCythonUtils.py
■      ■      ■      ■      ■      TestJediTyper.py
■      ■      ■      ■      ■      TestStringIOTree.py
■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ^      TestCodeWriter.cpython-311.pyc
■      ■      ■      ■      ■      ^      TestCythonUtils.cpython-311.pyc
■      ■      ■      ■      ■      ^      TestJediTyper.cpython-311.pyc
■      ■      ■      ■      ■      ^      TestStringIOTree.cpython-311.pyc
■      ■      ■      ■      ■      ^      __init__.cpython-311.pyc
■      ■      ■      xmlrunner.cpython-311.pyc
```

```

      ■■■■ xmlrunner.py
      ■■■■ Utility
      ■■■■ AsyncGen.c
      ■■■■ Buffer.c
      ■■■■ Builtins.c
      ■■■■ CConvert.pyx
      ■■■■ CMath.c
      ■■■■ Capsule.c
      ■■■■ CommonStructures.c
      ■■■■ Complex.c
      ■■■■ Coroutine.c
      ■■■■ CpdefEnums.pyx
      ■■■■ CppConvert.pyx
      ■■■■ CppSupport.cpp
      ■■■■ CythonFunction.c
      ■■■■ Embed.c
      ■■■■ Exceptions.c
      ■■■■ ExtensionTypes.c
      ■■■■ FunctionArguments.c
      ■■■■ ImportExport.c
      ■■■■ MemoryView.pyx
      ■■■■ MemoryView_C.c
      ■■■■ ModuleSetupCode.c
      ■■■■ ObjectHandling.c
      ■■■■ Optimize.c
      ■■■■ Overflow.c
      ■■■■ Printing.c
      ■■■■ Profile.c
      ■■■■ StringTools.c
      ■■■■ TestCyUtilityLoader.pyx
      ■■■■ TestCythonScope.pyx
      ■■■■ TestUtilityLoader.c
      ■■■■ TypeConversion.c
      ■■■■ __init__.py
      ■■■■ __pycache__
      ■■■■ __init__.cpython-311.pyc
      ■■■■ arrayarray.h
      ■■■■ Utils.py
      ■■■■ __init__.py
      ■■■■ __pycache__
      ■■■■ CodeWriter.cpython-311.pyc
      ■■■■ Coverage.cpython-311.pyc
      ■■■■ Debugging.cpython-311.pyc
      ■■■■ Shadow.cpython-311.pyc
      ■■■■ StringIOTree.cpython-311.pyc
      ■■■■ TestUtils.cpython-311.pyc
      ■■■■ Utils.cpython-311.pyc
      ■■■■ __init__.cpython-311.pyc
      ■■■■ Cython-0.29.36.dist-info
      ■■■■ COPYING.txt
      ■■■■ INSTALLER
      ■■■■ LICENSE.txt
      ■■■■ METADATA
      ■■■■ RECORD
      ■■■■ REQUESTED
      ■■■■ WHEEL
      ■■■■ entry_points.txt
      ■■■■ top_level.txt
```



```
■ ■ ■ ■ ■ ■ ■■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ consoleapp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ display.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ paths.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ conftest.py
■ ■ ■ ■ ■ ■■■■ consoleapp.py
■ ■ ■ ■ ■ ■■■■ core
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ alias.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ application.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ async_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ autocall.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ builtin_trap.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ compilerop.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ completer.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ completerlib.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ crashhandler.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ debugger.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ display.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ display_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ display_trap.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ displayhook.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ displaypub.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ error.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ events.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ excolors.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ formatters.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ getipython.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ guarded_eval.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ history.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ historyapp.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ hooks.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ inputsplitter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ inputtransformer.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ inputtransformer2.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ interactiveshell.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ latex_symbols.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ logger.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ macro.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ magic.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ magic_arguments.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ oinspect.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ page.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ payload.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ payloadpage.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ prefilter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ profileapp.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ profiledir.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ prompts.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ pylabtools.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ release.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ shellapp.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ splitinput.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ ultratb.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ usage.cpython-311.pyc
```

```

■■■ alias.py
■■■ application.py
■■■ async_helpers.py
■■■ autocall.py
■■■ builtin_trap.py
■■■ compilerop.py
■■■ completer.py
■■■ completerlib.py
■■■ crashhandler.py
■■■ debugger.py
■■■ display.py
■■■ display_functions.py
■■■ display_trap.py
■■■ displayhook.py
■■■ displaypub.py
■■■ error.py
■■■ events.py
■■■ excolors.py
■■■ extensions.py
■■■ formatters.py
■■■ getipython.py
■■■ guarded_eval.py
■■■ history.py
■■■ historyapp.py
■■■ hooks.py
■■■ inputsplitter.py
■■■ inputtransformer.py
■■■ inputtransformer2.py
■■■ interactiveshell.py
■■■ latex_symbols.py
■■■ logger.py
■■■ macro.py
■■■ magic.py
■■■ magic_arguments.py
■■■ magics
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ __init__.cpython-311.pyc
        ■■■ ast_mod.cpython-311.pyc
        ■■■ auto.cpython-311.pyc
        ■■■ basic.cpython-311.pyc
        ■■■ code.cpython-311.pyc
        ■■■ config.cpython-311.pyc
        ■■■ display.cpython-311.pyc
        ■■■ execution.cpython-311.pyc
        ■■■ extension.cpython-311.pyc
        ■■■ history.cpython-311.pyc
        ■■■ logging.cpython-311.pyc
        ■■■ namespace.cpython-311.pyc
        ■■■ osm.cpython-311.pyc
        ■■■ packaging.cpython-311.pyc
        ■■■ pylab.cpython-311.pyc
        ■■■ script.cpython-311.pyc
    ■■■ ast_mod.py
    ■■■ auto.py
    ■■■ basic.py
    ■■■ code.py
    ■■■ config.py
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ display.py
■ ■ ■ ■ ■ ■ ■ ■■■ execution.py
■ ■ ■ ■ ■ ■ ■ ■■■ extension.py
■ ■ ■ ■ ■ ■ ■ ■■■ history.py
■ ■ ■ ■ ■ ■ ■ ■■■ logging.py
■ ■ ■ ■ ■ ■ ■ ■■■ namespace.py
■ ■ ■ ■ ■ ■ ■ ■■■ osm.py
■ ■ ■ ■ ■ ■ ■ ■■■ packaging.py
■ ■ ■ ■ ■ ■ ■ ■■■ pylab.py
■ ■ ■ ■ ■ ■ ■ ■■■ script.py
■ ■ ■ ■ ■ ■ ■ ■■■ oinspect.py
■ ■ ■ ■ ■ ■ ■ ■■■ page.py
■ ■ ■ ■ ■ ■ ■ ■■■ payload.py
■ ■ ■ ■ ■ ■ ■ ■■■ payloadpage.py
■ ■ ■ ■ ■ ■ ■ ■■■ prefilter.py
■ ■ ■ ■ ■ ■ ■ ■■■ profile
■ ■ ■ ■ ■ ■ ■ ■■■ README_STARTUP
■ ■ ■ ■ ■ ■ ■ ■■■ profileapp.py
■ ■ ■ ■ ■ ■ ■ ■■■ profiledir.py
■ ■ ■ ■ ■ ■ ■ ■■■ prompts.py
■ ■ ■ ■ ■ ■ ■ ■■■ pylabtools.py
■ ■ ■ ■ ■ ■ ■ ■■■ release.py
■ ■ ■ ■ ■ ■ ■ ■■■ shellapp.py
■ ■ ■ ■ ■ ■ ■ ■■■ splitinput.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ 2x2.jpg
■ ■ ■ ■ ■ ■ ■ ■■■ 2x2.png
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bad_all.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nonascii.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nonascii2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ print_argv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rebug.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ simpleerr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_alias.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_application.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_async_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_autocall.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_compilerop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_completer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_completerlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_debugger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_display.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_displayhook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_events.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_exceptiongroup_tb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_extension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_formatters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_guarded_eval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_handlers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_history.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_hooks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_inputsplitter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_inputtransformer.cpython-311.pyc
```

■	■	■	■	■	■	■	■	■■■■	test_inputtransformer2.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_inputtransformer2_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_interactiveshell.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_ipilib.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_logger.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_magic.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_magic_arguments.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_magic_terminal.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_oinspect.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_page.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_paths.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_prefilter.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_profile.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_prompts.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_pylabtools.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_run.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_shellapp.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_splitinput.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_ultratb.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	bad_all.py	
■	■	■	■	■	■	■	■■■■	daft_extension	
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	daft_extension.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	daft_extension.py	
■	■	■	■	■	■	■	■■■■	nonascii.py	
■	■	■	■	■	■	■	■■■■	nonascii2.py	
■	■	■	■	■	■	■	■■■■	print_argv.py	
■	■	■	■	■	■	■	■■■■	refbug.py	
■	■	■	■	■	■	■	■■■■	simpleerr.py	
■	■	■	■	■	■	■	■■■■	tclass.py	
■	■	■	■	■	■	■	■■■■	test_alias.py	
■	■	■	■	■	■	■	■■■■	test_application.py	
■	■	■	■	■	■	■	■■■■	test_async_helpers.py	
■	■	■	■	■	■	■	■■■■	test_autocall.py	
■	■	■	■	■	■	■	■■■■	test_compilerop.py	
■	■	■	■	■	■	■	■■■■	test_completer.py	
■	■	■	■	■	■	■	■■■■	test_completerlib.py	
■	■	■	■	■	■	■	■■■■	test_debugger.py	
■	■	■	■	■	■	■	■■■■	test_display.py	
■	■	■	■	■	■	■	■■■■	test_displayhook.py	
■	■	■	■	■	■	■	■■■■	test_events.py	
■	■	■	■	■	■	■	■■■■	test_exceptiongroup_tb.py	
■	■	■	■	■	■	■	■■■■	test_extension.py	
■	■	■	■	■	■	■	■■■■	test_formatters.py	
■	■	■	■	■	■	■	■■■■	test_guarded_eval.py	
■	■	■	■	■	■	■	■■■■	test_handlers.py	
■	■	■	■	■	■	■	■■■■	test_history.py	
■	■	■	■	■	■	■	■■■■	test_hooks.py	
■	■	■	■	■	■	■	■■■■	test_imports.py	
■	■	■	■	■	■	■	■■■■	test_inputsplitter.py	
■	■	■	■	■	■	■	■■■■	test_inputtransformer.py	
■	■	■	■	■	■	■	■■■■	test_inputtransformer2.py	
■	■	■	■	■	■	■	■■■■	test_inputtransformer2_line.py	
■	■	■	■	■	■	■	■■■■	test_interactiveshell.py	
■	■	■	■	■	■	■	■■■■	test_ipilib.py	
■	■	■	■	■	■	■	■■■■	test_logger.py	
■	■	■	■	■	■	■	■■■■	test_magic.py	
■	■	■	■	■	■	■	■■■■	test_magic_arguments.py	


```

test_magic_terminal.py
test_oinspect.py
test_page.py
test_paths.py
test_prefilter.py
test_profile.py
test_prompts.py
test_pylabtools.py
test_run.py
test_shellapp.py
test_splitinput.py
test_ultratb.py
ultratb.py
usage.py
display.py
extensions
__init__.py
__pycache__
__init__.cpython-311.pyc
autoreload.cpython-311.pyc
storemagic.cpython-311.pyc
autoreload.py
storemagic.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_autoreload.cpython-311.pyc
test_storemagic.cpython-311.pyc
test_autoreload.py
test_storemagic.py
external
__init__.py
__pycache__
__init__.cpython-311.pyc
qt_for_kernel.cpython-311.pyc
qt_loaders.cpython-311.pyc
qt_for_kernel.py
qt_loaders.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_qt_loaders.cpython-311.pyc
test_qt_loaders.py
lib
__init__.py
__pycache__
__init__.cpython-311.pyc
backgroundjobs.cpython-311.pyc
clipboard.cpython-311.pyc
deepreload.cpython-311.pyc
demo.cpython-311.pyc
display.cpython-311.pyc
editorhooks.cpython-311.pyc
guisupport.cpython-311.pyc
latextools.cpython-311.pyc
lexers.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pretty.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ backgroundjobs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ clipboard.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ deepreload.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ demo.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ display.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ editorhooks.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ guisupport.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ latextools.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lexers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pretty.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_backgroundjobs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_clipboard.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_deepreload.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_display.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_editorhooks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_latextools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_lexers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_pretty.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_pygments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test.wav
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_backgroundjobs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_clipboard.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_deepreload.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_display.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_editorhooks.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_imports.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_latextools.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_lexers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_pretty.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_pygments.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ paths.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sphinxext
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ custom_doctests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ipython_console_highlighting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ipython_directive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ custom_doctests.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ipython_console_highlighting.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ipython_directive.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ terminal
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ console.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ debugger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ embed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ interactiveshell.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ipapp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ magics.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■ prompts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ ptutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ console.py
■ ■ ■ ■ ■ ■ ■ ■■ debugger.py
■ ■ ■ ■ ■ ■ ■ ■■ embed.py
■ ■ ■ ■ ■ ■ ■ ■■ interactiveshell.py
■ ■ ■ ■ ■ ■ ■ ■■ ipapp.py
■ ■ ■ ■ ■ ■ ■ ■■ magics.py
■ ■ ■ ■ ■ ■ ■ ■■ prompts.py
■ ■ ■ ■ ■ ■ ■ ■■ pt_inputhooks
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ asyncio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ glut.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ gtk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ gtk3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ gtk4.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ osx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ pyglet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ qt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ tk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ wx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ asyncio.py
■ ■ ■ ■ ■ ■ ■ ■■ glut.py
■ ■ ■ ■ ■ ■ ■ ■■ gtk.py
■ ■ ■ ■ ■ ■ ■ ■■ gtk3.py
■ ■ ■ ■ ■ ■ ■ ■■ gtk4.py
■ ■ ■ ■ ■ ■ ■ ■■ osx.py
■ ■ ■ ■ ■ ■ ■ ■■ pyglet.py
■ ■ ■ ■ ■ ■ ■ ■■ qt.py
■ ■ ■ ■ ■ ■ ■ ■■ tk.py
■ ■ ■ ■ ■ ■ ■ ■■ wx.py
■ ■ ■ ■ ■ ■ ■ ■■ ptutils.py
■ ■ ■ ■ ■ ■ ■ ■■ shortcuts
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ auto_match.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ auto_suggest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ auto_match.py
■ ■ ■ ■ ■ ■ ■ ■■ auto_suggest.py
■ ■ ■ ■ ■ ■ ■ ■■ filters.py
■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_debug_magic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_embed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_help.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_interactivshell.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_pt_inputhooks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_shortcuts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_debug_magic.py
■ ■ ■ ■ ■ ■ ■ ■■ test_embed.py
■ ■ ■ ■ ■ ■ ■ ■■ test_help.py
■ ■ ■ ■ ■ ■ ■ ■■ test_interactivshell.py
```

```

test_pt_inputhooks.py
test_shortcuts.py
testing
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  decorators.cpython-311.pyc
  globalipapp.cpython-311.pyc
  ipunittest.cpython-311.pyc
  skipdoctest.cpython-311.pyc
  tools.cpython-311.pyc
  decorators.py
  globalipapp.py
  ipunittest.py
  plugin
  README.txt
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  dtexample.cpython-311.pyc
  ipdoctest.cpython-311.pyc
  pytest_ipdoctest.cpython-311.pyc
  setup.cpython-311.pyc
  simple.cpython-311.pyc
  simplevars.cpython-311.pyc
  test_ipdoctest.cpython-311.pyc
  test_refs.cpython-311.pyc
  dtexample.py
  ipdoctest.py
  pytest_ipdoctest.py
  setup.py
  simple.py
  simplevars.py
  test_combo.txt
  test_example.txt
  test_exampleip.txt
  test_ipdoctest.py
  test_refs.py
  skipdoctest.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_decorators.cpython-311.pyc
  test_ipunittest.cpython-311.pyc
  test_tools.cpython-311.pyc
  test_decorators.py
  test_ipunittest.py
  test_tools.py
  tools.py
  utils
  PyColorize.py
  __init__.py
  __pycache__
  PyColorize.cpython-311.pyc
  __init__.cpython-311.pyc
  _process_cli.cpython-311.pyc
  _process_common.cpython-311.pyc

```

■	■	■	■	■	■	■■■	_process_emscripten.cpython-311.pyc
■	■	■	■	■	■	■■■	_process_posix.cpython-311.pyc
■	■	■	■	■	■	■■■	_process_win32.cpython-311.pyc
■	■	■	■	■	■	■■■	_process_win32_controller.cpython-311.pyc
■	■	■	■	■	■	■■■	_sysinfo.cpython-311.pyc
■	■	■	■	■	■	■■■	capture.cpython-311.pyc
■	■	■	■	■	■	■■■	colorable.cpython-311.pyc
■	■	■	■	■	■	■■■	coloransi.cpython-311.pyc
■	■	■	■	■	■	■■■	contexts.cpython-311.pyc
■	■	■	■	■	■	■■■	daemonize.cpython-311.pyc
■	■	■	■	■	■	■■■	data.cpython-311.pyc
■	■	■	■	■	■	■■■	decorators.cpython-311.pyc
■	■	■	■	■	■	■■■	dir2.cpython-311.pyc
■	■	■	■	■	■	■■■	docs.cpython-311.pyc
■	■	■	■	■	■	■■■	encoding.cpython-311.pyc
■	■	■	■	■	■	■■■	eventful.cpython-311.pyc
■	■	■	■	■	■	■■■	frame.cpython-311.pyc
■	■	■	■	■	■	■■■	generics.cpython-311.pyc
■	■	■	■	■	■	■■■	importstring.cpython-311.pyc
■	■	■	■	■	■	■■■	io.cpython-311.pyc
■	■	■	■	■	■	■■■	ipstruct.cpython-311.pyc
■	■	■	■	■	■	■■■	jsonutil.cpython-311.pyc
■	■	■	■	■	■	■■■	localinterfaces.cpython-311.pyc
■	■	■	■	■	■	■■■	log.cpython-311.pyc
■	■	■	■	■	■	■■■	module_paths.cpython-311.pyc
■	■	■	■	■	■	■■■	openpy.cpython-311.pyc
■	■	■	■	■	■	■■■	path.cpython-311.pyc
■	■	■	■	■	■	■■■	process.cpython-311.pyc
■	■	■	■	■	■	■■■	py3compat.cpython-311.pyc
■	■	■	■	■	■	■■■	sentinel.cpython-311.pyc
■	■	■	■	■	■	■■■	shimmodule.cpython-311.pyc
■	■	■	■	■	■	■■■	signatures.cpython-311.pyc
■	■	■	■	■	■	■■■	strdispatch.cpython-311.pyc
■	■	■	■	■	■	■■■	sysinfo.cpython-311.pyc
■	■	■	■	■	■	■■■	syspathcontext.cpython-311.pyc
■	■	■	■	■	■	■■■	tempdir.cpython-311.pyc
■	■	■	■	■	■	■■■	terminal.cpython-311.pyc
■	■	■	■	■	■	■■■	text.cpython-311.pyc
■	■	■	■	■	■	■■■	timing.cpython-311.pyc
■	■	■	■	■	■	■■■	tokenutil.cpython-311.pyc
■	■	■	■	■	■	■■■	traitlets.cpython-311.pyc
■	■	■	■	■	■	■■■	tz.cpython-311.pyc
■	■	■	■	■	■	■■■	ulinecache.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■	■■■	wildcard.cpython-311.pyc
■	■	■	■	■	■■■	_process_cli.py	
■	■	■	■	■	■■■	_process_common.py	
■	■	■	■	■	■■■	_process_emscripten.py	
■	■	■	■	■	■■■	_process_posix.py	
■	■	■	■	■	■■■	_process_win32.py	
■	■	■	■	■	■■■	_process_win32_controller.py	
■	■	■	■	■	■■■	_sysinfo.py	
■	■	■	■	■	■■■	capture.py	
■	■	■	■	■	■■■	colorable.py	
■	■	■	■	■	■■■	coloransi.py	
■	■	■	■	■	■■■	contexts.py	
■	■	■	■	■	■■■	daemonize.py	
■	■	■	■	■	■■■	data.py	

```
■ ■ ■ ■ ■ ■ ■■ decorators.py
■ ■ ■ ■ ■ ■ ■■ dir2.py
■ ■ ■ ■ ■ ■ ■■ docs.py
■ ■ ■ ■ ■ ■ ■■ encoding.py
■ ■ ■ ■ ■ ■ ■■ eventful.py
■ ■ ■ ■ ■ ■ ■■ frame.py
■ ■ ■ ■ ■ ■ ■■ generics.py
■ ■ ■ ■ ■ ■ ■■ importstring.py
■ ■ ■ ■ ■ ■ ■■ io.py
■ ■ ■ ■ ■ ■ ■■ ipstruct.py
■ ■ ■ ■ ■ ■ ■■ jsonutil.py
■ ■ ■ ■ ■ ■ ■■ localinterfaces.py
■ ■ ■ ■ ■ ■ ■■ log.py
■ ■ ■ ■ ■ ■ ■■ module_paths.py
■ ■ ■ ■ ■ ■ ■■ openpy.py
■ ■ ■ ■ ■ ■ ■■ path.py
■ ■ ■ ■ ■ ■ ■■ process.py
■ ■ ■ ■ ■ ■ ■■ py3compat.py
■ ■ ■ ■ ■ ■ ■■ sentinel.py
■ ■ ■ ■ ■ ■ ■■ shimmodule.py
■ ■ ■ ■ ■ ■ ■■ signatures.py
■ ■ ■ ■ ■ ■ ■■ strdispatch.py
■ ■ ■ ■ ■ ■ ■■ sysinfo.py
■ ■ ■ ■ ■ ■ ■■ syspathcontext.py
■ ■ ■ ■ ■ ■ ■■ tempdir.py
■ ■ ■ ■ ■ ■ ■■ terminal.py
■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_capture.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_deprecated.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_dir2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_importstring.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_module_paths.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_openpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_path.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_process.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_pycolorize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_shimmodule.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_sysinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_tempdir.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_tokenutil.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_wildcard.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ■■ test_capture.py
■ ■ ■ ■ ■ ■ ■■ ■■ test_decorators.py
■ ■ ■ ■ ■ ■ ■■ ■■ test_deprecated.py
■ ■ ■ ■ ■ ■ ■■ ■■ test_dir2.py
■ ■ ■ ■ ■ ■ ■■ ■■ test_imports.py
■ ■ ■ ■ ■ ■ ■■ ■■ test_importstring.py
■ ■ ■ ■ ■ ■ ■■ ■■ test_io.py
■ ■ ■ ■ ■ ■ ■■ ■■ test_module_paths.py
■ ■ ■ ■ ■ ■ ■■ ■■ test_openpy.py
■ ■ ■ ■ ■ ■ ■■ ■■ test_path.py
```

```

■      ■      ■      ■      ■      ■      ■      ■      test_process.py
■      ■      ■      ■      ■      ■      ■      ■      test_pycolorize.py
■      ■      ■      ■      ■      ■      ■      ■      test_shimmodule.py
■      ■      ■      ■      ■      ■      ■      ■      test_sysinfo.py
■      ■      ■      ■      ■      ■      ■      ■      test_tempdir.py
■      ■      ■      ■      ■      ■      ■      ■      test_text.py
■      ■      ■      ■      ■      ■      ■      ■      test_tokenutil.py
■      ■      ■      ■      ■      ■      ■      ■      test_wildcard.py
■      ■      ■      ■      ■      ■      ■      ■      text.py
■      ■      ■      ■      ■      ■      ■      ■      timing.py
■      ■      ■      ■      ■      ■      ■      ■      tokenutil.py
■      ■      ■      ■      ■      ■      ■      ■      traitlets.py
■      ■      ■      ■      ■      ■      ■      ■      tz.py
■      ■      ■      ■      ■      ■      ■      ■      ulinecache.py
■      ■      ■      ■      ■      ■      ■      ■      version.py
■      ■      ■      ■      ■      ■      ■      ■      wildcard.py
■      ■      ■      ■      ■■■  MarkupSafe-3.0.2.dist-info
■      ■      ■      ■      ■      ■■■  INSTALLER
■      ■      ■      ■      ■      ■■■  LICENSE.txt
■      ■      ■      ■      ■      ■■■  METADATA
■      ■      ■      ■      ■      ■■■  RECORD
■      ■      ■      ■      ■      ■■■  WHEEL
■      ■      ■      ■      ■      ■■■  top_level.txt
■      ■      ■      ■      ■■■  OpenSSL
■      ■      ■      ■      ■      ■■■  SSL.py
■      ■      ■      ■      ■      ■■■  __init__.py
■      ■      ■      ■      ■      ■■■  __pycache__
■      ■      ■      ■      ■      ■      ■■■  SSL.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■  __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■  _util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■  crypto.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■  debug.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■  rand.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■  version.cpython-311.pyc
■      ■      ■      ■      ■      ■■■  _util.py
■      ■      ■      ■      ■      ■■■  crypto.py
■      ■      ■      ■      ■      ■■■  debug.py
■      ■      ■      ■      ■      ■■■  rand.py
■      ■      ■      ■      ■      ■■■  version.py
■      ■      ■      ■      ■■■  PIL
■      ■      ■      ■      ■      ■■■  BdfFontFile.py
■      ■      ■      ■      ■      ■■■  BlpImagePlugin.py
■      ■      ■      ■      ■      ■■■  BmpImagePlugin.py
■      ■      ■      ■      ■      ■■■  BufrStubImagePlugin.py
■      ■      ■      ■      ■      ■■■  ContainerIO.py
■      ■      ■      ■      ■      ■■■  CurImagePlugin.py
■      ■      ■      ■      ■      ■■■  DcxImagePlugin.py
■      ■      ■      ■      ■      ■■■  DdsImagePlugin.py
■      ■      ■      ■      ■      ■■■  EpsImagePlugin.py
■      ■      ■      ■      ■      ■■■  ExifTags.py
■      ■      ■      ■      ■      ■■■  FitsImagePlugin.py
■      ■      ■      ■      ■      ■■■  FitsStubImagePlugin.py
■      ■      ■      ■      ■      ■■■  FliImagePlugin.py
■      ■      ■      ■      ■      ■■■  FontFile.py
■      ■      ■      ■      ■      ■■■  FpxImagePlugin.py
■      ■      ■      ■      ■      ■■■  FtexImagePlugin.py
■      ■      ■      ■      ■      ■■■  GbrImagePlugin.py
■      ■      ■      ■      ■      ■■■  GdImageFile.py

```

■	■	■	■	■	■■■■	GifImagePlugin.py
■	■	■	■	■	■■■■	GimpGradientFile.py
■	■	■	■	■	■■■■	GimpPaletteFile.py
■	■	■	■	■	■■■■	GribStubImagePlugin.py
■	■	■	■	■	■■■■	Hdf5StubImagePlugin.py
■	■	■	■	■	■■■■	IcnsImagePlugin.py
■	■	■	■	■	■■■■	IcoImagePlugin.py
■	■	■	■	■	■■■■	ImImagePlugin.py
■	■	■	■	■	■■■■	Image.py
■	■	■	■	■	■■■■	ImageChops.py
■	■	■	■	■	■■■■	ImageCms.py
■	■	■	■	■	■■■■	ImageColor.py
■	■	■	■	■	■■■■	ImageDraw.py
■	■	■	■	■	■■■■	ImageDraw2.py
■	■	■	■	■	■■■■	ImageEnhance.py
■	■	■	■	■	■■■■	ImageFile.py
■	■	■	■	■	■■■■	ImageFilter.py
■	■	■	■	■	■■■■	ImageFont.py
■	■	■	■	■	■■■■	ImageGrab.py
■	■	■	■	■	■■■■	ImageMath.py
■	■	■	■	■	■■■■	ImageMode.py
■	■	■	■	■	■■■■	ImageMorph.py
■	■	■	■	■	■■■■	ImageOps.py
■	■	■	■	■	■■■■	ImagePalette.py
■	■	■	■	■	■■■■	ImagePath.py
■	■	■	■	■	■■■■	ImageQt.py
■	■	■	■	■	■■■■	ImageSequence.py
■	■	■	■	■	■■■■	ImageShow.py
■	■	■	■	■	■■■■	ImageStat.py
■	■	■	■	■	■■■■	ImageTk.py
■	■	■	■	■	■■■■	ImageTransform.py
■	■	■	■	■	■■■■	ImageWin.py
■	■	■	■	■	■■■■	ImtImagePlugin.py
■	■	■	■	■	■■■■	IptcImagePlugin.py
■	■	■	■	■	■■■■	Jpeg2KImagePlugin.py
■	■	■	■	■	■■■■	JpegImagePlugin.py
■	■	■	■	■	■■■■	JpegPresets.py
■	■	■	■	■	■■■■	McIdasImagePlugin.py
■	■	■	■	■	■■■■	MicImagePlugin.py
■	■	■	■	■	■■■■	MpegImagePlugin.py
■	■	■	■	■	■■■■	MpoImagePlugin.py
■	■	■	■	■	■■■■	MspImagePlugin.py
■	■	■	■	■	■■■■	PSDraw.py
■	■	■	■	■	■■■■	PaletteFile.py
■	■	■	■	■	■■■■	PalmImagePlugin.py
■	■	■	■	■	■■■■	PcdImagePlugin.py
■	■	■	■	■	■■■■	PcfFontFile.py
■	■	■	■	■	■■■■	PcxImagePlugin.py
■	■	■	■	■	■■■■	PdfImagePlugin.py
■	■	■	■	■	■■■■	PdfParser.py
■	■	■	■	■	■■■■	PixarImagePlugin.py
■	■	■	■	■	■■■■	PngImagePlugin.py
■	■	■	■	■	■■■■	PpmImagePlugin.py
■	■	■	■	■	■■■■	PsdImagePlugin.py
■	■	■	■	■	■■■■	PyAccess.py
■	■	■	■	■	■■■■	SgiImagePlugin.py
■	■	■	■	■	■■■■	SpiderImagePlugin.py
■	■	■	■	■	■■■■	SunImagePlugin.py

■	■	■	■	■	■■■■	TarIO.py
■	■	■	■	■	■■■■	TgaImagePlugin.py
■	■	■	■	■	■■■■	TiffImagePlugin.py
■	■	■	■	■	■■■■	TiffTags.py
■	■	■	■	■	■■■■	WalImageFile.py
■	■	■	■	■	■■■■	WebPImagePlugin.py
■	■	■	■	■	■■■■	WmfImagePlugin.py
■	■	■	■	■	■■■■	XVThumbImagePlugin.py
■	■	■	■	■	■■■■	XbmImagePlugin.py
■	■	■	■	■	■■■■	XpmImagePlugin.py
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__main__.py
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■■■■	BdfFontFile.cpython-311.pyc
■	■	■	■	■	■■■■	BlpImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	BmpImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	BufrStubImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	ContainerIO.cpython-311.pyc
■	■	■	■	■	■■■■	CurImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	DcxImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	DdsImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	EpsImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	ExifTags.cpython-311.pyc
■	■	■	■	■	■■■■	FitsImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	FitsStubImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	FliImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	FontFile.cpython-311.pyc
■	■	■	■	■	■■■■	FpxImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	FtexImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	GbrImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	GdImageFile.cpython-311.pyc
■	■	■	■	■	■■■■	GifImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	GimpGradientFile.cpython-311.pyc
■	■	■	■	■	■■■■	GimpPaletteFile.cpython-311.pyc
■	■	■	■	■	■■■■	GribStubImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	Hdf5StubImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	IcnsImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	IcoImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	ImImagePlugin.cpython-311.pyc
■	■	■	■	■	■■■■	Image.cpython-311.pyc
■	■	■	■	■	■■■■	ImageChops.cpython-311.pyc
■	■	■	■	■	■■■■	ImageCms.cpython-311.pyc
■	■	■	■	■	■■■■	ImageColor.cpython-311.pyc
■	■	■	■	■	■■■■	ImageDraw.cpython-311.pyc
■	■	■	■	■	■■■■	ImageDraw2.cpython-311.pyc
■	■	■	■	■	■■■■	ImageEnhance.cpython-311.pyc
■	■	■	■	■	■■■■	ImageFile.cpython-311.pyc
■	■	■	■	■	■■■■	ImageFilter.cpython-311.pyc
■	■	■	■	■	■■■■	ImageFont.cpython-311.pyc
■	■	■	■	■	■■■■	ImageGrab.cpython-311.pyc
■	■	■	■	■	■■■■	ImageMath.cpython-311.pyc
■	■	■	■	■	■■■■	ImageMode.cpython-311.pyc
■	■	■	■	■	■■■■	ImageMorph.cpython-311.pyc
■	■	■	■	■	■■■■	ImageOps.cpython-311.pyc
■	■	■	■	■	■■■■	ImagePalette.cpython-311.pyc
■	■	■	■	■	■■■■	ImagePath.cpython-311.pyc
■	■	■	■	■	■■■■	ImageQt.cpython-311.pyc
■	■	■	■	■	■■■■	ImageSequence.cpython-311.pyc

■	■	■	■	■	■	■■■■	ImageShow.cpython-311.pyc
■	■	■	■	■	■	■■■■	ImageStat.cpython-311.pyc
■	■	■	■	■	■	■■■■	ImageTk.cpython-311.pyc
■	■	■	■	■	■	■■■■	ImageTransform.cpython-311.pyc
■	■	■	■	■	■	■■■■	ImageWin.cpython-311.pyc
■	■	■	■	■	■	■■■■	ImtImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	IptcImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	Jpeg2KImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	JpegImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	JpegPresets.cpython-311.pyc
■	■	■	■	■	■	■■■■	McIdasImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	MicImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	MpegImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	MpoImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	MspImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PSDraw.cpython-311.pyc
■	■	■	■	■	■	■■■■	PaletteFile.cpython-311.pyc
■	■	■	■	■	■	■■■■	PalmImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PcdImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PcfFontFile.cpython-311.pyc
■	■	■	■	■	■	■■■■	PcxImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PdfImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PdfParser.cpython-311.pyc
■	■	■	■	■	■	■■■■	PixarImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PngImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PpmImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PsdImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	PyAccess.cpython-311.pyc
■	■	■	■	■	■	■■■■	SgiImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	SpiderImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	SunImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	TarIO.cpython-311.pyc
■	■	■	■	■	■	■■■■	TgaImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	TiffImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	TiffTags.cpython-311.pyc
■	■	■	■	■	■	■■■■	WalImageFile.cpython-311.pyc
■	■	■	■	■	■	■■■■	WebPImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	WmfImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	XVThumbImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	XbmImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	XpmImagePlugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	__main__.cpython-311.pyc
■	■	■	■	■	■	■■■■	_binary.cpython-311.pyc
■	■	■	■	■	■	■■■■	_deprecate.cpython-311.pyc
■	■	■	■	■	■	■■■■	_tkinter_finder.cpython-311.pyc
■	■	■	■	■	■	■■■■	_util.cpython-311.pyc
■	■	■	■	■	■	■■■■	_version.cpython-311.pyc
■	■	■	■	■	■	■■■■	features.cpython-311.pyc
■	■	■	■	■	■■■■		_binary.py
■	■	■	■	■	■■■■		_deprecate.py
■	■	■	■	■	■■■■		_imaging.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_imagingcms.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_imagingft.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_imagingmath.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_imagingmorph.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_imagingtk.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_tkinter_finder.py

[illegible]

```
■ ■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _writer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ generic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ merger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pagerange.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ papersizes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ xmp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _page.py
■ ■ ■ ■ ■ ■ ■■■ _reader.py
■ ■ ■ ■ ■ ■ ■■■ _security.py
■ ■ ■ ■ ■ ■ ■■■ _utils.py
■ ■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■ ■■■ _writer.py
■ ■ ■ ■ ■ ■ ■■■ constants.py
■ ■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■ ■■■ filters.py
■ ■ ■ ■ ■ ■ ■■■ generic.py
■ ■ ■ ■ ■ ■ ■■■ merger.py
■ ■ ■ ■ ■ ■ ■■■ pagerange.py
■ ■ ■ ■ ■ ■ ■■■ papersizes.py
■ ■ ■ ■ ■ ■ ■■■ pdf.py
■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ xmp.py
■ ■ ■ ■ ■ ■ ■■■ PyPDF2-1.28.6.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ PyYAML-6.0.2.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ Send2Trash-1.8.3.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ Shapely-1.7.1.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
```

```

■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ SoundFile-0.10.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ DESCRIPTION.rst
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ metadata.json
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ zip-safe
■ ■ ■ ■ ■ ■ ■ ■ Wand-0.6.13.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ XlsxWriter-3.2.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ _soundfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ brotli.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cython.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ decorator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dot_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ entrypoints.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ffmpeg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ipykernel_launcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ isympy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ jupyter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ markdown2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ monotonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nest_asyncio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pandocfilters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pydot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pylab.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ rarfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ shapefile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ six.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ soundfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ threadpoolctl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ typing_extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _argon2_cffi_bindings
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _ffi_build.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _ffi.abi3.so
■ ■ ■ ■ ■ ■ ■ ■ _ffi_build.py
■ ■ ■ ■ ■ ■ ■ ■ _brotli.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _cffi_backend.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _dlib_pybind11.cpython-311-x86_64-linux-gnu.so

```

```

■ ■ ■ ■ ■■■ _geoslib.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■ _plotly_future_
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ extract_chart_studio.cpython-311.pyc
■ ■ ■ ■ ■■■ orca_defaults.cpython-311.pyc
■ ■ ■ ■ ■■■ remove_deprecations.cpython-311.pyc
■ ■ ■ ■ ■■■ renderer_defaults.cpython-311.pyc
■ ■ ■ ■ ■■■ template_defaults.cpython-311.pyc
■ ■ ■ ■ ■■■ timezones.cpython-311.pyc
■ ■ ■ ■ ■■■ trace_uids.cpython-311.pyc
■ ■ ■ ■ ■■■ v4.cpython-311.pyc
■ ■ ■ ■ ■■■ v4_subplots.cpython-311.pyc
■ ■ ■ ■ ■■■ extract_chart_studio.py
■ ■ ■ ■ ■■■ orca_defaults.py
■ ■ ■ ■ ■■■ remove_deprecations.py
■ ■ ■ ■ ■■■ renderer_defaults.py
■ ■ ■ ■ ■■■ template_defaults.py
■ ■ ■ ■ ■■■ timezones.py
■ ■ ■ ■ ■■■ trace_uids.py
■ ■ ■ ■ ■■■ v4.py
■ ■ ■ ■ ■■■ v4_subplots.py
■ ■ ■ ■ ■■■ _plotly_utils
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ basevalidators.cpython-311.pyc
■ ■ ■ ■ ■■■ data_utils.cpython-311.pyc
■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■■■ files.cpython-311.pyc
■ ■ ■ ■ ■■■ importers.cpython-311.pyc
■ ■ ■ ■ ■■■ optional_imports.cpython-311.pyc
■ ■ ■ ■ ■■■ png.cpython-311.pyc
■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■■■ basevalidators.py
■ ■ ■ ■ ■■■ colors
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _swatches.cpython-311.pyc
■ ■ ■ ■ ■■■ carto.cpython-311.pyc
■ ■ ■ ■ ■■■ cmocean.cpython-311.pyc
■ ■ ■ ■ ■■■ colorbrewer.cpython-311.pyc
■ ■ ■ ■ ■■■ cyclical.cpython-311.pyc
■ ■ ■ ■ ■■■ diverging.cpython-311.pyc
■ ■ ■ ■ ■■■ plotlyjs.cpython-311.pyc
■ ■ ■ ■ ■■■ qualitative.cpython-311.pyc
■ ■ ■ ■ ■■■ sequential.cpython-311.pyc
■ ■ ■ ■ ■■■ _swatches.py
■ ■ ■ ■ ■■■ carto.py
■ ■ ■ ■ ■■■ cmocean.py
■ ■ ■ ■ ■■■ colorbrewer.py
■ ■ ■ ■ ■■■ cyclical.py
■ ■ ■ ■ ■■■ diverging.py
■ ■ ■ ■ ■■■ plotlyjs.py
■ ■ ■ ■ ■■■ qualitative.py
■ ■ ■ ■ ■■■ sequential.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ data_utils.py
■ ■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ files.py
■ ■ ■ ■ ■ ■ ■ ■ importers.py
■ ■ ■ ■ ■ ■ ■ ■ optional_imports.py
■ ■ ■ ■ ■ ■ ■ ■ png.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ _pytest
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _argcomplete.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cacheprovider.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ capture.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ debugging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ deprecated.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ doctest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ faulthandler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ fixtures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ freeze_support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ helpconfig.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ hookspec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ junitxml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ logging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ main.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ monkeypatch.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nodes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nose.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ outcomes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pastebin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pathlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pytester.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pytester_assertions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ python.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ python_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ recwarn.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ reports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ runner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ setuponly.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ setupplan.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ skipping.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ stepwise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ store.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ terminal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ threadexception.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ timing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tmpdir.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ unittest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ unraisableexception.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ warning_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _argcomplete.py
■ ■ ■ ■ ■ ■ ■ ■ _code
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc

```

```

code.cpython-311.pyc
source.cpython-311.pyc
code.py
source.py
_io
__init__.py
__pycache__
__init__.cpython-311.pyc
saferepr.cpython-311.pyc
terminalwriter.cpython-311.pyc
wcwidth.cpython-311.pyc
saferepr.py
terminalwriter.py
wcwidth.py
_version.py
assertion
__init__.py
__pycache__
__init__.cpython-311.pyc
rewrite.cpython-311.pyc
truncate.cpython-311.pyc
util.cpython-311.pyc
rewrite.py
truncate.py
util.py
cacheprovider.py
capture.py
compat.py
config
__init__.py
__pycache__
__init__.cpython-311.pyc
argparsing.cpython-311.pyc
exceptions.cpython-311.pyc
findpaths.cpython-311.pyc
argparsing.py
exceptions.py
findpaths.py
debugging.py
deprecated.py
doctest.py
faulthandler.py
fixtures.py
freeze_support.py
helpconfig.py
hookspec.py
junitxml.py
logging.py
main.py
mark
__init__.py
__pycache__
__init__.cpython-311.pyc
expression.cpython-311.pyc
structures.cpython-311.pyc
expression.py
structures.py
monkeypatch.py

```



```

■ ■ ■ ■ ■ ■ ■ ■ nodes.py
■ ■ ■ ■ ■ ■ ■ ■ nose.py
■ ■ ■ ■ ■ ■ ■ ■ outcomes.py
■ ■ ■ ■ ■ ■ ■ ■ pastebin.py
■ ■ ■ ■ ■ ■ ■ ■ pathlib.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ pytester.py
■ ■ ■ ■ ■ ■ ■ ■ pytester_assertions.py
■ ■ ■ ■ ■ ■ ■ ■ python.py
■ ■ ■ ■ ■ ■ ■ ■ python_api.py
■ ■ ■ ■ ■ ■ ■ ■ recwarn.py
■ ■ ■ ■ ■ ■ ■ ■ reports.py
■ ■ ■ ■ ■ ■ ■ ■ runner.py
■ ■ ■ ■ ■ ■ ■ ■ setupon.py
■ ■ ■ ■ ■ ■ ■ ■ setupplan.py
■ ■ ■ ■ ■ ■ ■ ■ skipping.py
■ ■ ■ ■ ■ ■ ■ ■ stepwise.py
■ ■ ■ ■ ■ ■ ■ ■ store.py
■ ■ ■ ■ ■ ■ ■ ■ terminal.py
■ ■ ■ ■ ■ ■ ■ ■ threadexception.py
■ ■ ■ ■ ■ ■ ■ ■ timing.py
■ ■ ■ ■ ■ ■ ■ ■ tmpdir.py
■ ■ ■ ■ ■ ■ ■ ■ unittest.py
■ ■ ■ ■ ■ ■ ■ ■ unraisableexception.py
■ ■ ■ ■ ■ ■ ■ ■ warning_types.py
■ ■ ■ ■ ■ ■ ■ ■ warnings.py
■ ■ ■ ■ ■ ■ ■ ■ _soundfile.py
■ ■ ■ ■ ■ ■ ■ ■ _yaml
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ absl
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ command_name.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ app.py
■ ■ ■ ■ ■ ■ ■ ■ app.pyi
■ ■ ■ ■ ■ ■ ■ ■ command_name.py
■ ■ ■ ■ ■ ■ ■ ■ flags
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _argument_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _defines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _flag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _flagvalues.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _validators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _validators_classes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ argparse_flags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _argument_parser.py
■ ■ ■ ■ ■ ■ ■ ■ _defines.py
■ ■ ■ ■ ■ ■ ■ ■ _exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ _flag.py
■ ■ ■ ■ ■ ■ ■ ■ _flagvalues.py

```

```

_ _ _ _ _ helpers.py
_ _ _ _ _ _validators.py
_ _ _ _ _ _validators_classes.py
_ _ _ _ _ argparse_flags.py
_ _ _ _ _ logging
_ _ _ _ _ __init__.py
_ _ _ _ _ __init__.pyi
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ converter.cpython-311.pyc
_ _ _ _ _ converter.py
_ _ _ _ _ testing
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _bazelize_command.cpython-311.pyc
_ _ _ _ _ _pretty_print_reporter.cpython-311.pyc
_ _ _ _ _ absltest.cpython-311.pyc
_ _ _ _ _ flagsaver.cpython-311.pyc
_ _ _ _ _ parameterized.cpython-311.pyc
_ _ _ _ _ xml_reporter.cpython-311.pyc
_ _ _ _ _ _bazelize_command.py
_ _ _ _ _ _pretty_print_reporter.py
_ _ _ _ _ absltest.py
_ _ _ _ _ flagsaver.py
_ _ _ _ _ parameterized.py
_ _ _ _ _ xml_reporter.py
_ _ _ _ _ absl_py-2.1.0.dist-info
_ _ _ _ _ AUTHORS
_ _ _ _ _ INSTALLER
_ _ _ _ _ LICENSE
_ _ _ _ _ METADATA
_ _ _ _ _ RECORD
_ _ _ _ _ WHEEL
_ _ _ _ _ top_level.txt
_ _ _ _ _ ace_tools
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ ace_tools-0.0.1.dist-info
_ _ _ _ _ INSTALLER
_ _ _ _ _ METADATA
_ _ _ _ _ RECORD
_ _ _ _ _ REQUESTED
_ _ _ _ _ WHEEL
_ _ _ _ _ direct_url.json
_ _ _ _ _ top_level.txt
_ _ _ _ _ aeppl
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _version.cpython-311.pyc
_ _ _ _ _ abstract.cpython-311.pyc
_ _ _ _ _ cumsum.cpython-311.pyc
_ _ _ _ _ dists.cpython-311.pyc
_ _ _ _ _ joint_logprob.cpython-311.pyc
_ _ _ _ _ logprob.cpython-311.pyc
_ _ _ _ _ mixture.cpython-311.pyc

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■■■ nanguardmode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ profiling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sharedvalue.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ builders.py
■ ■ ■ ■ ■ ■ ■ ■■■ compiledir.py
■ ■ ■ ■ ■ ■ ■ ■■■ compilelock.py
■ ■ ■ ■ ■ ■ ■ ■■■ debugmode.py
■ ■ ■ ■ ■ ■ ■ ■■■ function
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pfunc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pfunc.py
■ ■ ■ ■ ■ ■ ■ ■■■ types.py
■ ■ ■ ■ ■ ■ ■ ■■■ io.py
■ ■ ■ ■ ■ ■ ■ ■■■ mode.py
■ ■ ■ ■ ■ ■ ■ ■■■ monitormode.py
■ ■ ■ ■ ■ ■ ■ ■■■ nanguardmode.py
■ ■ ■ ■ ■ ■ ■ ■■■ ops.py
■ ■ ■ ■ ■ ■ ■ ■■■ profiling.py
■ ■ ■ ■ ■ ■ ■ ■■■ sharedvalue.py
■ ■ ■ ■ ■ ■ ■ ■■■ configdefaults.py
■ ■ ■ ■ ■ ■ ■ ■■■ configparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ d3viz
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ d3viz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ formatting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ css
■ ■ ■ ■ ■ ■ ■ ■■■ d3-context-menu.css
■ ■ ■ ■ ■ ■ ■ ■■■ d3viz.css
■ ■ ■ ■ ■ ■ ■ ■■■ d3viz.py
■ ■ ■ ■ ■ ■ ■ ■■■ formatting.py
■ ■ ■ ■ ■ ■ ■ ■■■ html
■ ■ ■ ■ ■ ■ ■ ■■■ template.html
■ ■ ■ ■ ■ ■ ■ ■■■ js
■ ■ ■ ■ ■ ■ ■ ■■■ d3-context-menu.js
■ ■ ■ ■ ■ ■ ■ ■■■ d3.v3.min.js
■ ■ ■ ■ ■ ■ ■ ■■■ d3viz.js
■ ■ ■ ■ ■ ■ ■ ■■■ dagre-d3.min.js
■ ■ ■ ■ ■ ■ ■ ■■■ graphlib-dot.min.js
■ ■ ■ ■ ■ ■ ■ ■■■ gradient.py
■ ■ ■ ■ ■ ■ ■ ■■■ graph
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ callcache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ destroyhandler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ features.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kanren.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ null_type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ op.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ opt.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■      opt_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      optdb.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      sched.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      toolbox.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      type.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      unify.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      basic.py
■      ■      ■      ■      ■      ■      ■      ■      callcache.py
■      ■      ■      ■      ■      ■      ■      ■      destroyhandler.py
■      ■      ■      ■      ■      ■      ■      ■      features.py
■      ■      ■      ■      ■      ■      ■      ■      fg.py
■      ■      ■      ■      ■      ■      ■      ■      kanren.py
■      ■      ■      ■      ■      ■      ■      ■      null_type.py
■      ■      ■      ■      ■      ■      ■      ■      op.py
■      ■      ■      ■      ■      ■      ■      ■      opt.py
■      ■      ■      ■      ■      ■      ■      ■      opt_utils.py
■      ■      ■      ■      ■      ■      ■      ■      optdb.py
■      ■      ■      ■      ■      ■      ■      ■      sched.py
■      ■      ■      ■      ■      ■      ■      ■      toolbox.py
■      ■      ■      ■      ■      ■      ■      ■      type.py
■      ■      ■      ■      ■      ■      ■      ■      unify.py
■      ■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      ■      ifelse.py
■      ■      ■      ■      ■      ■      ■      ■      link
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      vm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      basic.py
■      ■      ■      ■      ■      ■      ■      ■      c
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      module.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      cutils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      cvm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      interface.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      lazylinker_c.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      op.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      params_type.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      type.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      basic.py
■      ■      ■      ■      ■      ■      ■      ■      c_code
■      ■      ■      ■      ■      ■      ■      ■      aesara_mod_helper.h
■      ■      ■      ■      ■      ■      ■      ■      lazylinker_c.c
■      ■      ■      ■      ■      ■      ■      ■      module.py
■      ■      ■      ■      ■      ■      ■      ■      cutils.py
■      ■      ■      ■      ■      ■      ■      ■      cvm.py
■      ■      ■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      ■      ■      interface.py
■      ■      ■      ■      ■      ■      ■      ■      lazylinker_c.py
■      ■      ■      ■      ■      ■      ■      ■      op.py
■      ■      ■      ■      ■      ■      ■      ■      params_type.py

```

```

type.py
  jax
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    dispatch.cpython-311.pyc
    jax_dispatch.cpython-311.pyc
    jax_linker.cpython-311.pyc
    linker.cpython-311.pyc
    dispatch.py
    jax_dispatch.py
    jax_linker.py
    linker.py
  numba
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    linker.cpython-311.pyc
    dispatch
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
      basic.cpython-311.pyc
      elemwise.cpython-311.pyc
      extra_ops.cpython-311.pyc
      nlinalg.cpython-311.pyc
      random.cpython-311.pyc
      scalar.cpython-311.pyc
      scan.cpython-311.pyc
      tensor_basic.cpython-311.pyc
      basic.py
      elemwise.py
      extra_ops.py
      nlinalg.py
      random.py
      scalar.py
      scan.py
      tensor_basic.py
    linker.py
  utils.py
  vm.py
misc
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  check_blas.cpython-311.pyc
  check_duplicate_key.cpython-311.pyc
  elemwise_openmp_speedup.cpython-311.pyc
  elemwise_time_test.cpython-311.pyc
  frozendict.cpython-311.pyc
  latence_gpu_transfert.cpython-311.pyc
  may_share_memory.cpython-311.pyc
  ordered_set.cpython-311.pyc
  pkl_utils.cpython-311.pyc
  safe_asarray.cpython-311.pyc
  check_blas.py
  check_blas_many.sh
  check_duplicate_key.py

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      op.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      opt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      scan_perform_ext.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      views.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      basic.py
■      ■      ■      ■      ■      ■      ■      c_code
■      ■      ■      ■      ■      ■      ■      scan_perform.c
■      ■      ■      ■      ■      ■      ■      checkpoints.py
■      ■      ■      ■      ■      ■      ■      op.py
■      ■      ■      ■      ■      ■      ■      opt.py
■      ■      ■      ■      ■      ■      ■      scan_perform_ext.py
■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      views.py
■      ■      ■      ■      ■      ■      ■      sparse
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      opt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      sharedvar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      type.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      basic.py
■      ■      ■      ■      ■      ■      ■      opt.py
■      ■      ■      ■      ■      ■      ■      sandbox
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      sp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      sp2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      sp.py
■      ■      ■      ■      ■      ■      ■      sp2.py
■      ■      ■      ■      ■      ■      ■      sharedvar.py
■      ■      ■      ■      ■      ■      ■      type.py
■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      tensor
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      basic_opt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      blas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      blas_c.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      blas_headers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      blas_scipy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      elemwise.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      elemwise_cgen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      extra_ops.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      fft.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      fourier.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      inplace.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      io.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      linalg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      math.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      math_opt.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      n.linalg.cpython-311.pyc
```



```

■ ■ ■ ■ ■ ■ ■ ■■■ opt_uncanonicalize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sharedvar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ slinalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ subtensor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ subtensor_opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_other.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ var.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ xlogx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ basic_opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ blas.py
■ ■ ■ ■ ■ ■ ■ ■■■ blas_c.py
■ ■ ■ ■ ■ ■ ■ ■■■ blas_headers.py
■ ■ ■ ■ ■ ■ ■ ■■■ blas_scipy.py
■ ■ ■ ■ ■ ■ ■ ■■■ c_code
■ ■ ■ ■ ■ ■ ■ ■■■ alt_blas_common.h
■ ■ ■ ■ ■ ■ ■ ■■■ alt_blas_template.c
■ ■ ■ ■ ■ ■ ■ ■■■ dimshuffle.c
■ ■ ■ ■ ■ ■ ■ ■■■ elemwise.py
■ ■ ■ ■ ■ ■ ■ ■■■ elemwise_cgen.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ extra_ops.py
■ ■ ■ ■ ■ ■ ■ ■■■ fft.py
■ ■ ■ ■ ■ ■ ■ ■■■ fourier.py
■ ■ ■ ■ ■ ■ ■ ■■■ inplace.py
■ ■ ■ ■ ■ ■ ■ ■■■ io.py
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ math.py
■ ■ ■ ■ ■ ■ ■ ■■■ math_opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ nlinalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ nnet
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ abstract_conv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ batchnorm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ blocksparse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conv3d2d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ corr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ corr3d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ctc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ neighbours.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sigm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ abstract_conv.py
■ ■ ■ ■ ■ ■ ■ ■■■ basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ batchnorm.py
■ ■ ■ ■ ■ ■ ■ ■■■ blocksparse.py
■ ■ ■ ■ ■ ■ ■ ■■■ c_code
■ ■ ■ ■ ■ ■ ■ ■■■ corr3d_gemm.c
■ ■ ■ ■ ■ ■ ■ ■■■ corr_gemm.c
■ ■ ■ ■ ■ ■ ■ ■■■ ctc_wrapper.c

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ conv.py
■ ■ ■ ■ ■ ■ ■ ■■■ conv3d2d.py
■ ■ ■ ■ ■ ■ ■ ■■■ corr.py
■ ■ ■ ■ ■ ■ ■ ■■■ corr3d.py
■ ■ ■ ■ ■ ■ ■ ■■■ ctc.py
■ ■ ■ ■ ■ ■ ■ ■■■ neighbours.py
■ ■ ■ ■ ■ ■ ■ ■■■ opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ sigm.py
■ ■ ■ ■ ■ ■ ■ ■■■ opt_uncanonicalize.py
■ ■ ■ ■ ■ ■ ■ ■■■ random
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ op.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ var.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ op.py
■ ■ ■ ■ ■ ■ ■ ■■■ opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ type.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ var.py
■ ■ ■ ■ ■ ■ ■ ■■■ shape.py
■ ■ ■ ■ ■ ■ ■ ■■■ sharedvar.py
■ ■ ■ ■ ■ ■ ■ ■■■ signal
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pool.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conv.py
■ ■ ■ ■ ■ ■ ■ ■■■ pool.py
■ ■ ■ ■ ■ ■ ■ ■■■ slinalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ sort.py
■ ■ ■ ■ ■ ■ ■ ■■■ subtensor.py
■ ■ ■ ■ ■ ■ ■ ■■■ subtensor_opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ type.py
■ ■ ■ ■ ■ ■ ■ ■■■ type_other.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ var.py
■ ■ ■ ■ ■ ■ ■ ■■■ xlogx.py
■ ■ ■ ■ ■ ■ ■ ■■■ typed_list
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ type.py
■ ■ ■ ■ ■ ■ ■ ■■■ updates.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■ ■ ■■■ aesara-2.7.3.dist-info

```

```

■■■■ INSTALLER
■■■■ LICENSE.txt
■■■■ METADATA
■■■■ RECORD
■■■■ WHEEL
■■■■ entry_points.txt
■■■■ top_level.txt
■■■■ affine
■■■■   __init__.py
■■■■   __pycache__
■■■■     __init__.cpython-311.pyc
■■■■ tests
■■■■   __init__.py
■■■■   __pycache__
■■■■     __init__.cpython-311.pyc
■■■■     test_pickle.cpython-311.pyc
■■■■     test_rotation.cpython-311.pyc
■■■■     test_serialize.cpython-311.pyc
■■■■     test_transform.cpython-311.pyc
■■■■     test_pickle.py
■■■■     test_rotation.py
■■■■     test_serialize.py
■■■■     test_transform.py
■■■■ affine-2.4.0.dist-info
■■■■   INSTALLER
■■■■   LICENSE.txt
■■■■   METADATA
■■■■   RECORD
■■■■   WHEEL
■■■■ aiohttp
■■■■   .hash
■■■■     _cparser.pxd.hash
■■■■     _find_header.pxd.hash
■■■■     _helpers.pyi.hash
■■■■     _helpers.pyx.hash
■■■■     _http_parser.pyx.hash
■■■■     _http_writer.pyx.hash
■■■■     _websocket.pyx.hash
■■■■     hdrs.py.hash
■■■■   __init__.py
■■■■   __pycache__
■■■■     __init__.cpython-311.pyc
■■■■     abc.cpython-311.pyc
■■■■     base_protocol.cpython-311.pyc
■■■■     client.cpython-311.pyc
■■■■     client_exceptions.cpython-311.pyc
■■■■     client_proto.cpython-311.pyc
■■■■     client_reqrep.cpython-311.pyc
■■■■     client_ws.cpython-311.pyc
■■■■     compression_utils.cpython-311.pyc
■■■■     connector.cpython-311.pyc
■■■■     cookiejar.cpython-311.pyc
■■■■     formdata.cpython-311.pyc
■■■■     hdrs.cpython-311.pyc
■■■■     helpers.cpython-311.pyc
■■■■     http.cpython-311.pyc
■■■■     http_exceptions.cpython-311.pyc
■■■■     http_parser.cpython-311.pyc

```

■	■	■	■	■	■	■■■■	http_websocket.cpython-311.pyc
■	■	■	■	■	■	■■■■	http_writer.cpython-311.pyc
■	■	■	■	■	■	■■■■	locks.cpython-311.pyc
■	■	■	■	■	■	■■■■	log.cpython-311.pyc
■	■	■	■	■	■	■■■■	multipart.cpython-311.pyc
■	■	■	■	■	■	■■■■	payload.cpython-311.pyc
■	■	■	■	■	■	■■■■	payload_streamer.cpython-311.pyc
■	■	■	■	■	■	■■■■	pytest_plugin.cpython-311.pyc
■	■	■	■	■	■	■■■■	resolver.cpython-311.pyc
■	■	■	■	■	■	■■■■	streams.cpython-311.pyc
■	■	■	■	■	■	■■■■	tcp_helpers.cpython-311.pyc
■	■	■	■	■	■	■■■■	test_utils.cpython-311.pyc
■	■	■	■	■	■	■■■■	tracing.cpython-311.pyc
■	■	■	■	■	■	■■■■	typedefs.cpython-311.pyc
■	■	■	■	■	■	■■■■	web.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_app.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_fileresponse.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_log.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_middlewares.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_protocol.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_request.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_response.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_routedef.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_runner.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_server.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_urldispatcher.cpython-311.pyc
■	■	■	■	■	■	■■■■	web_ws.cpython-311.pyc
■	■	■	■	■	■	■■■■	worker.cpython-311.pyc
■	■	■	■	■	■■■■		_cparser.pxd
■	■	■	■	■	■■■■		_find_header.pxd
■	■	■	■	■	■■■■		_headers.pxi
■	■	■	■	■	■■■■		_helpers.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_helpers.pyi
■	■	■	■	■	■■■■		_helpers.pyx
■	■	■	■	■	■■■■		_http_parser.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_http_parser.pyx
■	■	■	■	■	■■■■		_http_writer.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_http_writer.pyx
■	■	■	■	■	■■■■		_websocket.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■		_websocket.pyx
■	■	■	■	■	■■■■		abc.py
■	■	■	■	■	■■■■		base_protocol.py
■	■	■	■	■	■■■■		client.py
■	■	■	■	■	■■■■		client_exceptions.py
■	■	■	■	■	■■■■		client_proto.py
■	■	■	■	■	■■■■		client_reqrep.py
■	■	■	■	■	■■■■		client_ws.py
■	■	■	■	■	■■■■		compression_utils.py
■	■	■	■	■	■■■■		connector.py
■	■	■	■	■	■■■■		cookiejar.py
■	■	■	■	■	■■■■		formdata.py
■	■	■	■	■	■■■■		hdrs.py
■	■	■	■	■	■■■■		helpers.py
■	■	■	■	■	■■■■		http.py
■	■	■	■	■	■■■■		http_exceptions.py
■	■	■	■	■	■■■■		http_parser.py
■	■	■	■	■	■■■■		http_websocket.py

```

■ ■ ■ ■ ■ ■■■ http_writer.py
■ ■ ■ ■ ■ ■■■ locks.py
■ ■ ■ ■ ■ ■■■ log.py
■ ■ ■ ■ ■ ■■■ multipart.py
■ ■ ■ ■ ■ ■■■ payload.py
■ ■ ■ ■ ■ ■■■ payload_streamer.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ pytest_plugin.py
■ ■ ■ ■ ■ ■■■ resolver.py
■ ■ ■ ■ ■ ■■■ streams.py
■ ■ ■ ■ ■ ■■■ tcp_helpers.py
■ ■ ■ ■ ■ ■■■ test_utils.py
■ ■ ■ ■ ■ ■■■ tracing.py
■ ■ ■ ■ ■ ■■■ typedefs.py
■ ■ ■ ■ ■ ■■■ web.py
■ ■ ■ ■ ■ ■■■ web_app.py
■ ■ ■ ■ ■ ■■■ web_exceptions.py
■ ■ ■ ■ ■ ■■■ web_fileresponse.py
■ ■ ■ ■ ■ ■■■ web_log.py
■ ■ ■ ■ ■ ■■■ web_middlewares.py
■ ■ ■ ■ ■ ■■■ web_protocol.py
■ ■ ■ ■ ■ ■■■ web_request.py
■ ■ ■ ■ ■ ■■■ web_response.py
■ ■ ■ ■ ■ ■■■ web_routedef.py
■ ■ ■ ■ ■ ■■■ web_runner.py
■ ■ ■ ■ ■ ■■■ web_server.py
■ ■ ■ ■ ■ ■■■ web_urldispatcher.py
■ ■ ■ ■ ■ ■■■ web_ws.py
■ ■ ■ ■ ■ ■■■ worker.py
■ ■ ■ ■ ■ ■■■ aiohttp-3.9.5.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ aiosignal
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ aiosignal-1.3.1.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ analytics
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ consumer.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ request.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc

```

```

version.cpython-311.pyc
client.py
consumer.py
request.py
test
__init__.py
__pycache__
__init__.cpython-311.pyc
client.cpython-311.pyc
consumer.cpython-311.pyc
module.cpython-311.pyc
request.cpython-311.pyc
utils.cpython-311.pyc
client.py
consumer.py
module.py
request.py
utils.py
utils.py
version.py
analytics_python-1.4.post1.dist-info
INSTALLER
METADATA
RECORD
WHEEL
top_level.txt
annotated_types
__init__.py
__pycache__
__init__.cpython-311.pyc
test_cases.cpython-311.pyc
py.typed
test_cases.py
annotated_types-0.7.0.dist-info
INSTALLER
METADATA
RECORD
WHEEL
licenses
LICENSE
anyio
__init__.py
__pycache__
__init__.cpython-311.pyc
from_thread.cpython-311.pyc
lowlevel.cpython-311.pyc
pytest_plugin.cpython-311.pyc
to_process.cpython-311.pyc
to_thread.cpython-311.pyc
_backends
__init__.py
__pycache__
__init__.cpython-311.pyc
_asyncio.cpython-311.pyc
_trio.cpython-311.pyc
_asyncio.py
_trio.py
core

```

```
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _eventloop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fileio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _resources.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _signals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _sockets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _streams.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _subprocesses.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _synchronization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _tasks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _typedattr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _compat.py
■ ■ ■ ■ ■ ■ ■■■ _eventloop.py
■ ■ ■ ■ ■ ■ ■■■ _exceptions.py
■ ■ ■ ■ ■ ■ ■■■ _fileio.py
■ ■ ■ ■ ■ ■ ■■■ _resources.py
■ ■ ■ ■ ■ ■ ■■■ _signals.py
■ ■ ■ ■ ■ ■ ■■■ _sockets.py
■ ■ ■ ■ ■ ■ ■■■ _streams.py
■ ■ ■ ■ ■ ■ ■■■ _subprocesses.py
■ ■ ■ ■ ■ ■ ■■■ _synchronization.py
■ ■ ■ ■ ■ ■ ■■■ _tasks.py
■ ■ ■ ■ ■ ■ ■■■ _testing.py
■ ■ ■ ■ ■ ■ ■■■ _typedattr.py
■ ■ ■ ■ ■ ■ ■■■ abc
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _resources.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _sockets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _streams.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _subprocesses.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _tasks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _resources.py
■ ■ ■ ■ ■ ■ ■■■ _sockets.py
■ ■ ■ ■ ■ ■ ■■■ _streams.py
■ ■ ■ ■ ■ ■ ■■■ _subprocesses.py
■ ■ ■ ■ ■ ■ ■■■ _tasks.py
■ ■ ■ ■ ■ ■ ■■■ _testing.py
■ ■ ■ ■ ■ ■ ■■■ from_thread.py
■ ■ ■ ■ ■ ■ ■■■ lowlevel.py
■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■■■ pytest_plugin.py
■ ■ ■ ■ ■ ■ ■■■ streams
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ buffered.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ file.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ memory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ stapled.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
```

[illegible]


```

levelordergroupiter.py
levelorderiter.py
postorderiter.py
preorderiter.py
zigzaggroupiter.py
node
__init__.py
__pycache__
__init__.cpython-311.pyc
anynode.cpython-311.pyc
exceptions.cpython-311.pyc
node.cpython-311.pyc
nodemixin.cpython-311.pyc
symlinknode.cpython-311.pyc
symlinknodemixin.cpython-311.pyc
util.cpython-311.pyc
anynode.py
exceptions.py
node.py
nodemixin.py
symlinknode.py
symlinknodemixin.py
util.py
render.py
resolver.py
search.py
util
__init__.py
__pycache__
__init__.cpython-311.pyc
walker.py
anytree-2.8.0.dist-info
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
argon2
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
_legacy.cpython-311.pyc
_password_hasher.cpython-311.pyc
_typing.cpython-311.pyc
_utils.cpython-311.pyc
exceptions.cpython-311.pyc
low_level.cpython-311.pyc
profiles.cpython-311.pyc
_legacy.py
_password_hasher.py
_typing.py
_utils.py
exceptions.py
low_level.py

```

```

■   ■   ■   ■   ■   ■   ■   profiles.py
■   ■   ■   ■   ■   ■   ■   py.typed
■   ■   ■   ■   ■   ■   ■   argon2_cffi-23.1.0.dist-info
■   ■   ■   ■   ■   ■   ■   INSTALLER
■   ■   ■   ■   ■   ■   ■   METADATA
■   ■   ■   ■   ■   ■   ■   RECORD
■   ■   ■   ■   ■   ■   ■   WHEEL
■   ■   ■   ■   ■   ■   ■   licenses
■   ■   ■   ■   ■   ■   ■   LICENSE
■   ■   ■   ■   ■   ■   ■   argon2_cffi_bindings-21.2.0.dist-info
■   ■   ■   ■   ■   ■   ■   INSTALLER
■   ■   ■   ■   ■   ■   ■   LICENSE
■   ■   ■   ■   ■   ■   ■   METADATA
■   ■   ■   ■   ■   ■   ■   RECORD
■   ■   ■   ■   ■   ■   ■   WHEEL
■   ■   ■   ■   ■   ■   ■   top_level.txt
■   ■   ■   ■   ■   ■   ■   arviz
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   labels.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   preview.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   rcparams.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   sel_utils.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   utils.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   data
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   base.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   converters.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   datasets.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   inference_data.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_beanmachine.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_cmdstan.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_cmdstanpy.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_datatree.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_dict.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_emcee.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_json.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_netcdf.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_numpyro.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_pyjags.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_pyro.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_pystan.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   io_zarr.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   utils.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   base.py
■   ■   ■   ■   ■   ■   ■   converters.py
■   ■   ■   ■   ■   ■   ■   datasets.py
■   ■   ■   ■   ■   ■   ■   example_data
■   ■   ■   ■   ■   ■   ■   code
■   ■   ■   ■   ■   ■   ■   ■   radon
■   ■   ■   ■   ■   ■   ■   ■   radon.json
■   ■   ■   ■   ■   ■   ■   data
■   ■   ■   ■   ■   ■   ■   centered_eight.nc
■   ■   ■   ■   ■   ■   ■   non_centered_eight.nc
■   ■   ■   ■   ■   ■   ■   data_local.json

```

```

■ ■ ■ ■ ■ ■ ■ ■ data_remote.json
■ ■ ■ ■ ■ ■ ■ ■ inference_data.py
■ ■ ■ ■ ■ ■ ■ ■ io_beanmachine.py
■ ■ ■ ■ ■ ■ ■ ■ io_cmdstan.py
■ ■ ■ ■ ■ ■ ■ ■ io_cmdstanpy.py
■ ■ ■ ■ ■ ■ ■ ■ io_datatree.py
■ ■ ■ ■ ■ ■ ■ ■ io_dict.py
■ ■ ■ ■ ■ ■ ■ ■ io_emcee.py
■ ■ ■ ■ ■ ■ ■ ■ io_json.py
■ ■ ■ ■ ■ ■ ■ ■ io_netcdf.py
■ ■ ■ ■ ■ ■ ■ ■ io_numpyro.py
■ ■ ■ ■ ■ ■ ■ ■ io_pyjags.py
■ ■ ■ ■ ■ ■ ■ ■ io_pyro.py
■ ■ ■ ■ ■ ■ ■ ■ io_pystan.py
■ ■ ■ ■ ■ ■ ■ ■ io_zarr.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ labels.py
■ ■ ■ ■ ■ ■ ■ ■ plots
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ autocorrplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ bfplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ bpvplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compareplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ densityplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ distcomparisonplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ distplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dotplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ecdfplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ elpdplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ energyplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ essplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ forestplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ hdiplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ kdeplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ khatplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ lmplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ loopitplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ mcseplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pairplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parallelplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ plot_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ posteriorplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ppcplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ rankplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ separationplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ traceplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tsplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ violinplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ autocorrplot.py
■ ■ ■ ■ ■ ■ ■ ■ backends
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ bokeh
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__

```

■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	autocorrplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	bfplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	bvpplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	compareplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	densityplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	distcomparisonplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	distplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	dotplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	ecdfplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	elpdplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	energyplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	essplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	forestplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	hdiplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	kdeplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	khatplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	lmpplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	loopitplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	mcseplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	pairplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	parallelplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	posteriorplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	ppcplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	rankplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	separationplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	traceplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	violinplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	autocorrplot.py
■	■	■	■	■	■	■	■	■	■■■■	bfplot.py
■	■	■	■	■	■	■	■	■	■■■■	bvpplot.py
■	■	■	■	■	■	■	■	■	■■■■	compareplot.py
■	■	■	■	■	■	■	■	■	■■■■	densityplot.py
■	■	■	■	■	■	■	■	■	■■■■	distcomparisonplot.py
■	■	■	■	■	■	■	■	■	■■■■	distplot.py
■	■	■	■	■	■	■	■	■	■■■■	dotplot.py
■	■	■	■	■	■	■	■	■	■■■■	ecdfplot.py
■	■	■	■	■	■	■	■	■	■■■■	elpdplot.py
■	■	■	■	■	■	■	■	■	■■■■	energyplot.py
■	■	■	■	■	■	■	■	■	■■■■	essplot.py
■	■	■	■	■	■	■	■	■	■■■■	forestplot.py
■	■	■	■	■	■	■	■	■	■■■■	hdiplot.py
■	■	■	■	■	■	■	■	■	■■■■	kdeplot.py
■	■	■	■	■	■	■	■	■	■■■■	khatplot.py
■	■	■	■	■	■	■	■	■	■■■■	lmpplot.py
■	■	■	■	■	■	■	■	■	■■■■	loopitplot.py
■	■	■	■	■	■	■	■	■	■■■■	mcseplot.py
■	■	■	■	■	■	■	■	■	■■■■	pairplot.py
■	■	■	■	■	■	■	■	■	■■■■	parallelplot.py
■	■	■	■	■	■	■	■	■	■■■■	posteriorplot.py
■	■	■	■	■	■	■	■	■	■■■■	ppcplot.py
■	■	■	■	■	■	■	■	■	■■■■	rankplot.py
■	■	■	■	■	■	■	■	■	■■■■	separationplot.py
■	■	■	■	■	■	■	■	■	■■■■	traceplot.py
■	■	■	■	■	■	■	■	■	■■■■	violinplot.py
■	■	■	■	■	■	■	■	■■■■	matplotlib	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	

[illegible]

```

■ ■ ■ ■ ■ ■ ■■■ bpvplot.py
■ ■ ■ ■ ■ ■ ■■■ compareplot.py
■ ■ ■ ■ ■ ■ ■■■ densityplot.py
■ ■ ■ ■ ■ ■ ■■■ distcomparisonplot.py
■ ■ ■ ■ ■ ■ ■■■ distplot.py
■ ■ ■ ■ ■ ■ ■■■ dotplot.py
■ ■ ■ ■ ■ ■ ■■■ ecdfplot.py
■ ■ ■ ■ ■ ■ ■■■ elpdplot.py
■ ■ ■ ■ ■ ■ ■■■ energyplot.py
■ ■ ■ ■ ■ ■ ■■■ essplot.py
■ ■ ■ ■ ■ ■ ■■■ forestplot.py
■ ■ ■ ■ ■ ■ ■■■ hdiplot.py
■ ■ ■ ■ ■ ■ ■■■ kdeplot.py
■ ■ ■ ■ ■ ■ ■■■ khatplot.py
■ ■ ■ ■ ■ ■ ■■■ lmplot.py
■ ■ ■ ■ ■ ■ ■■■ loopitplot.py
■ ■ ■ ■ ■ ■ ■■■ mcseplot.py
■ ■ ■ ■ ■ ■ ■■■ pairplot.py
■ ■ ■ ■ ■ ■ ■■■ parallelplot.py
■ ■ ■ ■ ■ ■ ■■■ plot_utils.py
■ ■ ■ ■ ■ ■ ■■■ posteriorplot.py
■ ■ ■ ■ ■ ■ ■■■ ppcplot.py
■ ■ ■ ■ ■ ■ ■■■ rankplot.py
■ ■ ■ ■ ■ ■ ■■■ separationplot.py
■ ■ ■ ■ ■ ■ ■■■ styles
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-bluish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-brownish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-colors.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-cyanish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-darkgrid.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-doc.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-docgrid.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-grayscale.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-greenish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-orangish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-plasmish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-purplish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-redish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-royish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-viridish.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-white.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ arviz-whitegrid.mplstyle
■ ■ ■ ■ ■ ■ ■■■ ■■■ traceplot.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ tsplot.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ violinplot.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ preview.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■■■ ■■■ rcparams.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ sel_utils.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ static
■ ■ ■ ■ ■ ■ ■■■ ■■■ css
■ ■ ■ ■ ■ ■ ■■■ ■■■ style.css
■ ■ ■ ■ ■ ■ ■■■ ■■■ html
■ ■ ■ ■ ■ ■ ■■■ ■■■ icons-svg-inline.html
■ ■ ■ ■ ■ ■ ■■■ ■■■ stats
■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■ density_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ diagnostics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ ecdf_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stats_refitting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stats_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ density_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ diagnostics.py
■ ■ ■ ■ ■ ■ ■ ■■ ecdf_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ stats.py
■ ■ ■ ■ ■ ■ ■ ■■ stats_refitting.py
■ ■ ■ ■ ■ ■ ■ ■■ stats_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ base_tests
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_data_zarr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_diagnostics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_diagnostics_numba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_labels.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_plot_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_plots_bokeh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_plots_matplotlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_rcparams.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_stats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_ecdf_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_numba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_utils_numba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ test_data.py
■ ■ ■ ■ ■ ■ ■ ■■ test_data_zarr.py
■ ■ ■ ■ ■ ■ ■ ■■ test_diagnostics.py
■ ■ ■ ■ ■ ■ ■ ■■ test_diagnostics_numba.py
■ ■ ■ ■ ■ ■ ■ ■■ test_helpers.py
■ ■ ■ ■ ■ ■ ■ ■■ test_labels.py
■ ■ ■ ■ ■ ■ ■ ■■ test_plot_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ test_plots_bokeh.py
■ ■ ■ ■ ■ ■ ■ ■■ test_plots_matplotlib.py
■ ■ ■ ■ ■ ■ ■ ■■ test_rcparams.py
■ ■ ■ ■ ■ ■ ■ ■■ test_stats.py
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_ecdf_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_numba.py
■ ■ ■ ■ ■ ■ ■ ■■ test_stats_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ test_utils_numba.py
■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■■ external_tests
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
```



```

■ ■ ■ ■ ■ ■ ■■ tsp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ x509.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _errors.py
■ ■ ■ ■ ■ ■ ■■ _inet.py
■ ■ ■ ■ ■ ■ ■■ _int.py
■ ■ ■ ■ ■ ■ ■■ _iri.py
■ ■ ■ ■ ■ ■ ■■ _orderdict.py
■ ■ ■ ■ ■ ■ ■■ _teletex_codec.py
■ ■ ■ ■ ■ ■ ■■ _types.py
■ ■ ■ ■ ■ ■ ■■ algos.py
■ ■ ■ ■ ■ ■ ■■ cms.py
■ ■ ■ ■ ■ ■ ■■ core.py
■ ■ ■ ■ ■ ■ ■■ crl.py
■ ■ ■ ■ ■ ■ ■■ csr.py
■ ■ ■ ■ ■ ■ ■■ keys.py
■ ■ ■ ■ ■ ■ ■■ ocsp.py
■ ■ ■ ■ ■ ■ ■■ parser.py
■ ■ ■ ■ ■ ■ ■■ pdf.py
■ ■ ■ ■ ■ ■ ■■ pem.py
■ ■ ■ ■ ■ ■ ■■ pkcs12.py
■ ■ ■ ■ ■ ■ ■■ tsp.py
■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■■ version.py
■ ■ ■ ■ ■ ■ ■■ x509.py
■ ■ ■ ■ ■ ■ ■■ asn1crypto-1.5.1.dist-info
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■ asttokens
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ astroid_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ asttokens.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ line_numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ mark_tokens.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ astroid_compat.py
■ ■ ■ ■ ■ ■ ■■ asttokens.py
■ ■ ■ ■ ■ ■ ■■ line_numbers.py
■ ■ ■ ■ ■ ■ ■■ mark_tokens.py
■ ■ ■ ■ ■ ■ ■■ py.typed
■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■■ version.py
■ ■ ■ ■ ■ ■ ■■ asttokens-3.0.0.dist-info
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■ attr

```

```
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _cmp.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _compat.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _config.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _funcs.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _make.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _next_gen.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version_info.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ converters.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ filters.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ setters.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ validators.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _cmp.py
■ ■ ■ ■ ■ ■■■ _cmp.pyi
■ ■ ■ ■ ■ ■■■ _compat.py
■ ■ ■ ■ ■ ■■■ _config.py
■ ■ ■ ■ ■ ■■■ _funcs.py
■ ■ ■ ■ ■ ■■■ _make.py
■ ■ ■ ■ ■ ■■■ _next_gen.py
■ ■ ■ ■ ■ ■■■ _typing_compat.pyi
■ ■ ■ ■ ■ ■■■ _version_info.py
■ ■ ■ ■ ■ ■■■ _version_info.pyi
■ ■ ■ ■ ■ ■■■ converters.py
■ ■ ■ ■ ■ ■■■ converters.pyi
■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■■■ exceptions.pyi
■ ■ ■ ■ ■ ■■■ filters.py
■ ■ ■ ■ ■ ■■■ filters.pyi
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ setters.py
■ ■ ■ ■ ■ ■■■ setters.pyi
■ ■ ■ ■ ■ ■■■ validators.py
■ ■ ■ ■ ■ ■■■ validators.pyi
■ ■ ■ ■ ■ ■■■ attrs
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ converters.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ filters.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ setters.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ validators.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ converters.py
■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■■■ filters.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ setters.py
■ ■ ■ ■ ■ ■■■ validators.py
■ ■ ■ ■ ■ ■■■ attrs-24.2.0.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
```

```

■■■ licenses
   ■■■ LICENSE
■■■ audioread
   ■■■ __init__.py
   ■■■ _pycache_
       ■■■ __init__.cpython-311.pyc
       ■■■ base.cpython-311.pyc
       ■■■ exceptions.cpython-311.pyc
       ■■■ ffdec.cpython-311.pyc
       ■■■ gstdec.cpython-311.pyc
       ■■■ macca.cpython-311.pyc
       ■■■ maddec.cpython-311.pyc
       ■■■ rawread.cpython-311.pyc
       ■■■ version.cpython-311.pyc
   ■■■ base.py
   ■■■ exceptions.py
   ■■■ ffdec.py
   ■■■ gstdec.py
   ■■■ macca.py
   ■■■ maddec.py
   ■■■ rawread.py
   ■■■ version.py
■■■ audioread-3.0.1.dist-info
   ■■■ INSTALLER
   ■■■ LICENSE
   ■■■ METADATA
   ■■■ RECORD
   ■■■ WHEEL
■■■ babel
   ■■■ __init__.py
   ■■■ _pycache_
       ■■■ __init__.cpython-311.pyc
       ■■■ core.cpython-311.pyc
       ■■■ dates.cpython-311.pyc
       ■■■ languages.cpython-311.pyc
       ■■■ lists.cpython-311.pyc
       ■■■ localedata.cpython-311.pyc
       ■■■ numbers.cpython-311.pyc
       ■■■ plural.cpython-311.pyc
       ■■■ support.cpython-311.pyc
       ■■■ units.cpython-311.pyc
       ■■■ util.cpython-311.pyc
   ■■■ core.py
   ■■■ dates.py
   ■■■ global.dat
   ■■■ languages.py
   ■■■ lists.py
   ■■■ locale-data
       ■■■ LICENSE.unicode
       ■■■ aa.dat
       ■■■ aa_DJ.dat
       ■■■ aa_ER.dat
       ■■■ aa_ET.dat
       ■■■ ab.dat
       ■■■ ab_GE.dat
       ■■■ af.dat
       ■■■ af_NA.dat
       ■■■ af_ZA.dat
```

						agq.dat
						agq_CM.dat
						ak.dat
						ak_GH.dat
						am.dat
						am_ET.dat
						an.dat
						an_ES.dat
						ann.dat
						ann_NG.dat
						apc.dat
						apc_SY.dat
						ar.dat
						ar_001.dat
						ar_AE.dat
						ar_BH.dat
						ar_DJ.dat
						ar_DZ.dat
						ar_EG.dat
						ar_EH.dat
						ar_ER.dat
						ar_IL.dat
						ar_IQ.dat
						ar_JO.dat
						ar_KM.dat
						ar_KW.dat
						ar_LB.dat
						ar_LY.dat
						ar_MA.dat
						ar_MR.dat
						ar_OM.dat
						ar_PS.dat
						ar_QA.dat
						ar_SA.dat
						ar_SD.dat
						ar_SO.dat
						ar_SS.dat
						ar_SY.dat
						ar_TD.dat
						ar_TN.dat
						ar_YE.dat
						arn.dat
						arn_CL.dat
						as.dat
						as_IN.dat
						asa.dat
						asa_TZ.dat
						ast.dat
						ast_ES.dat
						az.dat
						az_Arab.dat
						az_Arab_IQ.dat
						az_Arab_IR.dat
						az_Arab_TR.dat
						az_Cyrl.dat
						az_Cyrl_AZ.dat
						az_Latn.dat
						az_Latn_AZ.dat

■	■	■	■	■	■	■■■	ba.dat
■	■	■	■	■	■	■■■	ba_RU.dat
■	■	■	■	■	■	■■■	bal.dat
■	■	■	■	■	■	■■■	bal_Arab.dat
■	■	■	■	■	■	■■■	bal_Arab_PK.dat
■	■	■	■	■	■	■■■	bal_Latn.dat
■	■	■	■	■	■	■■■	bal_Latn_PK.dat
■	■	■	■	■	■	■■■	bas.dat
■	■	■	■	■	■	■■■	bas_CM.dat
■	■	■	■	■	■	■■■	be.dat
■	■	■	■	■	■	■■■	be_BY.dat
■	■	■	■	■	■	■■■	be_TARASK.dat
■	■	■	■	■	■	■■■	bem.dat
■	■	■	■	■	■	■■■	bem_ZM.dat
■	■	■	■	■	■	■■■	bew.dat
■	■	■	■	■	■	■■■	bew_ID.dat
■	■	■	■	■	■	■■■	bez.dat
■	■	■	■	■	■	■■■	bez_TZ.dat
■	■	■	■	■	■	■■■	bg.dat
■	■	■	■	■	■	■■■	bg_BG.dat
■	■	■	■	■	■	■■■	bgc.dat
■	■	■	■	■	■	■■■	bgc_IN.dat
■	■	■	■	■	■	■■■	bgn.dat
■	■	■	■	■	■	■■■	bgn_AE.dat
■	■	■	■	■	■	■■■	bgn_AF.dat
■	■	■	■	■	■	■■■	bgn_IR.dat
■	■	■	■	■	■	■■■	bgn_OM.dat
■	■	■	■	■	■	■■■	bgn_PK.dat
■	■	■	■	■	■	■■■	bho.dat
■	■	■	■	■	■	■■■	bho_IN.dat
■	■	■	■	■	■	■■■	blo.dat
■	■	■	■	■	■	■■■	blo_BJ.dat
■	■	■	■	■	■	■■■	blt.dat
■	■	■	■	■	■	■■■	blt_VN.dat
■	■	■	■	■	■	■■■	bm.dat
■	■	■	■	■	■	■■■	bm_ML.dat
■	■	■	■	■	■	■■■	bm_Nkoo.dat
■	■	■	■	■	■	■■■	bm_Nkoo_ML.dat
■	■	■	■	■	■	■■■	bn.dat
■	■	■	■	■	■	■■■	bn_BD.dat
■	■	■	■	■	■	■■■	bn_IN.dat
■	■	■	■	■	■	■■■	bo.dat
■	■	■	■	■	■	■■■	bo_CN.dat
■	■	■	■	■	■	■■■	bo_IN.dat
■	■	■	■	■	■	■■■	br.dat
■	■	■	■	■	■	■■■	br_FR.dat
■	■	■	■	■	■	■■■	brx.dat
■	■	■	■	■	■	■■■	brx_IN.dat
■	■	■	■	■	■	■■■	bs.dat
■	■	■	■	■	■	■■■	bs_Cyrl.dat
■	■	■	■	■	■	■■■	bs_Cyrl_BA.dat
■	■	■	■	■	■	■■■	bs_Latn.dat
■	■	■	■	■	■	■■■	bs_Latn_BA.dat
■	■	■	■	■	■	■■■	bss.dat
■	■	■	■	■	■	■■■	bss_CM.dat
■	■	■	■	■	■	■■■	byn.dat
■	■	■	■	■	■	■■■	byn_ER.dat
■	■	■	■	■	■	■■■	ca.dat

■	■	■	■	■	■	■■■	ca_AD.dat
■	■	■	■	■	■	■■■	ca_ES.dat
■	■	■	■	■	■	■■■	ca_ES VALENCIA.dat
■	■	■	■	■	■	■■■	ca_FR.dat
■	■	■	■	■	■	■■■	ca_IT.dat
■	■	■	■	■	■	■■■	cad.dat
■	■	■	■	■	■	■■■	cad_US.dat
■	■	■	■	■	■	■■■	cch.dat
■	■	■	■	■	■	■■■	cch_NG.dat
■	■	■	■	■	■	■■■	ccp.dat
■	■	■	■	■	■	■■■	ccp_BD.dat
■	■	■	■	■	■	■■■	ccp_IN.dat
■	■	■	■	■	■	■■■	ce.dat
■	■	■	■	■	■	■■■	ce_RU.dat
■	■	■	■	■	■	■■■	ceb.dat
■	■	■	■	■	■	■■■	ceb_PH.dat
■	■	■	■	■	■	■■■	cgg.dat
■	■	■	■	■	■	■■■	cgg_UG.dat
■	■	■	■	■	■	■■■	cho.dat
■	■	■	■	■	■	■■■	cho_US.dat
■	■	■	■	■	■	■■■	chr.dat
■	■	■	■	■	■	■■■	chr_US.dat
■	■	■	■	■	■	■■■	cic.dat
■	■	■	■	■	■	■■■	cic_US.dat
■	■	■	■	■	■	■■■	ckb.dat
■	■	■	■	■	■	■■■	ckb_IQ.dat
■	■	■	■	■	■	■■■	ckb_IR.dat
■	■	■	■	■	■	■■■	co.dat
■	■	■	■	■	■	■■■	co_FR.dat
■	■	■	■	■	■	■■■	cs.dat
■	■	■	■	■	■	■■■	cs_CZ.dat
■	■	■	■	■	■	■■■	csw.dat
■	■	■	■	■	■	■■■	csw_CA.dat
■	■	■	■	■	■	■■■	cu.dat
■	■	■	■	■	■	■■■	cu_RU.dat
■	■	■	■	■	■	■■■	cv.dat
■	■	■	■	■	■	■■■	cv_RU.dat
■	■	■	■	■	■	■■■	cy.dat
■	■	■	■	■	■	■■■	cy_GB.dat
■	■	■	■	■	■	■■■	da.dat
■	■	■	■	■	■	■■■	da_DK.dat
■	■	■	■	■	■	■■■	da_GL.dat
■	■	■	■	■	■	■■■	dav.dat
■	■	■	■	■	■	■■■	dav_KE.dat
■	■	■	■	■	■	■■■	de.dat
■	■	■	■	■	■	■■■	de_AT.dat
■	■	■	■	■	■	■■■	de_BE.dat
■	■	■	■	■	■	■■■	de_CH.dat
■	■	■	■	■	■	■■■	de_DE.dat
■	■	■	■	■	■	■■■	de_IT.dat
■	■	■	■	■	■	■■■	de_LI.dat
■	■	■	■	■	■	■■■	de_LU.dat
■	■	■	■	■	■	■■■	dje.dat
■	■	■	■	■	■	■■■	dje_NE.dat
■	■	■	■	■	■	■■■	doi.dat
■	■	■	■	■	■	■■■	doi_IN.dat
■	■	■	■	■	■	■■■	dsb.dat
■	■	■	■	■	■	■■■	dsb_DE.dat

■	■	■	■	■	■	■■■	dua.dat
■	■	■	■	■	■	■■■	dua_CM.dat
■	■	■	■	■	■	■■■	dv.dat
■	■	■	■	■	■	■■■	dv_MV.dat
■	■	■	■	■	■	■■■	dyo.dat
■	■	■	■	■	■	■■■	dyo_SN.dat
■	■	■	■	■	■	■■■	dz.dat
■	■	■	■	■	■	■■■	dz_BT.dat
■	■	■	■	■	■	■■■	ebu.dat
■	■	■	■	■	■	■■■	ebu_KE.dat
■	■	■	■	■	■	■■■	ee.dat
■	■	■	■	■	■	■■■	ee_GH.dat
■	■	■	■	■	■	■■■	ee_TG.dat
■	■	■	■	■	■	■■■	el.dat
■	■	■	■	■	■	■■■	el_CY.dat
■	■	■	■	■	■	■■■	el_GR.dat
■	■	■	■	■	■	■■■	el_POLYTON.dat
■	■	■	■	■	■	■■■	en.dat
■	■	■	■	■	■	■■■	en_001.dat
■	■	■	■	■	■	■■■	en_150.dat
■	■	■	■	■	■	■■■	en_AE.dat
■	■	■	■	■	■	■■■	en_AG.dat
■	■	■	■	■	■	■■■	en_AI.dat
■	■	■	■	■	■	■■■	en_AS.dat
■	■	■	■	■	■	■■■	en_AT.dat
■	■	■	■	■	■	■■■	en_AU.dat
■	■	■	■	■	■	■■■	en_BB.dat
■	■	■	■	■	■	■■■	en_BE.dat
■	■	■	■	■	■	■■■	en_BI.dat
■	■	■	■	■	■	■■■	en_BM.dat
■	■	■	■	■	■	■■■	en_BS.dat
■	■	■	■	■	■	■■■	en_BW.dat
■	■	■	■	■	■	■■■	en_BZ.dat
■	■	■	■	■	■	■■■	en_CA.dat
■	■	■	■	■	■	■■■	en_CC.dat
■	■	■	■	■	■	■■■	en_CH.dat
■	■	■	■	■	■	■■■	en_CK.dat
■	■	■	■	■	■	■■■	en_CM.dat
■	■	■	■	■	■	■■■	en_CX.dat
■	■	■	■	■	■	■■■	en_CY.dat
■	■	■	■	■	■	■■■	en_DE.dat
■	■	■	■	■	■	■■■	en_DG.dat
■	■	■	■	■	■	■■■	en_DK.dat
■	■	■	■	■	■	■■■	en_DM.dat
■	■	■	■	■	■	■■■	en_Dsrt.dat
■	■	■	■	■	■	■■■	en_Dsrt_US.dat
■	■	■	■	■	■	■■■	en_ER.dat
■	■	■	■	■	■	■■■	en_FI.dat
■	■	■	■	■	■	■■■	en_FJ.dat
■	■	■	■	■	■	■■■	en_FK.dat
■	■	■	■	■	■	■■■	en_FM.dat
■	■	■	■	■	■	■■■	en_GB.dat
■	■	■	■	■	■	■■■	en_GD.dat
■	■	■	■	■	■	■■■	en_GG.dat
■	■	■	■	■	■	■■■	en_GH.dat
■	■	■	■	■	■	■■■	en_GI.dat
■	■	■	■	■	■	■■■	en_GM.dat
■	■	■	■	■	■	■■■	en_GU.dat

						en_GY.dat
						en_HK.dat
						en_ID.dat
						en_IE.dat
						en_IL.dat
						en_IM.dat
						en_IN.dat
						en_IO.dat
						en_JE.dat
						en_JM.dat
						en_KE.dat
						en_KI.dat
						en_KN.dat
						en_KY.dat
						en_LC.dat
						en_LR.dat
						en_LS.dat
						en_MG.dat
						en_MH.dat
						en_MO.dat
						en_MP.dat
						en_MS.dat
						en_MT.dat
						en_MU.dat
						en_MV.dat
						en_MW.dat
						en_MY.dat
						en_NA.dat
						en_NF.dat
						en_NG.dat
						en_NL.dat
						en_NR.dat
						en_NU.dat
						en_NZ.dat
						en_PG.dat
						en_PH.dat
						en_PK.dat
						en_PN.dat
						en_PR.dat
						en_PW.dat
						en_RW.dat
						en_SB.dat
						en_SC.dat
						en_SD.dat
						en_SE.dat
						en_SG.dat
						en_SH.dat
						en_SI.dat
						en_SL.dat
						en_SS.dat
						en_SX.dat
						en_SZ.dat
						en_Shaw.dat
						en_Shaw_GB.dat
						en_TC.dat
						en_TK.dat
						en_TO.dat
						en_TT.dat

■	■	■	■	■	■	■■■	en_TV.dat
■	■	■	■	■	■	■■■	en_TZ.dat
■	■	■	■	■	■	■■■	en_UG.dat
■	■	■	■	■	■	■■■	en_UM.dat
■	■	■	■	■	■	■■■	en_US.dat
■	■	■	■	■	■	■■■	en_US_POSIX.dat
■	■	■	■	■	■	■■■	en_VC.dat
■	■	■	■	■	■	■■■	en_VG.dat
■	■	■	■	■	■	■■■	en_VI.dat
■	■	■	■	■	■	■■■	en_VU.dat
■	■	■	■	■	■	■■■	en_WS.dat
■	■	■	■	■	■	■■■	en_ZA.dat
■	■	■	■	■	■	■■■	en_ZM.dat
■	■	■	■	■	■	■■■	en_Zw.dat
■	■	■	■	■	■	■■■	eo.dat
■	■	■	■	■	■	■■■	eo_001.dat
■	■	■	■	■	■	■■■	es.dat
■	■	■	■	■	■	■■■	es_419.dat
■	■	■	■	■	■	■■■	es_AR.dat
■	■	■	■	■	■	■■■	es_B0.dat
■	■	■	■	■	■	■■■	es_BR.dat
■	■	■	■	■	■	■■■	es_BZ.dat
■	■	■	■	■	■	■■■	es_CL.dat
■	■	■	■	■	■	■■■	es_C0.dat
■	■	■	■	■	■	■■■	es_CR.dat
■	■	■	■	■	■	■■■	es_CU.dat
■	■	■	■	■	■	■■■	es_D0.dat
■	■	■	■	■	■	■■■	es_EA.dat
■	■	■	■	■	■	■■■	es_EC.dat
■	■	■	■	■	■	■■■	es_ES.dat
■	■	■	■	■	■	■■■	es_GQ.dat
■	■	■	■	■	■	■■■	es_GT.dat
■	■	■	■	■	■	■■■	es_HN.dat
■	■	■	■	■	■	■■■	es_IC.dat
■	■	■	■	■	■	■■■	es_MX.dat
■	■	■	■	■	■	■■■	es_NI.dat
■	■	■	■	■	■	■■■	es_PA.dat
■	■	■	■	■	■	■■■	es_PE.dat
■	■	■	■	■	■	■■■	es_PH.dat
■	■	■	■	■	■	■■■	es_PR.dat
■	■	■	■	■	■	■■■	es_PY.dat
■	■	■	■	■	■	■■■	es_SV.dat
■	■	■	■	■	■	■■■	es_US.dat
■	■	■	■	■	■	■■■	es_UY.dat
■	■	■	■	■	■	■■■	es_VE.dat
■	■	■	■	■	■	■■■	et.dat
■	■	■	■	■	■	■■■	et_EE.dat
■	■	■	■	■	■	■■■	eu.dat
■	■	■	■	■	■	■■■	eu_ES.dat
■	■	■	■	■	■	■■■	ewo.dat
■	■	■	■	■	■	■■■	ewo_CM.dat
■	■	■	■	■	■	■■■	fa.dat
■	■	■	■	■	■	■■■	fa_AF.dat
■	■	■	■	■	■	■■■	fa_IR.dat
■	■	■	■	■	■	■■■	ff.dat
■	■	■	■	■	■	■■■	ff_Adlm.dat
■	■	■	■	■	■	■■■	ff_Adlm_BF.dat
■	■	■	■	■	■	■■■	ff_Adlm_CM.dat

ff	Adlm	GH	.dat
ff	Adlm	GM	.dat
ff	Adlm	GN	.dat
ff	Adlm	GW	.dat
ff	Adlm	LR	.dat
ff	Adlm	MR	.dat
ff	Adlm	NE	.dat
ff	Adlm	NG	.dat
ff	Adlm	SL	.dat
ff	Adlm	SN	.dat
ff	Latn		.dat
ff	Latn	BF	.dat
ff	Latn	CM	.dat
ff	Latn	GH	.dat
ff	Latn	GM	.dat
ff	Latn	GN	.dat
ff	Latn	GW	.dat
ff	Latn	LR	.dat
ff	Latn	MR	.dat
ff	Latn	NE	.dat
ff	Latn	NG	.dat
ff	Latn	SL	.dat
ff	Latn	SN	.dat
fi			.dat
fi	FI		.dat
fil			.dat
fil	PH		.dat
fo			.dat
fo	DK		.dat
fo	F0		.dat
fr			.dat
fr	BE		.dat
fr	BF		.dat
fr	BI		.dat
fr	BJ		.dat
fr	BL		.dat
fr	CA		.dat
fr	CD		.dat
fr	CF		.dat
fr	CG		.dat
fr	CH		.dat
fr	CI		.dat
fr	CM		.dat
fr	DJ		.dat
fr	DZ		.dat
fr	FR		.dat
fr	GA		.dat
fr	GF		.dat
fr	GN		.dat
fr	GP		.dat
fr	GQ		.dat
fr	HT		.dat
fr	KM		.dat
fr	LU		.dat
fr	MA		.dat
fr	MC		.dat
fr	MF		.dat
fr	MG		.dat

■	■	■	■	■	■	■■■	fr_ML.dat
■	■	■	■	■	■	■■■	fr_MQ.dat
■	■	■	■	■	■	■■■	fr_MR.dat
■	■	■	■	■	■	■■■	fr_MU.dat
■	■	■	■	■	■	■■■	fr_NC.dat
■	■	■	■	■	■	■■■	fr_NE.dat
■	■	■	■	■	■	■■■	fr_PF.dat
■	■	■	■	■	■	■■■	fr_PM.dat
■	■	■	■	■	■	■■■	fr_RE.dat
■	■	■	■	■	■	■■■	fr_RW.dat
■	■	■	■	■	■	■■■	fr_SC.dat
■	■	■	■	■	■	■■■	fr_SN.dat
■	■	■	■	■	■	■■■	fr_SY.dat
■	■	■	■	■	■	■■■	fr_TD.dat
■	■	■	■	■	■	■■■	fr_TG.dat
■	■	■	■	■	■	■■■	fr_TN.dat
■	■	■	■	■	■	■■■	fr_VU.dat
■	■	■	■	■	■	■■■	fr_WF.dat
■	■	■	■	■	■	■■■	fr_YT.dat
■	■	■	■	■	■	■■■	frr.dat
■	■	■	■	■	■	■■■	frr_DE.dat
■	■	■	■	■	■	■■■	fur.dat
■	■	■	■	■	■	■■■	fur_IT.dat
■	■	■	■	■	■	■■■	fy.dat
■	■	■	■	■	■	■■■	fy_NL.dat
■	■	■	■	■	■	■■■	ga.dat
■	■	■	■	■	■	■■■	ga_GB.dat
■	■	■	■	■	■	■■■	ga_IE.dat
■	■	■	■	■	■	■■■	gaa.dat
■	■	■	■	■	■	■■■	gaa_GH.dat
■	■	■	■	■	■	■■■	gd.dat
■	■	■	■	■	■	■■■	gd_GB.dat
■	■	■	■	■	■	■■■	gez.dat
■	■	■	■	■	■	■■■	gez_ER.dat
■	■	■	■	■	■	■■■	gez_ET.dat
■	■	■	■	■	■	■■■	gl.dat
■	■	■	■	■	■	■■■	gl_ES.dat
■	■	■	■	■	■	■■■	gn.dat
■	■	■	■	■	■	■■■	gn_PY.dat
■	■	■	■	■	■	■■■	gsw.dat
■	■	■	■	■	■	■■■	gsw_CH.dat
■	■	■	■	■	■	■■■	gsw_FR.dat
■	■	■	■	■	■	■■■	gsw_LI.dat
■	■	■	■	■	■	■■■	gu.dat
■	■	■	■	■	■	■■■	gu_IN.dat
■	■	■	■	■	■	■■■	guz.dat
■	■	■	■	■	■	■■■	guz_KE.dat
■	■	■	■	■	■	■■■	gv.dat
■	■	■	■	■	■	■■■	gv_IM.dat
■	■	■	■	■	■	■■■	ha.dat
■	■	■	■	■	■	■■■	ha_Arab.dat
■	■	■	■	■	■	■■■	ha_Arab_NG.dat
■	■	■	■	■	■	■■■	ha_Arab_SD.dat
■	■	■	■	■	■	■■■	ha_GH.dat
■	■	■	■	■	■	■■■	ha_NE.dat
■	■	■	■	■	■	■■■	ha_NG.dat
■	■	■	■	■	■	■■■	haw.dat
■	■	■	■	■	■	■■■	haw_US.dat

■	■	■	■	■	■	■■■	he.dat
■	■	■	■	■	■	■■■	he_IL.dat
■	■	■	■	■	■	■■■	hi.dat
■	■	■	■	■	■	■■■	hi_IN.dat
■	■	■	■	■	■	■■■	hi_Latn.dat
■	■	■	■	■	■	■■■	hi_Latn_IN.dat
■	■	■	■	■	■	■■■	hnj.dat
■	■	■	■	■	■	■■■	hnj_Hmnp.dat
■	■	■	■	■	■	■■■	hnj_Hmnp_US.dat
■	■	■	■	■	■	■■■	hr.dat
■	■	■	■	■	■	■■■	hr_BA.dat
■	■	■	■	■	■	■■■	hr_HR.dat
■	■	■	■	■	■	■■■	hsb.dat
■	■	■	■	■	■	■■■	hsb_DE.dat
■	■	■	■	■	■	■■■	hu.dat
■	■	■	■	■	■	■■■	hu_HU.dat
■	■	■	■	■	■	■■■	hy.dat
■	■	■	■	■	■	■■■	hy_AM.dat
■	■	■	■	■	■	■■■	ia.dat
■	■	■	■	■	■	■■■	ia_001.dat
■	■	■	■	■	■	■■■	id.dat
■	■	■	■	■	■	■■■	id_ID.dat
■	■	■	■	■	■	■■■	ie.dat
■	■	■	■	■	■	■■■	ie_EE.dat
■	■	■	■	■	■	■■■	ig.dat
■	■	■	■	■	■	■■■	ig_NG.dat
■	■	■	■	■	■	■■■	ii.dat
■	■	■	■	■	■	■■■	ii_CN.dat
■	■	■	■	■	■	■■■	io.dat
■	■	■	■	■	■	■■■	io_001.dat
■	■	■	■	■	■	■■■	is.dat
■	■	■	■	■	■	■■■	is_IS.dat
■	■	■	■	■	■	■■■	it.dat
■	■	■	■	■	■	■■■	it_CH.dat
■	■	■	■	■	■	■■■	it_IT.dat
■	■	■	■	■	■	■■■	it_SM.dat
■	■	■	■	■	■	■■■	it_VA.dat
■	■	■	■	■	■	■■■	iu.dat
■	■	■	■	■	■	■■■	iu_CA.dat
■	■	■	■	■	■	■■■	iu_Latn.dat
■	■	■	■	■	■	■■■	iu_Latn_CA.dat
■	■	■	■	■	■	■■■	ja.dat
■	■	■	■	■	■	■■■	ja_JP.dat
■	■	■	■	■	■	■■■	jbo.dat
■	■	■	■	■	■	■■■	jbo_001.dat
■	■	■	■	■	■	■■■	jgo.dat
■	■	■	■	■	■	■■■	jgo_CM.dat
■	■	■	■	■	■	■■■	jmc.dat
■	■	■	■	■	■	■■■	jmc_TZ.dat
■	■	■	■	■	■	■■■	jv.dat
■	■	■	■	■	■	■■■	jv_ID.dat
■	■	■	■	■	■	■■■	ka.dat
■	■	■	■	■	■	■■■	ka_GE.dat
■	■	■	■	■	■	■■■	kab.dat
■	■	■	■	■	■	■■■	kab_DZ.dat
■	■	■	■	■	■	■■■	kaj.dat
■	■	■	■	■	■	■■■	kaj_NG.dat
■	■	■	■	■	■	■■■	kam.dat

						■■■ kam_KE.dat
						■■■ kcg.dat
						■■■ kcg_NG.dat
						■■■ kde.dat
						■■■ kde_TZ.dat
						■■■ kea.dat
						■■■ kea_CV.dat
						■■■ ken.dat
						■■■ ken_CM.dat
						■■■ kgp.dat
						■■■ kgp_BR.dat
						■■■ khq.dat
						■■■ khq_ML.dat
						■■■ ki.dat
						■■■ ki_KE.dat
						■■■ kk.dat
						■■■ kk_KZ.dat
						■■■ kkj.dat
						■■■ kkj_CM.dat
						■■■ kl.dat
						■■■ kl_GL.dat
						■■■ kln.dat
						■■■ kln_KE.dat
						■■■ km.dat
						■■■ km_KH.dat
						■■■ kn.dat
						■■■ kn_IN.dat
						■■■ ko.dat
						■■■ ko_CN.dat
						■■■ ko_KP.dat
						■■■ ko_KR.dat
						■■■ kok.dat
						■■■ kok_IN.dat
						■■■ kpe.dat
						■■■ kpe_GN.dat
						■■■ kpe_LR.dat
						■■■ ks.dat
						■■■ ks_Arab.dat
						■■■ ks_Arab_IN.dat
						■■■ ks_Deva.dat
						■■■ ks_Deva_IN.dat
						■■■ ksb.dat
						■■■ ksb_TZ.dat
						■■■ ksf.dat
						■■■ ksf_CM.dat
						■■■ ksh.dat
						■■■ ksh_DE.dat
						■■■ ku.dat
						■■■ ku_TR.dat
						■■■ kw.dat
						■■■ kw_GB.dat
						■■■ kxv.dat
						■■■ kxv_Deva.dat
						■■■ kxv_Deva_IN.dat
						■■■ kxv_Latn.dat
						■■■ kxv_Latn_IN.dat
						■■■ kxv_Orya.dat
						■■■ kxv_Orya_IN.dat

■	■	■	■	■	■	■■■	kxv_Telu.dat
■	■	■	■	■	■	■■■	kxv_Telu_IN.dat
■	■	■	■	■	■	■■■	ky.dat
■	■	■	■	■	■	■■■	ky_KG.dat
■	■	■	■	■	■	■■■	la.dat
■	■	■	■	■	■	■■■	la_VA.dat
■	■	■	■	■	■	■■■	lag.dat
■	■	■	■	■	■	■■■	lag_TZ.dat
■	■	■	■	■	■	■■■	lb.dat
■	■	■	■	■	■	■■■	lb_LU.dat
■	■	■	■	■	■	■■■	lg.dat
■	■	■	■	■	■	■■■	lg_UG.dat
■	■	■	■	■	■	■■■	lij.dat
■	■	■	■	■	■	■■■	lij_IT.dat
■	■	■	■	■	■	■■■	lkt.dat
■	■	■	■	■	■	■■■	lkt_US.dat
■	■	■	■	■	■	■■■	lmo.dat
■	■	■	■	■	■	■■■	lmo_IT.dat
■	■	■	■	■	■	■■■	ln.dat
■	■	■	■	■	■	■■■	ln_A0.dat
■	■	■	■	■	■	■■■	ln_CD.dat
■	■	■	■	■	■	■■■	ln_CF.dat
■	■	■	■	■	■	■■■	ln_CG.dat
■	■	■	■	■	■	■■■	lo.dat
■	■	■	■	■	■	■■■	lo_LA.dat
■	■	■	■	■	■	■■■	lrc.dat
■	■	■	■	■	■	■■■	lrc_IQ.dat
■	■	■	■	■	■	■■■	lrc_IR.dat
■	■	■	■	■	■	■■■	lt.dat
■	■	■	■	■	■	■■■	lt_LT.dat
■	■	■	■	■	■	■■■	lu.dat
■	■	■	■	■	■	■■■	lu_CD.dat
■	■	■	■	■	■	■■■	luo.dat
■	■	■	■	■	■	■■■	luo_KE.dat
■	■	■	■	■	■	■■■	luy.dat
■	■	■	■	■	■	■■■	luy_KE.dat
■	■	■	■	■	■	■■■	lv.dat
■	■	■	■	■	■	■■■	lv_LV.dat
■	■	■	■	■	■	■■■	mai.dat
■	■	■	■	■	■	■■■	mai_IN.dat
■	■	■	■	■	■	■■■	mas.dat
■	■	■	■	■	■	■■■	mas_KE.dat
■	■	■	■	■	■	■■■	mas_TZ.dat
■	■	■	■	■	■	■■■	mdf.dat
■	■	■	■	■	■	■■■	mdf_RU.dat
■	■	■	■	■	■	■■■	mer.dat
■	■	■	■	■	■	■■■	mer_KE.dat
■	■	■	■	■	■	■■■	mfe.dat
■	■	■	■	■	■	■■■	mfe_MU.dat
■	■	■	■	■	■	■■■	mg.dat
■	■	■	■	■	■	■■■	mg_MG.dat
■	■	■	■	■	■	■■■	mgh.dat
■	■	■	■	■	■	■■■	mgh_MZ.dat
■	■	■	■	■	■	■■■	mgo.dat
■	■	■	■	■	■	■■■	mgo_CM.dat
■	■	■	■	■	■	■■■	mi.dat
■	■	■	■	■	■	■■■	mi_NZ.dat
■	■	■	■	■	■	■■■	mic.dat

mic_CA.dat	mic	CA				
mk.dat	mk					
mk_MK.dat	mk	MK				
ml.dat	ml					
ml_IN.dat	ml	IN				
mn.dat	mn					
mn_MN.dat	mn	MN				
mn_Mong.dat	mn	Mong				
mn_Mong_CN.dat	mn	Mong	CN			
mn_Mong_MN.dat	mn	Mong	MN			
nni.dat	nni					
nni_Beng.dat	nni	Beng				
nni_Beng_IN.dat	nni	Beng	IN			
nni_Mtei.dat	nni	Mtei				
nni_Mtei_IN.dat	nni	Mtei	IN			
moh.dat	moh					
moh_CA.dat	moh	CA				
mr.dat	mr					
mr_IN.dat	mr	IN				
ms.dat	ms					
ms_Arab.dat	ms	Arab				
ms_Arab_BN.dat	ms	Arab	BN			
ms_Arab_MY.dat	ms	Arab	MY			
ms_BN.dat	ms	BN				
ms_ID.dat	ms	ID				
ms_MY.dat	ms	MY				
ms_SG.dat	ms	SG				
mt.dat	mt					
mt_MT.dat	mt	MT				
mua.dat	mua					
mua_CM.dat	mua	CM				
mus.dat	mus					
mus_US.dat	mus	US				
my.dat	my					
my_MM.dat	my	MM				
myv.dat	myv					
myv_RU.dat	myv	RU				
mzn.dat	mzn					
mzn_IR.dat	mzn	IR				
naq.dat	naq					
naq_NA.dat	naq	NA				
nb.dat	nb					
nb_NO.dat	nb	NO				
nb_SJ.dat	nb	SJ				
nd.dat	nd					
nd_ZW.dat	nd	ZW				
nds.dat	nds					
nds_DE.dat	nds	DE				
nds_NL.dat	nds	NL				
ne.dat	ne					
ne_IN.dat	ne	IN				
ne_NP.dat	ne	NP				
nl.dat	nl					
nl_AW.dat	nl	AW				
nl_BE.dat	nl	BE				
nl_BQ.dat	nl	BQ				
nl_CW.dat	nl	CW				
nl_NL.dat	nl	NL				

■	■	■	■	■	■	■■■	nl_SR.dat
■	■	■	■	■	■	■■■	nl_SX.dat
■	■	■	■	■	■	■■■	nmg.dat
■	■	■	■	■	■	■■■	nmg_CM.dat
■	■	■	■	■	■	■■■	nn.dat
■	■	■	■	■	■	■■■	nn_NO.dat
■	■	■	■	■	■	■■■	nnh.dat
■	■	■	■	■	■	■■■	nnh_CM.dat
■	■	■	■	■	■	■■■	no.dat
■	■	■	■	■	■	■■■	nqo.dat
■	■	■	■	■	■	■■■	nqo_GN.dat
■	■	■	■	■	■	■■■	nr.dat
■	■	■	■	■	■	■■■	nr_ZA.dat
■	■	■	■	■	■	■■■	nso.dat
■	■	■	■	■	■	■■■	nso_ZA.dat
■	■	■	■	■	■	■■■	nus.dat
■	■	■	■	■	■	■■■	nus_SS.dat
■	■	■	■	■	■	■■■	nv.dat
■	■	■	■	■	■	■■■	nv_US.dat
■	■	■	■	■	■	■■■	ny.dat
■	■	■	■	■	■	■■■	ny_Mw.dat
■	■	■	■	■	■	■■■	nyn.dat
■	■	■	■	■	■	■■■	nyn_UG.dat
■	■	■	■	■	■	■■■	oc.dat
■	■	■	■	■	■	■■■	oc_ES.dat
■	■	■	■	■	■	■■■	oc_FR.dat
■	■	■	■	■	■	■■■	om.dat
■	■	■	■	■	■	■■■	om_ET.dat
■	■	■	■	■	■	■■■	om_KE.dat
■	■	■	■	■	■	■■■	or.dat
■	■	■	■	■	■	■■■	or_IN.dat
■	■	■	■	■	■	■■■	os.dat
■	■	■	■	■	■	■■■	os_GE.dat
■	■	■	■	■	■	■■■	os_RU.dat
■	■	■	■	■	■	■■■	osa.dat
■	■	■	■	■	■	■■■	osa_US.dat
■	■	■	■	■	■	■■■	pa.dat
■	■	■	■	■	■	■■■	pa_Arab.dat
■	■	■	■	■	■	■■■	pa_Arab_PK.dat
■	■	■	■	■	■	■■■	pa_Guru.dat
■	■	■	■	■	■	■■■	pa_Guru_IN.dat
■	■	■	■	■	■	■■■	pap.dat
■	■	■	■	■	■	■■■	pap_AW.dat
■	■	■	■	■	■	■■■	pap_CW.dat
■	■	■	■	■	■	■■■	pcm.dat
■	■	■	■	■	■	■■■	pcm_NG.dat
■	■	■	■	■	■	■■■	pis.dat
■	■	■	■	■	■	■■■	pis_SB.dat
■	■	■	■	■	■	■■■	pl.dat
■	■	■	■	■	■	■■■	pl_PL.dat
■	■	■	■	■	■	■■■	prg.dat
■	■	■	■	■	■	■■■	prg_PL.dat
■	■	■	■	■	■	■■■	ps.dat
■	■	■	■	■	■	■■■	ps_AF.dat
■	■	■	■	■	■	■■■	ps_PK.dat
■	■	■	■	■	■	■■■	pt.dat
■	■	■	■	■	■	■■■	pt_A0.dat
■	■	■	■	■	■	■■■	pt_BR.dat

■	■	■	■	■	■	■■■	sc.dat
■	■	■	■	■	■	■■■	sc_IT.dat
■	■	■	■	■	■	■■■	scn.dat
■	■	■	■	■	■	■■■	scn_IT.dat
■	■	■	■	■	■	■■■	sd.dat
■	■	■	■	■	■	■■■	sd_Arab.dat
■	■	■	■	■	■	■■■	sd_Arab_PK.dat
■	■	■	■	■	■	■■■	sd_Deva.dat
■	■	■	■	■	■	■■■	sd_Deva_IN.dat
■	■	■	■	■	■	■■■	sdh.dat
■	■	■	■	■	■	■■■	sdh_IQ.dat
■	■	■	■	■	■	■■■	sdh_IR.dat
■	■	■	■	■	■	■■■	se.dat
■	■	■	■	■	■	■■■	se_FI.dat
■	■	■	■	■	■	■■■	se_NO.dat
■	■	■	■	■	■	■■■	se_SE.dat
■	■	■	■	■	■	■■■	seh.dat
■	■	■	■	■	■	■■■	seh_MZ.dat
■	■	■	■	■	■	■■■	ses.dat
■	■	■	■	■	■	■■■	ses_ML.dat
■	■	■	■	■	■	■■■	sg.dat
■	■	■	■	■	■	■■■	sg_CF.dat
■	■	■	■	■	■	■■■	shi.dat
■	■	■	■	■	■	■■■	shi_Latn.dat
■	■	■	■	■	■	■■■	shi_Latn_MA.dat
■	■	■	■	■	■	■■■	shi_Tfng.dat
■	■	■	■	■	■	■■■	shi_Tfng_MA.dat
■	■	■	■	■	■	■■■	shn.dat
■	■	■	■	■	■	■■■	shn_MM.dat
■	■	■	■	■	■	■■■	shn_TH.dat
■	■	■	■	■	■	■■■	si.dat
■	■	■	■	■	■	■■■	si_LK.dat
■	■	■	■	■	■	■■■	sid.dat
■	■	■	■	■	■	■■■	sid_ET.dat
■	■	■	■	■	■	■■■	sk.dat
■	■	■	■	■	■	■■■	sk_SK.dat
■	■	■	■	■	■	■■■	skr.dat
■	■	■	■	■	■	■■■	skr_PK.dat
■	■	■	■	■	■	■■■	sl.dat
■	■	■	■	■	■	■■■	sl_SI.dat
■	■	■	■	■	■	■■■	sma.dat
■	■	■	■	■	■	■■■	sma_NO.dat
■	■	■	■	■	■	■■■	sma_SE.dat
■	■	■	■	■	■	■■■	smj.dat
■	■	■	■	■	■	■■■	smj_NO.dat
■	■	■	■	■	■	■■■	smj_SE.dat
■	■	■	■	■	■	■■■	smn.dat
■	■	■	■	■	■	■■■	smn_FI.dat
■	■	■	■	■	■	■■■	sms.dat
■	■	■	■	■	■	■■■	sms_FI.dat
■	■	■	■	■	■	■■■	sn.dat
■	■	■	■	■	■	■■■	sn_ZW.dat
■	■	■	■	■	■	■■■	so.dat
■	■	■	■	■	■	■■■	so_DJ.dat
■	■	■	■	■	■	■■■	so_ET.dat
■	■	■	■	■	■	■■■	so_KE.dat
■	■	■	■	■	■	■■■	so_SO.dat
■	■	■	■	■	■	■■■	sq.dat

■	■	■	■	■	■	■■■	sq_AL.dat
■	■	■	■	■	■	■■■	sq_MK.dat
■	■	■	■	■	■	■■■	sq_XK.dat
■	■	■	■	■	■	■■■	sr.dat
■	■	■	■	■	■	■■■	sr_Cyrl.dat
■	■	■	■	■	■	■■■	sr_Cyrl_BA.dat
■	■	■	■	■	■	■■■	sr_Cyrl_ME.dat
■	■	■	■	■	■	■■■	sr_Cyrl_RS.dat
■	■	■	■	■	■	■■■	sr_Cyrl_XK.dat
■	■	■	■	■	■	■■■	sr_Latn.dat
■	■	■	■	■	■	■■■	sr_Latn_BA.dat
■	■	■	■	■	■	■■■	sr_Latn_ME.dat
■	■	■	■	■	■	■■■	sr_Latn_RS.dat
■	■	■	■	■	■	■■■	sr_Latn_XK.dat
■	■	■	■	■	■	■■■	ss.dat
■	■	■	■	■	■	■■■	ss_SZ.dat
■	■	■	■	■	■	■■■	ss_ZA.dat
■	■	■	■	■	■	■■■	ssy.dat
■	■	■	■	■	■	■■■	ssy_ER.dat
■	■	■	■	■	■	■■■	st.dat
■	■	■	■	■	■	■■■	st_LS.dat
■	■	■	■	■	■	■■■	st_ZA.dat
■	■	■	■	■	■	■■■	su.dat
■	■	■	■	■	■	■■■	su_Latn.dat
■	■	■	■	■	■	■■■	su_Latn_ID.dat
■	■	■	■	■	■	■■■	sv.dat
■	■	■	■	■	■	■■■	sv_AX.dat
■	■	■	■	■	■	■■■	sv_FI.dat
■	■	■	■	■	■	■■■	sv_SE.dat
■	■	■	■	■	■	■■■	sw.dat
■	■	■	■	■	■	■■■	sw_CD.dat
■	■	■	■	■	■	■■■	sw_KE.dat
■	■	■	■	■	■	■■■	sw_TZ.dat
■	■	■	■	■	■	■■■	sw_UG.dat
■	■	■	■	■	■	■■■	syr.dat
■	■	■	■	■	■	■■■	syr_IQ.dat
■	■	■	■	■	■	■■■	syr_SY.dat
■	■	■	■	■	■	■■■	szl.dat
■	■	■	■	■	■	■■■	szl_PL.dat
■	■	■	■	■	■	■■■	ta.dat
■	■	■	■	■	■	■■■	ta_IN.dat
■	■	■	■	■	■	■■■	ta_LK.dat
■	■	■	■	■	■	■■■	ta_MY.dat
■	■	■	■	■	■	■■■	ta_SG.dat
■	■	■	■	■	■	■■■	te.dat
■	■	■	■	■	■	■■■	te_IN.dat
■	■	■	■	■	■	■■■	teo.dat
■	■	■	■	■	■	■■■	teo_KE.dat
■	■	■	■	■	■	■■■	teo_UG.dat
■	■	■	■	■	■	■■■	tg.dat
■	■	■	■	■	■	■■■	tg_TJ.dat
■	■	■	■	■	■	■■■	th.dat
■	■	■	■	■	■	■■■	th_TH.dat
■	■	■	■	■	■	■■■	ti.dat
■	■	■	■	■	■	■■■	ti_ER.dat
■	■	■	■	■	■	■■■	ti_ET.dat
■	■	■	■	■	■	■■■	tig.dat
■	■	■	■	■	■	■■■	tig_ER.dat

■	■	■	■	■	■	■■■■	tk.dat
■	■	■	■	■	■	■■■■	tk_TM.dat
■	■	■	■	■	■	■■■■	tn.dat
■	■	■	■	■	■	■■■■	tn_BW.dat
■	■	■	■	■	■	■■■■	tn_ZA.dat
■	■	■	■	■	■	■■■■	to.dat
■	■	■	■	■	■	■■■■	to_TO.dat
■	■	■	■	■	■	■■■■	tok.dat
■	■	■	■	■	■	■■■■	tok_001.dat
■	■	■	■	■	■	■■■■	tpi.dat
■	■	■	■	■	■	■■■■	tpi_PG.dat
■	■	■	■	■	■	■■■■	tr.dat
■	■	■	■	■	■	■■■■	tr_CY.dat
■	■	■	■	■	■	■■■■	tr_TR.dat
■	■	■	■	■	■	■■■■	trv.dat
■	■	■	■	■	■	■■■■	trv_TW.dat
■	■	■	■	■	■	■■■■	trw.dat
■	■	■	■	■	■	■■■■	trw_PK.dat
■	■	■	■	■	■	■■■■	ts.dat
■	■	■	■	■	■	■■■■	ts_ZA.dat
■	■	■	■	■	■	■■■■	tt.dat
■	■	■	■	■	■	■■■■	tt_RU.dat
■	■	■	■	■	■	■■■■	twq.dat
■	■	■	■	■	■	■■■■	twq_NE.dat
■	■	■	■	■	■	■■■■	tyv.dat
■	■	■	■	■	■	■■■■	tyv_RU.dat
■	■	■	■	■	■	■■■■	tzm.dat
■	■	■	■	■	■	■■■■	tzm_MA.dat
■	■	■	■	■	■	■■■■	ug.dat
■	■	■	■	■	■	■■■■	ug_CN.dat
■	■	■	■	■	■	■■■■	uk.dat
■	■	■	■	■	■	■■■■	uk_UA.dat
■	■	■	■	■	■	■■■■	ur.dat
■	■	■	■	■	■	■■■■	ur_IN.dat
■	■	■	■	■	■	■■■■	ur_PK.dat
■	■	■	■	■	■	■■■■	uz.dat
■	■	■	■	■	■	■■■■	uz_Arab.dat
■	■	■	■	■	■	■■■■	uz_Arab_AF.dat
■	■	■	■	■	■	■■■■	uz_Cyrl.dat
■	■	■	■	■	■	■■■■	uz_Cyrl_UZ.dat
■	■	■	■	■	■	■■■■	uz_Latn.dat
■	■	■	■	■	■	■■■■	uz_Latn_UZ.dat
■	■	■	■	■	■	■■■■	vai.dat
■	■	■	■	■	■	■■■■	vai_Latn.dat
■	■	■	■	■	■	■■■■	vai_Latn_LR.dat
■	■	■	■	■	■	■■■■	vai_Vaii.dat
■	■	■	■	■	■	■■■■	vai_Vaii_LR.dat
■	■	■	■	■	■	■■■■	ve.dat
■	■	■	■	■	■	■■■■	ve_ZA.dat
■	■	■	■	■	■	■■■■	vec.dat
■	■	■	■	■	■	■■■■	vec_IT.dat
■	■	■	■	■	■	■■■■	vi.dat
■	■	■	■	■	■	■■■■	vi_VN.dat
■	■	■	■	■	■	■■■■	vmw.dat
■	■	■	■	■	■	■■■■	vmw_MZ.dat
■	■	■	■	■	■	■■■■	vo.dat
■	■	■	■	■	■	■■■■	vo_001.dat
■	■	■	■	■	■	■■■■	vun.dat

■	■	■	■	■	■	■■■	vun_TZ.dat
■	■	■	■	■	■	■■■	wa.dat
■	■	■	■	■	■	■■■	wa_BE.dat
■	■	■	■	■	■	■■■	wae.dat
■	■	■	■	■	■	■■■	wae_CH.dat
■	■	■	■	■	■	■■■	wal.dat
■	■	■	■	■	■	■■■	wal_ET.dat
■	■	■	■	■	■	■■■	wbp.dat
■	■	■	■	■	■	■■■	wbp_AU.dat
■	■	■	■	■	■	■■■	wo.dat
■	■	■	■	■	■	■■■	wo_SN.dat
■	■	■	■	■	■	■■■	xh.dat
■	■	■	■	■	■	■■■	xh_ZA.dat
■	■	■	■	■	■	■■■	xnr.dat
■	■	■	■	■	■	■■■	xnr_IN.dat
■	■	■	■	■	■	■■■	xog.dat
■	■	■	■	■	■	■■■	xog_UG.dat
■	■	■	■	■	■	■■■	yav.dat
■	■	■	■	■	■	■■■	yav_CM.dat
■	■	■	■	■	■	■■■	yi.dat
■	■	■	■	■	■	■■■	yi_UA.dat
■	■	■	■	■	■	■■■	yo.dat
■	■	■	■	■	■	■■■	yo_BJ.dat
■	■	■	■	■	■	■■■	yo_NG.dat
■	■	■	■	■	■	■■■	ysl.dat
■	■	■	■	■	■	■■■	ysl_BR.dat
■	■	■	■	■	■	■■■	ysl_CO.dat
■	■	■	■	■	■	■■■	ysl_VE.dat
■	■	■	■	■	■	■■■	yue.dat
■	■	■	■	■	■	■■■	yue_Hans.dat
■	■	■	■	■	■	■■■	yue_Hans_CN.dat
■	■	■	■	■	■	■■■	yue_Hant.dat
■	■	■	■	■	■	■■■	yue_Hant_HK.dat
■	■	■	■	■	■	■■■	za.dat
■	■	■	■	■	■	■■■	za_CN.dat
■	■	■	■	■	■	■■■	zgh.dat
■	■	■	■	■	■	■■■	zgh_MA.dat
■	■	■	■	■	■	■■■	zh.dat
■	■	■	■	■	■	■■■	zh_Hans.dat
■	■	■	■	■	■	■■■	zh_Hans_CN.dat
■	■	■	■	■	■	■■■	zh_Hans_HK.dat
■	■	■	■	■	■	■■■	zh_Hans_MO.dat
■	■	■	■	■	■	■■■	zh_Hans_SG.dat
■	■	■	■	■	■	■■■	zh_Hant.dat
■	■	■	■	■	■	■■■	zh_Hant_HK.dat
■	■	■	■	■	■	■■■	zh_Hant_MO.dat
■	■	■	■	■	■	■■■	zh_Hant_TW.dat
■	■	■	■	■	■	■■■	zu.dat
■	■	■	■	■	■	■■■	zu_ZA.dat
■	■	■	■	■	■■■	localedata.py	
■	■	■	■	■	■■■	localtime	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_fallback.cpython-311.pyc
■	■	■	■	■	■	■■■	_helpers.cpython-311.pyc
■	■	■	■	■	■	■■■	_unix.cpython-311.pyc
■	■	■	■	■	■	■■■	_win32.cpython-311.pyc

```

_ _ _ _ _ fallback.py
_ _ _ _ _ _helpers.py
_ _ _ _ _ _unix.py
_ _ _ _ _ _win32.py
_ _ _ _ _ messages
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _    _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _compat.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ catalog.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ checkers.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ extract.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ frontend.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ jslexer.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ mofile.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ plurals.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ pofile.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ setuptools_frontend.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _compat.py
_ _ _ _ _    _ _ _ _ _ catalog.py
_ _ _ _ _    _ _ _ _ _ checkers.py
_ _ _ _ _    _ _ _ _ _ extract.py
_ _ _ _ _    _ _ _ _ _ frontend.py
_ _ _ _ _    _ _ _ _ _ jslexer.py
_ _ _ _ _    _ _ _ _ _ mofile.py
_ _ _ _ _    _ _ _ _ _ plurals.py
_ _ _ _ _    _ _ _ _ _ pofile.py
_ _ _ _ _    _ _ _ _ _ setuptools_frontend.py
_ _ _ _ _ numbers.py
_ _ _ _ _ plural.py
_ _ _ _ _ py.typed
_ _ _ _ _ support.py
_ _ _ _ _ units.py
_ _ _ _ _ util.py
_ _ _ _ _ babel-2.16.0.dist-info
_ _ _ _ _ INSTALLER
_ _ _ _ _ LICENSE
_ _ _ _ _ METADATA
_ _ _ _ _ RECORD
_ _ _ _ _ WHEEL
_ _ _ _ _ entry_points.txt
_ _ _ _ _ top_level.txt
_ _ _ _ _ backoff
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _    _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _async.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _common.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _decorator.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _jitter.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _sync.cpython-311.pyc
_ _ _ _ _    _ _ _ _ _ _wait_gen.cpython-311.pyc
_ _ _ _ _ _async.py
_ _ _ _ _ _common.py
_ _ _ _ _ _decorator.py
_ _ _ _ _ _jitter.py
_ _ _ _ _ _sync.py
_ _ _ _ _ _wait_gen.py

```

```

■ ■ ■ ■ ■■■ backoff-1.10.0.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ basemap-1.3.9-py3.11-nspkg.pth
■ ■ ■ ■ ■■■ basemap-1.3.9.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ LICENSE.geos
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ namespace_packages.txt
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ basemap.libs
■ ■ ■ ■ ■■■ libgeos_c-a54df920.so.1
■ ■ ■ ■ ■■■ basemap_data-1.3.2-py2.7-nspkg.pth
■ ■ ■ ■ ■■■ basemap_data-1.3.2.dist-info
■ ■ ■ ■ ■■■ COPYING
■ ■ ■ ■ ■■■ COPYING.LESSER
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE.epsg
■ ■ ■ ■ ■■■ LICENSE.mit
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ namespace_packages.txt
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ bcrypt
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _bcrypt.abi3.so
■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■■■ bcrypt-4.2.1.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ beautifulsoup4-4.12.3.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ licenses
■ ■ ■ ■ ■■■ AUTHORS
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ bin
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ aesara_cache.cpython-311.pyc

```

```

| | | aesara_cache.py
| | | bleach
| | |   __init__.py
| | |   __pycache__
| | |     __init__.cpython-311.pyc
| | |     callbacks.cpython-311.pyc
| | |     css_sanitizer.cpython-311.pyc
| | |     html5lib_shim.cpython-311.pyc
| | |     linkifier.cpython-311.pyc
| | |     parse_shim.cpython-311.pyc
| | |     sanitizer.cpython-311.pyc
| | |     six_shim.cpython-311.pyc
| | | _vendor
| | |   README.rst
| | |   __init__.py
| | |   __pycache__
| | |     __init__.cpython-311.pyc
| | |     parse.cpython-311.pyc
| | |   html5lib
| | |     __init__.py
| | |     __pycache__
| | |       __init__.cpython-311.pyc
| | |       _ihatexml.cpython-311.pyc
| | |       _inputstream.cpython-311.pyc
| | |       _tokenizer.cpython-311.pyc
| | |       _utils.cpython-311.pyc
| | |       constants.cpython-311.pyc
| | |       html5parser.cpython-311.pyc
| | |       serializer.cpython-311.pyc
| | |   _ihatexml.py
| | |   _inputstream.py
| | |   _tokenizer.py
| | |   _trie
| | |     __init__.py
| | |     __pycache__
| | |       __init__.cpython-311.pyc
| | |       _base.cpython-311.pyc
| | |       py.cpython-311.pyc
| | |     _base.py
| | |     py.py
| | |   _utils.py
| | |   constants.py
| | |   filters
| | |     __init__.py
| | |     __pycache__
| | |       __init__.cpython-311.pyc
| | |       alphabeticalattributes.cpython-311.pyc
| | |       base.cpython-311.pyc
| | |       inject_meta_charset.cpython-311.pyc
| | |       lint.cpython-311.pyc
| | |       optionaltags.cpython-311.pyc
| | |       sanitizer.cpython-311.pyc
| | |       whitespace.cpython-311.pyc
| | |     alphabeticalattributes.py
| | |     base.py
| | |     inject_meta_charset.py
| | |     lint.py
| | |     optionaltags.py

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sanitizer.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ whitespace.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html5parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ serializer.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ treeadapters
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ genshi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ genshi.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sax.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ treebuilders
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dom.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree_lxml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dom.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree_lxml.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ treewalkers
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dom.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree_lxml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ genshi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dom.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ etree_lxml.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ genshi.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html5lib-1.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ AUTHORS.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parse.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parse.py.SHA256SUM
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vendor.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vendor_install.sh
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ callbacks.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ css_sanitizer.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html5lib_shim.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linkifier.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parse_shim.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sanitizer.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ six_shim.py

```

```

■ ■ ■ ■ ■■■■ bleach-6.2.0.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■■■■ blinker
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ _utilities.cpython-311.pyc
■ ■ ■ ■ ■■■■ base.cpython-311.pyc
■ ■ ■ ■ ■■■■ _utilities.py
■ ■ ■ ■ ■■■■ base.py
■ ■ ■ ■ ■■■■ py.typed
■ ■ ■ ■ ■■■■ blinker-1.9.0.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ blis
■ ■ ■ ■ ■■■■ __init__.pxd
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ about.cpython-311.pyc
■ ■ ■ ■ ■■■■ benchmark.cpython-311.pyc
■ ■ ■ ■ ■■■■ about.py
■ ■ ■ ■ ■■■■ benchmark.py
■ ■ ■ ■ ■■■■ cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■■ cy.pxd
■ ■ ■ ■ ■■■■ cy.pyx
■ ■ ■ ■ ■■■■ py.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■■ py.pyx
■ ■ ■ ■ ■■■■ tests
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ common.cpython-311.pyc
■ ■ ■ ■ ■■■■ test_dotv.cpython-311.pyc
■ ■ ■ ■ ■■■■ test_gemm.cpython-311.pyc
■ ■ ■ ■ ■■■■ common.py
■ ■ ■ ■ ■■■■ test_dotv.py
■ ■ ■ ■ ■■■■ test_gemm.py
■ ■ ■ ■ ■■■■ blis-0.7.11.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■■■■ blosc2
■ ■ ■ ■ ■■■■ SChunk.py
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ SChunk.cpython-311.pyc

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ selenium.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compare.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ env.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ examples.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ filesystem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ screenshot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ selenium.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compare.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ env.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ examples.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ filesystem.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ screenshot.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ selenium.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ types.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ application
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ application.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ application.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ handlers
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ code.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ code_runner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ directory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ document_lifecycle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lifecycle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ request_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ script.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server_lifecycle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server_request_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ code.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ code_runner.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ directory.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ document_lifecycle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ function.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lifecycle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ request_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ script.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server_lifecycle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server_request_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ client
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py

```

[illegible]


```
■ ■ ■ ■ ■ ■ ■ ■ ■■ pandas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ primitive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ readonly.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ singletons.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ string.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ struct.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ text_like.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ validation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ visual.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ wrappers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _sphinx.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ alias.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ any.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ auto.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ bases.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ color.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ container.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dataspec.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ datetime.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ descriptor_factory.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ descriptors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ either.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ enum.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ factors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ include.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ instance.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ json.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ nullable.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ numeric.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ override.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pandas.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ primitive.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ readonly.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ singletons.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ string.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ struct.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ text_like.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ validation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ visual.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ wrappers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ property_mixins.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ query.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ templates.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ types.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ validation
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ issue.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ check.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ errors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ issue.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ warnings.py
```

```
■ ■ ■ ■ ■ ■■■ document
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ callbacks.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ document.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ events.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ json.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ locking.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ models.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ modules.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ callbacks.py
■ ■ ■ ■ ■ ■■■ document.py
■ ■ ■ ■ ■ ■■■ events.py
■ ■ ■ ■ ■ ■■■ json.py
■ ■ ■ ■ ■ ■■■ locking.py
■ ■ ■ ■ ■ ■■■ models.py
■ ■ ■ ■ ■ ■■■ modules.py
■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■■■ driving.py
■ ■ ■ ■ ■ ■■■ embed
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ bundle.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ elements.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ standalone.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ wrappers.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ bundle.py
■ ■ ■ ■ ■ ■■■ elements.py
■ ■ ■ ■ ■ ■■■ notebook.py
■ ■ ■ ■ ■ ■■■ server.py
■ ■ ■ ■ ■ ■■■ standalone.py
■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■■■ wrappers.py
■ ■ ■ ■ ■ ■■■ events.py
■ ■ ■ ■ ■ ■■■ ext.py
■ ■ ■ ■ ■ ■■■ io
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ doc.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ export.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ output.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ saving.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ showing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ state.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ webdriver.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ doc.py
■ ■ ■ ■ ■ ■■■ export.py
■ ■ ■ ■ ■ ■■■ notebook.py
■ ■ ■ ■ ■ ■■■ output.py
```



```

■ ■ ■ ■ ■ saving.py
■ ■ ■ ■ ■ showing.py
■ ■ ■ ■ ■ state.py
■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ webdriver.py
■ ■ ■ ■ layouts.py
■ ■ ■ ■ model
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■   ■■■ _init_.cpython-311.pyc
■ ■ ■ ■   ■■■ data_model.cpython-311.pyc
■ ■ ■ ■   ■■■ docs.cpython-311.pyc
■ ■ ■ ■   ■■■ model.cpython-311.pyc
■ ■ ■ ■   ■■■ util.cpython-311.pyc
■ ■ ■ ■ data_model.py
■ ■ ■ ■ docs.py
■ ■ ■ ■ model.py
■ ■ ■ ■ util.py
■ ■ ■ models
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■   ■■■ _init_.cpython-311.pyc
■ ■ ■ ■   ■■■ annotations.cpython-311.pyc
■ ■ ■ ■   ■■■ arrow_heads.cpython-311.pyc
■ ■ ■ ■   ■■■ axes.cpython-311.pyc
■ ■ ■ ■   ■■■ callbacks.cpython-311.pyc
■ ■ ■ ■   ■■■ canvas.cpython-311.pyc
■ ■ ■ ■   ■■■ css.cpython-311.pyc
■ ■ ■ ■   ■■■ dom.cpython-311.pyc
■ ■ ■ ■   ■■■ expressions.cpython-311.pyc
■ ■ ■ ■   ■■■ filters.cpython-311.pyc
■ ■ ■ ■   ■■■ formatters.cpython-311.pyc
■ ■ ■ ■   ■■■ glyph.cpython-311.pyc
■ ■ ■ ■   ■■■ glyphs.cpython-311.pyc
■ ■ ■ ■   ■■■ graphs.cpython-311.pyc
■ ■ ■ ■   ■■■ grids.cpython-311.pyc
■ ■ ■ ■   ■■■ labeling.cpython-311.pyc
■ ■ ■ ■   ■■■ layouts.cpython-311.pyc
■ ■ ■ ■   ■■■ map_plots.cpython-311.pyc
■ ■ ■ ■   ■■■ mappers.cpython-311.pyc
■ ■ ■ ■   ■■■ markers.cpython-311.pyc
■ ■ ■ ■   ■■■ plots.cpython-311.pyc
■ ■ ■ ■   ■■■ ranges.cpython-311.pyc
■ ■ ■ ■   ■■■ renderers.cpython-311.pyc
■ ■ ■ ■   ■■■ scales.cpython-311.pyc
■ ■ ■ ■   ■■■ selections.cpython-311.pyc
■ ■ ■ ■   ■■■ sources.cpython-311.pyc
■ ■ ■ ■   ■■■ text.cpython-311.pyc
■ ■ ■ ■   ■■■ textures.cpython-311.pyc
■ ■ ■ ■   ■■■ tickers.cpython-311.pyc
■ ■ ■ ■   ■■■ tiles.cpython-311.pyc
■ ■ ■ ■   ■■■ tools.cpython-311.pyc
■ ■ ■ ■   ■■■ transforms.cpython-311.pyc
■ ■ ■ ■ annotations.py
■ ■ ■ ■ arrow_heads.py
■ ■ ■ ■ axes.py
■ ■ ■ ■ callbacks.py
■ ■ ■ ■ canvas.py
```

■	■	■	■	■	■	■■■	css.py
■	■	■	■	■	■	■■■	dom.py
■	■	■	■	■	■	■■■	expressions.py
■	■	■	■	■	■	■■■	filters.py
■	■	■	■	■	■	■■■	formatters.py
■	■	■	■	■	■	■■■	glyph.py
■	■	■	■	■	■	■■■	glyphs.py
■	■	■	■	■	■	■■■	graphs.py
■	■	■	■	■	■	■■■	grids.py
■	■	■	■	■	■	■■■	labeling.py
■	■	■	■	■	■	■■■	layouts.py
■	■	■	■	■	■	■■■	map_plots.py
■	■	■	■	■	■	■■■	mappers.py
■	■	■	■	■	■	■■■	markers.py
■	■	■	■	■	■	■■■	plots.py
■	■	■	■	■	■	■■■	ranges.py
■	■	■	■	■	■	■■■	renderers.py
■	■	■	■	■	■	■■■	scales.py
■	■	■	■	■	■	■■■	selections.py
■	■	■	■	■	■	■■■	sources.py
■	■	■	■	■	■	■■■	text.py
■	■	■	■	■	■	■■■	textures.py
■	■	■	■	■	■	■■■	tickers.py
■	■	■	■	■	■	■■■	tiles.py
■	■	■	■	■	■	■■■	tools.py
■	■	■	■	■	■	■■■	transforms.py
■	■	■	■	■	■	■■■	util
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■
■	■	■	■	■	■	■	■■■
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	structure.cpython-311.pyc
■	■	■	■	■	■	■■■	structure.py
■	■	■	■	■	■	■■■	widgets
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	buttons.cpython-311.pyc
■	■	■	■	■	■	■■■	groups.cpython-311.pyc
■	■	■	■	■	■	■■■	icons.cpython-311.pyc
■	■	■	■	■	■	■■■	inputs.cpython-311.pyc
■	■	■	■	■	■	■■■	markups.cpython-311.pyc
■	■	■	■	■	■	■■■	panels.cpython-311.pyc
■	■	■	■	■	■	■■■	sliders.cpython-311.pyc
■	■	■	■	■	■	■■■	tables.cpython-311.pyc
■	■	■	■	■	■	■■■	widget.cpython-311.pyc
■	■	■	■	■	■	■■■	buttons.py
■	■	■	■	■	■	■■■	groups.py
■	■	■	■	■	■	■■■	icons.py
■	■	■	■	■	■	■■■	inputs.py
■	■	■	■	■	■	■■■	markups.py
■	■	■	■	■	■	■■■	panels.py
■	■	■	■	■	■	■■■	sliders.py
■	■	■	■	■	■	■■■	tables.py
■	■	■	■	■	■	■■■	widget.py
■	■	■	■	■	■■■	palettes.py	
■	■	■	■	■	■■■	plotting	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	

```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _docstring.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _graph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _legends.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _renderer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _stack.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ figure.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ glyph_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gmap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ graph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _decorators.py
■ ■ ■ ■ ■ ■ ■ ■■■ _docstring.py
■ ■ ■ ■ ■ ■ ■ ■■■ _graph.py
■ ■ ■ ■ ■ ■ ■ ■■■ _legends.py
■ ■ ■ ■ ■ ■ ■ ■■■ _plot.py
■ ■ ■ ■ ■ ■ ■ ■■■ _renderer.py
■ ■ ■ ■ ■ ■ ■ ■■■ _stack.py
■ ■ ■ ■ ■ ■ ■ ■■■ _tools.py
■ ■ ■ ■ ■ ■ ■ ■■■ figure.py
■ ■ ■ ■ ■ ■ ■ ■■■ glyph_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ gmap.py
■ ■ ■ ■ ■ ■ ■ ■■■ graph.py
■ ■ ■ ■ ■ ■ ■ ■■■ protocol
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ message.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ receiver.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ message.py
■ ■ ■ ■ ■ ■ ■ ■■■ messages
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ack.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ error.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ok.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ patch_doc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pull_doc_reply.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pull_doc_req.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ push_doc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ server_info_reply.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ server_info_req.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ack.py
■ ■ ■ ■ ■ ■ ■ ■■■ error.py
■ ■ ■ ■ ■ ■ ■ ■■■ ok.py
■ ■ ■ ■ ■ ■ ■ ■■■ patch_doc.py
■ ■ ■ ■ ■ ■ ■ ■■■ pull_doc_reply.py
■ ■ ■ ■ ■ ■ ■ ■■■ pull_doc_req.py
■ ■ ■ ■ ■ ■ ■ ■■■ push_doc.py
■ ■ ■ ■ ■ ■ ■ ■■■ server_info_reply.py
■ ■ ■ ■ ■ ■ ■ ■■■ server_info_req.py
■ ■ ■ ■ ■ ■ ■ ■■■ receiver.py
■ ■ ■ ■ ■ ■ ■ ■■■ resources.py

```

```

■      ■      ■      ■      ■      ■■■■ sampledata
■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ airport_routes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ airports.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ anscombe.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ antibiotics.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ autmpg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ autmpg2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ browsers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ commits.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ daylight.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ degrees.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ gapminder.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ glucose.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ haar_cascade.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ iris.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ les_mis.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ movies_data.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ mtb.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ olympics2014.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ penguins.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ perceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ periodic_table.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ population.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ sample_geojson.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ sea_surface_temperature.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ sprint.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ stocks.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ unemployment.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ unemployment1948.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ us_cities.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ us_counties.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ us_holidays.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ us_marriages_divorces.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ us_states.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ world_cities.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _data
■      ■      ■      ■      ■      ■      ■■■■ USHolidays.ics
■      ■      ■      ■      ■      ■      ■■■■ US_Regions_State_Boundaries.csv.gz
■      ■      ■      ■      ■      ■      ■■■■ auto-mpg.csv
■      ■      ■      ■      ■      ■      ■■■■ auto-mpg2.csv
■      ■      ■      ■      ■      ■      ■■■■ browsers_nov_2013.csv
■      ■      ■      ■      ■      ■      ■■■■ commits.txt.gz
■      ■      ■      ■      ■      ■      ■■■■ daylight_warsaw_2013.csv
■      ■      ■      ■      ■      ■      ■■■■ elements.csv
■      ■      ■      ■      ■      ■      ■■■■ icons
■      ■      ■      ■      ■      ■      ■      ■■■■ chrome_32x32.png
■      ■      ■      ■      ■      ■      ■      ■■■■ firefox_32x32.png
■      ■      ■      ■      ■      ■      ■      ■■■■ ie_32x32.png
■      ■      ■      ■      ■      ■      ■      ■■■■ opera_32x32.png
■      ■      ■      ■      ■      ■      ■      ■■■■ safari_32x32.png
■      ■      ■      ■      ■      ■      ■■■■ iris.csv
■      ■      ■      ■      ■      ■      ■■■■ les_mis.json
■      ■      ■      ■      ■      ■      ■■■■ numberly.csv
■      ■      ■      ■      ■      ■      ■■■■ obiszow_mtb_xcm.csv
■      ■      ■      ■      ■      ■      ■■■■ olympics2014.json

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ penguins.csv
■ ■ ■ ■ ■ ■ ■ ■■■ percent-bachelors-degrees-women-usa.csv
■ ■ ■ ■ ■ ■ ■ ■■■ probly.csv
■ ■ ■ ■ ■ ■ ■ ■■■ sample_geojson.geojson
■ ■ ■ ■ ■ ■ ■ ■■■ sea_surface_temperature.csv.gz
■ ■ ■ ■ ■ ■ ■ ■■■ sprint.csv
■ ■ ■ ■ ■ ■ ■ ■■■ unemployment1948.csv
■ ■ ■ ■ ■ ■ ■ ■■■ us_marriages_divorces.csv
■ ■ ■ ■ ■ ■ ■■■ airport_routes.py
■ ■ ■ ■ ■ ■ ■■■ airports.py
■ ■ ■ ■ ■ ■ ■■■ anscombe.py
■ ■ ■ ■ ■ ■ ■■■ antibiotics.py
■ ■ ■ ■ ■ ■ ■■■ autompg.py
■ ■ ■ ■ ■ ■ ■■■ autompg2.py
■ ■ ■ ■ ■ ■ ■■■ browsers.py
■ ■ ■ ■ ■ ■ ■■■ commits.py
■ ■ ■ ■ ■ ■ ■■■ daylight.py
■ ■ ■ ■ ■ ■ ■■■ degrees.py
■ ■ ■ ■ ■ ■ ■■■ gapminder.py
■ ■ ■ ■ ■ ■ ■■■ glucose.py
■ ■ ■ ■ ■ ■ ■■■ haar_cascade.py
■ ■ ■ ■ ■ ■ ■■■ iris.py
■ ■ ■ ■ ■ ■ ■■■ les_mis.py
■ ■ ■ ■ ■ ■ ■■■ movies_data.py
■ ■ ■ ■ ■ ■ ■■■ mtb.py
■ ■ ■ ■ ■ ■ ■■■ olympics2014.py
■ ■ ■ ■ ■ ■ ■■■ penguins.py
■ ■ ■ ■ ■ ■ ■■■ perceptions.py
■ ■ ■ ■ ■ ■ ■■■ periodic_table.py
■ ■ ■ ■ ■ ■ ■■■ population.py
■ ■ ■ ■ ■ ■ ■■■ sample_geojson.py
■ ■ ■ ■ ■ ■ ■■■ sea_surface_temperature.py
■ ■ ■ ■ ■ ■ ■■■ sprint.py
■ ■ ■ ■ ■ ■ ■■■ stocks.py
■ ■ ■ ■ ■ ■ ■■■ unemployment.py
■ ■ ■ ■ ■ ■ ■■■ unemployment1948.py
■ ■ ■ ■ ■ ■ ■■■ us_cities.py
■ ■ ■ ■ ■ ■ ■■■ us_counties.py
■ ■ ■ ■ ■ ■ ■■■ us_holidays.py
■ ■ ■ ■ ■ ■ ■■■ us_marriages_divorces.py
■ ■ ■ ■ ■ ■ ■■■ us_states.py
■ ■ ■ ■ ■ ■ ■■■ world_cities.py
■ ■ ■ ■ ■ ■ ■■■ server
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ auth_provider.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ callbacks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ connection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ contexts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ protocol_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ session.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ tornado.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ urls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ auth_provider.py
■ ■ ■ ■ ■ ■ ■■■ callbacks.py

```

```
■ ■ ■ ■ ■ ■ ■■■ connection.py
■ ■ ■ ■ ■ ■ ■■■ contexts.py
■ ■ ■ ■ ■ ■ ■■■ django
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ apps.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ consumers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ routing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ static.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ apps.py
■ ■ ■ ■ ■ ■ ■■■ consumers.py
■ ■ ■ ■ ■ ■ ■■■ routing.py
■ ■ ■ ■ ■ ■ ■■■ static.py
■ ■ ■ ■ ■ ■ ■■■ protocol_handler.py
■ ■ ■ ■ ■ ■ ■■■ server.py
■ ■ ■ ■ ■ ■ ■■■ session.py
■ ■ ■ ■ ■ ■ ■■■ static
■ ■ ■ ■ ■ ■ ■■■ .keep
■ ■ ■ ■ ■ ■ ■■■ js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-api.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-gl.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-mathjax.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-tables.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh-widgets.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.esm.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.esm.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.json
■ ■ ■ ■ ■ ■ ■■■ bokeh.legacy.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.legacy.min.js
■ ■ ■ ■ ■ ■ ■■■ bokeh.min.js
■ ■ ■ ■ ■ ■ ■■■ bokehjs.tsbuildinfo
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler
■ ■ ■ ■ ■ ■ ■ ■ ■■■ build.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ build.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ build.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compile.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compile.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compile.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler.tsbuildinfo
■ ■ ■ ■ ■ ■ ■ ■ ■■■ error.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ error.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ error.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ graph.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ graph.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ graph.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linker.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linker.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linker.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ main.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ main.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ main.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ prelude.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ prelude.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ prelude.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ styles.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ styles.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ styles.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ sys.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ sys.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ sys.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ transforms.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■■ transforms.d.ts.map
■ ■ ■ ■ ■ ■ ■ ■ ■■■ transforms.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ tsconfig.ext.json
■ ■ ■ ■ ■ ■ ■ ■ ■■■ compiler.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ lib
■ ■ ■ ■ ■ ■ ■ ■ ■■■ api
■ ■ ■ ■ ■ ■ ■ ■ ■■■ charts.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ gridplot.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ index.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linalg.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ main.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ models.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ palettes.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ plotting.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ base.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ bokeh.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ client
■ ■ ■ ■ ■ ■ ■ ■ ■■■ connection.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ session.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ core
■ ■ ■ ■ ■ ■ ■ ■ ■■■ bokeh_events.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ build_views.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ class.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ dom.js
■ ■ ■ ■ ■ ■ ■ ■ ■■■ dom_view.js

```


[illegible]

```

■ ■ ■ axes
■ ■ ■ ■ axis.js
■ ■ ■ ■ categorical_axis.js
■ ■ ■ ■ continuous_axis.js
■ ■ ■ ■ datetime_axis.js
■ ■ ■ ■ index.js
■ ■ ■ ■ linear_axis.js
■ ■ ■ ■ log_axis.js
■ ■ ■ ■ mercator_axis.js
■ ■ ■ callbacks
■ ■ ■ ■ callback.js
■ ■ ■ ■ customjs.js
■ ■ ■ ■ index.js
■ ■ ■ ■ open_url.js
■ ■ ■ canvas
■ ■ ■ ■ canvas.js
■ ■ ■ ■ cartesian_frame.js
■ ■ ■ ■ coordinates.js
■ ■ ■ ■ index.js
■ ■ ■ dom
■ ■ ■ ■ index.js
■ ■ ■ ■ styles.js
■ ■ ■ expressions
■ ■ ■ ■ coordinate_transform.js
■ ■ ■ ■ cumsum.js
■ ■ ■ ■ customjs_expr.js
■ ■ ■ ■ expression.js
■ ■ ■ ■ index.js
■ ■ ■ ■ maximum.js
■ ■ ■ ■ minimum.js
■ ■ ■ ■ polar.js
■ ■ ■ ■ stack.js
■ ■ ■ filters
■ ■ ■ ■ boolean_filter.js
■ ■ ■ ■ customjs_filter.js
■ ■ ■ ■ filter.js
■ ■ ■ ■ group_filter.js
■ ■ ■ ■ index.js
■ ■ ■ ■ index_filter.js
■ ■ ■ formatters
■ ■ ■ ■ basic_tick_formatter.js
■ ■ ■ ■ categorical_tick_formatter.js
■ ■ ■ ■ datetime_tick_formatter.js
■ ■ ■ ■ func_tick_formatter.js
■ ■ ■ ■ index.js
■ ■ ■ ■ log_tick_formatter.js
■ ■ ■ ■ mercator_tick_formatter.js
■ ■ ■ ■ numeral_tick_formatter.js
■ ■ ■ ■ printf_tick_formatter.js
■ ■ ■ ■ tick_formatter.js
■ ■ ■ glyphs
■ ■ ■ ■ annular_wedge.js
■ ■ ■ ■ annulus.js
■ ■ ■ ■ arc.js
■ ■ ■ ■ area.js
■ ■ ■ ■ bezier.js
■ ■ ■ ■ box.js
■ ■ ■ ■ center_rotatable.js

```

■	■	■	■	■	■	■	■	■	■	■	■■■	circle.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	defs.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	ellipse.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	ellipse_oval.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	glyph.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	harea.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	hbar.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	hex_tile.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	image.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	image_base.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	image_rgba.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	image_url.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	index.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	line.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	marker.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	multi_line.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	multi_polygons.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	oval.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	patch.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	patches.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	quad.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	quadratic.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	ray.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	rect.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	scatter.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	segment.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	spline.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	step.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	text.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	utils.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	varea.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	vbar.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	webgl		
■	■	■	■	■	■	■	■	■	■	■	■	■■■	base.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	buffer.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	dash_cache.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	index.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	line_gl.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	main.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	markers.frag.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	markers.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	markers.vert.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	rect.frag.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	rect.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	rect.vert.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	regl_line.frag.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	regl_line.vert.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	regl_wrap.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	types.js	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	utils	
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	math.js
■	■	■	■	■	■	■	■	■	■	■	■	■■■	webgl_utils.js	
■	■	■	■	■	■	■	■	■	■	■	■■■	wedge.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	xy_glyph.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	graphs		
■	■	■	■	■	■	■	■	■	■	■	■■■	graph_hit_test_policy.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	index.js		
■	■	■	■	■	■	■	■	■	■	■	■■■	layout_provider.js		

```

■ ■ ■ static_layout_provider.js
■ ■ ■ grids
■ ■ ■ grid.js
■ ■ ■ index.js
■ ■ ■ index.js
■ ■ ■ layouts
■ ■ ■ box.js
■ ■ ■ column.js
■ ■ ■ grid_box.js
■ ■ ■ html_box.js
■ ■ ■ index.js
■ ■ ■ layout_dom.js
■ ■ ■ panel.js
■ ■ ■ row.js
■ ■ ■ spacer.js
■ ■ ■ tabs.js
■ ■ ■ widget_box.js
■ ■ ■ mappers
■ ■ ■ categorical_color_mapper.js
■ ■ ■ categorical_mapper.js
■ ■ ■ categorical_marker_mapper.js
■ ■ ■ categorical_pattern_mapper.js
■ ■ ■ color_mapper.js
■ ■ ■ continuous_color_mapper.js
■ ■ ■ eqhist_color_mapper.js
■ ■ ■ index.js
■ ■ ■ linear_color_mapper.js
■ ■ ■ log_color_mapper.js
■ ■ ■ mapper.js
■ ■ ■ scanning_color_mapper.js
■ ■ ■ plots
■ ■ ■ gmap_plot.js
■ ■ ■ gmap_plot_canvas.js
■ ■ ■ index.js
■ ■ ■ plot.js
■ ■ ■ plot_canvas.js
■ ■ ■ range_manager.js
■ ■ ■ state_manager.js
■ ■ ■ policies
■ ■ ■ index.js
■ ■ ■ labeling.js
■ ■ ■ ranges
■ ■ ■ data_range.js
■ ■ ■ data_range1d.js
■ ■ ■ factor_range.js
■ ■ ■ index.js
■ ■ ■ range.js
■ ■ ■ range1d.js
■ ■ ■ renderers
■ ■ ■ data_renderer.js
■ ■ ■ glyph_renderer.js
■ ■ ■ graph_renderer.js
■ ■ ■ guide_renderer.js
■ ■ ■ index.js
■ ■ ■ renderer.js
■ ■ ■ scales
■ ■ ■ categorical_scale.js
■ ■ ■ continuous_scale.js

```

```

■ ■ ■ index.js
■ ■ ■ linear_interpolation_scale.js
■ ■ ■ linear_scale.js
■ ■ ■ log_scale.js
■ ■ ■ scale.js
■ ■ ■ selections
■   ■ ■ ■ index.js
■   ■ ■ ■ interaction_policy.js
■   ■ ■ ■ selection.js
■ ■ ■ sources
■   ■ ■ ■ ajax_data_source.js
■   ■ ■ ■ cds_view.js
■   ■ ■ ■ column_data_source.js
■   ■ ■ ■ columnar_data_source.js
■   ■ ■ ■ data_source.js
■   ■ ■ ■ geojson_data_source.js
■   ■ ■ ■ index.js
■   ■ ■ ■ server_sent_data_source.js
■   ■ ■ ■ web_data_source.js
■ ■ ■ text
■   ■ ■ ■ base_text.js
■   ■ ■ ■ index.js
■   ■ ■ ■ math_text.js
■   ■ ■ ■ mathjax
■   ■   ■ ■ ■ index.js
■   ■   ■ ■ ■ main.js
■   ■ ■ ■ plain_text.js
■   ■ ■ ■ providers.js
■   ■ ■ ■ utils.js
■ ■ ■ textures
■   ■ ■ ■ canvas_texture.js
■   ■ ■ ■ image_url_texture.js
■   ■ ■ ■ index.js
■   ■ ■ ■ texture.js
■ ■ ■ tickers
■   ■ ■ ■ adaptive_ticker.js
■   ■ ■ ■ basic_ticker.js
■   ■ ■ ■ binned_ticker.js
■   ■ ■ ■ categorical_ticker.js
■   ■ ■ ■ composite_ticker.js
■   ■ ■ ■ continuous_ticker.js
■   ■ ■ ■ datetime_ticker.js
■   ■ ■ ■ days_ticker.js
■   ■ ■ ■ fixed_ticker.js
■   ■ ■ ■ index.js
■   ■ ■ ■ log_ticker.js
■   ■ ■ ■ mercator_ticker.js
■   ■ ■ ■ months_ticker.js
■   ■ ■ ■ single_interval_ticker.js
■   ■ ■ ■ ticker.js
■   ■ ■ ■ util.js
■   ■ ■ ■ years_ticker.js
■ ■ ■ tiles
■   ■ ■ ■ bbox_tile_source.js
■   ■ ■ ■ index.js
■   ■ ■ ■ mercator_tile_source.js
■   ■ ■ ■ quadkey_tile_source.js
■   ■ ■ ■ tile_renderer.js

```

[illegible]

```

range_transform.js
step_interpolator.js
transform.js
util.js
widgets
  abstract_button.js
  abstract_icon.js
  abstract_slider.js
  autocomplete_input.js
  button.js
  button_group.js
  checkbox_button_group.js
  checkbox_group.js
  color_picker.js
  control.js
  date_picker.js
  date_range_slider.js
  date_slider.js
  div.js
  dropdown.js
  file_input.js
  index.js
  input_group.js
  input_widget.js
  main.js
  markup.js
  multichoice.js
  multiselect.js
  numeric_input.js
  oriented_control.js
  paragraph.js
  password_input.js
  pretext.js
  radio_button_group.js
  radio_group.js
  range_slider.js
  selectbox.js
  slider.js
  spinner.js
  tables
    cell_editors.js
    cell_formatters.js
    data_cube.js
    data_table.js
    definitions.js
    index.js
    main.js
    row_aggregators.js
    table_column.js
    table_widget.js
  text_input.js
  text_like_input.js
  textarea_input.js
  toggle.js
  widget.js
polyfill.js
protocol
index.js

```

```

    message.js
    receiver.js
    safely.js
    styles
    buttons.css.js
    clearfix.css.js
    icons.css.js
    logo.css.js
    menus.css.js
    notebook.css.js
    root.css.js
    tabs.css.js
    tiles.css.js
    toolbar.css.js
    tooltips.css.js
    widgets
    choices.css.js
    flatpickr.css.js
    inputs.css.js
    nouislider.css.js
    slickgrid.css.js
    sliders.css.js
    tables.css.js
    testing.js
    version.js
    types
    api
    charts.d.ts
    charts.d.ts.map
    gridplot.d.ts
    gridplot.d.ts.map
    index.d.ts
    index.d.ts.map
    linalg.d.ts
    linalg.d.ts.map
    main.d.ts
    main.d.ts.map
    models.d.ts
    models.d.ts.map
    palettes.d.ts
    palettes.d.ts.map
    plotting.d.ts
    plotting.d.ts.map
    base.d.ts
    base.d.ts.map
    bokeh.d.ts
    bokeh.d.ts.map
    client
    connection.d.ts
    connection.d.ts.map
    session.d.ts
    session.d.ts.map
    core
    bokeh_events.d.ts
    bokeh_events.d.ts.map
    build_views.d.ts
    build_views.d.ts.map
    class.d.ts

```


■	■	■	■	■	■	■	■	■	■	■■■	class.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	dom.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	dom.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	dom_view.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	dom_view.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	enums.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	enums.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	geometry.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	geometry.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	graphics.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	graphics.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	has_props.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	has_props.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	hittest.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	hittest.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	kinds.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	kinds.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	layout	
■	■	■	■	■	■	■	■	■	■	■	■■■	alignments.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	alignments.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	border.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	border.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	grid.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	grid.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	html.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	html.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	layoutable.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	layoutable.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	side_panel.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	side_panel.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	types.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	types.d.ts.map
■	■	■	■	■	■	■	■	■	■	■■■	logging.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	logging.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	properties.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	properties.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	property_mixins.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	property_mixins.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	selection_manager.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	selection_manager.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	serializer.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	serializer.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	settings.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	settings.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	signaling.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	signaling.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	types.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	types.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	ui_events.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	ui_events.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	uniforms.d.ts	
■	■	■	■	■	■	■	■	■	■	■■■	uniforms.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■■■	util	
■	■	■	■	■	■	■	■	■	■	■	■■■	affine.d.ts
■	■	■	■	■	■	■	■	■	■	■	■■■	affine.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■■■	array.d.ts


```

■ ■ ■ spatial.d.ts.map
■ ■ ■ string.d.ts
■ ■ ■ string.d.ts.map
■ ■ ■ svg.d.ts
■ ■ ■ svg.d.ts.map
■ ■ ■ svg_colors.d.ts
■ ■ ■ svg_colors.d.ts.map
■ ■ ■ templating.d.ts
■ ■ ■ templating.d.ts.map
■ ■ ■ text.d.ts
■ ■ ■ text.d.ts.map
■ ■ ■ throttle.d.ts
■ ■ ■ throttle.d.ts.map
■ ■ ■ typed_array.d.ts
■ ■ ■ typed_array.d.ts.map
■ ■ ■ types.d.ts
■ ■ ■ types.d.ts.map
■ ■ ■ wheel.d.ts
■ ■ ■ wheel.d.ts.map
■ ■ ■ zoom.d.ts
■ ■ ■ zoom.d.ts.map
■ ■ ■ vectorization.d.ts
■ ■ ■ vectorization.d.ts.map
■ ■ ■ view.d.ts
■ ■ ■ view.d.ts.map
■ ■ ■ visuals
■ ■ ■ fill.d.ts
■ ■ ■ fill.d.ts.map
■ ■ ■ hatch.d.ts
■ ■ ■ hatch.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ line.d.ts
■ ■ ■ line.d.ts.map
■ ■ ■ patterns.d.ts
■ ■ ■ patterns.d.ts.map
■ ■ ■ text.d.ts
■ ■ ■ text.d.ts.map
■ ■ ■ visual.d.ts
■ ■ ■ visual.d.ts.map
■ ■ ■ document
■ ■ ■ defs.d.ts
■ ■ ■ defs.d.ts.map
■ ■ ■ document.d.ts
■ ■ ■ document.d.ts.map
■ ■ ■ events.d.ts
■ ■ ■ events.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ embed
■ ■ ■ dom.d.ts
■ ■ ■ dom.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ json.d.ts
■ ■ ■ json.d.ts.map
■ ■ ■ notebook.d.ts
■ ■ ■ notebook.d.ts.map

```

```
■ ■ ■ server.d.ts  
■ ■ ■ server.d.ts.map  
■ ■ ■ standalone.d.ts  
■ ■ ■ standalone.d.ts.map  
  
■ ■ ■ index.d.ts  
■ ■ ■ index.d.ts.map  
■ ■ ■ legacy.d.ts  
■ ■ ■ legacy.d.ts.map  
■ ■ ■ main.d.ts  
■ ■ ■ main.d.ts.map  
■ ■ ■ model.d.ts  
■ ■ ■ model.d.ts.map  
■ ■ ■ models  
  
■ ■ ■ annotations  
■ ■ ■ annotation.d.ts  
■ ■ ■ annotation.d.ts.map  
■ ■ ■ arrow.d.ts  
■ ■ ■ arrow.d.ts.map  
■ ■ ■ arrow_head.d.ts  
■ ■ ■ arrow_head.d.ts.map  
■ ■ ■ band.d.ts  
■ ■ ■ band.d.ts.map  
■ ■ ■ box_annotation.d.ts  
■ ■ ■ box_annotation.d.ts.map  
■ ■ ■ color_bar.d.ts  
■ ■ ■ color_bar.d.ts.map  
■ ■ ■ data_annotation.d.ts  
■ ■ ■ data_annotation.d.ts.map  
■ ■ ■ index.d.ts  
■ ■ ■ index.d.ts.map  
■ ■ ■ label.d.ts  
■ ■ ■ label.d.ts.map  
■ ■ ■ label_set.d.ts  
■ ■ ■ label_set.d.ts.map  
■ ■ ■ legend.d.ts  
■ ■ ■ legend.d.ts.map  
■ ■ ■ legend_item.d.ts  
■ ■ ■ legend_item.d.ts.map  
■ ■ ■ poly_annotation.d.ts  
■ ■ ■ poly_annotation.d.ts.map  
■ ■ ■ slope.d.ts  
■ ■ ■ slope.d.ts.map  
■ ■ ■ span.d.ts  
■ ■ ■ span.d.ts.map  
■ ■ ■ text_annotation.d.ts  
■ ■ ■ text_annotation.d.ts.map  
■ ■ ■ title.d.ts  
■ ■ ■ title.d.ts.map  
■ ■ ■ toolbar_panel.d.ts  
■ ■ ■ toolbar_panel.d.ts.map  
■ ■ ■ tooltip.d.ts  
■ ■ ■ tooltip.d.ts.map  
■ ■ ■ upper_lower.d.ts  
■ ■ ■ upper_lower.d.ts.map  
■ ■ ■ whisker.d.ts  
■ ■ ■ whisker.d.ts.map  
  
■ ■ ■ axes  
■ ■ ■ axis.d.ts
```

```

■ axis.d.ts
■ axis.d.ts.map
■ categorical_axis.d.ts
■ categorical_axis.d.ts.map
■ continuous_axis.d.ts
■ continuous_axis.d.ts.map
■ datetime_axis.d.ts
■ datetime_axis.d.ts.map
■ index.d.ts
■ index.d.ts.map
■ linear_axis.d.ts
■ linear_axis.d.ts.map
■ log_axis.d.ts
■ log_axis.d.ts.map
■ mercator_axis.d.ts
■ mercator_axis.d.ts.map
■ callbacks
■ callback.d.ts
■ callback.d.ts.map
■ customjs.d.ts
■ customjs.d.ts.map
■ index.d.ts
■ index.d.ts.map
■ open_url.d.ts
■ open_url.d.ts.map
■ canvas
■ canvas.d.ts
■ canvas.d.ts.map
■ cartesian_frame.d.ts
■ cartesian_frame.d.ts.map
■ coordinates.d.ts
■ coordinates.d.ts.map
■ index.d.ts
■ index.d.ts.map
■ dom
■ index.d.ts
■ index.d.ts.map
■ styles.d.ts
■ styles.d.ts.map
■ expressions
■ coordinate_transform.d.ts
■ coordinate_transform.d.ts.map
■ cumsum.d.ts
■ cumsum.d.ts.map
■ customjs_expr.d.ts
■ customjs_expr.d.ts.map
■ expression.d.ts
■ expression.d.ts.map
■ index.d.ts
■ index.d.ts.map
■ maximum.d.ts
■ maximum.d.ts.map
■ minimum.d.ts
■ minimum.d.ts.map
■ polar.d.ts
■ polar.d.ts.map
■ stack.d.ts
■ stack.d.ts.map
■ filters

```

```

■ ■ ■ boolean_filter.d.ts
■ ■ ■ boolean_filter.d.ts.map
■ ■ ■ customjs_filter.d.ts
■ ■ ■ customjs_filter.d.ts.map
■ ■ ■ filter.d.ts
■ ■ ■ filter.d.ts.map
■ ■ ■ group_filter.d.ts
■ ■ ■ group_filter.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ index_filter.d.ts
■ ■ ■ index_filter.d.ts.map
■ ■ ■ formatters
■ ■ ■ basic_tick_formatter.d.ts
■ ■ ■ basic_tick_formatter.d.ts.map
■ ■ ■ categorical_tick_formatter.d.ts
■ ■ ■ categorical_tick_formatter.d.ts.map
■ ■ ■ datetime_tick_formatter.d.ts
■ ■ ■ datetime_tick_formatter.d.ts.map
■ ■ ■ func_tick_formatter.d.ts
■ ■ ■ func_tick_formatter.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ log_tick_formatter.d.ts
■ ■ ■ log_tick_formatter.d.ts.map
■ ■ ■ mercator_tick_formatter.d.ts
■ ■ ■ mercator_tick_formatter.d.ts.map
■ ■ ■ numeral_tick_formatter.d.ts
■ ■ ■ numeral_tick_formatter.d.ts.map
■ ■ ■ printf_tick_formatter.d.ts
■ ■ ■ printf_tick_formatter.d.ts.map
■ ■ ■ tick_formatter.d.ts
■ ■ ■ tick_formatter.d.ts.map
■ ■ ■ glyphs
■ ■ ■ annular_wedge.d.ts
■ ■ ■ annular_wedge.d.ts.map
■ ■ ■ annulus.d.ts
■ ■ ■ annulus.d.ts.map
■ ■ ■ arc.d.ts
■ ■ ■ arc.d.ts.map
■ ■ ■ area.d.ts
■ ■ ■ area.d.ts.map
■ ■ ■ bezier.d.ts
■ ■ ■ bezier.d.ts.map
■ ■ ■ box.d.ts
■ ■ ■ box.d.ts.map
■ ■ ■ center_rotatable.d.ts
■ ■ ■ center_rotatable.d.ts.map
■ ■ ■ circle.d.ts
■ ■ ■ circle.d.ts.map
■ ■ ■ defs.d.ts
■ ■ ■ defs.d.ts.map
■ ■ ■ ellipse.d.ts
■ ■ ■ ellipse.d.ts.map
■ ■ ■ ellipse_oval.d.ts
■ ■ ■ ellipse_oval.d.ts.map
■ ■ ■ glyph.d.ts
■ ■ ■ glyph.d.ts.map

```

[illegible]

```

■ ■ ■ ■ buffer.d.ts.map
■ ■ ■ ■ dash_cache.d.ts
■ ■ ■ ■ dash_cache.d.ts.map
■ ■ ■ ■ index.d.ts
■ ■ ■ ■ index.d.ts.map
■ ■ ■ ■ line_gl.d.ts
■ ■ ■ ■ line_gl.d.ts.map
■ ■ ■ ■ main.d.ts
■ ■ ■ ■ main.d.ts.map
■ ■ ■ ■ markers.d.ts
■ ■ ■ ■ markers.d.ts.map
■ ■ ■ ■ markers.frag.d.ts
■ ■ ■ ■ markers.vert.d.ts
■ ■ ■ ■ rect.d.ts
■ ■ ■ ■ rect.d.ts.map
■ ■ ■ ■ rect.frag.d.ts
■ ■ ■ ■ rect.vert.d.ts
■ ■ ■ ■ regl_line.frag.d.ts
■ ■ ■ ■ regl_line.vert.d.ts
■ ■ ■ ■ regl_wrap.d.ts
■ ■ ■ ■ regl_wrap.d.ts.map
■ ■ ■ ■ types.d.ts
■ ■ ■ ■ types.d.ts.map
■ ■ ■ ■ utils
■ ■ ■ ■ math.d.ts
■ ■ ■ ■ math.d.ts.map
■ ■ ■ ■ webgl_utils.d.ts
■ ■ ■ ■ webgl_utils.d.ts.map
■ ■ ■ ■ wedge.d.ts
■ ■ ■ ■ wedge.d.ts.map
■ ■ ■ ■ xy_glyph.d.ts
■ ■ ■ ■ xy_glyph.d.ts.map
■ ■ ■ ■ graphs
■ ■ ■ ■ graph_hit_test_policy.d.ts
■ ■ ■ ■ graph_hit_test_policy.d.ts.map
■ ■ ■ ■ index.d.ts
■ ■ ■ ■ index.d.ts.map
■ ■ ■ ■ layout_provider.d.ts
■ ■ ■ ■ layout_provider.d.ts.map
■ ■ ■ ■ static_layout_provider.d.ts
■ ■ ■ ■ static_layout_provider.d.ts.map
■ ■ ■ ■ grids
■ ■ ■ ■ grid.d.ts
■ ■ ■ ■ grid.d.ts.map
■ ■ ■ ■ index.d.ts
■ ■ ■ ■ index.d.ts.map
■ ■ ■ ■ index.d.ts
■ ■ ■ ■ index.d.ts.map
■ ■ ■ ■ layouts
■ ■ ■ ■ box.d.ts
■ ■ ■ ■ box.d.ts.map
■ ■ ■ ■ column.d.ts
■ ■ ■ ■ column.d.ts.map
■ ■ ■ ■ grid_box.d.ts
■ ■ ■ ■ grid_box.d.ts.map
■ ■ ■ ■ html_box.d.ts
■ ■ ■ ■ html_box.d.ts.map
■ ■ ■ ■ index.d.ts

```



```

index.d.ts.map
layout_dom.d.ts
layout_dom.d.ts.map
panel.d.ts
panel.d.ts.map
row.d.ts
row.d.ts.map
spacer.d.ts
spacer.d.ts.map
tabs.d.ts
tabs.d.ts.map
widget_box.d.ts
widget_box.d.ts.map
mappers
categorical_color_mapper.d.ts
categorical_color_mapper.d.ts.map
categorical_mapper.d.ts
categorical_mapper.d.ts.map
categorical_marker_mapper.d.ts
categorical_marker_mapper.d.ts.map
categorical_pattern_mapper.d.ts
categorical_pattern_mapper.d.ts.map
color_mapper.d.ts
color_mapper.d.ts.map
continuous_color_mapper.d.ts
continuous_color_mapper.d.ts.map
eqhist_color_mapper.d.ts
eqhist_color_mapper.d.ts.map
index.d.ts
index.d.ts.map
linear_color_mapper.d.ts
linear_color_mapper.d.ts.map
log_color_mapper.d.ts
log_color_mapper.d.ts.map
mapper.d.ts
mapper.d.ts.map
scanning_color_mapper.d.ts
scanning_color_mapper.d.ts.map
plots
gmap_plot.d.ts
gmap_plot.d.ts.map
gmap_plot_canvas.d.ts
gmap_plot_canvas.d.ts.map
index.d.ts
index.d.ts.map
plot.d.ts
plot.d.ts.map
plot_canvas.d.ts
plot_canvas.d.ts.map
range_manager.d.ts
range_manager.d.ts.map
state_manager.d.ts
state_manager.d.ts.map
policies
index.d.ts
index.d.ts.map
labeling.d.ts
labeling.d.ts.map

```

```

■ ■ ■ ranges
■ ■ ■ data_range.d.ts
■ ■ ■ data_range.d.ts.map
■ ■ ■ data_range1d.d.ts
■ ■ ■ data_range1d.d.ts.map
■ ■ ■ factor_range.d.ts
■ ■ ■ factor_range.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ range.d.ts
■ ■ ■ range.d.ts.map
■ ■ ■ range1d.d.ts
■ ■ ■ range1d.d.ts.map
■ ■ ■ renderers
■ ■ ■ data_renderer.d.ts
■ ■ ■ data_renderer.d.ts.map
■ ■ ■ glyph_renderer.d.ts
■ ■ ■ glyph_renderer.d.ts.map
■ ■ ■ graph_renderer.d.ts
■ ■ ■ graph_renderer.d.ts.map
■ ■ ■ guide_renderer.d.ts
■ ■ ■ guide_renderer.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ renderer.d.ts
■ ■ ■ renderer.d.ts.map
■ ■ ■ scales
■ ■ ■ categorical_scale.d.ts
■ ■ ■ categorical_scale.d.ts.map
■ ■ ■ continuous_scale.d.ts
■ ■ ■ continuous_scale.d.ts.map
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ linear_interpolation_scale.d.ts
■ ■ ■ linear_interpolation_scale.d.ts.map
■ ■ ■ linear_scale.d.ts
■ ■ ■ linear_scale.d.ts.map
■ ■ ■ log_scale.d.ts
■ ■ ■ log_scale.d.ts.map
■ ■ ■ scale.d.ts
■ ■ ■ scale.d.ts.map
■ ■ ■ selections
■ ■ ■ index.d.ts
■ ■ ■ index.d.ts.map
■ ■ ■ interaction_policy.d.ts
■ ■ ■ interaction_policy.d.ts.map
■ ■ ■ selection.d.ts
■ ■ ■ selection.d.ts.map
■ ■ ■ sources
■ ■ ■ ajax_data_source.d.ts
■ ■ ■ ajax_data_source.d.ts.map
■ ■ ■ cds_view.d.ts
■ ■ ■ cds_view.d.ts.map
■ ■ ■ column_data_source.d.ts
■ ■ ■ column_data_source.d.ts.map
■ ■ ■ columnar_data_source.d.ts
■ ■ ■ columnar_data_source.d.ts.map
■ ■ ■ data_source.d.ts

```

```

data_source.d.ts.map
geojson_data_source.d.ts
geojson_data_source.d.ts.map
index.d.ts
index.d.ts.map
server_sent_data_source.d.ts
server_sent_data_source.d.ts.map
web_data_source.d.ts
web_data_source.d.ts.map
text
base_text.d.ts
base_text.d.ts.map
index.d.ts
index.d.ts.map
math_text.d.ts
math_text.d.ts.map
mathjax
  index.d.ts
  index.d.ts.map
  main.d.ts
  main.d.ts.map
plain_text.d.ts
plain_text.d.ts.map
providers.d.ts
providers.d.ts.map
utils.d.ts
utils.d.ts.map
textures
  canvas_texture.d.ts
  canvas_texture.d.ts.map
  image_url_texture.d.ts
  image_url_texture.d.ts.map
  index.d.ts
  index.d.ts.map
  texture.d.ts
  texture.d.ts.map
tickers
  adaptive_ticker.d.ts
  adaptive_ticker.d.ts.map
  basic_ticker.d.ts
  basic_ticker.d.ts.map
  binned_ticker.d.ts
  binned_ticker.d.ts.map
  categorical_ticker.d.ts
  categorical_ticker.d.ts.map
  composite_ticker.d.ts
  composite_ticker.d.ts.map
  continuous_ticker.d.ts
  continuous_ticker.d.ts.map
  datetime_ticker.d.ts
  datetime_ticker.d.ts.map
  days_ticker.d.ts
  days_ticker.d.ts.map
  fixed_ticker.d.ts
  fixed_ticker.d.ts.map
  index.d.ts
  index.d.ts.map
  log_ticker.d.ts

```

```

■ log_ticker.d.ts.map
■ mercator_ticker.d.ts
■ mercator_ticker.d.ts.map
■ months_ticker.d.ts
■ months_ticker.d.ts.map
■ single_interval_ticker.d.ts
■ single_interval_ticker.d.ts.map
■ ticker.d.ts
■ ticker.d.ts.map
■ util.d.ts
■ util.d.ts.map
■ years_ticker.d.ts
■ years_ticker.d.ts.map
■ tiles
■ bbox_tile_source.d.ts
■ bbox_tile_source.d.ts.map
■ index.d.ts
■ index.d.ts.map
■ mercator_tile_source.d.ts
■ mercator_tile_source.d.ts.map
■ quadkey_tile_source.d.ts
■ quadkey_tile_source.d.ts.map
■ tile_renderer.d.ts
■ tile_renderer.d.ts.map
■ tile_source.d.ts
■ tile_source.d.ts.map
■ tile_utils.d.ts
■ tile_utils.d.ts.map
■ tms_tile_source.d.ts
■ tms_tile_source.d.ts.map
■ wmts_tile_source.d.ts
■ wmts_tile_source.d.ts.map
■ tools
■ actions
■ action_tool.d.ts
■ action_tool.d.ts.map
■ custom_action.d.ts
■ custom_action.d.ts.map
■ help_tool.d.ts
■ help_tool.d.ts.map
■ redo_tool.d.ts
■ redo_tool.d.ts.map
■ reset_tool.d.ts
■ reset_tool.d.ts.map
■ save_tool.d.ts
■ save_tool.d.ts.map
■ undo_tool.d.ts
■ undo_tool.d.ts.map
■ zoom_base_tool.d.ts
■ zoom_base_tool.d.ts.map
■ zoom_in_tool.d.ts
■ zoom_in_tool.d.ts.map
■ zoom_out_tool.d.ts
■ zoom_out_tool.d.ts.map
■ button_tool.d.ts
■ button_tool.d.ts.map
■ edit
■ box edit tool.d.ts

```

```

box_edit_tool.d.ts.map
edit_tool.d.ts
edit_tool.d.ts.map
freehand_draw_tool.d.ts
freehand_draw_tool.d.ts.map
line_edit_tool.d.ts
line_edit_tool.d.ts.map
line_tool.d.ts
line_tool.d.ts.map
point_draw_tool.d.ts
point_draw_tool.d.ts.map
poly_draw_tool.d.ts
poly_draw_tool.d.ts.map
poly_edit_tool.d.ts
poly_edit_tool.d.ts.map
poly_tool.d.ts
poly_tool.d.ts.map
gestures
box_select_tool.d.ts
box_select_tool.d.ts.map
box_zoom_tool.d.ts
box_zoom_tool.d.ts.map
gesture_tool.d.ts
gesture_tool.d.ts.map
lasso_select_tool.d.ts
lasso_select_tool.d.ts.map
pan_tool.d.ts
pan_tool.d.ts.map
poly_select_tool.d.ts
poly_select_tool.d.ts.map
range_tool.d.ts
range_tool.d.ts.map
select_tool.d.ts
select_tool.d.ts.map
tap_tool.d.ts
tap_tool.d.ts.map
wheel_pan_tool.d.ts
wheel_pan_tool.d.ts.map
wheel_zoom_tool.d.ts
wheel_zoom_tool.d.ts.map
index.d.ts
index.d.ts.map
inspectors
crosshair_tool.d.ts
crosshair_tool.d.ts.map
customjs_hover.d.ts
customjs_hover.d.ts.map
hover_tool.d.ts
hover_tool.d.ts.map
inspect_tool.d.ts
inspect_tool.d.ts.map
on_off_button.d.ts
on_off_button.d.ts.map
tool.d.ts
tool.d.ts.map
tool_proxy.d.ts
tool_proxy.d.ts.map
toolbar.d.ts

```

```

■■■ toolbar.d.ts.map
■■■ toolbar_base.d.ts
■■■ toolbar_base.d.ts.map
■■■ toolbar_box.d.ts
■■■ toolbar_box.d.ts.map
■■■ transforms
■■■ customjs_transform.d.ts
■■■ customjs_transform.d.ts.map
■■■ dodge.d.ts
■■■ dodge.d.ts.map
■■■ index.d.ts
■■■ index.d.ts.map
■■■ interpolator.d.ts
■■■ interpolator.d.ts.map
■■■ jitter.d.ts
■■■ jitter.d.ts.map
■■■ linear_interpolator.d.ts
■■■ linear_interpolator.d.ts.map
■■■ range_transform.d.ts
■■■ range_transform.d.ts.map
■■■ step_interpolator.d.ts
■■■ step_interpolator.d.ts.map
■■■ transform.d.ts
■■■ transform.d.ts.map
■■■ util.d.ts
■■■ util.d.ts.map
■■■ widgets
■■■ abstract_button.d.ts
■■■ abstract_button.d.ts.map
■■■ abstract_icon.d.ts
■■■ abstract_icon.d.ts.map
■■■ abstract_slider.d.ts
■■■ abstract_slider.d.ts.map
■■■ autocomplete_input.d.ts
■■■ autocomplete_input.d.ts.map
■■■ button.d.ts
■■■ button.d.ts.map
■■■ button_group.d.ts
■■■ button_group.d.ts.map
■■■ checkbox_button_group.d.ts
■■■ checkbox_button_group.d.ts.map
■■■ checkbox_group.d.ts
■■■ checkbox_group.d.ts.map
■■■ color_picker.d.ts
■■■ color_picker.d.ts.map
■■■ control.d.ts
■■■ control.d.ts.map
■■■ date_picker.d.ts
■■■ date_picker.d.ts.map
■■■ date_range_slider.d.ts
■■■ date_range_slider.d.ts.map
■■■ date_slider.d.ts
■■■ date_slider.d.ts.map
■■■ div.d.ts
■■■ div.d.ts.map
■■■ dropdown.d.ts
■■■ dropdown.d.ts.map
■■■ file_input.d.ts

```

■	■	■	■	■	■	■	■	■	■	■	■■■	file_input.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	input_group.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	input_group.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	input_widget.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	input_widget.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	main.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	main.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	markup.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	markup.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	multichoice.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	multichoice.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	multiselect.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	multiselect.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	numeric_input.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	numeric_input.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	oriented_control.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	oriented_control.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	paragraph.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	paragraph.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	password_input.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	password_input.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	pretext.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	pretext.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	radio_button_group.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	radio_button_group.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	radio_group.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	radio_group.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	range_slider.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	range_slider.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	selectbox.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	selectbox.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	slider.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	slider.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	spinner.d.ts	
■	■	■	■	■	■	■	■	■	■	■	■■■	spinner.d.ts.map	
■	■	■	■	■	■	■	■	■	■	■	■■■	tables	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	cell_editors.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	cell_editors.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	cell_formatters.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	cell_formatters.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	data_cube.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	data_cube.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	data_table.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	data_table.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	definitions.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	definitions.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	index.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	main.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	main.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	row_aggregators.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	row_aggregators.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	table_column.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	table_column.d.ts.map
■	■	■	■	■	■	■	■	■	■	■	■	■■■	table_widget.d.ts
■	■	■	■	■	■	■	■	■	■	■	■	■■■	table_widget.d.ts.map

```

    text_input.d.ts
    text_input.d.ts.map
    text_like_input.d.ts
    text_like_input.d.ts.map
    textarea_input.d.ts
    textarea_input.d.ts.map
    toggle.d.ts
    toggle.d.ts.map
    widget.d.ts
    widget.d.ts.map
    polyfill.d.ts
    polyfill.d.ts.map
    protocol
    index.d.ts
    index.d.ts.map
    message.d.ts
    message.d.ts.map
    receiver.d.ts
    receiver.d.ts.map
    safely.d.ts
    safely.d.ts.map
    styles
    buttons.css.d.ts
    clearfix.css.d.ts
    icons.css.d.ts
    logo.css.d.ts
    menus.css.d.ts
    notebook.css.d.ts
    root.css.d.ts
    tabs.css.d.ts
    tiles.css.d.ts
    toolbar.css.d.ts
    tooltips.css.d.ts
    widgets
    choices.css.d.ts
    flatpickr.css.d.ts
    inputs.css.d.ts
    nouislider.css.d.ts
    slickgrid.css.d.ts
    sliders.css.d.ts
    tables.css.d.ts
    testing.d.ts
    testing.d.ts.map
    version.d.ts
  lib
    lib.dom.d.ts
    lib.dom.iterable.d.ts
    lib.es2015.collection.d.ts
    lib.es2015.core.d.ts
    lib.es2015.d.ts
    lib.es2015.generator.d.ts
    lib.es2015.iterable.d.ts
    lib.es2015.promise.d.ts
    lib.es2015.proxy.d.ts
    lib.es2015.reflect.d.ts
    lib.es2015.symbol.d.ts
    lib.es2015.symbol.wellknown.d.ts
    lib.es2016.array.include.d.ts

```



```
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2016.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2016.full.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2017.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2017.full.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2017.intl.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2017.object.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2017.sharedmemory.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2017.string.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2017.typedarrays.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2018.asyncgenerator.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2018.asynciterable.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2018.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2018.full.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2018.intl.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2018.promise.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2018.regexp.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2019.array.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2019.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2019.full.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2019.object.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2019.string.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2019.symbol.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2020.bigint.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2020.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2020.full.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2020.intl.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2020.promise.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2020.sharedmemory.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2020.string.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2020.symbol.wellknown.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2021.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2021.full.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2021.promise.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2021.string.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es2021.weakref.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es5.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.es6.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.esnext.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.esnext.full.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.esnext.intl.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.esnext.promise.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.esnext.string.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.esnext.weakref.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.scripthost.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.webworker.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.webworker.importscripts.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib.webworker.iterable.d.ts
■ ■ ■ ■ ■ ■ ■ ■ ■■ tornado.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ urls.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ views
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ auth_mixin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ autoload_js_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ doc_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ metadata_handler.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_root_static_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ root_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ session_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ static_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ws.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ app_index.html
■ ■ ■ ■ ■ ■ ■ ■ ■ auth_mixin.py
■ ■ ■ ■ ■ ■ ■ ■ ■ autoload_js_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ doc_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ metadata_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_root_static_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ root_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ session_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ static_handler.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ws.py
■ ■ ■ ■ ■ ■ ■ ■ ■ settings.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sphinxext
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_autodoc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_dataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_directive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_enum.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_example_metadata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_gallery.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_jinja.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_palette.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_palette_group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_prop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_releases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_roles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_settings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokeh_sitemap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bokehjs_content.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ collapsible_code_block.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ example_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ templates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _templates
■ ■ ■ ■ ■ ■ ■ ■ ■ bokehjs_codepen_init.html
■ ■ ■ ■ ■ ■ ■ ■ ■ bokehjs_content_epilogue.html
■ ■ ■ ■ ■ ■ ■ ■ ■ bokehjs_content_prologue.html
■ ■ ■ ■ ■ ■ ■ ■ ■ bokehjs_html_template.html
■ ■ ■ ■ ■ ■ ■ ■ ■ color_detail.html
■ ■ ■ ■ ■ ■ ■ ■ ■ enum_detail.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ example_metadata.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ gallery_detail.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ gallery_page.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ jinja_detail.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ model_detail.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ options_detail.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ palette_detail.html
```



```

■ ■ ■ ■ ■ ■ ■ ■■■ hex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ logconfig.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ paths.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sampledata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ session_id.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ string.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ terminal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ token.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tornado.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ browser.py
■ ■ ■ ■ ■ ■ ■ ■■■ callback_manager.py
■ ■ ■ ■ ■ ■ ■ ■■■ compiler.py
■ ■ ■ ■ ■ ■ ■ ■■■ dataclasses.py
■ ■ ■ ■ ■ ■ ■ ■■■ datatypes.py
■ ■ ■ ■ ■ ■ ■ ■■■ dependencies.py
■ ■ ■ ■ ■ ■ ■ ■■■ deprecation.py
■ ■ ■ ■ ■ ■ ■ ■■■ functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ hex.py
■ ■ ■ ■ ■ ■ ■ ■■■ logconfig.py
■ ■ ■ ■ ■ ■ ■ ■■■ options.py
■ ■ ■ ■ ■ ■ ■ ■■■ paths.py
■ ■ ■ ■ ■ ■ ■ ■■■ sampledata.json
■ ■ ■ ■ ■ ■ ■ ■■■ sampledata.py
■ ■ ■ ■ ■ ■ ■ ■■■ serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ session_id.py
■ ■ ■ ■ ■ ■ ■ ■■■ string.py
■ ■ ■ ■ ■ ■ ■ ■■■ terminal.py
■ ■ ■ ■ ■ ■ ■ ■■■ token.py
■ ■ ■ ■ ■ ■ ■ ■■■ tornado.py
■ ■ ■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■ ■ ■■■ warnings.py
■ ■ ■ ■ ■ ■ ■■■ bokeh-2.4.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ branca
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ colormap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ element.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ utilities.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _cnames.json
■ ■ ■ ■ ■ ■ ■■■ _schemes.json
■ ■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■ ■■■ colormap.py
■ ■ ■ ■ ■ ■ ■■■ element.py
■ ■ ■ ■ ■ ■ ■■■ scheme_base_codes.json

```

```
■ ■ ■ ■ ■ ■■■■ scheme_info.json
■ ■ ■ ■ ■ ■■■■ templates
■ ■ ■ ■ ■ ■■■■ color_scale.js
■ ■ ■ ■ ■ ■■■■ utilities.py
■ ■ ■ ■ ■ ■■■■ branca-0.8.0.dist-info
■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■■■■ brotli.py
■ ■ ■ ■ ■ ■■■■ bs4
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ css.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ dammit.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ diagnose.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ element.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ formatter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ builder
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _html5lib.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _htmlparser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _lxml.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _html5lib.py
■ ■ ■ ■ ■ ■■■■ _htmlparser.py
■ ■ ■ ■ ■ ■■■■ _lxml.py
■ ■ ■ ■ ■ ■■■■ css.py
■ ■ ■ ■ ■ ■■■■ dammit.py
■ ■ ■ ■ ■ ■■■■ diagnose.py
■ ■ ■ ■ ■ ■■■■ element.py
■ ■ ■ ■ ■ ■■■■ formatter.py
■ ■ ■ ■ ■ ■■■■ tests
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_builder.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_builder_registry.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_css.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_dammit.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_element.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_formatter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_fuzz.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_html5lib.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_htmlparser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_lxml.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_navigablestring.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_pageelement.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_soup.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_tag.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_tree.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ fuzz
■ ■ ■ ■ ■ ■■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-4670634698080256.
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-4818336571064320.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-4999465949331456.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5000587759190016.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5167584867909632.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5270998950477824.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5375146639360000.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5492400320282624.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5703933063462912.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5843991618256896.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-5984173902397440.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-6124268085182464.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-6241471367348224.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-6306874195312640.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-6450958476902400.
■ ■ ■ ■ ■ ■ ■ ■■■ clusterfuzz-testcase-minimized-bs4_fuzzer-6600557255327744.
■ ■ ■ ■ ■ ■ ■ ■■■ crash-0d306a50c8ed8bcd0785b67000fcd5dea1d33f08.testcase
■ ■ ■ ■ ■ ■ ■ ■■■ crash-ffbdfa8a2b26f13537b68d3794b0478a4090ee4a.testcase
■ ■ ■ ■ ■ ■ ■ ■■■ test_builder.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_builder_registry.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_css.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dammit.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_docs.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_element.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_formatter.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_fuzz.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_html5lib.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_htmlparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_lxml.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_navigablestring.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pageelement.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_soup.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tag.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tree.py
■ ■ ■ ■ ■ ■ ■■■■ cachetools
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ func.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ keys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ func.py
■ ■ ■ ■ ■ ■ ■ ■■■ keys.py
■ ■ ■ ■ ■ ■ ■■■■ cachetools-5.5.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ cairocffi
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ context.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ffi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fonts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ patterns.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■■■■ pixbuf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ surfaces.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_cairo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_numpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_pixbuf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_xcb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ xcb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ constants.py
■ ■ ■ ■ ■ ■ ■■■■ context.py
■ ■ ■ ■ ■ ■ ■■■■ ffi.py
■ ■ ■ ■ ■ ■ ■■■■ fonts.py
■ ■ ■ ■ ■ ■ ■■■■ matrix.py
■ ■ ■ ■ ■ ■ ■■■■ patterns.py
■ ■ ■ ■ ■ ■ ■■■■ pixbuf.py
■ ■ ■ ■ ■ ■ ■■■■ surfaces.py
■ ■ ■ ■ ■ ■ ■■■■ test_cairo.py
■ ■ ■ ■ ■ ■ ■■■■ test_numpy.py
■ ■ ■ ■ ■ ■ ■■■■ test_pixbuf.py
■ ■ ■ ■ ■ ■ ■■■■ test_xcb.py
■ ■ ■ ■ ■ ■ ■■■■ xcb.py
■ ■ ■ ■ ■ ■ ■■■■ cairocfffi-1.7.1.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ cairosvg
■ ■ ■ ■ ■ ■ ■■■■ VERSION
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __main__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ bounding_box.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ colors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ css.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ defs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ features.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ path.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ shapes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ surface.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ svg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ url.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ bounding_box.py
■ ■ ■ ■ ■ ■ ■■■■ colors.py
■ ■ ■ ■ ■ ■ ■■■■ css.py
■ ■ ■ ■ ■ ■ ■■■■ defs.py
■ ■ ■ ■ ■ ■ ■■■■ features.py
■ ■ ■ ■ ■ ■ ■■■■ helpers.py
■ ■ ■ ■ ■ ■ ■■■■ image.py
■ ■ ■ ■ ■ ■ ■■■■ parser.py
■ ■ ■ ■ ■ ■ ■■■■ path.py
■ ■ ■ ■ ■ ■ ■■■■ shapes.py

```

```

■ surface.py
■ svg.py
■ test_api.py
■ text.py
■ url.py
■ camelot
■ __init__.py
■ __main__.py
■ __pycache__
■   ■ __init__.cpython-311.pyc
■   ■ __main__.cpython-311.pyc
■   ■ __version__.cpython-311.pyc
■   ■ cli.cpython-311.pyc
■   ■ core.cpython-311.pyc
■   ■ handlers.cpython-311.pyc
■   ■ image_processing.cpython-311.pyc
■   ■ io.cpython-311.pyc
■   ■ plotting.cpython-311.pyc
■   ■ utils.cpython-311.pyc
■   ■ __version__.py
■   ■ backends
■     ■ __init__.py
■     ■ __pycache__
■       ■ __init__.cpython-311.pyc
■       ■ ghostscript_backend.cpython-311.pyc
■       ■ image_conversion.cpython-311.pyc
■       ■ poppler_backend.cpython-311.pyc
■     ■ ghostscript_backend.py
■     ■ image_conversion.py
■     ■ poppler_backend.py
■   ■ cli.py
■   ■ core.py
■   ■ handlers.py
■   ■ image_processing.py
■   ■ io.py
■   ■ parsers
■     ■ __init__.py
■     ■ __pycache__
■       ■ __init__.cpython-311.pyc
■       ■ base.cpython-311.pyc
■       ■ lattice.cpython-311.pyc
■       ■ stream.cpython-311.pyc
■     ■ base.py
■     ■ lattice.py
■     ■ stream.py
■   ■ plotting.py
■   ■ utils.py
■ camelot_py-0.10.1.dist-info
■   ■ INSTALLER
■   ■ LICENSE
■   ■ METADATA
■   ■ RECORD
■   ■ REQUESTED
■   ■ WHEEL
■   ■ entry_points.txt
■   ■ top_level.txt
■ catalogue
■   ■ __init__.py

```



```

    pycache__
    __init__.cpython-311.pyc
    _importlib_metadata
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _compat.cpython-311.pyc
    _compat.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_catalogue.cpython-311.pyc
    test_catalogue.py
    catalogue-2.0.10.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL
    top_level.txt
    zip-safe
    certifi
    __init__.py
    __main__.py
    __pycache__
    __init__.cpython-311.pyc
    __main__.cpython-311.pyc
    core.cpython-311.pyc
    cacert.pem
    core.py
    py.typed
    certifi-2024.8.30.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL
    top_level.txt
    cffi
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _imp_emulation.cpython-311.pyc
    _shimmed_dist_utils.cpython-311.pyc
    api.cpython-311.pyc
    backend_ctypes.cpython-311.pyc
    cffi_opcode.cpython-311.pyc
    commontypes.cpython-311.pyc
    cparser.cpython-311.pyc
    error.cpython-311.pyc
    ffiplatform.cpython-311.pyc
    lock.cpython-311.pyc
    model.cpython-311.pyc
    pkgconfig.cpython-311.pyc
    recompiler.cpython-311.pyc
    setuptools_ext.cpython-311.pyc
    vengine_cpy.cpython-311.pyc

```

■	■	■	■	■	■	■■■	vengine_gen.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	verifier.cpython-311.pyc
■	■	■	■	■	■	■■■	_cffi_errors.h	
■	■	■	■	■	■	■■■	_cffi_include.h	
■	■	■	■	■	■	■■■	_embedding.h	
■	■	■	■	■	■	■■■	_imp_emulation.py	
■	■	■	■	■	■	■■■	_shimmed_dist_utils.py	
■	■	■	■	■	■	■■■	api.py	
■	■	■	■	■	■	■■■	backend_ctypes.py	
■	■	■	■	■	■	■■■	cffi_opcode.py	
■	■	■	■	■	■	■■■	commontypes.py	
■	■	■	■	■	■	■■■	cparser.py	
■	■	■	■	■	■	■■■	error.py	
■	■	■	■	■	■	■■■	ffiplatform.py	
■	■	■	■	■	■	■■■	lock.py	
■	■	■	■	■	■	■■■	model.py	
■	■	■	■	■	■	■■■	parse_c_type.h	
■	■	■	■	■	■	■■■	pkgconfig.py	
■	■	■	■	■	■	■■■	recompiler.py	
■	■	■	■	■	■	■■■	setuptools_ext.py	
■	■	■	■	■	■	■■■	vengine_cpy.py	
■	■	■	■	■	■	■■■	vengine_gen.py	
■	■	■	■	■	■	■■■	verifier.py	
■	■	■	■	■	■■■	cffi-1.17.1.dist-info		
■	■	■	■	■	■	■■■	INSTALLER	
■	■	■	■	■	■	■■■	LICENSE	
■	■	■	■	■	■	■■■	METADATA	
■	■	■	■	■	■	■■■	RECORD	
■	■	■	■	■	■	■■■	WHEEL	
■	■	■	■	■	■	■■■	entry_points.txt	
■	■	■	■	■	■	■■■	top_level.txt	
■	■	■	■	■	■■■	chardet		
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■■■	big5freq.cpython-311.pyc	
■	■	■	■	■	■	■■■	big5prober.cpython-311.pyc	
■	■	■	■	■	■	■■■	chardistribution.cpython-311.pyc	
■	■	■	■	■	■	■■■	charsetgroupprober.cpython-311.pyc	
■	■	■	■	■	■	■■■	charsetprober.cpython-311.pyc	
■	■	■	■	■	■	■■■	codingstatemachine.cpython-311.pyc	
■	■	■	■	■	■	■■■	compat.cpython-311.pyc	
■	■	■	■	■	■	■■■	cp949prober.cpython-311.pyc	
■	■	■	■	■	■	■■■	enums.cpython-311.pyc	
■	■	■	■	■	■	■■■	escprober.cpython-311.pyc	
■	■	■	■	■	■	■■■	escsm.cpython-311.pyc	
■	■	■	■	■	■	■■■	eucjpprober.cpython-311.pyc	
■	■	■	■	■	■	■■■	euckrfreq.cpython-311.pyc	
■	■	■	■	■	■	■■■	euckrprober.cpython-311.pyc	
■	■	■	■	■	■	■■■	euctwfreq.cpython-311.pyc	
■	■	■	■	■	■	■■■	euctwprober.cpython-311.pyc	
■	■	■	■	■	■	■■■	gb2312freq.cpython-311.pyc	
■	■	■	■	■	■	■■■	gb2312prober.cpython-311.pyc	
■	■	■	■	■	■	■■■	hebrewprober.cpython-311.pyc	
■	■	■	■	■	■	■■■	jisfreq.cpython-311.pyc	
■	■	■	■	■	■	■■■	jpcntx.cpython-311.pyc	
■	■	■	■	■	■	■■■	langbulgarianmodel.cpython-311.pyc	
■	■	■	■	■	■	■■■	langcyrillicmodel.cpython-311.pyc	

■	■	■	■	■	■	■■■■	langgreekmodel.cpython-311.pyc
■	■	■	■	■	■	■■■■	langhebrewmodel.cpython-311.pyc
■	■	■	■	■	■	■■■■	langhungarianmodel.cpython-311.pyc
■	■	■	■	■	■	■■■■	langthaimodel.cpython-311.pyc
■	■	■	■	■	■	■■■■	langturkishmodel.cpython-311.pyc
■	■	■	■	■	■	■■■■	latin1prober.cpython-311.pyc
■	■	■	■	■	■	■■■■	mbcharsetprober.cpython-311.pyc
■	■	■	■	■	■	■■■■	mbcsgroupprober.cpython-311.pyc
■	■	■	■	■	■	■■■■	mbcssm.cpython-311.pyc
■	■	■	■	■	■	■■■■	sbcharsetprober.cpython-311.pyc
■	■	■	■	■	■	■■■■	sbcsgroupprober.cpython-311.pyc
■	■	■	■	■	■	■■■■	sjisprober.cpython-311.pyc
■	■	■	■	■	■	■■■■	universaldetector.cpython-311.pyc
■	■	■	■	■	■	■■■■	utf8prober.cpython-311.pyc
■	■	■	■	■	■	■■■■	version.cpython-311.pyc
■	■	■	■	■	■■■■	big5freq.py	
■	■	■	■	■	■■■■	big5prober.py	
■	■	■	■	■	■■■■	chardistribution.py	
■	■	■	■	■	■■■■	charsetgroupprober.py	
■	■	■	■	■	■■■■	charsetprober.py	
■	■	■	■	■	■■■■	cli	
■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	chardetect.cpython-311.pyc
■	■	■	■	■	■■■■	chardetect.py	
■	■	■	■	■	■■■■	codingstatemachine.py	
■	■	■	■	■	■■■■	compat.py	
■	■	■	■	■	■■■■	cp949prober.py	
■	■	■	■	■	■■■■	enums.py	
■	■	■	■	■	■■■■	escprober.py	
■	■	■	■	■	■■■■	escsm.py	
■	■	■	■	■	■■■■	eucjpprober.py	
■	■	■	■	■	■■■■	euckrfreq.py	
■	■	■	■	■	■■■■	euckrprober.py	
■	■	■	■	■	■■■■	euctwfreq.py	
■	■	■	■	■	■■■■	euctwprober.py	
■	■	■	■	■	■■■■	gb2312freq.py	
■	■	■	■	■	■■■■	gb2312prober.py	
■	■	■	■	■	■■■■	hebrewprober.py	
■	■	■	■	■	■■■■	jisfreq.py	
■	■	■	■	■	■■■■	jpcntx.py	
■	■	■	■	■	■■■■	langbulgarianmodel.py	
■	■	■	■	■	■■■■	langcyrillicmodel.py	
■	■	■	■	■	■■■■	langgreekmodel.py	
■	■	■	■	■	■■■■	langhebrewmodel.py	
■	■	■	■	■	■■■■	langhungarianmodel.py	
■	■	■	■	■	■■■■	langthaimodel.py	
■	■	■	■	■	■■■■	langturkishmodel.py	
■	■	■	■	■	■■■■	latin1prober.py	
■	■	■	■	■	■■■■	mbcharsetprober.py	
■	■	■	■	■	■■■■	mbcsgroupprober.py	
■	■	■	■	■	■■■■	mbcssm.py	
■	■	■	■	■	■■■■	sbcharsetprober.py	
■	■	■	■	■	■■■■	sbcsgroupprober.py	
■	■	■	■	■	■■■■	sjisprober.py	
■	■	■	■	■	■■■■	universaldetector.py	
■	■	■	■	■	■■■■	utf8prober.py	

```

■ ■ ■ ■ version.py
■ ■ ■ ■ chardet-3.0.4.dist-info
■ ■ ■ ■ DESCRIPTION.rst
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ metadata.json
■ ■ ■ ■ top_level.txt
■ ■ ■ ■ charset_normalizer
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ cd.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ constant.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ legacy.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ md.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ models.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ api.py
■ ■ ■ ■ assets
■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ cd.py
■ ■ ■ ■ cli
■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ normalizer.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ normalizer.py
■ ■ ■ ■ constant.py
■ ■ ■ ■ legacy.py
■ ■ ■ ■ md.py
■ ■ ■ ■ models.py
■ ■ ■ ■ py.typed
■ ■ ■ ■ utils.py
■ ■ ■ ■ version.py
■ ■ ■ ■ charset_normalizer-2.1.1.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ WHEEL
■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ top_level.txt
■ ■ ■ ■ click
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ _compat.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ _termui_impl.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ _textwrap.cpython-311.pyc
■ ■ ■ ■   ■ ■ ■ ■ winconsole.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ formatting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ globals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ shell_completion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ termui.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _compat.py
■ ■ ■ ■ ■ ■■■ _termui_impl.py
■ ■ ■ ■ ■ ■■■ _textwrap.py
■ ■ ■ ■ ■ ■■■ _winconsole.py
■ ■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■ ■■■ decorators.py
■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■■■ formatting.py
■ ■ ■ ■ ■ ■■■ globals.py
■ ■ ■ ■ ■ ■■■ parser.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ shell_completion.py
■ ■ ■ ■ ■ ■■■ termui.py
■ ■ ■ ■ ■ ■■■ testing.py
■ ■ ■ ■ ■ ■■■ types.py
■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■■■ click-8.1.7.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE.rst
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ click_plugins
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■ ■■■ click_plugins-1.1.1.dist-info
■ ■ ■ ■ ■ ■■■ AUTHORS.txt
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ zip-safe
■ ■ ■ ■ ■ ■■■ cligj
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ features.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ features.py
■ ■ ■ ■ ■ ■■■ cligj-0.7.2.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE

```

```

METADATA
RECORD
WHEEL
top_level.txt
cloudpathlib
__init__.py
__pycache__
    __init__.cpython-311.pyc
    anypath.cpython-311.pyc
    client.cpython-311.pyc
    cloudpath.cpython-311.pyc
    enums.cpython-311.pyc
    exceptions.cpython-311.pyc
    url_utils.cpython-311.pyc
anypath.py
azure
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        azblobclient.cpython-311.pyc
        azblobpath.cpython-311.pyc
    azblobclient.py
    azblobpath.py
client.py
cloudpath.py
enums.py
exceptions.py
gs
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        gsclient.cpython-311.pyc
        gspath.cpython-311.pyc
    gsclient.py
    gspath.py
legacy
    __pycache__
        glob.cpython-311.pyc
    glob.py
local
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        localclient.cpython-311.pyc
        localpath.cpython-311.pyc
    implementations
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        azure.cpython-311.pyc
        gs.cpython-311.pyc
        s3.cpython-311.pyc
    azure.py
    gs.py
    s3.py
localclient.py
localpath.py
py.typed

```

```

■ ■ ■ ■ ■ ■ ■ ■ s3
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ s3client.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ s3path.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ s3client.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ s3path.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ url_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpathlib-0.20.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle_fast.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle_fast.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cloudpickle-3.1.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmake
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bin
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmake
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cpack
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ctest
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ doc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmake-3.31
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Copyright.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmcppedap
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ NOTICE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmcurl
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ COPYING
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmlibarchive
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ COPYING
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmliblzma
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ COPYING
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmlibrhash
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ COPYING
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmlibuv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE

```

```

cmnhttp2
COPYING
cmsys
Copyright.txt
cmzlib
Copyright.txt
cmzstd
LICENSE
share
  aclocal
  cmake.m4
  bash-completion
  completions
  cmake
  cpack
  ctest
  cmake-3.31
  Help
  command
    DEPRECATED_POLICY_VERSIONS.txt
    DEVICE_LINK_OPTIONS.txt
    FIND_XXX.txt
    FIND_XXX_ORDER.txt
    FIND_XXX_REGISTRY_VIEW.txt
    FIND_XXX_ROOT.txt
    GENEX_NOTE.txt
    LINK_OPTIONS_LINKER.txt
    OPTIONS_SHELL.txt
    SUPPORTED_LANGUAGES.txt
    UNSET_NOTE.txt
    add_compile_definitions.rst
    add_compile_options.rst
    add_custom_command.rst
    add_custom_target.rst
    add_definitions.rst
    add_dependencies.rst
    add_executable.rst
    add_library.rst
    add_link_options.rst
    add_subdirectory.rst
    add_test.rst
    aux_source_directory.rst
    block.rst
    break.rst
    build_command.rst
    build_name.rst
    cmake_file_api.rst
    cmake_host_system_information.rst
    cmake_language.rst
    cmake_minimum_required.rst
    cmake_parse_arguments.rst
    cmake_path.rst
    cmake_pkg_config.rst
    cmake_policy.rst
    configure_file.rst
    continue.rst
    create_test_sourcelist.rst
    ctest build.rst

```


■	■	■	■	■	■	■	■	■	■	■■■	cctest_configure.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_coverage.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_empty_binary_directory.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_memcheck.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_read_custom_files.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_run_script.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_sleep.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_start.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_submit.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_test.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_update.rst
■	■	■	■	■	■	■	■	■	■	■■■	cctest_upload.rst
■	■	■	■	■	■	■	■	■	■	■■■	define_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	else.rst
■	■	■	■	■	■	■	■	■	■	■■■	elseif.rst
■	■	■	■	■	■	■	■	■	■	■■■	enable_language.rst
■	■	■	■	■	■	■	■	■	■	■■■	enable_testing.rst
■	■	■	■	■	■	■	■	■	■	■■■	endblock.rst
■	■	■	■	■	■	■	■	■	■	■■■	endforeach.rst
■	■	■	■	■	■	■	■	■	■	■■■	endfunction.rst
■	■	■	■	■	■	■	■	■	■	■■■	endif.rst
■	■	■	■	■	■	■	■	■	■	■■■	endmacro.rst
■	■	■	■	■	■	■	■	■	■	■■■	endwhile.rst
■	■	■	■	■	■	■	■	■	■	■■■	exec_program.rst
■	■	■	■	■	■	■	■	■	■	■■■	execute_process.rst
■	■	■	■	■	■	■	■	■	■	■■■	export.rst
■	■	■	■	■	■	■	■	■	■	■■■	export_library_dependencies.rst
■	■	■	■	■	■	■	■	■	■	■■■	file.rst
■	■	■	■	■	■	■	■	■	■	■■■	find_file.rst
■	■	■	■	■	■	■	■	■	■	■■■	find_library.rst
■	■	■	■	■	■	■	■	■	■	■■■	find_package.rst
■	■	■	■	■	■	■	■	■	■	■■■	find_path.rst
■	■	■	■	■	■	■	■	■	■	■■■	find_program.rst
■	■	■	■	■	■	■	■	■	■	■■■	fltk_wrap_ui.rst
■	■	■	■	■	■	■	■	■	■	■■■	foreach.rst
■	■	■	■	■	■	■	■	■	■	■■■	function.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_cmake_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_directory_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_filename_component.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_source_file_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_target_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	get_test_property.rst
■	■	■	■	■	■	■	■	■	■	■■■	if.rst
■	■	■	■	■	■	■	■	■	■	■■■	include.rst
■	■	■	■	■	■	■	■	■	■	■■■	include_directories.rst
■	■	■	■	■	■	■	■	■	■	■■■	include_external_msproject.rst
■	■	■	■	■	■	■	■	■	■	■■■	include_guard.rst
■	■	■	■	■	■	■	■	■	■	■■■	include_regular_expression.rst
■	■	■	■	■	■	■	■	■	■	■■■	install.rst
■	■	■	■	■	■	■	■	■	■	■■■	install_files.rst
■	■	■	■	■	■	■	■	■	■	■■■	install_programs.rst
■	■	■	■	■	■	■	■	■	■	■■■	install_targets.rst
■	■	■	■	■	■	■	■	■	■	■■■	link_directories.rst
■	■	■	■	■	■	■	■	■	■	■■■	link_libraries.rst
■	■	■	■	■	■	■	■	■	■	■■■	list.rst
■	■	■	■	■	■	■	■	■	■	■■■	load_cache.rst
■	■	■	■	■	■	■	■	■	■	■■■	load_command.rst

```

■ ■ ■ macro.rst
■ ■ ■ make_directory.rst
■ ■ ■ mark_as_advanced.rst
■ ■ ■ math.rst
■ ■ ■ message.rst
■ ■ ■ option.rst
■ ■ ■ output_required_files.rst
■ ■ ■ project.rst
■ ■ ■ qt_wrap_cpp.rst
■ ■ ■ qt_wrap_ui.rst
■ ■ ■ remove.rst
■ ■ ■ remove_definitions.rst
■ ■ ■ return.rst
■ ■ ■ separate_arguments.rst
■ ■ ■ set.rst
■ ■ ■ set_directory_properties.rst
■ ■ ■ set_property.rst
■ ■ ■ set_source_files_properties.rst
■ ■ ■ set_target_properties.rst
■ ■ ■ set_tests_properties.rst
■ ■ ■ site_name.rst
■ ■ ■ source_group.rst
■ ■ ■ string.rst
■ ■ ■ subdir_depends.rst
■ ■ ■ subdirs.rst
■ ■ ■ target_compile_definitions.rst
■ ■ ■ target_compile_features.rst
■ ■ ■ target_compile_options.rst
■ ■ ■ target_include_directories.rst
■ ■ ■ target_link_directories.rst
■ ■ ■ target_link_libraries.rst
■ ■ ■ target_link_options.rst
■ ■ ■ target_precompile_headers.rst
■ ■ ■ target_sources.rst
■ ■ ■ try_compile.rst
■ ■ ■ try_run.rst
■ ■ ■ unset.rst
■ ■ ■ use_mangled_mesa.rst
■ ■ ■ utility_source.rst
■ ■ ■ variable_requires.rst
■ ■ ■ variable_watch.rst
■ ■ ■ while.rst
■ ■ ■ write_file.rst
■ ■ ■ cpack_gen
■ ■ ■ archive.rst
■ ■ ■ bundle.rst
■ ■ ■ cygwin.rst
■ ■ ■ deb.rst
■ ■ ■ dmg.rst
■ ■ ■ external.rst
■ ■ ■ freebsd.rst
■ ■ ■ ifw.rst
■ ■ ■ innosetup.rst
■ ■ ■ nsis.rst
■ ■ ■ nuget.rst
■ ■ ■ packagemaker.rst
■ ■ ■ productbuild.rst
■ ■ ■ rpm.rst

```

```

wix.rst
envvar
ADSP_ROOT.rst
ASM_DIALECT.rst
ASM_DIALECTFLAGS.rst
CC.rst
CCMAKE_COLORS.rst
CFLAGS.rst
CMAKE_APPBUNDLE_PATH.rst
CMAKE_APPLE_SILICON_PROCESSOR.rst
CMAKE_BUILD_PARALLEL_LEVEL.rst
CMAKE_BUILD_TYPE.rst
CMAKE_COLOR_DIAGNOSTICS.rst
CMAKE_CONFIGURATION_TYPES.rst
CMAKE_CONFIG_DIR.rst
CMAKE_CONFIG_TYPE.rst
CMAKE_CROSSCOMPILING_EMULATOR.rst
CMAKE_EXPORT_BUILD_DATABASE.rst
CMAKE_EXPORT_COMPILE_COMMANDS.rst
CMAKE_FRAMEWORK_PATH.rst
CMAKE_GENERATOR.rst
CMAKE_GENERATOR_INSTANCE.rst
CMAKE_GENERATOR_PLATFORM.rst
CMAKE_GENERATOR_TOOLSET.rst
CMAKE_INCLUDE_PATH.rst
CMAKE_INSTALL_MODE.rst
CMAKE_INSTALL_PARALLEL_LEVEL.rst
CMAKE_INSTALL_PREFIX.rst
CMAKE_LANG_COMPILER_LAUNCHER.rst
CMAKE_LANG_IMPLICIT_LINK_DIRECTORIES_EXCLUDE.r
CMAKE_LANG_LINKER_LAUNCHER.rst
CMAKE_LIBRARY_PATH.rst
CMAKE_MAXIMUM_RECURSION_DEPTH.rst
CMAKE_MSVCIDE_RUN_PATH.rst
CMAKE_NO_VERBOSE.rst
CMAKE_OSX_ARCHITECTURES.rst
CMAKE_PREFIX_PATH.rst
CMAKE_PROGRAM_PATH.rst
CMAKE_TEST_LAUNCHER.rst
CMAKE_TLS_VERIFY.rst
CMAKE_TLS_VERSION.rst
CMAKE_TOOLCHAIN_FILE.rst
CSFLAGS.rst
CTEST_INTERACTIVE_DEBUG_MODE.rst
CTEST_NO_TESTS_ACTION.rst
CTEST_OUTPUT_ON_FAILURE.rst
CTEST_PARALLEL_LEVEL.rst
CTEST_PROGRESS_OUTPUT.rst
CTEST_USE_LAUNCHERS_DEFAULT.rst
CUDAARCHS.rst
CUDACXX.rst
CUDAFLAGS.rst
CUDAHOSTCXX.rst
CXX.rst
CXXFLAGS.rst
DASHBOARD_TEST_FROM_CTEST.rst
DESTDIR.rst
ENV_VAR.txt

```

```

■ ■ ■ FC.rst
■ ■ ■ FFLAGS.rst
■ ■ ■ HIPCXX.rst
■ ■ ■ HIPFLAGS.rst
■ ■ ■ HIPHOSTCXX.rst
■ ■ ■ ISPC.rst
■ ■ ■ ISPCFLAGS.rst
■ ■ ■ LANG_FLAGS.txt
■ ■ ■ LDFLAGS.rst
■ ■ ■ MACOSX_DEPLOYMENT_TARGET.rst
■ ■ ■ OBJC.rst
■ ■ ■ OBJCFLAGS.rst
■ ■ ■ OBJCXX.rst
■ ■ ■ OBJCXXFLAGS.rst
■ ■ ■ PackageName_ROOT.rst
■ ■ ■ RC.rst
■ ■ ■ RCFLAGS.rst
■ ■ ■ SSL_CERT_DIR.rst
■ ■ ■ SSL_CERT_FILE.rst
■ ■ ■ SWIFTC.rst
■ ■ ■ VERBOSE.rst
■ ■ ■ generator
■ ■ ■ Borland Makefiles.rst
■ ■ ■ CodeBlocks.rst
■ ■ ■ CodeLite.rst
■ ■ ■ Eclipse CDT4.rst
■ ■ ■ Green Hills MULTI.rst
■ ■ ■ Kate.rst
■ ■ ■ MSYS Makefiles.rst
■ ■ ■ MinGW Makefiles.rst
■ ■ ■ NMake Makefiles JOM.rst
■ ■ ■ NMake Makefiles.rst
■ ■ ■ Ninja Multi-Config.rst
■ ■ ■ Ninja.rst
■ ■ ■ Sublime Text 2.rst
■ ■ ■ Unix Makefiles.rst
■ ■ ■ VS_TOOLSET_HOST_ARCH.txt
■ ■ ■ VS_TOOLSET_HOST_ARCH_LEGACY.txt
■ ■ ■ Visual Studio 10 2010.rst
■ ■ ■ Visual Studio 11 2012.rst
■ ■ ■ Visual Studio 12 2013.rst
■ ■ ■ Visual Studio 14 2015.rst
■ ■ ■ Visual Studio 15 2017.rst
■ ■ ■ Visual Studio 16 2019.rst
■ ■ ■ Visual Studio 17 2022.rst
■ ■ ■ Visual Studio 6.rst
■ ■ ■ Visual Studio 7 .NET 2003.rst
■ ■ ■ Visual Studio 7.rst
■ ■ ■ Visual Studio 8 2005.rst
■ ■ ■ Visual Studio 9 2008.rst
■ ■ ■ Watcom WMake.rst
■ ■ ■ Xcode.rst
■ ■ ■ include
■ ■ ■ COMPILE_DEFINITIONS_DISCLAIMER.txt
■ ■ ■ INTERFACE_INCLUDE_DIRECTORIES_WARNING.txt
■ ■ ■ INTERFACE_LINK_LIBRARIES_WARNING.txt
■ ■ ■ index.rst
■ ■ ■ manual

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CTEST_EXAMPLE_MAKEFILE_JOB_SERVER.make
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ ID_RESERVE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ LINKS.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ OPTIONS_BUILD.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ OPTIONS_HELP.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ ccmake.1.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-buildsystem.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-commands.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-compile-features.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-configure-log.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-cxxmodules.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-developer.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-env-variables.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-file-api.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-generator-expressions.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-generators.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-gui.1.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-language.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-modules.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-packages.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-policies.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-presets.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-properties.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-qt.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-server.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-toolchains.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake-variables.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cmake.1.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cpack-generators.7.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ cpack.1.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ ctest.1.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ presets
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ example.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ schema.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ module
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ AddFileDependencies.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ AndroidTestUtilities.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ BundleUtilities.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMAKE_REQUIRED_DEFINITIONS.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMAKE_REQUIRED_FLAGS.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMAKE_REQUIRED_INCLUDES.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMAKE_REQUIRED_LIBRARIES.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMAKE_REQUIRED_LINK_DIRECTORIES.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMAKE_REQUIRED_LINK_OPTIONS.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMAKE_REQUIRED_QUIET.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeAddFortranSubdirectory.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeBackwardCompatibilityCXX.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeDependentOption.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeDetermineVSServicePack.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeExpandImportedTargets.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeFindDependencyMacro.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeFindFrameworks.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeFindPackageMode.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeForceCompiler.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeGraphVizOptions.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakePackageConfigHelpers.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakeParseArguments.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ CMakePrintHelpers.rst
```

[illegible]

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■■	FindIcotoool.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindImageMagick.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindIntl.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindJNI.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindJPEG.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindJasper.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindJava.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindKDE3.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindKDE4.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLAPACK.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLATEX.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLTtngUST.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLibArchive.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLibLZMA.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLibXml2.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLibXslt.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLibinput.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLua.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLua50.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindLua51.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindMFC.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindMPEG.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindMPEG2.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindMPI.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindMatlab.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindMotif.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindMsys.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindODBC.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindOpenACC.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindOpenAL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindOpenCL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindOpenGL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindOpenMP.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindOpenSP.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindOpenSSL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindOpenSceneGraph.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindOpenThreads.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPHP4.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPNG.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPackageHandleStandardArgs.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPackageMessage.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPatch.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPerl.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPerlLibs.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPhysFS.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPike.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPkgConfig.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindPostgreSQL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindProducer.rst
■	■	■	■	■	■	■	■	■	■	■■■■	FindProtobuf.rst
■	■	■	■	■							

[illegible]

```

■■■■ InstallRequiredSystemLibraries.rst
■■■■ MacroAddFileDependencies.rst
■■■■ ProcessorCount.rst
■■■■ SelectLibraryConfigurations.rst
■■■■ SquishTestScript.rst
■■■■ TestBigEndian.rst
■■■■ TestCXXAcceptsFlag.rst
■■■■ TestForANSIForScope.rst
■■■■ TestForANSIStreamHeaders.rst
■■■■ TestForSSTREAM.rst
■■■■ TestForSTDNamespace.rst
■■■■ UseEcos.rst
■■■■ UseJava.rst
■■■■ UseJavaClassFilelist.rst
■■■■ UseJavaSymlinks.rst
■■■■ UsePkgConfig.rst
■■■■ UseSWIG.rst
■■■■ Use_wxWindows.rst
■■■■ UsewxWidgets.rst
■■■■ WriteBasicConfigVersionFile.rst
■■■■ WriteCompilerDetectionHeader.rst
■■■■ policy
■■■■ CMP0000.rst
■■■■ CMP0001.rst
■■■■ CMP0002.rst
■■■■ CMP0003.rst
■■■■ CMP0004.rst
■■■■ CMP0005.rst
■■■■ CMP0006.rst
■■■■ CMP0007.rst
■■■■ CMP0008.rst
■■■■ CMP0009.rst
■■■■ CMP0010.rst
■■■■ CMP0011.rst
■■■■ CMP0012.rst
■■■■ CMP0013.rst
■■■■ CMP0014.rst
■■■■ CMP0015.rst
■■■■ CMP0016.rst
■■■■ CMP0017.rst
■■■■ CMP0018.rst
■■■■ CMP0019.rst
■■■■ CMP0020.rst
■■■■ CMP0021.rst
■■■■ CMP0022.rst
■■■■ CMP0023.rst
■■■■ CMP0024.rst
■■■■ CMP0025.rst
■■■■ CMP0026.rst
■■■■ CMP0027.rst
■■■■ CMP0028.rst
■■■■ CMP0029.rst
■■■■ CMP0030.rst
■■■■ CMP0031.rst
■■■■ CMP0032.rst
■■■■ CMP0033.rst
■■■■ CMP0034.rst
■■■■ CMP0035.rst

```



```

■ ■ ■ CMP0152.rst
■ ■ ■ CMP0153.rst
■ ■ ■ CMP0154.rst
■ ■ ■ CMP0155.rst
■ ■ ■ CMP0156.rst
■ ■ ■ CMP0157.rst
■ ■ ■ CMP0158.rst
■ ■ ■ CMP0159.rst
■ ■ ■ CMP0160.rst
■ ■ ■ CMP0161.rst
■ ■ ■ CMP0162.rst
■ ■ ■ CMP0163.rst
■ ■ ■ CMP0164.rst
■ ■ ■ CMP0165.rst
■ ■ ■ CMP0166.rst
■ ■ ■ CMP0167.rst
■ ■ ■ CMP0168.rst
■ ■ ■ CMP0169.rst
■ ■ ■ CMP0170.rst
■ ■ ■ CMP0171.rst
■ ■ ■ CMP0172.rst
■ ■ ■ CMP0173.rst
■ ■ ■ CMP0174.rst
■ ■ ■ CMP0175.rst
■ ■ ■ CMP0176.rst
■ ■ ■ CMP0177.rst
■ ■ ■ CMP0178.rst
■ ■ ■ CMP0179.rst
■ ■ ■ CMP0180.rst
■ ■ ■ DEPRECATED.txt
■ ■ ■ DISALLOWED_COMMAND.txt
■ ■ ■ STANDARD_ADVICE.txt
■ ■ ■ prop_cache
■ ■ ■ ADVANCED.rst
■ ■ ■ HELPSTRING.rst
■ ■ ■ MODIFIED.rst
■ ■ ■ STRINGS.rst
■ ■ ■ TYPE.rst
■ ■ ■ VALUE.rst
■ ■ ■ prop_dir
■ ■ ■ ADDITIONAL_CLEAN_FILES.rst
■ ■ ■ ADDITIONAL_MAKE_CLEAN_FILES.rst
■ ■ ■ BINARY_DIR.rst
■ ■ ■ BUILDSYSTEM_TARGETS.rst
■ ■ ■ CACHE_VARIABLES.rst
■ ■ ■ CLEAN_NO_CUSTOM.rst
■ ■ ■ CMAKE_CONFIGURE_DEPENDS.rst
■ ■ ■ COMPILE_DEFINITIONS.rst
■ ■ ■ COMPILE_DEFINITIONS_CONFIG.rst
■ ■ ■ COMPILE_OPTIONS.rst
■ ■ ■ DEFINITIONS.rst
■ ■ ■ EXCLUDE_FROM_ALL.rst
■ ■ ■ IMPLICIT_DEPENDS_INCLUDE_TRANSFORM.rst
■ ■ ■ IMPORTED_TARGETS.rst
■ ■ ■ INCLUDE_DIRECTORIES.rst
■ ■ ■ INCLUDE_REGULAR_EXPRESSION.rst
■ ■ ■ INTERPROCEDURAL_OPTIMIZATION.rst
■ ■ ■ INTERPROCEDURAL_OPTIMIZATION_CONFIG.rst

```

■	■	■	■	■	■	■	■	■	■	■■■	LABELS.rst
■	■	■	■	■	■	■	■	■	■	■■■	LINK_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	LINK_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	LISTFILE_STACK.rst
■	■	■	■	■	■	■	■	■	■	■■■	MACROS.rst
■	■	■	■	■	■	■	■	■	■	■■■	PARENT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_COMPILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_CUSTOM.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_LINK.rst
■	■	■	■	■	■	■	■	■	■	■■■	SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	SUBDIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	SYSTEM.rst
■	■	■	■	■	■	■	■	■	■	■■■	TESTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	TEST_INCLUDE_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	TEST_INCLUDE_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VARIABLES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_SECTION_POST_section.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_SECTION_PRE_section.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_STARTUP_PROJECT.rst
■	■	■	■	■	■	■	■	■	■■■	prop_gbl	
■	■	■	■	■	■	■	■	■	■	■■■	ALLOW_DUPLICATE_CUSTOM_TARGETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_SOURCE_GROUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_TARGETS_FOLDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_SOURCE_GROUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_TARGETS_FOLDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTORCC_SOURCE_GROUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC_SOURCE_GROUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_KNOWN_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_KNOWN_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_C_KNOWN_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_KNOWN_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STD_FLAGS.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ROLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEBUG_CONFIGURATIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	DISABLED_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ECLIPSE_EXTRA_CPROJECT_CONTENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	ECLIPSE_EXTRA_NATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENABLED_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENABLED_LANGUAGES.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIND_LIBRARY_USE_LIB32_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIND_LIBRARY_USE_LIB64_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIND_LIBRARY_USE_LIBX32_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIND_LIBRARY_USE_OPENBSD_VERSIONING.rst
■	■	■	■	■	■	■	■	■	■	■■■	GENERATOR_IS_MULTI_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	GLOBAL_DEPENDS_DEBUG_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	GLOBAL_DEPENDS_NO_CYCLES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INSTALL_PARALLEL.rst
■	■	■	■	■	■	■	■	■	■	■■■	IN_TRY_COMPILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	JOB_POOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	PACKAGES_FOUND.rst
■	■	■	■	■	■	■	■	■	■	■■■	PACKAGES_NOT_FOUND.rst
■	■	■	■	■	■	■	■	■	■	■■■	PREDEFINED_TARGETS_FOLDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	PROPAGATE_TOP_LEVEL_INCLUDES_TO_TRY_COMPILE.rs
■	■	■	■	■	■	■	■	■	■	■■■	REPORT_UNDEFINED_PROPERTIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_COMPILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_CUSTOM.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_LAUNCH_LINK.rst
■	■	■	■	■	■	■	■	■	■	■■■	RULE_MESSAGES.rst

■	■	■	■	■	■	■	■	■	■	■■■	TARGET_ARCHIVES_MAY_BE_SHARED_LIBS.rst
■	■	■	■	■	■	■	■	■	■	■■■	TARGET_MESSAGES.rst
■	■	■	■	■	■	■	■	■	■	■■■	TARGET_SUPPORTS_SHARED_LIBS.rst
■	■	■	■	■	■	■	■	■	■	■■■	USE_FOLDERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	XCODE_EMIT_EFFECTIVE_PLATFORM_NAME.rst
■	■	■	■	■	■	■	■	■	■■■	prop_inst	
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_DESKTOP_SHORTCUTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_NEVER_OVERWRITE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_PERMANENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_STARTUP_SHORTCUTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_START_MENU_SHORTCUTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_WIX_ACL.rst
■	■	■	■	■	■	■	■	■	■■■	prop_sf	
■	■	■	■	■	■	■	■	■	■	■■■	ABSTRACT.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTORCC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_DEFINITIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_DEFINITIONS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_SCAN_FOR_MODULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXTERNAL_OBJECT.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_FORMAT.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_PREPROCESS.rst
■	■	■	■	■	■	■	■	■	■	■■■	GENERATED.rst
■	■	■	■	■	■	■	■	■	■	■■■	HEADER_FILE_ONLY.rst
■	■	■	■	■	■	■	■	■	■	■■■	INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	KEEP_EXTENSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	LABELS.rst
■	■	■	■	■	■	■	■	■	■	■■■	LANGUAGE.rst
■	■	■	■	■	■	■	■	■	■	■■■	LOCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	MACOSX_PACKAGE_LOCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	OBJECT_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	OBJECT_OUTPUTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_AUTOGEN.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_AUTOMOC.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_AUTORCC.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_AUTOUIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_LINTING.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_PRECOMPILE_HEADERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_UNITY_BUILD_INCLUSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	SYMBOLIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_DEPENDENCIES_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_DIAGNOSTICS_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_GROUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_COPY_TO_OUT_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_CSHARP_tagname.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEPLOYMENT_CONTENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEPLOYMENT_LOCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_INCLUDE_IN_VSIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_RESOURCE_GENERATOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SETTINGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_DISABLE_OPTIMIZATIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_ENABLE_DEBUG.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_ENTRYPOINT.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_MODEL.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_OBJECT_FILE_NAME.rst

■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_OUTPUT_HEADER_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SHADER_VARIABLE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_TOOL_OVERRIDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_XAML_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	WRAP_EXCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	XCODE_EXPLICIT_FILE_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	XCODE_FILE_ATTRIBUTES.rst
■	■	■	■	■	■	■	■	■	■	■■■	XCODE_LAST_KNOWN_FILE_TYPE.rst
■	■	■	■	■	■	■	■	■	■■■	prop_test	
■	■	■	■	■	■	■	■	■	■	■■■	ATTACHED_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ATTACHED_FILES_ON_FAIL.rst
■	■	■	■	■	■	■	■	■	■	■■■	COST.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	DISABLED.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENVIRONMENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENVIRONMENT_MODIFICATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	FAIL_REGULAR_EXPRESSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIXTURES_CLEANUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIXTURES_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	FIXTURES_SETUP.rst
■	■	■	■	■	■	■	■	■	■	■■■	GENERATED_RESOURCE_SPEC_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	LABELS.rst
■	■	■	■	■	■	■	■	■	■	■■■	MEASUREMENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	PASS_REGULAR_EXPRESSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	PROCESSORS.rst
■	■	■	■	■	■	■	■	■	■	■■■	PROCESSOR_AFFINITY.rst
■	■	■	■	■	■	■	■	■	■	■■■	REQUIRED_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	RESOURCE_GROUPS.rst
■	■	■	■	■	■	■	■	■	■	■■■	RESOURCE_LOCK.rst
■	■	■	■	■	■	■	■	■	■	■■■	RUN_SERIAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_REGULAR_EXPRESSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	SKIP_RETURN_CODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	TIMEOUT.rst
■	■	■	■	■	■	■	■	■	■	■■■	TIMEOUT_AFTER_MATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	TIMEOUT_SIGNAL_GRACE_PERIOD.rst
■	■	■	■	■	■	■	■	■	■	■■■	TIMEOUT_SIGNAL_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	WILL_FAIL.rst
■	■	■	■	■	■	■	■	■	■	■■■	WORKING_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■■■	prop_tgt	
■	■	■	■	■	■	■	■	■	■	■■■	ADDITIONAL_CLEAN_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	AIX_EXPORT_ALL_SYMBOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AIX_SHARED_LIBRARY_ARCHIVE.rst
■	■	■	■	■	■	■	■	■	■	■■■	ALIASED_TARGET.rst
■	■	■	■	■	■	■	■	■	■	■■■	ALIAS_GLOBAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_ANT_ADDITIONAL_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_API.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_API_MIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_ARCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_ASSETS_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_GUI.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_JAR_DEPENDENCIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_JAR_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_JAVA_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_NATIVE_LIB_DEPENDENCIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_NATIVE_LIB_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_PROCESS_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_PROGUARD.rst

■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_PROGUARD_CONFIG_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_SECURE_PROPS_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_SKIP_ANT_STEP.rst
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID_STL_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	ARCHIVE_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	ARCHIVE_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	ARCHIVE_OUTPUT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	ARCHIVE_OUTPUT_NAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_BETTER_GRAPH_MULTI_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_BUILD_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_COMMAND_LINE_LENGTH_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_ORIGIN_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_PARALLEL.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_TARGET_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOGEN_USE_SYSTEM_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_COMPILER_PREDEFINES.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_DEPEND_FILTERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_MACRO_NAMES.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_MOC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOMOC_PATH_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTORCC.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTORCC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTORCC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	AUTOUIC_SEARCH_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	BINARY_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUILD_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUILD_RPATH_USE_ORIGIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUILD_WITH_INSTALL_NAME_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUILD_WITH_INSTALL_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUNDLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUNDLE_EXTENSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMMON_LANGUAGE_RUNTIME.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPATIBLE_INTERFACE_BOOL.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPATIBLE_INTERFACE_NUMBER_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPATIBLE_INTERFACE_NUMBER_MIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPATIBLE_INTERFACE_STRING.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_DEFINITIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_DEFINITIONS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_PDB_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_PDB_NAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_PDB_NOTE.txt
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_PDB_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_PDB_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	COMPILE_WARNING_AS_ERROR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CONFIG_OUTPUT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CONFIG_POSTFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CROSSCOMPILING_EMULATOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_ARCHITECTURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_CUBIN_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_EXTENSIONS.rst

■	■	■	■	■	■	■	■	■	■	■■■	CUDA_FATBIN_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_OPTIX_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_PTX_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_RESOLVE_DEVICE_SYMBOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_RUNTIME_LIBRARY-VALUES.txt
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_RUNTIME_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_SEPARABLE_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CUDA_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_DIRS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_DIRS_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_SET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_SET_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_MODULE_STD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_SCAN_FOR_MODULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CXX_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	C_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	C_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	C_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEBUG_POSTFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEFINE_SYMBOL.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEPLOYMENT_ADDITIONAL_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEPLOYMENT_REMOTE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	DEPRECATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	DISABLE_PRECOMPILE_HEADERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	DLL_NAME_WITH_SOVERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	DOTNET_SDK.rst
■	■	■	■	■	■	■	■	■	■	■■■	DOTNET_TARGET_FRAMEWORK.rst
■	■	■	■	■	■	■	■	■	■	■■■	DOTNET_TARGET_FRAMEWORK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENABLE_EXPORTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXCLUDE_FROM_ALL.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXCLUDE_FROM_DEFAULT_BUILD.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXCLUDE_FROM_DEFAULT_BUILD_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_BUILD_DATABASE.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_COMPILE_COMMANDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_FIND_PACKAGE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_NO_SYSTEM.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXPORT_PROPERTIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	EchoString.rst
■	■	■	■	■	■	■	■	■	■	■■■	FOLDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	FRAMEWORK.rst
■	■	■	■	■	■	■	■	■	■	■■■	FRAMEWORK_MULTI_CONFIG_POSTFIX_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	FRAMEWORK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_BUILDING_INSTRINSIC_MODULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_FORMAT.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_MODULE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	Fortran_PREPROCESS.rst
■	■	■	■	■	■	■	■	■	■	■■■	GENERATOR_FILE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	GHS_INTEGRITY_APP.rst
■	■	■	■	■	■	■	■	■	■	■■■	GHS_NO_SOURCE_GROUP_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	GNUtoMS.rst
■	■	■	■	■	■	■	■	■	■	■■■	HAS_CXX.rst
■	■	■	■	■	■	■	■	■	■	■■■	HEADER_DIRS.rst
■	■	■	■	■	■	■	■	■	■	■■■	HEADER_DIRS_NAME.rst

■	■	■	■	■	■	■	■	■	■	■■■	HEADER_SET.rst
■	■	■	■	■	■	■	■	■	■	■■■	HEADER_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	HEADER_SET_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	HIP_ARCHITECTURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	HIP_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	HIP_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	HIP_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPLICIT_DEPENDS_INCLUDE_TRANSFORM.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_COMMON_LANGUAGE_RUNTIME.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CONFIGURATIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CXX_MODULES_COMPILE_DEFINITIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CXX_MODULES_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CXX_MODULES_COMPILE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CXX_MODULES_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_CXX_MODULES_LINK_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_GLOBAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_IMPLIB.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_IMPLIB_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LIBNAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LIBNAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_DEPENDENT_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_DEPENDENT_LIBRARIES_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_LANGUAGES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_LANGUAGES_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_LIBRARIES_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_MULTIPLICITY.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LINK_INTERFACE_MULTIPLICITY_CONFIG.rs
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LOCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_LOCATION_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_NO_SONAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_NO_SONAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_NO_SYSTEM.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_OBJECTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_OBJECTS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_SONAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORTED_SONAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORT_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	IMPORT_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INSTALL_NAME_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	INSTALL_REMOVE_ENVIRONMENT_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	INSTALL_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	INSTALL_RPATH_USE_LINK_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_AUTOMOC_MACRO_NAMES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_AUTOUIC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_BUILD_PROPERTY.txt
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_COMPILE_DEFINITIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_COMPILE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_CXX_MODULE_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_HEADER_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_HEADER_SETS_TO_VERIFY.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_LIBRARIES.rst

■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_LIBRARIES_DIRECT.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_LIBRARIES_DIRECT.txt
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_LIBRARIES_DIRECT_EXCLUDE.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_LINK_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_POSITION_INDEPENDENT_CODE.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_PRECOMPILE_HEADERS.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_SOURCES.rst
■	■	■	■	■	■	■	■	■	■■■	INTERFACE_SYSTEM_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■■■	INTERPROCEDURAL_OPTIMIZATION.rst
■	■	■	■	■	■	■	■	■	■■■	INTERPROCEDURAL_OPTIMIZATION_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	IOS_INSTALL_COMBINED.rst
■	■	■	■	■	■	■	■	■	■■■	ISPC_HEADER_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■■■	ISPC_HEADER_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■■■	ISPC_INSTRUCTION_SETS.rst
■	■	■	■	■	■	■	■	■	■■■	JOB_POOL_COMPILE.rst
■	■	■	■	■	■	■	■	■	■■■	JOB_POOL_LINK.rst
■	■	■	■	■	■	■	■	■	■■■	JOB_POOL_PRECOMPILE_HEADER.rst
■	■	■	■	■	■	■	■	■	■■■	LABELS.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_CLANG_TIDY.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_CLANG_TIDY_EXPORT_FIXES_DIR.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_COMPILER_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_CPPCHECK.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_CPPLINT.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_INCLUDE_WHAT_YOU_USE.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_LINKER_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_STANDARD.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■■■	LANG_VISIBILITY_PRESET.rst
■	■	■	■	■	■	■	■	■	■■■	LIBRARY_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■■■	LIBRARY_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	LIBRARY_OUTPUT_NAME.rst
■	■	■	■	■	■	■	■	■	■■■	LIBRARY_OUTPUT_NAME_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	LINKER_LANGUAGE.rst
■	■	■	■	■	■	■	■	■	■■■	LINKER_TYPE.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_DEPENDS_NO_SHARED.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_FLAGS.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_INTERFACE_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_INTERFACE_LIBRARIES_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_INTERFACE_MULTIPLICITY.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_INTERFACE_MULTIPLICITY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARIES_INDIRECTION.txt
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARIES_ONLY_TARGETS.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARIES_STRATEGY.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARY_OVERRIDE.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARY_OVERRIDE_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_SEARCH_END_STATIC.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_SEARCH_START_STATIC.rst
■	■	■	■	■	■	■	■	■	■■■	LINK_WHAT_YOU_USE.rst
■	■	■	■	■	■	■	■	■	■■■	LOCATION.rst
■	■	■	■	■	■	■	■	■	■■■	LOCATION_CONFIG.rst
■	■	■	■	■	■	■	■	■	■■■	MACHO_COMPATIBILITY_VERSION.rst
■	■	■	■	■	■	■	■	■	■■■	MACHO_CURRENT_VERSION.rst

```
MACOSX_BUNDLE.rst
MACOSX_BUNDLE_INFO_PLIST.rst
MACOSX_FRAMEWORK_INFO_PLIST.rst
MACOSX_RPATH.rst
MACOS_IMPORT_FILES.txt
MANUALLY_ADDED_DEPENDENCIES.rst
MAP_IMPORTED_CONFIG_CONFIG.rst
MSVC_DEBUG_INFORMATION_FORMAT-VALUES.txt
MSVC_DEBUG_INFORMATION_FORMAT.rst
MSVC_RUNTIME_LIBRARY-VALUES.txt
MSVC_RUNTIME_LIBRARY.rst
NAME.rst
NO_SONAME.rst
NO_SYSTEM_FROM_IMPORTED.rst
OBJCXX_EXTENSIONS.rst
OBJCXX_STANDARD.rst
OBJCXX_STANDARD_REQUIRED.rst
OBJC_EXTENSIONS.rst
OBJC_STANDARD.rst
OBJC_STANDARD_REQUIRED.rst
OPTIMIZE_DEPENDENCIES.rst
OSX_ARCHITECTURES.rst
OSX_ARCHITECTURES_CONFIG.rst
OUTPUT_NAME.rst
OUTPUT_NAME_CONFIG.rst
PCH_INSTANTIATE_TEMPLATES.rst
PCH_WARN_INVALID.rst
PDB_NAME.rst
PDB_NAME_CONFIG.rst
PDB_NOTE.txt
PDB_OUTPUT_DIRECTORY.rst
PDB_OUTPUT_DIRECTORY_CONFIG.rst
POSITION_INDEPENDENT_CODE.rst
POST_INSTALL_SCRIPT.rst
PRECOMPILE_HEADERS.rst
PRECOMPILE_HEADERS_REUSE_FROM.rst
PREFIX.rst
PRE_INSTALL_SCRIPT.rst
PRIVATE_HEADER.rst
PROJECT_LABEL.rst
PUBLIC_HEADER.rst
RESOURCE.rst
RULE_LAUNCH_COMPILE.rst
RULE_LAUNCH_CUSTOM.rst
RULE_LAUNCH_LINK.rst
RUNTIME_OUTPUT_DIRECTORY.rst
RUNTIME_OUTPUT_DIRECTORY_CONFIG.rst
RUNTIME_OUTPUT_NAME.rst
RUNTIME_OUTPUT_NAME_CONFIG.rst
SKIP_BUILD_RPATH.rst
SOURCES.rst
SOURCE_DIR.rst
SOVERSION.rst
STATIC_LIBRARY_FLAGS.rst
STATIC_LIBRARY_FLAGS_CONFIG.rst
STATIC_LIBRARY_OPTIONS.rst
SUFFIX.rst
SYSTEM.rst
```

■	■	■	■	■	■	■	■	■	■	■■■	Swift_COMPILATION_MODE-VALUES.txt
■	■	■	■	■	■	■	■	■	■	■■■	Swift_COMPILATION_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_DEPENDENCIES_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_LANGUAGE_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_MODULE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	Swift_MODULE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	TEST_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■	■■■	TRANSITIVE_COMPILE_PROPERTIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	TRANSITIVE_LINK_PROPERTIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD_BATCH_SIZE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD_CODE_AFTER_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD_CODE_BEFORE_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	UNITY_BUILD_UNIQUE_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	VERIFY_INTERFACE_HEADER_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VERSION_SOVERSION_EXAMPLE.txt
■	■	■	■	■	■	■	■	■	■	■■■	VISIBILITY_INLINES_HIDDEN.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_CONFIGURATION_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEBUGGER_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEBUGGER_COMMAND_ARGUMENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEBUGGER_ENVIRONMENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DEBUGGER_WORKING_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DESKTOP_EXTENSIONS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_DOCUMENTATION_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_REFERENCEPROP_refname_TAG_tagname.rs
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_REFERENCES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_REFERENCES_COPY_LOCAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_REFERENCE_refname.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_STARTUP_OBJECT.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DOTNET_TARGET_FRAMEWORK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_DPI_AWARE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_FILTER_PROPS.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_FRAMEWORK_REFERENCES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_KEYWORD.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_PROJECT_TYPES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_ROOTNAMESPACE.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_GLOBAL_variable.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_IOT_EXTENSIONS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_IOT_STARTUP_TASK.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_JUST_MY_CODE_DEBUGGING.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_KEYWORD.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_MOBILE_EXTENSIONS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_NO_COMPILE_BATCHING.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_NO_SOLUTION_DEPLOY.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_PACKAGE_REFERENCES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_PLATFORM_TOOLSET.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_PROJECT_IMPORT.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SCC_AUXPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SCC_LOCALPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SCC_PROJECTNAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SCC_PROVIDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SDK_REFERENCES.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SOLUTION_DEPLOY.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_SOURCE_SETTINGS_tool.rst
■	■	■	■	■	■	■	■	■	■	■■■	VS_USER_PROPS.rst

```

■ ■ ■ ■ ■ VS_USE_DEBUG_LIBRARIES-PURPOSE.txt
■ ■ ■ ■ ■ VS_USE_DEBUG_LIBRARIES.rst
■ ■ ■ ■ ■ VS_WINDOWS_TARGET_PLATFORM_MIN_VERSION.rst
■ ■ ■ ■ ■ VS_WINRT_COMPONENT.rst
■ ■ ■ ■ ■ VS_WINRT_EXTENSIONS.rst
■ ■ ■ ■ ■ VS_WINRT_REFERENCES.rst
■ ■ ■ ■ ■ WATCOM_RUNTIME_LIBRARY-VALUES.txt
■ ■ ■ ■ ■ WATCOM_RUNTIME_LIBRARY.rst
■ ■ ■ ■ ■ WIN32_EXECUTABLE.rst
■ ■ ■ ■ ■ WINDOWS_EXPORT_ALL_SYMBOLS.rst
■ ■ ■ ■ ■ XCODE_ATTRIBUTE_an-attribute.rst
■ ■ ■ ■ ■ XCODE_EMBED_FRAMEWORKS_CODE_SIGN_ON_COPY.rst
■ ■ ■ ■ ■ XCODE_EMBED_FRAMEWORKS_REMOVE_HEADERS_ON_COPY.
■ ■ ■ ■ ■ XCODE_EMBED_type.rst
■ ■ ■ ■ ■ XCODE_EMBED_type_CODE_SIGN_ON_COPY.rst
■ ■ ■ ■ ■ XCODE_EMBED_type_PATH.rst
■ ■ ■ ■ ■ XCODE_EMBED_type_REMOVE_HEADERS_ON_COPY.rst
■ ■ ■ ■ ■ XCODE_EXPLICIT_FILE_TYPE.rst
■ ■ ■ ■ ■ XCODE_GENERATE_SCHEME.rst
■ ■ ■ ■ ■ XCODE_LINK_BUILD_PHASE_MODE.rst
■ ■ ■ ■ ■ XCODE_PRODUCT_TYPE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ADDRESS_SANITIZER.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ADDRESS_SANITIZER_USE_AFTER_RETURN
■ ■ ■ ■ ■ XCODE_SCHEME_ARGUMENTS.rst
■ ■ ■ ■ ■ XCODE_SCHEME_DEBUG_AS_ROOT.rst
■ ■ ■ ■ ■ XCODE_SCHEME_DEBUG_DOCUMENT_VERSIONING.rst
■ ■ ■ ■ ■ XCODE_SCHEME_DISABLE_MAIN_THREAD_CHECKER.rst
■ ■ ■ ■ ■ XCODE_SCHEME_DYNAMIC_LIBRARY_LOADS.rst
■ ■ ■ ■ ■ XCODE_SCHEME_DYNAMIC_LINKER_API_USAGE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ENABLE_GPU_API_VALIDATION.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ENABLE_GPU_FRAME_CAPTURE_MODE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ENABLE_GPU_SHADER_VALIDATION.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ENVIRONMENT.rst
■ ■ ■ ■ ■ XCODE_SCHEME_EXECUTABLE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_GUARD_MALLOC.rst
■ ■ ■ ■ ■ XCODE_SCHEME_LAUNCH_CONFIGURATION.rst
■ ■ ■ ■ ■ XCODE_SCHEME_LAUNCH_MODE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_MAIN_THREAD_CHECKER_STOP.rst
■ ■ ■ ■ ■ XCODE_SCHEME_MALLOC_GUARD_EDGES.rst
■ ■ ■ ■ ■ XCODE_SCHEME_MALLOC_SCRIBBLE.rst
■ ■ ■ ■ ■ XCODE_SCHEME_MALLOC_STACK.rst
■ ■ ■ ■ ■ XCODE_SCHEME_THREAD_SANITIZER.rst
■ ■ ■ ■ ■ XCODE_SCHEME_THREAD_SANITIZER_STOP.rst
■ ■ ■ ■ ■ XCODE_SCHEME_UNDEFINED_BEHAVIOUR_SANITIZER.rst
■ ■ ■ ■ ■ XCODE_SCHEME_UNDEFINED_BEHAVIOUR_SANITIZER_STOP
■ ■ ■ ■ ■ XCODE_SCHEME_WORKING_DIRECTORY.rst
■ ■ ■ ■ ■ XCODE_SCHEME_ZOMBIE_OBJECTS.rst
■ ■ ■ ■ ■ XCODE_XCONFIG.rst
■ ■ ■ ■ ■ XCTEST.rst
■ ■ ■ ■ ■ XXX_OUTPUT_DIRECTORY.txt
■ ■ ■ ■ ■ XXX_OUTPUT_NAME.txt
■ ■ ■ ■ ■ release
■ ■ ■ ■ ■ 3.0.rst
■ ■ ■ ■ ■ 3.1.rst
■ ■ ■ ■ ■ 3.10.rst
■ ■ ■ ■ ■ 3.11.rst
■ ■ ■ ■ ■ 3.12.rst
■ ■ ■ ■ ■ 3.13.rst

```

■	■	■	■	■	■	■	■	■	■	■■■	3.14.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.15.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.16.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.17.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.18.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.19.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.2.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.20.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.21.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.22.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.23.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.24.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.25.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.26.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.27.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.28.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.29.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.3.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.30.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.31.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.4.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.5.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.6.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.7.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.8.rst
■	■	■	■	■	■	■	■	■	■	■■■	3.9.rst
■	■	■	■	■	■	■	■	■	■	■■■	dev.txt
■	■	■	■	■	■	■	■	■	■	■■■	index.rst
■	■	■	■	■	■	■	■	■	■■■	variable	
■	■	■	■	■	■	■	■	■	■	■■■	ANDROID.rst
■	■	■	■	■	■	■	■	■	■	■■■	APPLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	BORLAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	BSD.rst
■	■	■	■	■	■	■	■	■	■	■■■	BUILD_SHARED_LIBS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CACHE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ABSOLUTE_DESTINATION_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ADD_CUSTOM_COMMAND_DEPENDS_EXPLICIT_ONLY
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ADSP_ROOT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AIX_EXPORT_ALL_SYMBOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AIX_SHARED_LIBRARY_ARCHIVE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ANT_ADDITIONAL_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_API.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_API_MIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ARCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ARCH_ABI.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ARM_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ARM_NEON.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_ASSETS_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_EXCEPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_GUI.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_JAR_DEPENDENCIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_JAR_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_JAVA_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NATIVE_LIB_DEPENDENCIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NATIVE_LIB_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NDK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NDK_DEPRECATED_HEADERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NDK_TOOLCHAIN_HOST_TAG.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NDK_TOOLCHAIN_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_NDK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_PROCESS_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_PROGUARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_PROGUARD_CONFIG_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_RTTI.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_SECURE_PROPS_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_SKIP_ANT_STEP.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_STANDALONE_TOOLCHAIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ANDROID_STL_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_APPBUNDLE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_APPLE_SILICON_PROCESSOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ARCHIVE_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ARCHIVE_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ARGC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ARGV0.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_BETTER_GRAPH_MULTI_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_COMMAND_LINE_LENGTH_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_ORIGIN_DEPENDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_PARALLEL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_USE_SYSTEM_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOGEN_VERBOSE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_COMPILER_PREDEFINES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_DEPEND_FILTERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_MACRO_NAMES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_MOC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_PATH_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOMOC_RELAXED_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTORCC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTORCC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTORCC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOUIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOUIC_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOUIC_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_AUTOUIC_SEARCH_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BACKWARDS_COMPATIBILITY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BINARY_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_RPATH_USE_ORIGIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_TOOL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_WITH_INSTALL_NAME_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_BUILD_WITH_INSTALL_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CACHEFILE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CACHE_MAJOR_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CACHE_MINOR_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CACHE_PATCH_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CFG_INTDIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CLANG_VFS_OVERLAY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CL_64.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CODEBLOCKS_COMPILER_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CODEBLOCKS_EXCLUDE_EXTERNAL_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CODELITE_USE_TARGETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COLOR_DIAGNOSTICS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COLOR_MAKEFILE.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILER_2005.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILER_IS_GNUCC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILER_IS_GNUCXX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILER_IS_GNUG77.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILE_PDB_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILE_PDB_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_COMPILE_WARNING_AS_ERROR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CONFIGURATION_TYPES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CONFIG_POSTFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CPACK_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CROSSCOMPILING.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CROSSCOMPILING_EMULATOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CROSS_CONFIGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CTEST_ARGUMENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CTEST_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_ARCHITECTURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_HOST_COMPILER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_RESOLVE_DEVICE_SYMBOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_RUNTIME_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_SEPARABLE_COMPILATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CUDA_TOOLKIT_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_BINARY_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_FUNCTION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_FUNCTION_LIST_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_FUNCTION_LIST_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_FUNCTION_LIST_LINE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_LIST_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_LIST_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_LIST_LINE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CURRENT_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_COMPILER_IMPORT_STD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_MODULE_STD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_SCAN_FOR_MODULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_CXX_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_C_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_C_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_C_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_C_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEBUG_POSTFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEBUG_TARGET_PROPERTIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEFAULT_BUILD_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEFAULT_CONFIGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEPENDS_IN_PROJECT_ONLY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DEPENDS_USE_COMPILER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DIRECTORY_LABELS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DISABLE_FIND_PACKAGE_PackageName.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DISABLE_PRECOMPILE_HEADERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DLL_NAME_WITH_SOVERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DL_LIBS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DOTNET_SDK.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DOTNET_TARGET_FRAMEWORK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_DOTNET_TARGET_FRAMEWORK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ECLIPSE_GENERATE_LINKED_RESOURCES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ECLIPSE_GENERATE_SOURCE_PROJECT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ECLIPSE_MAKE_ARGUMENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ECLIPSE_RESOURCE_ENCODING.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ECLIPSE_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EDIT_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ENABLE_EXPORTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ERROR_DEPRECATED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ERROR_ON_ABSOLUTE_INSTALL_DESTINATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXECUTABLE_ENABLE_EXPORTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXECUTABLE_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXECUTABLE_SUFFIX_LANG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXECUTE_PROCESS_COMMAND_ECHO.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXE_LINKER_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXE_LINKER_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXE_LINKER_FLAGS_CONFIG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXE_LINKER_FLAGS_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXPORT_BUILD_DATABASE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXPORT_COMPILE_COMMANDS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXPORT_FIND_PACKAGE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXPORT_NO_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXPORT_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXTRA_GENERATOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_EXTRA_SHARED_LIBRARY_SUFFIXES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_APPBUNDLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_DEBUG_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_FRAMEWORK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_LIBRARY_CUSTOM_LIB_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_LIBRARY_PREFIXES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_LIBRARY_SUFFIXES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_NO_INSTALL_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_NO_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_NO_SYSTEM_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_PREFER_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_REDIRECTS_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_RESOLVE_SYMLINKS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_SORT_DIRECTION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_SORT_ORDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_TARGETS_GLOBAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_PACKAGE_WARN_NO_MODULE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH_MODE_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH_MODE_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH_MODE_PACKAGE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH_MODE_PROGRAM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_ROOT_PATH_MODE_XXX.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_CMAKE_ENVIRONMENT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_CMAKE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_CMAKE_SYSTEM_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_INSTALL_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_PACKAGE_ROOT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_SYSTEM_ENVIRONMENT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FIND_USE_SYSTEM_PACKAGE_REGISTRY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FOLDER.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FRAMEWORK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FRAMEWORK_MULTI_CONFIG_POSTFIX_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_FRAMEWORK_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_FORMAT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_MODDIR_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_MODDIR_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_MODOUT_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_MODULE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Fortran_PREPROCESS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GENERATOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GENERATOR_INSTANCE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GENERATOR_PLATFORM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GENERATOR_TOOLSET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GHS_NO_SOURCE_GROUP_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GLOBAL_AUTOGEN_TARGET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GLOBAL_AUTOGEN_TARGET_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GLOBAL_AUTORCC_TARGET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GLOBAL_AUTORCC_TARGET_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_GNUtoMS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_ARCHITECTURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_COMPILE_FEATURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_PLATFORM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HIP_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOME_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_APPLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_BSD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_EXECUTABLE_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_LINUX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_SOLARIS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_SYSTEM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_SYSTEM_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_SYSTEM_PROCESSOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_SYSTEM_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_UNIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_HOST_WIN32.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_IGNORE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_IGNORE_PREFIX_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_IMPORT_LIBRARY_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_IMPORT_LIBRARY_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INCLUDE_CURRENT_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INCLUDE_CURRENT_DIR_IN_INTERFACE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INCLUDE_DIRECTORIES_BEFORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INCLUDE_DIRECTORIES_PROJECT_BEFORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INCLUDE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_DEFAULT_COMPONENT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_DEFAULT_DIRECTORY_PERMISSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_MESSAGE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_NAME_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_PREFIX_INITIALIZED_TO_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_REMOVE_ENVIRONMENT_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INSTALL_RPATH_USE_LINK_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INTERNAL_PLATFORM_ABI.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INTERPROCEDURAL_OPTIMIZATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_INTERPROCEDURAL_OPTIMIZATION_CONFIG.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_IOS_INSTALL_COMBINED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ISPC_HEADER_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ISPC_HEADER_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ISPC_INSTRUCTION_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_JOB_POOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_JOB_POOL_COMPILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_JOB_POOL_LINK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_JOB_POOL_PRECOMPILE_HEADER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_KATE_FILES_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_KATE_MAKE_ARGUMENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ANDROID_TOOLCHAIN_MACHINE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ANDROID_TOOLCHAIN_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ANDROID_TOOLCHAIN_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ARCHIVE_APPEND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ARCHIVE_CREATE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_ARCHIVE_FINISH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_BYTE_ORDER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CLANG_TIDY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CLANG_TIDY_EXPORT_FIXES_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_ABI.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_AR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_ARCHITECTURE_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_EXTERNAL_TOOLCHAIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_FRONTEND_VARIANT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LINKER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LINKER_FRONTEND_VARIANT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LINKER_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LINKER_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_LOADED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_PREDEFINES_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_RANLIB.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_TARGET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILER_VERSION_INTERNAL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_COMPILE_OBJECT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CPPCHECK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CPPLINT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CREATE_SHARED_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CREATE_SHARED_LIBRARY_ARCHIVE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CREATE_SHARED_MODULE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_CREATE_STATIC_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_EXTENSIONS_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_CONFIG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_DEBUG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_DEBUG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_MINSIZEREL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_MINSIZEREL_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_RELEASE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_RELEASE_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_RELWITHDEBINFO.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_FLAGS_RELWITHDEBINFO_INIT.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_HOST_COMPILER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_HOST_COMPILER_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_HOST_COMPILER_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_IGNORE_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_IMPLICIT_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_IMPLICIT_LINK_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_IMPLICIT_LINK_FRAMEWORK_DIRECTORIES
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_IMPLICIT_LINK_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_INCLUDE_WHAT_YOU_USE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LIBRARY_ARCHITECTURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINKER_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINKER_PREFERENCE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINKER_PREFERENCE_PROPAGATES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINKER_WRAPPER_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINKER_WRAPPER_FLAG_SEP.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_GROUP_USING_FEATURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_GROUP_USING_FEATURE_SUPPORTED.
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_FEATURE_ATTRIBUTES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_FILE_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_USING_FEATURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_LIBRARY_USING_FEATURE_SUPPORTED
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_LINK_WHAT_YOU_USE_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_OUTPUT_EXTENSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_PLATFORM_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_SIMULATE_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_SIMULATE_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_SIZEOF_DATA_PTR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_SOURCE_FILE_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_LATEST.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_LINK_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_USING_LINKER_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_USING_LINKER_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LANG_VISIBILITY_PRESET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_ARCHITECTURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_ARCHITECTURE_REGEX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LIBRARY_PATH_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINKER_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_DEF_FILE_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_DEPENDS_NO_SHARED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_DEPENDS_USE_LINKER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_DIRECTORIES_BEFORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_GROUP_USING_FEATURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_GROUP_USING_FEATURE.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_GROUP_USING_FEATURE_SUPPORTED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_INTERFACE_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARIES_ONLY_TARGETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARIES_STRATEGY.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_FEATURE_ATTRIBUTES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_FILE_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_USING_FEATURE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_USING_FEATURE.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_LIBRARY_USING_FEATURE_SUPPORTED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_SEARCH_END_STATIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_SEARCH_START_STATIC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_WHAT_YOU_USE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_LINK_WHAT_YOU_USE_CHECK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MACOSX_BUNDLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MACOSX_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MAJOR_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MAKE_PROGRAM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MAP_IMPORTED_CONFIG_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MATCH_COUNT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MATCH_n.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MAXIMUM_RECURSION_DEPTH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MESSAGE_CONTEXT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MESSAGE_CONTEXT_SHOW.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MESSAGE_INDENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MESSAGE_LOG_LEVEL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MFC_FLAG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MINIMUM_REQUIRED_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MINOR_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MODULE_LINKER_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MODULE_LINKER_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MODULE_LINKER_FLAGS_CONFIG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MODULE_LINKER_FLAGS_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MODULE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MSVCIDE_RUN_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MSVC_DEBUG_INFORMATION_FORMAT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_MSVC_RUNTIME_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NETRC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NETRC_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NINJA_OUTPUT_PATH_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NOT_USING_CONFIG_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NO_BUILTIN_CHRPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_NO_SYSTEM_FROM_IMPORTED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJCXX_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJCXX_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJCXX_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJC_EXTENSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJC_STANDARD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJC_STANDARD_REQUIRED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OBJECT_PATH_MAX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OPTIMIZE_DEPENDENCIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OSX_ARCHITECTURES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OSX_DEPLOYMENT_TARGET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OSX_SYSROOT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_OSX_VARIABLE.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PARENT_LIST_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PATCH_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PCH_INSTANTIATE_TEMPLATES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PCH_WARN_INVALID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PDB_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PDB_OUTPUT_DIRECTORY_CONFIG.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PLATFORM_NO_VERSIONED_SONAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_POLICY_DEFAULT_CMPNNNN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_POLICY_WARNING_CMPNNNN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_POSITION_INDEPENDENT_CODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PREFIX_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROGRAM_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_DESCRIPTION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_HOMEPAGE_URL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_INCLUDE_BEFORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_PROJECT-NAME_INCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_PROJECT-NAME_INCLUDE_BEFORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_TOP_LEVEL_INCLUDES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_VERSION_MAJOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_VERSION_MINOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_VERSION_PATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_PROJECT_VERSION_TWEAK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_RANLIB.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_REQUIRE_FIND_PACKAGE_PackageName.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_ROOT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_RULE_MESSAGES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_RUNTIME_OUTPUT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_RUNTIME_OUTPUT_DIRECTORY_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SCRIPT_MODE_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LIBRARY_ARCHIVE_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LIBRARY_ENABLE_EXPORTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LIBRARY_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LIBRARY_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LINKER_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LINKER_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LINKER_FLAGS_CONFIG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_LINKER_FLAGS_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_MODULE_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SHARED_MODULE_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SIZEOF_VOID_P.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_BUILD_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_INSTALL_ALL_DEPENDENCY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_INSTALL_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_INSTALL_RULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_RPATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SKIP_TEST_ALL_DEPENDENCY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STAGING_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LIBRARY_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LIBRARY_SUFFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LINKER_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LINKER_FLAGS_CONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LINKER_FLAGS_CONFIG_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_STATIC_LINKER_FLAGS_INIT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SUBLINE_TEXT_2_ENV_SETTINGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SUBLINE_TEXT_2_EXCLUDE_BUILD_TREE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SUPPRESS_REGENERATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSROOT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSROOT_COMPILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSROOT_LINK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_APPBUNDLE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_FRAMEWORK_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_IGNORE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_IGNORE_PREFIX_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_INCLUDE_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_LIBRARY_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_PREFIX_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_PROCESSOR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_PROGRAM_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_SYSTEM_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Swift_COMPILATION_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Swift_LANGUAGE_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Swift_MODULE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_Swift_NUM_THREADS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TASKING_TOOLSET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TEST_LAUNCHER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TLS_CAINFO.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TLS_VERIFY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TLS_VERSION-VALUES.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TLS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TOOLCHAIN_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TRY_COMPILE_CONFIGURATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TRY_COMPILE_NO_PLATFORM_VARIABLES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TRY_COMPILE_PLATFORM_VARIABLES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TRY_COMPILE_TARGET_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_TWEAK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_UNITY_BUILD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_UNITY_BUILD_BATCH_SIZE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_UNITY_BUILD_UNIQUE_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_USER_MAKE_RULES_OVERRIDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_USER_MAKE_RULES_OVERRIDE_LANG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_USE_RELATIVE_PATHS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VERBOSE_MAKEFILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VERIFY_INTERFACE_HEADER_SETS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VISIBILITY_INLINES_HIDDEN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_DEBUGGER_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_DEBUGGER_COMMAND_ARGUMENTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_DEBUGGER_ENVIRONMENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_DEBUGGER_WORKING_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_DEVENV_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_GLOBALS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_INCLUDE_INSTALL_TO_DEFAULT_BUILD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_INCLUDE_PACKAGE_TO_DEFAULT_BUILD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_INTEL_Fortran_PROJECT_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_JUST_MY_CODE_DEBUGGING.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_MSBUILD_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_NO_COMPILE_BATCHING.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_NUGET_PACKAGE_RESTORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_NsightTegra_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_NAME_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET_CUDA.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET_CUDA_CUSTOM_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET_FORTRAN.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET_HOST_ARCHITECTURE.rst

■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_PLATFORM_TOOLSET_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_EXCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_EXECUTABLE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_INCLUDE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_LIBRARY_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_LIBRARY_WINRT_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_REFERENCE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_SDK_SOURCE_DIRECTORIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_TARGET_FRAMEWORK_IDENTIFIER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_TARGET_FRAMEWORK_TARGETS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_TARGET_FRAMEWORK_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_USE_DEBUG_LIBRARIES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_VERSION_BUILD_NUMBER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_VERSION_BUILD_NUMBER_COMPONENTS.txt
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_WINDOWS_TARGET_PLATFORM_MIN_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_WINDOWS_TARGET_PLATFORM_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_WINDOWS_TARGET_PLATFORM_VERSION_MAXIM
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_VS_WINRT_BY_DEFAULT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WARN_DEPRECATED.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WARN_ON_ABSOLUTE_INSTALL_DESTINATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WATCOM_RUNTIME_LIBRARY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WIN32_EXECUTABLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WINDOWS_EXPORT_ALL_SYMBOLS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_WINDOWS_KMDF_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_ATTRIBUTE_an-attribute.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_BUILD_SYSTEM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_GENERATE_SCHEME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_GENERATE_TOP_LEVEL_PROJECT_ONLY.rs
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_LINK_BUILD_PHASE_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_PLATFORM_TOOLSET.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ADDRESS_SANITIZER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ADDRESS_SANITIZER_USE_AFTER
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_DEBUG_DOCUMENT_VERSIONING.r
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_DISABLE_MAIN_THREAD_CHECKER
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_DYNAMIC_LIBRARY_LOADS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_DYNAMIC_LINKER_API_USAGE.rs
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ENABLE_GPU_API_VALIDATION.r
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ENABLE_GPU_FRAME_CAPTURE_MO
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ENABLE_GPU_SHADER_VALIDATIO
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ENVIRONMENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_GUARD_MALLOC.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_LAUNCH_CONFIGURATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_LAUNCH_MODE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_MAIN_THREAD_CHECKER_STOP.rs
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_MALLOC_GUARD_EDGES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_MALLOC_SCRIBBLE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_MALLOC_STACK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_THREAD_SANITIZER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_THREAD_SANITIZER_STOP.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_UNDEFINED_BEHAVIOUR_SANITIZ
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_UNDEFINED_BEHAVIOUR_SANITIZ
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_WORKING_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_SCHEME_ZOMBIE_OBJECTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CMAKE_XCODE_XCCONFIG.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_ABSOLUTE_DESTINATION_FILES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_COMPONENT_INCLUDE_TOPLEVEL_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_CUSTOM_INSTALL_VARIABLES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_ERROR_ON_ABSOLUTE_INSTALL_DESTINATION.rs

■	■	■	■	■	■	■	■	■	■	■■■	CPACK_INCLUDE_TOPLEVEL_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_INSTALL_DEFAULT_DIRECTORY_PERMISSIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_PACKAGING_INSTALL_PREFIX.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_SET_DESTDIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	CPACK_WARN_ON_ABSOLUTE_INSTALL_DESTINATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_BINARY_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_BUILD_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_BUILD_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_BZR_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_BZR_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CHANGE_ID.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CHECKOUT_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CONFIGURATION_TYPE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CONFIGURE_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_COVERAGE_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_COVERAGE_EXTRA_FLAGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CURL_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_COVERAGE_EXCLUDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_ERROR_EXCEPTION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_ERROR_MATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_ERROR_POST_CONTEXT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_ERROR_PRE_CONTEXT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_MAXIMUM_FAILED_TEST_OUTPUT_SIZE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_MAXIMUM_NUMBER_OF_ERRORS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_MAXIMUM_NUMBER_OF_WARNINGS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_MAXIMUM_PASSED_TEST_OUTPUT_SIZE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_MEMCHECK_IGNORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_POST_MEMCHECK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_POST_TEST.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_PRE_MEMCHECK.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_PRE_TEST.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_TESTS_IGNORE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_TEST_OUTPUT_TRUNCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_WARNING_EXCEPTION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_WARNING_MATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CUSTOM_XXX.txt
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CVS_CHECKOUT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CVS_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_CVS_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_LOCATION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_METHOD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_SITE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_SITE_CDASH.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_SITE_PASSWORD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_DROP_SITE_USER.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_EXTRA_COVERAGE_GLOB.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_GIT_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_GIT_INIT_SUBMODULES.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_GIT_UPDATE_CUSTOM.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_GIT_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_HG_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_HG_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_LABELS_FOR_SUBPROJECTS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_MEMORYCHECK_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_MEMORYCHECK_COMMAND_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_MEMORYCHECK_SANITIZER_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_MEMORYCHECK_SUPPRESSIONS_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_MEMORYCHECK_TYPE.rst

■	■	■	■	■	■	■	■	■	■	■■■	CTEST_NIGHTLY_START_TIME.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_P4_CLIENT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_P4_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_P4_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_P4_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_RESOURCE_SPEC_FILE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_RUN_CURRENT_SCRIPT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SCP_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SCRIPT_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SITE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SOURCE_DIRECTORY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SUBMIT_INACTIVITY_TIMEOUT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SUBMIT_URL.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SVN_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SVN_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_SVN_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_TEST_LOAD.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_TEST_TIMEOUT.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_TLS_VERIFY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_TLS_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_TRIGGER_SITE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_UPDATE_COMMAND.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_UPDATE_OPTIONS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_UPDATE_VERSION_ONLY.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_UPDATE_VERSION_OVERRIDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	CTEST_USE_LAUNCHERS.rst
■	■	■	■	■	■	■	■	■	■	■■■	CYGWIN.rst
■	■	■	■	■	■	■	■	■	■	■■■	ENV.rst
■	■	■	■	■	■	■	■	■	■	■■■	EXECUTABLE_OUTPUT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	GHSMULTI.rst
■	■	■	■	■	■	■	■	■	■	■■■	IGNORE_SEARCH_LOCATIONS.txt
■	■	■	■	■	■	■	■	■	■	■■■	IGNORE_SEARCH_NONSYSTEM.txt
■	■	■	■	■	■	■	■	■	■	■■■	IGNORE_SEARCH_PATH.txt
■	■	■	■	■	■	■	■	■	■	■■■	IGNORE_SEARCH_PREFIX.txt
■	■	■	■	■	■	■	■	■	■	■■■	IGNORE_SEARCH_SYSTEM.txt
■	■	■	■	■	■	■	■	■	■	■■■	IOS.rst
■	■	■	■	■	■	■	■	■	■	■■■	LIBRARY_OUTPUT_PATH.rst
■	■	■	■	■	■	■	■	■	■	■■■	LINKER_PREDEFINED_TYPES.txt
■	■	■	■	■	■	■	■	■	■	■■■	LINK_GROUP_PREDEFINED_FEATURES.txt
■	■	■	■	■	■	■	■	■	■	■■■	LINK_LIBRARY_PREDEFINED_FEATURES.txt
■	■	■	■	■	■	■	■	■	■	■■■	LINUX.rst
■	■	■	■	■	■	■	■	■	■	■■■	MINGW.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC10.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC11.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC12.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC14.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC60.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC70.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC71.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC80.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC90.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC_IDE.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC_TOOLSET_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSVC_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■	MSYS.rst
■	■	■	■	■	■	■	■	■	■	■■■	PROJECT-NAME_BINARY_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■	PROJECT-NAME_DESCRIPTION.rst

■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_HOMEPAGE_URL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_IS_TOP_LEVEL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_VERSION_MAJOR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_VERSION_MINOR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_VERSION_PATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT-NAME_VERSION_TWEAK.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_BINARY_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_DESCRIPTION.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_HOMEPAGE_URL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_IS_TOP_LEVEL.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_NAME.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_SOURCE_DIR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_VERSION.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_VERSION_MAJOR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_VERSION_MINOR.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_VERSION_PATCH.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PROJECT_VERSION_TWEAK.rst
■	■	■	■	■	■	■	■	■	■	■■■■	PackageName_ROOT.rst
■	■	■	■	■	■	■	■	■	■	■■■■	UNIX.rst
■	■	■	■	■	■	■	■	■	■	■■■■	WASI.rst
■	■	■	■	■	■	■	■	■	■	■■■■	WIN32.rst
■	■	■	■	■	■	■	■	■	■	■■■■	WINCE.rst
■	■	■	■	■	■	■	■	■	■	■■■■	WINDOWS_PHONE.rst
■	■	■	■	■	■	■	■	■	■	■■■■	WINDOWS_STORE.rst
■	■	■	■	■	■	■	■	■	■	■■■■	XCODE.rst
■	■	■	■	■	■	■	■	■	■	■■■■	XCODE_VERSION.rst
■	■	■	■	■	■	■	■	■	■■■■	Modules	
■	■	■	■	■	■	■	■	■	■	■■■■	AddFileDependencies.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AndroidTestUtilities
■	■	■	■	■	■	■	■	■	■	■■■■	PushToAndroidDevice.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	AndroidTestUtilities.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	BasicConfigVersion-AnyNewerVersion.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	BasicConfigVersion-ExactVersion.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	BasicConfigVersion-SameMajorVersion.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	BasicConfigVersion-SameMinorVersion.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	BundleUtilities.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMake.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASM-ATTInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASMCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASMInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASM_MARMASMInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASM_MASMInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeASM_NASMInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeAddFortranSubdirectory
■	■	■	■	■	■	■	■	■	■	■■■■	build_mingw.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	config_mingw.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeAddFortranSubdirectory.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeAddNewLanguage.txt
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeBackwardCompatibilityC.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeBackwardCompatibilityCXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeBorlandFindMake.cmake
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeBuildSettings.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeCCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeCCompilerABI.c
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeCCompilerId.c.in
■	■	■	■	■	■	■	■	■	■	■■■■	CMakeCInformation.cmake

■	■	■	■	■	■	■	■	■	■■■■	CMakeCSharpCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCSharpCompilerId.cs.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCSharpInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeCUDACompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCUDACompilerABI.cu
■	■	■	■	■	■	■	■	■	■■■■	CMakeCUDACompilerId.cu.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCUDAInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeCXXCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCXXCompilerABI.cpp
■	■	■	■	■	■	■	■	■	■■■■	CMakeCXXCompilerId.cpp.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeCXXInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeCheckCompilerFlagCommonPatterns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeCommonLanguageInclude.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeCompilerABI.h
■	■	■	■	■	■	■	■	■	■■■■	CMakeCompilerCUDAArch.h
■	■	■	■	■	■	■	■	■	■■■■	CMakeCompilerIdDetection.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeConfigurableFile.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeDependentOption.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineASM-ATTCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineASM_MARMASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineASM_MASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineASM_NASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCSharpCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCUDACompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCXXCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCompilerABI.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCompilerId.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineCompilerSupport.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineFortranCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineHIPCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineISPCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineJavaCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineOBJCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineOBJCXXCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineRCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineSwiftCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineSystem.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeDetermineVSServicePack.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeExpandImportedTargets.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeExportBuildSettings.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeExtraGeneratorDetermineCompilerMacrosAndIncludes.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindBinUtils.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindCodeBlocks.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindDependencyMacro.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindEclipseCDT4.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindFrameworks.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindJavaCommon.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindKate.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindPackageMode.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindSublimeText2.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindWMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFindXCode.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeForceCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeFortranCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeFortranCompilerABI.F

■	■	■	■	■	■	■	■	■	■■■■	CMakeFortranCompilerABI.F90
■	■	■	■	■	■	■	■	■	■■■■	CMakeFortranCompilerId.F.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeFortranInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeGenericSystem.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeGraphVizOptions.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeHIPCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeHIPCompilerABI.hip
■	■	■	■	■	■	■	■	■	■■■■	CMakeHIPCompilerId.hip.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeHIPInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeIOSInstallCombined.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeISPCCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeISPCCompilerABI.ispc
■	■	■	■	■	■	■	■	■	■■■■	CMakeISPCCompilerId.ispc.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeISPCInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeImportBuildSettings.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeInitializeConfigs.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeJOMFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeJavaCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeJavaInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeLanguageInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeMSYSFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeMinGWFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeNMakeFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeNinjaFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCCompilerABI.m
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCCompilerId.m.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCXXCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCXXCompilerABI.mm
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCXXCompilerId.mm.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeOBJCXXInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakePackageConfigHelpers.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeParseArguments.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeParseImplicitIncludeInfo.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeParseImplicitLinkInfo.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeParseLibraryArchitecture.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakePlatformId.h.in
■	■	■	■	■	■	■	■	■	■■■■	CMakePrintHelpers.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakePrintSystemInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakePushCheckState.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeRCCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeRCInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeSwiftCompiler.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeSwiftInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeSystem.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CMakeSystemSpecificInformation.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeSystemSpecificInitialize.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestASM-ATTCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestASM_MARMASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestASM_MASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestASM_NASMCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestCSharpCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestCUDACompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestCXXCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestCompilerCommon.cmake

■	■	■	■	■	■	■	■	■	■■■■	CMakeTestFortranCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestGNU.c
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestHIPCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestISPCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestJavaCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestOBJCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestOBJCXXCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestRCCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeTestSwiftCompiler.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeUnixFindMake.cmake
■	■	■	■	■	■	■	■	■	■■■■	CMakeVerifyManifest.cmake
■	■	■	■	■	■	■	■	■	■■■■	CPack.cmake
■	■	■	■	■	■	■	■	■	■■■■	CPackComponent.cmake
■	■	■	■	■	■	■	■	■	■■■■	CPackIFW.cmake
■	■	■	■	■	■	■	■	■	■■■■	CPackIFWConfigureFile.cmake
■	■	■	■	■	■	■	■	■	■■■■	CSharpUtilities.cmake
■	■	■	■	■	■	■	■	■	■■■■	CTest.cmake
■	■	■	■	■	■	■	■	■	■■■■	CTestCoverageCollectGCOV.cmake
■	■	■	■	■	■	■	■	■	■■■■	CTestScriptMode.cmake
■	■	■	■	■	■	■	■	■	■■■■	CTestTargets.cmake
■	■	■	■	■	■	■	■	■	■■■■	CTestUseLaunchers.cmake
■	■	■	■	■	■	■	■	■	■■■■	CXX-DetectStdlib.h
■	■	■	■	■	■	■	■	■	■■■■	CheckCCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCSourceCompiles.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCSourceRuns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCXXCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCXXSourceCompiles.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCXXSourceRuns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCXXSymbolExists.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckForPthreads.c
■	■	■	■	■	■	■	■	■	■■■■	CheckFortranCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckFortranFunctionExists.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckFortranSourceCompiles.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckFortranSourceRuns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckFunctionExists.c
■	■	■	■	■	■	■	■	■	■■■■	CheckFunctionExists.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckIPOSupported
■	■	■	■	■	■	■	■	■	■ ■■■■	CMakeLists-C.txt.in
■	■	■	■	■	■	■	■	■	■ ■■■■	CMakeLists-CXX.txt.in
■	■	■	■	■	■	■	■	■	■ ■■■■	CMakeLists-Fortran.txt.in
■	■	■	■	■	■	■	■	■	■ ■■■■	foo.c
■	■	■	■	■	■	■	■	■	■ ■■■■	foo.cpp
■	■	■	■	■	■	■	■	■	■ ■■■■	foo.f
■	■	■	■	■	■	■	■	■	■ ■■■■	main.c
■	■	■	■	■	■	■	■	■	■ ■■■■	main.cpp
■	■	■	■	■	■	■	■	■	■ ■■■■	main.f
■	■	■	■	■	■	■	■	■	■■■■	CheckIPOSupported.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckIncludeFile.c.in
■	■	■	■	■	■	■	■	■	■■■■	CheckIncludeFile.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckIncludeFile.cxx.in
■	■	■	■	■	■	■	■	■	■■■■	CheckIncludeFileCXX.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckIncludeFiles.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckLanguage.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckLibraryExists.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckLinkerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCSourceCompiles.cmake

■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCSourceRuns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCXXCompilerFlag.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCXXSourceCompiles.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckOBJCXXSourceRuns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckPIESupported.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckPrototypeDefinition.c.in
■	■	■	■	■	■	■	■	■	■■■■	CheckPrototypeDefinition.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckSizeOf.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckSourceCompiles.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckSourceRuns.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckStructHasMember.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckSymbolExists.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckTypeSize.c.in
■	■	■	■	■	■	■	■	■	■■■■	CheckTypeSize.cmake
■	■	■	■	■	■	■	■	■	■■■■	CheckTypeSizeMap.cmake.in
■	■	■	■	■	■	■	■	■	■■■■	CheckVariableExists.c
■	■	■	■	■	■	■	■	■	■■■■	CheckVariableExists.cmake
■	■	■	■	■	■	■	■	■	■■■■	Compiler
■	■	■	■	■	■	■	■	■	■	■■■■ ADSP-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ADSP-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ADSP-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ADSP-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ADSP.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMCC-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMCC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMCC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMCC-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMCC.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMClang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMClang-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMClang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMClang-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMClang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMClang-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ ARMClang.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Absoft-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ AppleClang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ AppleClang-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ AppleClang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ AppleClang-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ AppleClang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ AppleClang-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ AppleClang-OBJC.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ AppleClang-OBJCXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Borland-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Bruce-C-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Bruce-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CCur-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCommonCompilerMacros.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Clang-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Clang-CUDA.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Clang-CXX-CXXImportStd.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Clang-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Clang-CXX-TestableFeatures.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Clang-DetermineCompiler.cmake

```

■ ■ ■ Clang-DetermineCompilerInternal.cmake
■ ■ ■ Clang-FindBinUtils.cmake
■ ■ ■ Clang-HIP.cmake
■ ■ ■ Clang-OBJS.cmake
■ ■ ■ Clang-OBJSXX.cmake
■ ■ ■ Clang.cmake
■ ■ ■ Compaq-C-DetermineCompiler.cmake
■ ■ ■ Compaq-CXX-DetermineCompiler.cmake
■ ■ ■ Cray-C.cmake
■ ■ ■ Cray-CXX.cmake
■ ■ ■ Cray-DetermineCompiler.cmake
■ ■ ■ Cray-Fortran.cmake
■ ■ ■ Cray.cmake
■ ■ ■ CrayClang-C.cmake
■ ■ ■ CrayClang-CXX.cmake
■ ■ ■ CrayClang-DetermineCompiler.cmake
■ ■ ■ CrayClang.cmake
■ ■ ■ CrayPrgEnv-C.cmake
■ ■ ■ CrayPrgEnv-CXX.cmake
■ ■ ■ CrayPrgEnv-Fortran.cmake
■ ■ ■ CrayPrgEnv.cmake
■ ■ ■ Embarcadero-DetermineCompiler.cmake
■ ■ ■ Flang-FindBinUtils.cmake
■ ■ ■ Flang-Fortran.cmake
■ ■ ■ Fujitsu-C.cmake
■ ■ ■ Fujitsu-CXX.cmake
■ ■ ■ Fujitsu-DetermineCompiler.cmake
■ ■ ■ Fujitsu-Fortran.cmake
■ ■ ■ Fujitsu.cmake
■ ■ ■ FujitsuClang-C.cmake
■ ■ ■ FujitsuClang-CXX.cmake
■ ■ ■ FujitsuClang-DetermineCompiler.cmake
■ ■ ■ FujitsuClang-FindBinUtils.cmake
■ ■ ■ FujitsuClang.cmake
■ ■ ■ G95-Fortran.cmake
■ ■ ■ GHS-C.cmake
■ ■ ■ GHS-CXX.cmake
■ ■ ■ GHS-DetermineCompiler.cmake
■ ■ ■ GHS.cmake
■ ■ ■ GNU-ASM.cmake
■ ■ ■ GNU-C-DetermineCompiler.cmake
■ ■ ■ GNU-C-FeatureTests.cmake
■ ■ ■ GNU-C.cmake
■ ■ ■ GNU-CXX-DetermineCompiler.cmake
■ ■ ■ GNU-CXX-FeatureTests.cmake
■ ■ ■ GNU-CXX.cmake
■ ■ ■ GNU-FindBinUtils.cmake
■ ■ ■ GNU-Fortran.cmake
■ ■ ■ GNU-OBJS.cmake
■ ■ ■ GNU-OBJSXX.cmake
■ ■ ■ GNU.cmake
■ ■ ■ HP-ASM.cmake
■ ■ ■ HP-C-DetermineCompiler.cmake
■ ■ ■ HP-C.cmake
■ ■ ■ HP-CXX-DetermineCompiler.cmake
■ ■ ■ HP-CXX.cmake
■ ■ ■ HP-Fortran.cmake
■ ■ ■ IAR-ASM.cmake

```

■	■	■	■	■	■	■	■	■	■	■■■	IAR-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IAR-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IAR-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IAR.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMCPP-C-DetermineVersionInternal.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMCPP-CXX-DetermineVersionInternal.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang-C-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang-CXX-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IBMClang.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel-ISPC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Intel.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-FindBinUtils.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	IntelLLVM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-C-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-CXX-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-FindBinUtils.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LCC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LFortran-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	LLVMFlang-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-C-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-CXX-CXXImportStd.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-CXX-FeatureTests.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSVC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NAG-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVHPC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVHPC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVHPC-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVHPC-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVHPC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVIDIA-CUDA.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVIDIA-DetermineCompiler.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVIDIA-HIP.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NVIDIA.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OpenWatcom-C.cmake

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	VisualAge-C-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	VisualAge-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	VisualAge-CXX-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	VisualAge-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	VisualAge-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Watcom-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-C-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-CXX-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL-Fortran	
■	■	■	■	■	■	■	■	■	■	■	■■■	cpp
■	■	■	■	■	■	■	■	■	■	■■■	XL-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XL.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XLclang-C-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XLclang-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XLclang-CXX-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XLclang-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	XLclang.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	zOS-C-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	zOS-CXX-DetermineCompiler.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	CompilerId	
■	■	■	■	■	■	■	■	■	■	■■■	GHS_default.gpj.in	
■	■	■	■	■	■	■	■	■	■	■■■	GHS_lib.gpj.in	
■	■	■	■	■	■	■	■	■	■	■■■	VS-10.csproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	VS-10.vcxproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	VS-7.vcxproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	VS-Intel.vfproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	VS-NsightTegra.vcxproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	Xcode-3.pbxproj.in	
■	■	■	■	■	■	■	■	■	■	■■■	main.swift.in	
■	■	■	■	■	■	■	■	■	■	■■■	Dart.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	DartConfiguration.tcl.in	
■	■	■	■	■	■	■	■	■	■	■■■	DeployQt4.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Documentation.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	DummyCXXFile.cxx	
■	■	■	■	■	■	■	■	■	■	■■■	ExternalData.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	ExternalData_config.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	ExternalProject	
■	■	■	■	■	■	■	■	■	■	■■■	PatchInfo.txt.in	
■	■	■	■	■	■	■	■	■	■	■■■	RepositoryInfo.txt.in	
■	■	■	■	■	■	■	■	■	■	■■■	UpdateInfo.txt.in	
■	■	■	■	■	■	■	■	■	■	■■■	cfgcmd.txt.in	
■	■	■	■	■	■	■	■	■	■	■■■	download.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	extractfile.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	gitclone.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	gitupdate.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	hgclone.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	mkdirs.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	shared_internal_commands.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	stepscript.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	verify.cmake.in	
■	■	■	■	■	■	■	■	■	■	■■■	ExternalProject.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	FLTKCompatibility.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	FeatureSummary.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	FetchContent	
■	■	■	■	■	■	■	■	■	■	■■■	CMakeLists.cmake.in	

```

■ ■ ■ ■ package-config-version.cmake.in
■ ■ ■ ■ package-config.cmake.in
■ ■ ■ ■ FetchContent.cmake
■ ■ ■ ■ FindALSA.cmake
■ ■ ■ ■ FindASPELL.cmake
■ ■ ■ ■ FindAVIFile.cmake
■ ■ ■ ■ FindArmadillo.cmake
■ ■ ■ ■ FindBISON.cmake
■ ■ ■ ■ FindBLAS.cmake
■ ■ ■ ■ FindBZip2.cmake
■ ■ ■ ■ FindBacktrace.cmake
■ ■ ■ ■ FindBoost.cmake
■ ■ ■ ■ FindBullet.cmake
■ ■ ■ ■ FindCABLE.cmake
■ ■ ■ ■ FindCUDA
■ ■ ■ ■ make2cmake.cmake
■ ■ ■ ■ parse_cubin.cmake
■ ■ ■ ■ run_nvcc.cmake
■ ■ ■ ■ select_compute_arch.cmake
■ ■ ■ ■ FindCUDA.cmake
■ ■ ■ ■ FindCUDAToolkit.cmake
■ ■ ■ ■ FindCURL.cmake
■ ■ ■ ■ FindCVS.cmake
■ ■ ■ ■ FindCoin3D.cmake
■ ■ ■ ■ FindCups.cmake
■ ■ ■ ■ FindCurses.cmake
■ ■ ■ ■ FindCxxTest.cmake
■ ■ ■ ■ FindCygwin.cmake
■ ■ ■ ■ FindDCMTK.cmake
■ ■ ■ ■ FindDart.cmake
■ ■ ■ ■ FindDevIL.cmake
■ ■ ■ ■ FindDoxygen.cmake
■ ■ ■ ■ FindEXPAT.cmake
■ ■ ■ ■ FindEnvModules.cmake
■ ■ ■ ■ FindFLEX.cmake
■ ■ ■ ■ FindFLTK.cmake
■ ■ ■ ■ FindFLTK2.cmake
■ ■ ■ ■ FindFontconfig.cmake
■ ■ ■ ■ FindFreetype.cmake
■ ■ ■ ■ FindGCCXML.cmake
■ ■ ■ ■ FindGDAL.cmake
■ ■ ■ ■ FindGIF.cmake
■ ■ ■ ■ FindGLEW.cmake
■ ■ ■ ■ FindGLU.cmake
■ ■ ■ ■ FindGLUT.cmake
■ ■ ■ ■ FindGSL.cmake
■ ■ ■ ■ FindGTK.cmake
■ ■ ■ ■ FindGTK2.cmake
■ ■ ■ ■ FindGTest.cmake
■ ■ ■ ■ FindGettext.cmake
■ ■ ■ ■ FindGit.cmake
■ ■ ■ ■ FindGnuTLS.cmake
■ ■ ■ ■ FindGnuplot.cmake
■ ■ ■ ■ FindHDF5.cmake
■ ■ ■ ■ FindHSPPELL.cmake
■ ■ ■ ■ FindHTMLHelp.cmake
■ ■ ■ ■ FindHg.cmake
■ ■ ■ ■ FindICU.cmake

```

```

■ ■ ■ ■ FindIce.cmake
■ ■ ■ ■ FindIconv.cmake
■ ■ ■ ■ FindIcotoool.cmake
■ ■ ■ ■ FindImageMagick.cmake
■ ■ ■ ■ FindIntl.cmake
■ ■ ■ ■ FindJNI.cmake
■ ■ ■ ■ FindJPEG.cmake
■ ■ ■ ■ FindJasper.cmake
■ ■ ■ ■ FindJava.cmake
■ ■ ■ ■ FindKDE3.cmake
■ ■ ■ ■ FindKDE4.cmake
■ ■ ■ ■ FindLAPACK.cmake
■ ■ ■ ■ FindLATEX.cmake
■ ■ ■ ■ FindLTtngUST.cmake
■ ■ ■ ■ FindLibArchive.cmake
■ ■ ■ ■ FindLibLZMA.cmake
■ ■ ■ ■ FindLibXml2.cmake
■ ■ ■ ■ FindLibXslt.cmake
■ ■ ■ ■ FindLibinput.cmake
■ ■ ■ ■ FindLua.cmake
■ ■ ■ ■ FindLua50.cmake
■ ■ ■ ■ FindLua51.cmake
■ ■ ■ ■ FindMFC.cmake
■ ■ ■ ■ FindMPEG.cmake
■ ■ ■ ■ FindMPEG2.cmake
■ ■ ■ ■ FindMPI
■ ■ ■ ■ fortranparam_mpi.f90.in
■ ■ ■ ■ libver_mpi.c
■ ■ ■ ■ libver_mpi.f90.in
■ ■ ■ ■ mpiver.f90.in
■ ■ ■ ■ test_mpi.c
■ ■ ■ ■ test_mpi.f90.in
■ ■ ■ ■ FindMPI.cmake
■ ■ ■ ■ FindMatlab.cmake
■ ■ ■ ■ FindMotif.cmake
■ ■ ■ ■ FindMsys.cmake
■ ■ ■ ■ FindODBC.cmake
■ ■ ■ ■ FindOpenACC.cmake
■ ■ ■ ■ FindOpenAL.cmake
■ ■ ■ ■ FindOpenCL.cmake
■ ■ ■ ■ FindOpenGL.cmake
■ ■ ■ ■ FindOpenMP.cmake
■ ■ ■ ■ FindOpenSP.cmake
■ ■ ■ ■ FindOpenSSL.cmake
■ ■ ■ ■ FindOpenSceneGraph.cmake
■ ■ ■ ■ FindOpenThreads.cmake
■ ■ ■ ■ FindPHP4.cmake
■ ■ ■ ■ FindPNG.cmake
■ ■ ■ ■ FindPackageHandleStandardArgs.cmake
■ ■ ■ ■ FindPackageMessage.cmake
■ ■ ■ ■ FindPatch.cmake
■ ■ ■ ■ FindPerl.cmake
■ ■ ■ ■ FindPerlLibs.cmake
■ ■ ■ ■ FindPhysFS.cmake
■ ■ ■ ■ FindPike.cmake
■ ■ ■ ■ FindPkgConfig.cmake
■ ■ ■ ■ FindPostgreSQL.cmake
■ ■ ■ ■ FindProducer.cmake

```

■	■	■	■	■	■	■	■	■	■■■■	FindProtobuf.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPython
■	■	■	■	■	■	■	■	■	■ ■■■■	Support.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPython.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPython2.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPython3.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPythonInterp.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindPythonLibs.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindQt.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindQt3.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindQt4.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindQuickTime.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindRTI.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindRuby.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_gfx.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_image.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_mixer.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_net.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_sound.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSDL_ttf.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSQLite3.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSWIG.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSelfPackers.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSquish.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindSubversion.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindTCL.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindTIFF.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindTclStub.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindTclsh.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindThreads.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindUnixCommands.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindVulkan.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindWget.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindWish.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindX11.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindXCTest.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindXMLRPC.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindXalanC.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindXercesC.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindZLIB.cmake
■	■	■	■	■	■	■	■	■	■■■■	Findosg.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgAnimation.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgDB.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgFX.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgGA.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgIntrospection.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgManipulator.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgParticle.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgPresentation.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgProducer.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgQt.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgShadow.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgSim.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgTerrain.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgText.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgUtil.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgViewer.cmake

■	■	■	■	■	■	■	■	■	■■■■	FindosgVolume.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindosgWidget.cmake
■	■	■	■	■	■	■	■	■	■■■■	Findosg_functions.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindwxWidgets.cmake
■	■	■	■	■	■	■	■	■	■■■■	FindwxWindows.cmake
■	■	■	■	■	■	■	■	■	■■■■	FortranCInterface
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeLists.txt
■	■	■	■	■	■	■	■	■	■	■■■■ Detect.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ Input.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■ MYMODULE.c
■	■	■	■	■	■	■	■	■	■	■■■■ MY_MODULE.c
■	■	■	■	■	■	■	■	■	■	■■■■ Macro.h.in
■	■	■	■	■	■	■	■	■	■	■■■■ Output.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■ Verify
■	■	■	■	■	■	■	■	■	■	■ ■■■■ CMakeLists.txt
■	■	■	■	■	■	■	■	■	■	■ ■■■■ VerifyC.c
■	■	■	■	■	■	■	■	■	■	■ ■■■■ VerifyCXX.cxx
■	■	■	■	■	■	■	■	■	■	■ ■■■■ VerifyFortran.f
■	■	■	■	■	■	■	■	■	■	■ ■■■■ main.c
■	■	■	■	■	■	■	■	■	■	■■■■ call_mod.f90
■	■	■	■	■	■	■	■	■	■	■■■■ call_sub.f
■	■	■	■	■	■	■	■	■	■	■■■■ main.F
■	■	■	■	■	■	■	■	■	■	■■■■ my_module.f90
■	■	■	■	■	■	■	■	■	■	■■■■ my_module_.c
■	■	■	■	■	■	■	■	■	■	■■■■ my_sub.f
■	■	■	■	■	■	■	■	■	■	■■■■ mymodule.f90
■	■	■	■	■	■	■	■	■	■	■■■■ mymodule_.c
■	■	■	■	■	■	■	■	■	■	■■■■ mysub.f
■	■	■	■	■	■	■	■	■	■	■■■■ symbol.c.in
■	■	■	■	■	■	■	■	■	■■■■	FortranCInterface.cmake
■	■	■	■	■	■	■	■	■	■■■■	GNUInstallDirs.cmake
■	■	■	■	■	■	■	■	■	■■■■	GenerateExportHeader.cmake
■	■	■	■	■	■	■	■	■	■■■■	GetPrerequisites.cmake
■	■	■	■	■	■	■	■	■	■■■■	GoogleTest.cmake
■	■	■	■	■	■	■	■	■	■■■■	GoogleTestAddTests.cmake
■	■	■	■	■	■	■	■	■	■■■■	ITKCompatibility.cmake
■	■	■	■	■	■	■	■	■	■■■■	InstallRequiredSystemLibraries.cmake
■	■	■	■	■	■	■	■	■	■■■■	IntelVSImplicitPath
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeLists.txt
■	■	■	■	■	■	■	■	■	■	■■■■ detect.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ hello.f
■	■	■	■	■	■	■	■	■	■■■■	Internal
■	■	■	■	■	■	■	■	■	■	■■■■ AppleArchitectureSelection.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■ ApplePlatformSelection.cmake.in
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeASM-ATTLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeASMLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeASM_MARMASMLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeASM_MASMLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeASM_NASMLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDAArchitecturesAll.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDAArchitecturesNative.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDAArchitecturesValidate.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDAFilterImplicitLibs.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDAFindToolkit.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCUDALinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCXXLinkerInformation.cmake
■	■	■	■	■	■	■	■	■	■	■■■■ CMakeCommonLinkerInformation.cmake

■	■	■	■	■	■	■	■	■	■	■■■	CMakeDetermineLinkerId.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeFortranLinkerInformation.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeHIPLinkerInformation.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeNVCCFilterImplicitInfo.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeNVCCParseImplicitInfo.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeOBJCLinkerInformation.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeOBJCXXLinkerInformation.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeSwiftLinkerInformation.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CMakeTryCompilerOrLinkerFlag.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	CPack		
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.DS_Store.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.Description.plist.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.Info.plist.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.NuGet.nuspec.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.OSXX11.Info.plist.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.OSXX11.main.scpt.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.RuntimeScript.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.STGZ_Header.sh.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.VolumeIcon.icns.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.background.png.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPack.distribution.dist.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackDeb.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackExternal.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackFreeBSD.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackNuGet.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackRPM.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackWIX.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CPackZIP.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	ISComponents.pas	
■	■	■	■	■	■	■	■	■	■	■	■■■	ISScript.template.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	NSIS.InstallOptions.ini.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	NSIS.template.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	WIX-v3	
■	■	■	■	■	■	■	■	■	■	■	■	■■■	WIX.template.in
■	■	■	■	■	■	■	■	■	■	■	■■■	WIX.template.in	
■	■	■	■	■	■	■	■	■	■	■	■■■	CheckCompilerFlag.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CheckFlagCommonConfig.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CheckLinkerFlag.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CheckSourceCompiles.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	CheckSourceRuns.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	FeatureTesting.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	HeaderpadWorkaround.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	OSRelease	
■	■	■	■	■	■	■	■	■	■	■	■■■	010-TryOldCentOS.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	020-TryDebianVersion.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	KDE3Macros.cmake		
■	■	■	■	■	■	■	■	■	■	■■■	Linker		
■	■	■	■	■	■	■	■	■	■	■	■■■	AIX-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	AIX-C.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	AIX-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	AIX-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	AIX.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	AppleClang-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	AppleClang-C.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	AppleClang-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	AppleClang-OBJC.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	AppleClang-OBJCXX.cmake	
■	■	■	■	■	■	■	■	■	■	■	■■■	AppleClang.cmake	

■	■	■	■	■	■	■	■	■	■	■■■	GNU-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU-CUDA.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU-HIP.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNU.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-CUDA.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold-HIP.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	GNUgold.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-CUDA.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-HIP.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-OBJS.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD-OBJSXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	LLD.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-CUDA.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-HIP.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-OBJS.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	MOLD-OBJSXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Solaris-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Solaris-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Solaris-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Solaris-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	Solaris.cmake	
■	■	■	■	■	■	■	■	■	■■■	MacOSXBundleInfo.plist.in		
■	■	■	■	■	■	■	■	■	■■■	MacOSXFrameworkInfo.plist.in		
■	■	■	■	■	■	■	■	■	■■■	MacroAddFileDependencies.cmake		
■	■	■	■	■	■	■	■	■	■■■	MatlabTestsRedirect.cmake		
■	■	■	■	■	■	■	■	■	■■■	Platform		
■	■	■	■	■	■	■	■	■	■	■■■	ADSP-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	ADSP-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	ADSP-Common.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	ADSP-Determine.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	ADSP.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX	
■	■	■	■	■	■	■	■	■	■	■	■■■	ExportImportList
■	■	■	■	■	■	■	■	■	■	■■■	AIX-Clang-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-Clang-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-GNU-ASM.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-GNU-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-GNU-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-GNU-Fortran.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-GNU.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-IBMClang-C.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-IBMClang-CXX.cmake	
■	■	■	■	■	■	■	■	■	■	■■■	AIX-IBMClang.cmake	

■	■	■	■	■	■	■	■	■	■	■■■	AIX-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-LLVMFlang-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-VisualAge-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-VisualAge-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-VisualAge-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XL-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XL-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XL-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XL-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XL.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XLClang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XLClang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX-XLClang.cmake
■	■	■	■	■	■	■	■	■	■	■■■	AIX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	ARTOS-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	ARTOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android
■	■	■	■	■	■	■	■	■	■	■	■■■ Determine-Compiler-NDK.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ Determine-Compiler-Standalone.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ Determine-Compiler.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ VCXProjInspect.vcxproj.in
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-arm64-v8a-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-arm64-v8a-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-v6-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-v6-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-v7a-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-armeabi-v7a-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-common-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-common-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-common.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-mips-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-mips-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-mips64-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-mips64-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-x86-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-x86-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-x86_64-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ abi-x86_64-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-c++.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-c++_shared.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-c++_static.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gabi++.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gabi++_shared.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gabi++_static.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gnustl.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gnustl_shared.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-gnustl_static.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-none.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-stlport.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-stlport_shared.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-stlport_static.cmake
■	■	■	■	■	■	■	■	■	■	■	■■■ ndk-stl-system.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Clang.cmake

■	■	■	■	■	■	■	■	■	■	■■■	Android-Common.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Determine-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Determine.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Android.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Absoft-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Apple-Swift.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-AppleClang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-AppleClang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-AppleClang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-AppleClang-OBJC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-AppleClang-OBJCXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Clang-OBJC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Clang-OBJCXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Clang.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-GNU-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-GNU-OBJC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-GNU-OBJCXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Intel-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Intel-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Intel-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-Intel.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-IntelLLVM-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-IntelLLVM-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-IntelLLVM-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-IntelLLVM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-NAG-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-NVIDIA-CUDA.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-PGI-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-PGI-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-PGI-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-PGI.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-VisualAge-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-VisualAge-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-XL-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Apple-XL-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	BSDOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	BSDOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	BeOS-Initialize.cmake
■	■	■									

[illegible]

```

■ ■ ■ ■ GHS-MULTI-Determine.cmake
■ ■ ■ ■ GHS-MULTI.cmake
■ ■ ■ ■ GNU-Initialize.cmake
■ ■ ■ ■ GNU.cmake
■ ■ ■ ■ GNUtoMS_lib.bat.in
■ ■ ■ ■ GNUtoMS_lib.cmake
■ ■ ■ ■ Generic-ADSP-ASM.cmake
■ ■ ■ ■ Generic-ADSP-C.cmake
■ ■ ■ ■ Generic-ADSP-CXX.cmake
■ ■ ■ ■ Generic-ADSP-Common.cmake
■ ■ ■ ■ Generic-ELF.cmake
■ ■ ■ ■ Generic-SDCC-C.cmake
■ ■ ■ ■ Generic.cmake
■ ■ ■ ■ HP-UX-GNU-ASM.cmake
■ ■ ■ ■ HP-UX-GNU-C.cmake
■ ■ ■ ■ HP-UX-GNU-CXX.cmake
■ ■ ■ ■ HP-UX-GNU-Fortran.cmake
■ ■ ■ ■ HP-UX-GNU.cmake
■ ■ ■ ■ HP-UX-HP-ASM.cmake
■ ■ ■ ■ HP-UX-HP-C.cmake
■ ■ ■ ■ HP-UX-HP-CXX.cmake
■ ■ ■ ■ HP-UX-HP-Fortran.cmake
■ ■ ■ ■ HP-UX-HP.cmake
■ ■ ■ ■ HP-UX-Initialize.cmake
■ ■ ■ ■ HP-UX.cmake
■ ■ ■ ■ Haiku-Initialize.cmake
■ ■ ■ ■ Haiku.cmake
■ ■ ■ ■ Linker
■ ■ ■ ■ AIX-AIX-ASM.cmake
■ ■ ■ ■ AIX-AIX-C.cmake
■ ■ ■ ■ AIX-AIX-CXX.cmake
■ ■ ■ ■ AIX-AIX-Fortran.cmake
■ ■ ■ ■ AIX-AIX.cmake
■ ■ ■ ■ AIX-ASM.cmake
■ ■ ■ ■ AIX-C.cmake
■ ■ ■ ■ AIX-CXX.cmake
■ ■ ■ ■ AIX-Fortran.cmake
■ ■ ■ ■ Android-ASM.cmake
■ ■ ■ ■ Android-C.cmake
■ ■ ■ ■ Android-CXX.cmake
■ ■ ■ ■ Android-GNU-ASM.cmake
■ ■ ■ ■ Android-GNU-C.cmake
■ ■ ■ ■ Android-GNU-CXX.cmake
■ ■ ■ ■ Android-LLD-ASM.cmake
■ ■ ■ ■ Android-LLD-C.cmake
■ ■ ■ ■ Android-LLD-CXX.cmake
■ ■ ■ ■ Apple-ASM.cmake
■ ■ ■ ■ Apple-AppleClang-ASM.cmake
■ ■ ■ ■ Apple-AppleClang-C.cmake
■ ■ ■ ■ Apple-AppleClang-CUDA.cmake
■ ■ ■ ■ Apple-AppleClang-CXX.cmake
■ ■ ■ ■ Apple-AppleClang-Fortran.cmake
■ ■ ■ ■ Apple-AppleClang-objc.cmake
■ ■ ■ ■ Apple-AppleClang-objcxx.cmake
■ ■ ■ ■ Apple-AppleClang.cmake
■ ■ ■ ■ Apple-C.cmake
■ ■ ■ ■ Apple-CUDA.cmake
■ ■ ■ ■ Apple-CXX.cmake

```



```

■ ■ ■ ■ Windows-HIP.cmake
■ ■ ■ ■ Windows-LLD-ASM.cmake
■ ■ ■ ■ Windows-LLD-C.cmake
■ ■ ■ ■ Windows-LLD-CXX.cmake
■ ■ ■ ■ Windows-LLD-HIP.cmake
■ ■ ■ ■ Windows-LLD.cmake
■ ■ ■ ■ Windows-MSVC-ASM.cmake
■ ■ ■ ■ Windows-MSVC-C.cmake
■ ■ ■ ■ Windows-MSVC-CUDA.cmake
■ ■ ■ ■ Windows-MSVC-CXX.cmake
■ ■ ■ ■ Windows-MSVC-Fortran.cmake
■ ■ ■ ■ Windows-MSVC-HIP.cmake
■ ■ ■ ■ Windows-MSVC.cmake
■ ■ ■ ■ WindowsCE-C.cmake
■ ■ ■ ■ WindowsCE-CXX.cmake
■ ■ ■ ■ WindowsCE-MSVC-C.cmake
■ ■ ■ ■ WindowsCE-MSVC-CXX.cmake
■ ■ ■ ■ WindowsKernelModeDriver-C.cmake
■ ■ ■ ■ WindowsKernelModeDriver-CXX.cmake
■ ■ ■ ■ WindowsKernelModeDriver-MSVC-C.cmake
■ ■ ■ ■ WindowsKernelModeDriver-MSVC-CXX.cmake
■ ■ ■ ■ WindowsPhone-ASM.cmake
■ ■ ■ ■ WindowsPhone-C.cmake
■ ■ ■ ■ WindowsPhone-CXX.cmake
■ ■ ■ ■ WindowsPhone-GNU-ASM.cmake
■ ■ ■ ■ WindowsPhone-GNU-C.cmake
■ ■ ■ ■ WindowsPhone-GNU-CXX.cmake
■ ■ ■ ■ WindowsPhone-LLD-ASM.cmake
■ ■ ■ ■ WindowsPhone-LLD-C.cmake
■ ■ ■ ■ WindowsPhone-LLD-CXX.cmake
■ ■ ■ ■ WindowsPhone-MSVC-ASM.cmake
■ ■ ■ ■ WindowsPhone-MSVC-C.cmake
■ ■ ■ ■ WindowsPhone-MSVC-CXX.cmake
■ ■ ■ ■ WindowsStore-ASM.cmake
■ ■ ■ ■ WindowsStore-C.cmake
■ ■ ■ ■ WindowsStore-CXX.cmake
■ ■ ■ ■ WindowsStore-GNU-ASM.cmake
■ ■ ■ ■ WindowsStore-GNU-C.cmake
■ ■ ■ ■ WindowsStore-GNU-CXX.cmake
■ ■ ■ ■ WindowsStore-LLD-ASM.cmake
■ ■ ■ ■ WindowsStore-LLD-C.cmake
■ ■ ■ ■ WindowsStore-LLD-CXX.cmake
■ ■ ■ ■ WindowsStore-MSVC-ASM.cmake
■ ■ ■ ■ WindowsStore-MSVC-C.cmake
■ ■ ■ ■ WindowsStore-MSVC-CXX.cmake
■ ■ ■ ■ Linux-Absoft-Fortran.cmake
■ ■ ■ ■ Linux-Apple-Swift.cmake
■ ■ ■ ■ Linux-CCur-Fortran.cmake
■ ■ ■ ■ Linux-Clang-C.cmake
■ ■ ■ ■ Linux-Clang-CUDA.cmake
■ ■ ■ ■ Linux-Clang-CXX.cmake
■ ■ ■ ■ Linux-Determine-CXX.cmake
■ ■ ■ ■ Linux-Fujitsu-C.cmake
■ ■ ■ ■ Linux-Fujitsu-CXX.cmake
■ ■ ■ ■ Linux-Fujitsu.cmake
■ ■ ■ ■ Linux-GNU-C.cmake
■ ■ ■ ■ Linux-GNU-CXX.cmake
■ ■ ■ ■ Linux-GNU-Fortran.cmake

```

■	■	■	■	■	■	■	■	■	■	■■■	Linux-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-Intel-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-Intel-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-Intel-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-Intel.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-IntelLLVM-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-IntelLLVM-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-IntelLLVM-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-IntelLLVM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-LCC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-LCC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-LCC-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-LCC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-LLVMFlang-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NAG-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NVHPC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NVHPC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NVHPC-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NVHPC.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-NVIDIA-CUDA.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-OpenWatcom-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-OpenWatcom-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-OpenWatcom.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PGI-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PGI-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PGI-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PGI.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PathScale-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PathScale-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PathScale-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-PathScale.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-SunPro-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-TinyCC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-VisualAge-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-VisualAge-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-VisualAge-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-XL-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-XL-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-XL-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux-como.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Linux.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MP-RAS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MP-RAS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-GNU-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS-windres.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MSYS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Midipix-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Midipix.cmake
■	■	■	■	■	■	■	■	■	■	■■■	MirBSD.cmake
■	■	■	■	■	■	■	■	■	■	■■■	NetBSD-Initialize.cmake

■	■	■	■	■	■	■	■	■	■	■■■	NetBSD.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OHOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OS2-OpenWatcom-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OS2-OpenWatcom-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OS2-OpenWatcom.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OS2.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OSF1-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OSF1.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OpenBSD-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OpenBSD.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OpenVMS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	OpenVMS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	QNX-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	QNX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	RISCos-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	RISCos.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SCO_SV-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SCO_SV.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SINIX-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SINIX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-GNU-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SerenityOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-GNU-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-GNU.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-PathScale-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-PathScale-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-PathScale-Fortran.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS-PathScale.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SunOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Tru64-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Tru64.cmake
■	■	■	■	■	■	■	■	■	■	■■■	ULTRIX-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	ULTRIX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	UNIX_SV-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	UNIX_SV.cmake
■	■	■	■	■	■	■	■	■	■	■■■	UnixPaths.cmake
■	■	■	■	■	■	■	■	■	■	■■■	UnixWare-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	UnixWare.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WASI-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WASI.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Apple-Swift.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Borland-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Borland-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Windows-Clang-CUDA.cmake

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	WindowsCE-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsCE-MSVC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsCE-MSVC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsCE.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsKernelModeDriver-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsKernelModeDriver-MSVC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsKernelModeDriver-MSVC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsKernelModeDriver.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPaths.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-GNU-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-MSVC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone-MSVC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsPhone.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-Clang-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-Clang-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-Clang-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-GNU-ASM.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-GNU-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-GNU-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-MSVC-C.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore-MSVC-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	WindowsStore.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Xenix-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Xenix.cmake
■	■	■	■	■	■	■	■	■	■	■■■	eCos-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	eCos.cmake
■	■	■	■	■	■	■	■	■	■	■■■	gas.cmake
■	■	■	■	■	■	■	■	■	■	■■■	iOS-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	iOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	iOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	kFreeBSD-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	kFreeBSD.cmake
■	■	■	■	■	■	■	■	■	■	■■■	syllable-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	syllable.cmake
■	■	■	■	■	■	■	■	■	■	■■■	tvOS-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	tvOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	tvOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	visionOS-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	visionOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	visionOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	watchOS-Determine-CXX.cmake
■	■	■	■	■	■	■	■	■	■	■■■	watchOS-Initialize.cmake
■	■	■	■	■	■	■	■	■	■	■■■	watchOS.cmake
■	■	■	■	■	■	■	■	■	■	■■■	ProcessorCount.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Qt4ConfigDependentSettings.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Qt4Macros.cmake
■	■	■	■	■	■	■	■	■	■	■■■	SelectLibraryConfigurations.cmake
■	■	■	■	■	■	■	■	■	■	■■■	Squish4RunTestCase.bat
■	■	■	■	■	■	■	■	■	■	■■■	Squish4RunTestCase.sh
■	■	■	■	■	■	■	■	■	■	■■■	SquishRunTestCase.bat
■	■	■	■	■	■	■	■	■	■	■■■	SquishRunTestCase.sh

```

■■■■ SquishTestScript.cmake
■■■■ SystemInformation.cmake
■■■■ SystemInformation.in
■■■■ TestBigEndian.cmake
■■■■ TestCXXAcceptsFlag.cmake
■■■■ TestEndianness.c.in
■■■■ TestForANSIForScope.cmake
■■■■ TestForANSIStreamHeaders.cmake
■■■■ TestForANSIStreamHeaders.cxx
■■■■ TestForAnsiForScope.cxx
■■■■ TestForSSTREAM.cmake
■■■■ TestForSSTREAM.cxx
■■■■ TestForSTDNamespace.cmake
■■■■ TestForSTDNamespace.cxx
■■■■ UseEcos.cmake
■■■■ UseJava
■■■■ ClassFilelist.cmake
■■■■ ClearClassFiles.cmake
■■■■ Symlinks.cmake
■■■■ javaTargets.cmake.in
■■■■ UseJava.cmake
■■■■ UsePkgConfig.cmake
■■■■ UseQt4.cmake
■■■■ UseSWIG
■■■■ ManageSupportFiles.cmake
■■■■ UseSWIG.cmake
■■■■ Use_wxWindows.cmake
■■■■ UsewxWidgets.cmake
■■■■ VTKCompatibility.cmake
■■■■ WriteBasicConfigVersionFile.cmake
■■■■ WriteCompilerDetectionHeader.cmake
■■■■ ecos_clean.cmake
■■■■ exporthead.cmake.in
■■■■ kde3init_dummy.cpp.in
■■■■ kde3uic.cmake
■■■■ readme.txt
■■■■ Templates
■■■■ AppleInfo.plist
■■■■ CMakeVSMacros1.vsmacros
■■■■ CMakeVSMacros2.vsmacros
■■■■ CPack.GenericDescription.txt
■■■■ CPack.GenericLicense.txt
■■■■ CPack.GenericWelcome.txt
■■■■ CPackConfig.cmake.in
■■■■ MSBuild
■■■■ CustomBuildDepFile.targets
■■■■ FlagTables
■■■■ v10_CL.json
■■■■ v10_CSharp.json
■■■■ v10_Cuda.json
■■■■ v10_CudaHost.json
■■■■ v10_LIB.json
■■■■ v10_Link.json
■■■■ v10_MARMASM.json
■■■■ v10_MASM.json
■■■■ v10_NASM.json
■■■■ v10_RC.json
■■■■ v11_CL.json

```



```

v11_CSharp.json
v11_LIB.json
v11_Link.json
v11_MASM.json
v11_RC.json
v12_CL.json
v12_CSharp.json
v12_LIB.json
v12_Link.json
v12_MASM.json
v12_RC.json
v140_CL.json
v140_CSharp.json
v140_Link.json
v141_CL.json
v141_CSharp.json
v141_Link.json
v142_CL.json
v142_CSharp.json
v142_Link.json
v143_CL.json
v143_CSharp.json
v143_Link.json
v14_LIB.json
v14_MASM.json
v14_RC.json
nasm.props.in
nasm.targets
nasm.xml
TestDriver.cxx.in
Windows
ApplicationIcon.png
Logo.png
SmallLogo.png
SmallLogo44x44.png
SplashScreen.png
StoreLogo.png
Windows_TemporaryKey.pfx
include
cmCPluginAPI.h
emacs
site-lisp
cmake-mode.el
vim
vimfiles
indent
cmake.vim
syntax
cmake.vim
py.typed
cmake-3.31.1.dist-info
INSTALLER
METADATA
RECORD
WHEEL
entry_points.txt
licenses
AUTHORS.rst

```

[illegible]

```

WHEEL
top_level.txt
zip-safe
cons
__init__.py
__pycache__
__init__.cpython-311.pyc
_version.cpython-311.pyc
core.cpython-311.pyc
unify.cpython-311.pyc
_version.py
core.py
unify.py
cons-0.4.6.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
WHEEL
top_level.txt
contourpy
__init__.py
__pycache__
__init__.cpython-311.pyc
_version.cpython-311.pyc
array.cpython-311.pyc
chunk.cpython-311.pyc
convert.cpython-311.pyc
dechunk.cpython-311.pyc
enum_util.cpython-311.pyc
typecheck.cpython-311.pyc
types.cpython-311.pyc
_contourpy.cpython-311-x86_64-linux-gnu.so
_contourpy.pyi
_version.py
array.py
chunk.py
convert.py
dechunk.py
enum_util.py
py.typed
typecheck.py
types.py
util
__init__.py
__pycache__
__init__.cpython-311.pyc
_build_config.cpython-311.pyc
bokeh_renderer.cpython-311.pyc
bokeh_util.cpython-311.pyc
data.cpython-311.pyc
mpl_renderer.cpython-311.pyc
mpl_util.cpython-311.pyc
renderer.cpython-311.pyc
_build_config.py
bokeh_renderer.py
bokeh_util.py
data.py

```

```
mpl_renderer.py
mpl_util.py
renderer.py
contourpy-1.3.1.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
countryinfo
__init__.py
__pycache__
__init__.cpython-311.pyc
countryinfo.cpython-311.pyc
countryinfo.py
data
afghanistan.json
albania.json
algeria.json
american_samoa.json
angola.json
anguilla.json
antarctica.json
antigua_and_barbuda.json
argentina.json
armenia.json
aruba.json
ashmore_and_cartier_island.json
australia.json
austria.json
azerbaijan.json
bahamas.json
bahrain.json
bangladesh.json
barbados.json
belarus.json
belgium.json
belize.json
benin.json
bermuda.json
bhutan.json
bolivia.json
bosnia_and_herzegovina.json
botswana.json
brazil.json
british_virgin_islands.json
brunei.json
bulgaria.json
burkina_faso.json
burma.json
burundi.json
cambodia.json
cameroon.json
canada.json
cape_verde.json
cayman_islands.json
central_african_republic.json
chad.json
```



```

■ ■ ■ ■ ■ ■ ■■ svalbard.json
■ ■ ■ ■ ■ ■ ■■ swaziland.json
■ ■ ■ ■ ■ ■ ■■ sweden.json
■ ■ ■ ■ ■ ■ ■■ switzerland.json
■ ■ ■ ■ ■ ■ ■■ syria.json
■ ■ ■ ■ ■ ■ ■■ taiwan.json
■ ■ ■ ■ ■ ■ ■■ tajikistan.json
■ ■ ■ ■ ■ ■ ■■ tanzania.json
■ ■ ■ ■ ■ ■ ■■ thailand.json
■ ■ ■ ■ ■ ■ ■■ tobago.json
■ ■ ■ ■ ■ ■ ■■ toga.json
■ ■ ■ ■ ■ ■ ■■ tokelau.json
■ ■ ■ ■ ■ ■ ■■ tonga.json
■ ■ ■ ■ ■ ■ ■■ trinidad.json
■ ■ ■ ■ ■ ■ ■■ tunisia.json
■ ■ ■ ■ ■ ■ ■■ turkey.json
■ ■ ■ ■ ■ ■ ■■ turkmenistan.json
■ ■ ■ ■ ■ ■ ■■ tuvalu.json
■ ■ ■ ■ ■ ■ ■■ uganda.json
■ ■ ■ ■ ■ ■ ■■ ukraine.json
■ ■ ■ ■ ■ ■ ■■ united_arab_emirates.json
■ ■ ■ ■ ■ ■ ■■ united_kingdom.json
■ ■ ■ ■ ■ ■ ■■ united_states_of_america.json
■ ■ ■ ■ ■ ■ ■■ uruguay.json
■ ■ ■ ■ ■ ■ ■■ uzbekistan.json
■ ■ ■ ■ ■ ■ ■■ vanuatu.json
■ ■ ■ ■ ■ ■ ■■ venezuela.json
■ ■ ■ ■ ■ ■ ■■ vietnam.json
■ ■ ■ ■ ■ ■ ■■ virgin_islands.json
■ ■ ■ ■ ■ ■ ■■ wales.json
■ ■ ■ ■ ■ ■ ■■ wallis_and_futuna.json
■ ■ ■ ■ ■ ■ ■■ west_bank.json
■ ■ ■ ■ ■ ■ ■■ western_sahara.json
■ ■ ■ ■ ■ ■ ■■ yemen.json
■ ■ ■ ■ ■ ■ ■■ zambia.json
■ ■ ■ ■ ■ ■ ■■ zimbabwe.json
■ ■ ■ ■ ■ ■■ countryinfo-0.1.2.dist-info
■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■■ REQUESTED
■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■■ cpuinfo
■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■■ __main__.py
■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ cpuinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■■ cpuinfo.py
■ ■ ■ ■ ■ ■■ cryptography
■ ■ ■ ■ ■ ■■ __about__.py
■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■■ __about__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc

```



```

ocsp.py
poly1305.py
rsa.py
utils.py
x25519.py
x448.py
x509.py
bindings
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _openssl.abi3.so
  _padding.abi3.so
  _rust.abi3.so
  openssl
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _conditional.cpython-311.pyc
  binding.cpython-311.pyc
  _conditional.py
  binding.py
primitives
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _asymmetric.cpython-311.pyc
  _cipheralgorithm.cpython-311.pyc
  _serialization.cpython-311.pyc
  cmac.cpython-311.pyc
  constant_time.cpython-311.pyc
  hashes.cpython-311.pyc
  hmac.cpython-311.pyc
  keywrap.cpython-311.pyc
  padding.cpython-311.pyc
  poly1305.cpython-311.pyc
  _asymmetric.py
  _cipheralgorithm.py
  _serialization.py
  asymmetric
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  dh.cpython-311.pyc
  dsa.cpython-311.pyc
  ec.cpython-311.pyc
  ed25519.cpython-311.pyc
  ed448.cpython-311.pyc
  padding.cpython-311.pyc
  rsa.cpython-311.pyc
  utils.cpython-311.pyc
  x25519.cpython-311.pyc
  x448.cpython-311.pyc
  dh.py
  dsa.py
  ec.py
  ed25519.py
  ed448.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ padding.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ rsa.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ x25519.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ x448.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ciphers
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ aead.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ algorithms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ modes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ aead.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ algorithms.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ modes.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cmac.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ constant_time.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hashes.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hmac.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ kdf
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ concatkdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hkdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ kbkdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pbkdf2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ scrypt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ x963kdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ concatkdf.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hkdf.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ kbkdf.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pbkdf2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ scrypt.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ x963kdf.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ keywrap.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ padding.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ poly1305.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ serialization
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pkcs12.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pkcs7.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ssh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pkcs12.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pkcs7.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ssh.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ twofactor
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hotp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ totp.cpython-311.pyc
```

[illegible]

[illegible]

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dbapi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ client.py
■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■■■ dbapi.py
■ ■ ■ ■ ■ ■ ■ ■■■ exc.py
■ ■ ■ ■ ■ ■■■ databricks_sql_connector-0.9.1.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ NOTICE
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ dateutil
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _common.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ easter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ relativedelta.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ rrule.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ tzwin.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _common.py
■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■■■ easter.py
■ ■ ■ ■ ■ ■■■ parser
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _parser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ isoparser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _parser.py
■ ■ ■ ■ ■ ■■■ isoparser.py
■ ■ ■ ■ ■ ■■■ relativedelta.py
■ ■ ■ ■ ■ ■■■ rrule.py
■ ■ ■ ■ ■ ■■■ tz
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _common.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _factories.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ tz.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ win.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _common.py
■ ■ ■ ■ ■ ■■■ _factories.py
■ ■ ■ ■ ■ ■■■ tz.py
■ ■ ■ ■ ■ ■■■ win.py
■ ■ ■ ■ ■ ■■■ tzwin.py
■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■■■ zoneinfo
■ ■ ■ ■ ■ ■■■ __init__.py
```



```

■ ■ ■ ■ pydev_monkey.cpython-311.pyc
■ ■ ■ ■ pydev_monkey_qt.cpython-311.pyc
■ ■ ■ ■ pydev_override.cpython-311.pyc
■ ■ ■ ■ pydev_umd.cpython-311.pyc
■ ■ ■ ■ pydev_versioncheck.cpython-311.pyc
■ ■ ■ _pydev_calltip_util.py
■ ■ ■ _pydev_completer.py
■ ■ ■ _pydev_execfile.py
■ ■ ■ _pydev_filesystem_encoding.py
■ ■ ■ _pydev_getopt.py
■ ■ ■ _pydev_imports_tipper.py
■ ■ ■ _pydev_jy_imports_tipper.py
■ ■ ■ _pydev_log.py
■ ■ ■ _pydev_saved_modules.py
■ ■ ■ _pydev_sys_patch.py
■ ■ ■ _pydev_tipper_common.py
■ ■ ■ fsnotify
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ pydev_console_utils.py
■ ■ ■ pydev_import_hook.py
■ ■ ■ pydev_imports.py
■ ■ ■ pydev_ipython_console.py
■ ■ ■ pydev_ipython_console_011.py
■ ■ ■ pydev_is_thread_alive.py
■ ■ ■ pydev_localhost.py
■ ■ ■ pydev_log.py
■ ■ ■ pydev_monkey.py
■ ■ ■ pydev_monkey_qt.py
■ ■ ■ pydev_override.py
■ ■ ■ pydev_umd.py
■ ■ ■ pydev_versioncheck.py
■ ■ ■ _pydev_runfiles
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_coverage.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_nose.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_parallel.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_parallel_client.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_pytest2.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_unittest.cpython-311.pyc
■ ■ ■ ■ pydev_runfiles_xml_rpc.cpython-311.pyc
■ ■ ■ pydev_runfiles.py
■ ■ ■ pydev_runfiles_coverage.py
■ ■ ■ pydev_runfiles_nose.py
■ ■ ■ pydev_runfiles_parallel.py
■ ■ ■ pydev_runfiles_parallel_client.py
■ ■ ■ pydev_runfiles_pytest2.py
■ ■ ■ pydev_runfiles_unittest.py
■ ■ ■ pydev_runfiles_xml_rpc.py
■ ■ ■ _pydevd_bundle
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ pydevconsole_code.cpython-311.pyc

```

```
pydevd_additional_thread_info.cpython-311.pyc  
pydevd_additional_thread_info_regular.cpython-311.pyc  
pydevd_api.cpython-311.pyc  
pydevd_breakpoints.cpython-311.pyc  
pydevd_bytecode_utils.cpython-311.pyc  
pydevd_bytecode_utils_py311.cpython-311.pyc  
pydevd_code_to_source.cpython-311.pyc  
pydevd_collect_bytecode_info.cpython-311.pyc  
pydevd_comm.cpython-311.pyc  
pydevd_comm_constants.cpython-311.pyc  
pydevd_command_line_handling.cpython-311.pyc  
pydevd_console.cpython-311.pyc  
pydevd_constants.cpython-311.pyc  
pydevd_custom_frames.cpython-311.pyc  
pydevd_cython_wrapper.cpython-311.pyc  
pydevd_daemon_thread.cpython-311.pyc  
pydevd_defaults.cpython-311.pyc  
pydevd_dont_trace.cpython-311.pyc  
pydevd_dont_trace_files.cpython-311.pyc  
pydevd_exec2.cpython-311.pyc  
pydevd_extension_api.cpython-311.pyc  
pydevd_extension_utils.cpython-311.pyc  
pydevd_filtering.cpython-311.pyc  
pydevd_frame.cpython-311.pyc  
pydevd_frame_utils.cpython-311.pyc  
pydevd_gevent_integration.cpython-311.pyc  
pydevd_import_class.cpython-311.pyc  
pydevd_io.cpython-311.pyc  
pydevd_json_debug_options.cpython-311.pyc  
pydevd_net_command.cpython-311.pyc  
pydevd_net_command_factory_json.cpython-311.pyc  
pydevd_net_command_factory_xml.cpython-311.pyc  
pydevd_plugin_utils.cpython-311.pyc  
pydevd_process_net_command.cpython-311.pyc  
pydevd_process_net_command_json.cpython-311.pyc  
pydevd_referrers.cpython-311.pyc  
pydevd_reload.cpython-311.pyc  
pydevd_resolver.cpython-311.pyc  
pydevd_runpy.cpython-311.pyc  
pydevd_safe_repr.cpython-311.pyc  
pydevd_save_locals.cpython-311.pyc  
pydevd_signature.cpython-311.pyc  
pydevd_source_mapping.cpython-311.pyc  
pydevd_stackless.cpython-311.pyc  
pydevd_suspended_frames.cpython-311.pyc  
pydevd_thread_lifecycle.cpython-311.pyc  
pydevd_timeout.cpython-311.pyc  
pydevd_trace_dispatch.cpython-311.pyc  
pydevd_trace_dispatch_regular.cpython-311.pyc  
pydevd_traceproperty.cpython-311.pyc  
pydevd_utils.cpython-311.pyc  
pydevd_vars.cpython-311.pyc  
pydevd_vm_type.cpython-311.pyc  
pydevd_xml.cpython-311.pyc  
  
_debug_adapter  
__init__.py  
__main__  
pydevd_gen_debug_adapter_protocol.py  
pycache
```

■	■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	__main__pydevd_gen_debug_adapter_protocol.cpyt
■	■	■	■	■	■	■	■	■	■	■■■■	pydevd_base_schema.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	pydevd_schema.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	pydevd_schema_log.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	debugProtocol.json	
■	■	■	■	■	■	■	■	■	■■■■	debugProtocolCustom.json	
■	■	■	■	■	■	■	■	■	■■■■	pydevd_base_schema.py	
■	■	■	■	■	■	■	■	■	■■■■	pydevd_schema.py	
■	■	■	■	■	■	■	■	■	■■■■	pydevd_schema_log.py	
■	■	■	■	■	■	■	■	■■■■	pydevconsole_code.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_additional_thread_info.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_additional_thread_info_regular.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_api.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_breakpoints.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_bytecode_utils.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_bytecode_utils_py311.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_code_to_source.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_collect_bytecode_info.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_comm.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_comm_constants.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_command_line_handling.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_concurrency_analyser		
■	■	■	■	■	■	■	■	■■■■	__init__.py		
■	■	■	■	■	■	■	■	■■■■	__pycache__		
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■■■■	pydevd_concurrency_logger.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■■■■	pydevd_thread_wrappers.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	pydevd_concurrency_logger.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_thread_wrappers.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_console.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_constants.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_custom_frames.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_cython.c		
■	■	■	■	■	■	■	■	■■■■	pydevd_cython.cpython-311-x86_64-linux-gnu.so		
■	■	■	■	■	■	■	■	■■■■	pydevd_cython.pxd		
■	■	■	■	■	■	■	■	■■■■	pydevd_cython.pyx		
■	■	■	■	■	■	■	■	■■■■	pydevd_cython_wrapper.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_daemon_thread.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_defaults.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_dont_trace.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_dont_trace_files.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_exec2.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_extension_api.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_extension_utils.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_filtering.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_frame.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_frame_utils.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_gevent_integration.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_import_class.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_io.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_json_debug_options.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_net_command.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_net_command_factory_json.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_net_command_factory_xml.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_plugin_utils.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_process_net_command.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_process_net_command_json.py		

```

pydevd_referrers.py
pydevd_reload.py
pydevd_resolver.py
pydevd_runpy.py
pydevd_safe_repr.py
pydevd_save_locals.py
pydevd_signature.py
pydevd_source_mapping.py
pydevd_stackless.py
pydevd_suspended_frames.py
pydevd_thread_lifecycle.py
pydevd_timeout.py
pydevd_trace_dispatch.py
pydevd_trace_dispatch_regular.py
pydevd_traceproperty.py
pydevd_utils.py
pydevd_vars.py
pydevd_vm_type.py
pydevd_xml.py
_pydevd_frame_eval
.gitignore
__init__.py
__pycache__
    __init__.cpython-311.pyc
pydevd_frame_eval_cython_wrapper.cpython-311.pyc
pydevd_frame_eval_main.cpython-311.pyc
pydevd_frame_tracing.cpython-311.pyc
pydevd_modify_bytecode.cpython-311.pyc
pydevd_frame_eval_cython_wrapper.py
pydevd_frame_eval_main.py
pydevd_frame_evaluator.c
pydevd_frame_evaluator.pxd
pydevd_frame_evaluator.template.pyx
pydevd_frame_tracing.py
pydevd_modify_bytecode.py
release_mem.h
vendored
    README.txt
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
pydevd_fix_code.cpython-311.pyc
bytecode
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        bytecode.cpython-311.pyc
        cfg.cpython-311.pyc
        concrete.cpython-311.pyc
        flags.cpython-311.pyc
        instr.cpython-311.pyc
        peephole_opt.cpython-311.pyc
    bytecode.py
    cfg.py
    concrete.py
    flags.py
    instr.py
    peephole_opt.py

```

```

███ tests
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ test_bytecode.cpython-311.pyc
████ test_cfg.cpython-311.pyc
████ test_code.cpython-311.pyc
████ test_concrete.cpython-311.pyc
████ test_flags.cpython-311.pyc
████ test_instr.cpython-311.pyc
████ test_misc.cpython-311.pyc
████ test_peephole_opt.cpython-311.pyc
████ util_annotation.cpython-311.pyc
████ test_bytecode.py
████ test_cfg.py
████ test_code.py
████ test_concrete.py
████ test_flags.py
████ test_instr.py
████ test_misc.py
████ test_peephole_opt.py
████ util_annotation.py
████ bytecode-0.13.0.dev0.dist-info
████ COPYING
████ INSTALLER
████ METADATA
████ RECORD
████ REQUESTED
████ WHEEL
████ direct_url.json
████ top_level.txt
████ pydevd_fix_code.py
████ _pydevd_sys_monitoring
████ __pycache__
████ _pydevd_sys_monitoring.cpython-311.pyc
████ pydevd_sys_monitoring.cpython-311.pyc
████ _pydevd_sys_monitoring.py
████ _pydevd_sys_monitoring_cython.c
████ _pydevd_sys_monitoring_cython.pxd
████ _pydevd_sys_monitoring_cython.pyx
████ pydevd_sys_monitoring.py
████ pydev_app_engine_debug_startup.py
████ pydev_coverage.py
████ pydev_ipython
████ README
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ inputhook.cpython-311.pyc
████ inputhookglut.cpython-311.pyc
████ inputhookgtk.cpython-311.pyc
████ inputhookgtk3.cpython-311.pyc
████ inputhookpyglet.cpython-311.pyc
████ inputhookqt4.cpython-311.pyc
████ inputhookqt5.cpython-311.pyc
████ inputhookqt6.cpython-311.pyc
████ inputhooktk.cpython-311.pyc
████ inputhookwx.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■■	matplotlibtools.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	qt.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	qt_for_kernel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	qt_loaders.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	version.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	inputhook.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookglut.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookgtk.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookgtk3.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookpyglet.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookqt4.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookqt5.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookqt6.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhooktk.py	
■	■	■	■	■	■	■	■	■	■■■■	inputhookwx.py	
■	■	■	■	■	■	■	■	■	■■■■	matplotlibtools.py	
■	■	■	■	■	■	■	■	■	■■■■	qt.py	
■	■	■	■	■	■	■	■	■	■■■■	qt_for_kernel.py	
■	■	■	■	■	■	■	■	■	■■■■	qt_loaders.py	
■	■	■	■	■	■	■	■	■	■■■■	version.py	
■	■	■	■	■	■	■	■	■■■■	pydev_pysrc.py		
■	■	■	■	■	■	■	■	■■■■	pydev_run_in_console.py		
■	■	■	■	■	■	■	■	■■■■	pydev_sitecustomize		
■	■	■	■	■	■	■	■	■	■■■■	__not_in_default_pythonpath.txt	
■	■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■■■■	sitecustomize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	sitecustomize.py	
■	■	■	■	■	■	■	■	■■■■	pydevconsole.py		
■	■	■	■	■	■	■	■	■■■■	pydevd.py		
■	■	■	■	■	■	■	■	■■■■	pydevd_attach_to_process		
■	■	■	■	■	■	■	■	■	■■■■	README.txt	
■	■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■■■■	_always_live_program.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	_check.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	_test_attach_to_process.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	_test_attach_to_process_linux.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	add_code_to_python_process.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	attach_pydevd.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	attach_script.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_always_live_program.py	
■	■	■	■	■	■	■	■	■	■■■■	_check.py	
■	■	■	■	■	■	■	■	■	■■■■	_test_attach_to_process.py	
■	■	■	■	■	■	■	■	■	■■■■	_test_attach_to_process_linux.py	
■	■	■	■	■	■	■	■	■	■■■■	add_code_to_python_process.py	
■	■	■	■	■	■	■	■	■	■■■■	attach_linux_amd64.so	
■	■	■	■	■	■	■	■	■	■■■■	attach_pydevd.py	
■	■	■	■	■	■	■	■	■	■■■■	attach_script.py	
■	■	■	■	■	■	■	■	■	■■■■	common	
■	■	■	■	■	■	■	■	■	■	■■■■	py_custom_pyeval_settrace.hpp
■	■	■	■	■	■	■	■	■	■	■■■■	py_custom_pyeval_settrace_310.hpp
■	■	■	■	■	■	■	■	■	■	■■■■	py_custom_pyeval_settrace_311.hpp
■	■	■	■	■	■	■	■	■	■	■■■■	py_custom_pyeval_settrace_common.hpp
■	■	■	■	■	■	■	■	■	■	■■■■	py_settrace.hpp
■	■	■	■	■	■	■	■	■	■	■■■■	py_utils.hpp
■	■	■	■	■	■	■	■	■	■	■■■■	py_version.hpp
■	■	■	■	■	■	■	■	■	■	■■■■	python.h
■	■	■	■	■	■	■	■	■	■	■■■■	ref_utils.hpp
■	■	■	■	■	■	■	■	■	■■■■	linux_and_mac	

```
.gitignore
__pycache__
llldb_prepare.cpython-311.pyc
attach.cpp
compile_linux.sh
compile_mac.sh
compile_manylinux.cmd
lldb_prepare.py
winapdbg
__init__.py
__pycache__
__init__.cpython-311.pyc
breakpoint.cpython-311.pyc
compat.cpython-311.pyc
crash.cpython-311.pyc
debug.cpython-311.pyc
disasm.cpython-311.pyc
event.cpython-311.pyc
interactive.cpython-311.pyc
module.cpython-311.pyc
process.cpython-311.pyc
registry.cpython-311.pyc
search.cpython-311.pyc
sql.cpython-311.pyc
system.cpython-311.pyc
textio.cpython-311.pyc
thread.cpython-311.pyc
util.cpython-311.pyc
window.cpython-311.pyc
breakpoint.py
compat.py
crash.py
debug.py
disasm.py
event.py
interactive.py
module.py
process.py
registry.py
search.py
sql.py
system.py
textio.py
thread.py
util.py
win32
__init__.py
__pycache__
__init__.cpython-311.pyc
advapi32.cpython-311.pyc
context_amd64.cpython-311.pyc
context_i386.cpython-311.pyc
dbghelp.cpython-311.pyc
defines.cpython-311.pyc
gdi32.cpython-311.pyc
kernel32.cpython-311.pyc
ntdll.cpython-311.pyc
peb_teb.cpython-311.pyc
```



```
pydevd_plugins_django_form_str.py
jinja2_debug.py
pydevd_line_validation.py
pydevd_tracing.py
setup_pydevd_cython.py
_version.py
adapter
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
clients.cpython-311.pyc
components.cpython-311.pyc
launchers.cpython-311.pyc
servers.cpython-311.pyc
sessions.cpython-311.pyc
clients.py
components.py
launchers.py
servers.py
sessions.py
common
__init__.py
__pycache__
__init__.cpython-311.pyc
json.cpython-311.pyc
log.cpython-311.pyc
messaging.cpython-311.pyc
singleton.cpython-311.pyc
sockets.cpython-311.pyc
stacks.cpython-311.pyc
timestamp.cpython-311.pyc
util.cpython-311.pyc
json.py
log.py
messaging.py
singleton.py
sockets.py
stacks.py
timestamp.py
util.py
launcher
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
debuggee.cpython-311.pyc
handlers.cpython-311.pyc
output.cpython-311.pyc
winapi.cpython-311.pyc
debuggee.py
handlers.py
output.py
winapi.py
public_api.py
server
```

```

███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ api.cpython-311.pyc
███ attach_pid_injected.cpython-311.pyc
███ cli.cpython-311.pyc
███ api.py
███ attach_pid_injected.py
███ cli.py
███ debugpy-1.8.9.dist-info
███ INSTALLER
███ LICENSE
███ METADATA
███ RECORD
███ WHEEL
███ entry_points.txt
███ top_level.txt
███ decorator-4.4.2.dist-info
███ INSTALLER
███ LICENSE.txt
███ METADATA
███ RECORD
███ WHEEL
███ pbr.json
███ top_level.txt
███ decorator.py
███ defusedxml
███ ElementTree.py
███ __init__.py
███ __pycache__
███ ElementTree.cpython-311.pyc
███ __init__.cpython-311.pyc
███ cElementTree.cpython-311.pyc
███ common.cpython-311.pyc
███ expatbuilder.cpython-311.pyc
███ expatreader.cpython-311.pyc
███ lxml.cpython-311.pyc
███ minidom.cpython-311.pyc
███ pulldom.cpython-311.pyc
███ sax.cpython-311.pyc
███ xmlrpc.cpython-311.pyc
███ cElementTree.py
███ common.py
███ expatbuilder.py
███ expatreader.py
███ lxml.py
███ minidom.py
███ pulldom.py
███ sax.py
███ xmlrpc.py
███ defusedxml-0.7.1.dist-info
███ INSTALLER
███ LICENSE
███ METADATA
███ RECORD
███ WHEEL
███ top_level.txt
███ dlib

```

```

███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ dlib-19.24.2.dist-info
███ INSTALLER
███ LICENSE.txt
███ METADATA
███ RECORD
███ REQUESTED
███ WHEEL
███ top_level.txt
███ dns
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ _asyncbackend.cpython-311.pyc
███ _asyncio_backend.cpython-311.pyc
███ _ddr.cpython-311.pyc
███ _features.cpython-311.pyc
███ _immutable_ctx.cpython-311.pyc
███ _trio_backend.cpython-311.pyc
███ asyncbackend.cpython-311.pyc
███ asyncquery.cpython-311.pyc
███ asyncresolver.cpython-311.pyc
███ dnssec.cpython-311.pyc
███ dnssectypes.cpython-311.pyc
███ e164.cpython-311.pyc
███ edns.cpython-311.pyc
███ entropy.cpython-311.pyc
███ enum.cpython-311.pyc
███ exception.cpython-311.pyc
███ flags.cpython-311.pyc
███ grange.cpython-311.pyc
███ immutable.cpython-311.pyc
███ inet.cpython-311.pyc
███ ipv4.cpython-311.pyc
███ ipv6.cpython-311.pyc
███ message.cpython-311.pyc
███ name.cpython-311.pyc
███ namedict.cpython-311.pyc
███ nameserver.cpython-311.pyc
███ node.cpython-311.pyc
███ opcode.cpython-311.pyc
███ query.cpython-311.pyc
███ rcode.cpython-311.pyc
███ rdata.cpython-311.pyc
███ rdataclass.cpython-311.pyc
███ rdataset.cpython-311.pyc
███ rdatatype.cpython-311.pyc
███ renderer.cpython-311.pyc
███ resolver.cpython-311.pyc
███ reversename.cpython-311.pyc
███ rrset.cpython-311.pyc
███ serial.cpython-311.pyc
███ set.cpython-311.pyc
███ tokenizer.cpython-311.pyc
███ transaction.cpython-311.pyc
███ tsig.cpython-311.pyc

```

■	■	■	■	■	■	■■■	tsigkeyring.cpython-311.pyc
■	■	■	■	■	■	■■■	ttl.cpython-311.pyc
■	■	■	■	■	■	■■■	update.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■	■■■	versioned.cpython-311.pyc
■	■	■	■	■	■	■■■	win32util.cpython-311.pyc
■	■	■	■	■	■	■■■	wire.cpython-311.pyc
■	■	■	■	■	■	■■■	xfr.cpython-311.pyc
■	■	■	■	■	■	■■■	zone.cpython-311.pyc
■	■	■	■	■	■	■■■	zonefile.cpython-311.pyc
■	■	■	■	■	■	■■■	zonetypes.cpython-311.pyc
■	■	■	■	■	■■■		_asyncbackend.py
■	■	■	■	■	■■■		_asyncio_backend.py
■	■	■	■	■	■■■		_ddr.py
■	■	■	■	■	■■■		_features.py
■	■	■	■	■	■■■		_immutable_ctx.py
■	■	■	■	■	■■■		_trio_backend.py
■	■	■	■	■	■■■		asyncbackend.py
■	■	■	■	■	■■■		asyncquery.py
■	■	■	■	■	■■■		asyncresolver.py
■	■	■	■	■	■■■		dnssec.py
■	■	■	■	■	■■■		dnssecalgs
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	base.cpython-311.pyc
■	■	■	■	■	■	■■■	cryptography.cpython-311.pyc
■	■	■	■	■	■	■■■	dsa.cpython-311.pyc
■	■	■	■	■	■	■■■	ecdsa.cpython-311.pyc
■	■	■	■	■	■	■■■	eddsa.cpython-311.pyc
■	■	■	■	■	■	■■■	rsa.cpython-311.pyc
■	■	■	■	■	■■■		base.py
■	■	■	■	■	■■■		cryptography.py
■	■	■	■	■	■■■		dsa.py
■	■	■	■	■	■■■		ecdsa.py
■	■	■	■	■	■■■		eddsa.py
■	■	■	■	■	■■■		rsa.py
■	■	■	■	■	■■■		dnssectypes.py
■	■	■	■	■	■■■		e164.py
■	■	■	■	■	■■■		edns.py
■	■	■	■	■	■■■		entropy.py
■	■	■	■	■	■■■		enum.py
■	■	■	■	■	■■■		exception.py
■	■	■	■	■	■■■		flags.py
■	■	■	■	■	■■■		grange.py
■	■	■	■	■	■■■		immutable.py
■	■	■	■	■	■■■		inet.py
■	■	■	■	■	■■■		ipv4.py
■	■	■	■	■	■■■		ipv6.py
■	■	■	■	■	■■■		message.py
■	■	■	■	■	■■■		name.py
■	■	■	■	■	■■■		namedict.py
■	■	■	■	■	■■■		nameserver.py
■	■	■	■	■	■■■		node.py
■	■	■	■	■	■■■		opcode.py
■	■	■	■	■	■■■		py.typed
■	■	■	■	■	■■■		query.py
■	■	■	■	■	■■■		quic

■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_asyncio.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_common.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_sync.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_trio.cpython-311.pyc
■	■	■	■	■	■	■■■	_asyncio.py	
■	■	■	■	■	■	■■■	_common.py	
■	■	■	■	■	■	■■■	_sync.py	
■	■	■	■	■	■	■■■	_trio.py	
■	■	■	■	■	■■■	rcode.py		
■	■	■	■	■	■■■	rdata.py		
■	■	■	■	■	■■■	rdataclass.py		
■	■	■	■	■	■■■	rdataset.py		
■	■	■	■	■	■■■	rdatatype.py		
■	■	■	■	■	■■■	rdtypes		
■	■	■	■	■	■	■■■	ANY	
■	■	■	■	■	■	■■■	AFSDB.py	
■	■	■	■	■	■	■■■	AMTRELAY.py	
■	■	■	■	■	■	■■■	AVC.py	
■	■	■	■	■	■	■■■	CAA.py	
■	■	■	■	■	■	■■■	CDNSKEY.py	
■	■	■	■	■	■	■■■	CDS.py	
■	■	■	■	■	■	■■■	CERT.py	
■	■	■	■	■	■	■■■	CNAME.py	
■	■	■	■	■	■	■■■	CSYNC.py	
■	■	■	■	■	■	■■■	DLV.py	
■	■	■	■	■	■	■■■	DNAME.py	
■	■	■	■	■	■	■■■	DNSKEY.py	
■	■	■	■	■	■	■■■	DS.py	
■	■	■	■	■	■	■■■	EUI48.py	
■	■	■	■	■	■	■■■	EUI64.py	
■	■	■	■	■	■	■■■	GPOS.py	
■	■	■	■	■	■	■■■	HINFO.py	
■	■	■	■	■	■	■■■	HIP.py	
■	■	■	■	■	■	■■■	ISDN.py	
■	■	■	■	■	■	■■■	L32.py	
■	■	■	■	■	■	■■■	L64.py	
■	■	■	■	■	■	■■■	LOC.py	
■	■	■	■	■	■	■■■	LP.py	
■	■	■	■	■	■	■■■	MX.py	
■	■	■	■	■	■	■■■	NID.py	
■	■	■	■	■	■	■■■	NINFO.py	
■	■	■	■	■	■	■■■	NS.py	
■	■	■	■	■	■	■■■	NSEC.py	
■	■	■	■	■	■	■■■	NSEC3.py	
■	■	■	■	■	■	■■■	NSEC3PARAM.py	
■	■	■	■	■	■	■■■	OPENPGPKEY.py	
■	■	■	■	■	■	■■■	OPT.py	
■	■	■	■	■	■	■■■	PTR.py	
■	■	■	■	■	■	■■■	RESINFO.py	
■	■	■	■	■	■	■■■	RP.py	
■	■	■	■	■	■	■■■	RRSIG.py	
■	■	■	■	■	■	■■■	RT.py	
■	■	■	■	■	■	■■■	SMIMEA.py	
■	■	■	■	■	■	■■■	SOA.py	
■	■	■	■	■	■	■■■	SPF.py	

■	■	■	■	■	■	■	■■■	SSHFP.py	
■	■	■	■	■	■	■	■■■	TKEY.py	
■	■	■	■	■	■	■	■■■	TLSA.py	
■	■	■	■	■	■	■	■■■	TSIG.py	
■	■	■	■	■	■	■	■■■	TXT.py	
■	■	■	■	■	■	■	■■■	URI.py	
■	■	■	■	■	■	■	■■■	WALLET.py	
■	■	■	■	■	■	■	■■■	X25.py	
■	■	■	■	■	■	■	■■■	ZONEMD.py	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	AFSDB.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	AMTRELAY.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	AVC.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CAA.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CDNSKEY.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CDS.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CERT.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CNAME.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	CSYNC.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	DLV.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	DNAME.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	DNSKEY.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	DS.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	EUI48.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	EUI64.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	GPOS.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	HINFO.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	HIP.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	ISDN.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	L32.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	L64.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	LOC.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	LP.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	MX.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NID.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NINFO.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NS.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NSEC.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NSEC3.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	NSEC3PARAM.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	OPENPGPKEY.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	OPT.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	PTR.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	RESINFO.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	RP.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	RRSIG.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	RT.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	SMIMEA.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	SOA.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	SPF.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	SSHFP.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	TKEY.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	TLSA.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	TSIG.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	TXT.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	URI.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	WALLET.cpython-311.pyc

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ X25.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ZONEMD.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ CH
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ A.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ A.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ IN
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ A.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ AAAA.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ APL.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ DHCID.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ HTTPS.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ IPSECKEY.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ KX.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ NAPTR.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ NSAP.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ NSAP_PTR.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ PX.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ SRV.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ SVCB.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WKS.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ A.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ AAAA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ APL.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ DHCID.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ HTTPS.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ IPSECKEY.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ KX.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ NAPTR.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ NSAP.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ NSAP_PTR.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ PX.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ SRV.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ SVCB.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WKS.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dnskeybase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dsbase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ euibase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mxbase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nsbase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ svcbase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tlsabase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ txtbase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dnskeybase.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dsbase.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ euibase.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mxbase.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nsbase.py
```



```
    __pycache__  
        ___init___cpython-311.pyc  
        base.cpython-311.pyc  
        dml.cpython-311.pyc  
        section.cpython-311.pyc  
        shape.cpython-311.pyc  
        style.cpython-311.pyc  
        table.cpython-311.pyc  
        text.cpython-311.pyc  
        base.py  
        dml.py  
        section.py  
        shape.py  
        style.py  
        table.py  
        text.py  
exceptions.py  
image  
    ___init___py  
    __pycache__  
        ___init___cpython-311.pyc  
        bmp.cpython-311.pyc  
        constants.cpython-311.pyc  
        exceptions.cpython-311.pyc  
        gif.cpython-311.pyc  
        helpers.cpython-311.pyc  
        image.cpython-311.pyc  
        jpeg.cpython-311.pyc  
        png.cpython-311.pyc  
        tiff.cpython-311.pyc  
        bmp.py  
        constants.py  
        exceptions.py  
        gif.py  
        helpers.py  
        image.py  
        jpeg.py  
        png.py  
        tiff.py  
opc  
    ___init___py  
    __pycache__  
        ___init___cpython-311.pyc  
        compat.cpython-311.pyc  
        constants.cpython-311.pyc  
        coreprops.cpython-311.pyc  
        exceptions.cpython-311.pyc  
        oxmll.cpython-311.pyc  
        package.cpython-311.pyc  
        packuri.cpython-311.pyc  
        part.cpython-311.pyc  
        phys_pkg.cpython-311.pyc  
        pkgreader.cpython-311.pyc  
        pkgwriter.cpython-311.pyc  
        rel.cpython-311.pyc  
        shared.cpython-311.pyc  
        spec.cpython-311.pyc  
compat.py
```

```
■ ■ ■ ■ ■ ■ ■■ constants.py
■ ■ ■ ■ ■ ■ ■■ coreprops.py
■ ■ ■ ■ ■ ■ ■■ exceptions.py
■ ■ ■ ■ ■ ■ ■■ oxml.py
■ ■ ■ ■ ■ ■ ■■ package.py
■ ■ ■ ■ ■ ■ ■■ packuri.py
■ ■ ■ ■ ■ ■ ■■ part.py
■ ■ ■ ■ ■ ■ ■■ parts
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ coreprops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ coreprops.py
■ ■ ■ ■ ■ ■ ■■ phys_pkg.py
■ ■ ■ ■ ■ ■ ■■ pkgreader.py
■ ■ ■ ■ ■ ■ ■■ pkgwriter.py
■ ■ ■ ■ ■ ■ ■■ rel.py
■ ■ ■ ■ ■ ■ ■■ shared.py
■ ■ ■ ■ ■ ■ ■■ spec.py
■ ■ ■ ■ ■ ■ ■■ oxml
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ coreprops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ document.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ns.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ numbering.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ section.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ settings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ shape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ shared.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ simpletypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ styles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ xmlchemy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ coreprops.py
■ ■ ■ ■ ■ ■ ■■ document.py
■ ■ ■ ■ ■ ■ ■■ exceptions.py
■ ■ ■ ■ ■ ■ ■■ ns.py
■ ■ ■ ■ ■ ■ ■■ numbering.py
■ ■ ■ ■ ■ ■ ■■ section.py
■ ■ ■ ■ ■ ■ ■■ settings.py
■ ■ ■ ■ ■ ■ ■■ shape.py
■ ■ ■ ■ ■ ■ ■■ shared.py
■ ■ ■ ■ ■ ■ ■■ simpletypes.py
■ ■ ■ ■ ■ ■ ■■ styles.py
■ ■ ■ ■ ■ ■ ■■ table.py
■ ■ ■ ■ ■ ■ ■■ text
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ font.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ paragraph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ parfmt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ run.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ font.py
■ ■ ■ ■ ■ ■ ■■ paragraph.py
```

[illegible]

```

██████ __init__.py
██████ __pycache__
██████   ██████ __init__.cpython-311.pyc
██████   ██████ docx2txt.cpython-311.pyc
██████   ██████ docx2txt.py
██████ ██████ docx2txt-0.8.dist-info
██████   ██████ INSTALLER
██████   ██████ LICENSE.txt
██████   ██████ METADATA
██████   ██████ RECORD
██████   ██████ REQUESTED
██████   ██████ WHEEL
██████   ██████ top_level.txt
██████ ██████ dot_parser.py
██████ ██████ dotenv
██████   ██████ __init__.py
██████   ██████ __main__.py
██████   ██████ __pycache__
██████   ██████   ██████ __init__.cpython-311.pyc
██████   ██████   ██████ __main__.cpython-311.pyc
██████   ██████   ██████ cli.cpython-311.pyc
██████   ██████   ██████ ipython.cpython-311.pyc
██████   ██████   ██████ main.cpython-311.pyc
██████   ██████   ██████ parser.cpython-311.pyc
██████   ██████   ██████ variables.cpython-311.pyc
██████   ██████   ██████ version.cpython-311.pyc
██████   ██████ cli.py
██████   ██████ ipython.py
██████   ██████ main.py
██████   ██████ parser.py
██████   ██████ py.typed
██████   ██████ variables.py
██████   ██████ version.py
██████ ██████ einops
██████   ██████ __init__.py
██████   ██████ __pycache__
██████   ██████   ██████ __init__.cpython-311.pyc
██████   ██████   ██████ _backends.cpython-311.pyc
██████   ██████   ██████ _torch_specific.cpython-311.pyc
██████   ██████   ██████ einops.cpython-311.pyc
██████   ██████   ██████ parsing.cpython-311.pyc
██████   ██████ _backends.py
██████   ██████ _torch_specific.py
██████   ██████ einops.py
██████   ██████ layers
██████   ██████   ██████ __init__.py
██████   ██████   ██████ __pycache__
██████   ██████   ██████   ██████ __init__.cpython-311.pyc
██████   ██████   ██████   ██████ _weighted_einsum.cpython-311.pyc
██████   ██████   ██████   ██████ chainer.cpython-311.pyc
██████   ██████   ██████   ██████ gluon.cpython-311.pyc
██████   ██████   ██████   ██████ keras.cpython-311.pyc
██████   ██████   ██████   ██████ tensorflow.cpython-311.pyc
██████   ██████   ██████   ██████ torch.cpython-311.pyc
██████   ██████   ██████ _weighted_einsum.py
██████   ██████   ██████ chainer.py
██████   ██████   ██████ gluon.py
██████   ██████   ██████ keras.py

```

[illegible]

```

METADATA
RECORD
WHEEL
top_level.txt
etuples
__init__.py
__pycache__
__init__.cpython-311.pyc
_version.cpython-311.pyc
core.cpython-311.pyc
dispatch.cpython-311.pyc
_version.py
core.py
dispatch.py
etuples-0.3.9.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
top_level.txt
exchange_calendars
__init__.py
__pycache__
__init__.cpython-311.pyc
_version.cpython-311.pyc
always_open.cpython-311.pyc
calendar_helpers.cpython-311.pyc
calendar_utils.cpython-311.pyc
common_holidays.cpython-311.pyc
ecal.cpython-311.pyc
errors.cpython-311.pyc
exchange_calendar.cpython-311.pyc
exchange_calendar_aixk.cpython-311.pyc
exchange_calendar_asex.cpython-311.pyc
exchange_calendar_bvmf.cpython-311.pyc
exchange_calendar_cmes.cpython-311.pyc
exchange_calendar_iepa.cpython-311.pyc
exchange_calendar_xams.cpython-311.pyc
exchange_calendar_xasx.cpython-311.pyc
exchange_calendar_xbkk.cpython-311.pyc
exchange_calendar_xbog.cpython-311.pyc
exchange_calendar_xbom.cpython-311.pyc
exchange_calendar_xbru.cpython-311.pyc
exchange_calendar_xbse.cpython-311.pyc
exchange_calendar_xbud.cpython-311.pyc
exchange_calendar_xbue.cpython-311.pyc
exchange_calendar_xcbf.cpython-311.pyc
exchange_calendar_xcse.cpython-311.pyc
exchange_calendar_xdub.cpython-311.pyc
exchange_calendar_xetr.cpython-311.pyc
exchange_calendar_xfra.cpython-311.pyc
exchange_calendar_xhel.cpython-311.pyc
exchange_calendar_xhkg.cpython-311.pyc
exchange_calendar_xice.cpython-311.pyc
exchange_calendar_xidx.cpython-311.pyc
exchange_calendar_xist.cpython-311.pyc
exchange_calendar_xjse.cpython-311.pyc

```

■	■	■	■	■	■	■■■	exchange_calendar_xkar.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xkls.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xkrx.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xlim.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xlis.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xlon.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xmad.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xmex.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xmil.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xmos.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xnys.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xnze.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xosl.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xpar.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xphs.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xpra.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xses.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xsgo.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xshg.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xsto.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xswx.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xtae.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xtai.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xtks.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xtse.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xwar.cpython-311.pyc
■	■	■	■	■	■	■■■	exchange_calendar_xwbo.cpython-311.pyc
■	■	■	■	■	■	■■■	lunisolar_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	precomputed_exchange_calendar.cpython-311.pyc
■	■	■	■	■	■	■■■	tase_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	us_futures_calendar.cpython-311.pyc
■	■	■	■	■	■	■■■	us_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	weekday_calendar.cpython-311.pyc
■	■	■	■	■	■	■■■	xbkk_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	xkls_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	xkrx_holidays.cpython-311.pyc
■	■	■	■	■	■	■■■	xtks_holidays.cpython-311.pyc
■	■	■	■	■	■■■	_version.py	
■	■	■	■	■	■■■	always_open.py	
■	■	■	■	■	■■■	calendar_helpers.py	
■	■	■	■	■	■■■	calendar_utils.py	
■	■	■	■	■	■■■	common_holidays.py	
■	■	■	■	■	■■■	ecal.py	
■	■	■	■	■	■■■	errors.py	
■	■	■	■	■	■■■	exchange_calendar.py	
■	■	■	■	■	■■■	exchange_calendar_aixk.py	
■	■	■	■	■	■■■	exchange_calendar_asex.py	
■	■	■	■	■	■■■	exchange_calendar_bvmf.py	
■	■	■	■	■	■■■	exchange_calendar_cmes.py	
■	■	■	■	■	■■■	exchange_calendar_iepa.py	
■	■	■	■	■	■■■	exchange_calendar_xams.py	
■	■	■	■	■	■■■	exchange_calendar_xasx.py	
■	■	■	■	■	■■■	exchange_calendar_xbkk.py	
■	■	■	■	■	■■■	exchange_calendar_xbog.py	
■	■	■	■	■	■■■	exchange_calendar_xbom.py	
■	■	■	■	■	■■■	exchange_calendar_xbru.py	
■	■	■	■	■	■■■	exchange_calendar_xbse.py	
■	■	■	■	■	■■■	exchange_calendar_xbud.py	

```

■ ■ ■ ■ ■ ■■■ exchange_calendar_xbue.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xcbf.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xcse.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xdub.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xetr.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xfra.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xhel.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xhkg.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xice.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xidx.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xist.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xjse.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xkar.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xkls.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xkrx.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xlim.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xlis.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xlon.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xmad.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xmex.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xmil.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xmos.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xnys.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xnze.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xosl.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xpar.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xphs.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xpra.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xses.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xsgo.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xshg.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xsto.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xswx.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xtae.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xtai.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xtks.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xtse.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xwar.py
■ ■ ■ ■ ■ ■■■ exchange_calendar_xwbo.py
■ ■ ■ ■ ■ ■■■ lunisolar_holidays.py
■ ■ ■ ■ ■ ■■■ pandas_extensions
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ holiday.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ korean_holiday.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ offsets.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ holiday.py
■ ■ ■ ■ ■ ■■■ korean_holiday.py
■ ■ ■ ■ ■ ■■■ offsets.py
■ ■ ■ ■ ■ ■■■ precomputed_exchange_calendar.py
■ ■ ■ ■ ■ ■■■ tase_holidays.py
■ ■ ■ ■ ■ ■■■ us_futures_calendar.py
■ ■ ■ ■ ■ ■■■ us_holidays.py
■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```


[illegible]

[illegible]

[illegible]


```

■■■■ __init__.cpython-311.pyc
■■■■ ar_J0
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ ar_PS
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ ar_SA
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ de_DE
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ en_CA
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ en_GB
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ en_NZ
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ en_PH
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ en_US
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ es_ES
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ fil_PH
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ fr_FR
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ he_IL
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ hu_HU
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ id_ID

```

```

init__init__.py
__pycache__
__init__.cpython-311.pyc
no_NO
__init__.py
__pycache__
__init__.cpython-311.pyc
pl_PL
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_BR
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_PT
__init__.py
__pycache__
__init__.cpython-311.pyc
ro_RO
__init__.py
__pycache__
__init__.cpython-311.pyc
ru_RU
__init__.py
__pycache__
__init__.cpython-311.pyc
sk_SK
__init__.py
__pycache__
__init__.cpython-311.pyc
sv_SE
__init__.py
__pycache__
__init__.cpython-311.pyc
th_TH
__init__.py
__pycache__
__init__.cpython-311.pyc
tl_PH
__init__.py
__pycache__
__init__.cpython-311.pyc
tr_TR
__init__.py
__pycache__
__init__.cpython-311.pyc
bank
__init__.py
__pycache__
__init__.cpython-311.pyc
de_AT
__init__.py
__pycache__
__init__.cpython-311.pyc
de_CH
__init__.py
__pycache__

```

[illegible]


```

__init__.py
__pycache__
__init__.cpython-311.pyc
ro_R0
__init__.py
__pycache__
__init__.cpython-311.pyc
ru_RU
__init__.py
__pycache__
__init__.cpython-311.pyc
th_TH
__init__.py
__pycache__
__init__.cpython-311.pyc
tl_PH
__init__.py
__pycache__
__init__.cpython-311.pyc
tr_TR
__init__.py
__pycache__
__init__.cpython-311.pyc
barcode
__init__.py
__pycache__
__init__.cpython-311.pyc
en_CA
__init__.py
__pycache__
__init__.cpython-311.pyc
en_US
__init__.py
__pycache__
__init__.cpython-311.pyc
es_ES
__init__.py
__pycache__
__init__.cpython-311.pyc
fr_CA
__init__.py
__pycache__
__init__.cpython-311.pyc
ja_JP
__init__.py
__pycache__
__init__.cpython-311.pyc
color
__init__.py
__pycache__
__init__.cpython-311.pyc
color.cpython-311.pyc
ar_PS
__init__.py
__pycache__
__init__.cpython-311.pyc
color.py
en_US

```

```

init_.py
__pycache__
__init__.cpython-311.pyc
es_ES
__init__.py
__pycache__
__init__.cpython-311.pyc
fa_IR
__init__.py
__pycache__
__init__.cpython-311.pyc
fr_FR
__init__.py
__pycache__
__init__.cpython-311.pyc
he_IL
__init__.py
__pycache__
__init__.cpython-311.pyc
hr_HR
__init__.py
__pycache__
__init__.cpython-311.pyc
hu_HU
__init__.py
__pycache__
__init__.cpython-311.pyc
hy_AM
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_BR
__init__.py
__pycache__
__init__.cpython-311.pyc
ru_RU
__init__.py
__pycache__
__init__.cpython-311.pyc
sk_SK
__init__.py
__pycache__
__init__.cpython-311.pyc
th_TH
__init__.py
__pycache__
__init__.cpython-311.pyc
uk_UA
__init__.py
__pycache__
__init__.cpython-311.pyc
company
__init__.py
__pycache__
__init__.cpython-311.pyc
bg_BG
__init__.py
__pycache__

```


[illegible]


```

init_.py
__pycache__
__init__.cpython-311.pyc
es_ES
__init__.py
__pycache__
__init__.cpython-311.pyc
fr_CA
__init__.py
__pycache__
__init__.cpython-311.pyc
fr_FR
__init__.py
__pycache__
__init__.cpython-311.pyc
it_IT
__init__.py
__pycache__
__init__.cpython-311.pyc
pl_PL
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_BR
__init__.py
__pycache__
__init__.cpython-311.pyc
ro_RO
__init__.py
__pycache__
__init__.cpython-311.pyc
ru_RU
__init__.py
__pycache__
__init__.cpython-311.pyc
sk_SK
__init__.py
__pycache__
__init__.cpython-311.pyc
sv_SE
__init__.py
__pycache__
__init__.cpython-311.pyc
th_TH
__init__.py
__pycache__
__init__.cpython-311.pyc
date_time
__init__.py
__pycache__
__init__.cpython-311.pyc
ar_AA
__init__.py
__pycache__
__init__.cpython-311.pyc
ar_EG
__init__.py
__pycache__

```

```
cs_CZ      _init__.cpython-311.pyc  
_init__.py  
__pycache__  
_init__.cpython-311.pyc  
de_AT     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
de_DE     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
en_PH     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
en_US     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
es_ES     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
fil_PH    _init__.py  
__pycache__  
_init__.cpython-311.pyc  
fr_FR     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
hi_IN     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
hr_HR     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
hu_HU     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
hy_AM     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
id_ID     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
it_IT     _init__.py  
__pycache__  
_init__.cpython-311.pyc  
ko_KR
```

```

init__py
__pycache__
__init__.cpython-311.pyc
pl_PL
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_BR
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_PT
__init__.py
__pycache__
__init__.cpython-311.pyc
ro_RO
__init__.py
__pycache__
__init__.cpython-311.pyc
ru_RU
__init__.py
__pycache__
__init__.cpython-311.pyc
sk_SK
__init__.py
__pycache__
__init__.cpython-311.pyc
sl_SI
__init__.py
__pycache__
__init__.cpython-311.pyc
ta_IN
__init__.py
__pycache__
__init__.cpython-311.pyc
th_TH
__init__.py
__pycache__
__init__.cpython-311.pyc
tl_PH
__init__.py
__pycache__
__init__.cpython-311.pyc
tr_TR
__init__.py
__pycache__
__init__.cpython-311.pyc
file
__init__.py
__pycache__
__init__.cpython-311.pyc
en_US
__init__.py
__pycache__
__init__.cpython-311.pyc
geo
__init__.py
__pycache__

```



```

■■■■ __init__.cpython-311.pyc
■■■■ de_AT
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ el_GR
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ en_IE
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ en_US
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ pt_PT
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ tr_TR
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ internet
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ ar_AA
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ bg_BG
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ bs_BA
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ cs_CZ
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ de_AT
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ de_DE
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ el_GR
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ en_AU

```

[illegible]

ja	JP	__init__.cpython-311.pyc
ja	JP	__init__.py
ja	JP	__pycache__
ko	KR	__init__.cpython-311.pyc
ko	KR	__init__.py
ko	KR	__pycache__
ko	KR	__init__.cpython-311.pyc
no	NO	__init__.py
no	NO	__pycache__
no	NO	__init__.cpython-311.pyc
pl	PL	__init__.py
pl	PL	__pycache__
pl	PL	__init__.cpython-311.pyc
pt	BR	__init__.py
pt	BR	__pycache__
pt	BR	__init__.cpython-311.pyc
pt	PT	__init__.py
pt	PT	__pycache__
pt	PT	__init__.cpython-311.pyc
ro	RO	__init__.py
ro	RO	__pycache__
ro	RO	__init__.cpython-311.pyc
ru	RU	__init__.py
ru	RU	__pycache__
ru	RU	__init__.cpython-311.pyc
sk	SK	__init__.py
sk	SK	__pycache__
sk	SK	__init__.cpython-311.pyc
sl	SI	__init__.py
sl	SI	__pycache__
sl	SI	__init__.cpython-311.pyc
sv	SE	__init__.py
sv	SE	__pycache__
sv	SE	__init__.cpython-311.pyc
th	TH	__init__.py
th	TH	__pycache__
th	TH	__init__.cpython-311.pyc
tl	PH	__init__.py
tl	PH	__pycache__
tl	PH	__init__.cpython-311.pyc
uk	UA	__init__.py
uk	UA	__pycache__
uk	UA	__init__.cpython-311.pyc
zh	CN	

```

__init__.py
__pycache__
__init__.cpython-311.pyc
zh_TW
__init__.py
__pycache__
__init__.cpython-311.pyc
isbn
__init__.py
__pycache__
__init__.cpython-311.pyc
isbn.cpython-311.pyc
rules.cpython-311.pyc
en_US
__init__.py
__pycache__
__init__.cpython-311.pyc
isbn.py
rules.py
job
__init__.py
__pycache__
__init__.cpython-311.pyc
ar_AA
__init__.py
__pycache__
__init__.cpython-311.pyc
bs_BA
__init__.py
__pycache__
__init__.cpython-311.pyc
de_DE
__init__.py
__pycache__
__init__.cpython-311.pyc
el_GR
__init__.py
__pycache__
__init__.cpython-311.pyc
en_US
__init__.py
__pycache__
__init__.cpython-311.pyc
fa_IR
__init__.py
__pycache__
__init__.cpython-311.pyc
fi_FI
__init__.py
__pycache__
__init__.cpython-311.pyc
fr_CH
__init__.py
__pycache__
__init__.cpython-311.pyc
fr_FR
__init__.py
__pycache__

```

[illegible]

```

init_.py
__pycache__
__init__.cpython-311.pyc
zh_TW
__init__.py
__pycache__
__init__.cpython-311.pyc
lorem
__init__.py
__pycache__
__init__.cpython-311.pyc
ar_AA
__init__.py
__pycache__
__init__.cpython-311.pyc
cs_CZ
__init__.py
__pycache__
__init__.cpython-311.pyc
el_GR
__init__.py
__pycache__
__init__.cpython-311.pyc
en_PH
__init__.py
__pycache__
__init__.cpython-311.pyc
en_US
__init__.py
__pycache__
__init__.cpython-311.pyc
fil_PH
__init__.py
__pycache__
__init__.cpython-311.pyc
fr_FR
__init__.py
__pycache__
__init__.cpython-311.pyc
he_IL
__init__.py
__pycache__
__init__.cpython-311.pyc
hy_AM
__init__.py
__pycache__
__init__.cpython-311.pyc
ja_JP
__init__.py
__pycache__
__init__.cpython-311.pyc
la
__init__.py
__pycache__
__init__.cpython-311.pyc
pl_PL
__init__.py
__pycache__

```

```

ru_RU
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
th_TH
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
tl_PH
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
zh_CN
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
zh_TW
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
misc
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
en_PH
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
en_US
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
fil_PH
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
tl_PH
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
person
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
ar_AA
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
ar_PS
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
ar_SA
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
bq_BG

```

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

```

__init__.py
__pycache__
__init__.cpython-311.pyc
lt_LT
__init__.py
__pycache__
__init__.cpython-311.pyc
lv_LV
__init__.py
__pycache__
__init__.cpython-311.pyc
ne_NP
__init__.py
__pycache__
__init__.cpython-311.pyc
nl_BE
__init__.py
__pycache__
__init__.cpython-311.pyc
nl_NL
__init__.py
__pycache__
__init__.cpython-311.pyc
no_NO
__init__.py
__pycache__
__init__.cpython-311.pyc
pl_PL
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_BR
__init__.py
__pycache__
__init__.cpython-311.pyc
pt_PT
__init__.py
__pycache__
__init__.cpython-311.pyc
ro_RO
__init__.py
__pycache__
__init__.cpython-311.pyc
ru_RU
__init__.py
__pycache__
__init__.cpython-311.pyc
sk_SK
__init__.py
__pycache__
__init__.cpython-311.pyc
sl_SI
__init__.py
__pycache__
__init__.cpython-311.pyc
sv_SE
__init__.py
__pycache__

```

```

■■■■ __init__.cpython-311.pyc
■■■■ ta_IN
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ th_TH
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ tl_PH
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ tr_TR
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ tw_GH
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ uk_UA
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ zh_CN
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ zh_TW
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ profile
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ en_US
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ python
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ en_US
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ ssn
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ bg_BG
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ cs_CZ

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
de_AT
__init__.py
__pycache__
__init__.cpython-311.pyc
de_CH
__init__.py
__pycache__
__init__.cpython-311.pyc
de_DE
__init__.py
__pycache__
__init__.cpython-311.pyc
dk_DK
__init__.py
__pycache__
__init__.cpython-311.pyc
el_CY
__init__.py
__pycache__
__init__.cpython-311.pyc
el_GR
__init__.py
__pycache__
__init__.cpython-311.pyc
en_CA
__init__.py
__pycache__
__init__.cpython-311.pyc
en_GB
__init__.py
__pycache__
__init__.cpython-311.pyc
en_IE
__init__.py
__pycache__
__init__.cpython-311.pyc
en_IN
__init__.py
__pycache__
__init__.cpython-311.pyc
en_PH
__init__.py
__pycache__
__init__.cpython-311.pyc
en_US
__init__.py
__pycache__
__init__.cpython-311.pyc
es_CA
__init__.py
__pycache__
__init__.cpython-311.pyc
es_ES
__init__.py
__pycache__

```


■	■	■	■	■	■	■■■	templating.cpython-311.pyc
■	■	■	■	■	■	■■■	testclient.cpython-311.pyc
■	■	■	■	■	■	■■■	types.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■	websockets.cpython-311.pyc
■	■	■	■	■	■■■		_compat.py
■	■	■	■	■	■■■		applications.py
■	■	■	■	■	■■■		background.py
■	■	■	■	■	■■■		concurrency.py
■	■	■	■	■	■■■		datastructures.py
■	■	■	■	■	■■■		dependencies
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	models.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■■■		models.py
■	■	■	■	■	■■■		utils.py
■	■	■	■	■	■■■		encoders.py
■	■	■	■	■	■■■		exception_handlers.py
■	■	■	■	■	■■■		exceptions.py
■	■	■	■	■	■■■		logger.py
■	■	■	■	■	■■■		middleware
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	cors.cpython-311.pyc
■	■	■	■	■	■	■■■	gzip.cpython-311.pyc
■	■	■	■	■	■	■■■	httpsredirect.cpython-311.pyc
■	■	■	■	■	■	■■■	trustedhost.cpython-311.pyc
■	■	■	■	■	■	■■■	wsgi.cpython-311.pyc
■	■	■	■	■	■■■		cors.py
■	■	■	■	■	■■■		gzip.py
■	■	■	■	■	■■■		httpsredirect.py
■	■	■	■	■	■■■		trustedhost.py
■	■	■	■	■	■■■		wsgi.py
■	■	■	■	■	■■■		openapi
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	constants.cpython-311.pyc
■	■	■	■	■	■	■■■	docs.cpython-311.pyc
■	■	■	■	■	■	■■■	models.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■■■		constants.py
■	■	■	■	■	■■■		docs.py
■	■	■	■	■	■■■		models.py
■	■	■	■	■	■■■		utils.py
■	■	■	■	■	■■■		param_functions.py
■	■	■	■	■	■■■		params.py
■	■	■	■	■	■■■		py.typed
■	■	■	■	■	■■■		requests.py
■	■	■	■	■	■■■		responses.py
■	■	■	■	■	■■■		routing.py
■	■	■	■	■	■■■		security
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■■■ api_key.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ http.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ oauth2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ open_id_connect_url.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api_key.py
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ http.py
■ ■ ■ ■ ■ ■ ■ ■■■ oauth2.py
■ ■ ■ ■ ■ ■ ■ ■■■ open_id_connect_url.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ staticfiles.py
■ ■ ■ ■ ■ ■ ■■■■ templating.py
■ ■ ■ ■ ■ ■ ■■■■ testclient.py
■ ■ ■ ■ ■ ■ ■■■■ types.py
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ websockets.py
■ ■ ■ ■ ■ ■■■■ fastapi-0.111.0.dist-info
■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■■■■ licenses
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■■ fastapi_cli
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __main__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ cli.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ discover.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ logging.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ cli.py
■ ■ ■ ■ ■ ■■■■ discover.py
■ ■ ■ ■ ■ ■■■■ exceptions.py
■ ■ ■ ■ ■ ■■■■ logging.py
■ ■ ■ ■ ■ ■■■■ py.typed
■ ■ ■ ■ ■ ■■■■ fastapi_cli-0.0.5.dist-info
■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■■■■ entry_points.txt
■ ■ ■ ■ ■ ■■■■ licenses
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■■ fastjsonschema
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __main__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ draft04.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ draft06.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ draft07.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ generator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ indent.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ ref_resolver.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ draft04.py
■ ■ ■ ■ ■ ■ ■■ draft06.py
■ ■ ■ ■ ■ ■ ■■ draft07.py
■ ■ ■ ■ ■ ■ ■■ exceptions.py
■ ■ ■ ■ ■ ■ ■■ generator.py
■ ■ ■ ■ ■ ■ ■■ indent.py
■ ■ ■ ■ ■ ■ ■■ ref_resolver.py
■ ■ ■ ■ ■ ■ ■■ version.py
■ ■ ■ ■ ■ ■ ■■ fastjsonschema-2.21.1.dist-info
■ ■ ■ ■ ■ ■ ■■ AUTHORS
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■ fastprogress
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _nbdev.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ fastprogress.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _nbdev.py
■ ■ ■ ■ ■ ■ ■■ core.py
■ ■ ■ ■ ■ ■ ■■ fastprogress.py
■ ■ ■ ■ ■ ■ ■■ version.py
■ ■ ■ ■ ■ ■ ■■ fastprogress-1.0.3.dist-info
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■ ffmpeg
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _ffmpeg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _probe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _run.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _view.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ dag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ nodes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _ffmpeg.py
■ ■ ■ ■ ■ ■ ■■ _filters.py
■ ■ ■ ■ ■ ■ ■■ _probe.py
■ ■ ■ ■ ■ ■ ■■ _run.py
■ ■ ■ ■ ■ ■ ■■ _utils.py
■ ■ ■ ■ ■ ■ ■■ _view.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ dag.py
■ ■ ■ ■ ■ ■ ■ ■ nodes.py
■ ■ ■ ■ ■ ■ ■ ■ ffmpeg_python-0.2.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ffmpy-0.4.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ffmpy.py
■ ■ ■ ■ ■ ■ ■ ■ filelock
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _error.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _soft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _unix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _windows.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ asyncio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _api.py
■ ■ ■ ■ ■ ■ ■ ■ _error.py
■ ■ ■ ■ ■ ■ ■ ■ _soft.py
■ ■ ■ ■ ■ ■ ■ ■ _unix.py
■ ■ ■ ■ ■ ■ ■ ■ _util.py
■ ■ ■ ■ ■ ■ ■ ■ _windows.py
■ ■ ■ ■ ■ ■ ■ ■ asyncio.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ filelock-3.16.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ fiona
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _show_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ collection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ crs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ drvsupport.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ enums.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ env.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ inspector.cpython-311.pyc

```

■	■	■	■	■	■	■■■	io.cpython-311.pyc
■	■	■	■	■	■	■■■	logutils.cpython-311.pyc
■	■	■	■	■	■	■■■	meta.cpython-311.pyc
■	■	■	■	■	■	■■■	model.cpython-311.pyc
■	■	■	■	■	■	■■■	path.cpython-311.pyc
■	■	■	■	■	■	■■■	rfc3339.cpython-311.pyc
■	■	■	■	■	■	■■■	session.cpython-311.pyc
■	■	■	■	■	■	■■■	transform.cpython-311.pyc
■	■	■	■	■	■	■■■	vfs.cpython-311.pyc
■	■	■	■	■	■■■		_cpl.pxd
■	■	■	■	■	■■■		_csl.pxd
■	■	■	■	■	■■■		_env.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_env.pxd
■	■	■	■	■	■■■		_err.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_err.pxd
■	■	■	■	■	■■■		_geometry.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_geometry.pxd
■	■	■	■	■	■■■		_show_versions.py
■	■	■	■	■	■■■		_transform.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		collection.py
■	■	■	■	■	■■■		compat.py
■	■	■	■	■	■■■		crs.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		crs.pxd
■	■	■	■	■	■■■		crs.py
■	■	■	■	■	■■■		drvsupport.py
■	■	■	■	■	■■■		enums.py
■	■	■	■	■	■■■		env.py
■	■	■	■	■	■■■		errors.py
■	■	■	■	■	■■■		fio
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	bounds.cpython-311.pyc
■	■	■	■	■	■	■■■	calc.cpython-311.pyc
■	■	■	■	■	■	■■■	cat.cpython-311.pyc
■	■	■	■	■	■	■■■	collect.cpython-311.pyc
■	■	■	■	■	■	■■■	distrib.cpython-311.pyc
■	■	■	■	■	■	■■■	dump.cpython-311.pyc
■	■	■	■	■	■	■■■	env.cpython-311.pyc
■	■	■	■	■	■	■■■	filter.cpython-311.pyc
■	■	■	■	■	■	■■■	helpers.cpython-311.pyc
■	■	■	■	■	■	■■■	info.cpython-311.pyc
■	■	■	■	■	■	■■■	insp.cpython-311.pyc
■	■	■	■	■	■	■■■	load.cpython-311.pyc
■	■	■	■	■	■	■■■	ls.cpython-311.pyc
■	■	■	■	■	■	■■■	main.cpython-311.pyc
■	■	■	■	■	■	■■■	options.cpython-311.pyc
■	■	■	■	■	■	■■■	rm.cpython-311.pyc
■	■	■	■	■	■■■		bounds.py
■	■	■	■	■	■■■		calc.py
■	■	■	■	■	■■■		cat.py
■	■	■	■	■	■■■		collect.py
■	■	■	■	■	■■■		distrib.py
■	■	■	■	■	■■■		dump.py
■	■	■	■	■	■■■		env.py
■	■	■	■	■	■■■		filter.py
■	■	■	■	■	■■■		helpers.py
■	■	■	■	■	■■■		info.py


```
■ ■ ■ ■ ■ ■ ■■ insp.py
■ ■ ■ ■ ■ ■ ■■ load.py
■ ■ ■ ■ ■ ■ ■■ ls.py
■ ■ ■ ■ ■ ■ ■■ main.py
■ ■ ■ ■ ■ ■ ■■ options.py
■ ■ ■ ■ ■ ■ ■■ rm.py
■ ■ ■ ■ ■ ■ ■■ gdal.pxi
■ ■ ■ ■ ■ ■ ■■ gdal_data
■ ■ ■ ■ ■ ■ ■■ GDALLogoBW.svg
■ ■ ■ ■ ■ ■ ■■ GDALLogoColor.svg
■ ■ ■ ■ ■ ■ ■■ GDALLogoGS.svg
■ ■ ■ ■ ■ ■ ■■ LICENSE.TXT
■ ■ ■ ■ ■ ■ ■■ bag_template.xml
■ ■ ■ ■ ■ ■ ■■ cubewerx_extra.wkt
■ ■ ■ ■ ■ ■ ■■ default.rsc
■ ■ ■ ■ ■ ■ ■■ ecw_cs.wkt
■ ■ ■ ■ ■ ■ ■■ eedaconf.json
■ ■ ■ ■ ■ ■ ■■ epsg.wkt
■ ■ ■ ■ ■ ■ ■■ esri_StatePlane_extra.wkt
■ ■ ■ ■ ■ ■ ■■ gdalicon.png
■ ■ ■ ■ ■ ■ ■■ gdalmdiminfo_output.schema.json
■ ■ ■ ■ ■ ■ ■■ gdalvrt.xsd
■ ■ ■ ■ ■ ■ ■■ gml_registry.xml
■ ■ ■ ■ ■ ■ ■■ gmlasconf.xml
■ ■ ■ ■ ■ ■ ■■ gmlasconf.xsd
■ ■ ■ ■ ■ ■ ■■ grib2_center.csv
■ ■ ■ ■ ■ ■ ■■ grib2_process.csv
■ ■ ■ ■ ■ ■ ■■ grib2_subcenter.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_0.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_1.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_13.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_14.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_15.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_16.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_17.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_18.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_19.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_190.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_191.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_2.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_20.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_3.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_4.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_5.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_6.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_0_7.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_10_0.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_10_1.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_10_191.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_10_2.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_10_3.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_10_4.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_1_0.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_1_1.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_1_2.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_20_0.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_20_1.csv
■ ■ ■ ■ ■ ■ ■■ grib2_table_4_2_20_2.csv
```

■	■	■	■	■	■	■■■	grib2_table_4_2_2_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_6.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_10.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_6.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_7.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_8.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_4_9.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_Canada.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_HPC.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_MRMS.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_NCEP.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_NDFD.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_local_index.csv
■	■	■	■	■	■	■■■	grib2_table_4_5.csv
■	■	■	■	■	■	■■■	grib2_table_versions.csv
■	■	■	■	■	■	■■■	gt_datum.csv
■	■	■	■	■	■	■■■	gt_ellips.csv
■	■	■	■	■	■	■■■	header.dxf
■	■	■	■	■	■	■■■	inspire_cp_BasicPropertyUnit.gfs
■	■	■	■	■	■	■■■	inspire_cp_CadastralBoundary.gfs
■	■	■	■	■	■	■■■	inspire_cp_CadastralParcel.gfs
■	■	■	■	■	■	■■■	inspire_cp_CadastralZoning.gfs
■	■	■	■	■	■	■■■	jpfgdgml_AdmArea.gfs
■	■	■	■	■	■	■■■	jpfgdgml_AdmBdry.gfs
■	■	■	■	■	■	■■■	jpfgdgml_AdmPt.gfs
■	■	■	■	■	■	■■■	jpfgdgml_BldA.gfs
■	■	■	■	■	■	■■■	jpfgdgml_BldL.gfs
■	■	■	■	■	■	■■■	jpfgdgml_Cntr.gfs
■	■	■	■	■	■	■■■	jpfgdgml_CommBdry.gfs
■	■	■	■	■	■	■■■	jpfgdgml_CommPt.gfs
■	■	■	■	■	■	■■■	jpfgdgml_Cstline.gfs
■	■	■	■	■	■	■■■	jpfgdgml_ElevPt.gfs
■	■	■	■	■	■	■■■	jpfgdgml_GCP.gfs
■	■	■	■	■	■	■■■	jpfgdgml_LeveeEdge.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RailCL.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdASL.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdArea.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdCompt.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdEdg.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdMgtBdry.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RdSgmtA.gfs
■	■	■	■	■	■	■■■	jpfgdgml_RvrMgtBdry.gfs
■	■	■	■	■	■	■■■	jpfgdgml_SBAPt.gfs

■	■	■	■	■	■	■■■	jpfgdgml_SBArea.gfs
■	■	■	■	■	■	■■■	jpfgdgml_SBBdry.gfs
■	■	■	■	■	■	■■■	jpfgdgml_WA.gfs
■	■	■	■	■	■	■■■	jpfgdgml_WL.gfs
■	■	■	■	■	■	■■■	jpfgdgml_WStrA.gfs
■	■	■	■	■	■	■■■	jpfgdgml_WStrL.gfs
■	■	■	■	■	■	■■■	netcdf_config.xsd
■	■	■	■	■	■	■■■	nitf_spec.xml
■	■	■	■	■	■	■■■	nitf_spec.xsd
■	■	■	■	■	■	■■■	ogrvrt.xsd
■	■	■	■	■	■	■■■	osmconf.ini
■	■	■	■	■	■	■■■	ози_datum.csv
■	■	■	■	■	■	■■■	ози_ellips.csv
■	■	■	■	■	■	■■■	pci_datum.txt
■	■	■	■	■	■	■■■	pci_ellips.txt
■	■	■	■	■	■	■■■	pdfcomposition.xsd
■	■	■	■	■	■	■■■	pds4_template.xml
■	■	■	■	■	■	■■■	plscenesconf.json
■	■	■	■	■	■	■■■	ruian_vf_ob_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_st_uvoh_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_st_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_v1.gfs
■	■	■	■	■	■	■■■	s57agencies.csv
■	■	■	■	■	■	■■■	s57attributes.csv
■	■	■	■	■	■	■■■	s57expectedinput.csv
■	■	■	■	■	■	■■■	s57objectclasses.csv
■	■	■	■	■	■	■■■	seed_2d.dgn
■	■	■	■	■	■	■■■	seed_3d.dgn
■	■	■	■	■	■	■■■	stateplane.csv
■	■	■	■	■	■	■■■	template_tiles.mapml
■	■	■	■	■	■	■■■	tms_LINZAntarticaMapTileGrid.json
■	■	■	■	■	■	■■■	tms_MapML_APSTILE.json
■	■	■	■	■	■	■■■	tms_MapML_CBMTILE.json
■	■	■	■	■	■	■■■	tms_NZTM2000.json
■	■	■	■	■	■	■■■	trailer.dxf
■	■	■	■	■	■	■■■	vdv452.xml
■	■	■	■	■	■	■■■	vdv452.xsd
■	■	■	■	■	■	■■■	vicar.json
■	■	■	■	■	■■■	inspector.py	
■	■	■	■	■	■■■	io.py	
■	■	■	■	■	■■■	logutils.py	
■	■	■	■	■	■■■	meta.py	
■	■	■	■	■	■■■	model.py	
■	■	■	■	■	■■■	ogrext.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	ogrext1.pxd	
■	■	■	■	■	■■■	ogrext2.pxd	
■	■	■	■	■	■■■	ogrext3.pxd	
■	■	■	■	■	■■■	path.py	
■	■	■	■	■	■■■	proj_data	
■	■	■	■	■	■■■	CH	
■	■	■	■	■	■■■	GL27	
■	■	■	■	■	■■■	ITRF2000	
■	■	■	■	■	■■■	ITRF2008	
■	■	■	■	■	■■■	ITRF2014	
■	■	■	■	■	■■■	deformation_model.schema.json	
■	■	■	■	■	■■■	nad.lst	
■	■	■	■	■	■■■	nad27	
■	■	■	■	■	■■■	nad83	

```

■ ■ ■ ■ ■ ■ ■ ■ other.extra
■ ■ ■ ■ ■ ■ ■ ■ proj.db
■ ■ ■ ■ ■ ■ ■ ■ proj.ini
■ ■ ■ ■ ■ ■ ■ ■ projjson.schema.json
■ ■ ■ ■ ■ ■ ■ ■ triangulation.schema.json
■ ■ ■ ■ ■ ■ ■ ■ world
■ ■ ■ ■ ■ ■ ■ ■ rfc3339.py
■ ■ ■ ■ ■ ■ ■ ■ schema.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ session.py
■ ■ ■ ■ ■ ■ ■ ■ transform.py
■ ■ ■ ■ ■ ■ ■ ■ vfs.py
■ ■ ■ ■ ■ ■ ■ ■ fitz
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ fitz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _fitz.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ fitz.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ flask
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ blueprints.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cli.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ctx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ debughelpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ globals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ logging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ sessions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ signals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ templating.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ typing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ views.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ wrappers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ app.py
■ ■ ■ ■ ■ ■ ■ ■ blueprints.py
■ ■ ■ ■ ■ ■ ■ ■ cli.py
■ ■ ■ ■ ■ ■ ■ ■ config.py
■ ■ ■ ■ ■ ■ ■ ■ ctx.py
■ ■ ■ ■ ■ ■ ■ ■ debughelpers.py
■ ■ ■ ■ ■ ■ ■ ■ globals.py
■ ■ ■ ■ ■ ■ ■ ■ helpers.py
■ ■ ■ ■ ■ ■ ■ ■ json
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ provider.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tag.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      provider.py
■      ■      ■      ■      ■      ■      tag.py
■      ■      ■      ■      ■      ■      logging.py
■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      sansio
■      ■      ■      ■      ■      ■      README.md
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      app.cpython-311.pyc
■      ■      ■      ■      ■      ■      blueprints.cpython-311.pyc
■      ■      ■      ■      ■      ■      scaffold.cpython-311.pyc
■      ■      ■      ■      ■      ■      app.py
■      ■      ■      ■      ■      ■      blueprints.py
■      ■      ■      ■      ■      ■      scaffold.py
■      ■      ■      ■      ■      ■      sessions.py
■      ■      ■      ■      ■      ■      signals.py
■      ■      ■      ■      ■      ■      templating.py
■      ■      ■      ■      ■      ■      testing.py
■      ■      ■      ■      ■      ■      typing.py
■      ■      ■      ■      ■      ■      views.py
■      ■      ■      ■      ■      ■      wrappers.py
■      ■      ■      ■      ■      ■      flask-3.1.0.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      LICENSE.txt
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      entry_points.txt
■      ■      ■      ■      ■      ■      flask_cachebuster
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      flask_cors
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      core.cpython-311.pyc
■      ■      ■      ■      ■      ■      decorator.cpython-311.pyc
■      ■      ■      ■      ■      ■      extension.cpython-311.pyc
■      ■      ■      ■      ■      ■      version.cpython-311.pyc
■      ■      ■      ■      ■      ■      core.py
■      ■      ■      ■      ■      ■      decorator.py
■      ■      ■      ■      ■      ■      extension.py
■      ■      ■      ■      ■      ■      version.py
■      ■      ■      ■      ■      ■      flask_login
■      ■      ■      ■      ■      ■      __about__.py
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __about__.cpython-311.pyc
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      config.cpython-311.pyc
■      ■      ■      ■      ■      ■      login_manager.cpython-311.pyc
■      ■      ■      ■      ■      ■      mixins.cpython-311.pyc
■      ■      ■      ■      ■      ■      signals.cpython-311.pyc
■      ■      ■      ■      ■      ■      test_client.cpython-311.pyc
■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      config.py
■      ■      ■      ■      ■      ■      login_manager.py
■      ■      ■      ■      ■      ■      mixins.py

```

```

■■■ signals.py
■■■ test_client.py
■■■ utils.py
■■■ folium
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _version.cpython-311.pyc
■■■ elements.cpython-311.pyc
■■■ features.cpython-311.pyc
■■■ folium.cpython-311.pyc
■■■ map.cpython-311.pyc
■■■ raster_layers.cpython-311.pyc
■■■ utilities.cpython-311.pyc
■■■ vector_layers.cpython-311.pyc
■■■ _version.py
■■■ elements.py
■■■ features.py
■■■ folium.py
■■■ map.py
■■■ plugins
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ antpath.cpython-311.pyc
■■■ beautify_icon.cpython-311.pyc
■■■ boat_marker.cpython-311.pyc
■■■ draw.cpython-311.pyc
■■■ dual_map.cpython-311.pyc
■■■ fast_marker_cluster.cpython-311.pyc
■■■ feature_group_sub_group.cpython-311.pyc
■■■ float_image.cpython-311.pyc
■■■ fullscreen.cpython-311.pyc
■■■ geocoder.cpython-311.pyc
■■■ heat_map.cpython-311.pyc
■■■ heat_map_withtime.cpython-311.pyc
■■■ locate_control.cpython-311.pyc
■■■ marker_cluster.cpython-311.pyc
■■■ measure_control.cpython-311.pyc
■■■ minimap.cpython-311.pyc
■■■ mouse_position.cpython-311.pyc
■■■ pattern.cpython-311.pyc
■■■ polyline_offset.cpython-311.pyc
■■■ polyline_text_path.cpython-311.pyc
■■■ scroll_zoom_toggler.cpython-311.pyc
■■■ search.cpython-311.pyc
■■■ semicircle.cpython-311.pyc
■■■ terminator.cpython-311.pyc
■■■ time_slider_choropleth.cpython-311.pyc
■■■ timestamped_geo_json.cpython-311.pyc
■■■ timestamped_wmstilelayer.cpython-311.pyc
■■■ antpath.py
■■■ beautify_icon.py
■■■ boat_marker.py
■■■ draw.py
■■■ dual_map.py
■■■ fast_marker_cluster.py
■■■ feature_group_sub_group.py

```

■	■	■	■	■	■	■■■ float_image.py
■	■	■	■	■	■	■■■ fullscreen.py
■	■	■	■	■	■	■■■ geocoder.py
■	■	■	■	■	■	■■■ heat_map.py
■	■	■	■	■	■	■■■ heat_map_withtime.py
■	■	■	■	■	■	■■■ locate_control.py
■	■	■	■	■	■	■■■ marker_cluster.py
■	■	■	■	■	■	■■■ measure_control.py
■	■	■	■	■	■	■■■ minimap.py
■	■	■	■	■	■	■■■ mouse_position.py
■	■	■	■	■	■	■■■ pattern.py
■	■	■	■	■	■	■■■ polyline_offset.py
■	■	■	■	■	■	■■■ polyline_text_path.py
■	■	■	■	■	■	■■■ scroll_zoom_toggler.py
■	■	■	■	■	■	■■■ search.py
■	■	■	■	■	■	■■■ semicircle.py
■	■	■	■	■	■	■■■ terminator.py
■	■	■	■	■	■	■■■ time_slider_choropleth.py
■	■	■	■	■	■	■■■ timestamped_geo_json.py
■	■	■	■	■	■	■■■ timestamped_wmstilelayer.py
■	■	■	■	■	■■■	raster_layers.py
■	■	■	■	■	■■■	templates
■	■	■	■	■	■	■■■ fit_bounds.js
■	■	■	■	■	■	■■■ leaflet_heat.min.js
■	■	■	■	■	■	■■■ pa7_hm.min.js
■	■	■	■	■	■	■■■ pa7_leaflet_hm.min.js
■	■	■	■	■	■	■■■ tiles
■	■	■	■	■	■	■■■ cartodbdark_matter
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ cartodbpositron
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ cartodbpositronnolabels
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ cartodbpositrononlylabels
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ openstreetmap
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ stamenterrain
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ stamentoner
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ stamentonerbackground
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ stamentonerlabels
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■	■■■ stamenwatercolor
■	■	■	■	■	■	■ ■■■ attr.txt
■	■	■	■	■	■	■ ■■■ tiles.txt
■	■	■	■	■	■■■	utilities.py

```

■      ■      ■      ■      ■      ■      ■      vector_layers.py
■      ■      ■      ■      ■      ■      ■■■ folium-0.12.1.dist-info
■      ■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■      ■■■ LICENSE.txt
■      ■      ■      ■      ■      ■      ■■■ METADATA
■      ■      ■      ■      ■      ■      ■■■ RECORD
■      ■      ■      ■      ■      ■      ■■■ REQUESTED
■      ■      ■      ■      ■      ■      ■■■ WHEEL
■      ■      ■      ■      ■      ■      ■■■ top_level.txt
■      ■      ■      ■      ■■■ fontTools
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __main__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ afmLib.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ agl.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ fontBuilder.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ help.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ tfmLib.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ ttx.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ unicode.cpython-311.pyc
■      ■      ■      ■      ■■■ afmLib.py
■      ■      ■      ■      ■■■ agl.py
■      ■      ■      ■      ■■■ cffLib
■      ■      ■      ■      ■      ■■■ CFF2ToCFF.py
■      ■      ■      ■      ■      ■■■ CFFToCFF2.py
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■■■ CFF2ToCFF.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ CFFToCFF2.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ specializer.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ transforms.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ width.cpython-311.pyc
■      ■      ■      ■      ■■■ specializer.py
■      ■      ■      ■      ■■■ transforms.py
■      ■      ■      ■      ■■■ width.py
■      ■      ■      ■      ■■■ colorLib
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ builder.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ errors.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ geometry.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ table_builder.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ unbuilder.cpython-311.pyc
■      ■      ■      ■      ■■■ builder.py
■      ■      ■      ■      ■■■ errors.py
■      ■      ■      ■      ■■■ geometry.py
■      ■      ■      ■      ■■■ table_builder.py
■      ■      ■      ■      ■■■ unbuilder.py
■      ■      ■      ■      ■■■ config
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■■■ cu2qu
■      ■      ■      ■      ■      ■■■ __init__.py

```



```

■ ■ ■ ■ ■ ■ ■ ■■■ transform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ treeTools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vector.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ visitor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ xmlReader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ xmlWriter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arrayTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ bezierTools.c
■ ■ ■ ■ ■ ■ ■ ■■■ bezierTools.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ bezierTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ classifyTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ cliTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ configTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ cython.py
■ ■ ■ ■ ■ ■ ■ ■■■ dictTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ eexec.py
■ ■ ■ ■ ■ ■ ■ ■■■ encodingTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ etree.py
■ ■ ■ ■ ■ ■ ■ ■■■ filenames.py
■ ■ ■ ■ ■ ■ ■ ■■■ fixedTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ intTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ iterTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ lazyTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ loggingTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ macCreatorType.py
■ ■ ■ ■ ■ ■ ■ ■■■ macRes.py
■ ■ ■ ■ ■ ■ ■ ■■■ plistlib
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ psCharStrings.py
■ ■ ■ ■ ■ ■ ■ ■■■ psLib.py
■ ■ ■ ■ ■ ■ ■ ■■■ psOperators.py
■ ■ ■ ■ ■ ■ ■ ■■■ py23.py
■ ■ ■ ■ ■ ■ ■ ■■■ roundTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ sstruct.py
■ ■ ■ ■ ■ ■ ■ ■■■ symfont.py
■ ■ ■ ■ ■ ■ ■ ■■■ testTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ textTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ timeTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ transform.py
■ ■ ■ ■ ■ ■ ■ ■■■ treeTools.py
■ ■ ■ ■ ■ ■ ■ ■■■ vector.py
■ ■ ■ ■ ■ ■ ■ ■■■ visitor.py
■ ■ ■ ■ ■ ■ ■ ■■■ xmlReader.py
■ ■ ■ ■ ■ ■ ■ ■■■ xmlWriter.py
■ ■ ■ ■ ■ ■ ■ ■■■ mtilib
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ otllib
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ builder.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■■■■ error.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ maxContextCalc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ builder.py
■      ■      ■      ■      ■      ■      ■■■■ error.py
■      ■      ■      ■      ■      ■      ■■■■ maxContextCalc.py
■      ■      ■      ■      ■      ■      ■■■■ optimize
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __main__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ gpos.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ gpos.py
■      ■      ■      ■      ■      ■■■■ pens
■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ areaPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ basePen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ boundsPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ cairoPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ cocoaPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ cu2quPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ explicitClosingLinePen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ filterPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ freetypePen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ hashPointPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ momentsPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ perimeterPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ pointInsidePen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ pointPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ qtPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ qu2cuPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ quartzPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ recordingPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ reportLabPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ reverseContourPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ roundingPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ statisticsPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ svgPathPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ t2CharStringPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ teePen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ transformPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ ttGlyphPen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ wxPen.cpython-311.pyc
■      ■      ■      ■      ■      ■■■■ areaPen.py
■      ■      ■      ■      ■      ■■■■ basePen.py
■      ■      ■      ■      ■      ■■■■ boundsPen.py
■      ■      ■      ■      ■      ■■■■ cairoPen.py
■      ■      ■      ■      ■      ■■■■ cocoaPen.py
■      ■      ■      ■      ■      ■■■■ cu2quPen.py
■      ■      ■      ■      ■      ■■■■ explicitClosingLinePen.py
■      ■      ■      ■      ■      ■■■■ filterPen.py
■      ■      ■      ■      ■      ■■■■ freetypePen.py
■      ■      ■      ■      ■      ■■■■ hashPointPen.py
■      ■      ■      ■      ■      ■■■■ momentsPen.c
■      ■      ■      ■      ■      ■■■■ momentsPen.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■■ momentsPen.py

```

```

■      ■      ■      ■      ■      ■      ■      perimeterPen.py
■      ■      ■      ■      ■      ■      ■      pointInsidePen.py
■      ■      ■      ■      ■      ■      ■      pointPen.py
■      ■      ■      ■      ■      ■      ■      qtPen.py
■      ■      ■      ■      ■      ■      ■      qu2cuPen.py
■      ■      ■      ■      ■      ■      ■      quartzPen.py
■      ■      ■      ■      ■      ■      ■      recordingPen.py
■      ■      ■      ■      ■      ■      ■      reportLabPen.py
■      ■      ■      ■      ■      ■      ■      reverseContourPen.py
■      ■      ■      ■      ■      ■      ■      roundingPen.py
■      ■      ■      ■      ■      ■      ■      statisticsPen.py
■      ■      ■      ■      ■      ■      ■      svgPathPen.py
■      ■      ■      ■      ■      ■      ■      t2CharStringPen.py
■      ■      ■      ■      ■      ■      ■      teePen.py
■      ■      ■      ■      ■      ■      ■      transformPen.py
■      ■      ■      ■      ■      ■      ■      ttGlyphPen.py
■      ■      ■      ■      ■      ■      ■      wxPen.py
■      ■      ■      ■      ■      ■      ■■■ qu2cu
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __main__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ benchmark.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ cli.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ qu2cu.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ benchmark.py
■      ■      ■      ■      ■      ■      ■■■ cli.py
■      ■      ■      ■      ■      ■      ■■■ qu2cu.c
■      ■      ■      ■      ■      ■      ■■■ qu2cu.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■ qu2cu.py
■      ■      ■      ■      ■      ■      ■■■ subset
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __main__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ cff.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ svg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ cff.py
■      ■      ■      ■      ■      ■      ■■■ svg.py
■      ■      ■      ■      ■      ■      ■■■ util.py
■      ■      ■      ■      ■      ■      ■■■ svgLib
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ path
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ arc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ parser.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ shapes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ arc.py
■      ■      ■      ■      ■      ■      ■      ■■■ parser.py
■      ■      ■      ■      ■      ■      ■      ■■■ shapes.py
■      ■      ■      ■      ■      ■      ■■■ t1Lib

```

[illegible]

■	■	■	■	■	■	■	■■■	S_T_A_T_.py
■	■	■	■	■	■	■	■■■	S_V_G_.py
■	■	■	■	■	■	■	■■■	S__i_l_f.py
■	■	■	■	■	■	■	■■■	S__i_l_l.py
■	■	■	■	■	■	■	■■■	T_S_I_B_.py
■	■	■	■	■	■	■	■■■	T_S_I_C_.py
■	■	■	■	■	■	■	■■■	T_S_I_D_.py
■	■	■	■	■	■	■	■■■	T_S_I_J_.py
■	■	■	■	■	■	■	■■■	T_S_I_P_.py
■	■	■	■	■	■	■	■■■	T_S_I_S_.py
■	■	■	■	■	■	■	■■■	T_S_I_V_.py
■	■	■	■	■	■	■	■■■	T_S_I__0.py
■	■	■	■	■	■	■	■■■	T_S_I__1.py
■	■	■	■	■	■	■	■■■	T_S_I__2.py
■	■	■	■	■	■	■	■■■	T_S_I__3.py
■	■	■	■	■	■	■	■■■	T_S_I__5.py
■	■	■	■	■	■	■	■■■	T_T_F_A_.py
■	■	■	■	■	■	■	■■■	TupleVariation.py
■	■	■	■	■	■	■	■■■	V_A_R_C_.py
■	■	■	■	■	■	■	■■■	V_D_M_X_.py
■	■	■	■	■	■	■	■■■	V_O_R_G_.py
■	■	■	■	■	■	■	■■■	V_V_A_R_.py
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■ B_A_S_E_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ BitmapGlyphMetrics.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_B_D_T_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_B_L_C_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_F_F_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_F_F__2.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_O_L_R_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ C_P_A_L_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ D_S_I_G_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ D__e_b_g.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ DefaultTable.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ E_B_D_T_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ E_B_L_C_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ F_F_T_M_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ F__e_a_t.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G_D_E_F_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G_M_A_P_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G_P_K_G_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G_P_O_S_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G_S_U_B_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G__l_a_t.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ G__l_o_c.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ H_V_A_R_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ J_S_T_F_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ L_T_S_H_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ M_A_T_H_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ M_E_T_A_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ M_V_A_R_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ O_S_2f_2.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ S_I_N_G_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ S_T_A_T_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ S_V_G_.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ S__i_l_f.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ S__i_l_l.cpython-311.pyc

■	■	■	■	■	■	■	■	■■■■	otData.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	otTables.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	otTraverse.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	sbixGlyph.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	sbixStrike.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	ttProgram.cpython-311.pyc
■	■	■	■	■	■	■	■■■■		_a_n_k_r.py
■	■	■	■	■	■	■	■■■■		_a_v_a_r.py
■	■	■	■	■	■	■	■■■■		_b_s_l_n.py
■	■	■	■	■	■	■	■■■■		_c_i_d_g.py
■	■	■	■	■	■	■	■■■■		_c_m_a_p.py
■	■	■	■	■	■	■	■■■■		_c_v_a_r.py
■	■	■	■	■	■	■	■■■■		_c_v_t.py
■	■	■	■	■	■	■	■■■■		_f_e_a_t.py
■	■	■	■	■	■	■	■■■■		_f_p_g_m.py
■	■	■	■	■	■	■	■■■■		_f_v_a_r.py
■	■	■	■	■	■	■	■■■■		_g_a_s_p.py
■	■	■	■	■	■	■	■■■■		_g_c_i_d.py
■	■	■	■	■	■	■	■■■■		_g_l_y_f.py
■	■	■	■	■	■	■	■■■■		_g_v_a_r.py
■	■	■	■	■	■	■	■■■■		_h_d_m_x.py
■	■	■	■	■	■	■	■■■■		_h_e_a_d.py
■	■	■	■	■	■	■	■■■■		_h_h_e_a.py
■	■	■	■	■	■	■	■■■■		_h_m_t_x.py
■	■	■	■	■	■	■	■■■■		_k_e_r_n.py
■	■	■	■	■	■	■	■■■■		_l_c_a_r.py
■	■	■	■	■	■	■	■■■■		_l_o_c_a.py
■	■	■	■	■	■	■	■■■■		_l_t_a_g.py
■	■	■	■	■	■	■	■■■■		_m_a_x_p.py
■	■	■	■	■	■	■	■■■■		_m_e_t_a.py
■	■	■	■	■	■	■	■■■■		_m_o_r_t.py
■	■	■	■	■	■	■	■■■■		_m_o_r_x.py
■	■	■	■	■	■	■	■■■■		_n_a_m_e.py
■	■	■	■	■	■	■	■■■■		_o_p_b_d.py
■	■	■	■	■	■	■	■■■■		_p_o_s_t.py
■	■	■	■	■	■	■	■■■■		_p_r_e_p.py
■	■	■	■	■	■	■	■■■■		_p_r_o_p.py
■	■	■	■	■	■	■	■■■■		_s_b_i_x.py
■	■	■	■	■	■	■	■■■■		_t_r_a_k.py
■	■	■	■	■	■	■	■■■■		_v_h_e_a.py
■	■	■	■	■	■	■	■■■■		_v_m_t_x.py
■	■	■	■	■	■	■	■■■■		asciiTable.py
■	■	■	■	■	■	■	■■■■		grUtils.py
■	■	■	■	■	■	■	■■■■		otBase.py
■	■	■	■	■	■	■	■■■■		otConverters.py
■	■	■	■	■	■	■	■■■■		otData.py
■	■	■	■	■	■	■	■■■■		otTables.py
■	■	■	■	■	■	■	■■■■		otTraverse.py
■	■	■	■	■	■	■	■■■■		sbixGlyph.py
■	■	■	■	■	■	■	■■■■		sbixStrike.py
■	■	■	■	■	■	■	■■■■		table_API_readme.txt
■	■	■	■	■	■	■	■■■■		ttProgram.py
■	■	■	■	■	■	■■■■			ttCollection.py
■	■	■	■	■	■	■■■■			ttFont.py
■	■	■	■	■	■	■■■■			ttGlyphSet.py
■	■	■	■	■	■	■■■■			ttVisitor.py
■	■	■	■	■	■	■■■■			woff2.py
■	■	■	■	■	■■■■				ttx.py

```

    ufoLib
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    converters.cpython-311.pyc
    errors.cpython-311.pyc
    etree.cpython-311.pyc
    filenames.cpython-311.pyc
    glifLib.cpython-311.pyc
    kerning.cpython-311.pyc
    plistlib.cpython-311.pyc
    pointPen.cpython-311.pyc
    utils.cpython-311.pyc
    validators.cpython-311.pyc
    converters.py
    errors.py
    etree.py
    filenames.py
    glifLib.py
    kerning.py
    plistlib.py
    pointPen.py
    utils.py
    validators.py
    unicode.py
    unicodedata
    Blocks.py
    OTTags.py
    ScriptExtensions.py
    Scripts.py
    __init__.py
    __pycache__
    Blocks.cpython-311.pyc
    OTTags.cpython-311.pyc
    ScriptExtensions.cpython-311.pyc
    Scripts.cpython-311.pyc
    __init__.cpython-311.pyc
    varLib
    __init__.py
    __main__.py
    __pycache__
    __init__.cpython-311.pyc
    __main__.cpython-311.pyc
    avar.cpython-311.pyc
    avarPlanner.cpython-311.pyc
    builder.cpython-311.pyc
    cff.cpython-311.pyc
    errors.cpython-311.pyc
    featureVars.cpython-311.pyc
    interpolatable.cpython-311.pyc
    interpolatableHelpers.cpython-311.pyc
    interpolatablePlot.cpython-311.pyc
    interpolatableTestContourOrder.cpython-311.pyc
    interpolatableTestStartingPoint.cpython-311.pyc
    interpolate_layout.cpython-311.pyc
    iup.cpython-311.pyc
    merger.cpython-311.pyc
    models.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ multiVarStore.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mutator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mvar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ varStore.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ avar.py
■ ■ ■ ■ ■ ■ ■ ■■■ avarPlanner.py
■ ■ ■ ■ ■ ■ ■ ■■■ builder.py
■ ■ ■ ■ ■ ■ ■ ■■■ cff.py
■ ■ ■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■ ■ ■■■ featureVars.py
■ ■ ■ ■ ■ ■ ■ ■■■ instancer
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ featureVars.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ names.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ solver.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ featureVars.py
■ ■ ■ ■ ■ ■ ■ ■■■ names.py
■ ■ ■ ■ ■ ■ ■ ■■■ solver.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolatable.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolatableHelpers.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolatablePlot.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolatableTestContourOrder.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolatableTestStartingPoint.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpolate_layout.py
■ ■ ■ ■ ■ ■ ■ ■■■ iup.c
■ ■ ■ ■ ■ ■ ■ ■■■ iup.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ iup.py
■ ■ ■ ■ ■ ■ ■ ■■■ merger.py
■ ■ ■ ■ ■ ■ ■ ■■■ models.py
■ ■ ■ ■ ■ ■ ■ ■■■ multiVarStore.py
■ ■ ■ ■ ■ ■ ■ ■■■ mutator.py
■ ■ ■ ■ ■ ■ ■ ■■■ mvar.py
■ ■ ■ ■ ■ ■ ■ ■■■ plot.py
■ ■ ■ ■ ■ ■ ■ ■■■ stat.py
■ ■ ■ ■ ■ ■ ■ ■■■ varStore.py
■ ■ ■ ■ ■ ■ ■ ■■■ voltLib
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ast.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ error.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lexer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ voltToFea.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ast.py
■ ■ ■ ■ ■ ■ ■ ■■■ error.py
■ ■ ■ ■ ■ ■ ■ ■■■ lexer.py
■ ■ ■ ■ ■ ■ ■ ■■■ parser.py
■ ■ ■ ■ ■ ■ ■ ■■■ voltToFea.py
■ ■ ■ ■ ■ ■ ■ ■■■ fonttools-4.55.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE

```

```

METADATA
RECORD
WHEEL
entry_points.txt
top_level.txt
fpdf
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    fonts.cpython-311.pyc
    fpdf.cpython-311.pyc
    html.cpython-311.pyc
    php.cpython-311.pyc
    py3k.cpython-311.pyc
    template.cpython-311.pyc
    ttfonts.cpython-311.pyc
  fonts.py
  fpdf.py
  html.py
  php.py
  py3k.py
  template.py
  ttfonts.py
fpdf-1.7.2.dist-info
  INSTALLER
  METADATA
  RECORD
  REQUESTED
  WHEEL
  top_level.txt
frozenlist
  __init__.py
  __init__.pyi
  __pycache__
    __init__.cpython-311.pyc
  _frozenlist.cpython-311-x86_64-linux-gnu.so
  _frozenlist.pyx
  py.typed
frozenlist-1.5.0.dist-info
  INSTALLER
  LICENSE
  METADATA
  RECORD
  WHEEL
  top_level.txt
functorch
  _C.cpython-311-x86_64-linux-gnu.so
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  _src
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
  aot_autograd
    __init__.py
    __pycache__
      __init__.cpython-311.pyc

```

```

eager_transforms
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
make_functional
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
vmap
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
compile
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
dim
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  batch_tensor.cpython-311.pyc
  delayed_mul_tensor.cpython-311.pyc
  dim.cpython-311.pyc
  magic_trace.cpython-311.pyc
  op_properties.cpython-311.pyc
  reference.cpython-311.pyc
  tree_map.cpython-311.pyc
  wrap_type.cpython-311.pyc
  batch_tensor.py
  delayed_mul_tensor.py
  dim.py
  magic_trace.py
  op_properties.py
  reference.py
  tree_map.py
  wrap_type.py
experimental
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _cond.cpython-311.pyc
  _map.cpython-311.pyc
  control_flow.cpython-311.pyc
  ops.cpython-311.pyc
  _cond.py
  _map.py
  control_flow.py
  ops.py
future
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
backports
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _markupbase.cpython-311.pyc
  datetime.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ socket.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ socketserver.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ total_ordering.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _markupbase.py
■ ■ ■ ■ ■ ■ ■ ■■■ datetime.py
■ ■ ■ ■ ■ ■ ■ ■■■ email
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _encoded_words.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _header_value_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _parseaddr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _policybase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base64mime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ charset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ encoders.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ feedparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ generator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ header.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ headerregistry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ iterators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ message.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ policy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ quoprimime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _encoded_words.py
■ ■ ■ ■ ■ ■ ■ ■■■ _header_value_parser.py
■ ■ ■ ■ ■ ■ ■ ■■■ _parseaddr.py
■ ■ ■ ■ ■ ■ ■ ■■■ _policybase.py
■ ■ ■ ■ ■ ■ ■ ■■■ base64mime.py
■ ■ ■ ■ ■ ■ ■ ■■■ charset.py
■ ■ ■ ■ ■ ■ ■ ■■■ encoders.py
■ ■ ■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■ ■ ■■■ feedparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ generator.py
■ ■ ■ ■ ■ ■ ■ ■■■ header.py
■ ■ ■ ■ ■ ■ ■ ■■■ headerregistry.py
■ ■ ■ ■ ■ ■ ■ ■■■ iterators.py
■ ■ ■ ■ ■ ■ ■ ■■■ message.py
■ ■ ■ ■ ■ ■ ■ ■■■ mime
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ application.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ audio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ message.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ multipart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nonmultipart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ application.py
■ ■ ■ ■ ■ ■ ■ ■■■ audio.py
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ image.py
```

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ error.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ request.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ response.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ robotparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ error.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parse.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ request.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ response.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ robotparser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ xmlrpc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ client.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ builtins
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ disabled.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ iterators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ new_min_max.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ newnext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ newround.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ newsuper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ disabled.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ iterators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ new_min_max.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ newnext.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ newround.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ newsuper.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ moves
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _dummy_thread.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _markupbase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _thread.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ collections.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ configparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ copyreg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ itertools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ multiprocessing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ queue.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ reprlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ socketserver.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ subprocess.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ winreg.cpython-311.pyc
```



```

_ dummy_thread.py
_ markupbase.py
_ thread.py
builtins.py
collections.py
configparser.py
copyreg.py
dbm
__init__.py
__pycache__
__init__.cpython-311.pyc
dumb.cpython-311.pyc
gnu.cpython-311.pyc
ndbm.cpython-311.pyc
dumb.py
gnu.py
ndbm.py
html
__init__.py
__pycache__
__init__.cpython-311.pyc
entities.cpython-311.pyc
parser.cpython-311.pyc
entities.py
parser.py
http
__init__.py
__pycache__
__init__.cpython-311.pyc
client.cpython-311.pyc
cookiejar.cpython-311.pyc
cookies.cpython-311.pyc
server.cpython-311.pyc
client.py
cookiejar.py
cookies.py
server.py
itertools.py
multiprocessing.py
pickle.py
queue.py
reprlib.py
socketserver.py
subprocess.py
sys.py
test
__init__.py
__pycache__
__init__.cpython-311.pyc
support.cpython-311.pyc
support.py
tkinter
__init__.py
__pycache__
__init__.cpython-311.pyc
colorchooser.cpython-311.pyc
commondialog.cpython-311.pyc
constants.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■■ dialog.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ dnd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ filedialog.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ font.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ messagebox.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ scrolledtext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ simplifiedialog.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ tix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ ttk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ colorchooser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ commondialog.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ dialog.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ dnd.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ filedialog.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ font.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ messagebox.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ scrolledtext.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ simplifiedialog.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ tix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ ttk.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ urllib
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ error.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ parse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ request.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ response.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ robotparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ error.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ parse.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ request.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ response.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ robotparser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ winreg.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ xmlrpc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ client.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ server.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ standard_library
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ types
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ newbytes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newdict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newmemoryview.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newobject.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newopen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newrange.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newstr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ newbytes.py
■ ■ ■ ■ ■ ■ ■ ■■■ newdict.py
■ ■ ■ ■ ■ ■ ■ ■■■ newint.py
■ ■ ■ ■ ■ ■ ■ ■■■ newlist.py
■ ■ ■ ■ ■ ■ ■ ■■■ newmemoryview.py
■ ■ ■ ■ ■ ■ ■ ■■■ newobject.py
■ ■ ■ ■ ■ ■ ■ ■■■ newopen.py
■ ■ ■ ■ ■ ■ ■ ■■■ newrange.py
■ ■ ■ ■ ■ ■ ■ ■■■ newstr.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ surrogateescape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ surrogateescape.py
■ ■ ■ ■ ■ ■ ■■■■ future-1.0.0.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ fuzzywuzzy
■ ■ ■ ■ ■ ■ ■■■■ StringMatcher.py
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ StringMatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ fuzz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ process.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ string_processing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ fuzz.py
■ ■ ■ ■ ■ ■ ■■■■ process.py
■ ■ ■ ■ ■ ■ ■■■■ string_processing.py
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ fuzzywuzzy-0.18.0.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ zip-safe
■ ■ ■ ■ ■ ■ ■■■■ gTTS-2.2.3.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE

```

```

■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ top_level.txt
■ ■ ■ gensim
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■ downloader.cpython-311.pyc
■ ■ ■   ■ ■ ■ interfaces.cpython-311.pyc
■ ■ ■   ■ ■ ■ matutils.cpython-311.pyc
■ ■ ■   ■ ■ ■ nosy.cpython-311.pyc
■ ■ ■   ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ _matutils.c
■ ■ ■ _matutils.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _matutils.pyx
■ ■ ■ corpora
■ ■ ■   ■ ■ ■ __init__.py
■ ■ ■   ■ ■ ■ __pycache__
■ ■ ■     ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■     ■ ■ ■ bleicorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ csvcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ dictionary.cpython-311.pyc
■ ■ ■     ■ ■ ■ hashdictionary.cpython-311.pyc
■ ■ ■     ■ ■ ■ indexedcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ lowcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ malletcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ mmcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ opinosiscorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ sharded_corpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ svmlightcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ textcorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ ucicorpus.cpython-311.pyc
■ ■ ■     ■ ■ ■ wikicorpus.cpython-311.pyc
■ ■ ■ _mmreader.c
■ ■ ■ _mmreader.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _mmreader.pyx
■ ■ ■ bleicorpus.py
■ ■ ■ csvcorpus.py
■ ■ ■ dictionary.py
■ ■ ■ hashdictionary.py
■ ■ ■ indexedcorpus.py
■ ■ ■ lowcorpus.py
■ ■ ■ malletcorpus.py
■ ■ ■ mmcorpus.py
■ ■ ■ opinosiscorpus.py
■ ■ ■ sharded_corpus.py
■ ■ ■ svmlightcorpus.py
■ ■ ■ textcorpus.py
■ ■ ■ ucicorpus.py
■ ■ ■ wikicorpus.py
■ ■ ■ downloader.py
■ ■ ■ interfaces.py
■ ■ ■ matutils.py
■ ■ ■ models
■ ■ ■   ■ ■ ■ __init__.py

```

■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_fasttext_bin.cpython-311.pyc
■	■	■	■	■	■	■■■	atmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	basemodel.cpython-311.pyc
■	■	■	■	■	■	■■■	bm25model.cpython-311.pyc
■	■	■	■	■	■	■■■	callbacks.cpython-311.pyc
■	■	■	■	■	■	■■■	coherencemodel.cpython-311.pyc
■	■	■	■	■	■	■■■	doc2vec.cpython-311.pyc
■	■	■	■	■	■	■■■	ensemblelda.cpython-311.pyc
■	■	■	■	■	■	■■■	fasttext.cpython-311.pyc
■	■	■	■	■	■	■■■	flsamodel.cpython-311.pyc
■	■	■	■	■	■	■■■	hdpmode.cpython-311.pyc
■	■	■	■	■	■	■■■	keyedvectors.cpython-311.pyc
■	■	■	■	■	■	■■■	lda_dispatcher.cpython-311.pyc
■	■	■	■	■	■	■■■	lda_worker.cpython-311.pyc
■	■	■	■	■	■	■■■	ldamodel.cpython-311.pyc
■	■	■	■	■	■	■■■	ldamulticore.cpython-311.pyc
■	■	■	■	■	■	■■■	ldaseqmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	logentropy_model.cpython-311.pyc
■	■	■	■	■	■	■■■	lsi_dispatcher.cpython-311.pyc
■	■	■	■	■	■	■■■	lsi_worker.cpython-311.pyc
■	■	■	■	■	■	■■■	lsimodel.cpython-311.pyc
■	■	■	■	■	■	■■■	nmf.cpython-311.pyc
■	■	■	■	■	■	■■■	normmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	phrases.cpython-311.pyc
■	■	■	■	■	■	■■■	poincare.cpython-311.pyc
■	■	■	■	■	■	■■■	rpmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	tfidfmodel.cpython-311.pyc
■	■	■	■	■	■	■■■	translation_matrix.cpython-311.pyc
■	■	■	■	■	■	■■■	word2vec.cpython-311.pyc
■	■	■	■	■	■	■■■	_fasttext_bin.py
■	■	■	■	■	■	■■■	atmodel.py
■	■	■	■	■	■	■■■	basemodel.py
■	■	■	■	■	■	■■■	bm25model.py
■	■	■	■	■	■	■■■	callbacks.py
■	■	■	■	■	■	■■■	coherencemodel.py
■	■	■	■	■	■	■■■	doc2vec.py
■	■	■	■	■	■	■■■	doc2vec_corpusfile.cpp
■	■	■	■	■	■	■■■	doc2vec_corpusfile.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	doc2vec_corpusfile.pyx
■	■	■	■	■	■	■■■	doc2vec_inner.cpp
■	■	■	■	■	■	■■■	doc2vec_inner.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	doc2vec_inner.pxd
■	■	■	■	■	■	■■■	doc2vec_inner.pyx
■	■	■	■	■	■	■■■	ensemblelda.py
■	■	■	■	■	■	■■■	fast_line_sentence.h
■	■	■	■	■	■	■■■	fasttext.py
■	■	■	■	■	■	■■■	fasttext_corpusfile.cpp
■	■	■	■	■	■	■■■	fasttext_corpusfile.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	fasttext_corpusfile.pyx
■	■	■	■	■	■	■■■	fasttext_inner.c
■	■	■	■	■	■	■■■	fasttext_inner.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	fasttext_inner.pxd
■	■	■	■	■	■	■■■	fasttext_inner.pyx
■	■	■	■	■	■	■■■	flsamodel.py
■	■	■	■	■	■	■■■	hdpmode.py
■	■	■	■	■	■	■■■	keyedvectors.py

■	■	■	■	■	■	■■■	lda_dispatcher.py
■	■	■	■	■	■	■■■	lda_worker.py
■	■	■	■	■	■	■■■	ldamodel.py
■	■	■	■	■	■	■■■	ldamulticore.py
■	■	■	■	■	■	■■■	ldaseqmodel.py
■	■	■	■	■	■	■■■	logentropy_model.py
■	■	■	■	■	■	■■■	lsi_dispatcher.py
■	■	■	■	■	■	■■■	lsi_worker.py
■	■	■	■	■	■	■■■	lsimodel.py
■	■	■	■	■	■	■■■	nmf.py
■	■	■	■	■	■	■■■	nmf_pgd.c
■	■	■	■	■	■	■■■	nmf_pgd.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	nmf_pgd.pyx
■	■	■	■	■	■	■■■	normmodel.py
■	■	■	■	■	■	■■■	phrases.py
■	■	■	■	■	■	■■■	poincare.py
■	■	■	■	■	■	■■■	rpmodel.py
■	■	■	■	■	■	■■■	stdint_wrapper.h
■	■	■	■	■	■	■■■	tfidfmodel.py
■	■	■	■	■	■	■■■	translation_matrix.py
■	■	■	■	■	■	■■■	voidptr.h
■	■	■	■	■	■	■■■	word2vec.py
■	■	■	■	■	■	■■■	word2vec_corpusfile.cpp
■	■	■	■	■	■	■■■	word2vec_corpusfile.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	word2vec_corpusfile.pxd
■	■	■	■	■	■	■■■	word2vec_corpusfile.pyx
■	■	■	■	■	■	■■■	word2vec_inner.c
■	■	■	■	■	■	■■■	word2vec_inner.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	word2vec_inner.pxd
■	■	■	■	■	■	■■■	word2vec_inner.pyx
■	■	■	■	■	■■■	nosy.py	
■	■	■	■	■	■■■	parsing	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	porter.cpython-311.pyc
■	■	■	■	■	■	■■■	preprocessing.cpython-311.pyc
■	■	■	■	■	■■■	porter.py	
■	■	■	■	■	■■■	preprocessing.py	
■	■	■	■	■	■■■	scripts	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	benchmark.cpython-311.pyc
■	■	■	■	■	■	■■■	glove2word2vec.cpython-311.pyc
■	■	■	■	■	■	■■■	make_wiki.cpython-311.pyc
■	■	■	■	■	■	■■■	make_wiki_online.cpython-311.pyc
■	■	■	■	■	■	■■■	make_wiki_online_nodebug.cpython-311.pyc
■	■	■	■	■	■	■■■	make_wikicorpus.cpython-311.pyc
■	■	■	■	■	■	■■■	package_info.cpython-311.pyc
■	■	■	■	■	■	■■■	segment_wiki.cpython-311.pyc
■	■	■	■	■	■	■■■	word2vec2tensor.cpython-311.pyc
■	■	■	■	■	■	■■■	word2vec_standalone.cpython-311.pyc
■	■	■	■	■	■■■	benchmark.py	
■	■	■	■	■	■■■	glove2word2vec.py	
■	■	■	■	■	■■■	make_wiki.py	
■	■	■	■	■	■■■	make_wiki_online.py	
■	■	■	■	■	■■■	make_wiki_online_nodebug.py	

```

■ ■ ■ make_wikicorpus.py
■ ■ ■ package_info.py
■ ■ ■ segment_wiki.py
■ ■ ■ word2vec2tensor.py
■ ■ ■ word2vec_standalone.py
■ ■ ■ similarities
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ annoy.cpython-311.pyc
■ ■ ■ docsim.cpython-311.pyc
■ ■ ■ levenshtein.cpython-311.pyc
■ ■ ■ nmslib.cpython-311.pyc
■ ■ ■ termsim.cpython-311.pyc
■ ■ ■ annoy.py
■ ■ ■ docsim.py
■ ■ ■ fastss.c
■ ■ ■ fastss.cpython-311-x86_64-linux-gnu.so
■ ■ ■ levenshtein.py
■ ■ ■ nmslib.py
■ ■ ■ termsim.py
■ ■ ■ test
■ ■ ■   __init__.py
■ ■ ■   __pycache__
■ ■ ■     __init__.cpython-311.pyc
■ ■ ■ basetmtests.cpython-311.pyc
■ ■ ■ simspeed.cpython-311.pyc
■ ■ ■ simspeed2.cpython-311.pyc
■ ■ ■ svd_error.cpython-311.pyc
■ ■ ■ test_aggregation.cpython-311.pyc
■ ■ ■ test_api.cpython-311.pyc
■ ■ ■ test_atmodel.cpython-311.pyc
■ ■ ■ test_big.cpython-311.pyc
■ ■ ■ test_bm25model.cpython-311.pyc
■ ■ ■ test_coherencemodel.cpython-311.pyc
■ ■ ■ test_corpora.cpython-311.pyc
■ ■ ■ test_corpora_dictionary.cpython-311.pyc
■ ■ ■ test_corpora_hashdictionary.cpython-311.pyc
■ ■ ■ test_datatype.cpython-311.pyc
■ ■ ■ test_direct_confirmation.cpython-311.pyc
■ ■ ■ test_doc2vec.cpython-311.pyc
■ ■ ■ test_ensemblelda.cpython-311.pyc
■ ■ ■ test_fasttext.cpython-311.pyc
■ ■ ■ test_glove2word2vec.cpython-311.pyc
■ ■ ■ test_hdpmodel.cpython-311.pyc
■ ■ ■ test_indirect_confirmation.cpython-311.pyc
■ ■ ■ test_keyedvectors.cpython-311.pyc
■ ■ ■ test_lda_callback.cpython-311.pyc
■ ■ ■ test_ldamodel.cpython-311.pyc
■ ■ ■ test_ldaseqmodel.cpython-311.pyc
■ ■ ■ test_lee.cpython-311.pyc
■ ■ ■ test_logentropy_model.cpython-311.pyc
■ ■ ■ test_lsimodel.cpython-311.pyc
■ ■ ■ test_matutils.cpython-311.pyc
■ ■ ■ test_miislita.cpython-311.pyc
■ ■ ■ test_nmf.cpython-311.pyc
■ ■ ■ test_normmodel.cpython-311.pyc
■ ■ ■ test_parsing.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ test_phrases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_poincare.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_probability_estimation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_rpmodel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_scripts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_segmentation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_sharded_corpus.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_similarities.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_similarity_metrics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_text_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_tfidfmodel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_tmdiff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_translation_matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_word2vec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ basetmtests.py
■ ■ ■ ■ ■ ■ ■ simspeed.py
■ ■ ■ ■ ■ ■ ■ simspeed2.py
■ ■ ■ ■ ■ ■ ■ svd_error.py
■ ■ ■ ■ ■ ■ ■ test_aggregation.py
■ ■ ■ ■ ■ ■ ■ test_api.py
■ ■ ■ ■ ■ ■ ■ test_atmodel.py
■ ■ ■ ■ ■ ■ ■ test_big.py
■ ■ ■ ■ ■ ■ ■ test_bm25model.py
■ ■ ■ ■ ■ ■ ■ test_coherencemodel.py
■ ■ ■ ■ ■ ■ ■ test_corpora.py
■ ■ ■ ■ ■ ■ ■ test_corpora_dictionary.py
■ ■ ■ ■ ■ ■ ■ test_corpora_hashdictionary.py
■ ■ ■ ■ ■ ■ ■ test_data
■ ■ ■ ■ ■ ■ ■ DTM
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ldaseq_3_0_1_model
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ sstats_test.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ EN.1-10.cbowl_wind5_hs0_neg10_size300_smpl1e-05.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ IT.1-10.cbowl_wind5_hs0_neg10_size300_smpl1e-05.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ OPUS_en_it_europarl_train_one2ten.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ PathLineSentences
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ 1.txt
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ 2.txt.bz2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ alldata-id-10.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ atmodel_3_0_1_model
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ atmodel_3_0_1_model.expElogbeta.npy
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ atmodel_3_0_1_model.id2word
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ atmodel_3_0_1_model.state
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bgwiki-latest-pages-articles-shortened.xml.bz2
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compatible-hash-true.model
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cp852_fasttext.bin
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ crime-and-punishment.bin
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ crime-and-punishment.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ crime-and-punishment.vec
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ d2v-lee-v0.13.0
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ doc2vec_old
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ doc2vec_old_sep
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ doc2vec_old_sep.syn0_lockf.npy
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ doc2vec_old_sep.syn1neg.npy
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dtm_test.dict
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dtm_test.mm
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ensemblelda

```


■	■	■	■	■	■	■	■■■	enwiki-latest-pages-articles1.xml-p0000000010p000030302-shor
■	■	■	■	■	■	■	■■■	enwiki-table-markup.xml.bz2
■	■	■	■	■	■	■	■■■	euclidean_vectors.bin
■	■	■	■	■	■	■	■■■	fasttext_old
■	■	■	■	■	■	■	■■■	fasttext_old_sep
■	■	■	■	■	■	■	■■■	fasttext_old_sep.syn0_lockf.npy
■	■	■	■	■	■	■	■■■	fasttext_old_sep.syn1neg.npy
■	■	■	■	■	■	■	■■■	fb-ngrams.txt
■	■	■	■	■	■	■	■■■	ft_kv_3.6.0.model.gz
■	■	■	■	■	■	■	■■■	ft_model_2.3.0
■	■	■	■	■	■	■	■■■	head500.noblanks.cor
■	■	■	■	■	■	■	■■■	head500.noblanks.cor.bz2
■	■	■	■	■	■	■	■■■	head500.noblanks.cor_tfidf.model
■	■	■	■	■	■	■	■■■	head500.noblanks.cor_wordids.txt
■	■	■	■	■	■	■	■■■	high_precision.kv.bin
■	■	■	■	■	■	■	■■■	high_precision.kv.txt
■	■	■	■	■	■	■	■■■	large_tag_doc_10_iter50
■	■	■	■	■	■	■	■■■	lda_3_0_1_model
■	■	■	■	■	■	■	■■■	lda_3_0_1_model.expElogbeta.npy
■	■	■	■	■	■	■	■■■	lda_3_0_1_model.id2word
■	■	■	■	■	■	■	■■■	lda_3_0_1_model.state
■	■	■	■	■	■	■	■■■	ldamodel_python_2_7
■	■	■	■	■	■	■	■■■	ldamodel_python_2_7.expElogbeta.npy
■	■	■	■	■	■	■	■■■	ldamodel_python_2_7.id2word
■	■	■	■	■	■	■	■■■	ldamodel_python_2_7.state
■	■	■	■	■	■	■	■■■	ldamodel_python_3_5
■	■	■	■	■	■	■	■■■	ldamodel_python_3_5.expElogbeta.npy
■	■	■	■	■	■	■	■■■	ldamodel_python_3_5.id2word
■	■	■	■	■	■	■	■■■	ldamodel_python_3_5.state
■	■	■	■	■	■	■	■■■	ldavowpalwabbit.dict.txt
■	■	■	■	■	■	■	■■■	ldavowpalwabbit.txt
■	■	■	■	■	■	■	■■■	lee.cor
■	■	■	■	■	■	■	■■■	lee_background.cor
■	■	■	■	■	■	■	■■■	lee_fasttext
■	■	■	■	■	■	■	■■■	lee_fasttext.bin
■	■	■	■	■	■	■	■■■	lee_fasttext.vec
■	■	■	■	■	■	■	■■■	lee_fasttext_new.bin
■	■	■	■	■	■	■	■■■	miIslita.cor
■	■	■	■	■	■	■	■■■	mini_newsgroup
■	■	■	■	■	■	■	■■■	model-from-gensim-3.8.0.w2v
■	■	■	■	■	■	■	■■■	nmf_model
■	■	■	■	■	■	■	■■■	non_ascii_fasttext.bin
■	■	■	■	■	■	■	■■■	old_d2v_models
■	■	■	■	■	■	■	■■■	d2v_0.12.0.mdl
■	■	■	■	■	■	■	■■■	d2v_0.12.1.mdl
■	■	■	■	■	■	■	■■■	d2v_0.12.2.mdl
■	■	■	■	■	■	■	■■■	d2v_0.12.3.mdl
■	■	■	■	■	■	■	■■■	d2v_0.12.4.mdl
■	■	■	■	■	■	■	■■■	d2v_0.13.0.mdl
■	■	■	■	■	■	■	■■■	d2v_0.13.1.mdl
■	■	■	■	■	■	■	■■■	d2v_0.13.2.mdl
■	■	■	■	■	■	■	■■■	d2v_0.13.3.mdl
■	■	■	■	■	■	■	■■■	d2v_0.13.4.mdl
■	■	■	■	■	■	■	■■■	d2v_1.0.0.mdl
■	■	■	■	■	■	■	■■■	d2v_1.0.1.mdl
■	■	■	■	■	■	■	■■■	d2v_2.0.0.mdl
■	■	■	■	■	■	■	■■■	d2v_2.1.0.mdl
■	■	■	■	■	■	■	■■■	d2v_2.2.0.mdl

■	■	■	■	■	■	■	■	■■■	d2v_2.3.0.mdl
■	■	■	■	■	■	■	■	■■■	d2v_3.0.0.mdl
■	■	■	■	■	■	■	■	■■■	d2v_3.1.0.mdl
■	■	■	■	■	■	■	■	■■■	d2v_3.2.0.mdl
■	■	■	■	■	■	■	■	■■■	d2v_3.3.0.mdl
■	■	■	■	■	■	■	■	■■■	d2v_3.4.0.mdl
■	■	■	■	■	■	■	■■■	old_keyedvectors_320.dat	
■	■	■	■	■	■	■	■■■	old_w2v_models	
■	■	■	■	■	■	■	■	■■■	w2v_0.12.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.12.1.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.12.2.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.12.3.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.12.4.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.13.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.13.1.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.13.2.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.13.3.mdl
■	■	■	■	■	■	■	■	■■■	w2v_0.13.4.mdl
■	■	■	■	■	■	■	■	■■■	w2v_1.0.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_1.0.1.mdl
■	■	■	■	■	■	■	■	■■■	w2v_2.0.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_2.1.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_2.2.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_2.3.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_3.0.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_3.1.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_3.2.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_3.3.0.mdl
■	■	■	■	■	■	■	■	■■■	w2v_3.4.0.mdl
■	■	■	■	■	■	■	■■■	pang_lee_polarity.cor	
■	■	■	■	■	■	■	■■■	pang_lee_polarity_fasttext.bin	
■	■	■	■	■	■	■	■■■	pang_lee_polarity_fasttext.vec	
■	■	■	■	■	■	■	■■■	para2para_text1.txt	
■	■	■	■	■	■	■	■■■	para2para_text2.txt	
■	■	■	■	■	■	■	■■■	phraser-3.6.0.model	
■	■	■	■	■	■	■	■■■	phraser-no-common-terms.pkl	
■	■	■	■	■	■	■	■■■	phraser-no-scoring.pkl	
■	■	■	■	■	■	■	■■■	phraser-scoring-str.pkl	
■	■	■	■	■	■	■	■■■	phrases-3.6.0.model	
■	■	■	■	■	■	■	■■■	phrases-no-common-terms.pkl	
■	■	■	■	■	■	■	■■■	phrases-no-scoring.pkl	
■	■	■	■	■	■	■	■■■	phrases-scoring-str.pkl	
■	■	■	■	■	■	■	■■■	poincare_cp852.tsv	
■	■	■	■	■	■	■	■■■	poincare_hypernyms.tsv	
■	■	■	■	■	■	■	■■■	poincare_hypernyms_large.tsv	
■	■	■	■	■	■	■	■■■	poincare_test_3.4.0	
■	■	■	■	■	■	■	■■■	poincare_utf8.tsv	
■	■	■	■	■	■	■	■■■	poincare_vectors.bin	
■	■	■	■	■	■	■	■■■	pre_0_13_2_model	
■	■	■	■	■	■	■	■■■	pre_0_13_2_model.state	
■	■	■	■	■	■	■	■■■	pretrained.vec	
■	■	■	■	■	■	■	■■■	questions-words.txt	
■	■	■	■	■	■	■	■■■	reproduce.dat	
■	■	■	■	■	■	■	■■■	reproduce.dat.gz	
■	■	■	■	■	■	■	■■■	similarities0-1.txt	
■	■	■	■	■	■	■	■■■	simlex999.txt	
■	■	■	■	■	■	■	■■■	small_tag_doc_5_iter50	
■	■	■	■	■	■	■	■■■	test_corpus_ok.mm	

■	■	■	■	■	■	■	■■■	test_corpus_small.mm
■	■	■	■	■	■	■	■■■	test_glove.txt
■	■	■	■	■	■	■	■■■	test_mmc_corpus_corrupt.mm
■	■	■	■	■	■	■	■■■	test_mmc_corpus_no_index.mm
■	■	■	■	■	■	■	■■■	test_mmc_corpus_no_index.mm.bz2
■	■	■	■	■	■	■	■■■	test_mmc_corpus_no_index.mm.gz
■	■	■	■	■	■	■	■■■	test_mmc_corpus_overflow.mm
■	■	■	■	■	■	■	■■■	test_mmc_corpus_with_index.mm
■	■	■	■	■	■	■	■■■	test_mmc_corpus_with_index.mm.index
■	■	■	■	■	■	■	■■■	test_corpus.blei
■	■	■	■	■	■	■	■■■	test_corpus.blei.index
■	■	■	■	■	■	■	■■■	test_corpus.blei.vocab
■	■	■	■	■	■	■	■■■	test_corpus.low
■	■	■	■	■	■	■	■■■	test_corpus.low.index
■	■	■	■	■	■	■	■■■	test_corpus.mallet
■	■	■	■	■	■	■	■■■	test_corpus.mallet.index
■	■	■	■	■	■	■	■■■	test_corpus.mm
■	■	■	■	■	■	■	■■■	test_corpus.mm.index
■	■	■	■	■	■	■	■■■	test_corpus.svmlight
■	■	■	■	■	■	■	■■■	test_corpus.svmlight.index
■	■	■	■	■	■	■	■■■	test_corpus.txt
■	■	■	■	■	■	■	■■■	test_corpus.uci
■	■	■	■	■	■	■	■■■	test_corpus.uci.index
■	■	■	■	■	■	■	■■■	test_corpus.uci.vocab
■	■	■	■	■	■	■	■■■	test_corpus.xml.bz2
■	■	■	■	■	■	■	■■■	tfidf_model.tst
■	■	■	■	■	■	■	■■■	tfidf_model.tst.bz2
■	■	■	■	■	■	■	■■■	tfidf_model_3_2.tst
■	■	■	■	■	■	■	■■■	toy-data.txt
■	■	■	■	■	■	■	■■■	toy-model-pretrained.bin
■	■	■	■	■	■	■	■■■	toy-model.bin
■	■	■	■	■	■	■	■■■	toy-model.vec
■	■	■	■	■	■	■	■■■	varembd_lee_subcorpus.cor
■	■	■	■	■	■	■	■■■	varembd_morfessor.bin
■	■	■	■	■	■	■	■■■	varembd_vectors.pkl
■	■	■	■	■	■	■	■■■	w2v-lee-v0.12.0
■	■	■	■	■	■	■	■■■	w2v_keyedvectors_load_test.modeldata
■	■	■	■	■	■	■	■■■	w2v_keyedvectors_load_test.vocab
■	■	■	■	■	■	■	■■■	word2vec_3.3
■	■	■	■	■	■	■	■■■	word2vec_old
■	■	■	■	■	■	■	■■■	word2vec_old_sep
■	■	■	■	■	■	■	■■■	word2vec_old_sep.syn0_lockf.npy
■	■	■	■	■	■	■	■■■	word2vec_old_sep.syn1neg.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_c
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_py2
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_py3
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_py3_4
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py2
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py2.neg_labels.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py2.syn0.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py2.syn0_lockf.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py2.syn1neg.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3.neg_labels.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3.syn0.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3.syn0_lockf.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3.syn1neg.npy
■	■	■	■	■	■	■	■■■	word2vec_pre_kv_sep_py3_4

```

■ ■ ■ ■ ■ ■ ■ ■■ word2vec_pre_kv_sep_py3_4.neg_labels.npy
■ ■ ■ ■ ■ ■ ■ ■■ word2vec_pre_kv_sep_py3_4.syn0.npy
■ ■ ■ ■ ■ ■ ■ ■■ word2vec_pre_kv_sep_py3_4.syn0_lockf.npy
■ ■ ■ ■ ■ ■ ■ ■■ word2vec_pre_kv_sep_py3_4.syn1neg.npy
■ ■ ■ ■ ■ ■ ■ ■■ wordsim353.tsv
■ ■ ■ ■ ■ ■ ■ ■■ test_datatype.py
■ ■ ■ ■ ■ ■ ■ ■■ test_direct_confirmation.py
■ ■ ■ ■ ■ ■ ■ ■■ test_doc2vec.py
■ ■ ■ ■ ■ ■ ■ ■■ test_ensemblelda.py
■ ■ ■ ■ ■ ■ ■ ■■ test_fasttext.py
■ ■ ■ ■ ■ ■ ■ ■■ test_glove2word2vec.py
■ ■ ■ ■ ■ ■ ■ ■■ test_hdpmodel.py
■ ■ ■ ■ ■ ■ ■ ■■ test_indirect_confirmation.py
■ ■ ■ ■ ■ ■ ■ ■■ test_keyedvectors.py
■ ■ ■ ■ ■ ■ ■ ■■ test_lda_callback.py
■ ■ ■ ■ ■ ■ ■ ■■ test_ldamodel.py
■ ■ ■ ■ ■ ■ ■ ■■ test_ldaseqmodel.py
■ ■ ■ ■ ■ ■ ■ ■■ test_lee.py
■ ■ ■ ■ ■ ■ ■ ■■ test_logentropy_model.py
■ ■ ■ ■ ■ ■ ■ ■■ test_lsmodel.py
■ ■ ■ ■ ■ ■ ■ ■■ test_matutils.py
■ ■ ■ ■ ■ ■ ■ ■■ test_miislita.py
■ ■ ■ ■ ■ ■ ■ ■■ test_nmf.py
■ ■ ■ ■ ■ ■ ■ ■■ test_normmodel.py
■ ■ ■ ■ ■ ■ ■ ■■ test_parsing.py
■ ■ ■ ■ ■ ■ ■ ■■ test_phrases.py
■ ■ ■ ■ ■ ■ ■ ■■ test_poincare.py
■ ■ ■ ■ ■ ■ ■ ■■ test_probability_estimation.py
■ ■ ■ ■ ■ ■ ■ ■■ test_rpmodel.py
■ ■ ■ ■ ■ ■ ■ ■■ test_scripts.py
■ ■ ■ ■ ■ ■ ■ ■■ test_segmentation.py
■ ■ ■ ■ ■ ■ ■ ■■ test_sharded_corpus.py
■ ■ ■ ■ ■ ■ ■ ■■ test_similarities.py
■ ■ ■ ■ ■ ■ ■ ■■ test_similarity_metrics.py
■ ■ ■ ■ ■ ■ ■ ■■ test_text_analysis.py
■ ■ ■ ■ ■ ■ ■ ■■ test_tfidfmodel.py
■ ■ ■ ■ ■ ■ ■ ■■ test_tmdiff.py
■ ■ ■ ■ ■ ■ ■ ■■ test_translation_matrix.py
■ ■ ■ ■ ■ ■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■ test_word2vec.py
■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■ topic_coherence
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ aggregation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ direct_confirmation_measure.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ indirect_confirmation_measure.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ probability_estimation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ segmentation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ text_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ aggregation.py
■ ■ ■ ■ ■ ■ ■ ■■ direct_confirmation_measure.py
■ ■ ■ ■ ■ ■ ■ ■■ indirect_confirmation_measure.py
■ ■ ■ ■ ■ ■ ■ ■■ probability_estimation.py
■ ■ ■ ■ ■ ■ ■ ■■ segmentation.py
■ ■ ■ ■ ■ ■ ■ ■■ text_analysis.py
■ ■ ■ ■ ■ ■ ■ ■■ utils.py

```

```

■ ■ ■ ■ ■■■■ gensim-4.3.1.dist-info
■ ■ ■ ■ ■■■■ COPYING
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■■■■ geographiclib
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ accumulator.cpython-311.pyc
■ ■ ■ ■ ■■■■ constants.cpython-311.pyc
■ ■ ■ ■ ■■■■ geodesic.cpython-311.pyc
■ ■ ■ ■ ■■■■ geodesiccapability.cpython-311.pyc
■ ■ ■ ■ ■■■■ geodesicline.cpython-311.pyc
■ ■ ■ ■ ■■■■ geomath.cpython-311.pyc
■ ■ ■ ■ ■■■■ polygonarea.cpython-311.pyc
■ ■ ■ ■ ■■■■ accumulator.py
■ ■ ■ ■ ■■■■ constants.py
■ ■ ■ ■ ■■■■ geodesic.py
■ ■ ■ ■ ■■■■ geodesiccapability.py
■ ■ ■ ■ ■■■■ geodesicline.py
■ ■ ■ ■ ■■■■ geomath.py
■ ■ ■ ■ ■■■■ polygonarea.py
■ ■ ■ ■ ■■■■ test
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ test_geodesic.cpython-311.pyc
■ ■ ■ ■ ■■■■ test_geodesic.py
■ ■ ■ ■ ■■■■ geographiclib-1.52.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■■■■ geopandas
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ _compat.cpython-311.pyc
■ ■ ■ ■ ■■■■ _config.cpython-311.pyc
■ ■ ■ ■ ■■■■ _decorator.cpython-311.pyc
■ ■ ■ ■ ■■■■ _vectorized.cpython-311.pyc
■ ■ ■ ■ ■■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■■■■ array.cpython-311.pyc
■ ■ ■ ■ ■■■■ base.cpython-311.pyc
■ ■ ■ ■ ■■■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■■■■ explore.cpython-311.pyc
■ ■ ■ ■ ■■■■ geodataframe.cpython-311.pyc
■ ■ ■ ■ ■■■■ geoseries.cpython-311.pyc
■ ■ ■ ■ ■■■■ plotting.cpython-311.pyc
■ ■ ■ ■ ■■■■ sindex.cpython-311.pyc
■ ■ ■ ■ ■■■■ testing.cpython-311.pyc
■ ■ ■ ■ ■■■■ _compat.py

```

```

_ config.py
_ decorator.py
_ vectorized.py
_ version.py
array.py
base.py
conftest.py
datasets
_ __init__.py
_ __pycache__
_   _ __init__.cpython-311.pyc
_   _ naturalearth_creation.cpython-311.pyc
_   _ naturalearth_cities
_   _   naturalearth_cities.README.html
_   _   naturalearth_cities.VERSION.txt
_   _   naturalearth_cities.cpg
_   _   naturalearth_cities.dbf
_   _   naturalearth_cities.prj
_   _   naturalearth_cities.shp
_   _   naturalearth_cities.shx
_   _ naturalearth_creation.py
_   _ naturalearth_lowres
_   _   naturalearth_lowres.cpg
_   _   naturalearth_lowres.dbf
_   _   naturalearth_lowres.prj
_   _   naturalearth_lowres.shp
_   _   naturalearth_lowres.shx
_   _ nybb_16a.zip
_ explore.py
_ geodataframe.py
_ geoseries.py
_ io
_   _ __init__.py
_   _ __pycache__
_   _   _ __init__.cpython-311.pyc
_   _   _ arrow.cpython-311.pyc
_   _   _ file.cpython-311.pyc
_   _   _ sql.cpython-311.pyc
_   _ arrow.py
_   _ file.py
_   _ sql.py
_ plotting.py
_ sindex.py
_ testing.py
_ tests
_   _ __init__.py
_   _ __pycache__
_   _   _ __init__.cpython-311.pyc
_   _   _ test_api.cpython-311.pyc
_   _   _ test_array.cpython-311.pyc
_   _   _ test_compat.cpython-311.pyc
_   _   _ test_config.cpython-311.pyc
_   _   _ test_crs.cpython-311.pyc
_   _   _ test_datasets.cpython-311.pyc
_   _   _ test_decorator.cpython-311.pyc
_   _   _ test_dissolve.cpython-311.pyc
_   _   _ test_explore.cpython-311.pyc
_   _   _ test_extension_array.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_geocode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_geodataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_geom_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_geoseries.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_merge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_overlay.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pandas_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_plotting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_show_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sindex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■ ■ ■■■ null_geom.geojson
■ ■ ■ ■ ■ ■ ■ ■■■ test_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_array.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_compat.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_crs.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_datasets.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_decorator.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dissolve.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_explore.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_extension_array.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_geocode.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_geodataframe.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_geom_methods.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_geoseries.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_merge.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_overlay.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pandas_methods.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_plotting.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_show_versions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sindex.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_types.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ tools
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _show_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ clip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geocoding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ overlay.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sjoin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _show_versions.py
■ ■ ■ ■ ■ ■ ■ ■■■ clip.py
■ ■ ■ ■ ■ ■ ■ ■■■ crs.py
■ ■ ■ ■ ■ ■ ■ ■■■ geocoding.py
■ ■ ■ ■ ■ ■ ■ ■■■ overlay.py
■ ■ ■ ■ ■ ■ ■ ■■■ sjoin.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__

```

```

__init__.cpython-311.pyc
test_clip.cpython-311.pyc
test_sjoin.cpython-311.pyc
test_tools.cpython-311.pyc
test_clip.py
test_sjoin.py
test_tools.py
util.py
geopandas-0.10.2.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
geopy
__init__.py
__pycache__
__init__.cpython-311.pyc
adapters.cpython-311.pyc
compat.cpython-311.pyc
distance.cpython-311.pyc
exc.cpython-311.pyc
format.cpython-311.pyc
location.cpython-311.pyc
point.cpython-311.pyc
timezone.cpython-311.pyc
units.cpython-311.pyc
util.cpython-311.pyc
adapters.py
compat.py
distance.py
exc.py
extra
__init__.py
__pycache__
__init__.cpython-311.pyc
rate_limiter.cpython-311.pyc
rate_limiter.py
format.py
geocoders
__init__.py
__pycache__
__init__.cpython-311.pyc
algolia.cpython-311.pyc
arcgis.cpython-311.pyc
azure.cpython-311.pyc
baidu.cpython-311.pyc
banfrance.cpython-311.pyc
base.cpython-311.pyc
bing.cpython-311.pyc
databc.cpython-311.pyc
dot_us.cpython-311.pyc
geocodeearth.cpython-311.pyc
geocodefarm.cpython-311.pyc
geocodio.cpython-311.pyc
geolake.cpython-311.pyc

```


■	■	■	■	■	■	■	■■■ geonames.cpython-311.pyc
■	■	■	■	■	■	■	■■■ google.cpython-311.pyc
■	■	■	■	■	■	■	■■■ googlelev3.cpython-311.pyc
■	■	■	■	■	■	■	■■■ here.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ignfrance.cpython-311.pyc
■	■	■	■	■	■	■	■■■ mapbox.cpython-311.pyc
■	■	■	■	■	■	■	■■■ mapquest.cpython-311.pyc
■	■	■	■	■	■	■	■■■ maptiler.cpython-311.pyc
■	■	■	■	■	■	■	■■■ mapzen.cpython-311.pyc
■	■	■	■	■	■	■	■■■ nominatim.cpython-311.pyc
■	■	■	■	■	■	■	■■■ opencage.cpython-311.pyc
■	■	■	■	■	■	■	■■■ openmapquest.cpython-311.pyc
■	■	■	■	■	■	■	■■■ osm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pelias.cpython-311.pyc
■	■	■	■	■	■	■	■■■ photon.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pickpoint.cpython-311.pyc
■	■	■	■	■	■	■	■■■ placefinder.cpython-311.pyc
■	■	■	■	■	■	■	■■■ smartystreets.cpython-311.pyc
■	■	■	■	■	■	■	■■■ tomtom.cpython-311.pyc
■	■	■	■	■	■	■	■■■ what3words.cpython-311.pyc
■	■	■	■	■	■	■	■■■ yandex.cpython-311.pyc
■	■	■	■	■	■	■■■	algolia.py
■	■	■	■	■	■	■■■	arcgis.py
■	■	■	■	■	■	■■■	azure.py
■	■	■	■	■	■	■■■	baidu.py
■	■	■	■	■	■	■■■	banfrance.py
■	■	■	■	■	■	■■■	base.py
■	■	■	■	■	■	■■■	bing.py
■	■	■	■	■	■	■■■	databc.py
■	■	■	■	■	■	■■■	dot_us.py
■	■	■	■	■	■	■■■	geocodeearth.py
■	■	■	■	■	■	■■■	geocodfarm.py
■	■	■	■	■	■	■■■	geocodio.py
■	■	■	■	■	■	■■■	geolake.py
■	■	■	■	■	■	■■■	geonames.py
■	■	■	■	■	■	■■■	google.py
■	■	■	■	■	■	■■■	googlelev3.py
■	■	■	■	■	■	■■■	here.py
■	■	■	■	■	■	■■■	ignfrance.py
■	■	■	■	■	■	■■■	mapbox.py
■	■	■	■	■	■	■■■	mapquest.py
■	■	■	■	■	■	■■■	maptiler.py
■	■	■	■	■	■	■■■	mapzen.py
■	■	■	■	■	■	■■■	nominatim.py
■	■	■	■	■	■	■■■	opencage.py
■	■	■	■	■	■	■■■	openmapquest.py
■	■	■	■	■	■	■■■	osm.py
■	■	■	■	■	■	■■■	pelias.py
■	■	■	■	■	■	■■■	photon.py
■	■	■	■	■	■	■■■	pickpoint.py
■	■	■	■	■	■	■■■	placefinder.py
■	■	■	■	■	■	■■■	smartystreets.py
■	■	■	■	■	■	■■■	tomtom.py
■	■	■	■	■	■	■■■	what3words.py
■	■	■	■	■	■	■■■	yandex.py
■	■	■	■	■	■■■	location.py	
■	■	■	■	■	■■■	point.py	
■	■	■	■	■	■■■	timezone.py	

```

■ ■ ■ ■ units.py
■ ■ ■ ■ util.py
■ ■ ■ ■ geopy-2.2.0.dist-info
■ ■ ■ ■ AUTHORS
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ top_level.txt
■ ■ ■ ■ gradio
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ component.cpython-311.pyc
■ ■ ■ ■ embeddings.cpython-311.pyc
■ ■ ■ ■ encryptor.cpython-311.pyc
■ ■ ■ ■ external.cpython-311.pyc
■ ■ ■ ■ inputs.cpython-311.pyc
■ ■ ■ ■ interface.cpython-311.pyc
■ ■ ■ ■ interpretation.cpython-311.pyc
■ ■ ■ ■ mix.cpython-311.pyc
■ ■ ■ ■ networking.cpython-311.pyc
■ ■ ■ ■ notebook.cpython-311.pyc
■ ■ ■ ■ outputs.cpython-311.pyc
■ ■ ■ ■ processing_utils.cpython-311.pyc
■ ■ ■ ■ queue.cpython-311.pyc
■ ■ ■ ■ strings.cpython-311.pyc
■ ■ ■ ■ test_data.cpython-311.pyc
■ ■ ■ ■ tunneling.cpython-311.pyc
■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ component.py
■ ■ ■ ■ embeddings.py
■ ■ ■ ■ encryptor.py
■ ■ ■ ■ external.py
■ ■ ■ ■ frontend
■ ■ ■ ■ asset-manifest.json
■ ■ ■ ■ index.html
■ ■ ■ ■ static
■ ■ ■ ■ bundle.css
■ ■ ■ ■ bundle.css.map
■ ■ ■ ■ bundle.js
■ ■ ■ ■ bundle.js.LICENSE.txt
■ ■ ■ ■ bundle.js.map
■ ■ ■ ■ css
■ ■ ■ ■ main.0a917430.css
■ ■ ■ ■ main.1c7a53e3.css
■ ■ ■ ■ main.1c7a53e3.css.map
■ ■ ■ ■ main.22c25130.css
■ ■ ■ ■ main.2ed025e4.css
■ ■ ■ ■ main.2ed025e4.css.map
■ ■ ■ ■ main.8fde07f5.css
■ ■ ■ ■ main.b74df5ce.css
■ ■ ■ ■ main.b74df5ce.css.map
■ ■ ■ ■ main.cb3c60d6.css
■ ■ ■ ■ media
■ ■ ■ ■ logo.411acfd1.svg
```

```

■ ■ ■ ■ ■ logo_loading.e93acd82.jpg
■ ■ ■ ■ ■ inputs.py
■ ■ ■ ■ ■ interface.py
■ ■ ■ ■ ■ interpretation.py
■ ■ ■ ■ ■ mix.py
■ ■ ■ ■ ■ networking.py
■ ■ ■ ■ ■ notebook.py
■ ■ ■ ■ ■ outputs.py
■ ■ ■ ■ ■ processing_utils.py
■ ■ ■ ■ ■ queue.py
■ ■ ■ ■ ■ strings.py
■ ■ ■ ■ ■ test_data.py
■ ■ ■ ■ ■ tunneling.py
■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ version.txt
■ ■ ■ ■ ■ gradio-2.2.15.dist-info
■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ graphviz
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ backend.cpython-311.pyc
■ ■ ■ ■ ■ dot.cpython-311.pyc
■ ■ ■ ■ ■ files.cpython-311.pyc
■ ■ ■ ■ ■ lang.cpython-311.pyc
■ ■ ■ ■ ■ tools.cpython-311.pyc
■ ■ ■ ■ ■ backend.py
■ ■ ■ ■ ■ dot.py
■ ■ ■ ■ ■ files.py
■ ■ ■ ■ ■ lang.py
■ ■ ■ ■ ■ tools.py
■ ■ ■ ■ ■ graphviz-0.17.dist-info
■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ gtts
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ cli.cpython-311.pyc
■ ■ ■ ■ ■ lang.cpython-311.pyc
■ ■ ■ ■ ■ langs.cpython-311.pyc
■ ■ ■ ■ ■ tts.cpython-311.pyc
■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ cli.py
■ ■ ■ ■ ■ lang.py
■ ■ ■ ■ ■ langs.py
```

```

■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ████ __init__.py
■      ■      ■      ■      ■      ■      ■      ████ __pycache__
■      ■      ■      ■      ■      ■      ■      ████ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ test_cli.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ test_lang.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ test_tts.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ test_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ test_cli.py
■      ■      ■      ■      ■      ■      ■      ████ test_lang.py
■      ■      ■      ■      ■      ■      ■      ████ test_tts.py
■      ■      ■      ■      ■      ■      ■      ████ test_utils.py
■      ■      ■      ■      ■      ■      ■      ████ tokenizer
■      ■      ■      ■      ■      ■      ■      ████ __init__.py
■      ■      ■      ■      ■      ■      ■      ████ __pycache__
■      ■      ■      ■      ■      ■      ■      ████ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ pre_processors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ symbols.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ tokenizer_cases.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ core.py
■      ■      ■      ■      ■      ■      ■      ████ pre_processors.py
■      ■      ■      ■      ■      ■      ■      ████ symbols.py
■      ■      ■      ■      ■      ■      ■      ████ tokenizer_cases.py
■      ■      ■      ■      ■      ■      ■      ████ tts.py
■      ■      ■      ■      ■      ■      ■      ████ utils.py
■      ■      ■      ■      ■      ■      ■      ████ version.py
■      ■      ■      ■      ■      ■      ■      ████ h11
■      ■      ■      ■      ■      ■      ■      ████ __init__.py
■      ■      ■      ■      ■      ■      ■      ████ __pycache__
■      ■      ■      ■      ■      ■      ■      ████ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _abnf.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _connection.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _events.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _headers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _readers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _receivebuffer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _state.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _writers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ _abnf.py
■      ■      ■      ■      ■      ■      ■      ████ _connection.py
■      ■      ■      ■      ■      ■      ■      ████ _events.py
■      ■      ■      ■      ■      ■      ■      ████ _headers.py
■      ■      ■      ■      ■      ■      ■      ████ _readers.py
■      ■      ■      ■      ■      ■      ■      ████ _receivebuffer.py
■      ■      ■      ■      ■      ■      ■      ████ _state.py
■      ■      ■      ■      ■      ■      ■      ████ _util.py
■      ■      ■      ■      ■      ■      ■      ████ _version.py
■      ■      ■      ■      ■      ■      ■      ████ _writers.py
■      ■      ■      ■      ■      ■      ■      ████ py.typed
■      ■      ■      ■      ■      ■      ■      ████ tests
■      ■      ■      ■      ■      ■      ■      ████ __init__.py
■      ■      ■      ■      ■      ■      ■      ████ __pycache__
■      ■      ■      ■      ■      ■      ■      ████ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ helpers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ████ test_against_stdlib_http.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_connection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_events.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_headers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_receivebuffer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_state.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■ ■ ■■■ test-file
■ ■ ■ ■ ■ ■ ■ ■■■ helpers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_against_stdlib_http.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_connection.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_events.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_headers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_helpers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_io.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_receivebuffer.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_state.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_util.py
■ ■ ■ ■ ■ ■ ■ ■■■ h11-0.14.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■■■ h2
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ connection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ events.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ frame_buffer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ settings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stream.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utilities.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ windows.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ config.py
■ ■ ■ ■ ■ ■ ■ ■■■ connection.py
■ ■ ■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■ ■ ■■■ events.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ frame_buffer.py
■ ■ ■ ■ ■ ■ ■ ■■■ settings.py
■ ■ ■ ■ ■ ■ ■ ■■■ stream.py
■ ■ ■ ■ ■ ■ ■ ■■■ utilities.py
■ ■ ■ ■ ■ ■ ■ ■■■ windows.py
■ ■ ■ ■ ■ ■ ■ ■■■ h2-4.1.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
```

```

■ ■ ■ ■ ■■■ h5netcdf
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■■■ attrs.cpython-311.pyc
■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■■■ dimensions.cpython-311.pyc
■ ■ ■ ■ ■■■ legacyapi.cpython-311.pyc
■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■■■ attrs.py
■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■■■ dimensions.py
■ ■ ■ ■ ■■■ legacyapi.py
■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■■■ test_h5netcdf.cpython-311.pyc
■ ■ ■ ■ ■■■ conftest.py
■ ■ ■ ■ ■■■ pytest.ini
■ ■ ■ ■ ■■■ test_h5netcdf.py
■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■■■ h5netcdf-1.4.1.dist-info
■ ■ ■ ■ ■■■ AUTHORS.txt
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ h5py
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ h5py_warnings.cpython-311.pyc
■ ■ ■ ■ ■■■ ipy_completer.cpython-311.pyc
■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■■■ _conv.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■ _errors.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■ _hl
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ attrs.cpython-311.pyc
■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■■■ compat.cpython-311.pyc
■ ■ ■ ■ ■■■ dataset.cpython-311.pyc
■ ■ ■ ■ ■■■ datatype.cpython-311.pyc
■ ■ ■ ■ ■■■ dims.cpython-311.pyc
■ ■ ■ ■ ■■■ files.cpython-311.pyc
■ ■ ■ ■ ■■■ filters.cpython-311.pyc
■ ■ ■ ■ ■■■ group.cpython-311.pyc
■ ■ ■ ■ ■■■ selections.cpython-311.pyc
■ ■ ■ ■ ■■■ selections2.cpython-311.pyc
■ ■ ■ ■ ■■■ vds.cpython-311.pyc
■ ■ ■ ■ ■■■ attrs.py
■ ■ ■ ■ ■■■ base.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ compat.py
■ ■ ■ ■ ■ ■ ■ ■ dataset.py
■ ■ ■ ■ ■ ■ ■ ■ datatype.py
■ ■ ■ ■ ■ ■ ■ ■ dims.py
■ ■ ■ ■ ■ ■ ■ ■ files.py
■ ■ ■ ■ ■ ■ ■ ■ filters.py
■ ■ ■ ■ ■ ■ ■ ■ group.py
■ ■ ■ ■ ■ ■ ■ ■ selections.py
■ ■ ■ ■ ■ ■ ■ ■ selections2.py
■ ■ ■ ■ ■ ■ ■ ■ vds.py
■ ■ ■ ■ ■ ■ ■ ■ _objects.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _proxy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _selector.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ defs.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5a.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5ac.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5d.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5ds.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5f.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5fd.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5g.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5i.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5l.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5o.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5p.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5pl.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5py_warnings.py
■ ■ ■ ■ ■ ■ ■ ■ h5r.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5s.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5t.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ h5z.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ipy_completer.py
■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_attribute_create.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_attrs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_attrs_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_big_endian_file.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_completions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_dataset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_dataset_getitem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_dataset_swmr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_datatype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_dimension_scales.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_dims_dimensionproxy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_dtype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_file.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_file2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_file_alignment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_file_image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_filters.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5d_direct_chunk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5f.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5o.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5p.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5pl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5t.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_objects.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ros3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_selections.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_slicing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■■■ data_files
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vlen_string_dset.h5
■ ■ ■ ■ ■ ■ ■ ■■■ vlen_string_dset_utc.h5
■ ■ ■ ■ ■ ■ ■ ■■■ vlen_string_s390x.h5
■ ■ ■ ■ ■ ■ ■ ■■■ test_attribute_create.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_attrs.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_attrs_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_big_endian_file.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_completions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dataset.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dataset_getitem.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dataset_swmr.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_datatype.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dimension_scales.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dims_dimensionproxy.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dtype.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_errors.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_file.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_file2.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_file_alignment.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_file_image.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_filters.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_group.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5d_direct_chunk.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5f.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5o.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5p.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5pl.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_h5t.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_objects.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ros3.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_selections.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_slicing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_vds
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_highlevel_vds.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_lowlevel_vds.cpython-311.pyc
```



```

■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_virtual_source.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_highlevel_vds.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_lowlevel_vds.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      test_virtual_source.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      utils.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      version.py
■      ■      ■      ■      ■      ■      ■      ■      ■      h5py-3.8.0.dist-info
■      ■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      ■      REQUESTED
■      ■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      h5py.libs
■      ■      ■      ■      ■      ■      ■      libaec-8db54129.so.0.0.10
■      ■      ■      ■      ■      ■      ■      libhdf5-45610c27.so.200.2.0
■      ■      ■      ■      ■      ■      ■      libhdf5_hl-408a1995.so.200.1.0
■      ■      ■      ■      ■      ■      ■      libsz-60c3b967.so.2.0.1
■      ■      ■      ■      ■      ■      hpack
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      hpack.cpython-311.pyc
■      ■      ■      ■      ■      ■      huffman.cpython-311.pyc
■      ■      ■      ■      ■      ■      huffman_constants.cpython-311.pyc
■      ■      ■      ■      ■      ■      huffman_table.cpython-311.pyc
■      ■      ■      ■      ■      ■      struct.cpython-311.pyc
■      ■      ■      ■      ■      ■      table.cpython-311.pyc
■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      hpack.py
■      ■      ■      ■      ■      ■      huffman.py
■      ■      ■      ■      ■      ■      huffman_constants.py
■      ■      ■      ■      ■      ■      huffman_table.py
■      ■      ■      ■      ■      ■      struct.py
■      ■      ■      ■      ■      ■      table.py
■      ■      ■      ■      ■      hpack-4.0.0.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      html5lib
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      _ihatexml.cpython-311.pyc
■      ■      ■      ■      ■      ■      _inputstream.cpython-311.pyc
■      ■      ■      ■      ■      ■      _tokenizer.cpython-311.pyc
■      ■      ■      ■      ■      ■      _utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      constants.cpython-311.pyc
■      ■      ■      ■      ■      ■      html5parser.cpython-311.pyc
■      ■      ■      ■      ■      ■      serializer.cpython-311.pyc
■      ■      ■      ■      ■      ■      _ihatexml.py
■      ■      ■      ■      ■      ■      _inputstream.py
■      ■      ■      ■      ■      ■      tokenizer.py

```

```

_ _ _ _ _ trie
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _base.cpython-311.pyc
_ _ _ _ _ py.cpython-311.pyc
_ _ _ _ _ _base.py
_ _ _ _ _ py.py
_ _ _ _ _ _utils.py
_ _ _ _ _ constants.py
_ _ _ _ _ filters
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ alphabeticalattributes.cpython-311.pyc
_ _ _ _ _ base.cpython-311.pyc
_ _ _ _ _ inject_meta_charset.cpython-311.pyc
_ _ _ _ _ lint.cpython-311.pyc
_ _ _ _ _ optionaltags.cpython-311.pyc
_ _ _ _ _ sanitizer.cpython-311.pyc
_ _ _ _ _ whitespace.cpython-311.pyc
_ _ _ _ _ alphabeticalattributes.py
_ _ _ _ _ base.py
_ _ _ _ _ inject_meta_charset.py
_ _ _ _ _ lint.py
_ _ _ _ _ optionaltags.py
_ _ _ _ _ sanitizer.py
_ _ _ _ _ whitespace.py
_ _ _ _ _ html5parser.py
_ _ _ _ _ serializer.py
_ _ _ _ _ treeadapters
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ genshi.cpython-311.pyc
_ _ _ _ _ sax.cpython-311.pyc
_ _ _ _ _ genshi.py
_ _ _ _ _ sax.py
_ _ _ _ _ treebuilders
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ base.cpython-311.pyc
_ _ _ _ _ dom.cpython-311.pyc
_ _ _ _ _ etree.cpython-311.pyc
_ _ _ _ _ etree_lxml.cpython-311.pyc
_ _ _ _ _ base.py
_ _ _ _ _ dom.py
_ _ _ _ _ etree.py
_ _ _ _ _ etree_lxml.py
_ _ _ _ _ treewalkers
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ base.cpython-311.pyc
_ _ _ _ _ dom.cpython-311.pyc
_ _ _ _ _ etree.cpython-311.pyc
_ _ _ _ _ etree_lxml.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■      genshi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.py
■      ■      ■      ■      ■      ■      ■      ■      dom.py
■      ■      ■      ■      ■      ■      ■      ■      etree.py
■      ■      ■      ■      ■      ■      ■      ■      etree_lxml.py
■      ■      ■      ■      ■      ■      ■      ■      genshi.py
■      ■      ■      ■      ■      ■      ■      ■      html5lib-1.1.dist-info
■      ■      ■      ■      ■      ■      ■      ■      AUTHORS.rst
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      httpcore
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _api.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _models.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _ssl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _synchronization.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _trace.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _api.py
■      ■      ■      ■      ■      ■      ■      ■      _async
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      connection.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      connection_pool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      http11.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      http2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      http_proxy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      interfaces.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      socks_proxy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      connection.py
■      ■      ■      ■      ■      ■      ■      ■      connection_pool.py
■      ■      ■      ■      ■      ■      ■      ■      http11.py
■      ■      ■      ■      ■      ■      ■      ■      http2.py
■      ■      ■      ■      ■      ■      ■      ■      http_proxy.py
■      ■      ■      ■      ■      ■      ■      ■      interfaces.py
■      ■      ■      ■      ■      ■      ■      ■      socks_proxy.py
■      ■      ■      ■      ■      ■      ■      ■      _backends
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      anyio.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      auto.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mock.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      sync.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      trio.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      anyio.py
■      ■      ■      ■      ■      ■      ■      ■      auto.py
■      ■      ■      ■      ■      ■      ■      ■      base.py
■      ■      ■      ■      ■      ■      ■      ■      mock.py

```

```

■      ■      ■      ■      ■      ■      sync.py
■      ■      ■      ■      ■      ■      trio.py
■      ■      ■      ■      ■      ■      _exceptions.py
■      ■      ■      ■      ■      ■      _models.py
■      ■      ■      ■      ■      ■      _ssl.py
■      ■      ■      ■      ■      ■      _sync
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      connection.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      connection_pool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      http11.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      http2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      http_proxy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      interfaces.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      socks_proxy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      connection.py
■      ■      ■      ■      ■      ■      ■      connection_pool.py
■      ■      ■      ■      ■      ■      ■      http11.py
■      ■      ■      ■      ■      ■      ■      http2.py
■      ■      ■      ■      ■      ■      ■      http_proxy.py
■      ■      ■      ■      ■      ■      ■      interfaces.py
■      ■      ■      ■      ■      ■      ■      socks_proxy.py
■      ■      ■      ■      ■      ■      ■      _synchronization.py
■      ■      ■      ■      ■      ■      ■      _trace.py
■      ■      ■      ■      ■      ■      ■      _utils.py
■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      httpcore-1.0.7.dist-info
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      ■      LICENSE.md
■      ■      ■      ■      ■      ■      httptools
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _version.py
■      ■      ■      ■      ■      ■      ■      parser
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      cparser.pxd
■      ■      ■      ■      ■      ■      ■      errors.py
■      ■      ■      ■      ■      ■      ■      parser.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      parser.pyx
■      ■      ■      ■      ■      ■      ■      python.pxd
■      ■      ■      ■      ■      ■      ■      url_cparser.pxd
■      ■      ■      ■      ■      ■      ■      url_parser.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      url_parser.pyx
■      ■      ■      ■      ■      ■      httptools-0.6.4.dist-info
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD

```

```

WHEEL
top_level.txt
httpx
__init__.py
__pycache__
__init__.cpython-311.pyc
__version__.cpython-311.pyc
_api.cpython-311.pyc
_auth.cpython-311.pyc
_client.cpython-311.pyc
_config.cpython-311.pyc
_content.cpython-311.pyc
_decoders.cpython-311.pyc
_exceptions.cpython-311.pyc
_main.cpython-311.pyc
_models.cpython-311.pyc
_multipart.cpython-311.pyc
_status_codes.cpython-311.pyc
_types.cpython-311.pyc
_urlparse.cpython-311.pyc
_urls.cpython-311.pyc
_utils.cpython-311.pyc
__version__.py
_api.py
_auth.py
_client.py
_config.py
_content.py
_decoders.py
_exceptions.py
_main.py
_models.py
_multipart.py
_status_codes.py
_transports
__init__.py
__pycache__
__init__.cpython-311.pyc
asgi.cpython-311.pyc
base.cpython-311.pyc
default.cpython-311.pyc
mock.cpython-311.pyc
wsgi.cpython-311.pyc
asgi.py
base.py
default.py
mock.py
wsgi.py
_types.py
_urlparse.py
_urls.py
_utils.py
py.typed
httpx-0.28.1.dist-info
INSTALLER
METADATA
RECORD
WHEEL

```

```

    entry_points.txt
    licenses
    LICENSE.md
hypercorn
    __init__.py
    __main__.py
    __pycache__
        __init__.cpython-311.pyc
        __main__.cpython-311.pyc
        app_wrappers.cpython-311.pyc
        config.cpython-311.pyc
        events.cpython-311.pyc
        logging.cpython-311.pyc
        run.cpython-311.pyc
        statsd.cpython-311.pyc
        typing.cpython-311.pyc
        utils.cpython-311.pyc
    app_wrappers.py
    asyncio
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            lifespan.cpython-311.pyc
            run.cpython-311.pyc
            statsd.cpython-311.pyc
            task_group.cpython-311.pyc
            tcp_server.cpython-311.pyc
            udp_server.cpython-311.pyc
            worker_context.cpython-311.pyc
        lifespan.py
        run.py
        statsd.py
        task_group.py
        tcp_server.py
        udp_server.py
        worker_context.py
    config.py
    events.py
    logging.py
    middleware
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            dispatcher.cpython-311.pyc
            http_to_https.cpython-311.pyc
            wsgi.cpython-311.pyc
        dispatcher.py
        http_to_https.py
        wsgi.py
    protocol
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            events.cpython-311.pyc
            h11.cpython-311.pyc
            h2.cpython-311.pyc
            h3.cpython-311.pyc
            http_stream.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■      quic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ws_stream.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      events.py
■      ■      ■      ■      ■      ■      ■      ■      h11.py
■      ■      ■      ■      ■      ■      ■      ■      h2.py
■      ■      ■      ■      ■      ■      ■      ■      h3.py
■      ■      ■      ■      ■      ■      ■      ■      http_stream.py
■      ■      ■      ■      ■      ■      ■      ■      quic.py
■      ■      ■      ■      ■      ■      ■      ■      ws_stream.py
■      ■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      ■      run.py
■      ■      ■      ■      ■      ■      ■      ■      statsd.py
■      ■      ■      ■      ■      ■      ■      ■      trio
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      lifespan.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      run.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      statsd.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      task_group.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      tcp_server.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      udp_server.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      worker_context.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      lifespan.py
■      ■      ■      ■      ■      ■      ■      ■      run.py
■      ■      ■      ■      ■      ■      ■      ■      statsd.py
■      ■      ■      ■      ■      ■      ■      ■      task_group.py
■      ■      ■      ■      ■      ■      ■      ■      tcp_server.py
■      ■      ■      ■      ■      ■      ■      ■      udp_server.py
■      ■      ■      ■      ■      ■      ■      ■      worker_context.py
■      ■      ■      ■      ■      ■      ■      ■      typing.py
■      ■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      ■      hypercorn-0.14.3.dist-info
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      REQUESTED
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      entry_points.txt
■      ■      ■      ■      ■      ■      ■      ■      hyperframe
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      flags.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      frame.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      ■      ■      flags.py
■      ■      ■      ■      ■      ■      ■      ■      frame.py
■      ■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      ■      hyperframe-6.0.1.dist-info
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt

```

```

    idna
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      codec.cpython-311.pyc
      compat.cpython-311.pyc
      core.cpython-311.pyc
      idnadata.cpython-311.pyc
      intranges.cpython-311.pyc
      package_data.cpython-311.pyc
      uts46data.cpython-311.pyc
      codec.py
      compat.py
      core.py
      idnadata.py
      intranges.py
      package_data.py
      py.typed
      uts46data.py
    idna-3.10.dist-info
      INSTALLER
      LICENSE.md
      METADATA
      RECORD
      WHEEL
    imageio
      __init__.py
      __main__.py
      __pycache__
      __init__.cpython-311.pyc
      __main__.cpython-311.pyc
      freeze.cpython-311.pyc
      testing.cpython-311.pyc
      typing.cpython-311.pyc
      v2.cpython-311.pyc
      v3.cpython-311.pyc
      config
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      extensions.cpython-311.pyc
      plugins.cpython-311.pyc
      extensions.py
      extensions.pyi
      plugins.py
      plugins.pyi
      core
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      fetching.cpython-311.pyc
      findlib.cpython-311.pyc
      format.cpython-311.pyc
      imopen.cpython-311.pyc
      legacy_plugin_wrapper.cpython-311.pyc
      request.cpython-311.pyc
      util.cpython-311.pyc
      v3_plugin_api.cpython-311.pyc

```


■	■	■	■	■	■	■■■	fetching.py
■	■	■	■	■	■	■■■	findlib.py
■	■	■	■	■	■	■■■	format.py
■	■	■	■	■	■	■■■	format.pyi
■	■	■	■	■	■	■■■	imopen.py
■	■	■	■	■	■	■■■	imopen.pyi
■	■	■	■	■	■	■■■	legacy_plugin_wrapper.py
■	■	■	■	■	■	■■■	legacy_plugin_wrapper.pyi
■	■	■	■	■	■	■■■	request.py
■	■	■	■	■	■	■■■	request.pyi
■	■	■	■	■	■	■■■	util.py
■	■	■	■	■	■	■■■	v3_plugin_api.py
■	■	■	■	■	■■■	freeze.py	
■	■	■	■	■	■■■	plugins	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_bsdf.cpython-311.pyc
■	■	■	■	■	■	■■■	_dicom.cpython-311.pyc
■	■	■	■	■	■	■■■	_freeimage.cpython-311.pyc
■	■	■	■	■	■	■■■	_swf.cpython-311.pyc
■	■	■	■	■	■	■■■	_tifffile.cpython-311.pyc
■	■	■	■	■	■	■■■	bsdf.cpython-311.pyc
■	■	■	■	■	■	■■■	dicom.cpython-311.pyc
■	■	■	■	■	■	■■■	example.cpython-311.pyc
■	■	■	■	■	■	■■■	feisem.cpython-311.pyc
■	■	■	■	■	■	■■■	ffmpeg.cpython-311.pyc
■	■	■	■	■	■	■■■	fits.cpython-311.pyc
■	■	■	■	■	■	■■■	freeimage.cpython-311.pyc
■	■	■	■	■	■	■■■	freeimagemulti.cpython-311.pyc
■	■	■	■	■	■	■■■	gdal.cpython-311.pyc
■	■	■	■	■	■	■■■	grab.cpython-311.pyc
■	■	■	■	■	■	■■■	lytro.cpython-311.pyc
■	■	■	■	■	■	■■■	npz.cpython-311.pyc
■	■	■	■	■	■	■■■	opencv.cpython-311.pyc
■	■	■	■	■	■	■■■	pillow.cpython-311.pyc
■	■	■	■	■	■	■■■	pillow_info.cpython-311.pyc
■	■	■	■	■	■	■■■	pillow_legacy.cpython-311.pyc
■	■	■	■	■	■	■■■	pillowmulti.cpython-311.pyc
■	■	■	■	■	■	■■■	pyav.cpython-311.pyc
■	■	■	■	■	■	■■■	rawpy.cpython-311.pyc
■	■	■	■	■	■	■■■	simpleitk.cpython-311.pyc
■	■	■	■	■	■	■■■	spe.cpython-311.pyc
■	■	■	■	■	■	■■■	swf.cpython-311.pyc
■	■	■	■	■	■	■■■	tifffile.cpython-311.pyc
■	■	■	■	■	■	■■■	tifffile_v3.cpython-311.pyc
■	■	■	■	■	■■■	_bsdf.py	
■	■	■	■	■	■■■	_dicom.py	
■	■	■	■	■	■■■	_freeimage.py	
■	■	■	■	■	■■■	_swf.py	
■	■	■	■	■	■■■	_tifffile.py	
■	■	■	■	■	■■■	bsdf.py	
■	■	■	■	■	■■■	dicom.py	
■	■	■	■	■	■■■	example.py	
■	■	■	■	■	■■■	feisem.py	
■	■	■	■	■	■■■	ffmpeg.py	
■	■	■	■	■	■■■	fits.py	
■	■	■	■	■	■■■	freeimage.py	

```

■      ■      ■      ■      ■      ■      ■      freeimagemulti.py
■      ■      ■      ■      ■      ■      ■      gdal.py
■      ■      ■      ■      ■      ■      ■      grab.py
■      ■      ■      ■      ■      ■      ■      lytro.py
■      ■      ■      ■      ■      ■      ■      npz.py
■      ■      ■      ■      ■      ■      ■      opencv.py
■      ■      ■      ■      ■      ■      ■      pillow.py
■      ■      ■      ■      ■      ■      ■      pillow_info.py
■      ■      ■      ■      ■      ■      ■      pillow_legacy.py
■      ■      ■      ■      ■      ■      ■      pillowmulti.py
■      ■      ■      ■      ■      ■      ■      pyav.py
■      ■      ■      ■      ■      ■      ■      rawpy.py
■      ■      ■      ■      ■      ■      ■      simpleitk.py
■      ■      ■      ■      ■      ■      ■      spe.py
■      ■      ■      ■      ■      ■      ■      swf.py
■      ■      ■      ■      ■      ■      ■      tiffiff.py
■      ■      ■      ■      ■      ■      ■      tiffiff_v3.py
■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      testing.py
■      ■      ■      ■      ■      ■      ■      typing.py
■      ■      ■      ■      ■      ■      ■      v2.py
■      ■      ■      ■      ■      ■      ■      v2.pyi
■      ■      ■      ■      ■      ■      ■      v3.py
■      ■      ■      ■      ■      ■      ■      v3.pyi
■      ■      ■      ■      ■      ■      ■      imageio-2.36.1.dist-info
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      entry_points.txt
■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      imageio_ffmpeg
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _definitions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _io.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _parsing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _definitions.py
■      ■      ■      ■      ■      ■      ■      _io.py
■      ■      ■      ■      ■      ■      ■      _parsing.py
■      ■      ■      ■      ■      ■      ■      _utils.py
■      ■      ■      ■      ■      ■      ■      binaries
■      ■      ■      ■      ■      ■      ■      ■      README.md
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ffmpeg-linux64-v4.2.2
■      ■      ■      ■      ■      ■      ■      imageio_ffmpeg-0.5.1.dist-info
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      imgkit

```

```

■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■   _pycache__
■ ■ ■ ■ ■   ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ api.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ config.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ imgkit.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ source.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ api.py
■ ■ ■ ■ ■   ■■■■ config.py
■ ■ ■ ■ ■   ■■■■ imgkit.py
■ ■ ■ ■ ■   ■■■■ source.py
■ ■ ■ ■ ■   ■■■■ imgkit-1.2.2.dist-info
■ ■ ■ ■ ■   ■■■■ INSTALLER
■ ■ ■ ■ ■   ■■■■ LICENSE
■ ■ ■ ■ ■   ■■■■ METADATA
■ ■ ■ ■ ■   ■■■■ RECORD
■ ■ ■ ■ ■   ■■■■ REQUESTED
■ ■ ■ ■ ■   ■■■■ WHEEL
■ ■ ■ ■ ■   ■■■■ top_level.txt
■ ■ ■ ■ ■   ■■■■ importlib_metadata
■ ■ ■ ■ ■   ■■■■ __init__.py
■ ■ ■ ■ ■   ■■■■ _pycache__
■ ■ ■ ■ ■   ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ _adapters.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ _collections.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ _compat.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ _functools.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ _itertools.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ _meta.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ _text.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ diagnose.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ _adapters.py
■ ■ ■ ■ ■   ■■■■ _collections.py
■ ■ ■ ■ ■   ■■■■ _compat.py
■ ■ ■ ■ ■   ■■■■ _functools.py
■ ■ ■ ■ ■   ■■■■ _itertools.py
■ ■ ■ ■ ■   ■■■■ _meta.py
■ ■ ■ ■ ■   ■■■■ _text.py
■ ■ ■ ■ ■   ■■■■ compat
■ ■ ■ ■ ■   ■■■■ __init__.py
■ ■ ■ ■ ■   ■■■■ _pycache__
■ ■ ■ ■ ■   ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ py311.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ py39.cpython-311.pyc
■ ■ ■ ■ ■   ■■■■ py311.py
■ ■ ■ ■ ■   ■■■■ py39.py
■ ■ ■ ■ ■   ■■■■ diagnose.py
■ ■ ■ ■ ■   ■■■■ py.typed
■ ■ ■ ■ ■   ■■■■ importlib_metadata-8.5.0.dist-info
■ ■ ■ ■ ■   ■■■■ INSTALLER
■ ■ ■ ■ ■   ■■■■ LICENSE
■ ■ ■ ■ ■   ■■■■ METADATA
■ ■ ■ ■ ■   ■■■■ RECORD
■ ■ ■ ■ ■   ■■■■ WHEEL
■ ■ ■ ■ ■   ■■■■ top_level.txt
■ ■ ■ ■ ■   ■■■■ importlib_resources
■ ■ ■ ■ ■   ■■■■ __init__.py
■ ■ ■ ■ ■   ■■■■ _pycache__

```

■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_adapters.cpython-311.pyc
■	■	■	■	■	■	■■■	_common.cpython-311.pyc
■	■	■	■	■	■	■■■	_functional.cpython-311.pyc
■	■	■	■	■	■	■■■	_itertools.cpython-311.pyc
■	■	■	■	■	■	■■■	abc.cpython-311.pyc
■	■	■	■	■	■	■■■	readers.cpython-311.pyc
■	■	■	■	■	■	■■■	simple.cpython-311.pyc
■	■	■	■	■	■■■		_adapters.py
■	■	■	■	■	■■■		_common.py
■	■	■	■	■	■■■		_functional.py
■	■	■	■	■	■■■		_itertools.py
■	■	■	■	■	■■■		abc.py
■	■	■	■	■	■■■		compat
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	py38.cpython-311.pyc
■	■	■	■	■	■	■■■	py39.cpython-311.pyc
■	■	■	■	■	■■■		py38.py
■	■	■	■	■	■■■		py39.py
■	■	■	■	■	■■■		future
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	adapters.cpython-311.pyc
■	■	■	■	■	■■■		adapters.py
■	■	■	■	■	■■■		py.typed
■	■	■	■	■	■■■		readers.py
■	■	■	■	■	■■■		simple.py
■	■	■	■	■	■■■		tests
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_path.cpython-311.pyc
■	■	■	■	■	■	■■■	test_compatilty_files.cpython-311.pyc
■	■	■	■	■	■	■■■	test_contents.cpython-311.pyc
■	■	■	■	■	■	■■■	test_custom.cpython-311.pyc
■	■	■	■	■	■	■■■	test_files.cpython-311.pyc
■	■	■	■	■	■	■■■	test_functional.cpython-311.pyc
■	■	■	■	■	■	■■■	test_open.cpython-311.pyc
■	■	■	■	■	■	■■■	test_path.cpython-311.pyc
■	■	■	■	■	■	■■■	test_read.cpython-311.pyc
■	■	■	■	■	■	■■■	test_reader.cpython-311.pyc
■	■	■	■	■	■	■■■	test_resource.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■	■■■	zip.cpython-311.pyc
■	■	■	■	■	■■■		_path.py
■	■	■	■	■	■■■		compat
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	py312.cpython-311.pyc
■	■	■	■	■	■	■■■	py39.cpython-311.pyc
■	■	■	■	■	■■■		py312.py
■	■	■	■	■	■■■		py39.py
■	■	■	■	■	■■■		test_compatilty_files.py
■	■	■	■	■	■■■		test_contents.py

```
■ ■ ■ ■ ■ ■ ■■ test_custom.py
■ ■ ■ ■ ■ ■ ■■ test_files.py
■ ■ ■ ■ ■ ■ ■■ test_functional.py
■ ■ ■ ■ ■ ■ ■■ test_open.py
■ ■ ■ ■ ■ ■ ■■ test_path.py
■ ■ ■ ■ ■ ■ ■■ test_read.py
■ ■ ■ ■ ■ ■ ■■ test_reader.py
■ ■ ■ ■ ■ ■ ■■ test_resource.py
■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■■ zip.py
■ ■ ■ ■ ■ ■■ importlib_resources-6.4.5.dist-info
■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■■ iniconfig
■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ _parse.cpython-311.pyc
■ ■ ■ ■ ■ ■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■■ _parse.py
■ ■ ■ ■ ■ ■■ _version.py
■ ■ ■ ■ ■ ■■ exceptions.py
■ ■ ■ ■ ■ ■■ py.typed
■ ■ ■ ■ ■ ■■ iniconfig-2.0.0.dist-info
■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■■ licenses
■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■■ ipykernel
■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■■ __main__.py
■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■■ _eventloop_macos.cpython-311.pyc
■ ■ ■ ■ ■ ■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■ compiler.cpython-311.pyc
■ ■ ■ ■ ■ ■■ connect.cpython-311.pyc
■ ■ ■ ■ ■ ■■ control.cpython-311.pyc
■ ■ ■ ■ ■ ■■ datapub.cpython-311.pyc
■ ■ ■ ■ ■ ■■ debugger.cpython-311.pyc
■ ■ ■ ■ ■ ■■ displayhook.cpython-311.pyc
■ ■ ■ ■ ■ ■■ embed.cpython-311.pyc
■ ■ ■ ■ ■ ■■ eventloops.cpython-311.pyc
■ ■ ■ ■ ■ ■■ heartbeat.cpython-311.pyc
■ ■ ■ ■ ■ ■■ iostream.cpython-311.pyc
■ ■ ■ ■ ■ ■■ ipkernel.cpython-311.pyc
■ ■ ■ ■ ■ ■■ jsonutil.cpython-311.pyc
■ ■ ■ ■ ■ ■■ kernelapp.cpython-311.pyc
■ ■ ■ ■ ■ ■■ kernelbase.cpython-311.pyc
■ ■ ■ ■ ■ ■■ kernelspec.cpython-311.pyc
```

■	■	■	■	■	■	■■■	log.cpython-311.pyc
■	■	■	■	■	■	■■■	parentpoller.cpython-311.pyc
■	■	■	■	■	■	■■■	pickleutil.cpython-311.pyc
■	■	■	■	■	■	■■■	serialize.cpython-311.pyc
■	■	■	■	■	■	■■■	trio_runner.cpython-311.pyc
■	■	■	■	■	■	■■■	zmqshell.cpython-311.pyc
■	■	■	■	■	■■■		_eventloop_macos.py
■	■	■	■	■	■■■		_version.py
■	■	■	■	■	■■■		comm
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	comm.cpython-311.pyc
■	■	■	■	■	■	■■■	manager.cpython-311.pyc
■	■	■	■	■	■■■		comm.py
■	■	■	■	■	■■■		manager.py
■	■	■	■	■	■■■		compiler.py
■	■	■	■	■	■■■		connect.py
■	■	■	■	■	■■■		control.py
■	■	■	■	■	■■■		datapub.py
■	■	■	■	■	■■■		debugger.py
■	■	■	■	■	■■■		displayhook.py
■	■	■	■	■	■■■		embed.py
■	■	■	■	■	■■■		eventloops.py
■	■	■	■	■	■■■		gui
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	gtk3embed.cpython-311.pyc
■	■	■	■	■	■	■■■	gtkembed.cpython-311.pyc
■	■	■	■	■	■■■		gtk3embed.py
■	■	■	■	■	■■■		gtkembed.py
■	■	■	■	■	■■■		heartbeat.py
■	■	■	■	■	■■■		inprocess
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	blocking.cpython-311.pyc
■	■	■	■	■	■	■■■	channels.cpython-311.pyc
■	■	■	■	■	■	■■■	client.cpython-311.pyc
■	■	■	■	■	■	■■■	constants.cpython-311.pyc
■	■	■	■	■	■	■■■	ipkernel.cpython-311.pyc
■	■	■	■	■	■	■■■	manager.cpython-311.pyc
■	■	■	■	■	■	■■■	socket.cpython-311.pyc
■	■	■	■	■	■■■		blocking.py
■	■	■	■	■	■■■		channels.py
■	■	■	■	■	■■■		client.py
■	■	■	■	■	■■■		constants.py
■	■	■	■	■	■■■		ipkernel.py
■	■	■	■	■	■■■		manager.py
■	■	■	■	■	■■■		socket.py
■	■	■	■	■	■■■		iostream.py
■	■	■	■	■	■■■		ipkernel.py
■	■	■	■	■	■■■		jsonutil.py
■	■	■	■	■	■■■		kernelapp.py
■	■	■	■	■	■■■		kernelbase.py
■	■	■	■	■	■■■		kernelspec.py
■	■	■	■	■	■■■		log.py

```

parentpoller.py
pickleutil.py
py.typed
pylab
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    backend_inline.cpython-311.pyc
    config.cpython-311.pyc
    backend_inline.py
    config.py
resources
  logo-32x32.png
  logo-64x64.png
  logo-svg.svg
serialize.py
trio_runner.py
zmqshell.py
ipykernel-6.29.5.dist-info
  INSTALLER
  METADATA
  RECORD
  WHEEL
  licenses
  LICENSE
ipykernel_launcher.py
ipython-8.30.0.dist-info
  INSTALLER
  LICENSE
  METADATA
  RECORD
  WHEEL
  entry_points.txt
  top_level.txt
ipython_genutils
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _version.cpython-311.pyc
    encoding.cpython-311.pyc
    importstring.cpython-311.pyc
    ipstruct.cpython-311.pyc
    path.cpython-311.pyc
    py3compat.cpython-311.pyc
    tempdir.cpython-311.pyc
    text.cpython-311.pyc
  _version.py
  encoding.py
  importstring.py
  ipstruct.py
  path.py
  py3compat.py
  tempdir.py
  testing
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    decorators.cpython-311.pyc

```

```

██████ decorators.py
██████ tests
██████ __init__.py
██████ __pycache__
██████   ██████ __init__.cpython-311.pyc
██████   ██████ test_importstring.cpython-311.pyc
██████   ██████ test_path.cpython-311.pyc
██████   ██████ test_tempdir.cpython-311.pyc
██████   ██████ test_text.cpython-311.pyc
██████   ██████ test_importstring.py
██████   ██████ test_path.py
██████   ██████ test_tempdir.py
██████   ██████ test_text.py
██████   ██████ text.py
██████ ipython_genutils-0.2.0.dist-info
██████ DESCRIPTION.rst
██████ INSTALLER
██████ METADATA
██████ RECORD
██████ WHEEL
██████ metadata.json
██████ top_level.txt
██████ isodate
██████   ██████ __init__.py
██████   ██████ __pycache__
██████   ██████ __init__.cpython-311.pyc
██████   ██████ duration.cpython-311.pyc
██████   ██████ isodates.cpython-311.pyc
██████   ██████ isodatetime.cpython-311.pyc
██████   ██████ isoduration.cpython-311.pyc
██████   ██████ isoerror.cpython-311.pyc
██████   ██████ isostrf.cpython-311.pyc
██████   ██████ isotime.cpython-311.pyc
██████   ██████ isotzinfo.cpython-311.pyc
██████   ██████ tzinfo.cpython-311.pyc
██████   ██████ version.cpython-311.pyc
██████   ██████ duration.py
██████   ██████ isodates.py
██████   ██████ isodatetime.py
██████   ██████ isoduration.py
██████   ██████ isoerror.py
██████   ██████ isostrf.py
██████   ██████ isotime.py
██████   ██████ isotzinfo.py
██████   ██████ tzinfo.py
██████   ██████ version.py
██████ isodate-0.7.2.dist-info
██████ INSTALLER
██████ LICENSE
██████ METADATA
██████ RECORD
██████ WHEEL
██████ top_level.txt
██████ isympy.py
██████ itsdangerous
██████   ██████ __init__.py
██████   ██████ __pycache__
██████   ██████ __init__.cpython-311.pyc

```



```

[ ] [ ] [ ] [ ] [ ] [ ] [ ] json.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] encoding.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] exc.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] serializer.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] signer.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] timed.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] url_safe.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] _json.py
[ ] [ ] [ ] [ ] [ ] [ ] [ ] encoding.py
[ ] [ ] [ ] [ ] [ ] [ ] [ ] exc.py
[ ] [ ] [ ] [ ] [ ] [ ] [ ] py.typed
[ ] [ ] [ ] [ ] [ ] [ ] [ ] serializer.py
[ ] [ ] [ ] [ ] [ ] [ ] [ ] signer.py
[ ] [ ] [ ] [ ] [ ] [ ] [ ] timed.py
[ ] [ ] [ ] [ ] [ ] [ ] [ ] url_safe.py
[ ] [ ] [ ] [ ] [ ] [ ] [ ] itsdangerous-2.2.0.dist-info
[ ] [ ] [ ] [ ] [ ] [ ] [ ] INSTALLER
[ ] [ ] [ ] [ ] [ ] [ ] [ ] LICENSE.txt
[ ] [ ] [ ] [ ] [ ] [ ] [ ] METADATA
[ ] [ ] [ ] [ ] [ ] [ ] [ ] RECORD
[ ] [ ] [ ] [ ] [ ] [ ] [ ] WHEEL
[ ] [ ] [ ] [ ] [ ] [ ] [ ] jax
[ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.py
[ ] [ ] [ ] [ ] [ ] [ ] [ ] __pycache__
[ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] abstract_arrays.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] ad_checkpoint.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] api_util.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] cloud_tpu_init.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] config.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] core.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] custom_batching.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] custom_derivatives.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] custom_transpose.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] distributed.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] dlpack.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] dtypes.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] errors.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] flatten_util.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] laxpr_util.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] linear_util.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] prng.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] profiler.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] random.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] test_util.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] tree_util.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] util.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] version.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] _src
[ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.py
[ ] [ ] [ ] [ ] [ ] [ ] [ ] __pycache__
[ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] abstract_arrays.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] ad_checkpoint.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] ad_util.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] api.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] api_util.cpython-311.pyc
[ ] [ ] [ ] [ ] [ ] [ ] [ ] cloud_tpu_init.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■ config.cpython-311.pyc
■	■	■	■	■	■	■	■■■ custom_api_util.cpython-311.pyc
■	■	■	■	■	■	■	■■■ custom_batching.cpython-311.pyc
■	■	■	■	■	■	■	■■■ custom_derivatives.cpython-311.pyc
■	■	■	■	■	■	■	■■■ custom_transpose.cpython-311.pyc
■	■	■	■	■	■	■	■■■ device_array.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dispatch.cpython-311.pyc
■	■	■	■	■	■	■	■■■ distributed.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dlpack.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dtypes.cpython-311.pyc
■	■	■	■	■	■	■	■■■ errors.cpython-311.pyc
■	■	■	■	■	■	■	■■■ flatten_util.cpython-311.pyc
■	■	■	■	■	■	■	■■■ iree.cpython-311.pyc
■	■	■	■	■	■	■	■■■ lax_reference.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pretty_printer.cpython-311.pyc
■	■	■	■	■	■	■	■■■ prng.cpython-311.pyc
■	■	■	■	■	■	■	■■■ profiler.cpython-311.pyc
■	■	■	■	■	■	■	■■■ random.cpython-311.pyc
■	■	■	■	■	■	■	■■■ source_info_util.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_util.cpython-311.pyc
■	■	■	■	■	■	■	■■■ traceback_util.cpython-311.pyc
■	■	■	■	■	■	■	■■■ tree_util.cpython-311.pyc
■	■	■	■	■	■	■	■■■ util.cpython-311.pyc
■	■	■	■	■	■	■■■	abstract_arrays.py
■	■	■	■	■	■	■■■	ad_checkpoint.py
■	■	■	■	■	■	■■■	ad_util.py
■	■	■	■	■	■	■■■	api.py
■	■	■	■	■	■	■■■	api_util.py
■	■	■	■	■	■	■■■	cloud_tpu_init.py
■	■	■	■	■	■	■■■	config.py
■	■	■	■	■	■	■■■	custom_api_util.py
■	■	■	■	■	■	■■■	custom_batching.py
■	■	■	■	■	■	■■■	custom_derivatives.py
■	■	■	■	■	■	■■■	custom_transpose.py
■	■	■	■	■	■	■■■	device_array.py
■	■	■	■	■	■	■■■	dispatch.py
■	■	■	■	■	■	■■■	distributed.py
■	■	■	■	■	■	■■■	dlpack.py
■	■	■	■	■	■	■■■	dtypes.py
■	■	■	■	■	■	■■■	errors.py
■	■	■	■	■	■	■■■	flatten_util.py
■	■	■	■	■	■	■■■	image
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ scale.cpython-311.pyc
■	■	■	■	■	■	■■■	scale.py
■	■	■	■	■	■	■■■	iree.py
■	■	■	■	■	■	■■■	lax
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ control_flow.cpython-311.pyc
■	■	■	■	■	■	■	■■■ convolution.cpython-311.pyc
■	■	■	■	■	■	■	■■■ fft.cpython-311.pyc
■	■	■	■	■	■	■	■■■ lax.cpython-311.pyc
■	■	■	■	■	■	■	■■■ linalg.cpython-311.pyc
■	■	■	■	■	■	■	■■■ other.cpython-311.pyc

```

parallel.cpython-311.pyc
polar.cpython-311.pyc
qdwh.cpython-311.pyc
slicing.cpython-311.pyc
utils.cpython-311.pyc
windowed_reductions.cpython-311.pyc
control_flow.py
convolution.py
fft.py
lax.py
linalg.py
other.py
parallel.py
polar.py
qdwh.py
slicing.py
utils.py
windowed_reductions.py
lax_reference.py
lib
__init__.py
__pycache__
__init__.cpython-311.pyc
xla_bridge.cpython-311.pyc
mlir
__init__.py
__pycache__
__init__.cpython-311.pyc
dialects
__init__.py
__pycache__
__init__.cpython-311.pyc
xla_bridge.py
nn
__init__.py
__pycache__
__init__.cpython-311.pyc
functions.cpython-311.pyc
initializers.cpython-311.pyc
functions.py
initializers.py
numpy
__init__.py
__pycache__
__init__.cpython-311.pyc
fft.cpython-311.pyc
lax_numpy.cpython-311.pyc
linalg.cpython-311.pyc
polynomial.cpython-311.pyc
util.cpython-311.pyc
vectorize.cpython-311.pyc
fft.py
lax_numpy.py
linalg.py
polynomial.py
util.py
vectorize.py
ops

```

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ custom_transpose.py
■ ■ ■ ■ ■ ■ ■ ■ distributed.py
■ ■ ■ ■ ■ ■ ■ ■ dlpack.py
■ ■ ■ ■ ■ ■ ■ ■ dtypes.py
■ ■ ■ ■ ■ ■ ■ ■ errors.py
■ ■ ■ ■ ■ ■ ■ ■ example_libraries
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ optimizers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ stax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ optimizers.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ stax.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ experimental
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ann.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ callback.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ checkify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ djax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ global_device_array.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ host_callback.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ jet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ loops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ maps.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ mesh_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ optimizers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pjit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ stax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ x64_context.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ann.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ callback.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ checkify.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compilation_cache
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ cache_interface.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ compilation_cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ file_system_cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ cache_interface.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ compilation_cache.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ file_system_cache.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ djax.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gda_serialization
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ serialization_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ serialization.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ serialization_test.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ global_device_array.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ host_callback.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jax2tf
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py

```

```

    [ ] __pycache__
    [ ]     [ ] __init__.cpython-311.pyc
    [ ]     [ ] call_tf.cpython-311.pyc
    [ ]     [ ] impl_no_xla.cpython-311.pyc
    [ ]     [ ] jax2tf.cpython-311.pyc
    [ ]     [ ] shape_poly.cpython-311.pyc
    [ ]     [ ] call_tf.py
    [ ]     [ ] examples
    [ ]         [ ] __init__.py
    [ ]         [ ] __pycache__
    [ ]             [ ] __init__.cpython-311.pyc
    [ ]             [ ] keras_reuse_main.cpython-311.pyc
    [ ]             [ ] keras_reuse_main_test.cpython-311.pyc
    [ ]             [ ] mnist_lib.cpython-311.pyc
    [ ]             [ ] saved_model_lib.cpython-311.pyc
    [ ]             [ ] saved_model_main.cpython-311.pyc
    [ ]             [ ] saved_model_main_test.cpython-311.pyc
    [ ]             [ ] keras_reuse_main.py
    [ ]             [ ] keras_reuse_main_test.py
    [ ]             [ ] mnist_lib.py
    [ ]             [ ] saved_model_lib.py
    [ ]             [ ] saved_model_main.py
    [ ]             [ ] saved_model_main_test.py
    [ ]             [ ] serving
    [ ]                 [ ] __init__.py
    [ ]                 [ ] __pycache__
    [ ]                     [ ] __init__.cpython-311.pyc
    [ ]                     [ ] model_server_request.cpython-311.pyc
    [ ]                     [ ] model_server_request.py
    [ ]     [ ] impl_no_xla.py
    [ ]     [ ] jax2tf.py
    [ ]     [ ] shape_poly.py
    [ ]     [ ] tests
    [ ]         [ ] __init__.py
    [ ]         [ ] __pycache__
    [ ]             [ ] __init__.cpython-311.pyc
    [ ]             [ ] call_tf_test.cpython-311.pyc
    [ ]             [ ] control_flow_ops_test.cpython-311.pyc
    [ ]             [ ] jax2tf_limitations.cpython-311.pyc
    [ ]             [ ] jax2tf_test.cpython-311.pyc
    [ ]             [ ] jax_primitives_coverage_test.cpython-311.pyc
    [ ]             [ ] primitive_harness.cpython-311.pyc
    [ ]             [ ] primitives_test.cpython-311.pyc
    [ ]             [ ] savedmodel_test.cpython-311.pyc
    [ ]             [ ] shape_poly_test.cpython-311.pyc
    [ ]             [ ] sharding_test.cpython-311.pyc
    [ ]             [ ] stax_test.cpython-311.pyc
    [ ]             [ ] tf_test_util.cpython-311.pyc
    [ ]             [ ] call_tf_test.py
    [ ]             [ ] control_flow_ops_test.py
    [ ]             [ ] jax2tf_limitations.py
    [ ]             [ ] jax2tf_test.py
    [ ]             [ ] jax_primitives_coverage_test.py
    [ ]             [ ] primitive_harness.py
    [ ]             [ ] primitives_test.py
    [ ]             [ ] savedmodel_test.py
    [ ]             [ ] shape_poly_test.py
    [ ]             [ ] sharding_test.py

```

[illegible]


```

sharded_jit.py
xla.py
jaxpr_util.py
lax
__init__.py
__pycache__
__init__.cpython-311.pyc
linalg.cpython-311.pyc
linalg.py
lib
__init__.py
__pycache__
__init__.cpython-311.pyc
xla_bridge.cpython-311.pyc
xla_bridge.py
linear_util.py
nn
__init__.py
__pycache__
__init__.cpython-311.pyc
initializers.cpython-311.pyc
initializers.py
numpy
__init__.py
__pycache__
__init__.cpython-311.pyc
fft.cpython-311.pyc
linalg.cpython-311.pyc
fft.py
linalg.py
ops
__init__.py
__pycache__
__init__.cpython-311.pyc
prng.py
profiler.py
py.typed
random.py
scipy
__init__.py
__pycache__
__init__.cpython-311.pyc
fft.cpython-311.pyc
linalg.cpython-311.pyc
ndimage.cpython-311.pyc
signal.cpython-311.pyc
special.cpython-311.pyc
fft.py
interpolate
__init__.py
__pycache__
__init__.cpython-311.pyc
linalg.py
ndimage.py
optimize
__init__.py
__pycache__
__init__.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■■■■ signal.py
■      ■      ■      ■      ■      ■      ■■■■ sparse
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ linalg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ linalg.py
■      ■      ■      ■      ■      ■      ■■■■ special.py
■      ■      ■      ■      ■      ■      ■■■■ stats
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ bernoulli.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ beta.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ betabinom.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ cauchy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ chi2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ dirichlet.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ expon.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ gamma.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ geom.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ laplace.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ logistic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ multivariate_normal.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ nbinom.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ norm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ pareto.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ poisson.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ t.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ uniform.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ bernoulli.py
■      ■      ■      ■      ■      ■      ■■■■ beta.py
■      ■      ■      ■      ■      ■      ■■■■ betabinom.py
■      ■      ■      ■      ■      ■      ■■■■ cauchy.py
■      ■      ■      ■      ■      ■      ■■■■ chi2.py
■      ■      ■      ■      ■      ■      ■■■■ dirichlet.py
■      ■      ■      ■      ■      ■      ■■■■ expon.py
■      ■      ■      ■      ■      ■      ■■■■ gamma.py
■      ■      ■      ■      ■      ■      ■■■■ geom.py
■      ■      ■      ■      ■      ■      ■■■■ laplace.py
■      ■      ■      ■      ■      ■      ■■■■ logistic.py
■      ■      ■      ■      ■      ■      ■■■■ multivariate_normal.py
■      ■      ■      ■      ■      ■      ■■■■ nbinom.py
■      ■      ■      ■      ■      ■      ■■■■ norm.py
■      ■      ■      ■      ■      ■      ■■■■ pareto.py
■      ■      ■      ■      ■      ■      ■■■■ poisson.py
■      ■      ■      ■      ■      ■      ■■■■ t.py
■      ■      ■      ■      ■      ■      ■■■■ uniform.py
■      ■      ■      ■      ■      ■■■■ test_util.py
■      ■      ■      ■      ■      ■■■■ tools
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ colab_tpu.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ jax_to_ir.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ colab_tpu.py
■      ■      ■      ■      ■      ■      ■■■■ jax_to_ir.py
■      ■      ■      ■      ■      ■■■■ tree_util.py

```

```

util.py
version.py
jax-0.2.28.dist-info
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
jedi
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
_compatibility.cpython-311.pyc
cache.cpython-311.pyc
common.cpython-311.pyc
debug.cpython-311.pyc
file_io.cpython-311.pyc
parser_utils.cpython-311.pyc
settings.cpython-311.pyc
utils.cpython-311.pyc
_compatibility.py
api
__init__.py
__pycache__
__init__.cpython-311.pyc
classes.cpython-311.pyc
completion.cpython-311.pyc
completion_cache.cpython-311.pyc
environment.cpython-311.pyc
errors.cpython-311.pyc
exceptions.cpython-311.pyc
file_name.cpython-311.pyc
helpers.cpython-311.pyc
interpreter.cpython-311.pyc
keywords.cpython-311.pyc
project.cpython-311.pyc
replstartup.cpython-311.pyc
strings.cpython-311.pyc
classes.py
completion.py
completion_cache.py
environment.py
errors.py
exceptions.py
file_name.py
helpers.py
interpreter.py
keywords.py
project.py
refactoring
__init__.py
__pycache__
__init__.cpython-311.pyc
extract.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■ ■■■ value.py
■ ■ ■ ■ ■ ■ ■■■■ context.py
■ ■ ■ ■ ■ ■ ■■■■ docstring_utils.py
■ ■ ■ ■ ■ ■ ■■■■ docstrings.py
■ ■ ■ ■ ■ ■ ■■■■ dynamic_params.py
■ ■ ■ ■ ■ ■ ■■■■ filters.py
■ ■ ■ ■ ■ ■ ■■■■ finder.py
■ ■ ■ ■ ■ ■ ■■■■ flow_analysis.py
■ ■ ■ ■ ■ ■ ■■■■ gradual
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ annotation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ conversion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ generics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ stub_value.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ type_var.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ typeshed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ typing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ annotation.py
■ ■ ■ ■ ■ ■ ■■■■ base.py
■ ■ ■ ■ ■ ■ ■■■■ conversion.py
■ ■ ■ ■ ■ ■ ■■■■ generics.py
■ ■ ■ ■ ■ ■ ■■■■ stub_value.py
■ ■ ■ ■ ■ ■ ■■■■ type_var.py
■ ■ ■ ■ ■ ■ ■■■■ typeshed.py
■ ■ ■ ■ ■ ■ ■■■■ typing.py
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ helpers.py
■ ■ ■ ■ ■ ■ ■■■■ imports.py
■ ■ ■ ■ ■ ■ ■■■■ lazy_value.py
■ ■ ■ ■ ■ ■ ■■■■ names.py
■ ■ ■ ■ ■ ■ ■■■■ param.py
■ ■ ■ ■ ■ ■ ■■■■ parser_cache.py
■ ■ ■ ■ ■ ■ ■■■■ recursion.py
■ ■ ■ ■ ■ ■ ■■■■ references.py
■ ■ ■ ■ ■ ■ ■■■■ signature.py
■ ■ ■ ■ ■ ■ ■■■■ star_args.py
■ ■ ■ ■ ■ ■ ■■■■ syntax_tree.py
■ ■ ■ ■ ■ ■ ■■■■ sys_path.py
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ value
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ decorator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ dynamic_arrays.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ instance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ iterable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ klass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ module.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ namespace.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ decorator.py
■ ■ ■ ■ ■ ■ ■■■■ dynamic_arrays.py
■ ■ ■ ■ ■ ■ ■■■■ function.py
```

```

    instance.py
    iterable.py
    klass.py
    module.py
    namespace.py
  parser_utils.py
  plugins
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      django.cpython-311.pyc
      flask.cpython-311.pyc
      pytest.cpython-311.pyc
      registry.cpython-311.pyc
      stdlib.cpython-311.pyc
    django.py
    flask.py
    pytest.py
    registry.py
    stdlib.py
  settings.py
  third_party
    django-stubs
      LICENSE.txt
      django-stubs
        __init__.pyi
        apps
          __init__.pyi
          config.pyi
          registry.pyi
        conf
          __init__.pyi
          global_settings.pyi
          locale
            __init__.pyi
          urls
            __init__.pyi
            i18n.pyi
            static.pyi
        contrib
          __init__.pyi
          admin
            __init__.pyi
            actions.pyi
            apps.pyi
            checks.pyi
            decorators.pyi
            filters.pyi
            forms.pyi
            helpers.pyi
            models.pyi
            options.pyi
            sites.pyi
            templatetags
              __init__.pyi
              admin_list.pyi
              admin_modify.pyi
              admin_static.pyi

```

```

■ ■ ■ admin_urls.pyi
■ ■ ■ base.pyi
■ ■ ■ log.pyi
■ ■ ■ tests.pyi
■ ■ ■ utils.pyi
■ ■ ■ views
■ ■ ■ __init__.pyi
■ ■ ■ autocomplete.pyi
■ ■ ■ decorators.pyi
■ ■ ■ main.pyi
■ ■ ■ widgets.pyi
■■■ admindocs
■ ■ ■ __init__.pyi
■ ■ ■ middleware.pyi
■ ■ ■ urls.pyi
■ ■ ■ utils.pyi
■ ■ ■ views.pyi
■■■ auth
■ ■ ■ __init__.pyi
■ ■ ■ admin.pyi
■ ■ ■ apps.pyi
■ ■ ■ backends.pyi
■ ■ ■ base_user.pyi
■ ■ ■ checks.pyi
■ ■ ■ context_processors.pyi
■ ■ ■ decorators.pyi
■ ■ ■ forms.pyi
■ ■ ■ handlers
■ ■ ■ __init__.pyi
■ ■ ■ modwsgi.pyi
■ ■ ■ hashers.pyi
■ ■ ■ management
■ ■ ■ __init__.pyi
■ ■ ■ commands
■ ■ ■   ■ ■ ■ __init__.pyi
■ ■ ■   ■ ■ ■ changepassword.pyi
■ ■ ■   ■ ■ ■ createsuperuser.pyi
■ ■ ■ middleware.pyi
■ ■ ■ mixins.pyi
■ ■ ■ models.pyi
■ ■ ■ password_validation.pyi
■ ■ ■ signals.pyi
■ ■ ■ tokens.pyi
■ ■ ■ urls.pyi
■ ■ ■ validators.pyi
■ ■ ■ views.pyi
■■■ contenttypes
■ ■ ■ __init__.pyi
■ ■ ■ admin.pyi
■ ■ ■ apps.pyi
■ ■ ■ checks.pyi
■ ■ ■ fields.pyi
■ ■ ■ forms.pyi
■ ■ ■ management
■ ■ ■ __init__.pyi
■ ■ ■ commands
■ ■ ■   ■ ■ ■ __init__.pyi
■ ■ ■   ■ ■ ■ remove_stale_contenttypes.pyi

```

```

    models.pyi
    views.pyi
flatpages
    __init__.pyi
    forms.pyi
    middleware.pyi
    models.pyi
    sitemaps.pyi
    templatetags
    __init__.pyi
    flatpages.pyi
    urls.pyi
    views.pyi
gis
    __init__.pyi
    db
    __init__.pyi
    models
    __init__.pyi
    fields.pyi
humanize
    __init__.pyi
    templatetags
    __init__.pyi
    humanize.pyi
messages
    __init__.pyi
    api.pyi
    constants.pyi
    context_processors.pyi
    middleware.pyi
    storage
    __init__.pyi
    base.pyi
    cookie.pyi
    fallback.pyi
    session.pyi
    utils.pyi
    views.pyi
postgres
    __init__.pyi
    aggregates
    __init__.pyi
    general.pyi
    mixins.pyi
    statistics.pyi
    constraints.pyi
    fields
    __init__.pyi
    array.pyi
    citext.pyi
    hstore.pyi
    jsonb.pyi
    mixins.pyi
    ranges.pyi
    functions.pyi
    indexes.pyi
    lookups.pyi

```



```

    operations.pyi
    search.pyi
    signals.pyi
    validators.pyi
    redirects
    __init__.pyi
    middleware.pyi
    models.pyi
    sessions
    __init__.pyi
    backends
    __init__.pyi
    base.pyi
    cache.pyi
    cached_db.pyi
    db.pyi
    file.pyi
    signed_cookies.pyi
    base_session.pyi
    exceptions.pyi
    management
    __init__.pyi
    commands
    __init__.pyi
    clearsessions.pyi
    middleware.pyi
    models.pyi
    serializers.pyi
    sitemaps
    __init__.pyi
    management
    __init__.pyi
    commands
    __init__.pyi
    ping_google.pyi
    views.pyi
    sites
    __init__.pyi
    apps.pyi
    management.pyi
    managers.pyi
    middleware.pyi
    models.pyi
    requests.pyi
    shortcuts.pyi
    staticfiles
    __init__.pyi
    apps.pyi
    checks.pyi
    finders.pyi
    handlers.pyi
    management
    __init__.pyi
    commands
    __init__.pyi
    collectstatic.pyi
    findstatic.pyi
    runserver.pyi

```

```

storage.pyi
templatetags
    __init__.pyi
staticfiles.pyi
testing.pyi
urls.pyi
utils.pyi
views.pyi
syndication
    __init__.pyi
    views.pyi
core
    __init__.pyi
    cache
        __init__.pyi
        backends
            __init__.pyi
            base.pyi
            db.pyi
            dummy.pyi
            filebased.pyi
            locmem.pyi
            memcached.pyi
            utils.pyi
    checks
        __init__.pyi
        caches.pyi
        database.pyi
        messages.pyi
        model_checks.pyi
        registry.pyi
        security
            __init__.pyi
            base.pyi
            csrf.pyi
            sessions.pyi
        templates.pyi
        translation.pyi
        urls.pyi
    exceptions.pyi
    files
        __init__.pyi
        base.pyi
        images.pyi
        locks.pyi
        move.pyi
        storage.pyi
        temp.pyi
        uploadedfile.pyi
        uploadhandler.pyi
        utils.pyi
    handlers
        __init__.pyi
        base.pyi
        exception.pyi
        wsgi.pyi
    mail
        __init__.pyi

```



```

postgresql
  ├── __init__.pyi
  ├── base.pyi
  ├── client.pyi
  ├── creation.pyi
  ├── operations.pyi
  ├── signals.pyi
  ├── sqlite3
  │   ├── __init__.pyi
  │   ├── base.pyi
  │   ├── creation.pyi
  │   ├── features.pyi
  │   ├── introspection.pyi
  │   ├── operations.pyi
  │   └── schema.pyi
  └── utils.pyi
migrations
  ├── __init__.pyi
  ├── autodetector.pyi
  ├── exceptions.pyi
  ├── executor.pyi
  ├── graph.pyi
  ├── loader.pyi
  ├── migration.pyi
  ├── operations
  │   ├── __init__.pyi
  │   ├── base.pyi
  │   ├── fields.pyi
  │   ├── models.pyi
  │   ├── special.pyi
  │   └── utils.pyi
  ├── optimizer.pyi
  ├── questioner.pyi
  ├── recorder.pyi
  ├── serializer.pyi
  ├── state.pyi
  ├── topological_sort.pyi
  ├── utils.pyi
  └── writer.pyi
models
  ├── __init__.pyi
  ├── aggregates.pyi
  ├── base.pyi
  ├── constraints.pyi
  ├── deletion.pyi
  ├── enums.pyi
  ├── expressions.pyi
  ├── fields
  │   ├── __init__.pyi
  │   ├── files.pyi
  │   ├── mixins.pyi
  │   ├── proxy.pyi
  │   ├── related.pyi
  │   ├── related_descriptors.pyi
  │   ├── related_lookups.pyi
  │   └── reverse_related.pyi
  └── functions
      ├── __init__.pyi

```



```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ dateformat.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ dateparse.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ dates.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ datetime_safe.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ deconstruct.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ deprecation.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ duration.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ encoding.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ feedgenerator.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ formats.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ functional.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ hashable.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ html.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ http.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ inspect.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ ipv6.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ itercompat.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ jslex.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ log.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ lorem_ipsum.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ module_loading.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ numberformat.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ regex_helper.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ safestring.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ six.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ termcolors.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ text.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ timesince.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ timezone.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ topological_sort.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ translation
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ reloader.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ template.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ trans_null.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ trans_real.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ tree.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ version.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ xmlutils.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ views
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ csrf.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ debug.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ cache.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ clickjacking.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ csrf.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ debug.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ gzip.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ http.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ vary.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ defaults.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ generic
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ base.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ dates.pyi
```


■	■	■	■	■	■	■	■	■	■	■■■■	bdist.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	bdist_dumb.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	bdist_msi.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	bdist_packager.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	bdist_rpm.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	bdist_wininst.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	build.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	build_clib.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	build_ext.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	build_py.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	build_scripts.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	check.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	clean.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	config.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install_data.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install_egg_info.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install_headers.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install_lib.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	install_scripts.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	register.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	sdist.pyi
■	■	■	■	■	■	■	■	■	■	■■■■	upload.pyi
■	■	■	■	■	■	■	■	■	■■■■	config.pyi	
■	■	■	■	■	■	■	■	■	■■■■	core.pyi	
■	■	■	■	■	■	■	■	■	■■■■	cygwinccompiler.pyi	
■	■	■	■	■	■	■	■	■	■■■■	debug.pyi	
■	■	■	■	■	■	■	■	■	■■■■	dep_util.pyi	
■	■	■	■	■	■	■	■	■	■■■■	dir_util.pyi	
■	■	■	■	■	■	■	■	■	■■■■	dist.pyi	
■	■	■	■	■	■	■	■	■	■■■■	emxccompiler.pyi	
■	■	■	■	■	■	■	■	■	■■■■	errors.pyi	
■	■	■	■	■	■	■	■	■	■■■■	extension.pyi	
■	■	■	■	■	■	■	■	■	■■■■	fancy_getopt.pyi	
■	■	■	■	■	■	■	■	■	■■■■	file_util.pyi	
■	■	■	■	■	■	■	■	■	■■■■	filelist.pyi	
■	■	■	■	■	■	■	■	■	■■■■	log.pyi	
■	■	■	■	■	■	■	■	■	■■■■	msvccompiler.pyi	
■	■	■	■	■	■	■	■	■	■■■■	spawn.pyi	
■	■	■	■	■	■	■	■	■	■■■■	sysconfig.pyi	
■	■	■	■	■	■	■	■	■	■■■■	text_file.pyi	
■	■	■	■	■	■	■	■	■	■■■■	unixccompiler.pyi	
■	■	■	■	■	■	■	■	■	■■■■	util.pyi	
■	■	■	■	■	■	■	■	■	■■■■	version.pyi	
■	■	■	■	■	■	■	■	■■■■	dummy_thread.pyi		
■	■	■	■	■	■	■	■	■■■■	email		
■	■	■	■	■	■	■	■	■■■■	MIMEText.pyi		
■	■	■	■	■	■	■	■	■■■■	__init__.pyi		
■	■	■	■	■	■	■	■	■■■■	_parseaddr.pyi		
■	■	■	■	■	■	■	■	■■■■	base64mime.pyi		
■	■	■	■	■	■	■	■	■■■■	charset.pyi		
■	■	■	■	■	■	■	■	■■■■	encoders.pyi		
■	■	■	■	■	■	■	■	■■■■	feedparser.pyi		
■	■	■	■	■	■	■	■	■■■■	generator.pyi		
■	■	■	■	■	■	■	■	■■■■	header.pyi		
■	■	■	■	■	■	■	■	■■■■	iterators.pyi		
■	■	■	■	■	■	■	■	■■■■	message.pyi		
■	■	■	■	■	■	■	■	■■■■	mime		


```

posixpath.pyi
random.pyi
re.pyi
repr.pyi
resource.pyi
rfc822.pyi
robotparser.pyi
runpy.pyi
sets.pyi
sha.pyi
shelve.pyi
shlex.pyi
signal.pyi
smtplib.pyi
spwd.pyi
sre_constants.pyi
sre_parse.pyi
stat.pyi
string.pyi
stringold.pyi
strop.pyi
subprocess.pyi
symbol.pyi
sys.pyi
tempfile.pyi
textwrap.pyi
thread.pyi
toaiff.pyi
tokenize.pyi
types.pyi
typing.pyi
unittest.pyi
urllib.pyi
urllib2.pyi
urlparse.pyi
user.pyi
whichdb.pyi
xmlrpclib.pyi
2and3
__future__.pyi
_bisect.pyi
_codecs.pyi
_csv.pyi
_curses.pyi
_dummy_threading.pyi
_heapq.pyi
_msi.pyi
_random.pyi
_typedshed
    __init__.pyi
    wsgi.pyi
    xml.pyi
_warnings.pyi
_weakref.pyi
_weakrefset.pyi
aifc.pyi
antigravity.pyi
argparse.pyi

```

```

array.pyi
asynchat.pyi
asyncore.pyi
audioop.pyi
base64.pyi
bdb.pyi
binascii.pyi
binhex.pyi
bisect.pyi
bz2.pyi
cProfile.pyi
calendar.pyi
cgi.pyi
cgilib.pyi
chunk.pyi
cmath.pyi
cmd.pyi
code.pyi
codecs.pyi
codeop.pyi
coloursys.pyi
contextlib.pyi
copy.pyi
crypt.pyi
csv.pyi
ctypes
    ___init__.pyi
    util.pyi
    wintypes.pyi
curses
    ___init__.pyi
    ascii.pyi
    panel.pyi
    textpad.pyi
datetime.pyi
decimal.pyi
difflib.pyi
dis.pyi
doctest.pyi
dummy_threading.pyi
ensurepip
    ___init__.pyi
errno.pyi
filecmp.pyi
fileinput.pyi
formatter.pyi
fractions.pyi
ftplib.pyi
genericpath.pyi
grp.pyi
hmac.pyi
imaplib.pyi
imghdr.pyi
keyword.pyi
lib2to3
    ___init__.pyi
    pgen2
    ___init__.pyi

```


■	■	■	■	■	■	■	■	■	■■■■	readline.pyi
■	■	■	■	■	■	■	■	■	■■■■	rlcompleter.pyi
■	■	■	■	■	■	■	■	■	■■■■	sched.pyi
■	■	■	■	■	■	■	■	■	■■■■	select.pyi
■	■	■	■	■	■	■	■	■	■■■■	shutil.pyi
■	■	■	■	■	■	■	■	■	■■■■	site.pyi
■	■	■	■	■	■	■	■	■	■■■■	smtpd.pyi
■	■	■	■	■	■	■	■	■	■■■■	sndhdr.pyi
■	■	■	■	■	■	■	■	■	■■■■	socket.pyi
■	■	■	■	■	■	■	■	■	■■■■	sqlite3
■	■	■	■	■	■	■	■	■	■ ■■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	dbapi2.pyi
■	■	■	■	■	■	■	■	■	■■■■	sre_compile.pyi
■	■	■	■	■	■	■	■	■	■■■■	ssl.pyi
■	■	■	■	■	■	■	■	■	■■■■	stringprep.pyi
■	■	■	■	■	■	■	■	■	■■■■	struct.pyi
■	■	■	■	■	■	■	■	■	■■■■	sunau.pyi
■	■	■	■	■	■	■	■	■	■■■■	symtable.pyi
■	■	■	■	■	■	■	■	■	■■■■	sysconfig.pyi
■	■	■	■	■	■	■	■	■	■■■■	syslog.pyi
■	■	■	■	■	■	■	■	■	■■■■	tabnanny.pyi
■	■	■	■	■	■	■	■	■	■■■■	tarfile.pyi
■	■	■	■	■	■	■	■	■	■■■■	telnetlib.pyi
■	■	■	■	■	■	■	■	■	■■■■	termios.pyi
■	■	■	■	■	■	■	■	■	■■■■	this.pyi
■	■	■	■	■	■	■	■	■	■■■■	threading.pyi
■	■	■	■	■	■	■	■	■	■■■■	time.pyi
■	■	■	■	■	■	■	■	■	■■■■	timeit.pyi
■	■	■	■	■	■	■	■	■	■■■■	token.pyi
■	■	■	■	■	■	■	■	■	■■■■	trace.pyi
■	■	■	■	■	■	■	■	■	■■■■	traceback.pyi
■	■	■	■	■	■	■	■	■	■■■■	tty.pyi
■	■	■	■	■	■	■	■	■	■■■■	turtle.pyi
■	■	■	■	■	■	■	■	■	■■■■	unicodedata.pyi
■	■	■	■	■	■	■	■	■	■■■■	uu.pyi
■	■	■	■	■	■	■	■	■	■■■■	uuid.pyi
■	■	■	■	■	■	■	■	■	■■■■	warnings.pyi
■	■	■	■	■	■	■	■	■	■■■■	wave.pyi
■	■	■	■	■	■	■	■	■	■■■■	weakref.pyi
■	■	■	■	■	■	■	■	■	■■■■	webbrowser.pyi
■	■	■	■	■	■	■	■	■	■■■■	winsound.pyi
■	■	■	■	■	■	■	■	■	■■■■	wsgiref
■	■	■	■	■	■	■	■	■	■ ■■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	handlers.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	headers.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	simple_server.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	types.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	util.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	validate.pyi
■	■	■	■	■	■	■	■	■	■■■■	xdrlib.pyi
■	■	■	■	■	■	■	■	■	■■■■	xml
■	■	■	■	■	■	■	■	■	■ ■■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	dom
■	■	■	■	■	■	■	■	■	■ ■■■■	NodeFilter.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	domreg.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	expatbuilder.pyi
■	■	■	■	■	■	■	■	■	■ ■■■■	minicompat.pyi

```

minidom.pyi
pulldom.pyi
xmlbuilder.pyi
etree
ElementInclude.pyi
ElementPath.pyi
ElementTree.pyi
__init__.pyi
cElementTree.pyi
parsers
__init__.pyi
expat
    __init__.pyi
    errors.pyi
    model.pyi
sax
    __init__.pyi
    handler.pyi
    saxutils.pyi
    xmlreader.pyi
zipfile.pyi
zipimport.pyi
zlib.pyi
3
_ast.pyi
_bootlocale.pyi
_compat_pickle.pyi
_compression.pyi
_decimal.pyi
_dummy_thread.pyi
_imp.pyi
_importlib_modulespec.pyi
_json.pyi
_markupbase.pyi
_operator.pyi
_osx_support.pyi
_posixsubprocess.pyi
_pydecimal.pyi
_sitebuiltins.pyi
_stat.pyi
_thread.pyi
_threading_local.pyi
_tkinter.pyi
_tracemalloc.pyi
_winapi.pyi
abc.pyi
ast.pyi
asyncio
    __init__.pyi
    base_events.pyi
    base_futures.pyi
    base_subprocess.pyi
    base_tasks.pyi
    compat.pyi
    constants.pyi
    coroutines.pyi
    events.pyi
    exceptions.pyi

```

```

format_helpers.pyi
futures.pyi
locks.pyi
log.pyi
proactor_events.pyi
protocols.pyi
queues.pyi
runners.pyi
selector_events.pyi
sslproto.pyi
staggered.pyi
streams.pyi
subprocess.pyi
tasks.pyi
threads.pyi
transports.pyi
trsock.pyi
unix_events.pyi
windows_events.pyi
windows_utils.pyi
atexit.pyi
builtins.pyi
collections
    __init__.pyi
    abc.pyi
compileall.pyi
concurrent
    __init__.pyi
    futures
        __init__.pyi
        _base.pyi
        process.pyi
        thread.pyi
configparser.pyi
copyreg.pyi
dbm
    __init__.pyi
    dumb.pyi
    gnu.pyi
    ndbm.pyi
distutils
    __init__.pyi
    archive_util.pyi
    bcppcompiler.pyi
    ccompiler.pyi
    cmd.pyi
    command
        __init__.pyi
    bdist.pyi
    bdist_dumb.pyi
    bdist_msi.pyi
    bdist_packager.pyi
    bdist_rpm.pyi
    bdist_wininst.pyi
    build.pyi
    build_clib.pyi
    build_ext.pyi
    build_py.pyi

```



```

■■■ build_scripts.pyi
■■■ check.pyi
■■■ clean.pyi
■■■ config.pyi
■■■ install.pyi
■■■ install_data.pyi
■■■ install_egg_info.pyi
■■■ install_headers.pyi
■■■ install_lib.pyi
■■■ install_scripts.pyi
■■■ register.pyi
■■■ sdist.pyi
■■■ upload.pyi
■■■ config.pyi
■■■ core.pyi
■■■ cygwinccompiler.pyi
■■■ debug.pyi
■■■ dep_util.pyi
■■■ dir_util.pyi
■■■ dist.pyi
■■■ errors.pyi
■■■ extension.pyi
■■■ fancy_getopt.pyi
■■■ file_util.pyi
■■■ filelist.pyi
■■■ log.pyi
■■■ msvccompiler.pyi
■■■ spawn.pyi
■■■ sysconfig.pyi
■■■ text_file.pyi
■■■ unixccompiler.pyi
■■■ util.pyi
■■■ version.pyi
■■■ email
■■■ __init__.pyi
■■■ charset.pyi
■■■ contentmanager.pyi
■■■ encoders.pyi
■■■ errors.pyi
■■■ feedparser.pyi
■■■ generator.pyi
■■■ header.pyi
■■■ headerregistry.pyi
■■■ iterators.pyi
■■■ message.pyi
■■■ mime
■■■ __init__.pyi
■■■ application.pyi
■■■ audio.pyi
■■■ base.pyi
■■■ image.pyi
■■■ message.pyi
■■■ multipart.pyi
■■■ nonmultipart.pyi
■■■ text.pyi
■■■ parser.pyi
■■■ policy.pyi
■■■ utils.pyi

```

■	■	■	■	■	■	■	■	■	■■■	encodings	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	utf_8.pyi
■	■	■	■	■	■	■	■	■	■■■	enum.pyi	
■	■	■	■	■	■	■	■	■	■■■	faulthandler.pyi	
■	■	■	■	■	■	■	■	■	■■■	fcntl.pyi	
■	■	■	■	■	■	■	■	■	■■■	fnmatch.pyi	
■	■	■	■	■	■	■	■	■	■■■	functools.pyi	
■	■	■	■	■	■	■	■	■	■■■	gc.pyi	
■	■	■	■	■	■	■	■	■	■■■	getopt.pyi	
■	■	■	■	■	■	■	■	■	■■■	getpass.pyi	
■	■	■	■	■	■	■	■	■	■■■	gettext.pyi	
■	■	■	■	■	■	■	■	■	■■■	glob.pyi	
■	■	■	■	■	■	■	■	■	■■■	gzip.pyi	
■	■	■	■	■	■	■	■	■	■■■	hashlib.pyi	
■	■	■	■	■	■	■	■	■	■■■	heapq.pyi	
■	■	■	■	■	■	■	■	■	■■■	html	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	entities.pyi
■	■	■	■	■	■	■	■	■	■	■■■	parser.pyi
■	■	■	■	■	■	■	■	■	■■■	http	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	client.pyi
■	■	■	■	■	■	■	■	■	■	■■■	cookiejar.pyi
■	■	■	■	■	■	■	■	■	■	■■■	cookies.pyi
■	■	■	■	■	■	■	■	■	■	■■■	server.pyi
■	■	■	■	■	■	■	■	■	■■■	imp.pyi	
■	■	■	■	■	■	■	■	■	■■■	importlib	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	abc.pyi
■	■	■	■	■	■	■	■	■	■	■■■	machinery.pyi
■	■	■	■	■	■	■	■	■	■	■■■	metadata.pyi
■	■	■	■	■	■	■	■	■	■	■■■	resources.pyi
■	■	■	■	■	■	■	■	■	■	■■■	util.pyi
■	■	■	■	■	■	■	■	■	■■■	inspect.pyi	
■	■	■	■	■	■	■	■	■	■■■	io.pyi	
■	■	■	■	■	■	■	■	■	■■■	ipaddress.pyi	
■	■	■	■	■	■	■	■	■	■■■	itertools.pyi	
■	■	■	■	■	■	■	■	■	■■■	json	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	decoder.pyi
■	■	■	■	■	■	■	■	■	■	■■■	encoder.pyi
■	■	■	■	■	■	■	■	■	■	■■■	tool.pyi
■	■	■	■	■	■	■	■	■	■■■	lzma.pyi	
■	■	■	■	■	■	■	■	■	■■■	macurl2path.pyi	
■	■	■	■	■	■	■	■	■	■■■	multiprocessing	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	connection.pyi
■	■	■	■	■	■	■	■	■	■	■■■	context.pyi
■	■	■	■	■	■	■	■	■	■■■	dummy	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	connection.pyi
■	■	■	■	■	■	■	■	■	■■■	managers.pyi	
■	■	■	■	■	■	■	■	■	■■■	pool.pyi	
■	■	■	■	■	■	■	■	■	■■■	process.pyi	
■	■	■	■	■	■	■	■	■	■■■	queues.pyi	
■	■	■	■	■	■	■	■	■	■■■	shared_memory.pyi	
■	■	■	■	■	■	■	■	■	■■■	sharedctypes.pyi	

■	■	■	■	■	■	■	■	■	■	■■■	spawn.pyi	
■	■	■	■	■	■	■	■	■	■	■	■■■	synchronize.pyi
■	■	■	■	■	■	■	■	■	■	■■■	nntplib.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	ntpath.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	nturl2path.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	os	
■	■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	path.pyi
■	■	■	■	■	■	■	■	■	■	■■■	pathlib.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	pipes.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	platform.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	posix.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	posixpath.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	queue.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	random.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	re.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	reprlib.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	resource.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	runpy.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	secrets.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	selectors.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	shelve.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	shlex.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	signal.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	smtplib.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	socketserver.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	spwd.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	sre_constants.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	sre_parse.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	stat.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	statistics.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	string.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	subprocess.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	symbol.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	sys.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	tempfile.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	textwrap.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	tkinter	
■	■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	comondialog.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	constants.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	dialog.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	filedialog.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	font.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	messagebox.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	ttk.pyi
■	■	■	■	■	■	■	■	■	■	■■■	tokenize.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	tracemalloc.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	types.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	typing.pyi	
■	■	■	■	■	■	■	■	■	■	■■■	unittest	
■	■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	async_case.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	case.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	loader.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	main.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	mock.pyi
■	■	■	■	■	■	■	■	■	■	■	■■■	result.pyi

```

runner.pyi
signals.pyi
suite.pyi
util.pyi
urllib
__init__.pyi
error.pyi
parse.pyi
request.pyi
response.pyi
robotparser.pyi
venv
__init__.pyi
winreg.pyi
xmlrpc
__init__.pyi
client.pyi
server.pyi
xxlimited.pyi
zipapp.pyi
3.7
_py_abc.pyi
contextvars.pyi
dataclasses.pyi
3.9
graphlib.pyi
zoneinfo
__init__.pyi
third_party
2
OpenSSL
__init__.pyi
crypto.pyi
concurrent
__init__.pyi
futures
__init__.pyi
_base.pyi
process.pyi
thread.pyi
enum.pyi
fb303
FacebookService.pyi
__init__.pyi
ipaddress.pyi
kazoo
__init__.pyi
client.pyi
exceptions.pyi
recipe
__init__.pyi
watchers.pyi
pathlib2.pyi
pymssql.pyi
routes
__init__.pyi
mapper.pyi
util.pyi

```

```

■■■ scribe
■■■ __init__.py
■■■ scribe.py
■■■ ttypes.py
■■■ six
■■■ __init__.py
■■■ moves
■■■ BaseHTTPServer.py
■■■ CGIHTTPServer.py
■■■ SimpleHTTPServer.py
■■■ __init__.py
■■■ _dummy_thread.py
■■■ _thread.py
■■■ cPickle.py
■■■ collections_abc.py
■■■ configparser.py
■■■ email_mime_base.py
■■■ email_mime_multipart.py
■■■ email_mime_nonmultipart.py
■■■ email_mime_text.py
■■■ html_entities.py
■■■ html_parser.py
■■■ http_client.py
■■■ http_cookiejar.py
■■■ http_cookies.py
■■■ queue.py
■■■ reprlib.py
■■■ socketserver.py
■■■ urllib
■■■ __init__.py
■■■ error.py
■■■ parse.py
■■■ request.py
■■■ response.py
■■■ robotparser.py
■■■ urllib_error.py
■■■ urllib_parse.py
■■■ urllib_request.py
■■■ urllib_response.py
■■■ urllib_robotparser.py
■■■ xmlrpc_client.py
■■■ tornado
■■■ __init__.py
■■■ concurrent.py
■■■ gen.py
■■■ httpclient.py
■■■ httpserver.py
■■■ httputil.py
■■■ ioloop.py
■■■ locks.py
■■■ netutil.py
■■■ process.py
■■■ tcpserver.py
■■■ testing.py
■■■ util.py
■■■ web.py
■■■ 2and3
■■■ atomicwrites

```

[illegible]

```

decorators.pyi
func.pyi
lfu.pyi
lru.pyi
rr.pyi
ttl.pyi
certifi.pyi
characteristic
__init__.pyi
chardet
__init__.pyi
enums.pyi
langbulgarianmodel.pyi
langcyrillicmodel.pyi
langgreekmodel.pyi
langhebrewmodel.pyi
langhungarianmodel.pyi
langthaimodel.pyi
langturkishmodel.pyi
universaldetector.pyi
version.pyi
click
__init__.pyi
_termui_impl.pyi
core.pyi
decorators.pyi
exceptions.pyi
formatting.pyi
globals.pyi
parser.pyi
termui.pyi
testing.pyi
types.pyi
utils.pyi
croniter.pyi
cryptography
__init__.pyi
exceptions.pyi
fernet.pyi
hazmat
__init__.pyi
backends
__init__.pyi
interfaces.pyi
bindings
__init__.pyi
openssl
__init__.pyi
binding.pyi
primitives
__init__.pyi
asymmetric
__init__.pyi
dh.pyi
dsa.pyi
ec.pyi
ed25519.pyi
ed448.pyi

```

```

padding.pyi
rsa.pyi
utils.pyi
x25519.pyi
x448.pyi
ciphers
__init__.pyi
aead.pyi
algorithms.pyi
modes.pyi
cmac.pyi
constant_time.pyi
hashes.pyi
hmac.pyi
kdf
__init__.pyi
concatkdf.pyi
hkdf.pyi
kbkdf.pyi
pbkdf2.pyi
scrypt.pyi
x963kdf.pyi
keywrap.pyi
padding.pyi
poly1305.pyi
serialization
__init__.pyi
pkcs12.pyi
twofactor
__init__.pyi
hotp.pyi
totp.pyi
x509
__init__.pyi
extensions.pyi
oid.pyi
dateparser.pyi
datetimerange
__init__.pyi
dateutil
__init__.pyi
_common.pyi
easter.pyi
parser.pyi
relativedelta.pyi
rrule.pyi
tz
__init__.pyi
_common.pyi
tz.pyi
utils.pyi
decorator.pyi
deprecated
__init__.pyi
classic.pyi
sphinx.pyi
emoji
__init__.pyi

```



```

■ ■ ■ pipe.pyi
■ ■ ■ pkey.pyi
■ ■ ■ primes.pyi
■ ■ ■ proxy.pyi
■ ■ ■ py3compat.pyi
■ ■ ■ rsakey.pyi
■ ■ ■ server.pyi
■ ■ ■ sftp.pyi
■ ■ ■ sftp_attr.pyi
■ ■ ■ sftp_client.pyi
■ ■ ■ sftp_file.pyi
■ ■ ■ sftp_handle.pyi
■ ■ ■ sftp_server.pyi
■ ■ ■ sftp_si.pyi
■ ■ ■ ssh_exception.pyi
■ ■ ■ ssh_gss.pyi
■ ■ ■ transport.pyi
■ ■ ■ util.pyi
■ ■ ■ win_pageant.pyi
■ ■ ■ polib.pyi
■ ■ ■ pyVmomi
■ ■ ■ __init__.pyi
■ ■ ■ vim
■ ■ ■ __init__.pyi
■ ■ ■ event.pyi
■ ■ ■ fault.pyi
■ ■ ■ option.pyi
■ ■ ■ view.pyi
■ ■ ■ vmodl
■ ■ ■ __init__.pyi
■ ■ ■ fault.pyi
■ ■ ■ query.pyi
■ ■ ■ pycurl.pyi
■ ■ ■ pymysql
■ ■ ■ __init__.pyi
■ ■ ■ charset.pyi
■ ■ ■ connections.pyi
■ ■ ■ constants
■ ■ ■ CLIENT.pyi
■ ■ ■ COMMAND.pyi
■ ■ ■ ER.pyi
■ ■ ■ FIELD_TYPE.pyi
■ ■ ■ FLAG.pyi
■ ■ ■ SERVER_STATUS.pyi
■ ■ ■ __init__.pyi
■ ■ ■ converters.pyi
■ ■ ■ cursors.pyi
■ ■ ■ err.pyi
■ ■ ■ times.pyi
■ ■ ■ util.pyi
■ ■ ■ pynamodb
■ ■ ■ __init__.pyi
■ ■ ■ attributes.pyi
■ ■ ■ connection
■ ■ ■ __init__.pyi
■ ■ ■ base.pyi
■ ■ ■ table.pyi
■ ■ ■ util.pyi

```

■	■	■	■	■	■	■	■	■	■	■■■	constants.pyi
■	■	■	■	■	■	■	■	■	■	■■■	exceptions.pyi
■	■	■	■	■	■	■	■	■	■	■■■	indexes.pyi
■	■	■	■	■	■	■	■	■	■	■■■	models.pyi
■	■	■	■	■	■	■	■	■	■	■■■	settings.pyi
■	■	■	■	■	■	■	■	■	■	■■■	throttle.pyi
■	■	■	■	■	■	■	■	■	■	■■■	types.pyi
■	■	■	■	■	■	■	■	■	■	■■■	pyre_extensions.pyi
■	■	■	■	■	■	■	■	■	■	■■■	pytz
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	redis
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	client.pyi
■	■	■	■	■	■	■	■	■	■	■■■	connection.pyi
■	■	■	■	■	■	■	■	■	■	■■■	exceptions.pyi
■	■	■	■	■	■	■	■	■	■	■■■	utils.pyi
■	■	■	■	■	■	■	■	■	■	■■■	requests
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	adapters.pyi
■	■	■	■	■	■	■	■	■	■	■■■	api.pyi
■	■	■	■	■	■	■	■	■	■	■■■	auth.pyi
■	■	■	■	■	■	■	■	■	■	■■■	compat.pyi
■	■	■	■	■	■	■	■	■	■	■■■	cookies.pyi
■	■	■	■	■	■	■	■	■	■	■■■	exceptions.pyi
■	■	■	■	■	■	■	■	■	■	■■■	hooks.pyi
■	■	■	■	■	■	■	■	■	■	■■■	models.pyi
■	■	■	■	■	■	■	■	■	■	■■■	packages
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	urllib3
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	_collections.pyi
■	■	■	■	■	■	■	■	■	■	■■■	connection.pyi
■	■	■	■	■	■	■	■	■	■	■■■	connectionpool.pyi
■	■	■	■	■	■	■	■	■	■	■■■	contrib
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	exceptions.pyi
■	■	■	■	■	■	■	■	■	■	■■■	fields.pyi
■	■	■	■	■	■	■	■	■	■	■■■	filepost.pyi
■	■	■	■	■	■	■	■	■	■	■■■	packages
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	ssl_match_hostname
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	_implementation.pyi
■	■	■	■	■	■	■	■	■	■	■■■	poolmanager.pyi
■	■	■	■	■	■	■	■	■	■	■■■	request.pyi
■	■	■	■	■	■	■	■	■	■	■■■	response.pyi
■	■	■	■	■	■	■	■	■	■	■■■	util
■	■	■	■	■	■	■	■	■	■	■■■	__init__.pyi
■	■	■	■	■	■	■	■	■	■	■■■	connection.pyi
■	■	■	■	■	■	■	■	■	■	■■■	request.pyi
■	■	■	■	■	■	■	■	■	■	■■■	response.pyi
■	■	■	■	■	■	■	■	■	■	■■■	retry.pyi
■	■	■	■	■	■	■	■	■	■	■■■	ssl_.pyi
■	■	■	■	■	■	■	■	■	■	■■■	timeout.pyi
■	■	■	■	■	■	■	■	■	■	■■■	url.pyi
■	■	■	■	■	■	■	■	■	■	■■■	sessions.pyi
■	■	■	■	■	■	■	■	■	■	■■■	status_codes.pyi
■	■	■	■	■	■	■	■	■	■	■■■	structures.pyi


```

■ ■ ■ ■ ■ ■ ■ runtime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ sandbox.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ tests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ visitor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _identifier.py
■ ■ ■ ■ ■ ■ ■ async_utils.py
■ ■ ■ ■ ■ ■ ■ bccache.py
■ ■ ■ ■ ■ ■ ■ compiler.py
■ ■ ■ ■ ■ ■ ■ constants.py
■ ■ ■ ■ ■ ■ ■ debug.py
■ ■ ■ ■ ■ ■ ■ defaults.py
■ ■ ■ ■ ■ ■ ■ environment.py
■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ext.py
■ ■ ■ ■ ■ ■ ■ filters.py
■ ■ ■ ■ ■ ■ ■ idtracking.py
■ ■ ■ ■ ■ ■ ■ lexer.py
■ ■ ■ ■ ■ ■ ■ loaders.py
■ ■ ■ ■ ■ ■ ■ meta.py
■ ■ ■ ■ ■ ■ ■ nativetypes.py
■ ■ ■ ■ ■ ■ ■ nodes.py
■ ■ ■ ■ ■ ■ ■ optimizer.py
■ ■ ■ ■ ■ ■ ■ parser.py
■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ runtime.py
■ ■ ■ ■ ■ ■ ■ sandbox.py
■ ■ ■ ■ ■ ■ ■ tests.py
■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ visitor.py
■ ■ ■ ■ ■ ■ ■ jinja2-3.1.4.dist-info
■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ joblib
■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _cloudpickle_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _dask.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _memmapping_reducer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _multiprocessing_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _parallel_backends.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _store_backends.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ backports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ compressor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ disk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ executor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ func_inspect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ hashing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ logger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ memory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ numpy_pickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ numpy_pickle_compat.cpython-311.pyc

```



```
jjoblib_0.10.0_compressed_pickle_py27_np17.gz  
jjoblib_0.10.0_compressed_pickle_py33_np18.gz  
jjoblib_0.10.0_compressed_pickle_py34_np19.gz  
jjoblib_0.10.0_compressed_pickle_py35_np19.gz  
jjoblib_0.10.0_pickle_py27_np17.pkl  
jjoblib_0.10.0_pickle_py27_np17.pkl.bz2  
jjoblib_0.10.0_pickle_py27_np17.pkl.gzip  
jjoblib_0.10.0_pickle_py27_np17.pkl.lzma  
jjoblib_0.10.0_pickle_py27_np17.pkl.xz  
jjoblib_0.10.0_pickle_py33_np18.pkl  
jjoblib_0.10.0_pickle_py33_np18.pkl.bz2  
jjoblib_0.10.0_pickle_py33_np18.pkl.gzip  
jjoblib_0.10.0_pickle_py33_np18.pkl.lzma  
jjoblib_0.10.0_pickle_py33_np18.pkl.xz  
jjoblib_0.10.0_pickle_py34_np19.pkl  
jjoblib_0.10.0_pickle_py34_np19.pkl.bz2  
jjoblib_0.10.0_pickle_py34_np19.pkl.gzip  
jjoblib_0.10.0_pickle_py34_np19.pkl.lzma  
jjoblib_0.10.0_pickle_py34_np19.pkl.xz  
jjoblib_0.10.0_pickle_py35_np19.pkl  
jjoblib_0.10.0_pickle_py35_np19.pkl.bz2  
jjoblib_0.10.0_pickle_py35_np19.pkl.gzip  
jjoblib_0.10.0_pickle_py35_np19.pkl.lzma  
jjoblib_0.10.0_pickle_py35_np19.pkl.xz  
jjoblib_0.11.0_compressed_pickle_py36_np111.gz  
jjoblib_0.11.0_pickle_py36_np111.pkl  
jjoblib_0.11.0_pickle_py36_np111.pkl.bz2  
jjoblib_0.11.0_pickle_py36_np111.pkl.gzip  
jjoblib_0.11.0_pickle_py36_np111.pkl.lzma  
jjoblib_0.11.0_pickle_py36_np111.pkl.xz  
jjoblib_0.8.4_compressed_pickle_py27_np17.gz  
jjoblib_0.9.2_compressed_pickle_py27_np16.gz  
jjoblib_0.9.2_compressed_pickle_py27_np17.gz  
jjoblib_0.9.2_compressed_pickle_py34_np19.gz  
jjoblib_0.9.2_compressed_pickle_py35_np19.gz  
jjoblib_0.9.2_pickle_py27_np16.pkl  
jjoblib_0.9.2_pickle_py27_np16.pkl_01.npy  
jjoblib_0.9.2_pickle_py27_np16.pkl_02.npy  
jjoblib_0.9.2_pickle_py27_np16.pkl_03.npy  
jjoblib_0.9.2_pickle_py27_np16.pkl_04.npy  
jjoblib_0.9.2_pickle_py27_np17.pkl  
jjoblib_0.9.2_pickle_py27_np17.pkl_01.npy  
jjoblib_0.9.2_pickle_py27_np17.pkl_02.npy  
jjoblib_0.9.2_pickle_py27_np17.pkl_03.npy  
jjoblib_0.9.2_pickle_py27_np17.pkl_04.npy  
jjoblib_0.9.2_pickle_py33_np18.pkl  
jjoblib_0.9.2_pickle_py33_np18.pkl_01.npy  
jjoblib_0.9.2_pickle_py33_np18.pkl_02.npy  
jjoblib_0.9.2_pickle_py33_np18.pkl_03.npy  
jjoblib_0.9.2_pickle_py33_np18.pkl_04.npy  
jjoblib_0.9.2_pickle_py34_np19.pkl  
jjoblib_0.9.2_pickle_py34_np19.pkl_01.npy  
jjoblib_0.9.2_pickle_py34_np19.pkl_02.npy  
jjoblib_0.9.2_pickle_py34_np19.pkl_03.npy  
jjoblib_0.9.2_pickle_py34_np19.pkl_04.npy  
jjoblib_0.9.2_pickle_py35_np19.pkl  
jjoblib_0.9.2_pickle_py35_np19.pkl_01.npy  
jjoblib_0.9.2_pickle_py35_np19.pkl_02.npy
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.2_pickle_py35_np19.pkl_03.npy
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.2_pickle_py35_np19.pkl_04.npy
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.4.dev0_compressed_cache_size_pickle_py35_np19.gz
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.4.dev0_compressed_cache_size_pickle_py35_np19.gz
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.4.dev0_compressed_cache_size_pickle_py35_np19.gz
■ ■ ■ ■ ■ ■ ■ ■■■ joblib_0.9.4.dev0_compressed_cache_size_pickle_py35_np19.gz
■ ■ ■ ■ ■ ■ ■ ■■■ test_backports.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cloudpickle_wrapper.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dask.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_disk.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_func_inspect.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_func_inspect_special_encoding.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_hashing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_init.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_logger.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_memmapping.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_memory.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_memory_async.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_missing_multiprocessing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_module.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_pickle.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_pickle_compat.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_pickle_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_parallel.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_store_backends.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ testutils.py
■ ■ ■ ■ ■ ■ ■ ■■■ testing.py
■ ■ ■ ■ ■ ■ ■■■■ joblib-1.4.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ json5
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ host.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tool.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ host.py
■ ■ ■ ■ ■ ■ ■ ■■■ lib.py
■ ■ ■ ■ ■ ■ ■ ■■■ parser.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ tool.py
■ ■ ■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■ ■■■■ json5-0.10.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
```

```

■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ jsonpickle
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ handlers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pickler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tags_pd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ unpickler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ backend.py
■ ■ ■ ■ ■ ■ ■ ■ compat.py
■ ■ ■ ■ ■ ■ ■ ■ errors.py
■ ■ ■ ■ ■ ■ ■ ■ ext
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ gmpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ numpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pandas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ gmpy.py
■ ■ ■ ■ ■ ■ ■ ■ numpy.py
■ ■ ■ ■ ■ ■ ■ ■ pandas.py
■ ■ ■ ■ ■ ■ ■ ■ handlers.py
■ ■ ■ ■ ■ ■ ■ ■ pickler.py
■ ■ ■ ■ ■ ■ ■ ■ tags.py
■ ■ ■ ■ ■ ■ ■ ■ tags_pd.py
■ ■ ■ ■ ■ ■ ■ ■ unpickler.py
■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ jsonpickle-4.0.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ jsonschema
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _format.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _keywords.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _legacy_keywords.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _typing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cli.cpython-311.pyc

```



```

■      ■      ■      ■      ■      ■      test_jsonschema_test_suite.py
■      ■      ■      ■      ■      ■      test_types.py
■      ■      ■      ■      ■      ■      test_utils.py
■      ■      ■      ■      ■      ■      test_validators.py
■      ■      ■      ■      ■      ■      validators.py
■      ■      ■      ■      ■■■ jsonschema-4.23.0.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      entry_points.txt
■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      ■      COPYING
■      ■      ■      ■      ■■■ jsonschema_specifications
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _core.cpython-311.pyc
■      ■      ■      ■      ■      ■      _core.py
■      ■      ■      ■      ■      ■      schemas
■      ■      ■      ■      ■      ■      draft201909
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■      ■      vocabularies
■      ■      ■      ■      ■      ■      ■      applicator
■      ■      ■      ■      ■      ■      ■      content
■      ■      ■      ■      ■      ■      ■      core
■      ■      ■      ■      ■      ■      ■      meta-data
■      ■      ■      ■      ■      ■      ■      validation
■      ■      ■      ■      ■      ■      draft202012
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■      ■      vocabularies
■      ■      ■      ■      ■      ■      ■      applicator
■      ■      ■      ■      ■      ■      ■      content
■      ■      ■      ■      ■      ■      ■      core
■      ■      ■      ■      ■      ■      ■      format
■      ■      ■      ■      ■      ■      ■      format-annotation
■      ■      ■      ■      ■      ■      ■      format-assertion
■      ■      ■      ■      ■      ■      ■      meta-data
■      ■      ■      ■      ■      ■      ■      unevaluated
■      ■      ■      ■      ■      ■      ■      validation
■      ■      ■      ■      ■      ■      draft3
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■      draft4
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■      draft6
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■      draft7
■      ■      ■      ■      ■      ■      ■      metaschema.json
■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_jsonschema_specifications.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_jsonschema_specifications.py
■      ■      ■      ■      ■■■ jsonschema_specifications-2024.10.1.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD

```

```

■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      COPYING
■      ■      ■      ■      ■      ■      jupyter.py
■      ■      ■      ■      ■      ■      jupyter_client
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      _version.cpython-311.pyc
■      ■      ■      ■      ■      ■      adapter.cpython-311.pyc
■      ■      ■      ■      ■      ■      channels.cpython-311.pyc
■      ■      ■      ■      ■      ■      channelsabc.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.cpython-311.pyc
■      ■      ■      ■      ■      ■      clientabc.cpython-311.pyc
■      ■      ■      ■      ■      ■      connect.cpython-311.pyc
■      ■      ■      ■      ■      ■      consoleapp.cpython-311.pyc
■      ■      ■      ■      ■      ■      jsonutil.cpython-311.pyc
■      ■      ■      ■      ■      ■      kernelapp.cpython-311.pyc
■      ■      ■      ■      ■      ■      kernelspec.cpython-311.pyc
■      ■      ■      ■      ■      ■      kernelspecapp.cpython-311.pyc
■      ■      ■      ■      ■      ■      launcher.cpython-311.pyc
■      ■      ■      ■      ■      ■      localinterfaces.cpython-311.pyc
■      ■      ■      ■      ■      ■      manager.cpython-311.pyc
■      ■      ■      ■      ■      ■      managerabc.cpython-311.pyc
■      ■      ■      ■      ■      ■      multikernelmanager.cpython-311.pyc
■      ■      ■      ■      ■      ■      restarter.cpython-311.pyc
■      ■      ■      ■      ■      ■      runapp.cpython-311.pyc
■      ■      ■      ■      ■      ■      session.cpython-311.pyc
■      ■      ■      ■      ■      ■      threaded.cpython-311.pyc
■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      win_interrupt.cpython-311.pyc
■      ■      ■      ■      ■      ■      _version.py
■      ■      ■      ■      ■      ■      adapter.py
■      ■      ■      ■      ■      ■      asynchronous
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.py
■      ■      ■      ■      ■      ■      blocking
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.cpython-311.pyc
■      ■      ■      ■      ■      ■      client.py
■      ■      ■      ■      ■      ■      channels.py
■      ■      ■      ■      ■      ■      channelsabc.py
■      ■      ■      ■      ■      ■      client.py
■      ■      ■      ■      ■      ■      clientabc.py
■      ■      ■      ■      ■      ■      connect.py
■      ■      ■      ■      ■      ■      consoleapp.py
■      ■      ■      ■      ■      ■      ioloop
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      manager.cpython-311.pyc
■      ■      ■      ■      ■      ■      restarter.cpython-311.pyc
■      ■      ■      ■      ■      ■      manager.py

```

```

■      ■      ■      ■      ■      ■      ■■■■ restart.py
■      ■      ■      ■      ■      ■      ■■■■ jsonutil.py
■      ■      ■      ■      ■      ■      ■■■■ kernelapp.py
■      ■      ■      ■      ■      ■      ■■■■ kernelspec.py
■      ■      ■      ■      ■      ■      ■■■■ kernelspecapp.py
■      ■      ■      ■      ■      ■      ■■■■ launcher.py
■      ■      ■      ■      ■      ■      ■■■■ localinterfaces.py
■      ■      ■      ■      ■      ■      ■■■■ manager.py
■      ■      ■      ■      ■      ■      ■■■■ managerabc.py
■      ■      ■      ■      ■      ■      ■■■■ multikernelmanager.py
■      ■      ■      ■      ■      ■      ■■■■ provisioning
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ factory.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ local_provisioner.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ provisioner_base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ factory.py
■      ■      ■      ■      ■      ■      ■      ■■■■ local_provisioner.py
■      ■      ■      ■      ■      ■      ■      ■■■■ provisioner_base.py
■      ■      ■      ■      ■      ■      ■■■■ py.typed
■      ■      ■      ■      ■      ■      ■■■■ restart.py
■      ■      ■      ■      ■      ■      ■■■■ runapp.py
■      ■      ■      ■      ■      ■      ■■■■ session.py
■      ■      ■      ■      ■      ■      ■■■■ ssh
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ forward.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ tunnel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ forward.py
■      ■      ■      ■      ■      ■      ■      ■■■■ tunnel.py
■      ■      ■      ■      ■      ■      ■■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ conftest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ problemkernel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ signalkernel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_adapter.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_client.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_connect.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_jsonutil.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_kernelapp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_kernelmanager.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_kernelspec.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_localinterfaces.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_manager.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_multikernelmanager.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_provisioning.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_public_api.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_restart.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_session.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_ssh.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ conftest.py
■      ■      ■      ■      ■      ■      ■      ■■■■ problemkernel.py
■      ■      ■      ■      ■      ■      ■      ■■■■ signalkernel.py

```

```

■      ■      ■      ■      ■      ■      ■      test_adapter.py
■      ■      ■      ■      ■      ■      ■      test_client.py
■      ■      ■      ■      ■      ■      ■      test_connect.py
■      ■      ■      ■      ■      ■      ■      test_jsonutil.py
■      ■      ■      ■      ■      ■      ■      test_kernelapp.py
■      ■      ■      ■      ■      ■      ■      test_kernelmanager.py
■      ■      ■      ■      ■      ■      ■      test_kernelspec.py
■      ■      ■      ■      ■      ■      ■      test_localinterfaces.py
■      ■      ■      ■      ■      ■      ■      test_manager.py
■      ■      ■      ■      ■      ■      ■      test_multikernelmanager.py
■      ■      ■      ■      ■      ■      ■      test_provisioning.py
■      ■      ■      ■      ■      ■      ■      test_public_api.py
■      ■      ■      ■      ■      ■      ■      test_restarter.py
■      ■      ■      ■      ■      ■      ■      test_session.py
■      ■      ■      ■      ■      ■      ■      test_ssh.py
■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      threaded.py
■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      win_interrupt.py
■      ■      ■      ■      ■      ■      ■      jupyter_client-7.4.9.dist-info
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      REQUESTED
■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      entry_points.txt
■      ■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      ■      ■      COPYING.md
■      ■      ■      ■      ■      ■      ■      jupyter_core
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __main__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      application.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      command.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      migrate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      paths.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      troubleshoot.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      application.py
■      ■      ■      ■      ■      ■      ■      command.py
■      ■      ■      ■      ■      ■      ■      migrate.py
■      ■      ■      ■      ■      ■      ■      paths.py
■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mocking.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_application.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_async.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_command.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_migrate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_paths.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      dotipython
■      ■      ■      ■      ■      ■      ■      nbextensions
■      ■      ■      ■      ■      ■      ■      ■      myext.js

```

```

  profile_default
  ├── __pycache__
  │   ├── ipython_config.cpython-311.pyc
  │   ├── ipython_console_config.cpython-311.pyc
  │   ├── ipython_kernel_config.cpython-311.pyc
  │   ├── ipython_nbconvert_config.cpython-311.pyc
  │   └── ipython_notebook_config.cpython-311.pyc
  ├── ipython_config.py
  ├── ipython_console_config.py
  ├── ipython_kernel_config.py
  ├── ipython_nbconvert_config.py
  ├── ipython_notebook_config.py
  ├── static
  └── custom
      ├── custom.css
      └── custom.js
  ├── dotipython_empty
  ├── profile_default
  │   ├── __pycache__
  │   │   ├── ipython_config.cpython-311.pyc
  │   │   ├── ipython_console_config.cpython-311.pyc
  │   │   ├── ipython_kernel_config.cpython-311.pyc
  │   │   ├── ipython_nbconvert_config.cpython-311.pyc
  │   │   └── ipython_notebook_config.cpython-311.pyc
  │   ├── ipython_config.py
  │   ├── ipython_console_config.py
  │   ├── ipython_kernel_config.py
  │   ├── ipython_nbconvert_config.py
  │   ├── ipython_notebook_config.py
  │   ├── static
  │   └── custom
  │       ├── custom.css
  │       └── custom.js
  ├── mocking.py
  ├── test_application.py
  ├── test_async.py
  ├── test_command.py
  ├── test_migrate.py
  ├── test_paths.py
  ├── troubleshoot.py
  ├── utils
  ├── __init__.py
  ├── __pycache__
  │   └── __init__.cpython-311.pyc
  ├── version.py
  ├── jupyter_core-5.1.3.dist-info
  │   ├── INSTALLER
  │   ├── METADATA
  │   ├── RECORD
  │   ├── REQUESTED
  │   ├── WHEEL
  │   ├── entry_points.txt
  │   └── licenses
  ├── COPYING.md
  ├── jupyter_server
  │   ├── __init__.py
  │   ├── __main__.py
  │   └── __pycache__

```

[illegible]

```

■   ■   ■   ■   ■   ■   files
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   handlers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   handlers.py
■   ■   ■   ■   ■   ■   ■   gateway
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   gateway_client.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   handlers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   managers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   gateway_client.py
■   ■   ■   ■   ■   ■   ■   handlers.py
■   ■   ■   ■   ■   ■   ■   managers.py
■   ■   ■   ■   ■   ■   ■   i18n
■   ■   ■   ■   ■   ■   ■   README.md
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   babel_nbui.cfg
■   ■   ■   ■   ■   ■   ■   babel_notebook.cfg
■   ■   ■   ■   ■   ■   ■   nbjs.json
■   ■   ■   ■   ■   ■   ■   nbui.pot
■   ■   ■   ■   ■   ■   ■   notebook.pot
■   ■   ■   ■   ■   ■   ■   zh_CN
■   ■   ■   ■   ■   ■   ■   ■   LC_MESSAGES
■   ■   ■   ■   ■   ■   ■   ■   ■   nbui.po
■   ■   ■   ■   ■   ■   ■   ■   ■   notebook.po
■   ■   ■   ■   ■   ■   ■   kernelspecs
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   handlers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   handlers.py
■   ■   ■   ■   ■   ■   ■   log.py
■   ■   ■   ■   ■   ■   ■   nbconvert
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   handlers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   handlers.py
■   ■   ■   ■   ■   ■   ■   prometheus
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   log_functions.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   metrics.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   log_functions.py
■   ■   ■   ■   ■   ■   ■   metrics.py
■   ■   ■   ■   ■   ■   ■   py.typed
■   ■   ■   ■   ■   ■   ■   pytest_plugin.py
■   ■   ■   ■   ■   ■   ■   serverapp.py
■   ■   ■   ■   ■   ■   ■   services
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc

```



```

    COPYING.md
    INSTALLER
    METADATA
    RECORD
    REQUESTED
    WHEEL
    entry_points.txt
    top_level.txt
  jupyterlab
    __init__.py
    __main__.py
    __pycache__
    __init__.cpython-311.pyc
    __main__.cpython-311.pyc
    _version.cpython-311.pyc
    browser_check.cpython-311.pyc
    commands.cpython-311.pyc
    coreconfig.cpython-311.pyc
    debuglog.cpython-311.pyc
    federated_labextensions.cpython-311.pyc
    jlpmap.cpython-311.pyc
    labapp.cpython-311.pyc
    labextensions.cpython-311.pyc
    labhubapp.cpython-311.pyc
    pytest_plugin.cpython-311.pyc
    semver.cpython-311.pyc
    serverextension.cpython-311.pyc
    upgrade_extension.cpython-311.pyc
    utils.cpython-311.pyc
    _version.py
    browser-test.js
    browser_check.py
    commands.py
    coreconfig.py
    debuglog.py
    federated_labextensions.py
    handlers
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    build_handler.cpython-311.pyc
    error_handler.cpython-311.pyc
    extension_manager_handler.cpython-311.pyc
    yjs_echo_ws.cpython-311.pyc
    build_handler.py
    error_handler.py
    extension_manager_handler.py
    yjs_echo_ws.py
    jlpmap.py
    labapp.py
    labextensions.py
    labhubapp.py
    node-version-check.js
    pytest_plugin.py
    schemas
    @jupyterlab
    application-extension
    commands.json

```

■	■	■	■	■	■	■	■	■■■■	context-menu.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	shell.json
■	■	■	■	■	■	■	■	■■■■	sidebar.json
■	■	■	■	■	■	■	■■■■	apputils-extension	
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	palette.json
■	■	■	■	■	■	■	■	■■■■	print.json
■	■	■	■	■	■	■	■	■■■■	themes.json
■	■	■	■	■	■	■	■	■■■■	workspaces.json
■	■	■	■	■	■	■	■■■■	cell-toolbar-extension	
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	plugin.json
■	■	■	■	■	■	■	■■■■	codemirror-extension	
■	■	■	■	■	■	■	■	■■■■	commands.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■■■■	completer-extension	
■	■	■	■	■	■	■	■	■■■■	consoles.json
■	■	■	■	■	■	■	■	■■■■	files.json
■	■	■	■	■	■	■	■	■■■■	notebooks.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■■■■	console-extension	
■	■	■	■	■	■	■	■	■■■■	foreign.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	tracker.json
■	■	■	■	■	■	■	■■■■	csvviewer-extension	
■	■	■	■	■	■	■	■	■■■■	csv.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	tsv.json
■	■	■	■	■	■	■	■■■■	debugger-extension	
■	■	■	■	■	■	■	■	■■■■	main.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■■■■	docmanager-extension	
■	■	■	■	■	■	■	■	■■■■	download.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	plugin.json
■	■	■	■	■	■	■	■■■■	documentsearch-extension	
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	plugin.json
■	■	■	■	■	■	■	■■■■	extensionmanager-extension	
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	plugin.json
■	■	■	■	■	■	■	■■■■	filebrowser-extension	
■	■	■	■	■	■	■	■	■■■■	browser.json
■	■	■	■	■	■	■	■	■■■■	download.json
■	■	■	■	■	■	■	■	■■■■	open-browser-tab.json
■	■	■	■	■	■	■	■	■■■■	open-with.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	widget.json
■	■	■	■	■	■	■	■■■■	fileeditor-extension	
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■	■■■■	plugin.json
■	■	■	■	■	■	■	■■■■	help-extension	
■	■	■	■	■	■	■	■	■■■■	about.json
■	■	■	■	■	■	■	■	■■■■	jupyter-forum.json
■	■	■	■	■	■	■	■	■■■■	launch-classic.json
■	■	■	■	■	■	■	■	■■■■	package.json.orig
■	■	■	■	■	■	■	■■■■	htmlviewer-extension	

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ hub-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ imageviewer-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ inspector-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ consoles.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ inspector.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ notebooks.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ launcher-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ logconsole-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ mainmenu-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ markdownviewer-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ notebook-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ export.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ panel.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ tracker.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ settingeditor-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ form-ui.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ shortcuts-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ shortcuts.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ statusbar-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ terminal-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ toc-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ tooltip-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ consoles.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ files.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ notebooks.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ translation-extension
■ ■ ■ ■ ■ ■ ■ ■ ■■ package.json.orig
■ ■ ■ ■ ■ ■ ■ ■ ■■ plugin.json
■ ■ ■ ■ ■ ■ ■ ■ ■■ semver.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ serverextension.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ staging
■ ■ ■ ■ ■ ■ ■ ■ ■■ .yarnrc
```

```
■ ■ ■ ■ ■ ■ ■ ■ bootstrap.js
■ ■ ■ ■ ■ ■ ■ ■ index.js
■ ■ ■ ■ ■ ■ ■ ■ package.json
■ ■ ■ ■ ■ ■ ■ ■ publicpath.js
■ ■ ■ ■ ■ ■ ■ ■ templates
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 403.html
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ error.html
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ partial.html
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ template.html
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ webpack.config.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ webpack.prod.config.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ webpack.prod.minimize.config.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ webpack.prod.release.config.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ yarn.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ yarn.lock
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ static
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 06f4d00923ea24697df5df0b92984175991d8bd25776a02d531bb401e393ec4
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1033.890eeae47460e241b1e9.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1036.b407e23ec5843f2b574d.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1036.b407e23ec5843f2b574d.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1044.4e54e3e338cfaccdfb46.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1057.a0608544097dd22a589e.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1142.074d125bb59f5a332666.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1249.047c76b5ea96a41605db.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 126.1e2fb998804b27c72a3e.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1358.9ab4f57e8227ce75f427.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1397.4b53e533e7ca4d3f06fe.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 14c9db4ff87fde08f67b0a69dd594bab6d87174812a0dbd34c59833bfed8cc0
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1842.1846f224482b066652bf.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1944.9bb345a40325c23313e9.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 1944.9bb345a40325c23313e9.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 198.ebf955f77b5c9807f163.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 2040.6489997c35a5d7b0b100.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 2249.0cc057d5b7da618aa4e0.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 2326849b6c3dfa217a0e9ecaec9553c910a4e2987c87315c85073d2b95a484f
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 2349.91555cd2ef72c84e9253.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 2353.baeba73a2e9f3d9e75d2.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 2356.f97dd8093f97f156efe4.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 2585.4d374708a4df1d35065d.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 2719.3fe9e6fa24f270d8b8d1.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3029.8636761a48c8422ce37f.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3087.06efd084edba2bea6ea1.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3122.b1fda55c421da97a00a3.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3219.8a3701725aaa457179f6.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3236.4fabf963498daeeb9624.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3308.3a94151c0d57440646ab.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3387.bb8976de803b341fe7a3.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3443.868b4f89289beb97adec.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3496.ecb0e7fcc54191234ae6.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3502.c915d993b864739407e3.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3531.0bacde3facdc0c46766c.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3532.5dff37bee3e7bf1673b8.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3664.cfb68e6cb3654849310c.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3791.6adeeacb6143a6599115.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3935.4159b022aa6d82e44127.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3935.4159b022aa6d82e44127.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3992.6587b8bb22d3b162cc6b.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ 3d06af1f31cd83ace7a265a014b8fb5dee15770ecac8f7a55555190e627e03c
```

■	■	■	■	■	■	■■■	406.6f87c9a21bbaa5f39fc4.js
■	■	■	■	■	■	■■■	407a9723fc717c94e287496080d773e18e29c3cac49e2630172343c65c0864a
■	■	■	■	■	■	■■■	4151.fd7ca59b64f0adc97032.js
■	■	■	■	■	■	■■■	4155.784ca1752696680bf373.js
■	■	■	■	■	■	■■■	43c072c16c9ee6d67acdfa6c6d6685ff1e74eb4237b7cc3c1348ab1c108b26a
■	■	■	■	■	■	■■■	4402.d24b4a44244e256d0126.js
■	■	■	■	■	■	■■■	4429.c4f083ef6b6e29345fd4.js
■	■	■	■	■	■	■■■	45.91c59b0e1dca32f01373.js
■	■	■	■	■	■	■■■	4570.53adcb6f69939da383ff.js
■	■	■	■	■	■	■■■	4631.96a143e70f005fef7b59.js
■	■	■	■	■	■	■■■	466.239a0c009f33f1cb7cab.js
■	■	■	■	■	■	■■■	4894.f5e3a48d18905b75d07f.js
■	■	■	■	■	■	■■■	501.d77919e38ba77753c7f8.js
■	■	■	■	■	■	■■■	5065.49dd76cb64fd444f785f.js
■	■	■	■	■	■	■■■	5096.96faf5ddac346a9ad9c3.js
■	■	■	■	■	■	■■■	5096.96faf5ddac346a9ad9c3.js.LICENSE.txt
■	■	■	■	■	■	■■■	5223.0006e6e211b7c197b9f1.js
■	■	■	■	■	■	■■■	5289.6c67522c6a1c32fc2ea2.js
■	■	■	■	■	■	■■■	5383.d630abf49f5cb82bb76f.js
■	■	■	■	■	■	■■■	5493.237858aad53c9392fbd4.js
■	■	■	■	■	■	■■■	5493.237858aad53c9392fbd4.js.LICENSE.txt
■	■	■	■	■	■	■■■	5505.d108d38d683afca0e4ed.js
■	■	■	■	■	■	■■■	5557.625f5943a166b494ee38.js
■	■	■	■	■	■	■■■	5619.b1928648a190b38e627a.js
■	■	■	■	■	■	■■■	6005.cda1ecd972909c2a0250.js
■	■	■	■	■	■	■■■	6064.1a4a55a09511d4907870.js
■	■	■	■	■	■	■■■	6064.1a4a55a09511d4907870.js.LICENSE.txt
■	■	■	■	■	■	■■■	6080.39703b8cc7bd284ce1bd.js
■	■	■	■	■	■	■■■	6218.63b338a58c855634089e.js
■	■	■	■	■	■	■■■	6504.f578fea4ca18a937babd.js
■	■	■	■	■	■	■■■	6550.f5dbb748ddae3ef4b27e.js
■	■	■	■	■	■	■■■	6598.e2d4d064ef6bca780c2c.js
■	■	■	■	■	■	■■■	6700.3c95b4eec62b695c6f74.js
■	■	■	■	■	■	■■■	6777.1b7dcbf5a42c2daf11b8.js
■	■	■	■	■	■	■■■	679b5a5216bbdf913cc22d6ae44778c1ef975ee387a6c4c5de87e75d19a2223
■	■	■	■	■	■	■■■	6952.1bd5bcfeb0d87e61efcb.js
■	■	■	■	■	■	■■■	6962.6d7125f759d926dcf34f.js
■	■	■	■	■	■	■■■	6975.e0560614fd629195c9bf.js
■	■	■	■	■	■	■■■	6989.75bf0da94e660a6c26f8.js
■	■	■	■	■	■	■■■	7034.fce307da76771c0ef0c8.js
■	■	■	■	■	■	■■■	7050.fc2b565767a93966c20e.js
■	■	■	■	■	■	■■■	714.ff3007d0b781b5538482.js
■	■	■	■	■	■	■■■	7289.c749cf355edec3e37aa8.js
■	■	■	■	■	■	■■■	7294.f71c2889fedcd71bd1ee.js
■	■	■	■	■	■	■■■	7294.f71c2889fedcd71bd1ee.js.LICENSE.txt
■	■	■	■	■	■	■■■	7300.26360c57b8bd81344bd5.js
■	■	■	■	■	■	■■■	7454.5859b3e9803de4da9c05.js
■	■	■	■	■	■	■■■	7463.c34847707aeb55f90a82.js
■	■	■	■	■	■	■■■	74edc18b67c487e32f181719fdb347e2e77020744651f446e9acd7bd6821e2e
■	■	■	■	■	■	■■■	75a761159ae266c5332a4f266e07a5543712ffb76ee0260b07782195c04dc36
■	■	■	■	■	■	■■■	7717.2a6e6bb4e5f6b92e9798.js
■	■	■	■	■	■	■■■	7730.7e3a9fb140d2d55a51fc.js
■	■	■	■	■	■	■■■	7755.d506a1d9dadf30b1e490.js
■	■	■	■	■	■	■■■	7788.5e16fdcc197e245776fd.js
■	■	■	■	■	■	■■■	7796.098f091848a062457e84.js
■	■	■	■	■	■	■■■	7900.86dcbbbfb1a3d4f98375.js
■	■	■	■	■	■	■■■	8012.e4c8f67dc497d26c16fc.js
■	■	■	■	■	■	■■■	8059.6011120485fc3c4868d4.js

```
■ ■ ■ ■ ■ ■ ■■■ 807.96166378e2efe232d81e.js
■ ■ ■ ■ ■ ■ ■■■ 807.96166378e2efe232d81e.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ 8102.7f1644c3be420fb40db9.js
■ ■ ■ ■ ■ ■ ■■■ 8428.dd5a93f02f55af0d3d8c.js
■ ■ ■ ■ ■ ■ ■■■ 8523.9b232c15e4eb5bc08a37.js
■ ■ ■ ■ ■ ■ ■■■ 8580.974138f8b6ddb72035f9.js
■ ■ ■ ■ ■ ■ ■■■ 8657.bf693afb7646976b9a51.js
■ ■ ■ ■ ■ ■ ■■■ 870.e515a8a325f5ddb19079.js
■ ■ ■ ■ ■ ■ ■■■ 8708.35479b2d01be1e86804a.js
■ ■ ■ ■ ■ ■ ■■■ 8819.743ff7148bbdf35c7bbb.js
■ ■ ■ ■ ■ ■ ■■■ 8834.7621cb792c80bfa66e05.js
■ ■ ■ ■ ■ ■ ■■■ 8843.35ec0f0b1f61c25e0401.js
■ ■ ■ ■ ■ ■ ■■■ 8afc6e5e842baab16010c2ce6fcf48ec4ded8e1579a37c1f1bc027e120d0495
■ ■ ■ ■ ■ ■ ■■■ 900.6a1241c0269d5df615c8.js
■ ■ ■ ■ ■ ■ ■■■ 901.2ec3367a81663f96cc4b.js
■ ■ ■ ■ ■ ■ ■■■ 9039.5f28fec36b1eba3e4a52.js
■ ■ ■ ■ ■ ■ ■■■ 9109.1b114e9c83e36c6560df.js
■ ■ ■ ■ ■ ■ ■■■ 911.0c08f040896753efc653.js
■ ■ ■ ■ ■ ■ ■■■ 911.0c08f040896753efc653.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ 9316.c4abfd78d98bb182cd2f.js
■ ■ ■ ■ ■ ■ ■■■ 9473.098fe5e3f0187b3dc1fe.js
■ ■ ■ ■ ■ ■ ■■■ 9473.098fe5e3f0187b3dc1fe.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ 96.c281b119ab350d7dd3de.js
■ ■ ■ ■ ■ ■ ■■■ 9845.8b6c837a5ff754554b39.js
■ ■ ■ ■ ■ ■ ■■■ 9866.5db2f5cd62fb6e231305.js
■ ■ ■ ■ ■ ■ ■■■ aff76e5c986f295d4bc6f8142a78e2a31888b101c2d025db89f79c75f64fd90
■ ■ ■ ■ ■ ■ ■■■ bootstrap.js
■ ■ ■ ■ ■ ■ ■■■ build_log.json
■ ■ ■ ■ ■ ■ ■■■ c651b8a67d3193206f622c3c3b0fbca4a2f2727108c4212b52c1e2a2e84c9b3
■ ■ ■ ■ ■ ■ ■■■ cf83ffb8cf0023bd439dfdd5d02f1954b6ee027e85897d6cfc5f90bbca9ec1d
■ ■ ■ ■ ■ ■ ■■■ d0b4256abed72481585662971262eabee345c19f837af00d7ce24239d3b40ee
■ ■ ■ ■ ■ ■ ■■■ fa498fb2596a5235c5c86d7b68a7fbe76e9855c01af4b0e5ab41c41047c648e
■ ■ ■ ■ ■ ■ ■■■ index.html
■ ■ ■ ■ ■ ■ ■■■ index.out.js
■ ■ ■ ■ ■ ■ ■■■ jlab_core.716b79be8019e5bdc801.js
■ ■ ■ ■ ■ ■ ■■■ jlab_core.716b79be8019e5bdc801.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ main.191f751bb4b62e169926.js
■ ■ ■ ■ ■ ■ ■■■ package.json
■ ■ ■ ■ ■ ■ ■■■ style.js
■ ■ ■ ■ ■ ■ ■■■ third-party-licenses.json
■ ■ ■ ■ ■ ■ ■■■ style.js
■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■   ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ echo_kernel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ test_app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ test_build_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ test_jupyterlab.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ test_registry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■ echo_kernel.py
■ ■ ■ ■ ■ ■ ■■■   ■■■ mock_packages
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■ extension
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■   ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■   ■■■   ■■■ mock_package.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■   ■■■   ■■■   ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■   ■■■   ■■■   ■■■ index.js
■ ■ ■ ■ ■ ■ ■■■   ■■■   ■■■   ■■■   ■■■   ■■■ mock_package.py
```


[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■■■ 478.648ae8f1d1447aef2787.js
■ ■ ■ ■ ■ ■ ■ ■■■ 478.648ae8f1d1447aef2787.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 478.682df48bde19ea546833.js
■ ■ ■ ■ ■ ■ ■ ■■■ 478.682df48bde19ea546833.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 478.8a2f95f89e9d4ef6640d.js
■ ■ ■ ■ ■ ■ ■ ■■■ 478.8a2f95f89e9d4ef6640d.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 478.97c9d6fd3284436ed825.js
■ ■ ■ ■ ■ ■ ■ ■■■ 478.97c9d6fd3284436ed825.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 478.df5d79887c2da54356d2.js
■ ■ ■ ■ ■ ■ ■ ■■■ 478.df5d79887c2da54356d2.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 486.52aa9063b291ec574154.js
■ ■ ■ ■ ■ ■ ■ ■■■ 486.52aa9063b291ec574154.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ 657.09d4efff1ab818a08975.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.17023484aff5cb288d0d.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.1b271af388adb2a060ca.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.2bc457530a93538b82d9.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.359ea3055102f7a99e99.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.771dbad929cd22a323fe.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.7c2205afcedb06d23fda.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.a752195a0c0fbb693545.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.d58e7634cc9b278287fc.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.dd6f26e03235176d44f1.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.ec010038fbb3c3a5dedf.js
■ ■ ■ ■ ■ ■ ■ ■■■ 657.ff821171857db34c82f8.js
■ ■ ■ ■ ■ ■ ■ ■■■ 879.b55d82ff9b3516e96fb0.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.1016449a4f6ce437c861.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.1a2cc26ef0511c457ac7.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.286c741f93acc58d3401.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.2d63ed876c9803bb985e.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.45f4c6022dd1884d7098.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.47c704edacb30646672e.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.5db2c2d9c24eed455716.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.667a4f2400cb3e16288f.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.7b0dfd91a418a1e7eb37.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.b2c7a6a835b3d0c95a95.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.b8c677d4b23d37f46d1d.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.d9be7a2a902ee9d2c89d.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.dbafde46ecb0e3cf9a67.js
■ ■ ■ ■ ■ ■ ■ ■■■ style.js
■ ■ ■ ■ ■ ■ ■ ■■■ nbextension
■ ■ ■ ■ ■ ■ ■ ■■■ extension.js
■ ■ ■ ■ ■ ■ ■ ■■■ index.js
■ ■ ■ ■ ■ ■ ■ ■■■ index.js.LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ jupyterlab_pygments
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ style.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■ ■ ■■■ labextension
■ ■ ■ ■ ■ ■ ■ ■■■ package.json
■ ■ ■ ■ ■ ■ ■ ■■■ static
■ ■ ■ ■ ■ ■ ■ ■■■ 568.1e2faa2ba0bbe59c4780.js
■ ■ ■ ■ ■ ■ ■ ■■■ 747.8eb3ddccc7ec4987bff9.js
■ ■ ■ ■ ■ ■ ■ ■■■ remoteEntry.aa1060b2d1221f8e5688.js
■ ■ ■ ■ ■ ■ ■ ■■■ style.js
■ ■ ■ ■ ■ ■ ■ ■■■ third-party-licenses.json

```

```

■   ■   ■   ■   ■   ■■■ style.py
■   ■   ■   ■   ■■■ jupyterlab_pygments-0.2.2.dist-info
■   ■   ■   ■   ■   ■■■ INSTALLER
■   ■   ■   ■   ■   ■■■ LICENSE
■   ■   ■   ■   ■   ■■■ METADATA
■   ■   ■   ■   ■   ■■■ RECORD
■   ■   ■   ■   ■   ■■■ REQUESTED
■   ■   ■   ■   ■   ■■■ WHEEL
■   ■   ■   ■   ■   ■■■ top_level.txt
■   ■   ■   ■   ■■■ jupyterlab_server
■   ■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■   ■■■ __main__.py
■   ■   ■   ■   ■   ■■■ __pycache__
■   ■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ __main__.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ _version.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ app.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ config.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ handlers.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ licenses_app.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ licenses_handler.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ listings_handler.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ process.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ process_app.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ pytest_plugin.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ server.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ settings_handler.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ settings_utils.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ spec.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ test_utils.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ themes_handler.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ translation_utils.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ translations_handler.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ workspaces_app.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ workspaces_handler.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ _version.py
■   ■   ■   ■   ■   ■■■ app.py
■   ■   ■   ■   ■   ■■■ config.py
■   ■   ■   ■   ■   ■■■ handlers.py
■   ■   ■   ■   ■   ■■■ licenses_app.py
■   ■   ■   ■   ■   ■■■ licenses_handler.py
■   ■   ■   ■   ■   ■■■ listings_handler.py
■   ■   ■   ■   ■   ■■■ process.py
■   ■   ■   ■   ■   ■■■ process_app.py
■   ■   ■   ■   ■   ■■■ py.typed
■   ■   ■   ■   ■   ■■■ pytest_plugin.py
■   ■   ■   ■   ■   ■■■ rest-api.yml
■   ■   ■   ■   ■   ■■■ server.py
■   ■   ■   ■   ■   ■■■ settings_handler.py
■   ■   ■   ■   ■   ■■■ settings_utils.py
■   ■   ■   ■   ■   ■■■ spec.py
■   ■   ■   ■   ■   ■■■ templates
■   ■   ■   ■   ■   ■■■ 403.html
■   ■   ■   ■   ■   ■■■ error.html
■   ■   ■   ■   ■   ■■■ index.html
■   ■   ■   ■   ■   ■■■ test_data
■   ■   ■   ■   ■   ■■■ app-settings
■   ■   ■   ■   ■   ■■■ overrides.json

```



```

init__init__.cpython-311.pyc
layers
__init__.py
__pycache__
__init__.cpython-311.pyc
experimental
__init__.py
__pycache__
__init__.cpython-311.pyc
rnn_cell
__init__.py
__pycache__
__init__.cpython-311.pyc
__pycache__
__init__.cpython-311.pyc
activations
__init__.py
__pycache__
__init__.cpython-311.pyc
applications
__init__.py
__pycache__
__init__.cpython-311.pyc
densenet
__init__.py
__pycache__
__init__.cpython-311.pyc
efficientnet
__init__.py
__pycache__
__init__.cpython-311.pyc
imagenet_utils
__init__.py
__pycache__
__init__.cpython-311.pyc
inception_resnet_v2
__init__.py
__pycache__
__init__.cpython-311.pyc
inception_v3
__init__.py
__pycache__
__init__.cpython-311.pyc
mobilenet
__init__.py
__pycache__
__init__.cpython-311.pyc
mobilenet_v2
__init__.py
__pycache__
__init__.cpython-311.pyc
mobilenet_v3
__init__.py
__pycache__
__init__.cpython-311.pyc
nasnet
__init__.py
__pycache__

```



```

    """__init__.cpython-311.pyc
optimizers
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
schedules
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
premade
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
preprocessing
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
image
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
sequence
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
text
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
regularizers
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
utils
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
wrappers
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
scikit_learn
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
_v2
    """__init__.py
    """__pycache__
        """__init__.cpython-311.pyc
keras
    """__init__.py
    """__internal__
        """__init__.py
        """__pycache__
            """__init__.cpython-311.pyc
backend
    """__init__.py
    """__pycache__

```

[illegible]

```

resnet
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
resnet50
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
resnet_v2
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
vgg16
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
vgg19
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
xception
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
backend
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
callbacks
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
experimental
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
constraints
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
datasets
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
boston_housing
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
cifar10
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
cifar100
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
fashion_mnist

```



```

███ __init__.cpython-311.pyc
███ optimizers
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ schedules
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ premade
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ preprocessing
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ image
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ sequence
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ text
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ regularizers
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ utils
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ experimental
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ wrappers
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ scikit_learn
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ keras
███ __init__.py
███ __internal__
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ legacy
███ __init__.py
███ __pycache__

```

[illegible]

[illegible]

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ ■ resnet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ resnet_v2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ vgg16.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ vgg19.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ xception.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ densenet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ efficientnet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ imagenet_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ inception_resnet_v2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ inception_v3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ mobilenet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ mobilenet_v2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ mobilenet_v3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ nasnet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ resnet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ resnet_v2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ vgg16.py
■ ■ ■ ■ ■ ■ ■ ■ ■ vgg19.py
■ ■ ■ ■ ■ ■ ■ ■ ■ xception.py
■ ■ ■ ■ ■ ■ ■ ■ ■ backend.py
■ ■ ■ ■ ■ ■ ■ ■ ■ backend_config.py
■ ■ ■ ■ ■ ■ ■ ■ ■ callbacks.py
■ ■ ■ ■ ■ ■ ■ ■ ■ callbacks_v1.py
■ ■ ■ ■ ■ ■ ■ ■ ■ combinations.py
■ ■ ■ ■ ■ ■ ■ ■ ■ constraints.py
■ ■ ■ ■ ■ ■ ■ ■ ■ datasets
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ boston_housing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ cifar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ cifar10.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ cifar100.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ fashion_mnist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ imdb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ mnist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ reuters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ boston_housing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ cifar.py
■ ■ ■ ■ ■ ■ ■ ■ ■ cifar10.py
■ ■ ■ ■ ■ ■ ■ ■ ■ cifar100.py
■ ■ ■ ■ ■ ■ ■ ■ ■ fashion_mnist.py
■ ■ ■ ■ ■ ■ ■ ■ ■ imdb.py
■ ■ ■ ■ ■ ■ ■ ■ ■ mnist.py
■ ■ ■ ■ ■ ■ ■ ■ ■ reuters.py
■ ■ ■ ■ ■ ■ ■ ■ ■ distribute
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ dataset_creator_model_fit_test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ distribute_coordinator_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ distribute_strategy_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ distributed_file_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ distributed_training_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ distributed_training_utils_v1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ keras_correctness_test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ keras_dnn_correctness_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ keras_embedding_model_correctness_test.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ keras_image_model_correctness_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ keras_rnn_model_correctness_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ keras_stateful_lstm_model_correctness_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ keras_utils_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_collection_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_combinations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ multi_worker_testing_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ optimizer_combinations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ saved_model_test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sidecar_evaluator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ simple_models.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ strategy_combinations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_example.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ worker_training_state.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataset_creator_model_fit_test_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ distribute_coordinator_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ distribute_strategy_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ distributed_file_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ distributed_training_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ distributed_training_utils_v1.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_correctness_test_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_dnn_correctness_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_embedding_model_correctness_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_image_model_correctness_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_rnn_model_correctness_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_stateful_lstm_model_correctness_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ keras_utils_test.py
■ ■ ■ ■ ■ ■ ■ ■■■ model_collection_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ model_combinations.py
■ ■ ■ ■ ■ ■ ■ ■■■ multi_worker_testing_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ optimizer_combinations.py
■ ■ ■ ■ ■ ■ ■ ■■■ saved_model_test_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ sidecar_evaluator.py
■ ■ ■ ■ ■ ■ ■ ■■■ simple_models.py
■ ■ ■ ■ ■ ■ ■ ■■■ strategy_combinations.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_example.py
■ ■ ■ ■ ■ ■ ■ ■■■ worker_training_state.py
■ ■ ■ ■ ■ ■ ■ ■■■ engine
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_layer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_layer_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_layer_v1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_preprocessing_layer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compile_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data_adapter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ functional.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ input_layer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ input_spec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ keras_tensor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ node.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ partial_batch_padding_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ saving.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sequential.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ training.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ training_arrays_v1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ training_distributed_v1.cpython-311.pyc

```



```

■   ■   ■   ■   ■   ■■■ layers
■   ■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■   ■■■ __pycache__
■   ■   ■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ advanced_activations.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ convolutional.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ convolutional_recurrent.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ core.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ cudnn_recurrent.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ dense_attention.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ einsum_dense.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ embeddings.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ kernelized.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ local.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ merge.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ multi_head_attention.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ noise.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ pooling.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ recurrent.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ recurrent_v2.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ rnn_cell_wrapper_v2.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ serialization.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ wrappers.cpython-311.pyc
■   ■   ■   ■   ■   ■■■ advanced_activations.py
■   ■   ■   ■   ■   ■■■ convolutional.py
■   ■   ■   ■   ■   ■■■ convolutional_recurrent.py
■   ■   ■   ■   ■   ■■■ core.py
■   ■   ■   ■   ■   ■■■ cudnn_recurrent.py
■   ■   ■   ■   ■   ■■■ dense_attention.py
■   ■   ■   ■   ■   ■■■ einsum_dense.py
■   ■   ■   ■   ■   ■■■ embeddings.py
■   ■   ■   ■   ■   ■■■ kernelized.py
■   ■   ■   ■   ■   ■■■ legacy_rnn
■   ■   ■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■   ■   ■■■ __pycache__
■   ■   ■   ■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■■■ rnn_cell_impl.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■■■ rnn_cell_wrapper_impl.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ rnn_cell_impl.py
■   ■   ■   ■   ■   ■   ■■■ rnn_cell_wrapper_impl.py
■   ■   ■   ■   ■   ■■■ local.py
■   ■   ■   ■   ■   ■■■ merge.py
■   ■   ■   ■   ■   ■■■ multi_head_attention.py
■   ■   ■   ■   ■   ■■■ noise.py
■   ■   ■   ■   ■   ■■■ normalization
■   ■   ■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■   ■   ■■■ __pycache__
■   ■   ■   ■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■■■ batch_normalization.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■■■ batch_normalization_v1.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■■■ layer_normalization.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■■■ batch_normalization.py
■   ■   ■   ■   ■   ■   ■■■ batch_normalization_v1.py
■   ■   ■   ■   ■   ■   ■■■ layer_normalization.py
■   ■   ■   ■   ■   ■■■ pooling.py
■   ■   ■   ■   ■   ■■■ preprocessing
■   ■   ■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■   ■   ■■■ __pycache__

```



```

█████ __pycache__
█████ __init__.cpython-311.pyc
█████ autocast_variable.cpython-311.pyc
█████ device_compatibility_check.cpython-311.pyc
█████ get_layer_policy.cpython-311.pyc
█████ loss_scale.cpython-311.pyc
█████ loss_scale_optimizer.cpython-311.pyc
█████ policy.cpython-311.pyc
█████ test_util.cpython-311.pyc
█████ autocast_variable.py
█████ device_compatibility_check.py
█████ get_layer_policy.py
█████ loss_scale.py
█████ loss_scale_optimizer.py
█████ policy.py
█████ test_util.py
█████ models.py
█████ optimizer_v1.py
█████ optimizer_v2
█████ __init__.py
█████ __pycache__
█████ __init__.cpython-311.pyc
█████ adadelta.cpython-311.pyc
█████ adagrad.cpython-311.pyc
█████ adam.cpython-311.pyc
█████ adamax.cpython-311.pyc
█████ ftrl.cpython-311.pyc
█████ gradient_descent.cpython-311.pyc
█████ learning_rate_schedule.cpython-311.pyc
█████ legacy_learning_rate_decay.cpython-311.pyc
█████ nadam.cpython-311.pyc
█████ optimizer_v2.cpython-311.pyc
█████ rmsprop.cpython-311.pyc
█████ utils.cpython-311.pyc
█████ adadelta.py
█████ adagrad.py
█████ adam.py
█████ adamax.py
█████ ftrl.py
█████ gradient_descent.py
█████ learning_rate_schedule.py
█████ legacy_learning_rate_decay.py
█████ nadam.py
█████ optimizer_v2.py
█████ rmsprop.py
█████ utils.py
█████ optimizers.py
█████ premade
█████ __init__.py
█████ __pycache__
█████ __init__.cpython-311.pyc
█████ linear.cpython-311.pyc
█████ wide_deep.cpython-311.pyc
█████ linear.py
█████ wide_deep.py
█████ preprocessing
█████ __init__.py
█████ __pycache__
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataset_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ image_dataset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sequence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text_dataset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ timeseries.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataset_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ image.py
■ ■ ■ ■ ■ ■ ■ ■■■ image_dataset.py
■ ■ ■ ■ ■ ■ ■ ■■■ sequence.py
■ ■ ■ ■ ■ ■ ■ ■■■ text.py
■ ■ ■ ■ ■ ■ ■ ■■■ text_dataset.py
■ ■ ■ ■ ■ ■ ■ ■■■ timeseries.py
■ ■ ■ ■ ■ ■ ■ ■■■ protobuf
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ projector_config_pb2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ saved_metadata_pb2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ versions_pb2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ projector_config_pb2.py
■ ■ ■ ■ ■ ■ ■ ■■■ saved_metadata_pb2.py
■ ■ ■ ■ ■ ■ ■ ■■■ versions_pb2.py
■ ■ ■ ■ ■ ■ ■ ■■■ regularizers.py
■ ■ ■ ■ ■ ■ ■ ■■■ saving
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hdf5_format.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ save.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ saved_model_experimental.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ saving_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hdf5_format.py
■ ■ ■ ■ ■ ■ ■ ■■■ model_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ save.py
■ ■ ■ ■ ■ ■ ■ ■■■ saved_model
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ json_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ layer_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ load.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ load_context.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ metric_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ network_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ save.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ save_impl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ serialized_attributes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ constants.py
■ ■ ■ ■ ■ ■ ■ ■■■ json_utils.py
```



```
■ ■ ■ ■ ■ ■ ■ ■■■ layer_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ load.py
■ ■ ■ ■ ■ ■ ■ ■■■ load_context.py
■ ■ ■ ■ ■ ■ ■ ■■■ metric_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ model_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ network_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ save.py
■ ■ ■ ■ ■ ■ ■ ■■■ save_impl.py
■ ■ ■ ■ ■ ■ ■ ■■■ serialized_attributes.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ saved_model_experimental.py
■ ■ ■ ■ ■ ■ ■ ■■■ saving_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils_v1
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ export_output.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ export_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mode_keys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ signature_def_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ unexported_constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ export_output.py
■ ■ ■ ■ ■ ■ ■ ■■■ export_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ mode_keys.py
■ ■ ■ ■ ■ ■ ■ ■■■ signature_def_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ unexported_constants.py
■ ■ ■ ■ ■ ■ ■ ■■■ testing_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_architectures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_subclassing_test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ model_architectures.py
■ ■ ■ ■ ■ ■ ■ ■■■ model_subclassing_test_util.py
■ ■ ■ ■ ■ ■ ■ ■■■ type
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ types.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ all_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ control_flow_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conv_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataset_creator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ generic_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ io_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kernelized_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kpl_test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ layer_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ losses_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ metrics_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mode_keys.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ multi_gpu_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ np_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ object_identity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tf_contextlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tf_inspect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tf_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ version_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vis_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ all_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ control_flow_util.py
■ ■ ■ ■ ■ ■ ■ ■■■ conv_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ data_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ dataset_creator.py
■ ■ ■ ■ ■ ■ ■ ■■■ generic_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ io_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ kernelized_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ kpl_test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ layer_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ losses_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ metrics_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ mode_keys.py
■ ■ ■ ■ ■ ■ ■ ■■■ multi_gpu_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ np_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ object_identity.py
■ ■ ■ ■ ■ ■ ■ ■■■ tf_contextlib.py
■ ■ ■ ■ ■ ■ ■ ■■■ tf_inspect.py
■ ■ ■ ■ ■ ■ ■ ■■■ tf_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ version_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ vis_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ wrappers
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scikit_learn.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scikit_learn.py
■ ■ ■ ■ ■ ■ ■■■ keras-2.6.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ kerykeion
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geoname.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ main.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ output_exemple.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ geoname.py
■ ■ ■ ■ ■ ■ ■■■ main.py
■ ■ ■ ■ ■ ■ ■■■ output_exemple.py
■ ■ ■ ■ ■ ■ ■■■ utilities
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ aspects.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ discepolo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ general.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kr_settings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ aspects.py
■ ■ ■ ■ ■ ■ ■ ■■■ charts
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ charts_svg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ charts_svg.py
■ ■ ■ ■ ■ ■ ■ ■■■ templates
■ ■ ■ ■ ■ ■ ■ ■■■ basic.xml
■ ■ ■ ■ ■ ■ ■ ■■■ extended.xml
■ ■ ■ ■ ■ ■ ■ ■■■ discepolo.py
■ ■ ■ ■ ■ ■ ■ ■■■ general.py
■ ■ ■ ■ ■ ■ ■ ■■■ kr_settings.py
■ ■ ■ ■ ■ ■ ■■■■ kerykeion-2.1.16.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ kiwisolver
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _cext.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■■■■ _cext.pyi
■ ■ ■ ■ ■ ■ ■■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■■■■ kiwisolver-1.4.7.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ korean_lunar_calendar
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ korean_lunar_calendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ korean_lunar_calendar.py
■ ■ ■ ■ ■ ■ ■■■■ korean_lunar_calendar-0.3.1.dist-info
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ langcodes
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ build_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data_dicts.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ language_distance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ language_lists.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ registry_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tag_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ build_data.py
■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ language-subtag-registry.txt
■ ■ ■ ■ ■ ■ ■ ■ data_dicts.py
■ ■ ■ ■ ■ ■ ■ ■ language_distance.py
■ ■ ■ ■ ■ ■ ■ ■ language_lists.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ registry_parser.py
■ ■ ■ ■ ■ ■ ■ ■ tag_parser.py
■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ README.md
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_alpha3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_issue_59.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_language.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_language_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_wikt_languages.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_alpha3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_issue_59.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_language.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_language_data.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_wikt_languages.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ langcodes-3.5.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ language_data
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ build_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ language_lists.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ name_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ names.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ population_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ registry_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ build_data.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ extra_language_names.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ language-subtag-registry.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ languageInfo.xml
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ override_language_names.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ supplementalData.xml
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ trie
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ab
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ name_to_language.marisa
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ af
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ name_to_language.marisa

```

[illegible]

[illegible]

ca	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
cch	name_to_language.marisa
ccp	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
ce	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
ceb	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
cgg	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
cho	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
chr	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
cic	name_to_language.marisa
name_to_territory.marisa	
ckb	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
co	name_to_language.marisa
cs	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
csw	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
cu	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
cv	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
cy	name_to_language.marisa
name_to_script.marisa	

da	name_to_territory.marisa
da	name_to_language.marisa
da	name_to_script.marisa
dav	name_to_territory.marisa
dav	name_to_language.marisa
dav	name_to_script.marisa
de	name_to_territory.marisa
de	name_to_language.marisa
de	name_to_script.marisa
dje	name_to_territory.marisa
dje	name_to_language.marisa
dje	name_to_script.marisa
doi	name_to_territory.marisa
doi	name_to_language.marisa
doi	name_to_script.marisa
dsb	name_to_territory.marisa
dsb	name_to_language.marisa
dsb	name_to_script.marisa
dua	name_to_territory.marisa
dua	name_to_language.marisa
dua	name_to_script.marisa
dyo	name_to_territory.marisa
dyo	name_to_language.marisa
dyo	name_to_script.marisa
dz	name_to_territory.marisa
dz	name_to_language.marisa
dz	name_to_script.marisa
ebu	name_to_territory.marisa
ebu	name_to_language.marisa
ebu	name_to_script.marisa
ee	name_to_territory.marisa
ee	name_to_language.marisa
ee	name_to_script.marisa
el	name_to_territory.marisa
el	name_to_language.marisa
el	name_to_script.marisa
en	name_to_territory.marisa
en	name_to_language.marisa
en	name_to_script.marisa
eo	name_to_territory.marisa
eo	name_to_language.marisa
eo	name_to_script.marisa
es	name_to_territory.marisa

[illegible]

[illegible]

[illegible]

	kaj	name_to_script.marisa
	kam	name_to_territory.marisa
	kcg	name_to_language.marisa
	kcm	name_to_language.marisa
	kde	name_to_script.marisa
	kea	name_to_territory.marisa
	ken	name_to_language.marisa
	kgp	name_to_language.marisa
	khq	name_to_script.marisa
	ki	name_to_territory.marisa
	kk	name_to_language.marisa
	kkj	name_to_script.marisa
	kl	name_to_territory.marisa
	kln	name_to_language.marisa
	km	name_to_script.marisa
	kn	name_to_territory.marisa

ko	name_to_language.marisa
name_to_script.marisa	
name_to_territory.marisa	
kok	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
kpe	
name_to_language.marisa	
ks	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
ksb	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
ksf	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
ksh	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
ku	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
kw	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
kxv	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
ky	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
la	
name_to_language.marisa	
lag	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
lah	
name_to_language.marisa	
lb	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	
lg	
name_to_language.marisa	
name_to_script.marisa	
name_to_territory.marisa	

[illegible]

							mfe				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							mg				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							mgh				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							mgo				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							mi				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							mic				
							name_to_language.marisa				
							mk				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							ml				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							mn				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							mni				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							moh				
							name_to_language.marisa				
							mr				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							ms				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							mt				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							mua				
							name_to_language.marisa				
							name_to_script.marisa				
							name_to_territory.marisa				
							mus				
							name_to_language.marisa				

[illegible]

[illegible]

								pt	name_to_territory.marisa
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								qu	
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								quc	
								name_to_language.marisa	
								name_to_territory.marisa	
								raj	
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								rhg	
								name_to_language.marisa	
								rif	
								name_to_language.marisa	
								rm	
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								rn	
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								ro	
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								rof	
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								ru	
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								rup	
								name_to_language.marisa	
								rw	
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								rwk	
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								sa	
								name_to_language.marisa	
								name_to_script.marisa	
								name_to_territory.marisa	
								sah	
								name_to_language.marisa	
								name_to_script.marisa	
								name to territory.marisa	

[illegible]

[illegible]

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_standard_library.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_standard_library_urllib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_input.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_metaclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_next_call.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_object.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_oldstr_wrap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_order__future__imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_print.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_print_with_import.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_remove_old__future__imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unicode_keep_u.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unicode_literals_import.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_xrange_with_import.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_UserDict.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_absolute_import.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add__future__imports_except_unicode_literals.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_basestring.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_bytes.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_cmp.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_division.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_division_safe.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_execfile.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_builtins.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_standard_library.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_standard_library_urllib.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_input.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_metaclass.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_next_call.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_object.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_oldstr_wrap.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_order__future__imports.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_print.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_print_with_import.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_remove_old__future__imports.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unicode_keep_u.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unicode_literals_import.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_xrange_with_import.py
■ ■ ■ ■ ■ ■ ■ ■■■ main.py
■ ■ ■ ■ ■ ■ ■■■ libpasteurize
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ main.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fixes
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ feature_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_all__future__imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_all_future_builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_future_standard_library_import.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_annotations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_division.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_features.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ fix_fullargspec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_getcwd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_imports2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_kwargs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_memoryview.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_metaclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_newstyle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_next.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_printfunction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_throw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unpacking.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ feature_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_all__future__imports.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_all__future__builtins.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_add_future_standard_library_import.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_annotations.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_division.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_features.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_fullargspec.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_future_builtins.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_getcwd.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_imports.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_imports2.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_kwargs.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_memoryview.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_metaclass.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_newstyle.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_next.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_printfunction.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_raise_.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_throw.py
■ ■ ■ ■ ■ ■ ■ ■■■ fix_unpacking.py
■ ■ ■ ■ ■ ■ ■ ■■■ main.py
■ ■ ■ ■ ■ ■ ■■■■ librosa
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ beat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ decompose.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ display.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ effects.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ onset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ segment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sequence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _cache.py
■ ■ ■ ■ ■ ■ ■ ■■■ beat.py
■ ■ ■ ■ ■ ■ ■ ■■■ core
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■■■■ audio.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ constantq.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ convert.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ fft.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ harmonic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ notation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ pitch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ spectrum.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ audio.py
■      ■      ■      ■      ■      ■      ■■■■ constantq.py
■      ■      ■      ■      ■      ■      ■■■■ convert.py
■      ■      ■      ■      ■      ■      ■■■■ fft.py
■      ■      ■      ■      ■      ■      ■■■■ harmonic.py
■      ■      ■      ■      ■      ■      ■■■■ notation.py
■      ■      ■      ■      ■      ■      ■■■■ pitch.py
■      ■      ■      ■      ■      ■      ■■■■ spectrum.py
■      ■      ■      ■      ■      ■■■■ decompose.py
■      ■      ■      ■      ■      ■■■■ display.py
■      ■      ■      ■      ■      ■■■■ effects.py
■      ■      ■      ■      ■      ■■■■ feature
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ inverse.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ rhythm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ spectral.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ inverse.py
■      ■      ■      ■      ■      ■      ■■■■ rhythm.py
■      ■      ■      ■      ■      ■      ■■■■ spectral.py
■      ■      ■      ■      ■      ■      ■■■■ utils.py
■      ■      ■      ■      ■      ■■■■ filters.py
■      ■      ■      ■      ■      ■■■■ onset.py
■      ■      ■      ■      ■      ■■■■ segment.py
■      ■      ■      ■      ■      ■■■■ sequence.py
■      ■      ■      ■      ■      ■■■■ util
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _nnls.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ decorators.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ deprecation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ files.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ matching.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _nnls.py
■      ■      ■      ■      ■      ■      ■■■■ decorators.py
■      ■      ■      ■      ■      ■      ■■■■ deprecation.py
■      ■      ■      ■      ■      ■      ■■■■ example_data
■      ■      ■      ■      ■      ■      ■      ■■■■ index.json
■      ■      ■      ■      ■      ■      ■      ■■■■ registry.txt
■      ■      ■      ■      ■      ■      ■■■■ exceptions.py
■      ■      ■      ■      ■      ■      ■■■■ files.py
■      ■      ■      ■      ■      ■      ■■■■ matching.py
■      ■      ■      ■      ■      ■      ■■■■ utils.py
■      ■      ■      ■      ■      ■■■■ version.py
■      ■      ■      ■      ■■■■ librosa-0.8.1.dist-info

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ googletest.py
■ ■ ■ ■ ■ ■ ■ ■ shtest.py
■ ■ ■ ■ ■ ■ ■ ■ llvm
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ subst.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.py
■ ■ ■ ■ ■ ■ ■ ■ subst.py
■ ■ ■ ■ ■ ■ ■ ■ main.py
■ ■ ■ ■ ■ ■ ■ ■ reports.py
■ ■ ■ ■ ■ ■ ■ ■ run.py
■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ worker.py
■ ■ ■ ■ ■ ■ ■ ■ lit-18.1.8.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.TXT
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ llvmlite
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ binding
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ context.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dylib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ executionengine.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ffi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ initfini.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ linker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ module.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ object_file.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ orcjit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ passmanagers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ targets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ transforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ typeref.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ value.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ analysis.py
■ ■ ■ ■ ■ ■ ■ ■ common.py
■ ■ ■ ■ ■ ■ ■ ■ context.py
■ ■ ■ ■ ■ ■ ■ ■ dylib.py
■ ■ ■ ■ ■ ■ ■ ■ executionengine.py
■ ■ ■ ■ ■ ■ ■ ■ ffi.py
■ ■ ■ ■ ■ ■ ■ ■ initfini.py

```

```

libllvmlite.so
linker.py
module.py
object_file.py
options.py
orcjit.py
passmanagers.py
targets.py
transforms.py
typeref.py
value.py
ir
__init__.py
__pycache__
__init__.cpython-311.pyc
_utils.cpython-311.pyc
builder.cpython-311.pyc
context.cpython-311.pyc
instructions.cpython-311.pyc
module.cpython-311.pyc
transforms.cpython-311.pyc
types.cpython-311.pyc
values.cpython-311.pyc
_utils.py
builder.py
context.py
instructions.py
module.py
transforms.py
types.py
values.py
tests
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
customize.cpython-311.pyc
refprune_proto.cpython-311.pyc
test_binding.cpython-311.pyc
test_ir.cpython-311.pyc
test_refprune.cpython-311.pyc
test_valuerepr.cpython-311.pyc
customize.py
refprune_proto.py
test_binding.py
test_ir.py
test_refprune.py
test_valuerepr.py
utils.py
llvmlite-0.43.0.dist-info
INSTALLER
LICENSE
LICENSE.thirdparty
METADATA
RECORD
WHEEL
top_level.txt

```

```

■ ■ ■ ■ ■■■ logical_unification-0.4.6.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ loguru
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _better_exceptions.cpython-311.pyc
■ ■ ■ ■ ■■■ _colorama.cpython-311.pyc
■ ■ ■ ■ ■■■ _colorizer.cpython-311.pyc
■ ■ ■ ■ ■■■ _ctime_functions.cpython-311.pyc
■ ■ ■ ■ ■■■ _datetime.cpython-311.pyc
■ ■ ■ ■ ■■■ _defaults.cpython-311.pyc
■ ■ ■ ■ ■■■ _error_interceptor.cpython-311.pyc
■ ■ ■ ■ ■■■ _file_sink.cpython-311.pyc
■ ■ ■ ■ ■■■ _filters.cpython-311.pyc
■ ■ ■ ■ ■■■ _get_frame.cpython-311.pyc
■ ■ ■ ■ ■■■ _handler.cpython-311.pyc
■ ■ ■ ■ ■■■ _locks_machinery.cpython-311.pyc
■ ■ ■ ■ ■■■ _logger.cpython-311.pyc
■ ■ ■ ■ ■■■ _recattrs.cpython-311.pyc
■ ■ ■ ■ ■■■ _simple_sinks.cpython-311.pyc
■ ■ ■ ■ ■■■ _string_parsers.cpython-311.pyc
■ ■ ■ ■ ■■■ _better_exceptions.py
■ ■ ■ ■ ■■■ _colorama.py
■ ■ ■ ■ ■■■ _colorizer.py
■ ■ ■ ■ ■■■ _ctime_functions.py
■ ■ ■ ■ ■■■ _datetime.py
■ ■ ■ ■ ■■■ _defaults.py
■ ■ ■ ■ ■■■ _error_interceptor.py
■ ■ ■ ■ ■■■ _file_sink.py
■ ■ ■ ■ ■■■ _filters.py
■ ■ ■ ■ ■■■ _get_frame.py
■ ■ ■ ■ ■■■ _handler.py
■ ■ ■ ■ ■■■ _locks_machinery.py
■ ■ ■ ■ ■■■ _logger.py
■ ■ ■ ■ ■■■ _recattrs.py
■ ■ ■ ■ ■■■ _simple_sinks.py
■ ■ ■ ■ ■■■ _string_parsers.py
■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■■■ loguru-0.5.3.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ lxml
■ ■ ■ ■ ■■■ ElementInclude.py
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ ElementInclude.cpython-311.pyc

```

[illegible]

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■■■ xmlmodule.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlreader.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlregexp.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlsave.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlschemas.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlschemasypes.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlstring.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlunicode.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlversion.h
■ ■ ■ ■ ■ ■ ■ ■■■ xmlwriter.h
■ ■ ■ ■ ■ ■ ■ ■■■ xpath.h
■ ■ ■ ■ ■ ■ ■ ■■■ xpathInternals.h
■ ■ ■ ■ ■ ■ ■ ■■■ xpointer.h
■ ■ ■ ■ ■ ■ ■ ■■■ libxslt
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ attributes.h
■ ■ ■ ■ ■ ■ ■ ■■■ documents.h
■ ■ ■ ■ ■ ■ ■ ■■■ extensions.h
■ ■ ■ ■ ■ ■ ■ ■■■ extra.h
■ ■ ■ ■ ■ ■ ■ ■■■ functions.h
■ ■ ■ ■ ■ ■ ■ ■■■ imports.h
■ ■ ■ ■ ■ ■ ■ ■■■ keys.h
■ ■ ■ ■ ■ ■ ■ ■■■ namespaces.h
■ ■ ■ ■ ■ ■ ■ ■■■ numbersInternals.h
■ ■ ■ ■ ■ ■ ■ ■■■ pattern.h
■ ■ ■ ■ ■ ■ ■ ■■■ preproc.h
■ ■ ■ ■ ■ ■ ■ ■■■ security.h
■ ■ ■ ■ ■ ■ ■ ■■■ templates.h
■ ■ ■ ■ ■ ■ ■ ■■■ transform.h
■ ■ ■ ■ ■ ■ ■ ■■■ variables.h
■ ■ ■ ■ ■ ■ ■ ■■■ xslt.h
■ ■ ■ ■ ■ ■ ■ ■■■ xsltInternals.h
■ ■ ■ ■ ■ ■ ■ ■■■ xsltconfig.h
■ ■ ■ ■ ■ ■ ■ ■■■ xsltexports.h
■ ■ ■ ■ ■ ■ ■ ■■■ xsltlocale.h
■ ■ ■ ■ ■ ■ ■ ■■■ xsltutils.h
■ ■ ■ ■ ■ ■ ■ ■■■ lxml-version.h
■ ■ ■ ■ ■ ■ ■ ■■■ relaxng.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ schematron.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ tree.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ uri.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xinclude.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xmlerror.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xmlparser.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xmlschema.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xpath.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ xslt.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ isoschematron
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ resources
■ ■ ■ ■ ■ ■ ■ ■■■ rng
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■ iso-schematron.rng
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■ xsl
■ ■ ■ ■ ■ ■ ■ ■■■ ■ ■■■ RNG2Schtrn.xsl

```

```

XSD2Schnrn.xml
iso-schematron-xslt1
iso_abstract_expand.xml
iso_dsdl_include.xml
iso_schematron_message.xml
iso_schematron_skeleton_for_xslt1.xml
iso_svrl_for_xslt1.xml
readme.txt
iterparse.pxi
lxml.etree.h
lxml.etree_api.h
nsclasses.pxi
objectify.cpython-311-x86_64-linux-gnu.so
objectify.pyx
objectpath.pxi
parser.pxi
parsertarget.pxi
proxy.pxi
public-api.pxi
pyclasslookup.py
readonlytree.pxi
relaxng.pxi
sax.cpython-311-x86_64-linux-gnu.so
sax.py
saxparser.pxi
schematron.pxi
serializer.pxi
usedoctest.py
xininclude.pxi
xmlerror.pxi
xmlid.pxi
xmlschema.pxi
xpath.pxi
xslt.pxi
xslttext.pxi
lxml-5.3.0.dist-info
INSTALLER
LICENSE.txt
LICENSES.txt
METADATA
RECORD
WHEEL
top_level.txt
marisa_trie-1.2.1.dist-info
AUTHORS.rst
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
top_level.txt
marisa_trie.cpython-311-x86_64-linux-gnu.so
markdown2-2.5.2.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
WHEEL

```

```

■■■■ entry_points.txt
■■■■ top_level.txt
■■■■ markdown2.py
■■■■ markdown_it
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _compat.cpython-311.pyc
■■■■ _punycode.cpython-311.pyc
■■■■ main.cpython-311.pyc
■■■■ parser_block.cpython-311.pyc
■■■■ parser_core.cpython-311.pyc
■■■■ parser_inline.cpython-311.pyc
■■■■ renderer.cpython-311.pyc
■■■■ ruler.cpython-311.pyc
■■■■ token.cpython-311.pyc
■■■■ tree.cpython-311.pyc
■■■■ utils.cpython-311.pyc
■■■■ _compat.py
■■■■ _punycode.py
■■■■ cli
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ parse.cpython-311.pyc
■■■■ parse.py
■■■■ common
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ entities.cpython-311.pyc
■■■■ html_blocks.cpython-311.pyc
■■■■ html_re.cpython-311.pyc
■■■■ normalize_url.cpython-311.pyc
■■■■ utils.cpython-311.pyc
■■■■ entities.py
■■■■ html_blocks.py
■■■■ html_re.py
■■■■ normalize_url.py
■■■■ utils.py
■■■■ helpers
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ parse_link_destination.cpython-311.pyc
■■■■ parse_link_label.cpython-311.pyc
■■■■ parse_link_title.cpython-311.pyc
■■■■ parse_link_destination.py
■■■■ parse_link_label.py
■■■■ parse_link_title.py
■■■■ main.py
■■■■ parser_block.py
■■■■ parser_core.py
■■■■ parser_inline.py
■■■■ port.yaml
■■■■ presets
■■■■ __init__.py
■■■■ __pycache__

```

■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	commonmark.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	default.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	zero.cpython-311.pyc
■	■	■	■	■	■	■■■■		commonmark.py
■	■	■	■	■	■	■■■■		default.py
■	■	■	■	■	■	■■■■		zero.py
■	■	■	■	■	■■■■			py.typed
■	■	■	■	■	■■■■			renderer.py
■	■	■	■	■	■■■■			ruler.py
■	■	■	■	■	■■■■			rules_block
■	■	■	■	■	■	■■■■		__init__.py
■	■	■	■	■	■	■■■■		__pycache__
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	blockquote.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	code.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	fence.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	heading.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	hr.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	html_block.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	lheading.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	list.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	paragraph.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	reference.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	state_block.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	table.cpython-311.pyc
■	■	■	■	■	■	■■■■		blockquote.py
■	■	■	■	■	■	■■■■		code.py
■	■	■	■	■	■	■■■■		fence.py
■	■	■	■	■	■	■■■■		heading.py
■	■	■	■	■	■	■■■■		hr.py
■	■	■	■	■	■	■■■■		html_block.py
■	■	■	■	■	■	■■■■		lheading.py
■	■	■	■	■	■	■■■■		list.py
■	■	■	■	■	■	■■■■		paragraph.py
■	■	■	■	■	■	■■■■		reference.py
■	■	■	■	■	■	■■■■		state_block.py
■	■	■	■	■	■	■■■■		table.py
■	■	■	■	■	■■■■			rules_core
■	■	■	■	■	■	■■■■		__init__.py
■	■	■	■	■	■	■■■■		__pycache__
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	block.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	inline.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	linkify.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	normalize.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	replacements.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	smartquotes.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	state_core.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	text_join.cpython-311.pyc
■	■	■	■	■	■	■■■■		block.py
■	■	■	■	■	■	■■■■		inline.py
■	■	■	■	■	■	■■■■		linkify.py
■	■	■	■	■	■	■■■■		normalize.py
■	■	■	■	■	■	■■■■		replacements.py
■	■	■	■	■	■	■■■■		smartquotes.py
■	■	■	■	■	■	■■■■		state_core.py
■	■	■	■	■	■	■■■■		text_join.py

```

■ ■ ■ ■ ■ ■ ■ ■ rules_inline
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ autolink.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ backticks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ balance_pairs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ emphasis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ escape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fragments_join.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html_inline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ link.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linkify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ newline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ state_inline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ strikethrough.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ autolink.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ backticks.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ balance_pairs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ emphasis.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entity.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ escape.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fragments_join.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html_inline.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ image.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ link.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linkify.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ newline.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ state_inline.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ strikethrough.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ text.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ token.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tree.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ markdown_it_py-3.0.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE.markdown-it
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ markdownify
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ markdownify-0.9.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ markupsafe

```

```

__init__.py
__pycache__
  __init__.cpython-311.pyc
  _native.cpython-311.pyc
  _native.py
  _speedups.c
  _speedups.cpython-311-x86_64-linux-gnu.so
  _speedups.pyi
  py.typed
matplotlib
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _afm.cpython-311.pyc
    _animation_data.cpython-311.pyc
    _blocking_input.cpython-311.pyc
    _cm.cpython-311.pyc
    _cm_listed.cpython-311.pyc
    _color_data.cpython-311.pyc
    _constrained_layout.cpython-311.pyc
    _docstring.cpython-311.pyc
    _enums.cpython-311.pyc
    _fontconfig_pattern.cpython-311.pyc
    _internal_utils.cpython-311.pyc
    _layoutgrid.cpython-311.pyc
    _mathtext.cpython-311.pyc
    _mathtext_data.cpython-311.pyc
    _pylab_helpers.cpython-311.pyc
    _text_helpers.cpython-311.pyc
    _tight_bbox.cpython-311.pyc
    _tight_layout.cpython-311.pyc
    _type1font.cpython-311.pyc
    _version.cpython-311.pyc
    afm.cpython-311.pyc
    animation.cpython-311.pyc
    artist.cpython-311.pyc
    axis.cpython-311.pyc
    backend_bases.cpython-311.pyc
    backend_managers.cpython-311.pyc
    backend_tools.cpython-311.pyc
    bezier.cpython-311.pyc
    blocking_input.cpython-311.pyc
    category.cpython-311.pyc
    cm.cpython-311.pyc
    collections.cpython-311.pyc
    colorbar.cpython-311.pyc
    colors.cpython-311.pyc
    container.cpython-311.pyc
    contour.cpython-311.pyc
    dates.cpython-311.pyc
    docstring.cpython-311.pyc
    dviread.cpython-311.pyc
    figure.cpython-311.pyc
    font_manager.cpython-311.pyc
    fontconfig_pattern.cpython-311.pyc
    gridspec.cpython-311.pyc
    hatch.cpython-311.pyc
    image.cpython-311.pyc

```

■	■	■	■	■	■	■■■	layout_engine.cpython-311.pyc
■	■	■	■	■	■	■■■	legend.cpython-311.pyc
■	■	■	■	■	■	■■■	legend_handler.cpython-311.pyc
■	■	■	■	■	■	■■■	lines.cpython-311.pyc
■	■	■	■	■	■	■■■	markers.cpython-311.pyc
■	■	■	■	■	■	■■■	mathtext.cpython-311.pyc
■	■	■	■	■	■	■■■	mlab.cpython-311.pyc
■	■	■	■	■	■	■■■	offsetbox.cpython-311.pyc
■	■	■	■	■	■	■■■	patches.cpython-311.pyc
■	■	■	■	■	■	■■■	path.cpython-311.pyc
■	■	■	■	■	■	■■■	patheffects.cpython-311.pyc
■	■	■	■	■	■	■■■	pylab.cpython-311.pyc
■	■	■	■	■	■	■■■	pyplot.cpython-311.pyc
■	■	■	■	■	■	■■■	quiver.cpython-311.pyc
■	■	■	■	■	■	■■■	rcsetup.cpython-311.pyc
■	■	■	■	■	■	■■■	sankey.cpython-311.pyc
■	■	■	■	■	■	■■■	scale.cpython-311.pyc
■	■	■	■	■	■	■■■	spines.cpython-311.pyc
■	■	■	■	■	■	■■■	stackplot.cpython-311.pyc
■	■	■	■	■	■	■■■	streamplot.cpython-311.pyc
■	■	■	■	■	■	■■■	table.cpython-311.pyc
■	■	■	■	■	■	■■■	texmanager.cpython-311.pyc
■	■	■	■	■	■	■■■	text.cpython-311.pyc
■	■	■	■	■	■	■■■	textpath.cpython-311.pyc
■	■	■	■	■	■	■■■	ticker.cpython-311.pyc
■	■	■	■	■	■	■■■	tight_bbox.cpython-311.pyc
■	■	■	■	■	■	■■■	tight_layout.cpython-311.pyc
■	■	■	■	■	■	■■■	transforms.cpython-311.pyc
■	■	■	■	■	■	■■■	type1font.cpython-311.pyc
■	■	■	■	■	■	■■■	units.cpython-311.pyc
■	■	■	■	■	■	■■■	widgets.cpython-311.pyc
■	■	■	■	■	■■■		_afm.py
■	■	■	■	■	■■■		_animation_data.py
■	■	■	■	■	■■■		_api
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	deprecation.cpython-311.pyc
■	■	■	■	■	■■■		deprecation.py
■	■	■	■	■	■■■		_blocking_input.py
■	■	■	■	■	■■■		_c_internal_utils.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_cm.py
■	■	■	■	■	■■■		_cm_listed.py
■	■	■	■	■	■■■		_color_data.py
■	■	■	■	■	■■■		_constrained_layout.py
■	■	■	■	■	■■■		_docstring.py
■	■	■	■	■	■■■		_enums.py
■	■	■	■	■	■■■		_fontconfig_pattern.py
■	■	■	■	■	■■■		_image.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_internal_utils.py
■	■	■	■	■	■■■		_layoutgrid.py
■	■	■	■	■	■■■		_mathtext.py
■	■	■	■	■	■■■		_mathtext_data.py
■	■	■	■	■	■■■		_path.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_pylab_helpers.py
■	■	■	■	■	■■■		_qhull.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_text_helpers.py
■	■	■	■	■	■■■		_tight_bbox.py

■	■	■	■	■	■■■■	_tight_layout.py
■	■	■	■	■	■■■■	_tri.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■	_ttconv.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■■	_type1font.py
■	■	■	■	■	■■■■	_version.py
■	■	■	■	■	■■■■	afm.py
■	■	■	■	■	■■■■	animation.py
■	■	■	■	■	■■■■	artist.py
■	■	■	■	■	■■■■	axes
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■ _axes.cpython-311.pyc
■	■	■	■	■	■	■■■■ _base.cpython-311.pyc
■	■	■	■	■	■	■■■■ _secondary_axes.cpython-311.pyc
■	■	■	■	■	■	■■■■ _subplots.cpython-311.pyc
■	■	■	■	■	■■■■	_axes.py
■	■	■	■	■	■■■■	_base.py
■	■	■	■	■	■■■■	_secondary_axes.py
■	■	■	■	■	■■■■	_subplots.py
■	■	■	■	■	■■■■	axis.py
■	■	■	■	■	■■■■	backend_bases.py
■	■	■	■	■	■■■■	backend_managers.py
■	■	■	■	■	■■■■	backend_tools.py
■	■	■	■	■	■■■■	backends
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■ _backend_gtk.cpython-311.pyc
■	■	■	■	■	■	■■■■ _backend_pdf_ps.cpython-311.pyc
■	■	■	■	■	■	■■■■ _backend_tk.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_agg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_cairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk3.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk3agg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk3cairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk4.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk4agg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_gtk4cairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_macosx.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_mixed.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_nbagg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_pdf.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_pgf.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_ps.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qt.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qt5.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qt5agg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qt5cairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qtagg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_qtcairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_svg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_template.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_tkagg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_tkcairo.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_webagg.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_webagg_core.cpython-311.pyc
■	■	■	■	■	■	■■■■ backend_wx.cpython-311.pyc

■	■	■	■	■	■	■	■■■■	backend_wxagg.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	backend_wxcairo.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	qt_compat.cpython-311.pyc
■	■	■	■	■	■	■■■■	_backend_agg.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	_backend_gtk.py	
■	■	■	■	■	■	■■■■	_backend_pdf_ps.py	
■	■	■	■	■	■	■■■■	_backend_tk.py	
■	■	■	■	■	■	■■■■	_tkagg.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■■■■	backend_agg.py	
■	■	■	■	■	■	■■■■	backend_cairo.py	
■	■	■	■	■	■	■■■■	backend_gtk3.py	
■	■	■	■	■	■	■■■■	backend_gtk3agg.py	
■	■	■	■	■	■	■■■■	backend_gtk3cairo.py	
■	■	■	■	■	■	■■■■	backend_gtk4.py	
■	■	■	■	■	■	■■■■	backend_gtk4agg.py	
■	■	■	■	■	■	■■■■	backend_gtk4cairo.py	
■	■	■	■	■	■	■■■■	backend_macosx.py	
■	■	■	■	■	■	■■■■	backend_mixed.py	
■	■	■	■	■	■	■■■■	backend_nbagg.py	
■	■	■	■	■	■	■■■■	backend_pdf.py	
■	■	■	■	■	■	■■■■	backend_pgf.py	
■	■	■	■	■	■	■■■■	backend_ps.py	
■	■	■	■	■	■	■■■■	backend_qt.py	
■	■	■	■	■	■	■■■■	backend_qt5.py	
■	■	■	■	■	■	■■■■	backend_qt5agg.py	
■	■	■	■	■	■	■■■■	backend_qt5cairo.py	
■	■	■	■	■	■	■■■■	backend_qtagg.py	
■	■	■	■	■	■	■■■■	backend_qtcairo.py	
■	■	■	■	■	■	■■■■	backend_svg.py	
■	■	■	■	■	■	■■■■	backend_template.py	
■	■	■	■	■	■	■■■■	backend_tkagg.py	
■	■	■	■	■	■	■■■■	backend_tkcairo.py	
■	■	■	■	■	■	■■■■	backend_webagg.py	
■	■	■	■	■	■	■■■■	backend_webagg_core.py	
■	■	■	■	■	■	■■■■	backend_wx.py	
■	■	■	■	■	■	■■■■	backend_wxagg.py	
■	■	■	■	■	■	■■■■	backend_wxcairo.py	
■	■	■	■	■	■	■■■■	qt_compat.py	
■	■	■	■	■	■	■■■■	qt_editor	
■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_formlayout.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	figureoptions.cpython-311.pyc
■	■	■	■	■	■	■■■■	_formlayout.py	
■	■	■	■	■	■	■■■■	figureoptions.py	
■	■	■	■	■	■	■■■■	web_backend	
■	■	■	■	■	■	■■■■	.eslintrc.js	
■	■	■	■	■	■	■■■■	.prettierignore	
■	■	■	■	■	■	■■■■	.prettierrc	
■	■	■	■	■	■	■■■■	all_figures.html	
■	■	■	■	■	■	■■■■	css	
■	■	■	■	■	■	■	■■■■	boilerplate.css
■	■	■	■	■	■	■	■■■■	fbm.css
■	■	■	■	■	■	■	■■■■	mpl.css
■	■	■	■	■	■	■	■■■■	page.css
■	■	■	■	■	■	■■■■	ipython_inline_figure.html	
■	■	■	■	■	■	■■■■	js	

[illegible]

■	■	■	■	■	■	■	■	■■■	phvbo8a.afm
■	■	■	■	■	■	■	■	■■■	phvbo8an.afm
■	■	■	■	■	■	■	■	■■■	phvl8a.afm
■	■	■	■	■	■	■	■	■■■	phvlo8a.afm
■	■	■	■	■	■	■	■	■■■	phvr8a.afm
■	■	■	■	■	■	■	■	■■■	phvr8an.afm
■	■	■	■	■	■	■	■	■■■	phvro8a.afm
■	■	■	■	■	■	■	■	■■■	phvro8an.afm
■	■	■	■	■	■	■	■	■■■	pncb8a.afm
■	■	■	■	■	■	■	■	■■■	pncbi8a.afm
■	■	■	■	■	■	■	■	■■■	pncr8a.afm
■	■	■	■	■	■	■	■	■■■	pncri8a.afm
■	■	■	■	■	■	■	■	■■■	pplb8a.afm
■	■	■	■	■	■	■	■	■■■	pplbi8a.afm
■	■	■	■	■	■	■	■	■■■	pplr8a.afm
■	■	■	■	■	■	■	■	■■■	pplr8a.afm
■	■	■	■	■	■	■	■	■■■	pplr8a.afm
■	■	■	■	■	■	■	■	■■■	psyr.afm
■	■	■	■	■	■	■	■	■■■	ptmb8a.afm
■	■	■	■	■	■	■	■	■■■	ptmbi8a.afm
■	■	■	■	■	■	■	■	■■■	ptmr8a.afm
■	■	■	■	■	■	■	■	■■■	ptmri8a.afm
■	■	■	■	■	■	■	■	■■■	putb8a.afm
■	■	■	■	■	■	■	■	■■■	putbi8a.afm
■	■	■	■	■	■	■	■	■■■	putr8a.afm
■	■	■	■	■	■	■	■	■■■	putri8a.afm
■	■	■	■	■	■	■	■	■■■	pzcmi8a.afm
■	■	■	■	■	■	■	■	■■■	pzdr.afm
■	■	■	■	■	■	■	■	■■■	pdfcorefonts
■	■	■	■	■	■	■	■	■■■	Courier-Bold.afm
■	■	■	■	■	■	■	■	■■■	Courier-BoldOblique.afm
■	■	■	■	■	■	■	■	■■■	Courier-Oblique.afm
■	■	■	■	■	■	■	■	■■■	Courier.afm
■	■	■	■	■	■	■	■	■■■	Helvetica-Bold.afm
■	■	■	■	■	■	■	■	■■■	Helvetica-BoldOblique.afm
■	■	■	■	■	■	■	■	■■■	Helvetica-Oblique.afm
■	■	■	■	■	■	■	■	■■■	Helvetica.afm
■	■	■	■	■	■	■	■	■■■	Symbol.afm
■	■	■	■	■	■	■	■	■■■	Times-Bold.afm
■	■	■	■	■	■	■	■	■■■	Times-BoldItalic.afm
■	■	■	■	■	■	■	■	■■■	Times-Italic.afm
■	■	■	■	■	■	■	■	■■■	Times-Roman.afm
■	■	■	■	■	■	■	■	■■■	ZapfDingbats.afm
■	■	■	■	■	■	■	■	■■■	readme.txt
■	■	■	■	■	■	■	■	■■■	ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSans-Bold.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSans-BoldOblique.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSans-Oblique.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSans.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSansDisplay.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSansMono-Bold.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSansMono-BoldOblique.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSansMono-Oblique.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSansMono.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSerif-Bold.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSerif-BoldItalic.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSerif-Italic.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSerif.ttf
■	■	■	■	■	■	■	■	■■■	DejaVuSerifDisplay.ttf

[illegible]

■	■	■	■	■	■	■	■■■	matplotlib_large.png
■	■	■	■	■	■	■	■■■	move-symbolic.svg
■	■	■	■	■	■	■	■■■	move.pdf
■	■	■	■	■	■	■	■■■	move.png
■	■	■	■	■	■	■	■■■	move.svg
■	■	■	■	■	■	■	■■■	move_large.png
■	■	■	■	■	■	■	■■■	qt4_editor_options.pdf
■	■	■	■	■	■	■	■■■	qt4_editor_options.png
■	■	■	■	■	■	■	■■■	qt4_editor_options.svg
■	■	■	■	■	■	■	■■■	qt4_editor_options_large.png
■	■	■	■	■	■	■	■■■	subplots-symbolic.svg
■	■	■	■	■	■	■	■■■	subplots.pdf
■	■	■	■	■	■	■	■■■	subplots.png
■	■	■	■	■	■	■	■■■	subplots.svg
■	■	■	■	■	■	■	■■■	subplots_large.png
■	■	■	■	■	■	■	■■■	zoom_to_rect-symbolic.svg
■	■	■	■	■	■	■	■■■	zoom_to_rect.pdf
■	■	■	■	■	■	■	■■■	zoom_to_rect.png
■	■	■	■	■	■	■	■■■	zoom_to_rect.svg
■	■	■	■	■	■	■	■■■	zoom_to_rect_large.png
■	■	■	■	■	■	■■■	kpsewhich.lua	
■	■	■	■	■	■	■■■	matplotlibrc	
■	■	■	■	■	■	■■■	plot_directive	
■	■	■	■	■	■	■	■■■	plot_directive.css
■	■	■	■	■	■	■■■	sample_data	
■	■	■	■	■	■	■	■■■	Minduka_Present_Blue_Pack.png
■	■	■	■	■	■	■	■■■	README.txt
■	■	■	■	■	■	■	■■■	Stocks.csv
■	■	■	■	■	■	■	■■■	axes_grid
■	■	■	■	■	■	■	■■■	bivariate_normal.npy
■	■	■	■	■	■	■	■■■	data_x_x2_x3.csv
■	■	■	■	■	■	■	■■■	eeg.dat
■	■	■	■	■	■	■	■■■	embedding_in_wx3.xrc
■	■	■	■	■	■	■	■■■	goog.npz
■	■	■	■	■	■	■	■■■	grace_hopper.jpg
■	■	■	■	■	■	■	■■■	jacksboro_fault_dem.npz
■	■	■	■	■	■	■	■■■	logo2.png
■	■	■	■	■	■	■	■■■	membrane.dat
■	■	■	■	■	■	■	■■■	msft.csv
■	■	■	■	■	■	■	■■■	percent_bachelors_degrees_women_usa.csv
■	■	■	■	■	■	■	■■■	s1045.ima.gz
■	■	■	■	■	■	■	■■■	topobathy.npz
■	■	■	■	■	■	■■■	stylelib	
■	■	■	■	■	■	■	■■■	Solarize_Light2.mplstyle
■	■	■	■	■	■	■	■■■	_classic_test_patch.mplstyle
■	■	■	■	■	■	■	■■■	_mpl-gallery-nogrid.mplstyle
■	■	■	■	■	■	■	■■■	_mpl-gallery.mplstyle
■	■	■	■	■	■	■	■■■	bmh.mplstyle
■	■	■	■	■	■	■	■■■	classic.mplstyle
■	■	■	■	■	■	■	■■■	dark_background.mplstyle
■	■	■	■	■	■	■	■■■	fast.mplstyle
■	■	■	■	■	■	■	■■■	fivethirtyeight.mplstyle
■	■	■	■	■	■	■	■■■	ggplot.mplstyle
■	■	■	■	■	■	■	■■■	grayscale.mplstyle
■	■	■	■	■	■	■	■■■	seaborn-v0_8-bright.mplstyle
■	■	■	■	■	■	■	■■■	seaborn-v0_8-colorblind.mplstyle
■	■	■	■	■	■	■	■■■	seaborn-v0_8-dark-palette.mplstyle
■	■	■	■	■	■	■	■■■	seaborn-v0_8-dark.mplstyle

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-darkgrid.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-deep.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-muted.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-notebook.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-paper.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-pastel.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-poster.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-talk.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-ticks.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-white.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8-whitegrid.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ seaborn-v0_8.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ tableau-colorblind10.mplstyle
■ ■ ■ ■ ■ ■ ■ ■ ■■ offsetbox.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ patches.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ path.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ patheffects.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ projections
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ geo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ polar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ geo.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ polar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pylab.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pyplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quiver.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ rcsetup.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ sankey.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ scale.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ sphinxext
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mathmpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_directive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mathmpl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_directive.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ spines.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ stackplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ streamplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ style
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ core.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ table.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ testing
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ compare.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc

```


■	■	■	■	■	■	■	■■■	test_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_colors.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_compare_images.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_constrainedlayout.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_container.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_contour.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cycles.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dates.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_determinism.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_doc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dviread.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_figure.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_font_manager.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_fontconfig_pattern.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ft2font.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_getattr.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_gridspec.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_image.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_legend.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_lines.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_marker.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mathtext.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_matplotlib.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mlab.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_offsetbox.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_patches.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_path.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_patheffects.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pickle.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_png.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_polar.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_preprocess_data.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pyplot.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_quiver.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_rcparams.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sankey.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_scale.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_simplification.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_skew.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sphinxext.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_spines.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_streamplot.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_style.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_subplots.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_table.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_testing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_texmanager.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_text.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_textpath.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ticker.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_tightlayout.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_transforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_triangulation.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ttconv.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_type1font.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_units.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_usetex.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_widgets.cpython-311.pyc

■	■	■	■	■	■	■■■	test_png.py
■	■	■	■	■	■	■■■	test_polar.py
■	■	■	■	■	■	■■■	test_preprocess_data.py
■	■	■	■	■	■	■■■	test_pyplot.py
■	■	■	■	■	■	■■■	test_quiver.py
■	■	■	■	■	■	■■■	test_rcparams.py
■	■	■	■	■	■	■■■	test_sankey.py
■	■	■	■	■	■	■■■	test_scale.py
■	■	■	■	■	■	■■■	test_simplification.py
■	■	■	■	■	■	■■■	test_skew.py
■	■	■	■	■	■	■■■	test_sphinxext.py
■	■	■	■	■	■	■■■	test_spines.py
■	■	■	■	■	■	■■■	test_streamplot.py
■	■	■	■	■	■	■■■	test_style.py
■	■	■	■	■	■	■■■	test_subplots.py
■	■	■	■	■	■	■■■	test_table.py
■	■	■	■	■	■	■■■	test_testing.py
■	■	■	■	■	■	■■■	test_texmanager.py
■	■	■	■	■	■	■■■	test_text.py
■	■	■	■	■	■	■■■	test_textpath.py
■	■	■	■	■	■	■■■	test_ticker.py
■	■	■	■	■	■	■■■	test_tightlayout.py
■	■	■	■	■	■	■■■	test_transforms.py
■	■	■	■	■	■	■■■	test_triangulation.py
■	■	■	■	■	■	■■■	test_ttconv.py
■	■	■	■	■	■	■■■	test_type1font.py
■	■	■	■	■	■	■■■	test_units.py
■	■	■	■	■	■	■■■	test_usetex.py
■	■	■	■	■	■	■■■	test_widgets.py
■	■	■	■	■	■■■	texmanager.py	
■	■	■	■	■	■■■	text.py	
■	■	■	■	■	■■■	textpath.py	
■	■	■	■	■	■■■	ticker.py	
■	■	■	■	■	■■■	tight_bbox.py	
■	■	■	■	■	■■■	tight_layout.py	
■	■	■	■	■	■■■	transforms.py	
■	■	■	■	■	■■■	tri	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	triangulation.cpython-311.pyc
■	■	■	■	■	■	■■■	tricontour.cpython-311.pyc
■	■	■	■	■	■	■■■	trifinder.cpython-311.pyc
■	■	■	■	■	■	■■■	triinterpolate.cpython-311.pyc
■	■	■	■	■	■	■■■	tripcolor.cpython-311.pyc
■	■	■	■	■	■	■■■	triplot.cpython-311.pyc
■	■	■	■	■	■	■■■	trirefine.cpython-311.pyc
■	■	■	■	■	■	■■■	tritools.cpython-311.pyc
■	■	■	■	■	■■■	triangulation.py	
■	■	■	■	■	■■■	tricontour.py	
■	■	■	■	■	■■■	trifinder.py	
■	■	■	■	■	■■■	triinterpolate.py	
■	■	■	■	■	■■■	tripcolor.py	
■	■	■	■	■	■■■	triplot.py	
■	■	■	■	■	■■■	trirefine.py	
■	■	■	■	■	■■■	tritools.py	
■	■	■	■	■	■■■	type1font.py	
■	■	■	■	■	■■■	units.py	


```
■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ layouts
■ ■ ■ ■ ■ ■ ■ ■ CTF-275.lout
■ ■ ■ ■ ■ ■ ■ ■ CTF151.lay
■ ■ ■ ■ ■ ■ ■ ■ CTF275.lay
■ ■ ■ ■ ■ ■ ■ ■ EEG1005.lay
■ ■ ■ ■ ■ ■ ■ ■ EGI256.lout
■ ■ ■ ■ ■ ■ ■ ■ KIT-125.lout
■ ■ ■ ■ ■ ■ ■ ■ KIT-157.lout
■ ■ ■ ■ ■ ■ ■ ■ KIT-160.lay
■ ■ ■ ■ ■ ■ ■ ■ KIT-AD.lout
■ ■ ■ ■ ■ ■ ■ ■ KIT-AS-2008.lout
■ ■ ■ ■ ■ ■ ■ ■ KIT-UMD-3.lout
■ ■ ■ ■ ■ ■ ■ ■ Neuromag_122.lout
■ ■ ■ ■ ■ ■ ■ ■ Vectorview-all.lout
■ ■ ■ ■ ■ ■ ■ ■ Vectorview-grad.lout
■ ■ ■ ■ ■ ■ ■ ■ Vectorview-grad_norm.lout
■ ■ ■ ■ ■ ■ ■ ■ Vectorview-mag.lout
■ ■ ■ ■ ■ ■ ■ ■ biosemi.lay
■ ■ ■ ■ ■ ■ ■ ■ magnesWH3600.lout
■ ■ ■ ■ ■ ■ ■ ■ montages
■ ■ ■ ■ ■ ■ ■ ■ EGI_256.csd
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-128.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-129.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-256.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-257.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-32.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-64_1.0.sfp
■ ■ ■ ■ ■ ■ ■ ■ GSN-HydroCel-65_1.0.sfp
■ ■ ■ ■ ■ ■ ■ ■ artinis-brite23.elc
■ ■ ■ ■ ■ ■ ■ ■ artinis-octamon.elc
■ ■ ■ ■ ■ ■ ■ ■ biosemi128.txt
■ ■ ■ ■ ■ ■ ■ ■ biosemi16.txt
■ ■ ■ ■ ■ ■ ■ ■ biosemi160.txt
■ ■ ■ ■ ■ ■ ■ ■ biosemi256.txt
■ ■ ■ ■ ■ ■ ■ ■ biosemi32.txt
■ ■ ■ ■ ■ ■ ■ ■ biosemi64.txt
■ ■ ■ ■ ■ ■ ■ ■ easycap-M1.txt
■ ■ ■ ■ ■ ■ ■ ■ easycap-M10.txt
■ ■ ■ ■ ■ ■ ■ ■ mgh60.elc
■ ■ ■ ■ ■ ■ ■ ■ mgh70.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_1005.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_1020.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_alphabetic.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_postfixed.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_prefixed.elc
■ ■ ■ ■ ■ ■ ■ ■ standard_primed.elc
■ ■ ■ ■ ■ ■ ■ ■ neighbors
■ ■ ■ ■ ■ ■ ■ ■ KIT-157_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-208_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-NYU-2019_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-UMD-1_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-UMD-2_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-UMD-3_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ KIT-UMD-4_neighb.mat
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
```


[illegible]

[illegible]

[illegible]

```

███ __init__.cpython-311.pyc
███ test_coreg_gui.cpython-311.pyc
███ test_fiducials_gui.cpython-311.pyc
███ test_file_traits.cpython-311.pyc
███ test_kit2fiff_gui.cpython-311.pyc
███ test_marker_gui.cpython-311.pyc
███ test_coreg_gui.py
███ test_fiducials_gui.py
███ test_file_traits.py
███ test_kit2fiff_gui.py
███ test_marker_gui.py
███ html
███ bootstrap.min.css
███ bootstrap.min.js
███ d3.v3.min.js
███ jquery-ui.min.css
███ jquery-ui.min.js
███ jquery.js
███ mpld3.v0.2.min.js
███ icons
███ README.rst
███ __pycache__
███ resources.cpython-311.pyc
███ clear-black-18dp.svg
███ help-black-18dp.svg
███ mne-circle-black.png
███ mne.qrc
███ mne_icon.png
███ movie-black-18dp.svg
███ pause-black-18dp.svg
███ play-black-18dp.svg
███ reset-black-18dp.svg
███ resources.py
███ restore-black-18dp.svg
███ scale-black-18dp.svg
███ screenshot-black-18dp.svg
███ visibility_off-black-18dp.svg
███ visibility_on-black-18dp.svg
███ inverse_sparse
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ _gamma_map.cpython-311.pyc
███ mxne_debiasing.cpython-311.pyc
███ mxne_inverse.cpython-311.pyc
███ mxne_optim.cpython-311.pyc
███ _gamma_map.py
███ mxne_debiasing.py
███ mxne_inverse.py
███ mxne_optim.py
███ tests
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_gamma_map.cpython-311.pyc
███ test_mxne_debiasing.cpython-311.pyc
███ test_mxne_inverse.cpython-311.pyc
███ test_mxne_optim.cpython-311.pyc
```

```

test_gamma_map.py
test_mxne_debiasing.py
test_mxne_inverse.py
test_mxne_optim.py
io
__init__.py
__pycache__
__init__.cpython-311.pyc
_digitization.cpython-311.pyc
_read_raw.cpython-311.pyc
base.cpython-311.pyc
compensator.cpython-311.pyc
constants.cpython-311.pyc
ctf_comp.cpython-311.pyc
diff.cpython-311.pyc
matrix.cpython-311.pyc
meas_info.cpython-311.pyc
open.cpython-311.pyc
pick.cpython-311.pyc
proc_history.cpython-311.pyc
proj.cpython-311.pyc
reference.cpython-311.pyc
tag.cpython-311.pyc
tree.cpython-311.pyc
utils.cpython-311.pyc
what.cpython-311.pyc
write.cpython-311.pyc
_digitization.py
_read_raw.py
array
__init__.py
__pycache__
__init__.cpython-311.pyc
array.cpython-311.pyc
array.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_array.cpython-311.pyc
test_array.py
artemis123
__init__.py
__pycache__
__init__.cpython-311.pyc
artemis123.cpython-311.pyc
utils.cpython-311.pyc
artemis123.py
resources
Artemis123_ChannelMap.csv
Artemis123_mneLoc.csv
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_artemis123.cpython-311.pyc
test_artemis123.py
utils.py

```

```

base.py
boxy
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  boxy.cpython-311.pyc
  boxy.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_boxy.cpython-311.pyc
  test_boxy.py
brainvision
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  brainvision.cpython-311.pyc
  brainvision.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_brainvision.cpython-311.pyc
  test_brainvision.py
bti
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  bti.cpython-311.pyc
  constants.cpython-311.pyc
  read.cpython-311.pyc
  bti.py
  constants.py
  read.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_bti.cpython-311.pyc
  test_bti.py
cnt
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _utils.cpython-311.pyc
  cnt.cpython-311.pyc
  _utils.py
  cnt.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_cnt.cpython-311.pyc
  test_cnt.py
compensator.py
constants.py
ctf

```

[illegible]

```

eeglab.py
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    __utils.cpython-311.pyc
    test_eeglab.cpython-311.pyc
    __utils.py
    test_eeglab.py
egi
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    egi.cpython-311.pyc
    egimff.cpython-311.pyc
    events.cpython-311.pyc
    general.cpython-311.pyc
    egi.py
    egimff.py
    events.py
    general.py
    tests
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        test_egi.cpython-311.pyc
        test_egi.py
eximia
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    eximia.cpython-311.pyc
    eximia.py
    tests
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        test_eximia.cpython-311.pyc
        test_eximia.py
fieldtrip
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    fieldtrip.cpython-311.pyc
    utils.cpython-311.pyc
    fieldtrip.py
    tests
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        helpers.cpython-311.pyc
        test_fieldtrip.cpython-311.pyc
        helpers.py
        test_fieldtrip.py
        utils.py
fiff
  __init__.py
  __pycache__

```



```

    ■■■ __init__.cpython-311.pyc
    ■■■ raw.cpython-311.pyc
    ■■■ raw.py
    ■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ test_raw_fiff.cpython-311.pyc
    ■■■ test_raw_fiff.py
    ■■■ kit
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ constants.cpython-311.pyc
    ■■■ coreg.cpython-311.pyc
    ■■■ kit.cpython-311.pyc
    ■■■ constants.py
    ■■■ coreg.py
    ■■■ kit.py
    ■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ test_coreg.cpython-311.pyc
    ■■■ test_kit.cpython-311.pyc
    ■■■ test_coreg.py
    ■■■ test_kit.py
    ■■■ matrix.py
    ■■■ meas_info.py
    ■■■ nedf
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ nedf.cpython-311.pyc
    ■■■ nedf.py
    ■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ test_nedf.cpython-311.pyc
    ■■■ test_nedf.py
    ■■■ nicolet
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ nicolet.cpython-311.pyc
    ■■■ nicolet.py
    ■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ test_nicolet.cpython-311.pyc
    ■■■ test_nicolet.py
    ■■■ nihon
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ nihon.cpython-311.pyc

```

```

nirhon.py
tests
    __pycache__
    test_nirhon.cpython-311.pyc
    test_nirhon.py
nirx
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    nirx.cpython-311.pyc
    nirx.py
    tests
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        test_nirx.cpython-311.pyc
        test_nirx.py
open.py
persyst
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    persyst.cpython-311.pyc
    persyst.py
    tests
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        test_persyst.cpython-311.pyc
        test_persyst.py
pick.py
proc_history.py
proj.py
reference.py
snirf
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _snirf.cpython-311.pyc
    _snirf.py
    tests
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        test_snirf.cpython-311.pyc
        test_snirf.py
tag.py
tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_apply_function.cpython-311.pyc
    test_compensator.cpython-311.pyc
    test_constants.cpython-311.pyc
    test_meas_info.cpython-311.pyc
    test_pick.cpython-311.pyc
    test_proc_history.cpython-311.pyc
    test_raw.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ test_read_raw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_reference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_show_fiff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_what.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_write.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_apply_function.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_compensator.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_meas_info.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_pick.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_proc_history.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_raw.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_read_raw.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_reference.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_show_fiff.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_what.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_write.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tree.py
■ ■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ what.py
■ ■ ■ ■ ■ ■ ■ ■ ■ write.py
■ ■ ■ ■ ■ ■ ■ ■ ■ label.py
■ ■ ■ ■ ■ ■ ■ ■ ■ minimum_norm
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _eloreta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ inverse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ resolution_matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ spatial_resolution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ time_frequency.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _eloreta.py
■ ■ ■ ■ ■ ■ ■ ■ ■ inverse.py
■ ■ ■ ■ ■ ■ ■ ■ ■ resolution_matrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■ spatial_resolution.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_inverse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_resolution_matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_resolution_metrics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_snr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_time_frequency.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_inverse.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_resolution_matrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_resolution_metrics.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_snr.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_time_frequency.py
■ ■ ■ ■ ■ ■ ■ ■ ■ time_frequency.py
■ ■ ■ ■ ■ ■ ■ ■ ■ misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■ morph.py
■ ■ ■ ■ ■ ■ ■ ■ ■ parallel.py
■ ■ ■ ■ ■ ■ ■ ■ ■ preprocessing
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__

```

■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_csd.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_fine_cal.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_peak_finder.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_regress.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	artifact_detection.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	bad.s.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	ctps_.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	ecg.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	eog.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	flat.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	ica.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	infomax_.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	interpolate.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	maxfilter.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	maxwell.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	otp.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	realign.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	ssp.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	stim.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	xdawn.cpython-311.pyc
■	■	■	■	■	■	■■■■		_csd.py
■	■	■	■	■	■	■■■■		_fine_cal.py
■	■	■	■	■	■	■■■■		_peak_finder.py
■	■	■	■	■	■	■■■■		_regress.py
■	■	■	■	■	■	■■■■		artifact_detection.py
■	■	■	■	■	■	■■■■		bad.s.py
■	■	■	■	■	■	■■■■		ctps_.py
■	■	■	■	■	■	■■■■		ecg.py
■	■	■	■	■	■	■■■■		eog.py
■	■	■	■	■	■	■■■■		flat.py
■	■	■	■	■	■	■■■■		ica.py
■	■	■	■	■	■	■■■■		infomax_.py
■	■	■	■	■	■	■■■■		interpolate.py
■	■	■	■	■	■	■■■■		maxfilter.py
■	■	■	■	■	■	■■■■		maxwell.py
■	■	■	■	■	■	■■■■		nirs
■	■	■	■	■	■	■■■■		__init__.py
■	■	■	■	■	■	■■■■		__pycache__
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_beer_lambert_law.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_optical_density.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_scalp_coupling_index.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_tddr.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	nirs.cpython-311.pyc
■	■	■	■	■	■	■■■■		_beer_lambert_law.py
■	■	■	■	■	■	■■■■		_optical_density.py
■	■	■	■	■	■	■■■■		_scalp_coupling_index.py
■	■	■	■	■	■	■■■■		_tddr.py
■	■	■	■	■	■	■■■■		nirs.py
■	■	■	■	■	■	■■■■		tests
■	■	■	■	■	■	■■■■		__init__.py
■	■	■	■	■	■	■■■■		__pycache__
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_beer_lambert_law.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_nirs.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_optical_density.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_scalp_coupling_index.cpython-311.pyc

```

test_temporal_derivative_distribution_repair.cpython-311.pyc
test_beer_lambert_law.py
test_nirs.py
test_optical_density.py
test_scalp_coupling_index.py
test_temporal_derivative_distribution_repair.py
otp.py
realign.py
ssp.py
stim.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_artifact_detection.cpython-311.pyc
test_csd.cpython-311.pyc
test_ctps.cpython-311.pyc
test_ecg.cpython-311.pyc
test_eeglab_infomax.cpython-311.pyc
test_eog.cpython-311.pyc
test_fine_cal.cpython-311.pyc
test_flat.cpython-311.pyc
test_ica.cpython-311.pyc
test_infomax.cpython-311.pyc
test_interpolate.cpython-311.pyc
test_maxwell.cpython-311.pyc
test_otp.cpython-311.pyc
test_peak_finder.cpython-311.pyc
test_realign.cpython-311.pyc
test_regress.cpython-311.pyc
test_ssp.cpython-311.pyc
test_stim.cpython-311.pyc
test_xdown.cpython-311.pyc
test_artifact_detection.py
test_csd.py
test_ctps.py
test_ecg.py
test_eeglab_infomax.py
test_eog.py
test_fine_cal.py
test_flat.py
test_ica.py
test_infomax.py
test_interpolate.py
test_maxwell.py
test_otp.py
test_peak_finder.py
test_realign.py
test_regress.py
test_ssp.py
test_stim.py
test_xdown.py
xdown.py
proj.py
rank.py
report.py
simulation
__init__.py

```

[illegible]


```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _stft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _stockwell.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ csd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ multitaper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ psd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tfr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _stft.py
■ ■ ■ ■ ■ ■ ■ ■■■ _stockwell.py
■ ■ ■ ■ ■ ■ ■ ■■■ ar.py
■ ■ ■ ■ ■ ■ ■ ■■■ csd.py
■ ■ ■ ■ ■ ■ ■ ■■■ multitaper.py
■ ■ ■ ■ ■ ■ ■ ■■■ psd.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_csd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_multitaper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_psd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_stft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_stockwell.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tfr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ar.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_csd.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_multitaper.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_psd.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_stft.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_stockwell.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tfr.py
■ ■ ■ ■ ■ ■ ■ ■■■ tfr.py
■ ■ ■ ■ ■ ■ ■ ■■■ transforms.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bunch.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _logging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fetching.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mixin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ numerics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ progressbar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bunch.py
■ ■ ■ ■ ■ ■ ■ ■■■ _logging.py
■ ■ ■ ■ ■ ■ ■ ■■■ _testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ check.py
■ ■ ■ ■ ■ ■ ■ ■■■ config.py
■ ■ ■ ■ ■ ■ ■ ■■■ dataframe.py
■ ■ ■ ■ ■ ■ ■ ■■■ docs.py
```



```

fetching.py
linalg.py
misc.py
mixin.py
numerics.py
progressbar.py
tests
    __pycache__
        test_bunch.cpython-311.pyc
        test_check.cpython-311.pyc
        test_config.cpython-311.pyc
        test_docs.cpython-311.pyc
        test_fetching.cpython-311.pyc
        test_linalg.cpython-311.pyc
        test_logging.cpython-311.pyc
        test_misc.cpython-311.pyc
        test_mixin.cpython-311.pyc
        test_numerics.cpython-311.pyc
        test_progressbar.cpython-311.pyc
        test_testing.cpython-311.pyc
    test_bunch.py
    test_check.py
    test_config.py
    test_docs.py
    test_fetching.py
    test_linalg.py
    test_logging.py
    test_misc.py
    test_mixin.py
    test_numerics.py
    test_progressbar.py
    test_testing.py
viz
    _3d.py
    __init__.py
    __pycache__
        _3d.cpython-311.pyc
        __init__.cpython-311.pyc
        _figure.cpython-311.pyc
        circle.cpython-311.pyc
        conftest.cpython-311.pyc
        epochs.cpython-311.pyc
        evoked.cpython-311.pyc
        ica.cpython-311.pyc
        misc.cpython-311.pyc
        montage.cpython-311.pyc
        raw.cpython-311.pyc
        topo.cpython-311.pyc
        topomap.cpython-311.pyc
        utils.cpython-311.pyc
    _brain
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _brain.cpython-311.pyc
            _linkviewer.cpython-311.pyc
            _scraper.cpython-311.pyc
            callback.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ colormap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ surface.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ view.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _brain.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _linkviewer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _scraper.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ callback.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ colormap.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ surface.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_brain.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_brain.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ view.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ _figure.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ backends
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ _abstract.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ _notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ _pysurfer_mayavi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ _pyvista.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ _qt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ renderer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ _abstract.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ _notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ _pysurfer_mayavi.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ _pyvista.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ _qt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ _utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ renderer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_renderer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ _utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_renderer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ circle.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ epochs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ evoked.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ica.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ montage.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ raw.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_3d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_3d_mpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■ ■■ test_circle.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_epochs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_evoked.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_figure.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ica.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_montage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_raw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_topo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_topomap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_3d.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_3d_mpl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_circle.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_epochs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_evoked.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_figure.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ica.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_montage.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_raw.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_topo.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_topomap.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ topo.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ topomap.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ mne-0.23.4.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ monotonic-1.6.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ monotonic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ moviepy
■ ■ ■ ■ ■ ■ ■ ■ ■■ Clip.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ Clip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ config_defaults.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ editor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ audio

```

```

AudioClip.py
__init__.py
__pycache__
AudioClip.cpython-311.pyc
__init__.cpython-311.pyc
fx
__init__.py
__pycache__
__init__.cpython-311.pyc
audio_fadein.cpython-311.pyc
audio_fadeout.cpython-311.pyc
audio_left_right.cpython-311.pyc
audio_loop.cpython-311.pyc
audio_normalize.cpython-311.pyc
volumex.cpython-311.pyc
all
__init__.py
__pycache__
__init__.cpython-311.pyc
audio_fadein.py
audio_fadeout.py
audio_left_right.py
audio_loop.py
audio_normalize.py
volumex.py
io
AudioFileClip.py
__init__.py
__pycache__
AudioFileClip.cpython-311.pyc
__init__.cpython-311.pyc
ffmpeg_audiowriter.cpython-311.pyc
preview.cpython-311.pyc
readers.cpython-311.pyc
ffmpeg_audiowriter.py
preview.py
readers.py
tools
__init__.py
__pycache__
__init__.cpython-311.pyc
cuts.cpython-311.pyc
cuts.py
compat.py
config.py
config_defaults.py
decorators.py
editor.py
tools.py
utils.py
version.py
video
VideoClip.py
__init__.py
__pycache__
VideoClip.cpython-311.pyc
__init__.cpython-311.pyc
compositing

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ CompositeVideoClip.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ CompositeVideoClip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ concatenate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ on_color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ positioning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ transitions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ concatenate.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ on_color.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ positioning.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ transitions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ accel_decel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ blackwhite.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ blink.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ colorx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ crop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ even_size.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fadein.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fadeout.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ freeze.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ freeze_region.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gamma_corr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ headblur.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ invert_colors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lum_contrast.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ make_loopable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ margin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mask_and.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mask_color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mask_or.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mirror_x.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mirror_y.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ painting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ rotate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ scroll.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ speedx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ supersample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ time_mirror.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ time_symmetrize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ accel_decel.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ all
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ blackwhite.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ blink.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ colorx.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ crop.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ even_size.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fadein.py

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■■ subtitles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ tracking.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ credits.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ cuts.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ drawing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ interpolators.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ segmenting.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ subtitles.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tracking.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ moviepy-1.0.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■■ LICENCE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ mpl_toolkits
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_grid1
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ anchored_artists.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_divider.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_grid.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_rgb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_size.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ inset_locator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mpl_axes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ parasite_axes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ anchored_artists.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_divider.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_grid.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_rgb.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_size.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ inset_locator.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ mpl_axes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ parasite_axes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ axisartist
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ angle_helper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_divider.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_grid.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_rgb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ axis_artist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ axisline_style.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ axislines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ clip_path.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ floating_axes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ grid_finder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ grid_helper_curvelinear.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ parasite_axes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ angle_helper.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_divider.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_grid.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ axes_rgb.py

```

```
■ ■ ■ ■ ■ ■ ■■■ axis_artist.py
■ ■ ■ ■ ■ ■ ■■■ axisline_style.py
■ ■ ■ ■ ■ ■ ■■■ axislines.py
■ ■ ■ ■ ■ ■ ■■■ clip_path.py
■ ■ ■ ■ ■ ■ ■■■ floating_axes.py
■ ■ ■ ■ ■ ■ ■■■ grid_finder.py
■ ■ ■ ■ ■ ■ ■■■ grid_helper_curvelinear.py
■ ■ ■ ■ ■ ■ ■■■ parasite_axes.py
■ ■ ■ ■ ■ ■ ■■■ basemap
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ ■■■ cm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ ■■■ diagnostic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ ■■■ proj.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ ■■■ solar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ ■■■ test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ ■■■ cm.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ diagnostic.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ proj.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ solar.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ test.py
■ ■ ■ ■ ■ ■ ■■■ ■■■ basemap_data
■ ■ ■ ■ ■ ■ ■■■ ■■■ UScounties.dbf
■ ■ ■ ■ ■ ■ ■■■ ■■■ UScounties.prj
■ ■ ■ ■ ■ ■ ■■■ ■■■ UScounties.shp
■ ■ ■ ■ ■ ■ ■■■ ■■■ UScounties.shx
■ ■ ■ ■ ■ ■ ■■■ ■■■ bmng.jpg
■ ■ ■ ■ ■ ■ ■■■ ■■■ countries_c.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ countries_i.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ countries_l.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ countriesmeta_c.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ countriesmeta_i.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ countriesmeta_l.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ epsg
■ ■ ■ ■ ■ ■ ■■■ ■■■ etopo1.jpg
■ ■ ■ ■ ■ ■ ■■■ ■■■ gshhs_c.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ gshhs_i.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ gshhs_l.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ gshhsmeta_c.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ gshhsmeta_i.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ gshhsmeta_l.dat
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_1.25min_c.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_1.25min_f.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_1.25min_h.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_1.25min_i.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_1.25min_l.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_10min_c.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_10min_f.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_10min_h.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_10min_i.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_10min_l.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_2.5min_c.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_2.5min_f.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_2.5min_h.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_2.5min_i.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_2.5min_l.bin
■ ■ ■ ■ ■ ■ ■■■ ■■■ lsmask_5min_c.bin
```


■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	ctx_base.cpython-311.pyc
■	■	■	■	■	■	■■■	ctx_fp.cpython-311.pyc
■	■	■	■	■	■	■■■	ctx_iv.cpython-311.pyc
■	■	■	■	■	■	■■■	ctx_mp.cpython-311.pyc
■	■	■	■	■	■	■■■	ctx_mp_python.cpython-311.pyc
■	■	■	■	■	■	■■■	function_docs.cpython-311.pyc
■	■	■	■	■	■	■■■	identification.cpython-311.pyc
■	■	■	■	■	■	■■■	math2.cpython-311.pyc
■	■	■	■	■	■	■■■	rational.cpython-311.pyc
■	■	■	■	■	■	■■■	usertools.cpython-311.pyc
■	■	■	■	■	■	■■■	visualization.cpython-311.pyc
■	■	■	■	■	■■■	calculus	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	approximation.cpython-311.pyc
■	■	■	■	■	■	■■■	calculus.cpython-311.pyc
■	■	■	■	■	■	■■■	differentiation.cpython-311.pyc
■	■	■	■	■	■	■■■	extrapolation.cpython-311.pyc
■	■	■	■	■	■	■■■	inverselaplace.cpython-311.pyc
■	■	■	■	■	■	■■■	odes.cpython-311.pyc
■	■	■	■	■	■	■■■	optimization.cpython-311.pyc
■	■	■	■	■	■	■■■	polynomials.cpython-311.pyc
■	■	■	■	■	■	■■■	quadrature.cpython-311.pyc
■	■	■	■	■	■■■	approximation.py	
■	■	■	■	■	■■■	calculus.py	
■	■	■	■	■	■■■	differentiation.py	
■	■	■	■	■	■■■	extrapolation.py	
■	■	■	■	■	■■■	inverselaplace.py	
■	■	■	■	■	■■■	odes.py	
■	■	■	■	■	■■■	optimization.py	
■	■	■	■	■	■■■	polynomials.py	
■	■	■	■	■	■■■	quadrature.py	
■	■	■	■	■	■■■	ctx_base.py	
■	■	■	■	■	■■■	ctx_fp.py	
■	■	■	■	■	■■■	ctx_iv.py	
■	■	■	■	■	■■■	ctx_mp.py	
■	■	■	■	■	■■■	ctx_mp_python.py	
■	■	■	■	■	■■■	function_docs.py	
■	■	■	■	■	■■■	functions	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	bessel.cpython-311.pyc
■	■	■	■	■	■	■■■	elliptic.cpython-311.pyc
■	■	■	■	■	■	■■■	expintegrals.cpython-311.pyc
■	■	■	■	■	■	■■■	factorials.cpython-311.pyc
■	■	■	■	■	■	■■■	functions.cpython-311.pyc
■	■	■	■	■	■	■■■	hypergeometric.cpython-311.pyc
■	■	■	■	■	■	■■■	orthogonal.cpython-311.pyc
■	■	■	■	■	■	■■■	qfunctions.cpython-311.pyc
■	■	■	■	■	■	■■■	rszeta.cpython-311.pyc
■	■	■	■	■	■	■■■	signals.cpython-311.pyc
■	■	■	■	■	■	■■■	theta.cpython-311.pyc
■	■	■	■	■	■	■■■	zeta.cpython-311.pyc
■	■	■	■	■	■	■■■	zetazeros.cpython-311.pyc
■	■	■	■	■	■■■	bessel.py	

```

■ ■ ■ ■ ■ ■ ■■ elliptic.py
■ ■ ■ ■ ■ ■ ■■ expintegrals.py
■ ■ ■ ■ ■ ■ ■■ factorials.py
■ ■ ■ ■ ■ ■ ■■ functions.py
■ ■ ■ ■ ■ ■ ■■ hypergeometric.py
■ ■ ■ ■ ■ ■ ■■ orthogonal.py
■ ■ ■ ■ ■ ■ ■■ qfunctions.py
■ ■ ■ ■ ■ ■ ■■ rszeta.py
■ ■ ■ ■ ■ ■ ■■ signals.py
■ ■ ■ ■ ■ ■ ■■ theta.py
■ ■ ■ ■ ■ ■ ■■ zeta.py
■ ■ ■ ■ ■ ■ ■■ zetazeros.py
■ ■ ■ ■ ■ ■ ■■ identification.py
■ ■ ■ ■ ■ ■ ■■ libmp
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ gammazeta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ libelefun.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ libhyper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ libintmath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ libmpc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ libmpf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ libmpi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ backend.py
■ ■ ■ ■ ■ ■ ■■ gammazeta.py
■ ■ ■ ■ ■ ■ ■■ libelefun.py
■ ■ ■ ■ ■ ■ ■■ libhyper.py
■ ■ ■ ■ ■ ■ ■■ libintmath.py
■ ■ ■ ■ ■ ■ ■■ libmpc.py
■ ■ ■ ■ ■ ■ ■■ libmpf.py
■ ■ ■ ■ ■ ■ ■■ libmpi.py
■ ■ ■ ■ ■ ■ ■■ math2.py
■ ■ ■ ■ ■ ■ ■■ matrices
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ calculus.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ eigen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ eigen_symmetric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ matrices.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ calculus.py
■ ■ ■ ■ ■ ■ ■■ eigen.py
■ ■ ■ ■ ■ ■ ■■ eigen_symmetric.py
■ ■ ■ ■ ■ ■ ■■ linalg.py
■ ■ ■ ■ ■ ■ ■■ matrices.py
■ ■ ■ ■ ■ ■ ■■ rational.py
■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ extratest_gamma.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ extratest_zeta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ runtests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ test_basic_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ test_bitwise.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■ test_calculus.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_compatibility.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_convert.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_diff.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_division.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_eigen.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_eigen_symmetric.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_elliptic.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_fp.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_functions.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_functions2.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_gammazeta.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_hp.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_identify.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_interval.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_levin.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_linalg.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_matrices.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_mpmath.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_ode.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_pickle.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_power.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_quad.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_rootfinding.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_special.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_str.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_summation.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_trig.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_visualization.cpython-311.pyc
■	■	■	■	■	■	■	■■■ torture.cpython-311.pyc
■	■	■	■	■	■	■■■	extratest_gamma.py
■	■	■	■	■	■	■■■	extratest_zeta.py
■	■	■	■	■	■	■■■	runtests.py
■	■	■	■	■	■	■■■	test_basic_ops.py
■	■	■	■	■	■	■■■	test_bitwise.py
■	■	■	■	■	■	■■■	test_calculus.py
■	■	■	■	■	■	■■■	test_compatibility.py
■	■	■	■	■	■	■■■	test_convert.py
■	■	■	■	■	■	■■■	test_diff.py
■	■	■	■	■	■	■■■	test_division.py
■	■	■	■	■	■	■■■	test_eigen.py
■	■	■	■	■	■	■■■	test_eigen_symmetric.py
■	■	■	■	■	■	■■■	test_elliptic.py
■	■	■	■	■	■	■■■	test_fp.py
■	■	■	■	■	■	■■■	test_functions.py
■	■	■	■	■	■	■■■	test_functions2.py
■	■	■	■	■	■	■■■	test_gammazeta.py
■	■	■	■	■	■	■■■	test_hp.py
■	■	■	■	■	■	■■■	test_identify.py
■	■	■	■	■	■	■■■	test_interval.py
■	■	■	■	■	■	■■■	test_levin.py
■	■	■	■	■	■	■■■	test_linalg.py
■	■	■	■	■	■	■■■	test_matrices.py
■	■	■	■	■	■	■■■	test_mpmath.py
■	■	■	■	■	■	■■■	test_ode.py
■	■	■	■	■	■	■■■	test_pickle.py
■	■	■	■	■	■	■■■	test_power.py
■	■	■	■	■	■	■■■	test_quad.py


```

■ ■ ■ ■ ■■■ mtcnn-0.1.1.dist-info
■ ■ ■ ■ ■■■ AUTHORS
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ multidict
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _abc.cpython-311.pyc
■ ■ ■ ■ ■■■ _compat.cpython-311.pyc
■ ■ ■ ■ ■■■ _multidict_base.cpython-311.pyc
■ ■ ■ ■ ■■■ _multidict_py.cpython-311.pyc
■ ■ ■ ■ ■■■ _abc.py
■ ■ ■ ■ ■■■ _compat.py
■ ■ ■ ■ ■■■ _multidict.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■■■ _multidict_base.py
■ ■ ■ ■ ■■■ _multidict_py.py
■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■■■ multidict-6.1.0.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ multipart
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ decoders.cpython-311.pyc
■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■■■ multipart.cpython-311.pyc
■ ■ ■ ■ ■■■ decoders.py
■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■■■ multipart.py
■ ■ ■ ■ ■■■ multipledispatch
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ conflict.cpython-311.pyc
■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■■■ dispatcher.cpython-311.pyc
■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■■■ variadic.cpython-311.pyc
■ ■ ■ ■ ■■■ conflict.py
■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■■■ dispatcher.py
■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■■■ variadic.py
■ ■ ■ ■ ■■■ multipledispatch-1.0.0.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE.txt

```


■	■	■	■	■	■	■■■	ac3.cpython-311.pyc
■	■	■	■	■	■	■■■	aiff.cpython-311.pyc
■	■	■	■	■	■	■■■	apev2.cpython-311.pyc
■	■	■	■	■	■	■■■	dsdiff.cpython-311.pyc
■	■	■	■	■	■	■■■	dsf.cpython-311.pyc
■	■	■	■	■	■	■■■	easyid3.cpython-311.pyc
■	■	■	■	■	■	■■■	easyp4.cpython-311.pyc
■	■	■	■	■	■	■■■	flac.cpython-311.pyc
■	■	■	■	■	■	■■■	m4a.cpython-311.pyc
■	■	■	■	■	■	■■■	monkeysaudio.cpython-311.pyc
■	■	■	■	■	■	■■■	musepack.cpython-311.pyc
■	■	■	■	■	■	■■■	ogg.cpython-311.pyc
■	■	■	■	■	■	■■■	oggflac.cpython-311.pyc
■	■	■	■	■	■	■■■	oggopus.cpython-311.pyc
■	■	■	■	■	■	■■■	oggspeex.cpython-311.pyc
■	■	■	■	■	■	■■■	oggtheora.cpython-311.pyc
■	■	■	■	■	■	■■■	oggvorbis.cpython-311.pyc
■	■	■	■	■	■	■■■	optimfrog.cpython-311.pyc
■	■	■	■	■	■	■■■	smf.cpython-311.pyc
■	■	■	■	■	■	■■■	tak.cpython-311.pyc
■	■	■	■	■	■	■■■	trueaudio.cpython-311.pyc
■	■	■	■	■	■	■■■	wave.cpython-311.pyc
■	■	■	■	■	■	■■■	wavpack.cpython-311.pyc
■	■	■	■	■	■■■		_constants.py
■	■	■	■	■	■■■		_file.py
■	■	■	■	■	■■■		_iff.py
■	■	■	■	■	■■■		_riff.py
■	■	■	■	■	■■■		_senf
■	■	■	■	■	■■■		__init__.py
■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_argv.cpython-311.pyc
■	■	■	■	■	■	■■■	_compat.cpython-311.pyc
■	■	■	■	■	■	■■■	_environ.cpython-311.pyc
■	■	■	■	■	■	■■■	_fsnative.cpython-311.pyc
■	■	■	■	■	■	■■■	_print.cpython-311.pyc
■	■	■	■	■	■	■■■	_stdlib.cpython-311.pyc
■	■	■	■	■	■	■■■	_temp.cpython-311.pyc
■	■	■	■	■	■	■■■	_winansi.cpython-311.pyc
■	■	■	■	■	■	■■■	_winapi.cpython-311.pyc
■	■	■	■	■	■■■		_argv.py
■	■	■	■	■	■■■		_compat.py
■	■	■	■	■	■■■		_environ.py
■	■	■	■	■	■■■		_fsnative.py
■	■	■	■	■	■■■		_print.py
■	■	■	■	■	■■■		_stdlib.py
■	■	■	■	■	■■■		_temp.py
■	■	■	■	■	■■■		_winansi.py
■	■	■	■	■	■■■		_winapi.py
■	■	■	■	■	■■■		_tags.py
■	■	■	■	■	■■■		_tools
■	■	■	■	■	■■■		__init__.py
■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_util.cpython-311.pyc
■	■	■	■	■	■	■■■	mid3cp.cpython-311.pyc
■	■	■	■	■	■	■■■	mid3iconv.cpython-311.pyc
■	■	■	■	■	■	■■■	mid3v2.cpython-311.pyc

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _as_entry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _atom.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _as_entry.py
■ ■ ■ ■ ■ ■ ■ ■■■ _atom.py
■ ■ ■ ■ ■ ■ ■ ■■■ _util.py
■ ■ ■ ■ ■ ■ ■■■■ musepack.py
■ ■ ■ ■ ■ ■ ■■■■ ogg.py
■ ■ ■ ■ ■ ■ ■■■■ oggflac.py
■ ■ ■ ■ ■ ■ ■■■■ oggopus.py
■ ■ ■ ■ ■ ■ ■■■■ oggspeex.py
■ ■ ■ ■ ■ ■ ■■■■ oggtheora.py
■ ■ ■ ■ ■ ■ ■■■■ oggvorbis.py
■ ■ ■ ■ ■ ■ ■■■■ optimfrog.py
■ ■ ■ ■ ■ ■ ■■■■ smf.py
■ ■ ■ ■ ■ ■ ■■■■ tak.py
■ ■ ■ ■ ■ ■ ■■■■ trueaudio.py
■ ■ ■ ■ ■ ■ ■■■■ wave.py
■ ■ ■ ■ ■ ■ ■■■■ wavpack.py
■ ■ ■ ■ ■ ■ ■■■■ mutagen-1.45.1.dist-info
■ ■ ■ ■ ■ ■ ■■■■ COPYING
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ nacl
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ encoding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hashlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ public.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ secret.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ signing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _sodium.abi3.so
■ ■ ■ ■ ■ ■ ■■■■ bindings
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_aead.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_box.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_generichash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_hash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_kx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_pwhash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_scalarmult.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_secretbox.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_secretstream.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_shorthash.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_sign.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ randombytes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sodium_core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_aead.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_box.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_core.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_generichash.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_hash.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_kx.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_pwhash.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_scalarmult.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_secretbox.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_secretstream.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_shorthash.py
■ ■ ■ ■ ■ ■ ■ ■■■ crypto_sign.py
■ ■ ■ ■ ■ ■ ■ ■■■ randombytes.py
■ ■ ■ ■ ■ ■ ■ ■■■ sodium_core.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ encoding.py
■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■■■ hash.py
■ ■ ■ ■ ■ ■ ■■■ hashlib.py
■ ■ ■ ■ ■ ■ ■■■ public.py
■ ■ ■ ■ ■ ■ ■■■ pwhash
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _argon2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ argon2i.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ argon2id.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scrypt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _argon2.py
■ ■ ■ ■ ■ ■ ■ ■■■ argon2i.py
■ ■ ■ ■ ■ ■ ■ ■■■ argon2id.py
■ ■ ■ ■ ■ ■ ■ ■■■ scrypt.py
■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■■■ secret.py
■ ■ ■ ■ ■ ■ ■■■ signing.py
■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ nashpy
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ game.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ algorithms
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lemke_howson.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lemke_howson_lex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ support_enumeration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vertex_enumeration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lemke_howson.py
■ ■ ■ ■ ■ ■ ■ ■■■ lemke_howson_lex.py
■ ■ ■ ■ ■ ■ ■ ■■■ support_enumeration.py
■ ■ ■ ■ ■ ■ ■ ■■■ vertex_enumeration.py
■ ■ ■ ■ ■ ■ ■■■ egt
■ ■ ■ ■ ■ ■ ■■■ __init__.py

```

[illegible]

[illegible]

```

■ ■ ■ images
■ ■ ■ favicon-busy-1.ico
■ ■ ■ favicon-busy-2.ico
■ ■ ■ favicon-busy-3.ico
■ ■ ■ favicon-file.ico
■ ■ ■ favicon-notebook.ico
■ ■ ■ favicon-terminal.ico
■ ■ ■ favicon.ico
■ ■ ■ logo.png
■ ■ ■ js
■ ■ ■ dialog.js
■ ■ ■ events.js
■ ■ ■ i18n.js
■ ■ ■ keyboard.js
■ ■ ■ markdown.js
■ ■ ■ mathjaxutils.js
■ ■ ■ namespace.js
■ ■ ■ notificationarea.js
■ ■ ■ notificationwidget.js
■ ■ ■ page.js
■ ■ ■ promises.js
■ ■ ■ security.js
■ ■ ■ utils.js
■ ■ ■ bidi
■ ■ ■ bidi.js
■ ■ ■ numericshaping.js
■ ■ ■ components
■ ■ ■ MathJax
■ ■ ■ MathJax.js
■ ■ ■ config
■ ■ ■ Safe.js
■ ■ ■ TeX-AMS-MML_HTMLorMML-full.js
■ ■ ■ extensions
■ ■ ■ AssistiveMML.js
■ ■ ■ CHTML-preview.js
■ ■ ■ FontWarnings.js
■ ■ ■ HTML-CSS
■ ■ ■ handle-floats.js
■ ■ ■ HelpDialog.js
■ ■ ■ MatchWebFonts.js
■ ■ ■ MathEvents.js
■ ■ ■ MathML
■ ■ ■ content-mathml.js
■ ■ ■ mml3.js
■ ■ ■ MathMenu.js
■ ■ ■ MathZoom.js
■ ■ ■ Safe.js
■ ■ ■ TeX
■ ■ ■ AMScd.js
■ ■ ■ AMSmath.js
■ ■ ■ AMSSymbols.js
■ ■ ■ HTML.js
■ ■ ■ action.js
■ ■ ■ autobold.js
■ ■ ■ autoload-all.js
■ ■ ■ bbox.js
■ ■ ■ begingroup.js
■ ■ ■ boldsymbol.js

```


STIXMathJax_Main-Bold.woff
STIXMathJax_Main-BoldItalic.woff
STIXMathJax_Main-Italic.woff
STIXMathJax_Main-Regular.woff
STIXMathJax_Marks-Bold.woff
STIXMathJax_Marks-BoldItalic.woff
STIXMathJax_Marks-Italic.woff
STIXMathJax_Marks-Regular.woff
STIXMathJax_Misc-Bold.woff
STIXMathJax_Misc-BoldItalic.woff
STIXMathJax_Misc-Italic.woff
STIXMathJax_Misc-Regular.woff
STIXMathJax_Monospace-Regular.woff
STIXMathJax_Normal-Bold.woff
STIXMathJax_Normal-BoldItalic.woff
STIXMathJax_Normal-Italic.woff
STIXMathJax_Operators-Bold.woff
STIXMathJax_Operators-Regular.woff
STIXMathJax_SansSerif-Bold.woff
STIXMathJax_SansSerif-BoldItalic.woff
STIXMathJax_SansSerif-Italic.woff
STIXMathJax_SansSerif-Regular.woff
STIXMathJax_Script-BoldItalic.woff
STIXMathJax_Script-Italic.woff
STIXMathJax_Script-Regular.woff
STIXMathJax_Shapes-Bold.woff
STIXMathJax_Shapes-BoldItalic.woff
STIXMathJax_Shapes-Regular.woff
STIXMathJax_Size1-Regular.woff
STIXMathJax_Size2-Regular.woff
STIXMathJax_Size3-Regular.woff
STIXMathJax_Size4-Regular.woff
STIXMathJax_Size5-Regular.woff
STIXMathJax_Symbols-Bold.woff
STIXMathJax_Symbols-Regular.woff
STIXMathJax_Variants-Bold.woff
STIXMathJax_Variants-BoldItalic.woff
STIXMathJax_Variants-Italic.woff
STIXMathJax_Variants-Regular.woff
jax
element
mml
jax.js
optable
Arrows.js
BasicLatin.js
CombDiacritMarks.js
CombDiacritForSymbols.js
Dingbats.js
GeneralPunctuation.js
GeometricShapes.js
GreekAndCoptic.js
Latin1Supplement.js
LetterlikeSymbols.js
MathOperators.js
MiscMathSymbolsA.js
MiscMathSymbolsB.js
MiscSymbolsAndArrows.js

```

■■■ MiscTechnical.js
■■■ SpacingModLetters.js
■■■ SuppMathOperators.js
■■■ SupplementalArrowsA.js
■■■ SupplementalArrowsB.js
■■■ input
■■■ TeX
■■■ config.js
■■■ jax.js
■■■ output
■■■ CommonHTML
■■■ autoload
■■■ annotation-xml.js
■■■ maction.js
■■■ menclose.js
■■■ mglyph.js
■■■ mmultiscripts.js
■■■ ms.js
■■■ mtable.js
■■■ multiline.js
■■■ config.js
■■■ jax.js
■■■ HTML-CSS
■■■ autoload
■■■ annotation-xml.js
■■■ maction.js
■■■ menclose.js
■■■ mglyph.js
■■■ mmultiscripts.js
■■■ ms.js
■■■ mtable.js
■■■ multiline.js
■■■ config.js
■■■ fonts
■■■ STIX-Web
■■■ Alphabets
■■■ Bold
■■■ Main.js
■■■ BoldItalic
■■■ Main.js
■■■ Italic
■■■ Main.js
■■■ Regular
■■■ Main.js
■■■ Arrows
■■■ Bold
■■■ Main.js
■■■ Regular
■■■ Main.js
■■■ DoubleStruck
■■■ Bold
■■■ Main.js
■■■ BoldItalic
■■■ Main.js
■■■ Italic
■■■ Main.js
■■■ Regular
■■■ Main.js

```


Main.js
 BoldItalic
 Main.js
 Italic
 Main.js
 Regular
 Main.js
 Script
 BoldItalic
 Main.js
 Italic
 Main.js
 Regular
 Main.js
 Shapes
 Bold
 Main.js
 BoldItalic
 Main.js
 Regular
 Main.js
 Size1
 Regular
 Main.js
 Size2
 Regular
 Main.js
 Size3
 Regular
 Main.js
 Size4
 Regular
 Main.js
 Size5
 Regular
 Main.js
 Symbols
 Bold
 Main.js
 Regular
 Main.js
 Variants
 Bold
 Main.js
 BoldItalic
 Main.js
 Italic
 Main.js
 Regular
 Main.js
 fontdata-extra.js
 fontdata.js
 imageFonts.js
 jax.js
 NativeMML
 config.js
 jax.js
 PlainSource

```

■■■ config.js
■■■ jax.js
■■■ PreviewHTML
■■■ config.js
■■■ jax.js
■■■ SVG
■■■ autoload
■■■ annotation-xml.js
■■■ maction.js
■■■ menclose.js
■■■ mglyph.js
■■■ mmultiscripts.js
■■■ ms.js
■■■ mtable.js
■■■ multiline.js
■■■ config.js
■■■ fonts
■■■ STIX-Web
■■■ Alphabets
■■■ Bold
■■■ Main.js
■■■ BoldItalic
■■■ Main.js
■■■ Italic
■■■ Main.js
■■■ Regular
■■■ Main.js
■■■ Arrows
■■■ Bold
■■■ Main.js
■■■ Regular
■■■ Main.js
■■■ DoubleStruck
■■■ Bold
■■■ Main.js
■■■ BoldItalic
■■■ Main.js
■■■ Italic
■■■ Main.js
■■■ Regular
■■■ Main.js
■■■ Fraktur
■■■ Bold
■■■ Main.js
■■■ Regular
■■■ Main.js
■■■ Latin
■■■ Bold
■■■ Main.js
■■■ BoldItalic
■■■ Main.js
■■■ Italic
■■■ Main.js
■■■ Regular
■■■ Main.js
■■■ Main
■■■ Bold
■■■ Main.js

```



```

      ████ BoldItalic
      ████ Main.js
      ████ Regular
      ████ Main.js
      ████ Size1
      ████ Regular
      ████ Main.js
      ████ Size2
      ████ Regular
      ████ Main.js
      ████ Size3
      ████ Regular
      ████ Main.js
      ████ Size4
      ████ Regular
      ████ Main.js
      ████ Size5
      ████ Regular
      ████ Main.js
      ████ Symbols
      ████ Bold
      ████ Main.js
      ████ Regular
      ████ Main.js
      ████ Variants
      ████ Bold
      ████ Main.js
      ████ BoldItalic
      ████ Main.js
      ████ Italic
      ████ Main.js
      ████ Regular
      ████ Main.js
      ████ fontdata-extra.js
      ████ fontdata.js
      ████ jax.js
      ████ localization
      ████ ar
      ████ FontWarnings.js
      ████ HTML-CSS.js
      ████ HelpDialog.js
      ████ MathML.js
      ████ MathMenu.js
      ████ TeX.js
      ████ ar.js
      ████ ast
      ████ FontWarnings.js
      ████ HTML-CSS.js
      ████ HelpDialog.js
      ████ MathML.js
      ████ MathMenu.js
      ████ TeX.js
      ████ ast.js
      ████ bcc
      ████ FontWarnings.js
      ████ HTML-CSS.js
      ████ HelpDialog.js
      ████ MathML.js

```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	FontWarnings.js
■	■	■	■	■	■	■	■	■	■	■■■	HTML-CSS.js
■	■	■	■	■	■	■	■	■	■	■■■	HelpDialog.js
■	■	■	■	■	■	■	■	■	■	■■■	MathML.js
■	■	■	■	■	■	■	■	■	■	■■■	MathMenu.js
■	■	■	■	■	■	■	■	■	■	■■■	TeX.js
■	■	■	■	■	■	■	■	■	■	■■■	zh-hans.js
■	■	■	■	■	■	■	■	■	■■■	zh-hant	
■	■	■	■	■	■	■	■	■	■	■■■	FontWarnings.js
■	■	■	■	■	■	■	■	■	■	■■■	HTML-CSS.js
■	■	■	■	■	■	■	■	■	■	■■■	HelpDialog.js
■	■	■	■	■	■	■	■	■	■	■■■	MathML.js
■	■	■	■	■	■	■	■	■	■	■■■	MathMenu.js
■	■	■	■	■	■	■	■	■	■	■■■	TeX.js
■	■	■	■	■	■	■	■	■	■	■■■	zh-hant.js
■	■	■	■	■	■	■	■■■	backbone			
■	■	■	■	■	■	■	■	■■■	backbone-min.js		
■	■	■	■	■	■	■	■■■	bootstrap			
■	■	■	■	■	■	■	■	■■■	dist		
■	■	■	■	■	■	■	■	■	■■■	js	
■	■	■	■	■	■	■	■	■	■	■■■	bootstrap.min.js
■	■	■	■	■	■	■	■■■	bootstrap-tour			
■	■	■	■	■	■	■	■	■■■	build		
■	■	■	■	■	■	■	■	■	■■■	css	
■	■	■	■	■	■	■	■	■	■	■■■	bootstrap-tour.min.css
■	■	■	■	■	■	■	■	■	■■■	js	
■	■	■	■	■	■	■	■	■	■	■■■	bootstrap-tour.min.js
■	■	■	■	■	■	■	■■■	codemirror			
■	■	■	■	■	■	■	■	■■■	addon		
■	■	■	■	■	■	■	■	■	■■■	comment	
■	■	■	■	■	■	■	■	■	■	■■■	comment.js
■	■	■	■	■	■	■	■	■	■	■■■	continuecomment.js
■	■	■	■	■	■	■	■	■■■	dialog		
■	■	■	■	■	■	■	■	■	■■■	dialog.css	
■	■	■	■	■	■	■	■	■	■■■	dialog.js	
■	■	■	■	■	■	■	■	■■■	display		
■	■	■	■	■	■	■	■	■	■■■	autorefresh.js	
■	■	■	■	■	■	■	■	■	■■■	fullscreen.css	
■	■	■	■	■	■	■	■	■	■■■	fullscreen.js	
■	■	■	■	■	■	■	■	■	■■■	panel.js	
■	■	■	■	■	■	■	■	■	■■■	placeholder.js	
■	■	■	■	■	■	■	■	■	■■■	rulers.js	
■	■	■	■	■	■	■	■	■■■	edit		
■	■	■	■	■	■	■	■	■	■■■	closebrackets.js	
■	■	■	■	■	■	■	■	■	■■■	closetag.js	
■	■	■	■	■	■	■	■	■	■■■	continuelist.js	
■	■	■	■	■	■	■	■	■	■■■	matchbrackets.js	
■	■	■	■	■	■	■	■	■	■■■	matchtags.js	
■	■	■	■	■	■	■	■	■	■■■	trailingspace.js	
■	■	■	■	■	■	■	■	■■■	fold		
■	■	■	■	■	■	■	■	■	■■■	brace-fold.js	
■	■	■	■	■	■	■	■	■	■■■	comment-fold.js	
■	■	■	■	■	■	■	■	■	■■■	foldcode.js	
■	■	■	■	■	■	■	■	■	■■■	foldgutter.css	
■	■	■	■	■	■	■	■	■	■■■	foldgutter.js	
■	■	■	■	■	■	■	■	■	■■■	indent-fold.js	
■	■	■	■	■	■	■	■	■	■■■	markdown-fold.js	
■	■	■	■	■	■	■	■	■	■■■	xml-fold.js	

```

hint
  anyword-hint.js
  css-hint.js
  html-hint.js
  javascript-hint.js
  show-hint.css
  show-hint.js
  sql-hint.js
  xml-hint.js
lint
  coffeescript-lint.js
  css-lint.js
  html-lint.js
  javascript-lint.js
  json-lint.js
  lint.css
  lint.js
  yaml-lint.js
merge
  merge.css
  merge.js
mode
  loadmode.js
  multiplex.js
  multiplex_test.js
  overlay.js
  simple.js
runmode
  colorize.js
  runmode-standalone.js
  runmode.js
  runmode.node.js
scroll
  annotatescrollbar.js
  scrollpastend.js
  simplescrollbars.css
  simplescrollbars.js
search
  jump-to-line.js
  match-highlighter.js
  matchesonscrollbar.css
  matchesonscrollbar.js
  search.js
  searchcursor.js
selection
  active-line.js
  mark-selection.js
  selection-pointer.js
tern
  tern.css
  tern.js
  worker.js
wrap
  hardwrap.js
keymap
  emacs.js
  sublime.js
  vim.js

```

```
lib
codemirror.css
codemirror.js
mode
apl
  apl.js
asciarmor
  asciarmor.js
asn.1
  asn.1.js
asterisk
  asterisk.js
brainfuck
  brainfuck.js
clike
  clike.js
clojure
  clojure.js
cmake
  cmake.js
cobol
  cobol.js
coffeescript
  coffeescript.js
commonlisp
  commonlisp.js
crystal
  crystal.js
css
  css.js
cypher
  cypher.js
d
  d.js
dart
  dart.js
diff
  diff.js
django
  django.js
dockerfile
  dockerfile.js
dtd
  dtd.js
dylan
  dylan.js
ebnf
  ebnf.js
ecl
  ecl.js
eiffel
  eiffel.js
elm
  elm.js
erlang
  erlang.js
factor
  factor.js
```


[illegible]


```

vue.js
wast
wast.js
webidl
webidl.js
xml
xml.js
xquery
xquery.js
yacac
yacac.js
yaml
yaml.js
yaml-frontmatter
yaml-frontmatter.js
z80
z80.js
rollup.config.js
src
addon
  runmode
    codemirror-standalone.js
    codemirror.node.js
    runmode-standalone.js
    runmode.node.js
  codemirror.js
display
  Display.js
  focus.js
  gutters.js
  highlight_worker.js
  line_numbers.js
  mode_state.js
  operations.js
  scroll_events.js
  scrollbars.js
  scrolling.js
  selection.js
  update_display.js
  update_line.js
  update_lines.js
  view_tracking.js
edit
  CodeMirror.js
  commands.js
  deleteNearSelection.js
  drop_events.js
  fromTextArea.js
  global_events.js
  key_events.js
  legacy.js
  main.js
  methods.js
  mouse_events.js
  options.js
  utils.js
input
  ContentEditableInput.js

```

■	■	■	■	■	■	■	■	■	■	■■■	TextareaInput.js
■	■	■	■	■	■	■	■	■	■	■■■	indent.js
■	■	■	■	■	■	■	■	■	■	■■■	input.js
■	■	■	■	■	■	■	■	■	■	■■■	keymap.js
■	■	■	■	■	■	■	■	■	■	■■■	keynames.js
■	■	■	■	■	■	■	■	■	■	■■■	movement.js
■	■	■	■	■	■	■	■	■	■■■	line	
■	■	■	■	■	■	■	■	■	■	■■■	highlight.js
■	■	■	■	■	■	■	■	■	■	■■■	line_data.js
■	■	■	■	■	■	■	■	■	■	■■■	pos.js
■	■	■	■	■	■	■	■	■	■	■■■	saw_special_spans.js
■	■	■	■	■	■	■	■	■	■	■■■	spans.js
■	■	■	■	■	■	■	■	■	■	■■■	utils_line.js
■	■	■	■	■	■	■	■	■	■■■	measurement	
■	■	■	■	■	■	■	■	■	■	■■■	position_measurement.js
■	■	■	■	■	■	■	■	■	■	■■■	widgets.js
■	■	■	■	■	■	■	■	■	■■■	model	
■	■	■	■	■	■	■	■	■	■	■■■	Doc.js
■	■	■	■	■	■	■	■	■	■	■■■	change_measurement.js
■	■	■	■	■	■	■	■	■	■	■■■	changes.js
■	■	■	■	■	■	■	■	■	■	■■■	chunk.js
■	■	■	■	■	■	■	■	■	■	■■■	document_data.js
■	■	■	■	■	■	■	■	■	■	■■■	history.js
■	■	■	■	■	■	■	■	■	■	■■■	line_widget.js
■	■	■	■	■	■	■	■	■	■	■■■	mark_text.js
■	■	■	■	■	■	■	■	■	■	■■■	selection.js
■	■	■	■	■	■	■	■	■	■	■■■	selection_updates.js
■	■	■	■	■	■	■	■	■	■■■	modes.js	
■	■	■	■	■	■	■	■	■	■■■	util	
■	■	■	■	■	■	■	■	■	■	■■■	StringStream.js
■	■	■	■	■	■	■	■	■	■	■■■	bidirectional.js
■	■	■	■	■	■	■	■	■	■	■■■	browser.js
■	■	■	■	■	■	■	■	■	■	■■■	dom.js
■	■	■	■	■	■	■	■	■	■	■■■	event.js
■	■	■	■	■	■	■	■	■	■	■■■	feature_detection.js
■	■	■	■	■	■	■	■	■	■	■■■	misc.js
■	■	■	■	■	■	■	■	■	■	■■■	operation_group.js
■	■	■	■	■	■	■	■	■■■	theme		
■	■	■	■	■	■	■	■	■	■■■	3024-day.css	
■	■	■	■	■	■	■	■	■	■■■	3024-night.css	
■	■	■	■	■	■	■	■	■	■■■	abcdef.css	
■	■	■	■	■	■	■	■	■	■■■	ambiance-mobile.css	
■	■	■	■	■	■	■	■	■	■■■	ambiance.css	
■	■	■	■	■	■	■	■	■	■■■	ayu-dark.css	
■	■	■	■	■	■	■	■	■	■■■	ayu-mirage.css	
■	■	■	■	■	■	■	■	■	■■■	base16-dark.css	
■	■	■	■	■	■	■	■	■	■■■	base16-light.css	
■	■	■	■	■	■	■	■	■	■■■	bespin.css	
■	■	■	■	■	■	■	■	■	■■■	blackboard.css	
■	■	■	■	■	■	■	■	■	■■■	cobalt.css	
■	■	■	■	■	■	■	■	■	■■■	colorforth.css	
■	■	■	■	■	■	■	■	■	■■■	darcula.css	
■	■	■	■	■	■	■	■	■	■■■	dracula.css	
■	■	■	■	■	■	■	■	■	■■■	duotone-dark.css	
■	■	■	■	■	■	■	■	■	■■■	duotone-light.css	
■	■	■	■	■	■	■	■	■	■■■	eclipse.css	
■	■	■	■	■	■	■	■	■	■■■	elegant.css	
■	■	■	■	■	■	■	■	■	■■■	erlang-dark.css	

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ gruvbox-dark.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ hopscotch.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ icecoder.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ idea.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ isotope.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ lesser-dark.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ liquibyte.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ lucario.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ material-darker.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ material-ocean.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ material-palenight.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ material.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ mbo.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ mdn-like.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ midnight.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ monokai.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ moxer.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ neat.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ neo.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ night.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ nord.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ oceanic-next.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ panda-syntax.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ paraiso-dark.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ paraiso-light.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ pastel-on-dark.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ railscasts.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ rubyblue.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ seti.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ shadowfox.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ solarized.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ ssms.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ the-matrix.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ tomorrow-night-bright.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ tomorrow-night-eighties.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ ttcn.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ twilight.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ vibrant-ink.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ xq-dark.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ xq-light.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ yeti.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ yonce.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ zenburn.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ create-react-class
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ index.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ es6-promise
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ promise.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ promise.min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ font-awesome
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ font-awesome.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ font-awesome.min.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ fonts
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ FontAwesome.otf
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ fontawesome-webfont.eot
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ fontawesome-webfont.svg
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ fontawesome-webfont.ttf
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■■ fontawesome-webfont.woff
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fontawesome-webfont.woff2
■ ■ ■ ■ google-caja
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ html-css-sanitizer-minified.js
■ ■ ■ ■ jed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jed.js
■ ■ ■ ■ jquery
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jquery.min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jquery-typeahead
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dist
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jquery.typeahead.min.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jquery.typeahead.min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jquery-ui
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dist
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jquery-ui.min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ themes
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ smoothness
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ images
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-bg_glass_55_fbf9ee_1x400.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-bg_glass_65_ffffff_1x400.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-bg_glass_75_dadada_1x400.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-bg_glass_75_e6e6e6_1x400.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-bg_glass_95_fef1ec_1x400.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-bg_highlight-soft_75_cccccc_1x100.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-icons_222222_256x240.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-icons_2e83ff_256x240.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-icons_454545_256x240.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-icons_888888_256x240.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ui-icons_cd0a0a_256x240.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ jquery-ui.min.css
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ marked
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lib
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ marked.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ moment
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ min
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ locales.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ locales.min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ moment-with-locales.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ moment-with-locales.min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ moment.min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ moment.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ react
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ react-dom.production.min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ react.production.min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ requirejs
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ require.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ requirejs-plugins
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ src
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ json.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ requirejs-text
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ text.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sanitizer
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ text-encoding
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lib
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ encoding.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ underscore
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ underscore-min.js
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ xterm.js

```



```

    tests
    ├── __init__.py
    ├── __pycache__
    │   ├── __init__.cpython-311.pyc
    │   ├── launchnotebook.cpython-311.pyc
    │   ├── base
    │   │   ├── highlight.js
    │   │   ├── keyboard.js
    │   │   ├── misc.js
    │   │   ├── security.js
    │   │   ├── utils.js
    │   ├── launchnotebook.py
    │   ├── mockextension
    │   ├── index.js
    │   ├── notebook
    │   │   ├── attachments.js
    │   │   ├── display_id.js
    │   │   ├── dualmode.js
    │   │   ├── dualmode_merge.js
    │   │   ├── execute_selected_cells.js
    │   │   ├── inject_js.js
    │   │   ├── markdown.js
    │   │   ├── output.js
    │   │   ├── roundtrip.js
    │   │   ├── safe_append_output.js
    │   │   ├── tags.js
    │   ├── selenium
    │   │   ├── __init__.py
    │   │   ├── __pycache__
    │   │   │   ├── __init__.cpython-311.pyc
    │   │   │   ├── conftest.cpython-311.pyc
    │   │   │   ├── quick_selenium.cpython-311.pyc
    │   │   │   ├── test_buffering.cpython-311.pyc
    │   │   │   ├── test_clipboard_multiselect.cpython-311.pyc
    │   │   │   ├── test_dashboard_nav.cpython-311.pyc
    │   │   │   ├── test_deletecell.cpython-311.pyc
    │   │   │   ├── test_display_image.cpython-311.pyc
    │   │   │   ├── test_display_isolation.cpython-311.pyc
    │   │   │   ├── test_dualmode_arrows.cpython-311.pyc
    │   │   │   ├── test_dualmode_cellmode.cpython-311.pyc
    │   │   │   ├── test_dualmode_clipboard.cpython-311.pyc
    │   │   │   ├── test_dualmode_execute.cpython-311.pyc
    │   │   │   ├── test_dualmode_insertcell.cpython-311.pyc
    │   │   │   ├── test_dualmode_markdown.cpython-311.pyc
    │   │   │   ├── test_execute_code.cpython-311.pyc
    │   │   │   ├── test_find_and_replace.cpython-311.pyc
    │   │   │   ├── test_interrupt.cpython-311.pyc
    │   │   │   ├── test_kernel_menu.cpython-311.pyc
    │   │   │   ├── test_markdown.cpython-311.pyc
    │   │   │   ├── test_merge_cells.cpython-311.pyc
    │   │   │   ├── test_move_multiselection.cpython-311.pyc
    │   │   │   ├── test_multiselect.cpython-311.pyc
    │   │   │   ├── test_multiselect_toggle.cpython-311.pyc
    │   │   │   ├── test_notifications.cpython-311.pyc
    │   │   │   ├── test_prompt_numbers.cpython-311.pyc
    │   │   │   ├── test_save.cpython-311.pyc
    │   │   │   ├── test_save_as_notebook.cpython-311.pyc
    │   │   │   ├── test_save_readonly_as.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shutdown.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_undelete.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quick_selenium.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_buffering.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_clipboard_multiselect.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dashboard_nav.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deletecell.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_display_image.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_display_isolation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_arrows.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_cellmode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_clipboard.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_execute.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_insertcell.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_markdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_execute_code.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_find_and_replace.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_interrupt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_kernel_menu.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_markdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_merge_cells.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_move_multiselection.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multiselect.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multiselect_toggle.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notifications.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_prompt_numbers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_as_notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_readonly_as.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shutdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_undelete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ services
■ ■ ■ ■ ■ ■ ■ ■ ■■ kernel.js
■ ■ ■ ■ ■ ■ ■ ■ ■■ serialize.js
■ ■ ■ ■ ■ ■ ■ ■ ■■ session.js
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.js
■ ■ ■ ■ ■ ■ ■ ■ ■■ traits.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ transutils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tree
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ handlers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ handlers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ nbclassic-0.4.5.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ nbclient
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py

```



```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ clearmetadata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ clearoutput.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coalescestreams.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ convertfigures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ csshtmlheader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ execute.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extractattachments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extractoutput.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ highlightmagics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ latex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ regexremove.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sanitize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ svg2pdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tagremove.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ clearmetadata.py
■ ■ ■ ■ ■ ■ ■ ■■■ clearoutput.py
■ ■ ■ ■ ■ ■ ■ ■■■ coalescestreams.py
■ ■ ■ ■ ■ ■ ■ ■■■ convertfigures.py
■ ■ ■ ■ ■ ■ ■ ■■■ csshtmlheader.py
■ ■ ■ ■ ■ ■ ■ ■■■ execute.py
■ ■ ■ ■ ■ ■ ■ ■■■ extractattachments.py
■ ■ ■ ■ ■ ■ ■ ■■■ extractoutput.py
■ ■ ■ ■ ■ ■ ■ ■■■ highlightmagics.py
■ ■ ■ ■ ■ ■ ■ ■■■ latex.py
■ ■ ■ ■ ■ ■ ■ ■■■ regexremove.py
■ ■ ■ ■ ■ ■ ■ ■■■ sanitize.py
■ ■ ■ ■ ■ ■ ■ ■■■ svg2pdf.py
■ ■ ■ ■ ■ ■ ■ ■■■ tagremove.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ resources
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ templates
■ ■ ■ ■ ■ ■ ■ ■■■ README.md
■ ■ ■ ■ ■ ■ ■ ■■■ skeleton
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ Makefile
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ README.md
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _contextlib_chdir.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ iso639_1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ lexers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ pandoc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _contextlib_chdir.py
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ io.py

```

```

iso639_1.py
lexers.py
pandoc.py
text.py
version.py
writers
__init__.py
__pycache__
__init__.cpython-311.pyc
base.cpython-311.pyc
debug.cpython-311.pyc
files.cpython-311.pyc
stdout.cpython-311.pyc
base.py
debug.py
files.py
stdout.py
nbconvert-7.16.4.dist-info
INSTALLER
METADATA
RECORD
WHEEL
entry_points.txt
licenses
LICENSE
nbformat
__init__.py
__pycache__
__init__.cpython-311.pyc
_imports.cpython-311.pyc
_struct.cpython-311.pyc
_version.cpython-311.pyc
converter.cpython-311.pyc
current.cpython-311.pyc
json_compat.cpython-311.pyc
notebooknode.cpython-311.pyc
reader.cpython-311.pyc
sentinel.cpython-311.pyc
sign.cpython-311.pyc
validator.cpython-311.pyc
warnings.cpython-311.pyc
_imports.py
_struct.py
_version.py
converter.py
corpus
__init__.py
__pycache__
__init__.cpython-311.pyc
words.cpython-311.pyc
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_words.cpython-311.pyc
test_words.py
words.py
current.py

```

■	■	■	■	■	■■■■	json_compat.py
■	■	■	■	■	■■■■	notebooknode.py
■	■	■	■	■	■■■■	py.typed
■	■	■	■	■	■■■■	reader.py
■	■	■	■	■	■■■■	sentinel.py
■	■	■	■	■	■■■■	sign.py
■	■	■	■	■	■■■■	v1
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■ convert.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbbase.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbjson.cpython-311.pyc
■	■	■	■	■	■	■■■■ rwbase.cpython-311.pyc
■	■	■	■	■	■■■■	convert.py
■	■	■	■	■	■■■■	nbbase.py
■	■	■	■	■	■■■■	nbjson.py
■	■	■	■	■	■■■■	rwbase.py
■	■	■	■	■	■■■■	v2
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■ convert.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbbase.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbjson.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbpy.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbxml.cpython-311.pyc
■	■	■	■	■	■	■■■■ rwbase.cpython-311.pyc
■	■	■	■	■	■■■■	convert.py
■	■	■	■	■	■■■■	nbbase.py
■	■	■	■	■	■■■■	nbjson.py
■	■	■	■	■	■■■■	nbpy.py
■	■	■	■	■	■■■■	nbxml.py
■	■	■	■	■	■■■■	rwbase.py
■	■	■	■	■	■■■■	v3
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■ convert.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbbase.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbjson.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbpy.cpython-311.pyc
■	■	■	■	■	■	■■■■ rwbase.cpython-311.pyc
■	■	■	■	■	■■■■	convert.py
■	■	■	■	■	■■■■	nbbase.py
■	■	■	■	■	■■■■	nbformat.v3.schema.json
■	■	■	■	■	■■■■	nbjson.py
■	■	■	■	■	■■■■	nbpy.py
■	■	■	■	■	■■■■	rwbase.py
■	■	■	■	■	■■■■	v4
■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■ convert.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbbase.cpython-311.pyc
■	■	■	■	■	■	■■■■ nbjson.cpython-311.pyc
■	■	■	■	■	■	■■■■ rwbase.cpython-311.pyc
■	■	■	■	■	■■■■	convert.py

■	■	■	■	■	■	■	■■■	dominance.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dominating.cpython-311.pyc
■	■	■	■	■	■	■	■■■	efficiency_measures.cpython-311.pyc
■	■	■	■	■	■	■	■■■	euler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graph_hashing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graphical.cpython-311.pyc
■	■	■	■	■	■	■	■■■	hierarchy.cpython-311.pyc
■	■	■	■	■	■	■	■■■	hybrid.cpython-311.pyc
■	■	■	■	■	■	■	■■■	isolate.cpython-311.pyc
■	■	■	■	■	■	■	■■■	link_prediction.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lowest_common_ancestors.cpython-311.pyc
■	■	■	■	■	■	■	■■■	matching.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mis.cpython-311.pyc
■	■	■	■	■	■	■	■■■	moral.cpython-311.pyc
■	■	■	■	■	■	■	■■■	non_randomness.cpython-311.pyc
■	■	■	■	■	■	■	■■■	planar_drawing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	planarity.cpython-311.pyc
■	■	■	■	■	■	■	■■■	polynomials.cpython-311.pyc
■	■	■	■	■	■	■	■■■	reciprocity.cpython-311.pyc
■	■	■	■	■	■	■	■■■	regular.cpython-311.pyc
■	■	■	■	■	■	■	■■■	richclub.cpython-311.pyc
■	■	■	■	■	■	■	■■■	similarity.cpython-311.pyc
■	■	■	■	■	■	■	■■■	simple_paths.cpython-311.pyc
■	■	■	■	■	■	■	■■■	smallworld.cpython-311.pyc
■	■	■	■	■	■	■	■■■	smetric.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sparsifiers.cpython-311.pyc
■	■	■	■	■	■	■	■■■	structuralholes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	summarization.cpython-311.pyc
■	■	■	■	■	■	■	■■■	swap.cpython-311.pyc
■	■	■	■	■	■	■	■■■	threshold.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tournament.cpython-311.pyc
■	■	■	■	■	■	■	■■■	triads.cpython-311.pyc
■	■	■	■	■	■	■	■■■	vitality.cpython-311.pyc
■	■	■	■	■	■	■	■■■	voronoi.cpython-311.pyc
■	■	■	■	■	■	■	■■■	wiener.cpython-311.pyc
■	■	■	■	■	■	■■■	approximation	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	clique.cpython-311.pyc
■	■	■	■	■	■	■	■■■	clustering_coefficient.cpython-311.pyc
■	■	■	■	■	■	■	■■■	connectivity.cpython-311.pyc
■	■	■	■	■	■	■	■■■	distance_measures.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dominating_set.cpython-311.pyc
■	■	■	■	■	■	■	■■■	kcomponents.cpython-311.pyc
■	■	■	■	■	■	■	■■■	matching.cpython-311.pyc
■	■	■	■	■	■	■	■■■	maxcut.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ramsey.cpython-311.pyc
■	■	■	■	■	■	■	■■■	steinertree.cpython-311.pyc
■	■	■	■	■	■	■	■■■	traveling_salesman.cpython-311.pyc
■	■	■	■	■	■	■	■■■	treewidth.cpython-311.pyc
■	■	■	■	■	■	■	■■■	vertex_cover.cpython-311.pyc
■	■	■	■	■	■	■■■	clique.py	
■	■	■	■	■	■	■■■	clustering_coefficient.py	
■	■	■	■	■	■	■■■	connectivity.py	
■	■	■	■	■	■	■■■	distance_measures.py	
■	■	■	■	■	■	■■■	dominating_set.py	
■	■	■	■	■	■	■■■	kcomponents.py	

```

##### matching.py
##### maxcut.py
##### ramsey.py
##### steinertree.py
##### tests
##### __init__.py
##### __pycache__
#####   ##### __init__.cpython-311.pyc
#####   ##### test_approx_clust_coeff.cpython-311.pyc
#####   ##### test_clique.cpython-311.pyc
#####   ##### test_connectivity.cpython-311.pyc
#####   ##### test_distance_measures.cpython-311.pyc
#####   ##### test_dominating_set.cpython-311.pyc
#####   ##### test_kcomponents.cpython-311.pyc
#####   ##### test_matching.cpython-311.pyc
#####   ##### test_maxcut.cpython-311.pyc
#####   ##### test_ramsey.cpython-311.pyc
#####   ##### test_steinertree.cpython-311.pyc
#####   ##### test_traveling_salesman.cpython-311.pyc
#####   ##### test_treewidth.cpython-311.pyc
#####   ##### test_vertex_cover.cpython-311.pyc
##### test_approx_clust_coeff.py
##### test_clique.py
##### test_connectivity.py
##### test_distance_measures.py
##### test_dominating_set.py
##### test_kcomponents.py
##### test_matching.py
##### test_maxcut.py
##### test_ramsey.py
##### test_steinertree.py
##### test_traveling_salesman.py
##### test_treewidth.py
##### test_vertex_cover.py
##### traveling_salesman.py
##### treewidth.py
##### vertex_cover.py
##### assortativity
##### __init__.py
##### __pycache__
#####   ##### __init__.cpython-311.pyc
#####   ##### connectivity.cpython-311.pyc
#####   ##### correlation.cpython-311.pyc
#####   ##### mixing.cpython-311.pyc
#####   ##### neighbor_degree.cpython-311.pyc
#####   ##### pairs.cpython-311.pyc
##### connectivity.py
##### correlation.py
##### mixing.py
##### neighbor_degree.py
##### pairs.py
##### tests
##### __init__.py
##### __pycache__
#####   ##### __init__.cpython-311.pyc
#####   ##### base_test.cpython-311.pyc
#####   ##### test_connectivity.cpython-311.pyc
#####   ##### test_correlation.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_matrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_project.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_redundancy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_spectral_bipartivity.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ boundary.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ bridges.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ centrality
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ betweenness.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ betweenness_subset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ closeness.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_betweenness.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_betweenness_subset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_closeness.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ degree_alg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispersion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ eigenvector.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ flow_matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ harmonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ katz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ load.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ percolation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ reaching.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ second_order.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ subgraph_alg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ trophic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ voterank_alg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ betweenness.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ betweenness_subset.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ closeness.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_betweenness.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_betweenness_subset.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ current_flow_closeness.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ degree_alg.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispersion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ eigenvector.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ flow_matrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ group.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ harmonic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ katz.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ load.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ percolation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ reaching.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ second_order.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ subgraph_alg.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_betweenness_centrality.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_betweenness_centrality_subset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_closeness_centrality.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_current_flow_betweenness_centrality.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_current_flow_betweenness_centrality_subset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_current_flow_closeness.cpython-311.pyc
```

```

test_degree centrality.cpython-311.pyc
test_dispersion.cpython-311.pyc
test_eigenvector centrality.cpython-311.pyc
test_group.cpython-311.pyc
test_harmonic centrality.cpython-311.pyc
test_katz centrality.cpython-311.pyc
test_load centrality.cpython-311.pyc
test_percolation centrality.cpython-311.pyc
test_reaching.cpython-311.pyc
test_second_order centrality.cpython-311.pyc
test_subgraph.cpython-311.pyc
test_trophic.cpython-311.pyc
test_voterank.cpython-311.pyc
test_betweenness centrality.py
test_betweenness centrality_subset.py
test_closeness centrality.py
test_current_flow_betweenness centrality.py
test_current_flow_betweenness centrality_subset.py
test_current_flow_closeness.py
test_degree centrality.py
test_dispersion.py
test_eigenvector centrality.py
test_group.py
test_harmonic centrality.py
test_katz centrality.py
test_load centrality.py
test_percolation centrality.py
test_reaching.py
test_second_order centrality.py
test_subgraph.py
test_trophic.py
test_voterank.py
trophic.py
voterank_alg.py
chains.py
chordal.py
clique.py
cluster.py
coloring
__init__.py
__pycache__
__init__.cpython-311.pyc
equitable_coloring.cpython-311.pyc
greedy_coloring.cpython-311.pyc
equitable_coloring.py
greedy_coloring.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_coloring.cpython-311.pyc
test_coloring.py
communicability_alg.py
community
__init__.py
__pycache__
__init__.cpython-311.pyc
asyn_fluid.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ centrality.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ community_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ kclique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ kernighan_lin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ label_propagation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ louvain.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ lukes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ modularity_max.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ quality.cpython-311.pyc
■ ■ ■ ■ asyn_fluid.py
■ ■ ■ ■ centrality.py
■ ■ ■ ■ community_utils.py
■ ■ ■ ■ kclique.py
■ ■ ■ ■ kernighan_lin.py
■ ■ ■ ■ label_propagation.py
■ ■ ■ ■ louvain.py
■ ■ ■ ■ lukes.py
■ ■ ■ ■ modularity_max.py
■ ■ ■ ■ quality.py
■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_asyn_fluid.cpython-311.pyc
■ ■ ■ ■ test_centrality.cpython-311.pyc
■ ■ ■ ■ test_kclique.cpython-311.pyc
■ ■ ■ ■ test_kernighan_lin.cpython-311.pyc
■ ■ ■ ■ test_label_propagation.cpython-311.pyc
■ ■ ■ ■ test_louvain.cpython-311.pyc
■ ■ ■ ■ test_lukes.cpython-311.pyc
■ ■ ■ ■ test_modularity_max.cpython-311.pyc
■ ■ ■ ■ test_quality.cpython-311.pyc
■ ■ ■ ■ test_utils.cpython-311.pyc
■ ■ ■ ■ test_asyn_fluid.py
■ ■ ■ ■ test_centrality.py
■ ■ ■ ■ test_kclique.py
■ ■ ■ ■ test_kernighan_lin.py
■ ■ ■ ■ test_label_propagation.py
■ ■ ■ ■ test_louvain.py
■ ■ ■ ■ test_lukes.py
■ ■ ■ ■ test_modularity_max.py
■ ■ ■ ■ test_quality.py
■ ■ ■ ■ test_utils.py
■ ■ ■ components
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ attracting.cpython-311.pyc
■ ■ ■ ■ biconnected.cpython-311.pyc
■ ■ ■ ■ connected.cpython-311.pyc
■ ■ ■ ■ semiconnected.cpython-311.pyc
■ ■ ■ ■ strongly_connected.cpython-311.pyc
■ ■ ■ ■ weakly_connected.cpython-311.pyc
■ ■ ■ ■ attracting.py
■ ■ ■ ■ biconnected.py
■ ■ ■ ■ connected.py
■ ■ ■ ■ semiconnected.py
■ ■ ■ ■ strongly_connected.py

```

```

tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_attracting.cpython-311.pyc
    test_biconnected.cpython-311.pyc
    test_connected.cpython-311.pyc
    test_semiconnected.cpython-311.pyc
    test_strongly_connected.cpython-311.pyc
    test_weakly_connected.cpython-311.pyc
  test_attracting.py
  test_biconnected.py
  test_connected.py
  test_semiconnected.py
  test_strongly_connected.py
  test_weakly_connected.py
  weakly_connected.py
connectivity
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    connectivity.cpython-311.pyc
    cuts.cpython-311.pyc
    disjoint_paths.cpython-311.pyc
    edge_augmentation.cpython-311.pyc
    edge_kcomponents.cpython-311.pyc
    kcomponents.cpython-311.pyc
    kcutsets.cpython-311.pyc
    stoerwagner.cpython-311.pyc
    utils.cpython-311.pyc
  connectivity.py
  cuts.py
  disjoint_paths.py
  edge_augmentation.py
  edge_kcomponents.py
  kcomponents.py
  kcutsets.py
  stoerwagner.py
  tests
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      test_connectivity.cpython-311.pyc
      test_cuts.cpython-311.pyc
      test_disjoint_paths.cpython-311.pyc
      test_edge_augmentation.cpython-311.pyc
      test_edge_kcomponents.cpython-311.pyc
      test_kcomponents.cpython-311.pyc
      test_kcutsets.cpython-311.pyc
      test_stoer_wagner.cpython-311.pyc
    test_connectivity.py
    test_cuts.py
    test_disjoint_paths.py
    test_edge_augmentation.py
    test_edge_kcomponents.py
    test_kcomponents.py
    test_kcutsets.py
    test_stoer_wagner.py

```


[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ ■ graphical.py
■ ■ ■ ■ ■ ■ ■ ■ ■ hierarchy.py
■ ■ ■ ■ ■ ■ ■ ■ ■ hybrid.py
■ ■ ■ ■ ■ ■ ■ ■ ■ isolate.py
■ ■ ■ ■ ■ ■ ■ ■ ■ isomorphism
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ismags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ isomorph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ isomorphvf2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ matchhelpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ temporalisomorphvf2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tree_isomorphism.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ vf2userfunc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ismags.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ isomorph.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ isomorphvf2.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ matchhelpers.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ temporalisomorphvf2.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ismags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_isomorphism.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_isomorphvf2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_match_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_temporalisomorphvf2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_tree_isomorphism.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_vf2userfunc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ iso_r01_s80.A99
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ iso_r01_s80.B99
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ si2_b06_m200.A99
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ si2_b06_m200.B99
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ismags.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_isomorphism.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_isomorphvf2.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_match_helpers.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_temporalisomorphvf2.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_tree_isomorphism.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_vf2userfunc.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tree_isomorphism.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ vf2userfunc.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ link_analysis
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ hits_alg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pagerank_alg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ hits_alg.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pagerank_alg.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_hits.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pagerank.cpython-311.pyc

```

```

test_hits.py
test_pagerank.py
link_prediction.py
lowest_common_ancestors.py
matching.py
minors
__init__.py
__pycache__
__init__.cpython-311.pyc
contraction.cpython-311.pyc
contraction.py
tests
__pycache__
test_contraction.cpython-311.pyc
test_contraction.py
mis.py
moral.py
node_classification
__init__.py
__pycache__
__init__.cpython-311.pyc
hmn.cpython-311.pyc
lgc.cpython-311.pyc
utils.cpython-311.pyc
hmn.py
lgc.py
utils.py
non_randomness.py
operators
__init__.py
__pycache__
__init__.cpython-311.pyc
all.cpython-311.pyc
binary.cpython-311.pyc
product.cpython-311.pyc
unary.cpython-311.pyc
all.py
binary.py
product.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_all.cpython-311.pyc
test_binary.cpython-311.pyc
test_product.cpython-311.pyc
test_unary.cpython-311.pyc
test_all.py
test_binary.py
test_product.py
test_unary.py
unary.py
planar_drawing.py
planarity.py
polynomials.py
reciprocity.py
regular.py
richclub.py

```

```

shortest_paths
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    astar.cpython-311.pyc
    dense.cpython-311.pyc
    generic.cpython-311.pyc
    unweighted.cpython-311.pyc
    weighted.cpython-311.pyc
    astar.py
    dense.py
    generic.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_astar.cpython-311.pyc
    test_dense.cpython-311.pyc
    test_dense_numpy.cpython-311.pyc
    test_generic.cpython-311.pyc
    test_unweighted.cpython-311.pyc
    test_weighted.cpython-311.pyc
    test_astar.py
    test_dense.py
    test_dense_numpy.py
    test_generic.py
    test_unweighted.py
    test_weighted.py
    unweighted.py
    weighted.py
similarity.py
simple_paths.py
smallworld.py
smetric.py
sparsifiers.py
structuralholes.py
summarization.py
swap.py
tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_asteroidal.cpython-311.pyc
    test_boundary.cpython-311.pyc
    test_bridges.cpython-311.pyc
    test_chains.cpython-311.pyc
    test_chordal.cpython-311.pyc
    test_clique.cpython-311.pyc
    test_cluster.cpython-311.pyc
    test_communicability.cpython-311.pyc
    test_core.cpython-311.pyc
    test_covering.cpython-311.pyc
    test_cuts.cpython-311.pyc
    test_cycles.cpython-311.pyc
    test_d_separation.cpython-311.pyc
    test_dag.cpython-311.pyc
    test_distance_measures.cpython-311.pyc
    test_distance_regular.cpython-311.pyc

```


■	■	■	■	■	■	■	■■■	test_graph_hashing.py
■	■	■	■	■	■	■	■■■	test_graphical.py
■	■	■	■	■	■	■	■■■	test_hierarchy.py
■	■	■	■	■	■	■	■■■	test_hybrid.py
■	■	■	■	■	■	■	■■■	test_isolate.py
■	■	■	■	■	■	■	■■■	test_link_prediction.py
■	■	■	■	■	■	■	■■■	test_lowest_common_ancestors.py
■	■	■	■	■	■	■	■■■	test_matching.py
■	■	■	■	■	■	■	■■■	test_max_weight_clique.py
■	■	■	■	■	■	■	■■■	test_mis.py
■	■	■	■	■	■	■	■■■	test_moral.py
■	■	■	■	■	■	■	■■■	test_node_classification.py
■	■	■	■	■	■	■	■■■	test_node_classification_deprecations.py
■	■	■	■	■	■	■	■■■	test_non_randomness.py
■	■	■	■	■	■	■	■■■	test_planar_drawing.py
■	■	■	■	■	■	■	■■■	test_planarity.py
■	■	■	■	■	■	■	■■■	test_polynomials.py
■	■	■	■	■	■	■	■■■	test_reciprocity.py
■	■	■	■	■	■	■	■■■	test_regular.py
■	■	■	■	■	■	■	■■■	test_richclub.py
■	■	■	■	■	■	■	■■■	test_similarity.py
■	■	■	■	■	■	■	■■■	test_simple_paths.py
■	■	■	■	■	■	■	■■■	test_smallworld.py
■	■	■	■	■	■	■	■■■	test_smetric.py
■	■	■	■	■	■	■	■■■	test_sparsifiers.py
■	■	■	■	■	■	■	■■■	test_structuralholes.py
■	■	■	■	■	■	■	■■■	test_summarization.py
■	■	■	■	■	■	■	■■■	test_swap.py
■	■	■	■	■	■	■	■■■	test_threshold.py
■	■	■	■	■	■	■	■■■	test_tournament.py
■	■	■	■	■	■	■	■■■	test_triads.py
■	■	■	■	■	■	■	■■■	test_vitality.py
■	■	■	■	■	■	■	■■■	test_voronoi.py
■	■	■	■	■	■	■	■■■	test_wiener.py
■	■	■	■	■	■	■■■	threshold.py	
■	■	■	■	■	■	■■■	tournament.py	
■	■	■	■	■	■	■■■	traversal	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	beamsearch.cpython-311.pyc
■	■	■	■	■	■	■	■■■	breadth_first_search.cpython-311.pyc
■	■	■	■	■	■	■	■■■	depth_first_search.cpython-311.pyc
■	■	■	■	■	■	■	■■■	edgebfs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	edgedfs.cpython-311.pyc
■	■	■	■	■	■	■■■	beamsearch.py	
■	■	■	■	■	■	■■■	breadth_first_search.py	
■	■	■	■	■	■	■■■	depth_first_search.py	
■	■	■	■	■	■	■■■	edgebfs.py	
■	■	■	■	■	■	■■■	edgedfs.py	
■	■	■	■	■	■	■■■	tests	
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_beamsearch.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_bfs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dfs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_edgebfs.cpython-311.pyc

```

    test_edgedfs.cpython-311.pyc
    test_beamsearch.py
    test_bfs.py
    test_dfs.py
    test_edgebfs.py
    test_edgedfs.py
tree
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    branchings.cpython-311.pyc
    coding.cpython-311.pyc
    decomposition.cpython-311.pyc
    mst.cpython-311.pyc
    operations.cpython-311.pyc
    recognition.cpython-311.pyc
    branchings.py
    coding.py
    decomposition.py
    mst.py
    operations.py
    recognition.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_branchings.cpython-311.pyc
    test_coding.cpython-311.pyc
    test_decomposition.cpython-311.pyc
    test_mst.cpython-311.pyc
    test_operations.cpython-311.pyc
    test_recognition.cpython-311.pyc
    test_branchings.py
    test_coding.py
    test_decomposition.py
    test_mst.py
    test_operations.py
    test_recognition.py
    triads.py
    vitality.py
    voronoi.py
    wiener.py
classes
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    coreviews.cpython-311.pyc
    digraph.cpython-311.pyc
    filters.cpython-311.pyc
    function.cpython-311.pyc
    graph.cpython-311.pyc
    graphviews.cpython-311.pyc
    multidigraph.cpython-311.pyc
    multigraph.cpython-311.pyc
    ordered.cpython-311.pyc
    reportviews.cpython-311.pyc
    coreviews.py
    digraph.py

```

```

■      ■      ■      ■      ■      ■      ■      filters.py
■      ■      ■      ■      ■      ■      ■      function.py
■      ■      ■      ■      ■      ■      ■      graph.py
■      ■      ■      ■      ■      ■      ■      graphviews.py
■      ■      ■      ■      ■      ■      ■      multidigraph.py
■      ■      ■      ■      ■      ■      ■      multigraph.py
■      ■      ■      ■      ■      ■      ■      ordered.py
■      ■      ■      ■      ■      ■      ■      reportviews.py
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      historical_tests.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_coreviews.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_digraph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_digraph_historical.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_filters.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_function.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_graph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_graph_historical.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_graphviews.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_multidigraph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_multigraph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_ordered.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_reportviews.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_special.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_subgraphviews.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      historical_tests.py
■      ■      ■      ■      ■      ■      ■      ■      test_coreviews.py
■      ■      ■      ■      ■      ■      ■      ■      test_digraph.py
■      ■      ■      ■      ■      ■      ■      ■      test_digraph_historical.py
■      ■      ■      ■      ■      ■      ■      ■      test_filters.py
■      ■      ■      ■      ■      ■      ■      ■      test_function.py
■      ■      ■      ■      ■      ■      ■      ■      test_graph.py
■      ■      ■      ■      ■      ■      ■      ■      test_graph_historical.py
■      ■      ■      ■      ■      ■      ■      ■      test_graphviews.py
■      ■      ■      ■      ■      ■      ■      ■      test_multidigraph.py
■      ■      ■      ■      ■      ■      ■      ■      test_multigraph.py
■      ■      ■      ■      ■      ■      ■      ■      test_ordered.py
■      ■      ■      ■      ■      ■      ■      ■      test_reportviews.py
■      ■      ■      ■      ■      ■      ■      ■      test_special.py
■      ■      ■      ■      ■      ■      ■      ■      test_subgraphviews.py
■      ■      ■      ■      ■      ■      ■      ■      conftest.py
■      ■      ■      ■      ■      ■      ■      ■      convert.py
■      ■      ■      ■      ■      ■      ■      ■      convert_matrix.py
■      ■      ■      ■      ■      ■      ■      ■      drawing
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      layout.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      nx_agraph.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      nx_pydot.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      nx_pylab.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      layout.py
■      ■      ■      ■      ■      ■      ■      ■      nx_agraph.py
■      ■      ■      ■      ■      ■      ■      ■      nx_pydot.py
■      ■      ■      ■      ■      ■      ■      ■      nx_pylab.py
■      ■      ■      ■      ■      ■      ■      ■      tests

```


■	■	■	■	■	■	■■■	internet_as_graphs.py	
■	■	■	■	■	■	■■■	intersection.py	
■	■	■	■	■	■	■■■	interval_graph.py	
■	■	■	■	■	■	■■■	joint_degree_seq.py	
■	■	■	■	■	■	■■■	lattice.py	
■	■	■	■	■	■	■■■	line.py	
■	■	■	■	■	■	■■■	mycielski.py	
■	■	■	■	■	■	■■■	nonisomorphic_trees.py	
■	■	■	■	■	■	■■■	random_clustered.py	
■	■	■	■	■	■	■■■	random_graphs.py	
■	■	■	■	■	■	■■■	small.py	
■	■	■	■	■	■	■■■	social.py	
■	■	■	■	■	■	■■■	spectral_graph_forge.py	
■	■	■	■	■	■	■■■	stochastic.py	
■	■	■	■	■	■	■■■	sudoku.py	
■	■	■	■	■	■	■■■	tests	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_atlas.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_classic.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cographs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_community.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_degree_seq.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_directed.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_duplication.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ego.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_expanders.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_geometric.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_harary_graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_internet_as_graphs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_intersection.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_interval_graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_joint_degree_seq.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_lattice.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_line.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mycielski.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_nonisomorphic_trees.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_random_clustered.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_random_graphs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_small.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_spectral_graph_forge.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_stochastic.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sudoku.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_trees.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_triads.cpython-311.pyc
■	■	■	■	■	■	■■■	test_atlas.py	
■	■	■	■	■	■	■■■	test_classic.py	
■	■	■	■	■	■	■■■	test_cographs.py	
■	■	■	■	■	■	■■■	test_community.py	
■	■	■	■	■	■	■■■	test_degree_seq.py	
■	■	■	■	■	■	■■■	test_directed.py	
■	■	■	■	■	■	■■■	test_duplication.py	
■	■	■	■	■	■	■■■	test_ego.py	
■	■	■	■	■	■	■■■	test_expanders.py	
■	■	■	■	■	■	■■■	test_geometric.py	
■	■	■	■	■	■	■■■	test_harary_graph.py	
■	■	■	■	■	■	■■■	test_internet_as_graphs.py	

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_intersection.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_interval_graph.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_joint_degree_seq.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_lattice.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_line.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_mycielski.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_nonisomorphic_trees.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_random_clustered.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_random_graphs.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_small.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_spectral_graph_forge.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_stochastic.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sudoku.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_trees.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_triads.py
■ ■ ■ ■ ■ ■ ■ ■■■ trees.py
■ ■ ■ ■ ■ ■ ■ ■■■ triads.py
■ ■ ■ ■ ■ ■ ■■■■ lazy_imports.py
■ ■ ■ ■ ■ ■ ■■■■ linalg
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ algebraicconnectivity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ attrmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bethehessianmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ graphmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ laplacianmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ modularitymatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ spectrum.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ algebraicconnectivity.py
■ ■ ■ ■ ■ ■ ■■■■ attrmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ bethehessianmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ graphmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ laplacianmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ modularitymatrix.py
■ ■ ■ ■ ■ ■ ■■■■ spectrum.py
■ ■ ■ ■ ■ ■ ■■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_algebraic_connectivity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_attrmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_bethehessian.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_graphmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_laplacian.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modularity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_spectrum.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_algebraic_connectivity.py
■ ■ ■ ■ ■ ■ ■■■■ test_attrmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ test_bethehessian.py
■ ■ ■ ■ ■ ■ ■■■■ test_graphmatrix.py
■ ■ ■ ■ ■ ■ ■■■■ test_laplacian.py
■ ■ ■ ■ ■ ■ ■■■■ test_modularity.py
■ ■ ■ ■ ■ ■ ■■■■ test_spectrum.py
■ ■ ■ ■ ■ ■ ■■■■ readwrite
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■■■■ adjlist.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ edgelist.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ gexf.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ gml.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ gpickle.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ graph6.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ graphml.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ leda.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ multiline_adjlist.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ nx_shp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ nx_yaml.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ p2g.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ pajek.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ sparse6.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ text.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ adjlist.py
■      ■      ■      ■      ■      ■      ■■■■ edgelist.py
■      ■      ■      ■      ■      ■      ■■■■ gexf.py
■      ■      ■      ■      ■      ■      ■■■■ gml.py
■      ■      ■      ■      ■      ■      ■■■■ gpickle.py
■      ■      ■      ■      ■      ■      ■■■■ graph6.py
■      ■      ■      ■      ■      ■      ■■■■ graphml.py
■      ■      ■      ■      ■      ■      ■■■■ json_graph
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ adjacency.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ cytoscape.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ jit.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ node_link.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ tree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ adjacency.py
■      ■      ■      ■      ■      ■      ■■■■ cytoscape.py
■      ■      ■      ■      ■      ■      ■■■■ jit.py
■      ■      ■      ■      ■      ■      ■■■■ node_link.py
■      ■      ■      ■      ■      ■      ■■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_adjacency.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_cytoscape.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_jit.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_node_link.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_tree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_adjacency.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cytoscape.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_jit.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_node_link.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_tree.py
■      ■      ■      ■      ■      ■      ■■■■ tree.py
■      ■      ■      ■      ■      ■      ■■■■ leda.py
■      ■      ■      ■      ■      ■      ■■■■ multiline_adjlist.py
■      ■      ■      ■      ■      ■      ■■■■ nx_shp.py
■      ■      ■      ■      ■      ■      ■■■■ nx_yaml.py
■      ■      ■      ■      ■      ■      ■■■■ p2g.py
■      ■      ■      ■      ■      ■      ■■■■ pajek.py
■      ■      ■      ■      ■      ■      ■■■■ sparse6.py
■      ■      ■      ■      ■      ■      ■■■■ tests

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_adjlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_edgelist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_getattr_nxyaml_removal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_gexf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_gml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_gpickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_graph6.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_graphml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_leda.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_p2g.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pajek.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_shp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sparse6.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_adjlist.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_edgelist.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_getattr_nxyaml_removal.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_gexf.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_gml.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_gpickle.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_graph6.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_graphml.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_leda.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_p2g.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pajek.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_shp.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sparse6.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_text.py
■ ■ ■ ■ ■ ■ ■ ■■■ text.py
■ ■ ■ ■ ■ ■ ■ ■■■ relabel.py
■ ■ ■ ■ ■ ■ ■ ■■■ testing
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_all_random_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_convert.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_convert_numpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_convert_pandas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_convert_scipy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_import.cpython-311.pyc
```



```

■■■ __init__.cpython-311.pyc
■■■ api.cpython-311.pyc
■■■ chart.cpython-311.pyc
■■■ combinator.cpython-311.pyc
■■■ lexicon.cpython-311.pyc
■■■ logic.cpython-311.pyc
■■■ api.py
■■■ chart.py
■■■ combinator.py
■■■ lexicon.py
■■■ logic.py
■■■ chat
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ eliza.cpython-311.pyc
■■■ iesha.cpython-311.pyc
■■■ rude.cpython-311.pyc
■■■ suntsu.cpython-311.pyc
■■■ util.cpython-311.pyc
■■■ zen.cpython-311.pyc
■■■ eliza.py
■■■ iesha.py
■■■ rude.py
■■■ suntsu.py
■■■ util.py
■■■ zen.py
■■■ chunk
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ api.cpython-311.pyc
■■■ named_entity.cpython-311.pyc
■■■ regexp.cpython-311.pyc
■■■ util.cpython-311.pyc
■■■ api.py
■■■ named_entity.py
■■■ regexp.py
■■■ util.py
■■■ classify
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ api.cpython-311.pyc
■■■ decisiontree.cpython-311.pyc
■■■ maxent.cpython-311.pyc
■■■ megam.cpython-311.pyc
■■■ naivebayes.cpython-311.pyc
■■■ positivenaivebayes.cpython-311.pyc
■■■ rte_classify.cpython-311.pyc
■■■ scikitlearn.cpython-311.pyc
■■■ senna.cpython-311.pyc
■■■ svm.cpython-311.pyc
■■■ tadm.cpython-311.pyc
■■■ textcat.cpython-311.pyc
■■■ util.cpython-311.pyc
■■■ weka.cpython-311.pyc
■■■ api.py
```


■	■	■	■	■	■	■■■	decisiontree.py
■	■	■	■	■	■	■■■	maxent.py
■	■	■	■	■	■	■■■	megam.py
■	■	■	■	■	■	■■■	naivebayes.py
■	■	■	■	■	■	■■■	positivenaivebayes.py
■	■	■	■	■	■	■■■	rte_classify.py
■	■	■	■	■	■	■■■	scikitlearn.py
■	■	■	■	■	■	■■■	senna.py
■	■	■	■	■	■	■■■	svm.py
■	■	■	■	■	■	■■■	tadm.py
■	■	■	■	■	■	■■■	textcat.py
■	■	■	■	■	■	■■■	util.py
■	■	■	■	■	■	■■■	weka.py
■	■	■	■	■	■■■	cli.py	
■	■	■	■	■	■■■	cluster	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	api.cpython-311.pyc
■	■	■	■	■	■	■■■	em.cpython-311.pyc
■	■	■	■	■	■	■■■	gaac.cpython-311.pyc
■	■	■	■	■	■	■■■	kmeans.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■■■	api.py	
■	■	■	■	■	■■■	em.py	
■	■	■	■	■	■■■	gaac.py	
■	■	■	■	■	■■■	kmeans.py	
■	■	■	■	■	■■■	util.py	
■	■	■	■	■	■■■	collections.py	
■	■	■	■	■	■■■	collocations.py	
■	■	■	■	■	■■■	compat.py	
■	■	■	■	■	■■■	corpus	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	europarl_raw.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■■■	europarl_raw.py	
■	■	■	■	■	■■■	reader	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	aligned.cpython-311.pyc
■	■	■	■	■	■	■■■	api.cpython-311.pyc
■	■	■	■	■	■	■■■	bcp47.cpython-311.pyc
■	■	■	■	■	■	■■■	bnc.cpython-311.pyc
■	■	■	■	■	■	■■■	bracket_parse.cpython-311.pyc
■	■	■	■	■	■	■■■	categorized_sents.cpython-311.pyc
■	■	■	■	■	■	■■■	chasen.cpython-311.pyc
■	■	■	■	■	■	■■■	childes.cpython-311.pyc
■	■	■	■	■	■	■■■	chunked.cpython-311.pyc
■	■	■	■	■	■	■■■	cmudict.cpython-311.pyc
■	■	■	■	■	■	■■■	comparative_sents.cpython-311.pyc
■	■	■	■	■	■	■■■	conll.cpython-311.pyc
■	■	■	■	■	■	■■■	crubadan.cpython-311.pyc
■	■	■	■	■	■	■■■	dependency.cpython-311.pyc
■	■	■	■	■	■	■■■	framenet.cpython-311.pyc
■	■	■	■	■	■	■■■	ieer.cpython-311.pyc

■	■	■	■	■	■	■	■	■■■	indian.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	ipipan.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	knbc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	lin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	markdown.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	mte.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	nkjp.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	nombank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	nps_chat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	opinion_lexicon.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	panlex_lite.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	panlex_swadesh.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	pl196x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	plaintext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	ppattach.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	propbank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	pros_cons.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	reviews.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	rte.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	semcor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	senseval.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	sentiwordnet.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	sinica_treebank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	string_category.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	switchboard.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	tagged.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	timit.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	toolbox.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	twitter.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	udhr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	verbnet.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	wordlist.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	wordnet.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	xmldocs.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	ycoe.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	aligned.py
■	■	■	■	■	■	■	■	■■■	api.py
■	■	■	■	■	■	■	■	■■■	bcp47.py
■	■	■	■	■	■	■	■	■■■	bnc.py
■	■	■	■	■	■	■	■	■■■	bracket_parse.py
■	■	■	■	■	■	■	■	■■■	categorized_sents.py
■	■	■	■	■	■	■	■	■■■	chasen.py
■	■	■	■	■	■	■	■	■■■	childes.py
■	■	■	■	■	■	■	■	■■■	chunked.py
■	■	■	■	■	■	■	■	■■■	cmudict.py
■	■	■	■	■	■	■	■	■■■	comparative_sents.py
■	■	■	■	■	■	■	■	■■■	conll.py
■	■	■	■	■	■	■	■	■■■	crubadan.py
■	■	■	■	■	■	■	■	■■■	dependency.py
■	■	■	■	■	■	■	■	■■■	framenet.py
■	■	■	■	■	■	■	■	■■■	ieer.py
■	■	■	■	■	■	■	■	■■■	indian.py
■	■	■	■	■	■	■	■	■■■	ipipan.py
■	■	■	■	■	■	■	■	■■■	knbc.py
■	■	■	■	■	■	■	■	■■■	lin.py
■	■	■	■	■	■	■	■	■■■	markdown.py
■	■	■	■	■	■	■	■	■■■	mte.py

■	■	■	■	■	■	■	■■■ nkjp.py
■	■	■	■	■	■	■	■■■ nombank.py
■	■	■	■	■	■	■	■■■ nps_chat.py
■	■	■	■	■	■	■	■■■ opinion_lexicon.py
■	■	■	■	■	■	■	■■■ panlex_lite.py
■	■	■	■	■	■	■	■■■ panlex_swadesh.py
■	■	■	■	■	■	■	■■■ pl196x.py
■	■	■	■	■	■	■	■■■ plaintext.py
■	■	■	■	■	■	■	■■■ ppattach.py
■	■	■	■	■	■	■	■■■ propbank.py
■	■	■	■	■	■	■	■■■ pros_cons.py
■	■	■	■	■	■	■	■■■ reviews.py
■	■	■	■	■	■	■	■■■ rte.py
■	■	■	■	■	■	■	■■■ semcor.py
■	■	■	■	■	■	■	■■■ senseval.py
■	■	■	■	■	■	■	■■■ sentiwordnet.py
■	■	■	■	■	■	■	■■■ sinica_treebank.py
■	■	■	■	■	■	■	■■■ string_category.py
■	■	■	■	■	■	■	■■■ switchboard.py
■	■	■	■	■	■	■	■■■ tagged.py
■	■	■	■	■	■	■	■■■ timit.py
■	■	■	■	■	■	■	■■■ toolbox.py
■	■	■	■	■	■	■	■■■ twitter.py
■	■	■	■	■	■	■	■■■ udhr.py
■	■	■	■	■	■	■	■■■ util.py
■	■	■	■	■	■	■	■■■ verbnet.py
■	■	■	■	■	■	■	■■■ wordlist.py
■	■	■	■	■	■	■	■■■ wordnet.py
■	■	■	■	■	■	■	■■■ xmldocs.py
■	■	■	■	■	■	■	■■■ ycoe.py
■	■	■	■	■	■	■■■	util.py
■	■	■	■	■	■■■		data.py
■	■	■	■	■	■■■		decorators.py
■	■	■	■	■	■■■		downloader.py
■	■	■	■	■	■■■		draw
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	cfg.cpython-311.pyc
■	■	■	■	■	■	■■■	dispersion.cpython-311.pyc
■	■	■	■	■	■	■■■	table.cpython-311.pyc
■	■	■	■	■	■	■■■	tree.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■■■		cfg.py
■	■	■	■	■	■■■		dispersion.py
■	■	■	■	■	■■■		table.py
■	■	■	■	■	■■■		tree.py
■	■	■	■	■	■■■		util.py
■	■	■	■	■	■■■		featstruct.py
■	■	■	■	■	■■■		grammar.py
■	■	■	■	■	■■■		help.py
■	■	■	■	■	■■■		inference
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	api.cpython-311.pyc
■	■	■	■	■	■	■■■	discourse.cpython-311.pyc
■	■	■	■	■	■	■■■	mace.cpython-311.pyc

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ babelfish.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chomsky.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ minimalset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ wordfinder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ babelfish.py
■ ■ ■ ■ ■ ■ ■ ■■■ chomsky.py
■ ■ ■ ■ ■ ■ ■ ■■■ minimalset.py
■ ■ ■ ■ ■ ■ ■ ■■■ sort.py
■ ■ ■ ■ ■ ■ ■ ■■■ wordfinder.py
■ ■ ■ ■ ■ ■ ■ ■■■ parse
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bllip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ corenlp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dependencygraph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ earleychart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ evaluate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ featurechart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ generate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ malt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nonprojectivedependencyparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pchart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ projectivedependencyparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ recursivedescent.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shiftreduce.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stanford.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ transitionparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ viterbi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.py
■ ■ ■ ■ ■ ■ ■ ■■■ bllip.py
■ ■ ■ ■ ■ ■ ■ ■■■ chart.py
■ ■ ■ ■ ■ ■ ■ ■■■ corenlp.py
■ ■ ■ ■ ■ ■ ■ ■■■ dependencygraph.py
■ ■ ■ ■ ■ ■ ■ ■■■ earleychart.py
■ ■ ■ ■ ■ ■ ■ ■■■ evaluate.py
■ ■ ■ ■ ■ ■ ■ ■■■ featurechart.py
■ ■ ■ ■ ■ ■ ■ ■■■ generate.py
■ ■ ■ ■ ■ ■ ■ ■■■ malt.py
■ ■ ■ ■ ■ ■ ■ ■■■ nonprojectivedependencyparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ pchart.py
■ ■ ■ ■ ■ ■ ■ ■■■ projectivedependencyparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ recursivedescent.py
■ ■ ■ ■ ■ ■ ■ ■■■ shiftreduce.py
■ ■ ■ ■ ■ ■ ■ ■■■ stanford.py
■ ■ ■ ■ ■ ■ ■ ■■■ transitionparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ viterbi.py
■ ■ ■ ■ ■ ■ ■ ■■■ probability.py
■ ■ ■ ■ ■ ■ ■ ■■■ sem
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ boxer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chat80.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cooper_storage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ drt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ drt_glue_demo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ evaluate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ glue.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hole.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lfg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ linearlogic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ logic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ relextract.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ skolemize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ boxer.py
■ ■ ■ ■ ■ ■ ■ ■■■ chat80.py
■ ■ ■ ■ ■ ■ ■ ■■■ cooper_storage.py
■ ■ ■ ■ ■ ■ ■ ■■■ drt.py
■ ■ ■ ■ ■ ■ ■ ■■■ drt_glue_demo.py
■ ■ ■ ■ ■ ■ ■ ■■■ evaluate.py
■ ■ ■ ■ ■ ■ ■ ■■■ glue.py
■ ■ ■ ■ ■ ■ ■ ■■■ hole.py
■ ■ ■ ■ ■ ■ ■ ■■■ lfg.py
■ ■ ■ ■ ■ ■ ■ ■■■ linearlogic.py
■ ■ ■ ■ ■ ■ ■ ■■■ logic.py
■ ■ ■ ■ ■ ■ ■ ■■■ relextract.py
■ ■ ■ ■ ■ ■ ■ ■■■ skolemize.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ sentiment
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sentiment_analyzer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sentiment_analyzer.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ vader.py
■ ■ ■ ■ ■ ■ ■ ■■■ stem
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arlstem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arlstem2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cistem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ isri.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lancaster.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ porter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ regexp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rslp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ snowball.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ wordnet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ api.py
■ ■ ■ ■ ■ ■ ■ ■■■ arlstem.py
■ ■ ■ ■ ■ ■ ■ ■■■ arlstem2.py
■ ■ ■ ■ ■ ■ ■ ■■■ cistem.py

```

```

■ ■ ■ isri.py
■ ■ ■ lancaster.py
■ ■ ■ porter.py
■ ■ ■ regexp.py
■ ■ ■ rslp.py
■ ■ ■ snowball.py
■ ■ ■ util.py
■ ■ ■ wordnet.py
■ ■ ■ tabdata.py
■ ■ ■ tag
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ api.cpython-311.pyc
■ ■ ■ brill.cpython-311.pyc
■ ■ ■ brill_trainer.cpython-311.pyc
■ ■ ■ crf.cpython-311.pyc
■ ■ ■ hmm.cpython-311.pyc
■ ■ ■ hunpos.cpython-311.pyc
■ ■ ■ mapping.cpython-311.pyc
■ ■ ■ perceptron.cpython-311.pyc
■ ■ ■ senna.cpython-311.pyc
■ ■ ■ sequential.cpython-311.pyc
■ ■ ■ stanford.cpython-311.pyc
■ ■ ■ tnt.cpython-311.pyc
■ ■ ■ util.cpython-311.pyc
■ ■ ■ api.py
■ ■ ■ brill.py
■ ■ ■ brill_trainer.py
■ ■ ■ crf.py
■ ■ ■ hmm.py
■ ■ ■ hunpos.py
■ ■ ■ mapping.py
■ ■ ■ perceptron.py
■ ■ ■ senna.py
■ ■ ■ sequential.py
■ ■ ■ stanford.py
■ ■ ■ tnt.py
■ ■ ■ util.py
■ ■ ■ tbl
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ api.cpython-311.pyc
■ ■ ■ demo.cpython-311.pyc
■ ■ ■ erroranalysis.cpython-311.pyc
■ ■ ■ feature.cpython-311.pyc
■ ■ ■ rule.cpython-311.pyc
■ ■ ■ template.cpython-311.pyc
■ ■ ■ api.py
■ ■ ■ demo.py
■ ■ ■ erroranalysis.py
■ ■ ■ feature.py
■ ■ ■ rule.py
■ ■ ■ template.py
■ ■ ■ test
■ ■ ■ __init__.py
■ ■ ■ __pycache__

```

■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	all.cpython-311.pyc
■	■	■	■	■	■	■■■	childes_fixt.cpython-311.pyc
■	■	■	■	■	■	■■■	classify_fixt.cpython-311.pyc
■	■	■	■	■	■	■■■	conftest.cpython-311.pyc
■	■	■	■	■	■	■■■	gensim_fixt.cpython-311.pyc
■	■	■	■	■	■	■■■	gluesemantics_malt_fixt.cpython-311.pyc
■	■	■	■	■	■	■■■	portuguese_en_fixt.cpython-311.pyc
■	■	■	■	■	■	■■■	probability_fixt.cpython-311.pyc
■	■	■	■	■	■	■■■	setup_fixt.cpython-311.pyc
■	■	■	■	■	■	■■■	all.py
■	■	■	■	■	■	■■■	bleu.doctest
■	■	■	■	■	■	■■■	bnc.doctest
■	■	■	■	■	■	■■■	cgc.doctest
■	■	■	■	■	■	■■■	cgc_semantics.doctest
■	■	■	■	■	■	■■■	chat80.doctest
■	■	■	■	■	■	■■■	childes.doctest
■	■	■	■	■	■	■■■	childes_fixt.py
■	■	■	■	■	■	■■■	chunk.doctest
■	■	■	■	■	■	■■■	classify.doctest
■	■	■	■	■	■	■■■	classify_fixt.py
■	■	■	■	■	■	■■■	collections.doctest
■	■	■	■	■	■	■■■	collocations.doctest
■	■	■	■	■	■	■■■	concordance.doctest
■	■	■	■	■	■	■■■	conftest.py
■	■	■	■	■	■	■■■	corpus.doctest
■	■	■	■	■	■	■■■	crubadan.doctest
■	■	■	■	■	■	■■■	data.doctest
■	■	■	■	■	■	■■■	dependency.doctest
■	■	■	■	■	■	■■■	discourse.doctest
■	■	■	■	■	■	■■■	drt.doctest
■	■	■	■	■	■	■■■	featgram.doctest
■	■	■	■	■	■	■■■	featstruct.doctest
■	■	■	■	■	■	■■■	framenet.doctest
■	■	■	■	■	■	■■■	generate.doctest
■	■	■	■	■	■	■■■	gensim.doctest
■	■	■	■	■	■	■■■	gensim_fixt.py
■	■	■	■	■	■	■■■	gluesemantics.doctest
■	■	■	■	■	■	■■■	gluesemantics_malt.doctest
■	■	■	■	■	■	■■■	gluesemantics_malt_fixt.py
■	■	■	■	■	■	■■■	grammar.doctest
■	■	■	■	■	■	■■■	grammartestsuites.doctest
■	■	■	■	■	■	■■■	index.doctest
■	■	■	■	■	■	■■■	inference.doctest
■	■	■	■	■	■	■■■	internals.doctest
■	■	■	■	■	■	■■■	japanese.doctest
■	■	■	■	■	■	■■■	lm.doctest
■	■	■	■	■	■	■■■	logic.doctest
■	■	■	■	■	■	■■■	meteor.doctest
■	■	■	■	■	■	■■■	metrics.doctest
■	■	■	■	■	■	■■■	misc.doctest
■	■	■	■	■	■	■■■	nonmonotonic.doctest
■	■	■	■	■	■	■■■	paice.doctest
■	■	■	■	■	■	■■■	parse.doctest
■	■	■	■	■	■	■■■	portuguese_en.doctest
■	■	■	■	■	■	■■■	portuguese_en_fixt.py
■	■	■	■	■	■	■■■	probability.doctest
■	■	■	■	■	■	■■■	probability_fixt.py


```

■ ■ ■ ■ ■ ■ ■■■ propbank.doctest
■ ■ ■ ■ ■ ■ ■■■ relextract.doctest
■ ■ ■ ■ ■ ■ ■■■ resolution.doctest
■ ■ ■ ■ ■ ■ ■■■ semantics.doctest
■ ■ ■ ■ ■ ■ ■■■ sentiment.doctest
■ ■ ■ ■ ■ ■ ■■■ sentiwordnet.doctest
■ ■ ■ ■ ■ ■ ■■■ setup_fixt.py
■ ■ ■ ■ ■ ■ ■■■ simple.doctest
■ ■ ■ ■ ■ ■ ■■■ stem.doctest
■ ■ ■ ■ ■ ■ ■■■ tag.doctest
■ ■ ■ ■ ■ ■ ■■■ tokenize.doctest
■ ■ ■ ■ ■ ■ ■■■ toolbox.doctest
■ ■ ■ ■ ■ ■ ■■■ translate.doctest
■ ■ ■ ■ ■ ■ ■■■ tree.doctest
■ ■ ■ ■ ■ ■ ■■■ treeprettyprinter.doctest
■ ■ ■ ■ ■ ■ ■■■ treetransforms.doctest
■ ■ ■ ■ ■ ■ ■■■ unit
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_aline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_bllip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_brill.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_cfd_mutation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_cfg2chomsky.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_chunk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_classify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_collocations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_concordance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_corenlp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_corpora.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_corpus_views.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_disagreement.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_distance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_downloader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_freqdist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_hmm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_json2csv_corpus.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_json_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_metrics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_naivebayes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_nombank.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_pl196x.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_pos_tag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_ribes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_rte_classify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_seekable_unicode_stream_reader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_senna.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_stem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_tag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_tgrep.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_tokenize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_twitter_auth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_wordnet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ lm
■ ■ ■ ■ ■ ■ ■■■ __init__.py

```



```

manager.py
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_config_api.cpython-311.pyc
    test_config_api.py
contents
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    checkpoints.cpython-311.pyc
    filecheckpoints.cpython-311.pyc
    fileio.cpython-311.pyc
    filemanager.cpython-311.pyc
    handlers.cpython-311.pyc
    largefilemanager.cpython-311.pyc
    manager.cpython-311.pyc
  checkpoints.py
  filecheckpoints.py
  fileio.py
  filemanager.py
  handlers.py
  largefilemanager.py
  manager.py
  tests
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      test_contents_api.cpython-311.pyc
      test_fileio.cpython-311.pyc
      test_largefilemanager.cpython-311.pyc
      test_manager.cpython-311.pyc
    test_contents_api.py
    test_fileio.py
    test_largefilemanager.py
    test_manager.py
kernels
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    handlers.cpython-311.pyc
    kernelmanager.cpython-311.pyc
  handlers.py
  kernelmanager.py
  tests
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      test_kernels_api.cpython-311.pyc
    test_kernels_api.py
kernelspecs
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    handlers.cpython-311.pyc
  handlers.py
  tests

```

[illegible]

```

    ■■■ terminalmanager.cpython-311.pyc
    ■■■ api_handlers.py
    ■■■ handlers.py
    ■■■ terminalmanager.py
    ■■■ tests
        ■■■ __init__.py
        ■■■ __pycache__
            ■■■ __init__.cpython-311.pyc
            ■■■ test_terminals_api.cpython-311.pyc
            ■■■ test_terminals_api.py
    ■■ tests
        ■■■ __init__.py
        ■■■ __pycache__
            ■■■ __init__.cpython-311.pyc
            ■■■ conftest.cpython-311.pyc
            ■■■ launchnotebook.cpython-311.pyc
            ■■■ test_config_manager.cpython-311.pyc
            ■■■ test_files.cpython-311.pyc
            ■■■ test_gateway.cpython-311.pyc
            ■■■ test_i18n.cpython-311.pyc
            ■■■ test_log.cpython-311.pyc
            ■■■ test_nbextensions.cpython-311.pyc
            ■■■ test_notebookapp.cpython-311.pyc
            ■■■ test_notebookapp_integration.cpython-311.pyc
            ■■■ test_paths.cpython-311.pyc
            ■■■ test_serialize.cpython-311.pyc
            ■■■ test_serverextensions.cpython-311.pyc
            ■■■ test_traittypes.cpython-311.pyc
            ■■■ test_utils.cpython-311.pyc
        ■■■ conftest.py
        ■■■ launchnotebook.py
        ■■■ selenium
            ■■■ __init__.py
            ■■■ __pycache__
                ■■■ __init__.cpython-311.pyc
                ■■■ conftest.cpython-311.pyc
                ■■■ quick_selenium.cpython-311.pyc
                ■■■ test_buffering.cpython-311.pyc
                ■■■ test_clipboard_multiselect.cpython-311.pyc
                ■■■ test_dashboard_nav.cpython-311.pyc
                ■■■ test_deletecell.cpython-311.pyc
                ■■■ test_display_image.cpython-311.pyc
                ■■■ test_display_isolation.cpython-311.pyc
                ■■■ test_dualmode_arrows.cpython-311.pyc
                ■■■ test_dualmode_cellmode.cpython-311.pyc
                ■■■ test_dualmode_clipboard.cpython-311.pyc
                ■■■ test_dualmode_execute.cpython-311.pyc
                ■■■ test_dualmode_insertcell.cpython-311.pyc
                ■■■ test_dualmode_markdown.cpython-311.pyc
                ■■■ test_execute_code.cpython-311.pyc
                ■■■ test_find_and_replace.cpython-311.pyc
                ■■■ test_interrupt.cpython-311.pyc
                ■■■ test_kernel_menu.cpython-311.pyc
                ■■■ test_markdown.cpython-311.pyc
                ■■■ test_merge_cells.cpython-311.pyc
                ■■■ test_move_multiselection.cpython-311.pyc
                ■■■ test_multiselect.cpython-311.pyc
                ■■■ test_multiselect_toggle.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notifications.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_prompt_numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_as_notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_readonly_as.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shutdown.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_undelete.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quick_selenium.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_buffering.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_clipboard_multiselect.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dashboard_nav.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deletecell.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_display_image.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_display_isolation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_arrows.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_cellmode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_clipboard.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_execute.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_insertcell.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dualmode_markdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_execute_code.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_find_and_replace.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_interrupt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_kernel_menu.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_markdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_merge_cells.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_move_multiselection.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multiselect.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multiselect_toggle.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notifications.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_prompt_numbers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_as_notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_save_readonly_as.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shutdown.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_undelete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_config_manager.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_files.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gateway.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_i18n.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_log.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_nbextensions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notebookapp.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_notebookapp_integration.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_paths.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serverextensions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_traittypes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ traittypes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ transutils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tree
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■ handlers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■ handlers.py
■      ■      ■      ■      ■      ■      ■ tests
■      ■      ■      ■      ■      ■      ■ __init__.py
■      ■      ■      ■      ■      ■      ■ __pycache__
■      ■      ■      ■      ■      ■      ■     ■      ■      ■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■     ■      ■      ■ handlers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■     ■      ■      ■ test_tree_handler.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■     ■      ■      ■ handlers.py
■      ■      ■      ■      ■      ■      ■     ■      ■      ■ test_tree_handler.py
■      ■      ■      ■      ■      ■      ■    ■■■ utils.py
■      ■      ■      ■      ■      ■      ■    ■■■ view
■      ■      ■      ■      ■      ■      ■     ■      ■      ■ __init__.py
■      ■      ■      ■      ■      ■      ■     ■      ■      ■ __pycache__
■      ■      ■      ■      ■      ■      ■     ■      ■      ■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■     ■      ■      ■ handlers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■     ■      ■      ■ handlers.py
■      ■      ■      ■      ■      ■      ■   ■■■ notebook-6.5.1.dist-info
■      ■      ■      ■      ■      ■      ■   ■■■ INSTALLER
■      ■      ■      ■      ■      ■      ■   ■■■ LICENSE
■      ■      ■      ■      ■      ■      ■   ■■■ METADATA
■      ■      ■      ■      ■      ■      ■   ■■■ RECORD
■      ■      ■      ■      ■      ■      ■   ■■■ REQUESTED
■      ■      ■      ■      ■      ■      ■   ■■■ WHEEL
■      ■      ■      ■      ■      ■      ■   ■■■ entry_points.txt
■      ■      ■      ■      ■      ■      ■   ■■■ top_level.txt
■      ■      ■      ■      ■      ■      ■  ■■■ notebook_shim
■      ■      ■      ■      ■      ■      ■  ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■  ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ _version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ nbserver.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ shim.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ traits.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■■■ _version.py
■      ■      ■      ■      ■      ■      ■  ■■■ nbserver.py
■      ■      ■      ■      ■      ■      ■  ■■■ shim.py
■      ■      ■      ■      ■      ■      ■  ■■■ tests
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ __init__.py
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ __pycache__
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ mockextension.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ test_extension.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■■■ confs
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ __pycache__
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ jupyter_my_ext_config.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ jupyter_notebook_config.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ jupyter_server_config.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ jupyter_my_ext_config.py
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ jupyter_notebook_config.py
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ jupyter_server_config.py
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ mockextension.py
■      ■      ■      ■      ■      ■      ■  ■      ■      ■ test_extension.py
■      ■      ■      ■      ■      ■      ■  ■■■ traits.py
■      ■      ■      ■      ■      ■      ■  ■■■ notebook_shim-0.2.4.dist-info
■      ■      ■      ■      ■      ■      ■  ■■■ INSTALLER
■      ■      ■      ■      ■      ■      ■  ■■■ METADATA
■      ■      ■      ■      ■      ■      ■  ■■■ RECORD

```

```

WHEEL
licenses
LICENSE
numba
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
_version.cpython-311.pyc
extending.cpython-311.pyc
runtests.cpython-311.pyc
_arraystruct.h
_devicearray.cpython-311-x86_64-linux-gnu.so
_devicearray.h
_dispatcher.cpython-311-x86_64-linux-gnu.so
_dynfunc.c
_dynfunc.cpython-311-x86_64-linux-gnu.so
_dynfuncmod.c
_hashtable.h
_helperlib.c
_helperlib.cpython-311-x86_64-linux-gnu.so
_helpermod.c
_lapack.c
_numba_common.h
_pymodule.h
_random.c
_typeof.h
_unicodetype_db.h
_version.py
capsulethunk.h
cext
__init__.py
__pycache__
__init__.cpython-311.pyc
cext.h
dictobject.c
dictobject.h
listobject.c
listobject.h
utils.c
cloudpickle
__init__.py
__pycache__
__init__.cpython-311.pyc
cloudpickle.cpython-311.pyc
cloudpickle_fast.cpython-311.pyc
cloudpickle.py
cloudpickle_fast.py
core
__init__.py
__pycache__
__init__.cpython-311.pyc
analysis.cpython-311.pyc
base.cpython-311.pyc
boxing.cpython-311.pyc
bytecode.cpython-311.pyc
byteflow.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■ caching.cpython-311.pyc
■	■	■	■	■	■	■	■■■ callconv.cpython-311.pyc
■	■	■	■	■	■	■	■■■ callwrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ccallback.cpython-311.pyc
■	■	■	■	■	■	■	■■■ cgutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ codegen.cpython-311.pyc
■	■	■	■	■	■	■	■■■ compiler.cpython-311.pyc
■	■	■	■	■	■	■	■■■ compiler_lock.cpython-311.pyc
■	■	■	■	■	■	■	■■■ compiler_machinery.cpython-311.pyc
■	■	■	■	■	■	■	■■■ config.cpython-311.pyc
■	■	■	■	■	■	■	■■■ consts.cpython-311.pyc
■	■	■	■	■	■	■	■■■ controlflow.cpython-311.pyc
■	■	■	■	■	■	■	■■■ cpu.cpython-311.pyc
■	■	■	■	■	■	■	■■■ cpu_options.cpython-311.pyc
■	■	■	■	■	■	■	■■■ debuginfo.cpython-311.pyc
■	■	■	■	■	■	■	■■■ decorators.cpython-311.pyc
■	■	■	■	■	■	■	■■■ descriptors.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dispatcher.cpython-311.pyc
■	■	■	■	■	■	■	■■■ entrypoints.cpython-311.pyc
■	■	■	■	■	■	■	■■■ environment.cpython-311.pyc
■	■	■	■	■	■	■	■■■ errors.cpython-311.pyc
■	■	■	■	■	■	■	■■■ event.cpython-311.pyc
■	■	■	■	■	■	■	■■■ extending.cpython-311.pyc
■	■	■	■	■	■	■	■■■ externals.cpython-311.pyc
■	■	■	■	■	■	■	■■■ fastmathpass.cpython-311.pyc
■	■	■	■	■	■	■	■■■ funcdesc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ generators.cpython-311.pyc
■	■	■	■	■	■	■	■■■ imputils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ inline_closurecall.cpython-311.pyc
■	■	■	■	■	■	■	■■■ interpreter.cpython-311.pyc
■	■	■	■	■	■	■	■■■ intrinsics.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ir.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ir_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ itanium_mangler.cpython-311.pyc
■	■	■	■	■	■	■	■■■ llvm_bindings.cpython-311.pyc
■	■	■	■	■	■	■	■■■ lowering.cpython-311.pyc
■	■	■	■	■	■	■	■■■ object_mode_passes.cpython-311.pyc
■	■	■	■	■	■	■	■■■ optional.cpython-311.pyc
■	■	■	■	■	■	■	■■■ options.cpython-311.pyc
■	■	■	■	■	■	■	■■■ postproc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pylowering.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pythonapi.cpython-311.pyc
■	■	■	■	■	■	■	■■■ registry.cpython-311.pyc
■	■	■	■	■	■	■	■■■ removerefctpass.cpython-311.pyc
■	■	■	■	■	■	■	■■■ serialize.cpython-311.pyc
■	■	■	■	■	■	■	■■■ sigutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ssa.cpython-311.pyc
■	■	■	■	■	■	■	■■■ target_extension.cpython-311.pyc
■	■	■	■	■	■	■	■■■ targetconfig.cpython-311.pyc
■	■	■	■	■	■	■	■■■ tracing.cpython-311.pyc
■	■	■	■	■	■	■	■■■ transforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■ typed_passes.cpython-311.pyc
■	■	■	■	■	■	■	■■■ typeinfer.cpython-311.pyc
■	■	■	■	■	■	■	■■■ untyped_passes.cpython-311.pyc
■	■	■	■	■	■	■	■■■ utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ withcontexts.cpython-311.pyc
■	■	■	■	■	■	■■■	analysis.py
■	■	■	■	■	■	■■■	annotations

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pretty_annotate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ type_annotations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pretty_annotate.py
■ ■ ■ ■ ■ ■ ■ ■■■ template.html
■ ■ ■ ■ ■ ■ ■ ■■■ type_annotations.py
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ boxing.py
■ ■ ■ ■ ■ ■ ■ ■■■ bytecode.py
■ ■ ■ ■ ■ ■ ■ ■■■ bytearray.py
■ ■ ■ ■ ■ ■ ■ ■■■ caching.py
■ ■ ■ ■ ■ ■ ■ ■■■ callconv.py
■ ■ ■ ■ ■ ■ ■ ■■■ callwrapper.py
■ ■ ■ ■ ■ ■ ■ ■■■ ccallback.py
■ ■ ■ ■ ■ ■ ■ ■■■ cgutils.py
■ ■ ■ ■ ■ ■ ■ ■■■ codegen.py
■ ■ ■ ■ ■ ■ ■ ■■■ compiler.py
■ ■ ■ ■ ■ ■ ■ ■■■ compiler_lock.py
■ ■ ■ ■ ■ ■ ■ ■■■ compiler_machinery.py
■ ■ ■ ■ ■ ■ ■ ■■■ config.py
■ ■ ■ ■ ■ ■ ■ ■■■ consts.py
■ ■ ■ ■ ■ ■ ■ ■■■ controlflow.py
■ ■ ■ ■ ■ ■ ■ ■■■ cpu.py
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_options.py
■ ■ ■ ■ ■ ■ ■ ■■■ datamodel
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ manager.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ models.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ packer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ registry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ manager.py
■ ■ ■ ■ ■ ■ ■ ■■■ models.py
■ ■ ■ ■ ■ ■ ■ ■■■ packer.py
■ ■ ■ ■ ■ ■ ■ ■■■ registry.py
■ ■ ■ ■ ■ ■ ■ ■■■ testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ debuginfo.py
■ ■ ■ ■ ■ ■ ■ ■■■ decorators.py
■ ■ ■ ■ ■ ■ ■ ■■■ descriptors.py
■ ■ ■ ■ ■ ■ ■ ■■■ dispatcher.py
■ ■ ■ ■ ■ ■ ■ ■■■ entrypoints.py
■ ■ ■ ■ ■ ■ ■ ■■■ environment.py
■ ■ ■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■ ■ ■■■ event.py
■ ■ ■ ■ ■ ■ ■ ■■■ extending.py
■ ■ ■ ■ ■ ■ ■ ■■■ externals.py
■ ■ ■ ■ ■ ■ ■ ■■■ fastmathpass.py
■ ■ ■ ■ ■ ■ ■ ■■■ funcdesc.py
■ ■ ■ ■ ■ ■ ■ ■■■ generators.py
■ ■ ■ ■ ■ ■ ■ ■■■ imputils.py
■ ■ ■ ■ ■ ■ ■ ■■■ inline_closurecall.py
■ ■ ■ ■ ■ ■ ■ ■■■ interpreter.py
■ ■ ■ ■ ■ ■ ■ ■■■ intrinsics.py
■ ■ ■ ■ ■ ■ ■ ■■■ ir.py
```



```

██████ regionpasses.py
██████ regionrenderer.py
██████ serialize.py
██████ sigutils.py
██████ ssa.py
██████ target_extension.py
██████ targetconfig.py
██████ tracing.py
██████ transforms.py
██████ typeconv
██████ __init__.py
██████ __pycache__
██████    ██████ __init__.cpython-311.pyc
██████    ██████ castgraph.cpython-311.pyc
██████    ██████ rules.cpython-311.pyc
██████    ██████ typeconv.cpython-311.pyc
██████ _typeconv.cpython-311-x86_64-linux-gnu.so
██████ castgraph.py
██████ rules.py
██████ typeconv.py
██████ typed_passes.py
██████ typeinfer.py
██████ types
██████    ██████ __init__.py
██████    ██████ __pycache__
██████        ██████ __init__.cpython-311.pyc
██████        ██████ abstract.cpython-311.pyc
██████        ██████ common.cpython-311.pyc
██████        ██████ containers.cpython-311.pyc
██████        ██████ function_type.cpython-311.pyc
██████        ██████ functions.cpython-311.pyc
██████        ██████ iterators.cpython-311.pyc
██████        ██████ misc.cpython-311.pyc
██████        ██████ npytypes.cpython-311.pyc
██████        ██████ scalars.cpython-311.pyc
██████ abstract.py
██████ common.py
██████ containers.py
██████ function_type.py
██████ functions.py
██████ iterators.py
██████ misc.py
██████ npytypes.py
██████ scalars.py
██████ typing
██████    ██████ __init__.py
██████    ██████ __pycache__
██████        ██████ __init__.cpython-311.pyc
██████        ██████ arraydecl.cpython-311.pyc
██████        ██████ asnumbatype.cpython-311.pyc
██████        ██████ bufproto.cpython-311.pyc
██████        ██████ builtins.cpython-311.pyc
██████        ██████ cffi_utils.cpython-311.pyc
██████        ██████ cmathdecl.cpython-311.pyc
██████        ██████ collections.cpython-311.pyc
██████        ██████ context.cpython-311.pyc
██████        ██████ ctypes_utils.cpython-311.pyc
██████        ██████ dictdecl.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ enumdecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ listdecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mathdecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ npdatetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ npydecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ setdecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ templates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ typeof.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ arraydecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ asnumbatype.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ bufproto.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ builtins.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ cffi_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ cmathdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ collections.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ context.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ctypes_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dictdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ enumdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ listdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ mathdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ npdatetime.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ npydecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ setdecl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ templates.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ typeof.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ unsafe
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bytes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ eh.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ nrt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ refcount.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bytes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ eh.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ nrt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ refcount.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ untyped_passes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ withcontexts.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ cpython
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ charseq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ cmathimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ enumimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hashing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ heapq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ iterators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ listobj.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mathimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ printimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ randomimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ rangeobj.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ setobj.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ slicing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tupleobj.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ unicode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ unicode_support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ builtins.py
■ ■ ■ ■ ■ ■ ■■■■ charseq.py
■ ■ ■ ■ ■ ■ ■■■■ cmathimpl.py
■ ■ ■ ■ ■ ■ ■■■■ enumimpl.py
■ ■ ■ ■ ■ ■ ■■■■ hashing.py
■ ■ ■ ■ ■ ■ ■■■■ heapq.py
■ ■ ■ ■ ■ ■ ■■■■ iterators.py
■ ■ ■ ■ ■ ■ ■■■■ listobj.py
■ ■ ■ ■ ■ ■ ■■■■ mathimpl.py
■ ■ ■ ■ ■ ■ ■■■■ numbers.py
■ ■ ■ ■ ■ ■ ■■■■ printimpl.py
■ ■ ■ ■ ■ ■ ■■■■ randomimpl.py
■ ■ ■ ■ ■ ■ ■■■■ rangeobj.py
■ ■ ■ ■ ■ ■ ■■■■ setobj.py
■ ■ ■ ■ ■ ■ ■■■■ slicing.py
■ ■ ■ ■ ■ ■ ■■■■ tupleobj.py
■ ■ ■ ■ ■ ■ ■■■■ unicode.py
■ ■ ■ ■ ■ ■ ■■■■ unicode_support.py
■ ■ ■ ■ ■ ■ ■■■■ unsafe
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■■ numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■■ tuple.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ numbers.py
■ ■ ■ ■ ■ ■ ■■■■ tuple.py
■ ■ ■ ■ ■ ■ ■■■■ cuda
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ api_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ args.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ cg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ codegen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ compiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ cuda_paths.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ cudadecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ cudaimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ cudamath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ descriptor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ device_init.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ dispatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ extending.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ initialize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ intrinsic_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ intrinsics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ libdevice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ libdevicedecl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ libdevicefuncs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ libdeviceimpl.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■ mathimpl.cpython-311.pyc
■	■	■	■	■	■	■	■■■ models.cpython-311.pyc
■	■	■	■	■	■	■	■■■ nvvmutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ printimpl.cpython-311.pyc
■	■	■	■	■	■	■	■■■ random.cpython-311.pyc
■	■	■	■	■	■	■	■■■ simulator_init.cpython-311.pyc
■	■	■	■	■	■	■	■■■ stubs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ target.cpython-311.pyc
■	■	■	■	■	■	■	■■■ testing.cpython-311.pyc
■	■	■	■	■	■	■	■■■ types.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ufuncs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ vector_types.cpython-311.pyc
■	■	■	■	■	■	■	■■■ vectorizers.cpython-311.pyc
■	■	■	■	■	■	■■■	api.py
■	■	■	■	■	■	■■■	api_util.py
■	■	■	■	■	■	■■■	args.py
■	■	■	■	■	■	■■■	cg.py
■	■	■	■	■	■	■■■	codegen.py
■	■	■	■	■	■	■■■	compiler.py
■	■	■	■	■	■	■■■	cpp_function_wrappers.cu
■	■	■	■	■	■	■■■	cuda_fp16.h
■	■	■	■	■	■	■■■	cuda_fp16.hpp
■	■	■	■	■	■	■■■	cuda_paths.py
■	■	■	■	■	■	■■■	cudadecl.py
■	■	■	■	■	■	■■■	cudadv
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ devicearray.cpython-311.pyc
■	■	■	■	■	■	■	■■■ devices.cpython-311.pyc
■	■	■	■	■	■	■	■■■ driver.cpython-311.pyc
■	■	■	■	■	■	■	■■■ drvapi.cpython-311.pyc
■	■	■	■	■	■	■	■■■ enums.cpython-311.pyc
■	■	■	■	■	■	■	■■■ error.cpython-311.pyc
■	■	■	■	■	■	■	■■■ libs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ndarray.cpython-311.pyc
■	■	■	■	■	■	■	■■■ nvrtc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ nvvm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ rtapi.cpython-311.pyc
■	■	■	■	■	■	■	■■■ runtime.cpython-311.pyc
■	■	■	■	■	■	■■■	_extras.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	devicearray.py
■	■	■	■	■	■	■■■	devices.py
■	■	■	■	■	■	■■■	driver.py
■	■	■	■	■	■	■■■	drvapi.py
■	■	■	■	■	■	■■■	enums.py
■	■	■	■	■	■	■■■	error.py
■	■	■	■	■	■	■■■	libs.py
■	■	■	■	■	■	■■■	ndarray.py
■	■	■	■	■	■	■■■	nvrtc.py
■	■	■	■	■	■	■■■	nvvm.py
■	■	■	■	■	■	■■■	rtapi.py
■	■	■	■	■	■	■■■	runtime.py
■	■	■	■	■	■	■■■	cudaimpl.py
■	■	■	■	■	■	■■■	cudamath.py
■	■	■	■	■	■	■■■	decorators.py
■	■	■	■	■	■	■■■	descriptor.py
■	■	■	■	■	■	■■■	device_init.py

```

    dispatcher.py
    errors.py
    extending.py
    initialize.py
    intrinsic_wrapper.py
    intrinsics.py
    kernels
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    reduction.cpython-311.pyc
    transpose.cpython-311.pyc
    reduction.py
    transpose.py
    libdevice.py
    libdevicedecl.py
    libdevicefuncs.py
    libdeviceimpl.py
    mathimpl.py
    models.py
    nvvmutils.py
    printimpl.py
    random.py
    simulator
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    api.cpython-311.pyc
    compiler.cpython-311.pyc
    kernel.cpython-311.pyc
    kernelapi.cpython-311.pyc
    reduction.cpython-311.pyc
    vector_types.cpython-311.pyc
    api.py
    compiler.py
    cudadr
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    devicearray.cpython-311.pyc
    devices.cpython-311.pyc
    driver.cpython-311.pyc
    drvapi.cpython-311.pyc
    error.cpython-311.pyc
    libs.cpython-311.pyc
    nvvm.cpython-311.pyc
    runtime.cpython-311.pyc
    devicearray.py
    devices.py
    driver.py
    drvapi.py
    error.py
    libs.py
    nvvm.py
    runtime.py
    kernel.py
    kernelapi.py
    reduction.py

```

```

vector_types.py
simulator_init.py
stubs.py
target.py
testing.py
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
  cudadriv
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    test_array_attr.cpython-311.pyc
    test_context_stack.cpython-311.pyc
    test_cuda_array_slicing.cpython-311.pyc
    test_cuda_auto_context.cpython-311.pyc
    test_cuda_devicerecord.cpython-311.pyc
    test_cuda_driver.cpython-311.pyc
    test_cuda_libraries.cpython-311.pyc
    test_cuda_memory.cpython-311.pyc
    test_cuda_ndarray.cpython-311.pyc
    test_deallocations.cpython-311.pyc
    test_detect.cpython-311.pyc
    test_emm_plugins.cpython-311.pyc
    test_events.cpython-311.pyc
    test_host_alloc.cpython-311.pyc
    test_init.cpython-311.pyc
    test_inline_ptx.cpython-311.pyc
    test_is_fp16.cpython-311.pyc
    test_linker.cpython-311.pyc
    test_managed_alloc.cpython-311.pyc
    test_mvc.cpython-311.pyc
    test_nvvm_driver.cpython-311.pyc
    test_pinned.cpython-311.pyc
    test_profiler.cpython-311.pyc
    test_ptds.cpython-311.pyc
    test_reset_device.cpython-311.pyc
    test_runtime.cpython-311.pyc
    test_select_device.cpython-311.pyc
    test_streams.cpython-311.pyc
  test_array_attr.py
  test_context_stack.py
  test_cuda_array_slicing.py
  test_cuda_auto_context.py
  test_cuda_devicerecord.py
  test_cuda_driver.py
  test_cuda_libraries.py
  test_cuda_memory.py
  test_cuda_ndarray.py
  test_deallocations.py
  test_detect.py
  test_emm_plugins.py
  test_events.py
  test_host_alloc.py
  test_init.py
  test_inline_ptx.py
  test_is_fp16.py

```


■	■	■	■	■	■	■	■	■	■■■■	test_iterators.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_lang.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_laplace.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_libdevice.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_lineinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_localmem.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_mandel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_math.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_matmul.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_minmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_montecarlo.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_multigpu.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_multiprocessing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_multithreads.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_nondet.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_operator.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_optimization.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_overload.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_powi.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_print.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_py2_div_issue.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_random.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_record_dtype.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_recursion.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reduction.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_retrieve_autoconverted_arrays.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_serialize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_slicing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sm.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sm_creation.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sync.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_transpose.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_ufuncs.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_userexc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vector_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vectorize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vectorize_complex.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vectorize_decor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vectorize_device.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_vectorize_scalar_arg.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_warning.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_warp_ops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	cache_usecases.py
■	■	■	■	■	■	■	■	■	■■■■	cache_with_cpu_usecases.py
■	■	■	■	■	■	■	■	■	■■■■	extensions_usecases.py
■	■	■	■	■	■	■	■	■	■■■■	recursion_usecases.py
■	■	■	■	■	■	■	■	■	■■■■	test_alignment.py
■	■	■	■	■	■	■	■	■	■■■■	test_array.py
■	■	■	■	■	■	■	■	■	■■■■	test_array_args.py
■	■	■	■	■	■	■	■	■	■■■■	test_array_methods.py
■	■	■	■	■	■	■	■	■	■■■■	test_atomics.py
■	■	■	■	■	■	■	■	■	■■■■	test_blacksholes.py
■	■	■	■	■	■	■	■	■	■■■■	test_boolean.py
■	■	■	■	■	■	■	■	■	■■■■	test_caching.py
■	■	■	■	■	■	■	■	■	■■■■	test_casting.py
■	■	■	■	■	■	■	■	■	■■■■	test_cffi.py
■	■	■	■	■	■	■	■	■	■■■■	test_compiler.py
■	■	■	■	■	■	■	■	■	■■■■	test_complex.py

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_transpose.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ufuncs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_userexc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vector_type.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vectorize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vectorize_complex.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vectorize_decor.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vectorize_device.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vectorize_scalar_arg.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_warning.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_warp_ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ cudasim
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cudasim_issues.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ support.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cudasim_issues.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ data
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ cuda_include.cu
■ ■ ■ ■ ■ ■ ■ ■ ■■ error.cu
■ ■ ■ ■ ■ ■ ■ ■ ■■ jitlink.cu
■ ■ ■ ■ ■ ■ ■ ■ ■■ jitlink.ptx
■ ■ ■ ■ ■ ■ ■ ■ ■■ warn.cu
■ ■ ■ ■ ■ ■ ■ ■ ■■ doc_examples
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cpu_gpu_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ffi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_laplace.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_matmul.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_montecarlo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reduction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sessionize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ufunc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vecadd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ffi
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ functions.cu
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cg.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cpu_gpu_compat.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ffi.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_laplace.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_matmul.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_montecarlo.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_random.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reduction.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sessionize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ufunc.py
```



```

■ ■ ■ ■ ■ ■ ■ mergesort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ numba_entry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ numba_gdbinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ numba_sysinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ quicksort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ special.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ timsort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ appdirs.py
■ ■ ■ ■ ■ ■ ■ cffiimpl.py
■ ■ ■ ■ ■ ■ ■ cmdlang.gdb
■ ■ ■ ■ ■ ■ ■ dummyarray.py
■ ■ ■ ■ ■ ■ ■ dump_style.py
■ ■ ■ ■ ■ ■ ■ findlib.py
■ ■ ■ ■ ■ ■ ■ firstlinefinder.py
■ ■ ■ ■ ■ ■ ■ gdb_hook.py
■ ■ ■ ■ ■ ■ ■ gdb_print_extension.py
■ ■ ■ ■ ■ ■ ■ help
■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ inspector.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ inspector.py
■ ■ ■ ■ ■ ■ ■ init_utils.py
■ ■ ■ ■ ■ ■ ■ inspection.py
■ ■ ■ ■ ■ ■ ■ literal.py
■ ■ ■ ■ ■ ■ ■ llvm_pass_timings.py
■ ■ ■ ■ ■ ■ ■ mergesort.py
■ ■ ■ ■ ■ ■ ■ numba_entry.py
■ ■ ■ ■ ■ ■ ■ numba_gdbinfo.py
■ ■ ■ ■ ■ ■ ■ numba_sysinfo.py
■ ■ ■ ■ ■ ■ ■ quicksort.py
■ ■ ■ ■ ■ ■ ■ special.py
■ ■ ■ ■ ■ ■ ■ timsort.py
■ ■ ■ ■ ■ ■ ■ mviewbuf.c
■ ■ ■ ■ ■ ■ ■ mviewbuf.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ np
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ arraymath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ arrayobj.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ npdatetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ npdatetime_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ npyfuncs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ npymath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ numpy_support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ufunc_db.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ arraymath.py
■ ■ ■ ■ ■ ■ ■ arrayobj.py
■ ■ ■ ■ ■ ■ ■ extensions.py
■ ■ ■ ■ ■ ■ ■ linalg.py
■ ■ ■ ■ ■ ■ ■ math
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ cmathimpl.cpython-311.pyc

```

[illegible]

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ _runtests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ loader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ main.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _runtests.py
■ ■ ■ ■ ■ ■ ■ ■■■ loader.py
■ ■ ■ ■ ■ ■ ■ ■■■ main.py
■ ■ ■ ■ ■ ■ ■ ■■■ notebook.py
■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ annotation_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cache_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cffi_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cfunc_cache_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chained_assign_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cloudpickle_main_class.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compile_with_pycc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ complex_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ctypes_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ doctest_usecase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dummy_module.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ enum_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ error_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ errorhandling_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gdb_support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ inlining_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ matmul_usecase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ orphaned_semaphore_usecase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ overload_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parfor_iss9490_usecase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parfors_cache_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pdlike_usecase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ recursion_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ serialize_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ support.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_alignment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_annotations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_attr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_exprs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_iterators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_manipulation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_reductions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_return.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_asnumbatype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_auto_constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_blacksholes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_boundscheck.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_buffer_protocol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_byteflow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_caching.cpython-311.pyc
```


■	■	■	■	■	■	■	■■■	test_casting.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cffi.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cfunc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cgutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_chained_assign.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_chrome_trace.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cli.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_closure.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_codegen.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_compile_cache.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_compiler_flags.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_compiler_lock.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_complex.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_comprehension.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_conditions_as_predicates.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_config.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_conversion.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_copy_propagate.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ctypes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dataflow.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_datamodel.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_debug.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_debuginfo.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_deprecations.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dictimpl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dictobject.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dicts.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dispatcher.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_doctest.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dummyarray.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dyn_array.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dyn_func.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_entrypoints.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_enums.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_errorhandling.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_errormodels.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_event.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_exceptions.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_extended_arg.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_extending.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_extending_types.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_fancy_indexing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_fastmath.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_findlib.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_firstlinefinder.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_flow_control.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_func_interface.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_func_lifetime.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_funcdesc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_function_type.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_gdb_bindings.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_gdb_dwarf.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_generators.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_getitem_on_types.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_gil.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_globals.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_hashing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_heapq.cpython-311.pyc

■	■	■	■	■	■	■■■	test_help.cpython-311.pyc
■	■	■	■	■	■	■■■	test_import.cpython-311.pyc
■	■	■	■	■	■	■■■	test_indexing.cpython-311.pyc
■	■	■	■	■	■	■■■	test_init_utils.cpython-311.pyc
■	■	■	■	■	■	■■■	test_inlining.cpython-311.pyc
■	■	■	■	■	■	■■■	test_interpreter.cpython-311.pyc
■	■	■	■	■	■	■■■	test_interproc.cpython-311.pyc
■	■	■	■	■	■	■■■	test_intwidth.cpython-311.pyc
■	■	■	■	■	■	■■■	test_ir.cpython-311.pyc
■	■	■	■	■	■	■■■	test_ir_inlining.cpython-311.pyc
■	■	■	■	■	■	■■■	test_ir_utils.cpython-311.pyc
■	■	■	■	■	■	■■■	test_itanium_mangler.cpython-311.pyc
■	■	■	■	■	■	■■■	test_iteration.cpython-311.pyc
■	■	■	■	■	■	■■■	test_jit_module.cpython-311.pyc
■	■	■	■	■	■	■■■	test_jitclasses.cpython-311.pyc
■	■	■	■	■	■	■■■	test_jitmethod.cpython-311.pyc
■	■	■	■	■	■	■■■	test_linalg.cpython-311.pyc
■	■	■	■	■	■	■■■	test_listimpl.cpython-311.pyc
■	■	■	■	■	■	■■■	test_listobject.cpython-311.pyc
■	■	■	■	■	■	■■■	test_lists.cpython-311.pyc
■	■	■	■	■	■	■■■	test_literal_dispatch.cpython-311.pyc
■	■	■	■	■	■	■■■	test_llvm_pass_timings.cpython-311.pyc
■	■	■	■	■	■	■■■	test_llvm_version_check.cpython-311.pyc
■	■	■	■	■	■	■■■	test_locals.cpython-311.pyc
■	■	■	■	■	■	■■■	test_looplifting.cpython-311.pyc
■	■	■	■	■	■	■■■	test_make_function_to_jit_function.cpython-311.pyc
■	■	■	■	■	■	■■■	test_mandelbrot.cpython-311.pyc
■	■	■	■	■	■	■■■	test_mangling.cpython-311.pyc
■	■	■	■	■	■	■■■	test_map_filter_reduce.cpython-311.pyc
■	■	■	■	■	■	■■■	test_mathlib.cpython-311.pyc
■	■	■	■	■	■	■■■	test_maxmin.cpython-311.pyc
■	■	■	■	■	■	■■■	test_mixed_tuple_unroller.cpython-311.pyc
■	■	■	■	■	■	■■■	test_moved_modules.cpython-311.pyc
■	■	■	■	■	■	■■■	test_multi3.cpython-311.pyc
■	■	■	■	■	■	■■■	test_nan.cpython-311.pyc
■	■	■	■	■	■	■■■	test_ndarray_subclasses.cpython-311.pyc
■	■	■	■	■	■	■■■	test_nested_calls.cpython-311.pyc
■	■	■	■	■	■	■■■	test_np_functions.cpython-311.pyc
■	■	■	■	■	■	■■■	test_np_randomgen.cpython-311.pyc
■	■	■	■	■	■	■■■	test_npdatetime.cpython-311.pyc
■	■	■	■	■	■	■■■	test_nrt.cpython-311.pyc
■	■	■	■	■	■	■■■	test_nrt_refct.cpython-311.pyc
■	■	■	■	■	■	■■■	test_num_threads.cpython-311.pyc
■	■	■	■	■	■	■■■	test_numberctor.cpython-311.pyc
■	■	■	■	■	■	■■■	test_numbers.cpython-311.pyc
■	■	■	■	■	■	■■■	test_numconv.cpython-311.pyc
■	■	■	■	■	■	■■■	test_numpy_support.cpython-311.pyc
■	■	■	■	■	■	■■■	test_numpyadapt.cpython-311.pyc
■	■	■	■	■	■	■■■	test_obj_lifetime.cpython-311.pyc
■	■	■	■	■	■	■■■	test_object_mode.cpython-311.pyc
■	■	■	■	■	■	■■■	test_objects.cpython-311.pyc
■	■	■	■	■	■	■■■	test_operators.cpython-311.pyc
■	■	■	■	■	■	■■■	test_optional.cpython-311.pyc
■	■	■	■	■	■	■■■	test_overlap.cpython-311.pyc
■	■	■	■	■	■	■■■	test_parallel_backend.cpython-311.pyc
■	■	■	■	■	■	■■■	test_parfors.cpython-311.pyc
■	■	■	■	■	■	■■■	test_parfors_caching.cpython-311.pyc
■	■	■	■	■	■	■■■	test_parfors_passes.cpython-311.pyc

■	■	■	■	■	■	■	■■■	test_pipeline.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_polynomial.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_practical_lowering_issues.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_print.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_profiler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pycc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_python_int.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pythonapi.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_random.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_range.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_reccarray_usecases.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_record_dtype.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_recursion.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_refop_pruning.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_remove_dead.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_repr.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_return_values.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_runtests.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_serialize.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sets.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_slices.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sort.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ssa.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_stencils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_storeslice.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_struct_ref.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_support.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_svml.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sys_monitoring.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sys_stdin_assignment.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_sysinfo.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_target_extension.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_target_overloadselector.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_threadafety.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_tracing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_try_except.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_tuples.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typeconv.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typedlist.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typedobjectutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typeguard.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typeinfer.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typednames.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typeof.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_types.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_typingerror.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ufuncs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unicode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unicode_array.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unicode_names.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unpack_sequence.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unpickle_without_module.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_unsafe_intrinsics.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_usecases.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_vectorization.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_vectorization_type_inference.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_warnings.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_withlifting.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■■■ threading_backend_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ typedlist_usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ usecases.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ annotation_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ cache_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ cffi_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ cfunc_cache_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ chained_assign_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ cloudpickle_main_class.py
■ ■ ■ ■ ■ ■ ■ ■■■ compile_with_pycc.py
■ ■ ■ ■ ■ ■ ■ ■■■ complex_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ ctypes_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ doc_examples
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_examples.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_interval_example.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_jitclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_literal_container_usage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_literally_usage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_llvm_pass_timings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_generators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_parallel_chunksize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rec_array.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_structref_usage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_typed_dict_usage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_typed_list_usage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_examples.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_interval_example.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_jitclass.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_literal_container_usage.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_literally_usage.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_llvm_pass_timings.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_generators.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_parallel_chunksize.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rec_array.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_structref_usage.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_typed_dict_usage.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_typed_list_usage.py
■ ■ ■ ■ ■ ■ ■ ■■■ doctest_usecase.py
■ ■ ■ ■ ■ ■ ■ ■■■ dummy_module.py
■ ■ ■ ■ ■ ■ ■ ■■■ enum_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ error_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ errorhandling_usecases.py
■ ■ ■ ■ ■ ■ ■ ■■■ gdb
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_arg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_break_on_symbol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_break_on_symbol_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_conditional_breakpoint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pretty_print.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_arg.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_break_on_symbol.py

```

■	■	■	■	■	■	■	■■■ test_break_on_symbol_version.py
■	■	■	■	■	■	■	■■■ test_conditional_breakpoint.py
■	■	■	■	■	■	■	■■■ test_pretty_print.py
■	■	■	■	■	■	■■■	gdb_support.py
■	■	■	■	■	■	■■■	inlining_usecases.py
■	■	■	■	■	■	■■■	matmul_usecase.py
■	■	■	■	■	■	■■■	npufunc
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ cache_usecases.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_caching.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_dufunc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_errors.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_gufunc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_parallel_env_variable.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_parallel_low_work.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_parallel_ufunc_issues.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_ufunc.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_ufuncbuilding.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_update_inplace.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_vectorize_decor.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ufuncbuilding_usecases.cpython-311.pyc
■	■	■	■	■	■	■■■	cache_usecases.py
■	■	■	■	■	■	■■■	test_caching.py
■	■	■	■	■	■	■■■	test_dufunc.py
■	■	■	■	■	■	■■■	test_errors.py
■	■	■	■	■	■	■■■	test_gufunc.py
■	■	■	■	■	■	■■■	test_parallel_env_variable.py
■	■	■	■	■	■	■■■	test_parallel_low_work.py
■	■	■	■	■	■	■■■	test_parallel_ufunc_issues.py
■	■	■	■	■	■	■■■	test_ufunc.py
■	■	■	■	■	■	■■■	test_ufuncbuilding.py
■	■	■	■	■	■	■■■	test_update_inplace.py
■	■	■	■	■	■	■■■	test_vectorize_decor.py
■	■	■	■	■	■	■■■	ufuncbuilding_usecases.py
■	■	■	■	■	■	■■■	orphaned_semaphore_usecase.py
■	■	■	■	■	■	■■■	overload_usecases.py
■	■	■	■	■	■	■■■	parfor_iss9490_usecase.py
■	■	■	■	■	■	■■■	parfors_cache_usecases.py
■	■	■	■	■	■	■■■	pdlike_usecase.py
■	■	■	■	■	■	■■■	pycc_distutils_usecase
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ setup_distutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■ setup_distutils_nested.cpython-311.pyc
■	■	■	■	■	■	■	■■■ setup_setuptools.cpython-311.pyc
■	■	■	■	■	■	■	■■■ setup_setuptools_nested.cpython-311.pyc
■	■	■	■	■	■	■	■■■ source_module.cpython-311.pyc
■	■	■	■	■	■	■■■	nested
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ source_module.cpython-311.pyc
■	■	■	■	■	■	■■■	source_module.py
■	■	■	■	■	■	■■■	setup_distutils.py
■	■	■	■	■	■	■■■	setup_distutils_nested.py

■	■	■	■	■	■	■	■■■	setup_setuptools.py
■	■	■	■	■	■	■	■■■	setup_setuptools_nested.py
■	■	■	■	■	■	■	■■■	source_module.py
■	■	■	■	■	■	■	■■■	recursion_usecases.py
■	■	■	■	■	■	■	■■■	serialize_usecases.py
■	■	■	■	■	■	■	■■■	support.py
■	■	■	■	■	■	■	■■■	test_alignment.py
■	■	■	■	■	■	■	■■■	test_analysis.py
■	■	■	■	■	■	■	■■■	test_annotations.py
■	■	■	■	■	■	■	■■■	test_api.py
■	■	■	■	■	■	■	■■■	test_array_analysis.py
■	■	■	■	■	■	■	■■■	test_array_attr.py
■	■	■	■	■	■	■	■■■	test_array_constants.py
■	■	■	■	■	■	■	■■■	test_array_exprs.py
■	■	■	■	■	■	■	■■■	test_array_iterators.py
■	■	■	■	■	■	■	■■■	test_array_manipulation.py
■	■	■	■	■	■	■	■■■	test_array_methods.py
■	■	■	■	■	■	■	■■■	test_array_reductions.py
■	■	■	■	■	■	■	■■■	test_array_return.py
■	■	■	■	■	■	■	■■■	test_asnumbatype.py
■	■	■	■	■	■	■	■■■	test_auto_constants.py
■	■	■	■	■	■	■	■■■	test_blacksholes.py
■	■	■	■	■	■	■	■■■	test_boundscheck.py
■	■	■	■	■	■	■	■■■	test_buffer_protocol.py
■	■	■	■	■	■	■	■■■	test_builtins.py
■	■	■	■	■	■	■	■■■	test_byteflow.py
■	■	■	■	■	■	■	■■■	test_caching.py
■	■	■	■	■	■	■	■■■	test_casting.py
■	■	■	■	■	■	■	■■■	test_cffi.py
■	■	■	■	■	■	■	■■■	test_cfunc.py
■	■	■	■	■	■	■	■■■	test_cgutils.py
■	■	■	■	■	■	■	■■■	test_chained_assign.py
■	■	■	■	■	■	■	■■■	test_chrome_trace.py
■	■	■	■	■	■	■	■■■	test_cli.py
■	■	■	■	■	■	■	■■■	test_closure.py
■	■	■	■	■	■	■	■■■	test_codegen.py
■	■	■	■	■	■	■	■■■	test_compile_cache.py
■	■	■	■	■	■	■	■■■	test_compiler_flags.py
■	■	■	■	■	■	■	■■■	test_compiler_lock.py
■	■	■	■	■	■	■	■■■	test_complex.py
■	■	■	■	■	■	■	■■■	test_comprehension.py
■	■	■	■	■	■	■	■■■	test_conditions_as_predicates.py
■	■	■	■	■	■	■	■■■	test_config.py
■	■	■	■	■	■	■	■■■	test_conversion.py
■	■	■	■	■	■	■	■■■	test_copy_propagate.py
■	■	■	■	■	■	■	■■■	test_ctypes.py
■	■	■	■	■	■	■	■■■	test_dataflow.py
■	■	■	■	■	■	■	■■■	test_datamodel.py
■	■	■	■	■	■	■	■■■	test_debug.py
■	■	■	■	■	■	■	■■■	test_debuginfo.py
■	■	■	■	■	■	■	■■■	test_deprecations.py
■	■	■	■	■	■	■	■■■	test_dictimpl.py
■	■	■	■	■	■	■	■■■	test_dictobject.py
■	■	■	■	■	■	■	■■■	test_dicts.py
■	■	■	■	■	■	■	■■■	test_dispatcher.py
■	■	■	■	■	■	■	■■■	test_doctest.py
■	■	■	■	■	■	■	■■■	test_dummyarray.py
■	■	■	■	■	■	■	■■■	test_dyn_array.py

```

■■■ test_dyn_func.py
■■■ test_entrpoints.py
■■■ test_enums.py
■■■ test_errorhandling.py
■■■ test_errormodels.py
■■■ test_event.py
■■■ test_exceptions.py
■■■ test_extended_arg.py
■■■ test_extending.py
■■■ test_extending_types.py
■■■ test_fancy_indexing.py
■■■ test_fastmath.py
■■■ test_findlib.py
■■■ test_firstlinefinder.py
■■■ test_flow_control.py
■■■ test_func_interface.py
■■■ test_func_lifetime.py
■■■ test_funcdesc.py
■■■ test_function_type.py
■■■ test_gdb_bindings.py
■■■ test_gdb_dwarf.py
■■■ test_generators.py
■■■ test_getitem_on_types.py
■■■ test_gil.py
■■■ test_globals.py
■■■ test_hashing.py
■■■ test_heapq.py
■■■ test_help.py
■■■ test_import.py
■■■ test_indexing.py
■■■ test_init_utils.py
■■■ test_inlining.py
■■■ test_interpreter.py
■■■ test_interproc.py
■■■ test_intwidth.py
■■■ test_ir.py
■■■ test_ir_inlining.py
■■■ test_ir_utils.py
■■■ test_itanium_mangler.py
■■■ test_iteration.py
■■■ test_jit_module.py
■■■ test_jitclasses.py
■■■ test_jitmethod.py
■■■ test_linalg.py
■■■ test_listimpl.py
■■■ test_listobject.py
■■■ test_lists.py
■■■ test_literal_dispatch.py
■■■ test_llvm_pass_timings.py
■■■ test_llvm_version_check.py
■■■ test_locals.py
■■■ test_looplifting.py
■■■ test_make_function_to_jit_function.py
■■■ test_mandelbrot.py
■■■ test_mangling.py
■■■ test_map_filter_reduce.py
■■■ test_mathlib.py
■■■ test_maxmin.py

```

■	■	■	■	■	■■■ test_mixed_tuple_unroller.py
■	■	■	■	■	■■■ test_moved_modules.py
■	■	■	■	■	■■■ test_multi3.py
■	■	■	■	■	■■■ test_nan.py
■	■	■	■	■	■■■ test_ndarray_subclasses.py
■	■	■	■	■	■■■ test_nested_calls.py
■	■	■	■	■	■■■ test_np_functions.py
■	■	■	■	■	■■■ test_np_randomgen.py
■	■	■	■	■	■■■ test_npdatetime.py
■	■	■	■	■	■■■ test_nrt.py
■	■	■	■	■	■■■ test_nrt_refct.py
■	■	■	■	■	■■■ test_num_threads.py
■	■	■	■	■	■■■ test_numberctor.py
■	■	■	■	■	■■■ test_numbers.py
■	■	■	■	■	■■■ test_numconv.py
■	■	■	■	■	■■■ test_numpy_support.py
■	■	■	■	■	■■■ test_numpyadapt.py
■	■	■	■	■	■■■ test_obj_lifetime.py
■	■	■	■	■	■■■ test_object_mode.py
■	■	■	■	■	■■■ test_objects.py
■	■	■	■	■	■■■ test_operators.py
■	■	■	■	■	■■■ test_optional.py
■	■	■	■	■	■■■ test_overlap.py
■	■	■	■	■	■■■ test_parallel_backend.py
■	■	■	■	■	■■■ test_parfors.py
■	■	■	■	■	■■■ test_parfors_caching.py
■	■	■	■	■	■■■ test_parfors_passes.py
■	■	■	■	■	■■■ test_pipeline.py
■	■	■	■	■	■■■ test_polynomial.py
■	■	■	■	■	■■■ test_practical_lowering_issues.py
■	■	■	■	■	■■■ test_print.py
■	■	■	■	■	■■■ test_profiler.py
■	■	■	■	■	■■■ test_pycc.py
■	■	■	■	■	■■■ test_python_int.py
■	■	■	■	■	■■■ test_pythonapi.py
■	■	■	■	■	■■■ test_random.py
■	■	■	■	■	■■■ test_range.py
■	■	■	■	■	■■■ test_recarray_usecases.py
■	■	■	■	■	■■■ test_record_dtype.py
■	■	■	■	■	■■■ test_recursion.py
■	■	■	■	■	■■■ test_refop_pruning.py
■	■	■	■	■	■■■ test_remove_dead.py
■	■	■	■	■	■■■ test_repr.py
■	■	■	■	■	■■■ test_return_values.py
■	■	■	■	■	■■■ test_runtests.py
■	■	■	■	■	■■■ test_serialize.py
■	■	■	■	■	■■■ test_sets.py
■	■	■	■	■	■■■ test_slices.py
■	■	■	■	■	■■■ test_sort.py
■	■	■	■	■	■■■ test_ssa.py
■	■	■	■	■	■■■ test_stencils.py
■	■	■	■	■	■■■ test_storelice.py
■	■	■	■	■	■■■ test_struct_ref.py
■	■	■	■	■	■■■ test_support.py
■	■	■	■	■	■■■ test_svml.py
■	■	■	■	■	■■■ test_sys_monitoring.py
■	■	■	■	■	■■■ test_sys_stdin_assignment.py
■	■	■	■	■	■■■ test_sysinfo.py


```

■ ■ ■ ■ ■ ■ ■■■ test_target_extension.py
■ ■ ■ ■ ■ ■ ■■■ test_target_overloadselector.py
■ ■ ■ ■ ■ ■ ■■■ test_threadsafety.py
■ ■ ■ ■ ■ ■ ■■■ test_tracing.py
■ ■ ■ ■ ■ ■ ■■■ test_try_except.py
■ ■ ■ ■ ■ ■ ■■■ test_tuples.py
■ ■ ■ ■ ■ ■ ■■■ test_typeconv.py
■ ■ ■ ■ ■ ■ ■■■ test_typedlist.py
■ ■ ■ ■ ■ ■ ■■■ test_typedobjectutils.py
■ ■ ■ ■ ■ ■ ■■■ test_typeguard.py
■ ■ ■ ■ ■ ■ ■■■ test_typeinfer.py
■ ■ ■ ■ ■ ■ ■■■ test_typenames.py
■ ■ ■ ■ ■ ■ ■■■ test_typeof.py
■ ■ ■ ■ ■ ■ ■■■ test_types.py
■ ■ ■ ■ ■ ■ ■■■ test_typingerror.py
■ ■ ■ ■ ■ ■ ■■■ test_ufuncs.py
■ ■ ■ ■ ■ ■ ■■■ test_unicode.py
■ ■ ■ ■ ■ ■ ■■■ test_unicode_array.py
■ ■ ■ ■ ■ ■ ■■■ test_unicode_names.py
■ ■ ■ ■ ■ ■ ■■■ test_unpack_sequence.py
■ ■ ■ ■ ■ ■ ■■■ test_unpickle_without_module.py
■ ■ ■ ■ ■ ■ ■■■ test_unsafe_intrinsics.py
■ ■ ■ ■ ■ ■ ■■■ test_usecases.py
■ ■ ■ ■ ■ ■ ■■■ test_vectorization.py
■ ■ ■ ■ ■ ■ ■■■ test_vectorization_type_inference.py
■ ■ ■ ■ ■ ■ ■■■ test_warnings.py
■ ■ ■ ■ ■ ■ ■■■ test_withlifting.py
■ ■ ■ ■ ■ ■ ■■■ threading_backend_usecases.py
■ ■ ■ ■ ■ ■ ■■■ typedlist_usecases.py
■ ■ ■ ■ ■ ■ ■■■ usecases.py
■ ■ ■ ■ ■ ■ ■■■ typed
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ dictimpl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ dictobject.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ listobject.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ typeddict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ typedlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ typedobjectutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ dictimpl.py
■ ■ ■ ■ ■ ■ ■■■ dictobject.py
■ ■ ■ ■ ■ ■ ■■■ listobject.py
■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■■■ typeddict.py
■ ■ ■ ■ ■ ■ ■■■ typedlist.py
■ ■ ■ ■ ■ ■ ■■■ typedobjectutils.py
■ ■ ■ ■ ■ ■ ■■■ types
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ numba-0.60.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ LICENSES.third-party
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL

```


■	■	■	■	■	■	■■■	_distributor_init.cpython-311.pyc
■	■	■	■	■	■	■■■	_globals.cpython-311.pyc
■	■	■	■	■	■	■■■	_pytesttester.cpython-311.pyc
■	■	■	■	■	■	■■■	_version.cpython-311.pyc
■	■	■	■	■	■	■■■	conftest.cpython-311.pyc
■	■	■	■	■	■	■■■	ctypeslib.cpython-311.pyc
■	■	■	■	■	■	■■■	dual.cpython-311.pyc
■	■	■	■	■	■	■■■	matlib.cpython-311.pyc
■	■	■	■	■	■	■■■	setup.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■■■	_distributor_init.py	
■	■	■	■	■	■■■	_globals.py	
■	■	■	■	■	■■■	_pyinstaller	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	hook-numpy.cpython-311.pyc
■	■	■	■	■	■	■■■	pyinstaller-smoke.cpython-311.pyc
■	■	■	■	■	■	■■■	test_pyinstaller.cpython-311.pyc
■	■	■	■	■	■■■	hook-numpy.py	
■	■	■	■	■	■■■	pyinstaller-smoke.py	
■	■	■	■	■	■■■	test_pyinstaller.py	
■	■	■	■	■	■■■	_pytesttester.py	
■	■	■	■	■	■■■	_pytesttester.pyi	
■	■	■	■	■	■■■	_typing	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_add_docstring.cpython-311.pyc
■	■	■	■	■	■	■■■	_array_like.cpython-311.pyc
■	■	■	■	■	■	■■■	_char_codes.cpython-311.pyc
■	■	■	■	■	■	■■■	_dtype_like.cpython-311.pyc
■	■	■	■	■	■	■■■	_extended_precision.cpython-311.pyc
■	■	■	■	■	■	■■■	_generic_alias.cpython-311.pyc
■	■	■	■	■	■	■■■	_nbit.cpython-311.pyc
■	■	■	■	■	■	■■■	_nested_sequence.cpython-311.pyc
■	■	■	■	■	■	■■■	_scalars.cpython-311.pyc
■	■	■	■	■	■	■■■	_shape.cpython-311.pyc
■	■	■	■	■	■	■■■	setup.cpython-311.pyc
■	■	■	■	■	■■■	_add_docstring.py	
■	■	■	■	■	■■■	_array_like.py	
■	■	■	■	■	■■■	_callable.pyi	
■	■	■	■	■	■■■	_char_codes.py	
■	■	■	■	■	■■■	_dtype_like.py	
■	■	■	■	■	■■■	_extended_precision.py	
■	■	■	■	■	■■■	_generic_alias.py	
■	■	■	■	■	■■■	_nbit.py	
■	■	■	■	■	■■■	_nested_sequence.py	
■	■	■	■	■	■■■	_scalars.py	
■	■	■	■	■	■■■	_shape.py	
■	■	■	■	■	■■■	_ufunc.pyi	
■	■	■	■	■	■■■	setup.py	
■	■	■	■	■	■■■	_version.py	
■	■	■	■	■	■■■	array_api	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_array_object.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■■■ _constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _creation_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _data_type_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _dtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _elementwise_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _manipulation_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _searching_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _set_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _sorting_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _statistical_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _typing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _utility_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _array_object.py
■ ■ ■ ■ ■ ■ ■ ■■■ _constants.py
■ ■ ■ ■ ■ ■ ■ ■■■ _creation_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _data_type_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _dtypes.py
■ ■ ■ ■ ■ ■ ■ ■■■ _elementwise_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _manipulation_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _searching_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _set_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _sorting_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _statistical_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ _typing.py
■ ■ ■ ■ ■ ■ ■ ■■■ _utility_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ setup.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_object.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_creation_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_data_type_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_elementwise_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_set_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sorting_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_validation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_array_object.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_creation_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_data_type_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_elementwise_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_set_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sorting_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_validation.py
■ ■ ■ ■ ■ ■ ■ ■■■ compat
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _inspect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _pep440.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ py3k.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _inspect.py
■ ■ ■ ■ ■ ■ ■ ■■■ _pep440.py
■ ■ ■ ■ ■ ■ ■ ■■■ py3k.py

```



```

■■■■ _rational_tests.cpython-311-x86_64-linux-gnu.so
■■■■ _simd.cpython-311-x86_64-linux-gnu.so
■■■■ _string_helpers.py
■■■■ _struct_ufunc_tests.cpython-311-x86_64-linux-gnu.so
■■■■ _type_aliases.py
■■■■ _type_aliases.pyi
■■■■ _ufunc_config.py
■■■■ _ufunc_config.pyi
■■■■ _umath_tests.cpython-311-x86_64-linux-gnu.so
■■■■ arrayprint.py
■■■■ arrayprint.pyi
■■■■ cversions.py
■■■■ defchararray.py
■■■■ defchararray.pyi
■■■■ einsumfunc.py
■■■■ einsumfunc.pyi
■■■■ fromnumeric.py
■■■■ fromnumeric.pyi
■■■■ function_base.py
■■■■ function_base.pyi
■■■■ generate_numpy_api.py
■■■■ getlimits.py
■■■■ getlimits.pyi
■■■■ include
■■■■ numpy
■■■■ .doxyfile
■■■■ __multiarray_api.h
■■■■ __ufunc_api.h
■■■■ _neighborhood_iterator_imp.h
■■■■ _numpyconfig.h
■■■■ arrayobject.h
■■■■ arrayscalars.h
■■■■ experimental_dtype_api.h
■■■■ halffloat.h
■■■■ libdivide
■■■■ LICENSE.txt
■■■■ libdivide.h
■■■■ multiarray_api.txt
■■■■ ndarrayobject.h
■■■■ ndarraytypes.h
■■■■ noprefix.h
■■■■ npy_1_7_deprecated_api.h
■■■■ npy_3kcompat.h
■■■■ npy_common.h
■■■■ npy_cpu.h
■■■■ npy_endian.h
■■■■ npy_interrupt.h
■■■■ npy_math.h
■■■■ npy_no_deprecated_api.h
■■■■ npy_os.h
■■■■ numpyconfig.h
■■■■ old_defines.h
■■■■ oldnumeric.h
■■■■ random
■■■■ bitgen.h
■■■■ distributions.h
■■■■ ufunc_api.txt
■■■■ ufuncobject.h

```



```
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_machar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_mem_overlap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_mem_policy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_memmap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_multiarray.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_nditer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_nep50_promotions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_numeric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_numerictypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_overrides.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_print.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_protocols.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_records.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_regression.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_scalar_ctors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_scalar_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_scalarbuffer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_scalarinherit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_scalarmath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_scalarprint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_shape_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_simd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_simd_module.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_ufunc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_umath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_umath_accuracy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_umath_complex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_unicode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _locales.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■ ■ ■ ■■■ astype_copy.pkl
■ ■ ■ ■ ■ ■ ■ ■ ■■■ generate_umath_validation_data.cpp
■ ■ ■ ■ ■ ■ ■ ■ ■■■ recarray_from_file.fits
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-README.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-arccos.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-arccosh.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-arcsin.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-arcsinh.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-arctan.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-arctanh.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-cbrt.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-cos.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-cosh.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-exp.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-exp2.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-expm1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-log.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-log10.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-log1p.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-log2.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-sin.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-sinh.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-tan.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ umath-validation-set-tanh.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ examples
■ ■ ■ ■ ■ ■ ■ ■ ■■■ cython
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
```



```

■ ■ ■ ■ ■ ■ ■ ■■■ test_scalarmath.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_scalarprint.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_shape_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_simd.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_simd_module.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_strings.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ufunc.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_umath.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_umath_accuracy.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_umath_complex.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_unicode.py
■ ■ ■ ■ ■ ■ ■ ■■■ umath.py
■ ■ ■ ■ ■ ■ ■ ■■■ umath_tests.py
■ ■ ■ ■ ■ ■ ■■■■ ctypeslib.py
■ ■ ■ ■ ■ ■ ■■■■ ctypeslib.pyi
■ ■ ■ ■ ■ ■ ■■■■ distutils
■ ■ ■ ■ ■ ■ ■ ■■■ __config__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __config__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _shell_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ armccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ccompiler_opt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conv_template.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cpuinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exec_command.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ from_template.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ intelccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lib2def.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ line_endings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ log.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mingw32ccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ misc_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ msvc9compiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ msvccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ npy_pkg_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ numpy_distribution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pathccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ system_info.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ unixccompiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _shell_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ armccompiler.py
■ ■ ■ ■ ■ ■ ■ ■■■ ccompiler.py
■ ■ ■ ■ ■ ■ ■ ■■■ ccompiler_opt.py
■ ■ ■ ■ ■ ■ ■ ■■■ checks
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_asimd.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_asimddp.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_asimdfhm.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_asimdhp.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_avx.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_avx2.c
■ ■ ■ ■ ■ ■ ■ ■■■ cpu_avx512_clx.c

```

■	■	■	■	■	■	■	■■■	cpu_avx512_cnl.c
■	■	■	■	■	■	■	■■■	cpu_avx512_icl.c
■	■	■	■	■	■	■	■■■	cpu_avx512_knl.c
■	■	■	■	■	■	■	■■■	cpu_avx512_knm.c
■	■	■	■	■	■	■	■■■	cpu_avx512_skx.c
■	■	■	■	■	■	■	■■■	cpu_avx512cd.c
■	■	■	■	■	■	■	■■■	cpu_avx512f.c
■	■	■	■	■	■	■	■■■	cpu_f16c.c
■	■	■	■	■	■	■	■■■	cpu_fma3.c
■	■	■	■	■	■	■	■■■	cpu_fma4.c
■	■	■	■	■	■	■	■■■	cpu_neon.c
■	■	■	■	■	■	■	■■■	cpu_neon_fp16.c
■	■	■	■	■	■	■	■■■	cpu_neon_vfpv4.c
■	■	■	■	■	■	■	■■■	cpu_popcnt.c
■	■	■	■	■	■	■	■■■	cpu_sse.c
■	■	■	■	■	■	■	■■■	cpu_sse2.c
■	■	■	■	■	■	■	■■■	cpu_sse3.c
■	■	■	■	■	■	■	■■■	cpu_sse41.c
■	■	■	■	■	■	■	■■■	cpu_sse42.c
■	■	■	■	■	■	■	■■■	cpu_ssse3.c
■	■	■	■	■	■	■	■■■	cpu_vsx.c
■	■	■	■	■	■	■	■■■	cpu_vsx2.c
■	■	■	■	■	■	■	■■■	cpu_vsx3.c
■	■	■	■	■	■	■	■■■	cpu_vsx4.c
■	■	■	■	■	■	■	■■■	cpu_vx.c
■	■	■	■	■	■	■	■■■	cpu_vxe.c
■	■	■	■	■	■	■	■■■	cpu_vxe2.c
■	■	■	■	■	■	■	■■■	cpu_xop.c
■	■	■	■	■	■	■	■■■	extra_avx512bw_mask.c
■	■	■	■	■	■	■	■■■	extra_avx512dq_mask.c
■	■	■	■	■	■	■	■■■	extra_avx512f_reduce.c
■	■	■	■	■	■	■	■■■	extra_vsx4_mma.c
■	■	■	■	■	■	■	■■■	extra_vsx_asm.c
■	■	■	■	■	■	■	■■■	test_flags.c
■	■	■	■	■	■	■■■	command	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	autodist.cpython-311.pyc
■	■	■	■	■	■	■	■■■	bdist_rpm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build_clib.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build_ext.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build_scripts.cpython-311.pyc
■	■	■	■	■	■	■	■■■	build_src.cpython-311.pyc
■	■	■	■	■	■	■	■■■	config.cpython-311.pyc
■	■	■	■	■	■	■	■■■	config_compiler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	develop.cpython-311.pyc
■	■	■	■	■	■	■	■■■	egg_info.cpython-311.pyc
■	■	■	■	■	■	■	■■■	install.cpython-311.pyc
■	■	■	■	■	■	■	■■■	install_clib.cpython-311.pyc
■	■	■	■	■	■	■	■■■	install_data.cpython-311.pyc
■	■	■	■	■	■	■	■■■	install_headers.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sdist.cpython-311.pyc
■	■	■	■	■	■	■■■	autodist.py	
■	■	■	■	■	■	■■■	bdist_rpm.py	
■	■	■	■	■	■	■■■	build.py	

```
■ ■ ■ ■ ■ ■ ■ ■■■ build_clib.py
■ ■ ■ ■ ■ ■ ■ ■■■ build_ext.py
■ ■ ■ ■ ■ ■ ■ ■■■ build_py.py
■ ■ ■ ■ ■ ■ ■ ■■■ build_scripts.py
■ ■ ■ ■ ■ ■ ■ ■■■ build_src.py
■ ■ ■ ■ ■ ■ ■ ■■■ config.py
■ ■ ■ ■ ■ ■ ■ ■■■ config_compiler.py
■ ■ ■ ■ ■ ■ ■ ■■■ develop.py
■ ■ ■ ■ ■ ■ ■ ■■■ egg_info.py
■ ■ ■ ■ ■ ■ ■ ■■■ install.py
■ ■ ■ ■ ■ ■ ■ ■■■ install_clib.py
■ ■ ■ ■ ■ ■ ■ ■■■ install_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ install_headers.py
■ ■ ■ ■ ■ ■ ■ ■■■ sdist.py
■ ■ ■ ■ ■ ■ ■ ■■■ conv_template.py
■ ■ ■ ■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■ ■ ■ ■■■ cpuinfo.py
■ ■ ■ ■ ■ ■ ■ ■■■ exec_command.py
■ ■ ■ ■ ■ ■ ■ ■■■ extension.py
■ ■ ■ ■ ■ ■ ■ ■■■ fcompiler
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ absoft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compaq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ environment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fujitsu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ g95.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gnu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hpux.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ibm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ intel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lahey.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mips.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ none.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pathf95.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sun.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vast.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ absoft.py
■ ■ ■ ■ ■ ■ ■ ■■■ arm.py
■ ■ ■ ■ ■ ■ ■ ■■■ compaq.py
■ ■ ■ ■ ■ ■ ■ ■■■ environment.py
■ ■ ■ ■ ■ ■ ■ ■■■ fujitsu.py
■ ■ ■ ■ ■ ■ ■ ■■■ g95.py
■ ■ ■ ■ ■ ■ ■ ■■■ gnu.py
■ ■ ■ ■ ■ ■ ■ ■■■ hpux.py
■ ■ ■ ■ ■ ■ ■ ■■■ ibm.py
■ ■ ■ ■ ■ ■ ■ ■■■ intel.py
■ ■ ■ ■ ■ ■ ■ ■■■ lahey.py
■ ■ ■ ■ ■ ■ ■ ■■■ mips.py
■ ■ ■ ■ ■ ■ ■ ■■■ nag.py
■ ■ ■ ■ ■ ■ ■ ■■■ none.py
■ ■ ■ ■ ■ ■ ■ ■■■ nv.py
■ ■ ■ ■ ■ ■ ■ ■■■ pathf95.py
```



```

test_f2cmap.cpython-311.pyc
test_f2py2e.cpython-311.pyc
test_kind.cpython-311.pyc
test_mixed.cpython-311.pyc
test_module_doc.cpython-311.pyc
test_parameter.cpython-311.pyc
test_quoted_character.cpython-311.pyc
test_regression.cpython-311.pyc
test_return_character.cpython-311.pyc
test_return_complex.cpython-311.pyc
test_return_integer.cpython-311.pyc
test_return_logical.cpython-311.pyc
test_return_real.cpython-311.pyc
test_semicolon_split.cpython-311.pyc
test_size.cpython-311.pyc
test_string.cpython-311.pyc
test_symbolic.cpython-311.pyc
test_value_attrspect.cpython-311.pyc
util.cpython-311.pyc
src
abstract_interface
    foo.f90
    gh18403_mod.f90
array_from_pyobj
    wrapmodule.c
assumed_shape
    .f2py_f2cmap
    foo_free.f90
    foo_mod.f90
    foo_use.f90
    precision.f90
block_docstring
    foo.f
callback
    foo.f
    gh17797.f90
    gh18335.f90
cli
    hi77.f
    hiworld.f90
common
    block.f
crackfortran
    accesstype.f90
    foo_deps.f90
    gh15035.f
    gh17859.f
    gh2848.f90
    operators.f90
    privatemod.f90
    publicmod.f90
    pubprivmod.f90
f2cmap
    .f2py_f2cmap
    isoFortranEnvMap.f90
kind
    foo.f90
mixed

```

■	■	■	■	■	■	■	■	■	■■■	foo.f
■	■	■	■	■	■	■	■	■	■■■	foo_fixed.f90
■	■	■	■	■	■	■	■	■	■■■	foo_free.f90
■	■	■	■	■	■	■	■	■■■	module_data	
■	■	■	■	■	■	■	■	■	■■■	mod.mod
■	■	■	■	■	■	■	■	■	■■■	module_data_docstring.f90
■	■	■	■	■	■	■	■	■■■	negative_bounds	
■	■	■	■	■	■	■	■	■	■■■	issue_20853.f90
■	■	■	■	■	■	■	■	■■■	parameter	
■	■	■	■	■	■	■	■	■	■■■	constant_both.f90
■	■	■	■	■	■	■	■	■	■■■	constant_compound.f90
■	■	■	■	■	■	■	■	■	■■■	constant_integer.f90
■	■	■	■	■	■	■	■	■	■■■	constant_non_compound.f90
■	■	■	■	■	■	■	■	■	■■■	constant_real.f90
■	■	■	■	■	■	■	■	■■■	quoted_character	
■	■	■	■	■	■	■	■	■	■■■	foo.f
■	■	■	■	■	■	■	■	■■■	regression	
■	■	■	■	■	■	■	■	■	■■■	inout.f90
■	■	■	■	■	■	■	■	■■■	return_character	
■	■	■	■	■	■	■	■	■	■■■	foo77.f
■	■	■	■	■	■	■	■	■	■■■	foo90.f90
■	■	■	■	■	■	■	■	■■■	return_complex	
■	■	■	■	■	■	■	■	■	■■■	foo77.f
■	■	■	■	■	■	■	■	■	■■■	foo90.f90
■	■	■	■	■	■	■	■	■■■	return_integer	
■	■	■	■	■	■	■	■	■	■■■	foo77.f
■	■	■	■	■	■	■	■	■	■■■	foo90.f90
■	■	■	■	■	■	■	■	■■■	return_logical	
■	■	■	■	■	■	■	■	■	■■■	foo77.f
■	■	■	■	■	■	■	■	■	■■■	foo90.f90
■	■	■	■	■	■	■	■	■■■	return_real	
■	■	■	■	■	■	■	■	■	■■■	foo77.f
■	■	■	■	■	■	■	■	■	■■■	foo90.f90
■	■	■	■	■	■	■	■	■■■	size	
■	■	■	■	■	■	■	■	■	■■■	foo.f90
■	■	■	■	■	■	■	■	■■■	string	
■	■	■	■	■	■	■	■	■	■■■	char.f90
■	■	■	■	■	■	■	■	■	■■■	fixed_string.f90
■	■	■	■	■	■	■	■	■	■■■	string.f
■	■	■	■	■	■	■	■	■■■	value_attrspec	
■	■	■	■	■	■	■	■	■	■■■	gh21665.f90
■	■	■	■	■	■	■	■	■■■	test_abstract_interface.py	
■	■	■	■	■	■	■	■	■■■	test_array_from_pyobj.py	
■	■	■	■	■	■	■	■	■■■	test_assumed_shape.py	
■	■	■	■	■	■	■	■	■■■	test_block_docstring.py	
■	■	■	■	■	■	■	■	■■■	test_callback.py	
■	■	■	■	■	■	■	■	■■■	test_character.py	
■	■	■	■	■	■	■	■	■■■	test_common.py	
■	■	■	■	■	■	■	■	■■■	test_compile_function.py	
■	■	■	■	■	■	■	■	■■■	test_crackfortran.py	
■	■	■	■	■	■	■	■	■■■	test_docs.py	
■	■	■	■	■	■	■	■	■■■	test_f2cmap.py	
■	■	■	■	■	■	■	■	■■■	test_f2py2e.py	
■	■	■	■	■	■	■	■	■■■	test_kind.py	
■	■	■	■	■	■	■	■	■■■	test_mixed.py	
■	■	■	■	■	■	■	■	■■■	test_module_doc.py	
■	■	■	■	■	■	■	■	■■■	test_parameter.py	
■	■	■	■	■	■	■	■	■■■	test_quoted_character.py	


```

■ ■ ■ ■ ■ ■ ■ ■■■ test_regression.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_return_character.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_return_complex.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_return_integer.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_return_logical.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_return_real.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_semicolon_split.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_size.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_string.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_symbolic.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_value_attrspect.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ use_rules.py
■ ■ ■ ■ ■ ■ ■■■■ fft
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _pocketfft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ helper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _pocketfft.py
■ ■ ■ ■ ■ ■ ■ ■■■ _pocketfft.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _pocketfft_internal.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ helper.py
■ ■ ■ ■ ■ ■ ■ ■■■ helper.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ setup.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_helper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pocketfft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_helper.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pocketfft.py
■ ■ ■ ■ ■ ■ ■ ■■■ lib
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _datasource.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _iotools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arraypad.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arraysetops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arrayiterator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ format.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ function_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ histograms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ index_tricks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mixins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nanfunctions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ npyio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ polynomial.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ recfunctions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scimath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shape_base.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■■	stride_tricks.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	twodim_base.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	type_check.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	ufunclike.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	user_array.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■■		_datasource.py
■	■	■	■	■	■	■■■■		_iotools.py
■	■	■	■	■	■	■■■■		_version.py
■	■	■	■	■	■	■■■■		_version.pyi
■	■	■	■	■	■	■■■■		arraypad.py
■	■	■	■	■	■	■■■■		arraypad.pyi
■	■	■	■	■	■	■■■■		arraysetops.py
■	■	■	■	■	■	■■■■		arraysetops.pyi
■	■	■	■	■	■	■■■■		arrayiterator.py
■	■	■	■	■	■	■■■■		arrayiterator.pyi
■	■	■	■	■	■	■■■■		format.py
■	■	■	■	■	■	■■■■		format.pyi
■	■	■	■	■	■	■■■■		function_base.py
■	■	■	■	■	■	■■■■		function_base.pyi
■	■	■	■	■	■	■■■■		histograms.py
■	■	■	■	■	■	■■■■		histograms.pyi
■	■	■	■	■	■	■■■■		index_tricks.py
■	■	■	■	■	■	■■■■		index_tricks.pyi
■	■	■	■	■	■	■■■■		mixins.py
■	■	■	■	■	■	■■■■		mixins.pyi
■	■	■	■	■	■	■■■■		nanfunctions.py
■	■	■	■	■	■	■■■■		nanfunctions.pyi
■	■	■	■	■	■	■■■■		npio.py
■	■	■	■	■	■	■■■■		npio.pyi
■	■	■	■	■	■	■■■■		polynomial.py
■	■	■	■	■	■	■■■■		polynomial.pyi
■	■	■	■	■	■	■■■■		recfunctions.py
■	■	■	■	■	■	■■■■		scimath.py
■	■	■	■	■	■	■■■■		scimath.pyi
■	■	■	■	■	■	■■■■		setup.py
■	■	■	■	■	■	■■■■		shape_base.py
■	■	■	■	■	■	■■■■		shape_base.pyi
■	■	■	■	■	■	■■■■		stride_tricks.py
■	■	■	■	■	■	■■■■		stride_tricks.pyi
■	■	■	■	■	■	■■■■		tests
■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test__datasource.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test__iotools.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test__version.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_arraypad.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_arraysetops.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_arrayiterator.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_financial_expired.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_format.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_function_base.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_histograms.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_index_tricks.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_io.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_loadtxt.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_mixins.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_nanfunctions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_packbits.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_polynomial.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_recfunctions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_regression.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_shape_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_stride_tricks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_twodim_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_type_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_ufunclike.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■ ■ ■ ■■■ py2-objarr.npy
■ ■ ■ ■ ■ ■ ■ ■ ■■■ py2-objarr.npz
■ ■ ■ ■ ■ ■ ■ ■ ■■■ py3-objarr.npy
■ ■ ■ ■ ■ ■ ■ ■ ■■■ py3-objarr.npz
■ ■ ■ ■ ■ ■ ■ ■ ■■■ python3.npy
■ ■ ■ ■ ■ ■ ■ ■ ■■■ win64python2.npy
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test__datasource.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test__iotools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test__version.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_arraypad.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_arraysetops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_arrayiterator.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_financial_expired.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_format.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_function_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_histograms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_index_tricks.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_io.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_loadtxt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_mixins.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_nanfunctions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_packbits.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_polynomial.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_recfunctions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_regression.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_shape_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_stride_tricks.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_twodim_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_type_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_ufunclike.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ twodim_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ twodim_base.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■■■ type_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ type_check.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■■■ ufunclike.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ ufunclike.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■■■ user_array.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ utils.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linalg
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■      setup.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _umath_linalg.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      lapack_lite.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      linalg.py
■      ■      ■      ■      ■      ■      ■      ■      linalg.pyi
■      ■      ■      ■      ■      ■      ■      ■      setup.py
■      ■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_deprecations.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_linalg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_regression.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_deprecations.py
■      ■      ■      ■      ■      ■      ■      ■      test_linalg.py
■      ■      ■      ■      ■      ■      ■      ■      test_regression.py
■      ■      ■      ■      ■      ■      ■      ma
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __init__.pyi
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      bench.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mrecords.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      setup.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      testutils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      timer_comparison.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      bench.py
■      ■      ■      ■      ■      ■      ■      core.py
■      ■      ■      ■      ■      ■      ■      core.pyi
■      ■      ■      ■      ■      ■      ■      extras.py
■      ■      ■      ■      ■      ■      ■      extras.pyi
■      ■      ■      ■      ■      ■      ■      mrecords.py
■      ■      ■      ■      ■      ■      ■      mrecords.pyi
■      ■      ■      ■      ■      ■      ■      setup.py
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_deprecations.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_mrecords.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_old_ma.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_regression.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_subclassing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      test_core.py
■      ■      ■      ■      ■      ■      ■      test_deprecations.py
■      ■      ■      ■      ■      ■      ■      test_extras.py
■      ■      ■      ■      ■      ■      ■      test_mrecords.py
■      ■      ■      ■      ■      ■      ■      test_old_ma.py
■      ■      ■      ■      ■      ■      ■      test_regression.py
■      ■      ■      ■      ■      ■      ■      test_subclassing.py
■      ■      ■      ■      ■      ■      ■      testutils.py
■      ■      ■      ■      ■      ■      ■      timer_comparison.py
■      ■      ■      ■      ■      ■      ■      matplotlib
■      ■      ■      ■      ■      ■      ■      matrixlib

```

[illegible]

```

tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_chebyshev.cpython-311.pyc
    test_classes.cpython-311.pyc
    test_hermite.cpython-311.pyc
    test_hermite_e.cpython-311.pyc
    test_laguerre.cpython-311.pyc
    test_legendre.cpython-311.pyc
    test_polynomial.cpython-311.pyc
    test_polyutils.cpython-311.pyc
    test_printing.cpython-311.pyc
    test_symbol.cpython-311.pyc
  test_chebyshev.py
  test_classes.py
  test_hermite.py
  test_hermite_e.py
  test_laguerre.py
  test_legendre.py
  test_polynomial.py
  test_polyutils.py
  test_printing.py
  test_symbol.py
py.typed
random
  __init__.pxd
  __init__.py
  __init__.pyi
  __pycache__
    __init__.cpython-311.pyc
    _pickle.cpython-311.pyc
    setup.cpython-311.pyc
  _bounded_integers.cpython-311-x86_64-linux-gnu.so
  _bounded_integers.pxd
  _common.cpython-311-x86_64-linux-gnu.so
  _common.pxd
  _examples
  cffi
    __pycache__
      extending.cpython-311.pyc
      parse.cpython-311.pyc
    extending.py
    parse.py
  cython
    __pycache__
      setup.cpython-311.pyc
    extending.pyx
    extending_distributions.pyx
    setup.py
  numba
    __pycache__
      extending.cpython-311.pyc
      extending_distributions.cpython-311.pyc
    extending.py
    extending_distributions.py
  _generator.cpython-311-x86_64-linux-gnu.so
  generator.pyi

```

■	■	■	■	■	■	■■■■	_mt19937.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	_mt19937.pyi
■	■	■	■	■	■	■■■■	_pcg64.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	_pcg64.pyi
■	■	■	■	■	■	■■■■	_philox.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	_philox.pyi
■	■	■	■	■	■	■■■■	_pickle.py
■	■	■	■	■	■	■■■■	_sfc64.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	_sfc64.pyi
■	■	■	■	■	■	■■■■	bit_generator.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	bit_generator.pxd
■	■	■	■	■	■	■■■■	bit_generator.pyi
■	■	■	■	■	■	■■■■	c_distributions.pxd
■	■	■	■	■	■	■■■■	lib
■	■	■	■	■	■	■	■■■■ libnpyparandom.a
■	■	■	■	■	■	■■■■	mtrand.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	mtrand.pyi
■	■	■	■	■	■	■■■■	setup.py
■	■	■	■	■	■	■■■■	tests
■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■ test_direct.cpython-311.pyc
■	■	■	■	■	■	■	■■■■ test_extending.cpython-311.pyc
■	■	■	■	■	■	■	■■■■ test_generator_mt19937.cpython-311.pyc
■	■	■	■	■	■	■	■■■■ test_generator_mt19937_regressions.cpython-311.pyc
■	■	■	■	■	■	■	■■■■ test_random.cpython-311.pyc
■	■	■	■	■	■	■	■■■■ test_randomstate.cpython-311.pyc
■	■	■	■	■	■	■	■■■■ test_randomstate_regression.cpython-311.pyc
■	■	■	■	■	■	■	■■■■ test_regression.cpython-311.pyc
■	■	■	■	■	■	■	■■■■ test_seed_sequence.cpython-311.pyc
■	■	■	■	■	■	■	■■■■ test_smoke.cpython-311.pyc
■	■	■	■	■	■	■■■■	data
■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	mt19937-testset-1.csv
■	■	■	■	■	■	■■■■	mt19937-testset-2.csv
■	■	■	■	■	■	■■■■	pcg64-testset-1.csv
■	■	■	■	■	■	■■■■	pcg64-testset-2.csv
■	■	■	■	■	■	■■■■	pcg64dxsm-testset-1.csv
■	■	■	■	■	■	■■■■	pcg64dxsm-testset-2.csv
■	■	■	■	■	■	■■■■	philox-testset-1.csv
■	■	■	■	■	■	■■■■	philox-testset-2.csv
■	■	■	■	■	■	■■■■	sfc64-testset-1.csv
■	■	■	■	■	■	■■■■	sfc64-testset-2.csv
■	■	■	■	■	■	■■■■	test_direct.py
■	■	■	■	■	■	■■■■	test_extending.py
■	■	■	■	■	■	■■■■	test_generator_mt19937.py
■	■	■	■	■	■	■■■■	test_generator_mt19937_regressions.py
■	■	■	■	■	■	■■■■	test_random.py
■	■	■	■	■	■	■■■■	test_randomstate.py
■	■	■	■	■	■	■■■■	test_randomstate_regression.py
■	■	■	■	■	■	■■■■	test_regression.py
■	■	■	■	■	■	■■■■	test_seed_sequence.py
■	■	■	■	■	■	■■■■	test_smoke.py
■	■	■	■	■	■■■■	setup.py	
■	■	■	■	■	■■■■	testing	

```

    __init__.py
    __init__.pyc
    __pycache__
    __init__.cpython-311.pyc
    print_coercion_tables.cpython-311.pyc
    setup.cpython-311.pyc
    utils.cpython-311.pyc
    _private
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    decorators.cpython-311.pyc
    extbuild.cpython-311.pyc
    noseclasses.cpython-311.pyc
    nosetester.cpython-311.pyc
    parameterized.cpython-311.pyc
    utils.cpython-311.pyc
    decorators.py
    extbuild.py
    noseclasses.py
    nosetester.py
    parameterized.py
    utils.py
    utils.pyi
    print_coercion_tables.py
    setup.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_doctest.cpython-311.pyc
    test_utils.cpython-311.pyc
    test_doctest.py
    test_utils.py
    utils.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_all.cpython-311.pyc
    test_ctypeslib.cpython-311.pyc
    test_lazyloading.cpython-311.pyc
    test_matlib.cpython-311.pyc
    test_numpy_version.cpython-311.pyc
    test_public_api.cpython-311.pyc
    test_reloading.cpython-311.pyc
    test_scripts.cpython-311.pyc
    test_warnings.cpython-311.pyc
    test_all.py
    test_ctypeslib.py
    test_lazyloading.py
    test_matlib.py
    test_numpy_version.py
    test_public_api.py
    test_reloading.py
    test_scripts.py
    test_warnings.py
    typing

```



```

■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ mypy_plugin.cpython-311.pyc
■■■■ setup.cpython-311.pyc
■■■■ mypy_plugin.py
■■■■ setup.py
■■■■ tests
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ test_generic_alias.cpython-311.pyc
■■■■ test_isfile.cpython-311.pyc
■■■■ test_runtime.cpython-311.pyc
■■■■ test_typing.cpython-311.pyc
■■■■ data
■■■■ fail
■■■■ arithmetic.pyi
■■■■ array_constructors.pyi
■■■■ array_like.pyi
■■■■ array_pad.pyi
■■■■ arrayprint.pyi
■■■■ arrayiterator.pyi
■■■■ bitwise_ops.pyi
■■■■ char.pyi
■■■■ chararray.pyi
■■■■ comparisons.pyi
■■■■ constants.pyi
■■■■ datasource.pyi
■■■■ dtype.pyi
■■■■ einsumfunc.pyi
■■■■ false_positives.pyi
■■■■ flatiter.pyi
■■■■ fromnumeric.pyi
■■■■ histograms.pyi
■■■■ index_tricks.pyi
■■■■ lib_function_base.pyi
■■■■ lib_polynomial.pyi
■■■■ lib_utils.pyi
■■■■ lib_version.pyi
■■■■ linalg.pyi
■■■■ memmap.pyi
■■■■ modules.pyi
■■■■ multiarray.pyi
■■■■ ndarray.pyi
■■■■ ndarray_misc.pyi
■■■■ nditer.pyi
■■■■ nested_sequence.pyi
■■■■ npyio.pyi
■■■■ numerictypes.pyi
■■■■ random.pyi
■■■■ rec.pyi
■■■■ scalars.pyi
■■■■ shape_base.pyi
■■■■ stride_tricks.pyi
■■■■ testing.pyi
■■■■ twodim_base.pyi
■■■■ type_check.pyi

```

■	■	■	■	■	■	■	■	■	■■■■	ufunc_config.pyi
■	■	■	■	■	■	■	■	■	■■■■	ufunc_like.pyi
■	■	■	■	■	■	■	■	■	■■■■	ufuncs.pyi
■	■	■	■	■	■	■	■	■	■■■■	warnings_and_errors.pyi
■	■	■	■	■	■	■	■	■■■■	misc	
■	■	■	■	■	■	■	■	■	■■■■	extended_precision.pyi
■	■	■	■	■	■	■	■	■■■■	mypy.ini	
■	■	■	■	■	■	■	■	■■■■	pass	
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	arithmetic.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	array_constructors.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	array_like.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arrayprint.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arrayiterator.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	bitwise_ops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	comparisons.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	dtype.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	einsumfunc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	flatiter.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	fromnumeric.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	index_tricks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	lib_utils.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	lib_version.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	literal.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	mod.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	modules.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	multiarray.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	ndarray_conversion.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	ndarray_misc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	ndarray_shape_manipulation.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	numeric.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	numeri ctypes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	random.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	scalars.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	simple.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	simple_py3.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	ufunc_config.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	ufunc_like.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	ufuncs.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	warnings_and_errors.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arithmetic.py
■	■	■	■	■	■	■	■	■	■■■■	array_constructors.py
■	■	■	■	■	■	■	■	■	■■■■	array_like.py
■	■	■	■	■	■	■	■	■	■■■■	arrayprint.py
■	■	■	■	■	■	■	■	■	■■■■	arrayiterator.py
■	■	■	■	■	■	■	■	■	■■■■	bitwise_ops.py
■	■	■	■	■	■	■	■	■	■■■■	comparisons.py
■	■	■	■	■	■	■	■	■	■■■■	dtype.py
■	■	■	■	■	■	■	■	■	■■■■	einsumfunc.py
■	■	■	■	■	■	■	■	■	■■■■	flatiter.py
■	■	■	■	■	■	■	■	■	■■■■	fromnumeric.py
■	■	■	■	■	■	■	■	■	■■■■	index_tricks.py
■	■	■	■	■	■	■	■	■	■■■■	lib_utils.py
■	■	■	■	■	■	■	■	■	■■■■	lib_version.py
■	■	■	■	■	■	■	■	■	■■■■	literal.py
■	■	■	■	■	■	■	■	■	■■■■	mod.py
■	■	■	■	■	■	■	■	■	■■■■	modules.py
■	■	■	■	■	■	■	■	■	■■■■	multiarray.py

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_conversion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_shape_manipulation.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ numeric.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ numerictypes.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ random.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ scalars.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ simple.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ simple_py3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ufunc_config.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ufunclike.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ufuncs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ warnings_and_errors.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ reveal
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arithmetic.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ array_constructors.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arraypad.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arrayprint.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arraysetops.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arrayiterator.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ bitwise_ops.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ char.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ chararray.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ comparisons.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ constants.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ctypeslib.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ datasource.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dtype.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ einsumfunc.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ emath.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ false_positives.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fft.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ flatiter.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fromnumeric.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ getlimits.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ histograms.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_tricks.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lib_function_base.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lib_polynomial.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lib_utils.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lib_version.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mmap.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mod.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ modules.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ multiarray.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nbit_base_example.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_conversion.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_misc.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ndarray_shape_manipulation.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nditer.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nested_sequence.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ npyio.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ numeric.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ numerictypes.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ random.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ rec.pyi
```



```

__init__.cpython-311.pyc
cublas
  include
    cublas.h
    cublasLt.h
    cublasXt.h
    cublas_api.h
    cublas_v2.h
    nvblas.h
  lib
    libcublas.so.11
    libcublasLt.so.11
    libnvblas.so.11
cuda_cupti
  extras
    CUPTI
      include
        Openacc
          cupti_openacc.h
        Openmp
          cupti_openmp.h
          omp-tools.h
        cuda_stdint.h
        cupti.h
        cupti_activity.h
        cupti_callbacks.h
        cupti_checkpoint.h
        cupti_driver_cbid.h
        cupti_events.h
        cupti_metrics.h
        cupti_nvtx_cbid.h
        cupti_pcsampling.h
        cupti_pcsampling_util.h
        cupti_profiler_target.h
        cupti_result.h
        cupti_runtime_cbid.h
        cupti_target.h
        cupti_version.h
        generated_cudaGL_meta.h
        generated_cudaVDPau_meta.h
        generated_cuda_gl_interop_meta.h
        generated_cuda_meta.h
        generated_cuda_runtime_api_meta.h
        generated_cuda_vdpau_interop_meta.h
        generated_nvtx_meta.h
        nvperf_common.h
        nvperf_cuda_host.h
        nvperf_host.h
        nvperf_target.h
      lib
        libcheckpoint.so
        libcupti.so.11.7
        libnvperf_host.so
        libnvperf_target.so
        libpcsamplingutil.so
cuda_nvrtc
  __init__.py
  __pycache__

```

```

    __init__.cpython-311.pyc
    include
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    nvrtc.h
    lib
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    libnvrtc-builtins.so.11.7
    libnvrtc.so.11.2
    cuda_runtime
    include
    CL
    cl.h
    cl.hpp
    cl_egl.h
    cl_ext.h
    cl_gl.h
    cl_gl_ext.h
    cl_platform.h
    opencl.h
    builtin_types.h
    channel_descriptor.h
    common_functions.h
    cooperative_groups
    details
    async.h
    coalesced_reduce.h
    coalesced_scan.h
    driver_abi.h
    functional.h
    helpers.h
    info.h
    partitioning.h
    reduce.h
    scan.h
    sync.h
    memcpy_async.h
    reduce.h
    scan.h
    cooperative_groups.h
    cuComplex.h
    cuda.h
    cudaEGL.h
    cudaEGLTypedefs.h
    cudaGL.h
    cudaGLTypedefs.h
    cudaProfilerTypedefs.h
    cudaTypedefs.h
    cudaVDPAU.h
    cudaVDPAUTypedefs.h
    cuda_awbarrier.h
    cuda_awbarrier_helpers.h
    cuda_awbarrier_primitives.h
    cuda_bf16.h
    cuda_bf16.hpp

```

■	■	■	■	■	■	■	■■■	cuda_device_runtime_api.h
■	■	■	■	■	■	■	■■■	cuda_egl_interop.h
■	■	■	■	■	■	■	■■■	cuda_fp16.h
■	■	■	■	■	■	■	■■■	cuda_fp16.hpp
■	■	■	■	■	■	■	■■■	cuda_gl_interop.h
■	■	■	■	■	■	■	■■■	cuda_occupancy.h
■	■	■	■	■	■	■	■■■	cuda_pipeline.h
■	■	■	■	■	■	■	■■■	cuda_pipeline_helpers.h
■	■	■	■	■	■	■	■■■	cuda_pipeline_primitives.h
■	■	■	■	■	■	■	■■■	cuda_runtime.h
■	■	■	■	■	■	■	■■■	cuda_runtime_api.h
■	■	■	■	■	■	■	■■■	cuda_surface_types.h
■	■	■	■	■	■	■	■■■	cuda_texture_types.h
■	■	■	■	■	■	■	■■■	cuda_vdpau_interop.h
■	■	■	■	■	■	■	■■■	cudart_platform.h
■	■	■	■	■	■	■	■■■	device_atomic_functions.h
■	■	■	■	■	■	■	■■■	device_atomic_functions.hpp
■	■	■	■	■	■	■	■■■	device_double_functions.h
■	■	■	■	■	■	■	■■■	device_functions.h
■	■	■	■	■	■	■	■■■	device_launch_parameters.h
■	■	■	■	■	■	■	■■■	device_types.h
■	■	■	■	■	■	■	■■■	driver_functions.h
■	■	■	■	■	■	■	■■■	driver_types.h
■	■	■	■	■	■	■	■■■	host_config.h
■	■	■	■	■	■	■	■■■	host_defines.h
■	■	■	■	■	■	■	■■■	library_types.h
■	■	■	■	■	■	■	■■■	math_constants.h
■	■	■	■	■	■	■	■■■	math_functions.h
■	■	■	■	■	■	■	■■■	mma.h
■	■	■	■	■	■	■	■■■	sm_20_atomic_functions.h
■	■	■	■	■	■	■	■■■	sm_20_atomic_functions.hpp
■	■	■	■	■	■	■	■■■	sm_20_intrinsics.h
■	■	■	■	■	■	■	■■■	sm_20_intrinsics.hpp
■	■	■	■	■	■	■	■■■	sm_30_intrinsics.h
■	■	■	■	■	■	■	■■■	sm_30_intrinsics.hpp
■	■	■	■	■	■	■	■■■	sm_32_atomic_functions.h
■	■	■	■	■	■	■	■■■	sm_32_atomic_functions.hpp
■	■	■	■	■	■	■	■■■	sm_32_intrinsics.h
■	■	■	■	■	■	■	■■■	sm_32_intrinsics.hpp
■	■	■	■	■	■	■	■■■	sm_35_atomic_functions.h
■	■	■	■	■	■	■	■■■	sm_35_intrinsics.h
■	■	■	■	■	■	■	■■■	sm_60_atomic_functions.h
■	■	■	■	■	■	■	■■■	sm_60_atomic_functions.hpp
■	■	■	■	■	■	■	■■■	sm_61_intrinsics.h
■	■	■	■	■	■	■	■■■	sm_61_intrinsics.hpp
■	■	■	■	■	■	■	■■■	surface_functions.h
■	■	■	■	■	■	■	■■■	surface_indirect_functions.h
■	■	■	■	■	■	■	■■■	surface_types.h
■	■	■	■	■	■	■	■■■	texture_fetch_functions.h
■	■	■	■	■	■	■	■■■	texture_indirect_functions.h
■	■	■	■	■	■	■	■■■	texture_types.h
■	■	■	■	■	■	■	■■■	vector_functions.h
■	■	■	■	■	■	■	■■■	vector_functions.hpp
■	■	■	■	■	■	■	■■■	vector_types.h
■	■	■	■	■	■	■■■	lib	
■	■	■	■	■	■	■	■■■	libOpenCL.so.1
■	■	■	■	■	■	■	■■■	libcudart.so.11.0
■	■	■	■	■	■■■		cudnn	

```

■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ include
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ cudnn.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_adv_infer.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_adv_infer_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_adv_train.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_adv_train_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_backend.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_backend_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_cnn_infer.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_cnn_infer_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_cnn_train.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_cnn_train_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_ops_infer.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_ops_infer_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_ops_train.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_ops_train_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_v8.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_version.h
■      ■      ■      ■      ■      ■      ■■■■ cudnn_version_v8.h
■      ■      ■      ■      ■      ■      ■■■■ lib
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ libcudnn.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_adv_infer.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_adv_train.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_cnn_infer.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_cnn_train.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_ops_infer.so.8
■      ■      ■      ■      ■      ■      ■■■■ libcudnn_ops_train.so.8
■      ■      ■      ■      ■      ■      ■■■■ cuFFT
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ include
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ cudalibxt.h
■      ■      ■      ■      ■      ■      ■■■■ cufft.h
■      ■      ■      ■      ■      ■      ■■■■ cufftXt.h
■      ■      ■      ■      ■      ■      ■■■■ cufftw.h
■      ■      ■      ■      ■      ■      ■■■■ lib
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ libcufft.so.10
■      ■      ■      ■      ■      ■      ■■■■ libcufftw.so.10
■      ■      ■      ■      ■      ■      ■■■■ curand
■      ■      ■      ■      ■      ■      ■■■■ include
■      ■      ■      ■      ■      ■      ■■■■ curand.h
■      ■      ■      ■      ■      ■      ■■■■ curand_discrete.h

```



```

curand_discrete2.h
curand_globals.h
curand_kernel.h
curand_lognormal.h
curand_mrg32k3a.h
curand_mrg32.h
curand_mrg32_host.h
curand_mrg32_kernel.h
curand_mrg32dc_p_11213.h
curand_normal.h
curand_normal_static.h
curand_philox4x32_x.h
curand_poisson.h
curand_precalc.h
curand_uniform.h
lib
libcurand.so.10
cusolver
__init__.py
__pycache__
__init__.cpython-311.pyc
include
__init__.py
__pycache__
__init__.cpython-311.pyc
cusolverDn.h
cusolverMg.h
cusolverRf.h
cusolverSp.h
cusolverSp_LOWLEVEL_PREVIEW.h
cusolver_common.h
lib
__init__.py
__pycache__
__init__.cpython-311.pyc
libcusolver.so.11
libcusolverMg.so.11
cusparse
include
cusparse.h
cusparse_v2.h
lib
libcusparse.so.11
nccl
include
nccl.h
nccl_net.h
lib
libnccl.so.2
nvtx
include
nvToolsExt.h
nvToolsExtCuda.h
nvToolsExtCudaRt.h
nvToolsExtOpenCL.h
nvToolsExtSync.h
nvtx3
nvToolsExt.h

```

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nvidia_curand_cu11-10.2.10.91.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ License.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nvidia_cusolver_cu11-11.4.0.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ License.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nvidia_cusparsparse_cu11-11.7.4.91.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ License.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nvidia_nccl_cu11-2.14.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ License.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ nvidia_nvtx_cu11-11.7.91.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ License.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ odf
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ anim.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ attrconverters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dr3d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ draw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ easylstyle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ element.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ elementtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ form.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ grammar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ load.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ manifest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ math.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ meta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ namespaces.cpython-311.pyc
```

■	■	■	■	■	■	■■■ number.cpython-311.pyc
■	■	■	■	■	■	■■■ odf2moinmoin.cpython-311.pyc
■	■	■	■	■	■	■■■ odf2xhtml.cpython-311.pyc
■	■	■	■	■	■	■■■ odfmanifest.cpython-311.pyc
■	■	■	■	■	■	■■■ office.cpython-311.pyc
■	■	■	■	■	■	■■■ opendocument.cpython-311.pyc
■	■	■	■	■	■	■■■ presentation.cpython-311.pyc
■	■	■	■	■	■	■■■ script.cpython-311.pyc
■	■	■	■	■	■	■■■ style.cpython-311.pyc
■	■	■	■	■	■	■■■ svg.cpython-311.pyc
■	■	■	■	■	■	■■■ table.cpython-311.pyc
■	■	■	■	■	■	■■■ teletype.cpython-311.pyc
■	■	■	■	■	■	■■■ text.cpython-311.pyc
■	■	■	■	■	■	■■■ thumbnail.cpython-311.pyc
■	■	■	■	■	■	■■■ userfield.cpython-311.pyc
■	■	■	■	■	■	■■■ xforms.cpython-311.pyc
■	■	■	■	■	■■■	anim.py
■	■	■	■	■	■■■	attrconverters.py
■	■	■	■	■	■■■	chart.py
■	■	■	■	■	■■■	config.py
■	■	■	■	■	■■■	dc.py
■	■	■	■	■	■■■	dr3d.py
■	■	■	■	■	■■■	draw.py
■	■	■	■	■	■■■	easyliststyle.py
■	■	■	■	■	■■■	element.py
■	■	■	■	■	■■■	elementtypes.py
■	■	■	■	■	■■■	form.py
■	■	■	■	■	■■■	grammar.py
■	■	■	■	■	■■■	load.py
■	■	■	■	■	■■■	manifest.py
■	■	■	■	■	■■■	math.py
■	■	■	■	■	■■■	meta.py
■	■	■	■	■	■■■	namespaces.py
■	■	■	■	■	■■■	number.py
■	■	■	■	■	■■■	odf2moinmoin.py
■	■	■	■	■	■■■	odf2xhtml.py
■	■	■	■	■	■■■	odfmanifest.py
■	■	■	■	■	■■■	office.py
■	■	■	■	■	■■■	opendocument.py
■	■	■	■	■	■■■	presentation.py
■	■	■	■	■	■■■	script.py
■	■	■	■	■	■■■	style.py
■	■	■	■	■	■■■	svg.py
■	■	■	■	■	■■■	table.py
■	■	■	■	■	■■■	teletype.py
■	■	■	■	■	■■■	text.py
■	■	■	■	■	■■■	thumbnail.py
■	■	■	■	■	■■■	userfield.py
■	■	■	■	■	■■■	xforms.py
■	■	■	■	■■■	■■■	odfpy-1.4.1.dist-info
■	■	■	■	■	■■■	INSTALLER
■	■	■	■	■	■■■	METADATA
■	■	■	■	■	■■■	RECORD
■	■	■	■	■	■■■	REQUESTED
■	■	■	■	■	■■■	WHEEL
■	■	■	■	■	■■■	top_level.txt
■	■	■	■	■■■	■■■	opencv_python-4.5.5.62.dist-info
■	■	■	■	■	■■■	INSTALLER

```

LICENSE-3RD-PARTY.txt
LICENSE.txt
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
opencv_python.libs
libQt5Core-39545cc7.so.5.15.0
libQt5Gui-ba0a2070.so.5.15.0
libQt5Test-c38a5234.so.5.15.0
libQt5Widgets-e69d94fb.so.5.15.0
libQt5XcbQpa-ca221f44.so.5.15.0
libX11-xcb-69166bdf.so.1.0.0
libXau-00ec42fe.so.6.0.0
libavcodec-64ac49e1.so.58.91.100
libavformat-4b79e479.so.58.45.100
libavutil-805734e8.so.56.51.100
libbz2-a273e504.so.1.0.6
libcrypto-018b8c17.so.1.1
libfreetype-c0e61f0c.so.6.14.0
libgfortran-91cc3cb1.so.3.0.0
libopenblas-r0-f650aae0.3.3.so
libpng15-ce838cd1.so.15.13.0
libquadmath-96973f99.so.0.0.0
libssl-6082116c.so.1.1
libswresample-83ce3247.so.3.7.100
libswscale-7e960168.so.5.7.100
libvpx-392cd848.so.6.4.0
libxcb-icccm-413c9f41.so.4.0.0
libxcb-image-e82a276d.so.0.0.0
libxcb-keysyms-21015570.so.1.0.0
libxcb-randr-a96a5a87.so.0.1.0
libxcb-render-637b984a.so.0.0.0
libxcb-render-util-43ce00f5.so.0.0.0
libxcb-shape-25c2b258.so.0.0.0
libxcb-shm-7a199f70.so.0.0.0
libxcb-sync-89374f40.so.1.0.0
libxcb-util-4d666913.so.1.0.0
libxcb-xfixes-9be3ba6f.so.0.0.0
libxcb-xinerama-ae147f87.so.0.0.0
libxcb-xkb-9ba31ab3.so.1.0.0
libxkbcommon-71ae2972.so.0.0.0
libxkbcommon-x11-c65ed502.so.0.0.0
openpyxl
__init__.py
__pycache__
__init__.cpython-311.pyc
_constants.cpython-311.pyc
_constants.py
cell
__init__.py
__pycache__
__init__.cpython-311.pyc
_writer.cpython-311.pyc
cell.cpython-311.pyc
read_only.cpython-311.pyc
text.cpython-311.pyc

```

■	■	■	■	■	■	■■■	_writer.py
■	■	■	■	■	■	■■■	cell.py
■	■	■	■	■	■	■■■	read_only.py
■	■	■	■	■	■	■■■	text.py
■	■	■	■	■	■■■	chart	
■	■	■	■	■	■	■■■	_3d.py
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	_3d.cpython-311.pyc
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_chart.cpython-311.pyc
■	■	■	■	■	■	■■■	area_chart.cpython-311.pyc
■	■	■	■	■	■	■■■	axis.cpython-311.pyc
■	■	■	■	■	■	■■■	bar_chart.cpython-311.pyc
■	■	■	■	■	■	■■■	bubble_chart.cpython-311.pyc
■	■	■	■	■	■	■■■	chartspace.cpython-311.pyc
■	■	■	■	■	■	■■■	data_source.cpython-311.pyc
■	■	■	■	■	■	■■■	descriptors.cpython-311.pyc
■	■	■	■	■	■	■■■	error_bar.cpython-311.pyc
■	■	■	■	■	■	■■■	label.cpython-311.pyc
■	■	■	■	■	■	■■■	layout.cpython-311.pyc
■	■	■	■	■	■	■■■	legend.cpython-311.pyc
■	■	■	■	■	■	■■■	line_chart.cpython-311.pyc
■	■	■	■	■	■	■■■	marker.cpython-311.pyc
■	■	■	■	■	■	■■■	picture.cpython-311.pyc
■	■	■	■	■	■	■■■	pie_chart.cpython-311.pyc
■	■	■	■	■	■	■■■	pivot.cpython-311.pyc
■	■	■	■	■	■	■■■	plotarea.cpython-311.pyc
■	■	■	■	■	■	■■■	print_settings.cpython-311.pyc
■	■	■	■	■	■	■■■	radar_chart.cpython-311.pyc
■	■	■	■	■	■	■■■	reader.cpython-311.pyc
■	■	■	■	■	■	■■■	reference.cpython-311.pyc
■	■	■	■	■	■	■■■	scatter_chart.cpython-311.pyc
■	■	■	■	■	■	■■■	series.cpython-311.pyc
■	■	■	■	■	■	■■■	series_factory.cpython-311.pyc
■	■	■	■	■	■	■■■	shapes.cpython-311.pyc
■	■	■	■	■	■	■■■	stock_chart.cpython-311.pyc
■	■	■	■	■	■	■■■	surface_chart.cpython-311.pyc
■	■	■	■	■	■	■■■	text.cpython-311.pyc
■	■	■	■	■	■	■■■	title.cpython-311.pyc
■	■	■	■	■	■	■■■	trendline.cpython-311.pyc
■	■	■	■	■	■	■■■	updown_bars.cpython-311.pyc
■	■	■	■	■	■■■	_chart.py	
■	■	■	■	■	■■■	area_chart.py	
■	■	■	■	■	■■■	axis.py	
■	■	■	■	■	■■■	bar_chart.py	
■	■	■	■	■	■■■	bubble_chart.py	
■	■	■	■	■	■■■	chartspace.py	
■	■	■	■	■	■■■	data_source.py	
■	■	■	■	■	■■■	descriptors.py	
■	■	■	■	■	■■■	error_bar.py	
■	■	■	■	■	■■■	label.py	
■	■	■	■	■	■■■	layout.py	
■	■	■	■	■	■■■	legend.py	
■	■	■	■	■	■■■	line_chart.py	
■	■	■	■	■	■■■	marker.py	
■	■	■	■	■	■■■	picture.py	
■	■	■	■	■	■■■	pie_chart.py	

■	■	■	■	■	■	■■■	pivot.py
■	■	■	■	■	■	■■■	plotarea.py
■	■	■	■	■	■	■■■	print_settings.py
■	■	■	■	■	■	■■■	radar_chart.py
■	■	■	■	■	■	■■■	reader.py
■	■	■	■	■	■	■■■	reference.py
■	■	■	■	■	■	■■■	scatter_chart.py
■	■	■	■	■	■	■■■	series.py
■	■	■	■	■	■	■■■	series_factory.py
■	■	■	■	■	■	■■■	shapes.py
■	■	■	■	■	■	■■■	stock_chart.py
■	■	■	■	■	■	■■■	surface_chart.py
■	■	■	■	■	■	■■■	text.py
■	■	■	■	■	■	■■■	title.py
■	■	■	■	■	■	■■■	trendline.py
■	■	■	■	■	■	■■■	updown_bars.py
■	■	■	■	■	■■■	chartsheet	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	chartsheet.cpython-311.pyc
■	■	■	■	■	■	■■■	custom.cpython-311.pyc
■	■	■	■	■	■	■■■	properties.cpython-311.pyc
■	■	■	■	■	■	■■■	protection.cpython-311.pyc
■	■	■	■	■	■	■■■	publish.cpython-311.pyc
■	■	■	■	■	■	■■■	relation.cpython-311.pyc
■	■	■	■	■	■	■■■	views.cpython-311.pyc
■	■	■	■	■	■■■	chartsheet.py	
■	■	■	■	■	■■■	custom.py	
■	■	■	■	■	■■■	properties.py	
■	■	■	■	■	■■■	protection.py	
■	■	■	■	■	■■■	publish.py	
■	■	■	■	■	■■■	relation.py	
■	■	■	■	■	■■■	views.py	
■	■	■	■	■	■■■	comments	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	author.cpython-311.pyc
■	■	■	■	■	■	■■■	comment_sheet.cpython-311.pyc
■	■	■	■	■	■	■■■	comments.cpython-311.pyc
■	■	■	■	■	■	■■■	shape_writer.cpython-311.pyc
■	■	■	■	■	■■■	author.py	
■	■	■	■	■	■■■	comment_sheet.py	
■	■	■	■	■	■■■	comments.py	
■	■	■	■	■	■■■	shape_writer.py	
■	■	■	■	■	■■■	compat	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	abc.cpython-311.pyc
■	■	■	■	■	■	■■■	numbers.cpython-311.pyc
■	■	■	■	■	■	■■■	product.cpython-311.pyc
■	■	■	■	■	■	■■■	singleton.cpython-311.pyc
■	■	■	■	■	■	■■■	strings.cpython-311.pyc
■	■	■	■	■	■■■	abc.py	
■	■	■	■	■	■■■	numbers.py	
■	■	■	■	■	■■■	product.py	

```

■ ■ ■ singleton.py
■ ■ ■ strings.py
■ ■ ■ descriptors
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   ■■■ __init__.cpython-311.pyc
■ ■ ■   ■■■ base.cpython-311.pyc
■ ■ ■   ■■■ excel.cpython-311.pyc
■ ■ ■   ■■■ namespace.cpython-311.pyc
■ ■ ■   ■■■ nested.cpython-311.pyc
■ ■ ■   ■■■ sequence.cpython-311.pyc
■ ■ ■   ■■■ serialisable.cpython-311.pyc
■ ■ ■   ■■■ slots.cpython-311.pyc
■ ■ ■ base.py
■ ■ ■ excel.py
■ ■ ■ namespace.py
■ ■ ■ nested.py
■ ■ ■ sequence.py
■ ■ ■ serialisable.py
■ ■ ■ slots.py
■ ■ ■ drawing
■ ■ ■   ■■■ __init__.py
■ ■ ■   ■■■ __pycache__
■ ■ ■     ■■■ __init__.cpython-311.pyc
■ ■ ■     ■■■ colors.cpython-311.pyc
■ ■ ■     ■■■ connector.cpython-311.pyc
■ ■ ■     ■■■ drawing.cpython-311.pyc
■ ■ ■     ■■■ effect.cpython-311.pyc
■ ■ ■     ■■■ fill.cpython-311.pyc
■ ■ ■     ■■■ geometry.cpython-311.pyc
■ ■ ■     ■■■ graphic.cpython-311.pyc
■ ■ ■     ■■■ image.cpython-311.pyc
■ ■ ■     ■■■ line.cpython-311.pyc
■ ■ ■     ■■■ picture.cpython-311.pyc
■ ■ ■     ■■■ properties.cpython-311.pyc
■ ■ ■     ■■■ relation.cpython-311.pyc
■ ■ ■     ■■■ spreadsheet_drawing.cpython-311.pyc
■ ■ ■     ■■■ text.cpython-311.pyc
■ ■ ■     ■■■ xdr.cpython-311.pyc
■ ■ ■ colors.py
■ ■ ■ connector.py
■ ■ ■ drawing.py
■ ■ ■ effect.py
■ ■ ■ fill.py
■ ■ ■ geometry.py
■ ■ ■ graphic.py
■ ■ ■ image.py
■ ■ ■ line.py
■ ■ ■ picture.py
■ ■ ■ properties.py
■ ■ ■ relation.py
■ ■ ■ spreadsheet_drawing.py
■ ■ ■ text.py
■ ■ ■ xdr.py
■ ■ ■ formatting
■ ■ ■   ■■■ __init__.py
■ ■ ■   ■■■ __pycache__
■ ■ ■     ■■■ __init__.cpython-311.pyc
```


[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ builtins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cell_style.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ colors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ differential.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fills.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fonts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ named_styles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ protection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ proxy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ styleable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stylesheet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ alignment.py
■ ■ ■ ■ ■ ■ ■ ■■■ borders.py
■ ■ ■ ■ ■ ■ ■ ■■■ builtins.py
■ ■ ■ ■ ■ ■ ■ ■■■ cell_style.py
■ ■ ■ ■ ■ ■ ■ ■■■ colors.py
■ ■ ■ ■ ■ ■ ■ ■■■ differential.py
■ ■ ■ ■ ■ ■ ■ ■■■ fills.py
■ ■ ■ ■ ■ ■ ■ ■■■ fonts.py
■ ■ ■ ■ ■ ■ ■ ■■■ named_styles.py
■ ■ ■ ■ ■ ■ ■ ■■■ numbers.py
■ ■ ■ ■ ■ ■ ■ ■■■ protection.py
■ ■ ■ ■ ■ ■ ■ ■■■ proxy.py
■ ■ ■ ■ ■ ■ ■ ■■■ styleable.py
■ ■ ■ ■ ■ ■ ■ ■■■ stylesheet.py
■ ■ ■ ■ ■ ■ ■ ■■■ table.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bound_dictionary.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cell.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ datetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ escape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ formulas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ indexed_list.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ inference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ protection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ units.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ bound_dictionary.py
■ ■ ■ ■ ■ ■ ■ ■■■ cell.py
■ ■ ■ ■ ■ ■ ■ ■■■ dataframe.py
■ ■ ■ ■ ■ ■ ■ ■■■ datetime.py
■ ■ ■ ■ ■ ■ ■ ■■■ escape.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ formulas.py
■ ■ ■ ■ ■ ■ ■ ■■■ indexed_list.py
■ ■ ■ ■ ■ ■ ■ ■■■ inference.py
■ ■ ■ ■ ■ ■ ■ ■■■ protection.py
■ ■ ■ ■ ■ ■ ■ ■■■ units.py
■ ■ ■ ■ ■ ■ ■ ■■■ workbook
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ _writer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ child.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ defined_name.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ external_reference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ function_group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ properties.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ protection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ smart_tags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ views.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ web.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ workbook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _writer.py
■ ■ ■ ■ ■ ■ ■ ■■■ child.py
■ ■ ■ ■ ■ ■ ■ ■■■ defined_name.py
■ ■ ■ ■ ■ ■ ■ ■■■ external_link
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ external.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ external.py
■ ■ ■ ■ ■ ■ ■ ■■■ external_reference.py
■ ■ ■ ■ ■ ■ ■ ■■■ function_group.py
■ ■ ■ ■ ■ ■ ■ ■■■ properties.py
■ ■ ■ ■ ■ ■ ■ ■■■ protection.py
■ ■ ■ ■ ■ ■ ■ ■■■ smart_tags.py
■ ■ ■ ■ ■ ■ ■ ■■■ views.py
■ ■ ■ ■ ■ ■ ■ ■■■ web.py
■ ■ ■ ■ ■ ■ ■ ■■■ workbook.py
■ ■ ■ ■ ■ ■ ■ ■■■ worksheet
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _read_only.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _reader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _write_only.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _writer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cell_range.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cell_watch.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ controls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ copier.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ custom.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ datavalidation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dimensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ drawing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ header_footer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hyperlink.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ merge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ole.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ page.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pagebreak.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ picture.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ properties.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ protection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ related.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scenario.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ smart_tag.cpython-311.pyc
```

■	■	■	■	■	■	■	■■■■	table.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	views.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	worksheet.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_read_only.py
■	■	■	■	■	■	■	■■■■	_reader.py
■	■	■	■	■	■	■	■■■■	_write_only.py
■	■	■	■	■	■	■	■■■■	_writer.py
■	■	■	■	■	■	■	■■■■	cell_range.py
■	■	■	■	■	■	■	■■■■	cell_watch.py
■	■	■	■	■	■	■	■■■■	controls.py
■	■	■	■	■	■	■	■■■■	copier.py
■	■	■	■	■	■	■	■■■■	custom.py
■	■	■	■	■	■	■	■■■■	datavalidation.py
■	■	■	■	■	■	■	■■■■	dimensions.py
■	■	■	■	■	■	■	■■■■	drawing.py
■	■	■	■	■	■	■	■■■■	errors.py
■	■	■	■	■	■	■	■■■■	filters.py
■	■	■	■	■	■	■	■■■■	header_footer.py
■	■	■	■	■	■	■	■■■■	hyperlink.py
■	■	■	■	■	■	■	■■■■	merge.py
■	■	■	■	■	■	■	■■■■	ole.py
■	■	■	■	■	■	■	■■■■	page.py
■	■	■	■	■	■	■	■■■■	pagebreak.py
■	■	■	■	■	■	■	■■■■	picture.py
■	■	■	■	■	■	■	■■■■	properties.py
■	■	■	■	■	■	■	■■■■	protection.py
■	■	■	■	■	■	■	■■■■	related.py
■	■	■	■	■	■	■	■■■■	scenario.py
■	■	■	■	■	■	■	■■■■	smart_tag.py
■	■	■	■	■	■	■	■■■■	table.py
■	■	■	■	■	■	■	■■■■	views.py
■	■	■	■	■	■	■	■■■■	worksheet.py
■	■	■	■	■	■	■■■■	writer	
■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	excel.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	theme.cpython-311.pyc
■	■	■	■	■	■	■■■■	excel.py	
■	■	■	■	■	■	■■■■	theme.py	
■	■	■	■	■	■■■■	xml		
■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	constants.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	functions.cpython-311.pyc
■	■	■	■	■	■	■■■■	constants.py	
■	■	■	■	■	■	■■■■	functions.py	
■	■	■	■	■■■■	openpyxl-3.0.10.dist-info			
■	■	■	■	■	■■■■	INSTALLER		
■	■	■	■	■	■■■■	LICENCE.rst		
■	■	■	■	■	■■■■	METADATA		
■	■	■	■	■	■■■■	RECORD		
■	■	■	■	■	■■■■	REQUESTED		
■	■	■	■	■	■■■■	WHEEL		
■	■	■	■	■	■■■■	top_level.txt		
■	■	■	■	■■■■	opt_einsum			
■	■	■	■	■	■■■■	__init__.py		

```
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ blas.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ contract.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ path_random.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ paths.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sharing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ typing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■■■ backends
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ cupy.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ dispatch.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ jax.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ object_arrays.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ tensorflow.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ theano.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ torch.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ cupy.py
■ ■ ■ ■ ■ ■■■ dispatch.py
■ ■ ■ ■ ■ ■■■ jax.py
■ ■ ■ ■ ■ ■■■ object_arrays.py
■ ■ ■ ■ ■ ■■■ tensorflow.py
■ ■ ■ ■ ■ ■■■ theano.py
■ ■ ■ ■ ■ ■■■ torch.py
■ ■ ■ ■ ■ ■■■ blas.py
■ ■ ■ ■ ■ ■■■ contract.py
■ ■ ■ ■ ■ ■■■ helpers.py
■ ■ ■ ■ ■ ■■■ parser.py
■ ■ ■ ■ ■ ■■■ path_random.py
■ ■ ■ ■ ■ ■■■ paths.py
■ ■ ■ ■ ■ ■■■ sharing.py
■ ■ ■ ■ ■ ■■■ testing.py
■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_backends.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_blas.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_contract.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_edge_cases.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_input.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_paths.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_sharing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_backends.py
■ ■ ■ ■ ■ ■■■ test_blas.py
■ ■ ■ ■ ■ ■■■ test_contract.py
■ ■ ■ ■ ■ ■■■ test_edge_cases.py
■ ■ ■ ■ ■ ■■■ test_input.py
■ ■ ■ ■ ■ ■■■ test_parser.py
■ ■ ■ ■ ■ ■■■ test_paths.py
```

```

■      ■      ■      ■      ■      test_sharing.py
■      ■      ■      ■      ■      typing.py
■      ■      ■      ■      ■■■ opt_einsum-3.4.0.dist-info
■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■■■ orjson
■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      __init__.pyi
■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      orjson.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■■■ orjson-3.10.12.dist-info
■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      LICENSE-APACHE
■      ■      ■      ■      ■      ■      LICENSE-MIT
■      ■      ■      ■      ■■■ oscrypto
■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      _asn1.cpython-311.pyc
■      ■      ■      ■      ■      ■      _asymmetric.cpython-311.pyc
■      ■      ■      ■      ■      ■      _cipher_suites.cpython-311.pyc
■      ■      ■      ■      ■      ■      _ecdsa.cpython-311.pyc
■      ■      ■      ■      ■      ■      _errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      _ffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      _int.cpython-311.pyc
■      ■      ■      ■      ■      ■      _pkcs1.cpython-311.pyc
■      ■      ■      ■      ■      ■      _pkcs12.cpython-311.pyc
■      ■      ■      ■      ■      ■      _pkcs5.cpython-311.pyc
■      ■      ■      ■      ■      ■      _rand.cpython-311.pyc
■      ■      ■      ■      ■      ■      _tls.cpython-311.pyc
■      ■      ■      ■      ■      ■      _types.cpython-311.pyc
■      ■      ■      ■      ■      ■      asymmetric.cpython-311.pyc
■      ■      ■      ■      ■      ■      errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      kdf.cpython-311.pyc
■      ■      ■      ■      ■      ■      keys.cpython-311.pyc
■      ■      ■      ■      ■      ■      symmetric.cpython-311.pyc
■      ■      ■      ■      ■      ■      tls.cpython-311.pyc
■      ■      ■      ■      ■      ■      trust_list.cpython-311.pyc
■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      version.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _asn1.py
■      ■      ■      ■      ■      ■■■ _asymmetric.py
■      ■      ■      ■      ■      ■■■ _cipher_suites.py
■      ■      ■      ■      ■      ■■■ _ecdsa.py
■      ■      ■      ■      ■      ■■■ _errors.py
■      ■      ■      ■      ■      ■■■ _ffi.py
■      ■      ■      ■      ■      ■■■ _int.py
■      ■      ■      ■      ■      ■■■ linux_bsd

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      ■      symmetric.py
■      ■      ■      ■      ■      ■      ■      ■      tls.py
■      ■      ■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■      ■      ■      ■      _pkcs1.py
■      ■      ■      ■      ■      ■      ■      ■      _pkcs12.py
■      ■      ■      ■      ■      ■      ■      ■      _pkcs5.py
■      ■      ■      ■      ■      ■      ■      ■      _rand.py
■      ■      ■      ■      ■      ■      ■      ■      _tls.py
■      ■      ■      ■      ■      ■      ■      ■      _types.py
■      ■      ■      ■      ■      ■      ■      ■      _win
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _advapi32.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _advapi32_cffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _advapi32_ctypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _cng.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _cng_cffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _cng_ctypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _crypt32.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _crypt32_cffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _crypt32_ctypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _decode.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _kernel32.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _kernel32_cffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _kernel32_ctypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _secur32.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _secur32_cffi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _secur32_ctypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      asymmetric.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      symmetric.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      tls.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      trust_list.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _advapi32.py
■      ■      ■      ■      ■      ■      ■      ■      _advapi32_cffi.py
■      ■      ■      ■      ■      ■      ■      ■      _advapi32_ctypes.py
■      ■      ■      ■      ■      ■      ■      ■      _cng.py
■      ■      ■      ■      ■      ■      ■      ■      _cng_cffi.py
■      ■      ■      ■      ■      ■      ■      ■      _cng_ctypes.py
■      ■      ■      ■      ■      ■      ■      ■      _crypt32.py
■      ■      ■      ■      ■      ■      ■      ■      _crypt32_cffi.py
■      ■      ■      ■      ■      ■      ■      ■      _crypt32_ctypes.py
■      ■      ■      ■      ■      ■      ■      ■      _decode.py
■      ■      ■      ■      ■      ■      ■      ■      _kernel32.py
■      ■      ■      ■      ■      ■      ■      ■      _kernel32_cffi.py
■      ■      ■      ■      ■      ■      ■      ■      _kernel32_ctypes.py
■      ■      ■      ■      ■      ■      ■      ■      _secur32.py
■      ■      ■      ■      ■      ■      ■      ■      _secur32_cffi.py
■      ■      ■      ■      ■      ■      ■      ■      _secur32_ctypes.py
■      ■      ■      ■      ■      ■      ■      ■      asymmetric.py
■      ■      ■      ■      ■      ■      ■      ■      symmetric.py
■      ■      ■      ■      ■      ■      ■      ■      tls.py
■      ■      ■      ■      ■      ■      ■      ■      trust_list.py
■      ■      ■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■      ■      ■      ■      asymmetric.py
■      ■      ■      ■      ■      ■      ■      ■      errors.py
■      ■      ■      ■      ■      ■      ■      ■      kdf.py

```



```

■ ■ ■ ■ ■ ■ ■ ■ keys.py
■ ■ ■ ■ ■ ■ ■ ■ symmetric.py
■ ■ ■ ■ ■ ■ ■ ■ tls.py
■ ■ ■ ■ ■ ■ ■ ■ trust_list.py
■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ oscrypto-1.3.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ packaging
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _elffile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _manylinux.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _musllinux.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _tokenizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ metadata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ requirements.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ specifiers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _elffile.py
■ ■ ■ ■ ■ ■ ■ ■ _manylinux.py
■ ■ ■ ■ ■ ■ ■ ■ _musllinux.py
■ ■ ■ ■ ■ ■ ■ ■ _parser.py
■ ■ ■ ■ ■ ■ ■ ■ _structures.py
■ ■ ■ ■ ■ ■ ■ ■ _tokenizer.py
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _spdx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _spdx.py
■ ■ ■ ■ ■ ■ ■ ■ markers.py
■ ■ ■ ■ ■ ■ ■ ■ metadata.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ requirements.py
■ ■ ■ ■ ■ ■ ■ ■ specifiers.py
■ ■ ■ ■ ■ ■ ■ ■ tags.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ packaging-24.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.APACHE
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.BSD
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL

```

```

■      ■      ■      ■      ■      ■      pandas
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _typing.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _version.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ conftest.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ testing.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _config
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ config.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ dates.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ display.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ localization.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ config.py
■      ■      ■      ■      ■      ■■■ dates.py
■      ■      ■      ■      ■      ■■■ display.py
■      ■      ■      ■      ■      ■■■ localization.py
■      ■      ■      ■      ■      ■■■ _libs
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ algos.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ algos.pxd
■      ■      ■      ■      ■      ■■■ algos.pyi
■      ■      ■      ■      ■      ■■■ algos.pyx
■      ■      ■      ■      ■      ■■■ algos_common_helper.pxi.in
■      ■      ■      ■      ■      ■■■ algos_take_helper.pxi.in
■      ■      ■      ■      ■      ■■■ arrays.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ arrays.pxd
■      ■      ■      ■      ■      ■■■ arrays.pyi
■      ■      ■      ■      ■      ■■■ arrays.pyx
■      ■      ■      ■      ■      ■■■ dtypes.pxd
■      ■      ■      ■      ■      ■■■ groupby.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ groupby.pyi
■      ■      ■      ■      ■      ■■■ groupby.pyx
■      ■      ■      ■      ■      ■■■ hashing.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ hashing.pyi
■      ■      ■      ■      ■      ■■■ hashing.pyx
■      ■      ■      ■      ■      ■■■ hashtable.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ hashtable.pxd
■      ■      ■      ■      ■      ■■■ hashtable.pyi
■      ■      ■      ■      ■      ■■■ hashtable.pyx
■      ■      ■      ■      ■      ■■■ hashtable_class_helper.pxi.in
■      ■      ■      ■      ■      ■■■ hashtable_func_helper.pxi.in
■      ■      ■      ■      ■      ■■■ index.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ index.pyi
■      ■      ■      ■      ■      ■■■ index.pyx
■      ■      ■      ■      ■      ■■■ index_class_helper.pxi.in
■      ■      ■      ■      ■      ■■■ indexing.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ indexing.pyi
■      ■      ■      ■      ■      ■■■ indexing.pyx
■      ■      ■      ■      ■      ■■■ internals.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ internals.pyi
■      ■      ■      ■      ■      ■■■ internals.pyx
■      ■      ■      ■      ■      ■■■ interval.cpython-311-x86_64-linux-gnu.so

```

■	■	■	■	■	■	■■■ interval.pyi
■	■	■	■	■	■	■■■ interval.pyx
■	■	■	■	■	■	■■■ intervaltree.pxi.in
■	■	■	■	■	■	■■■ join.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ join.pyi
■	■	■	■	■	■	■■■ join.pyx
■	■	■	■	■	■	■■■ json.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ json.pyi
■	■	■	■	■	■	■■■ khash.pxd
■	■	■	■	■	■	■■■ khash_for_primitive_helper.pxi.in
■	■	■	■	■	■	■■■ lib.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ lib.pxd
■	■	■	■	■	■	■■■ lib.pyi
■	■	■	■	■	■	■■■ lib.pyx
■	■	■	■	■	■	■■■ missing.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ missing.pxd
■	■	■	■	■	■	■■■ missing.pyi
■	■	■	■	■	■	■■■ missing.pyx
■	■	■	■	■	■	■■■ ops.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ ops.pyi
■	■	■	■	■	■	■■■ ops.pyx
■	■	■	■	■	■	■■■ ops_dispatch.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ ops_dispatch.pyi
■	■	■	■	■	■	■■■ ops_dispatch.pyx
■	■	■	■	■	■	■■■ parsers.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ parsers.pyi
■	■	■	■	■	■	■■■ parsers.pyx
■	■	■	■	■	■	■■■ properties.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ properties.pyi
■	■	■	■	■	■	■■■ properties.pyx
■	■	■	■	■	■	■■■ reduction.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ reduction.pyi
■	■	■	■	■	■	■■■ reduction.pyx
■	■	■	■	■	■	■■■ reshape.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ reshape.pyi
■	■	■	■	■	■	■■■ reshape.pyx
■	■	■	■	■	■	■■■ sparse.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ sparse.pyi
■	■	■	■	■	■	■■■ sparse.pyx
■	■	■	■	■	■	■■■ sparse_op_helper.pxi.in
■	■	■	■	■	■	■■■ testing.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ testing.pyi
■	■	■	■	■	■	■■■ testing.pyx
■	■	■	■	■	■	■■■ tslib.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ tslib.pyi
■	■	■	■	■	■	■■■ tslib.pyx
■	■	■	■	■	■	■■■ tslibs
■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■ ■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■ base.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ base.pxd
■	■	■	■	■	■	■■■ base.pyx
■	■	■	■	■	■	■■■ ccalendar.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ ccalendar.pxd
■	■	■	■	■	■	■■■ ccalendar.pyi
■	■	■	■	■	■	■■■ ccalendar.pyx
■	■	■	■	■	■	■■■ conversion.cpython-311-x86_64-linux-gnu.so

■	■	■	■	■	■	■	■■■	conversion.pxd
■	■	■	■	■	■	■	■■■	conversion.pyi
■	■	■	■	■	■	■	■■■	conversion.pyx
■	■	■	■	■	■	■	■■■	dtypes.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	dtypes.pxd
■	■	■	■	■	■	■	■■■	dtypes.pyi
■	■	■	■	■	■	■	■■■	dtypes.pyx
■	■	■	■	■	■	■	■■■	fields.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	fields.pyi
■	■	■	■	■	■	■	■■■	fields.pyx
■	■	■	■	■	■	■	■■■	natype.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	natype.pxd
■	■	■	■	■	■	■	■■■	natype.pyi
■	■	■	■	■	■	■	■■■	natype.pyx
■	■	■	■	■	■	■	■■■	np_datetime.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	np_datetime.pxd
■	■	■	■	■	■	■	■■■	np_datetime.pyi
■	■	■	■	■	■	■	■■■	np_datetime.pyx
■	■	■	■	■	■	■	■■■	offsets.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	offsets.pxd
■	■	■	■	■	■	■	■■■	offsets.pyi
■	■	■	■	■	■	■	■■■	offsets.pyx
■	■	■	■	■	■	■	■■■	parsing.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	parsing.pxd
■	■	■	■	■	■	■	■■■	parsing.pyi
■	■	■	■	■	■	■	■■■	parsing.pyx
■	■	■	■	■	■	■	■■■	period.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	period.pxd
■	■	■	■	■	■	■	■■■	period.pyi
■	■	■	■	■	■	■	■■■	period.pyx
■	■	■	■	■	■	■	■■■	strptime.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	strptime.pyi
■	■	■	■	■	■	■	■■■	strptime.pyx
■	■	■	■	■	■	■	■■■	timedeltas.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	timedeltas.pxd
■	■	■	■	■	■	■	■■■	timedeltas.pyi
■	■	■	■	■	■	■	■■■	timedeltas.pyx
■	■	■	■	■	■	■	■■■	timestamps.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	timestamps.pxd
■	■	■	■	■	■	■	■■■	timestamps.pyi
■	■	■	■	■	■	■	■■■	timestamps.pyx
■	■	■	■	■	■	■	■■■	timezones.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	timezones.pxd
■	■	■	■	■	■	■	■■■	timezones.pyi
■	■	■	■	■	■	■	■■■	timezones.pyx
■	■	■	■	■	■	■	■■■	tzconversion.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	tzconversion.pxd
■	■	■	■	■	■	■	■■■	tzconversion.pyi
■	■	■	■	■	■	■	■■■	tzconversion.pyx
■	■	■	■	■	■	■	■■■	util.pxd
■	■	■	■	■	■	■	■■■	vectorized.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■	■■■	vectorized.pyi
■	■	■	■	■	■	■	■■■	vectorized.pyx
■	■	■	■	■	■	■■■	■■■	util.pxd
■	■	■	■	■	■	■■■	■■■	window
■	■	■	■	■	■	■■■	■■■	__init__.py
■	■	■	■	■	■	■■■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc

```
■ ■ ■ ■ ■ ■ ■ ■ ■ aggregations.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ aggregations.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ aggregations.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ indexers.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ indexers.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ indexers.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ writers.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ writers.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ writers.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ _testing
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _hypothesis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ asserters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ contexts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _hypothesis.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _io.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _random.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _warnings.py
■ ■ ■ ■ ■ ■ ■ ■ ■ asserters.py
■ ■ ■ ■ ■ ■ ■ ■ ■ compat.py
■ ■ ■ ■ ■ ■ ■ ■ ■ contexts.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _typing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ api
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ extensions
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ indexers
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ interchange
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ types
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ arrays
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ compat
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _optional.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ chainmap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ pickle_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ pyarrow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _optional.py
■ ■ ■ ■ ■ ■ ■ ■ ■ chainmap.py
■ ■ ■ ■ ■ ■ ■ ■ ■ numpy
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ function.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pickle_compat.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pyarrow.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ core
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ accessor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ algorithms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ apply.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arraylike.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ config_init.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ construction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ describe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ flags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ frame.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ generic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ missing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ nanops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ roperator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ series.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ shared_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sorting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _numba
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ executor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ executor.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ kernels
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mean_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ min_max_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ shared.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sum_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ var_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mean_.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ min_max_.py
```

```

■■■ shared.py
■■■ sum_.py
■■■ var_.py
■■■ accessor.py
■■■ algorithms.py
■■■ api.py
■■■ apply.py
■■■ array_algos
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ masked_reductions.cpython-311.pyc
■■■ putmask.cpython-311.pyc
■■■ quantile.cpython-311.pyc
■■■ replace.cpython-311.pyc
■■■ take.cpython-311.pyc
■■■ transforms.cpython-311.pyc
■■■ masked_reductions.py
■■■ putmask.py
■■■ quantile.py
■■■ replace.py
■■■ take.py
■■■ transforms.py
■■■ arraylike.py
■■■ arrays
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _mixins.cpython-311.pyc
■■■ _ranges.cpython-311.pyc
■■■ base.cpython-311.pyc
■■■ boolean.cpython-311.pyc
■■■ categorical.cpython-311.pyc
■■■ datetimelike.cpython-311.pyc
■■■ datetimes.cpython-311.pyc
■■■ floating.cpython-311.pyc
■■■ integer.cpython-311.pyc
■■■ interval.cpython-311.pyc
■■■ masked.cpython-311.pyc
■■■ numeric.cpython-311.pyc
■■■ numpy_.cpython-311.pyc
■■■ period.cpython-311.pyc
■■■ string_.cpython-311.pyc
■■■ string_arrow.cpython-311.pyc
■■■ timedeltas.cpython-311.pyc
■■■ _mixins.py
■■■ _ranges.py
■■■ arrow
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _arrow_utils.cpython-311.pyc
■■■ array.cpython-311.pyc
■■■ dtype.cpython-311.pyc
■■■ extension_types.cpython-311.pyc
■■■ _arrow_utils.py
■■■ array.py
■■■ dtype.py

```

```

extension_types.py
base.py
boolean.py
categorical.py
datetimelike.py
datetimes.py
floating.py
integer.py
interval.py
masked.py
numeric.py
numpy_.py
period.py
sparse
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        accessor.cpython-311.pyc
        array.cpython-311.pyc
        dtype.cpython-311.pyc
        scipy_sparse.cpython-311.pyc
    accessor.py
    array.py
    dtype.py
    scipy_sparse.py
string_.py
string_arrow.py
timedeltas.py
base.py
common.py
computation
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        align.cpython-311.pyc
        api.cpython-311.pyc
        check.cpython-311.pyc
        common.cpython-311.pyc
        engines.cpython-311.pyc
        eval.cpython-311.pyc
        expr.cpython-311.pyc
        expressions.cpython-311.pyc
        ops.cpython-311.pyc
        parsing.cpython-311.pyc
        pytables.cpython-311.pyc
        scope.cpython-311.pyc
    align.py
    api.py
    check.py
    common.py
    engines.py
    eval.py
    expr.py
    expressions.py
    ops.py
    parsing.py
    pytables.py
    scope.py

```



```

##### config_init.py
##### construction.py
##### describe.py
##### dtypes
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### api.cpython-311.pyc
##### astype.cpython-311.pyc
##### base.cpython-311.pyc
##### cast.cpython-311.pyc
##### common.cpython-311.pyc
##### concat.cpython-311.pyc
##### dtypes.cpython-311.pyc
##### generic.cpython-311.pyc
##### inference.cpython-311.pyc
##### missing.cpython-311.pyc
##### api.py
##### astype.py
##### base.py
##### cast.py
##### common.py
##### concat.py
##### dtypes.py
##### generic.py
##### inference.py
##### missing.py
##### flags.py
##### frame.py
##### generic.py
##### groupby
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### base.cpython-311.pyc
##### categorical.cpython-311.pyc
##### generic.cpython-311.pyc
##### groupby.cpython-311.pyc
##### grouper.cpython-311.pyc
##### indexing.cpython-311.pyc
##### numba_.cpython-311.pyc
##### ops.cpython-311.pyc
##### base.py
##### categorical.py
##### generic.py
##### groupby.py
##### grouper.py
##### indexing.py
##### numba_.py
##### ops.py
##### index.py
##### indexers
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### objects.cpython-311.pyc
##### utils.cpython-311.pyc
##### objects.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ indexes
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ accessors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ category.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ datetimelike.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ datetimes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ extension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ frozen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ interval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ multi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ numeric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ period.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ range.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ timedeltas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ accessors.py
■ ■ ■ ■ ■ ■ ■■■ api.py
■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■■■ category.py
■ ■ ■ ■ ■ ■ ■■■ datetimelike.py
■ ■ ■ ■ ■ ■ ■■■ datetimes.py
■ ■ ■ ■ ■ ■ ■■■ extension.py
■ ■ ■ ■ ■ ■ ■■■ frozen.py
■ ■ ■ ■ ■ ■ ■■■ interval.py
■ ■ ■ ■ ■ ■ ■■■ multi.py
■ ■ ■ ■ ■ ■ ■■■ numeric.py
■ ■ ■ ■ ■ ■ ■■■ period.py
■ ■ ■ ■ ■ ■ ■■■ range.py
■ ■ ■ ■ ■ ■ ■■■ timedeltas.py
■ ■ ■ ■ ■ ■ ■■■ indexing.py
■ ■ ■ ■ ■ ■ ■■■ interchange
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ buffer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ column.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ dataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ dataframe_protocol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ from_dataframe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ buffer.py
■ ■ ■ ■ ■ ■ ■■■ column.py
■ ■ ■ ■ ■ ■ ■■■ dataframe.py
■ ■ ■ ■ ■ ■ ■■■ dataframe_protocol.py
■ ■ ■ ■ ■ ■ ■■■ from_dataframe.py
■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ internals
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ array_manager.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ blocks.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ concat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ construction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ managers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ array_manager.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ blocks.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ concat.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ construction.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ managers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ missing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ nanops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ops
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ array_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispatch.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ docstrings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ invalid.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mask_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ missing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ array_ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ common.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispatch.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ docstrings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ invalid.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ mask_ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ methods.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ missing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ resample.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ reshape
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ concat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ encoding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ melt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ merge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ pivot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ reshape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ tile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ concat.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ encoding.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ melt.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ merge.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pivot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ reshape.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tile.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ roperator.py

```

```

sample.py
series.py
shared_docs.py
sorting.py
sparse
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  api.cpython-311.pyc
  api.py
strings
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  accessor.cpython-311.pyc
  base.cpython-311.pyc
  object_array.cpython-311.pyc
  accessor.py
  base.py
  object_array.py
tools
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  datetimes.cpython-311.pyc
  numeric.cpython-311.pyc
  timedeltas.cpython-311.pyc
  times.cpython-311.pyc
  datetimes.py
  numeric.py
  timedeltas.py
  times.py
util
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  hashing.cpython-311.pyc
  numba_.cpython-311.pyc
  hashing.py
  numba_.py
window
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  common.cpython-311.pyc
  doc.cpython-311.pyc
  ewm.cpython-311.pyc
  expanding.cpython-311.pyc
  numba_.cpython-311.pyc
  online.cpython-311.pyc
  rolling.cpython-311.pyc
  common.py
  doc.py
  ewm.py
  expanding.py
  numba_.py
  online.py
  rolling.py

```

```

      errors
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      io
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      api.cpython-311.pyc
      clipboards.cpython-311.pyc
      common.cpython-311.pyc
      date_converters.cpython-311.pyc
      feather_format.cpython-311.pyc
      gbq.cpython-311.pyc
      html.cpython-311.pyc
      orc.cpython-311.pyc
      parquet.cpython-311.pyc
      pickle.cpython-311.pyc
      pytables.cpython-311.pyc
      spss.cpython-311.pyc
      sql.cpython-311.pyc
      stata.cpython-311.pyc
      xml.cpython-311.pyc
      api.py
      clipboard
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      clipboards.py
      common.py
      date_converters.py
      excel
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      _base.cpython-311.pyc
      _odfreader.cpython-311.pyc
      _odswriter.cpython-311.pyc
      _openpyxl.cpython-311.pyc
      _pyxlsb.cpython-311.pyc
      _util.cpython-311.pyc
      _xlrd.cpython-311.pyc
      _xlsxwriter.cpython-311.pyc
      _xlwt.cpython-311.pyc
      _base.py
      _odfreader.py
      _odswriter.py
      _openpyxl.py
      _pyxlsb.py
      _util.py
      _xlrd.py
      _xlsxwriter.py
      _xlwt.py
      feather_format.py
      formats
      __init__.py
      __pycache__
      __init__.cpython-311.pyc

```

```

_ color_data.cpython-311.pyc
_ console.cpython-311.pyc
_ css.cpython-311.pyc
_ csvs.cpython-311.pyc
_ excel.cpython-311.pyc
_ format.cpython-311.pyc
_ html.cpython-311.pyc
_ info.cpython-311.pyc
_ latex.cpython-311.pyc
_ printing.cpython-311.pyc
_ string.cpython-311.pyc
_ style.cpython-311.pyc
_ style_render.cpython-311.pyc
_ xml.cpython-311.pyc
_ color_data.py
_ console.py
_ css.py
_ csvs.py
_ excel.py
_ format.py
_ html.py
_ info.py
_ latex.py
_ printing.py
_ string.py
_ style.py
_ style_render.py
_ templates
_ _html.tpl
_ _html_style.tpl
_ _html_table.tpl
_ _latex.tpl
_ _latex_longtable.tpl
_ _latex_table.tpl
_ _string.tpl
_ _xml.py
gbq.py
html.py
json
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _json.cpython-311.pyc
_ _normalize.cpython-311.pyc
_ _table_schema.cpython-311.pyc
_ _json.py
_ _normalize.py
_ _table_schema.py
orc.py
parquet.py
parsers
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ arrow_parser_wrapper.cpython-311.pyc
_ base_parser.cpython-311.pyc
_ c_parser_wrapper.cpython-311.pyc
_ python_parser.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ readers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arrow_parser_wrapper.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ base_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ c_parser_wrapper.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ python_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ readers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pickle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pytables.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas7bdat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas_constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas_xport.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sasreader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _sas.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _sas.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas7bdat.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas_constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sas_xport.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sasreader.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ spss.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sql.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ stata.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ xml.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ plotting
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _core.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _matplotlib
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ boxplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ converter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ groupby.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ style.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ timeseries.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ boxplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compat.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ converter.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ groupby.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hist.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ style.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ timeseries.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tools.py
```

```

    misc.py
testing.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_aggregation.cpython-311.pyc
        test_algos.cpython-311.pyc
        test_common.cpython-311.pyc
        test_downstream.cpython-311.pyc
        test_errors.cpython-311.pyc
        test_expressions.cpython-311.pyc
        test_flags.cpython-311.pyc
        test_multilevel.cpython-311.pyc
        test_nanops.cpython-311.pyc
        test_optional_dependency.cpython-311.pyc
        test_register_accessor.cpython-311.pyc
        test_sorting.cpython-311.pyc
        test_take.cpython-311.pyc
    api
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            test_api.cpython-311.pyc
            test_types.cpython-311.pyc
        test_api.py
        test_types.py
    apply
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            common.cpython-311.pyc
            conftest.cpython-311.pyc
            test_frame_apply.cpython-311.pyc
            test_frame_apply_relabeling.cpython-311.pyc
            test_frame_transform.cpython-311.pyc
            test_invalid_arg.cpython-311.pyc
            test_series_apply.cpython-311.pyc
            test_series_apply_relabeling.cpython-311.pyc
            test_series_transform.cpython-311.pyc
            test_str.cpython-311.pyc
        common.py
        conftest.py
        test_frame_apply.py
        test_frame_apply_relabeling.py
        test_frame_transform.py
        test_invalid_arg.py
        test_series_apply.py
        test_series_apply_relabeling.py
        test_series_transform.py
        test_str.py
    arithmetic
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            common.cpython-311.pyc
            conftest.cpython-311.pyc
            test_array_ops.cpython-311.pyc

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_categorical.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_datetime64.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_interval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_numeric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_object.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_period.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timedelta64.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ common.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_array_ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_categorical.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_datetime64.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_interval.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_numeric.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_object.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_period.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timedelta64.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ arrays
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ masked_shared.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_array.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_datetimelike.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_datetimes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ndarray_backed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_period.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timedeltas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ boolean
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_arithmetic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_astype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_comparison.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_construction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_logical.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reduction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_repr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_arithmetic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_astype.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_comparison.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_construction.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_function.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_logical.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reduction.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_repr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ categorical
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_algos.cpython-311.pyc

```

```

■ ■ ■ test_analytics.cpython-311.pyc
■ ■ ■ test_api.cpython-311.pyc
■ ■ ■ test_astype.cpython-311.pyc
■ ■ ■ test_constructors.cpython-311.pyc
■ ■ ■ test_dtypes.cpython-311.pyc
■ ■ ■ test_indexing.cpython-311.pyc
■ ■ ■ test_missing.cpython-311.pyc
■ ■ ■ test_operators.cpython-311.pyc
■ ■ ■ test_replace.cpython-311.pyc
■ ■ ■ test_repr.cpython-311.pyc
■ ■ ■ test_sorting.cpython-311.pyc
■ ■ ■ test_subclass.cpython-311.pyc
■ ■ ■ test_take.cpython-311.pyc
■ ■ ■ test_warnings.cpython-311.pyc
■ ■ ■ conftest.py
■ ■ ■ test_algos.py
■ ■ ■ test_analytics.py
■ ■ ■ test_api.py
■ ■ ■ test_astype.py
■ ■ ■ test_constructors.py
■ ■ ■ test_dtypes.py
■ ■ ■ test_indexing.py
■ ■ ■ test_missing.py
■ ■ ■ test_operators.py
■ ■ ■ test_replace.py
■ ■ ■ test_repr.py
■ ■ ■ test_sorting.py
■ ■ ■ test_subclass.py
■ ■ ■ test_take.py
■ ■ ■ test_warnings.py
■ ■ ■ datetimes
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_constructors.cpython-311.pyc
■ ■ ■ test_reductions.cpython-311.pyc
■ ■ ■ test_constructors.py
■ ■ ■ test_reductions.py
■ ■ ■ floating
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ test_arithmetic.cpython-311.pyc
■ ■ ■ test_astype.cpython-311.pyc
■ ■ ■ test_comparison.cpython-311.pyc
■ ■ ■ test_concat.cpython-311.pyc
■ ■ ■ test_construction.cpython-311.pyc
■ ■ ■ test_function.cpython-311.pyc
■ ■ ■ test_repr.cpython-311.pyc
■ ■ ■ test_to_numpy.cpython-311.pyc
■ ■ ■ conftest.py
■ ■ ■ test_arithmetic.py
■ ■ ■ test_astype.py
■ ■ ■ test_comparison.py
■ ■ ■ test_concat.py
■ ■ ■ test_construction.py
■ ■ ■ test_function.py

```

```

test_repr.py
test_to_numpy.py
integer
__init__.py
__pycache__
__init__.cpython-311.pyc
conftest.cpython-311.pyc
test_arithmetic.cpython-311.pyc
test_comparison.cpython-311.pyc
test_concat.cpython-311.pyc
test_construction.cpython-311.pyc
test_dtypes.cpython-311.pyc
test_function.cpython-311.pyc
test_indexing.cpython-311.pyc
test_repr.cpython-311.pyc
conftest.py
test_arithmetic.py
test_comparison.py
test_concat.py
test_construction.py
test_dtypes.py
test_function.py
test_indexing.py
test_repr.py
interval
__init__.py
__pycache__
__init__.cpython-311.pyc
test_astype.cpython-311.pyc
test_interval.cpython-311.pyc
test_ops.cpython-311.pyc
test_astype.py
test_interval.py
test_ops.py
masked
__init__.py
__pycache__
__init__.cpython-311.pyc
test_arithmetic.cpython-311.pyc
test_arrow_compat.cpython-311.pyc
test_function.cpython-311.pyc
test_indexing.cpython-311.pyc
test_arithmetic.py
test_arrow_compat.py
test_function.py
test_indexing.py
masked_shared.py
numpy_
__init__.py
__pycache__
__init__.cpython-311.pyc
test_indexing.cpython-311.pyc
test_numpy.cpython-311.pyc
test_indexing.py
test_numpy.py
period
__init__.py
__pycache__

```



```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_conversion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_fillna.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_transpose.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_unique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_value_counts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_conversion.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_fillna.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_misc.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_transpose.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_unique.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_value_counts.py
■ ■ ■ ■ ■ ■ ■ ■■■ computation
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_eval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_compat.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_eval.py
■ ■ ■ ■ ■ ■ ■ ■■■ config
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_localization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_localization.py
■ ■ ■ ■ ■ ■ ■ ■■■ construction
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_extract_array.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_extract_array.py
■ ■ ■ ■ ■ ■ ■ ■■■ copy_view
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_internals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_setitem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_internals.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_methods.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_setitem.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ dtypes
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
```



```

■      ■      ■      ■      ■      ■      ■      ■■■■ array_with_attr
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ array.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_array_with_attr.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ array.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_array_with_attr.py
■      ■      ■      ■      ■      ■      ■■■■ arrow
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ arrays.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_bool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_string.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_timestamp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ arrays.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_bool.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_string.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_timestamp.py
■      ■      ■      ■      ■      ■      ■■■■ base
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ casting.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ constructors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ dim2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ dtype.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ getitem.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ groupby.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ index.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ interface.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ io.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ methods.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ missing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ ops.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ printing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ reduce.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ reshaping.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ setitem.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ base.py
■      ■      ■      ■      ■      ■      ■■■■ casting.py
■      ■      ■      ■      ■      ■      ■■■■ constructors.py
■      ■      ■      ■      ■      ■      ■■■■ dim2.py
■      ■      ■      ■      ■      ■      ■■■■ dtype.py
■      ■      ■      ■      ■      ■      ■■■■ getitem.py
■      ■      ■      ■      ■      ■      ■■■■ groupby.py
■      ■      ■      ■      ■      ■      ■■■■ index.py
■      ■      ■      ■      ■      ■      ■■■■ interface.py
■      ■      ■      ■      ■      ■      ■■■■ io.py
■      ■      ■      ■      ■      ■      ■■■■ methods.py
■      ■      ■      ■      ■      ■      ■■■■ missing.py
■      ■      ■      ■      ■      ■      ■■■■ ops.py
■      ■      ■      ■      ■      ■      ■■■■ printing.py
■      ■      ■      ■      ■      ■      ■■■■ reduce.py
■      ■      ■      ■      ■      ■      ■■■■ reshaping.py
■      ■      ■      ■      ■      ■      ■■■■ setitem.py

```

```

conftest.py
date
__init__.py
__pycache__
__init__.cpython-311.pyc
array.cpython-311.pyc
array.py
decimal
__init__.py
__pycache__
__init__.cpython-311.pyc
array.cpython-311.pyc
test_decimal.cpython-311.pyc
array.py
test_decimal.py
json
__init__.py
__pycache__
__init__.cpython-311.pyc
array.cpython-311.pyc
test_json.cpython-311.pyc
array.py
test_json.py
list
__init__.py
__pycache__
__init__.cpython-311.pyc
array.cpython-311.pyc
test_list.cpython-311.pyc
array.py
test_list.py
test_arrow.py
test_boolean.py
test_categorical.py
test_common.py
test_datetime.py
test_extension.py
test_external_block.py
test_floating.py
test_integer.py
test_interval.py
test_numpy.py
test_period.py
test_sparse.py
test_string.py
frame
__init__.py
__pycache__
__init__.cpython-311.pyc
common.cpython-311.pyc
conftest.cpython-311.pyc
test_alter_axes.cpython-311.pyc
test_api.cpython-311.pyc
test_arithmetic.cpython-311.pyc
test_block_internals.cpython-311.pyc
test_constructors.cpython-311.pyc
test_cumulative.cpython-311.pyc
test_iteration.cpython-311.pyc

```



```

test_logical_ops.cpython-311.pyc
test_nonunique_indexes.cpython-311.pyc
test_npfuncs.cpython-311.pyc
test_query_eval.cpython-311.pyc
test_reductions.cpython-311.pyc
test_repr_info.cpython-311.pyc
test_stack_unstack.cpython-311.pyc
test_subclass.cpython-311.pyc
test_ufunc.cpython-311.pyc
test_unary.cpython-311.pyc
test_validate.cpython-311.pyc
common.py
conftest.py
constructors
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_from_dict.cpython-311.pyc
        test_from_records.cpython-311.pyc
    test_from_dict.py
    test_from_records.py
indexing
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_coercion.cpython-311.pyc
        test_delitem.cpython-311.pyc
        test_get.cpython-311.pyc
        test_get_value.cpython-311.pyc
        test_getitem.cpython-311.pyc
        test_indexing.cpython-311.pyc
        test_insert.cpython-311.pyc
        test_lookup.cpython-311.pyc
        test_mask.cpython-311.pyc
        test_set_value.cpython-311.pyc
        test_setitem.cpython-311.pyc
        test_take.cpython-311.pyc
        test_where.cpython-311.pyc
        test_xs.cpython-311.pyc
    test_coercion.py
    test_delitem.py
    test_get.py
    test_get_value.py
    test_getitem.py
    test_indexing.py
    test_insert.py
    test_lookup.py
    test_mask.py
    test_set_value.py
    test_setitem.py
    test_take.py
    test_where.py
    test_xs.py
methods
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_add_prefix_suffix.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■■	test_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_append.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_asfreq.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_asof.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_assign.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_astype.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_at_time.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_between_time.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_clip.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_combine.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_combine_first.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_compare.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_convert.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_convert_dtypes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_copy.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_count.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_count_with_level_deprecated.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_cov_corr.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_describe.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_diff.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_dot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_drop.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_drop_duplicates.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_droplevel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_dropna.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_dtypes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_duplicated.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_equals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_explode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_fillna.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_filter.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_first_and_last.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_first_valid_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_get_numeric_data.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_head_tail.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_infer_objects.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_interpolate.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_is_homogeneous_dtype.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_isin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_join.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_matmul.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_nlargest.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_pct_change.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_pipe.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_pop.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_quantile.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_rank.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reindex.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reindex_like.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_rename.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_rename_axis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reorder_levels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_replace.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_reset_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_round.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sample.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_select_dtypes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_set_axis.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	test_set_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_shift.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sort_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_sort_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_swapaxes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_swaplevel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_csv.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_dict.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_dict_of_blocks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_numpy.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_period.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_records.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_to_timestamp.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_transpose.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_truncate.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_tz_convert.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_tz_localize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_update.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_value_counts.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_add_prefix_suffix.py	
■	■	■	■	■	■	■	■	■■■■	test_align.py	
■	■	■	■	■	■	■	■	■■■■	test_append.py	
■	■	■	■	■	■	■	■	■■■■	test_asfreq.py	
■	■	■	■	■	■	■	■	■■■■	test_asof.py	
■	■	■	■	■	■	■	■	■■■■	test_assign.py	
■	■	■	■	■	■	■	■	■■■■	test_astype.py	
■	■	■	■	■	■	■	■	■■■■	test_at_time.py	
■	■	■	■	■	■	■	■	■■■■	test_between_time.py	
■	■	■	■	■	■	■	■	■■■■	test_clip.py	
■	■	■	■	■	■	■	■	■■■■	test_combine.py	
■	■	■	■	■	■	■	■	■■■■	test_combine_first.py	
■	■	■	■	■	■	■	■	■■■■	test_compare.py	
■	■	■	■	■	■	■	■	■■■■	test_convert.py	
■	■	■	■	■	■	■	■	■■■■	test_convert_dtypes.py	
■	■	■	■	■	■	■	■	■■■■	test_copy.py	
■	■	■	■	■	■	■	■	■■■■	test_count.py	
■	■	■	■	■	■	■	■	■■■■	test_count_with_level_deprecated.py	
■	■	■	■	■	■	■	■	■■■■	test_cov_corr.py	
■	■	■	■	■	■	■	■	■■■■	test_describe.py	
■	■	■	■	■	■	■	■	■■■■	test_diff.py	
■	■	■	■	■	■	■	■	■■■■	test_dot.py	
■	■	■	■	■	■	■	■	■■■■	test_drop.py	
■	■	■	■	■	■	■	■	■■■■	test_drop_duplicates.py	
■	■	■	■	■	■	■	■	■■■■	test_droplevel.py	
■	■	■	■	■	■	■	■	■■■■	test_dropna.py	
■	■	■	■	■	■	■	■	■■■■	test_dtypes.py	
■	■	■	■	■	■	■	■	■■■■	test_duplicated.py	
■	■	■	■	■	■	■	■	■■■■	test_equals.py	
■	■	■	■	■	■	■	■	■■■■	test_explode.py	
■	■	■	■	■	■	■	■	■■■■	test_fillna.py	
■	■	■	■	■	■	■	■	■■■■	test_filter.py	
■	■	■	■	■	■	■	■	■■■■	test_first_and_last.py	
■	■	■	■	■	■	■	■	■■■■	test_first_valid_index.py	
■	■	■	■	■	■	■	■	■■■■	test_get_numeric_data.py	
■	■	■	■	■	■	■	■	■■■■	test_head_tail.py	
■	■	■	■	■	■	■	■	■■■■	test_infer_objects.py	
■	■	■	■	■	■	■	■	■■■■	test_interpolate.py	

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_validate.py
■ ■ ■ ■ ■ ■ ■■■ generic
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_duplicate_labels.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_finalize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_frame.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_generic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_label_or_level_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_series.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_to_xarray.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_duplicate_labels.py
■ ■ ■ ■ ■ ■ ■■■ test_finalize.py
■ ■ ■ ■ ■ ■ ■■■ test_frame.py
■ ■ ■ ■ ■ ■ ■■■ test_generic.py
■ ■ ■ ■ ■ ■ ■■■ test_label_or_level_utils.py
■ ■ ■ ■ ■ ■ ■■■ test_series.py
■ ■ ■ ■ ■ ■ ■■■ test_to_xarray.py
■ ■ ■ ■ ■ ■ ■■■ groupby
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_allowlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_any_all.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_apply.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_apply_mutate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_bin_groupby.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_categorical.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_counting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_frame_value_counts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_groupby.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_groupby_dropna.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_groupby_shift_diff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_groupby_subclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_grouping.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_index_as_string.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_libgroupby.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_min_max.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_missing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_nth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_numba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_nunique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_pipe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_quantile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_rank.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_sample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_size.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_timegrouper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_value_counts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ aggregate
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
```

```

■■■ test_aggregate.cpython-311.pyc
■■■ test_cython.cpython-311.pyc
■■■ test_numba.cpython-311.pyc
■■■ test_other.cpython-311.pyc
■■■ test_aggregate.py
■■■ test_cython.py
■■■ test_numba.py
■■■ test_other.py
■■■ conftest.py
■■■ test_allowlist.py
■■■ test_any_all.py
■■■ test_apply.py
■■■ test_apply_mutate.py
■■■ test_bin_groupby.py
■■■ test_categorical.py
■■■ test_counting.py
■■■ test_filters.py
■■■ test_frame_value_counts.py
■■■ test_function.py
■■■ test_groupby.py
■■■ test_groupby_dropna.py
■■■ test_groupby_shift_diff.py
■■■ test_groupby_subclass.py
■■■ test_grouping.py
■■■ test_index_as_string.py
■■■ test_indexing.py
■■■ test_libgroupby.py
■■■ test_min_max.py
■■■ test_missing.py
■■■ test_nth.py
■■■ test_numba.py
■■■ test_nunique.py
■■■ test_pipe.py
■■■ test_quantile.py
■■■ test_rank.py
■■■ test_sample.py
■■■ test_size.py
■■■ test_timegrouper.py
■■■ test_value_counts.py
■■■ transform
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ test_numba.cpython-311.pyc
■■■ test_transform.cpython-311.pyc
■■■ test_numba.py
■■■ test_transform.py
■■■ indexes
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ common.cpython-311.pyc
■■■ conftest.cpython-311.pyc
■■■ datetimelike.cpython-311.pyc
■■■ test_any_index.cpython-311.pyc
■■■ test_base.cpython-311.pyc
■■■ test_common.cpython-311.pyc
■■■ test_engines.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_frozen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_index_new.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_setops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_subclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ base_class
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_pickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reshape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_setops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_where.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_pickle.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reshape.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_setops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_where.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ categorical
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_append.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_astype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_category.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_equals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_fillna.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_map.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reindex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_append.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_astype.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_category.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_equals.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_fillna.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_map.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reindex.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ datetimelike.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ datetimelike_
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_drop_duplicates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_equals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc

```

```

■ ■ ■ test_is_monotonic.cpython-311.pyc
■ ■ ■ test_nat.cpython-311.pyc
■ ■ ■ test_sort_values.cpython-311.pyc
■ ■ ■ test_value_counts.cpython-311.pyc
■ ■ ■ test_drop_duplicates.py
■ ■ ■ test_equals.py
■ ■ ■ test_indexing.py
■ ■ ■ test_is_monotonic.py
■ ■ ■ test_nat.py
■ ■ ■ test_sort_values.py
■ ■ ■ test_value_counts.py
■ ■ ■ datetimes
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_asof.cpython-311.pyc
■ ■ ■ test_constructors.cpython-311.pyc
■ ■ ■ test_date_range.cpython-311.pyc
■ ■ ■ test_datetime.cpython-311.pyc
■ ■ ■ test_datetimelike.cpython-311.pyc
■ ■ ■ test_delete.cpython-311.pyc
■ ■ ■ test_formats.cpython-311.pyc
■ ■ ■ test_freq_attr.cpython-311.pyc
■ ■ ■ test_indexing.cpython-311.pyc
■ ■ ■ test_join.cpython-311.pyc
■ ■ ■ test_map.cpython-311.pyc
■ ■ ■ test_misc.cpython-311.pyc
■ ■ ■ test_npfuncs.cpython-311.pyc
■ ■ ■ test_ops.cpython-311.pyc
■ ■ ■ test_partial_slicing.cpython-311.pyc
■ ■ ■ test_pickle.cpython-311.pyc
■ ■ ■ test_reindex.cpython-311.pyc
■ ■ ■ test_scalar_compat.cpython-311.pyc
■ ■ ■ test_setops.cpython-311.pyc
■ ■ ■ test_timezones.cpython-311.pyc
■ ■ ■ test_unique.cpython-311.pyc
■ ■ ■ methods
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_astype.cpython-311.pyc
■ ■ ■ test_factorize.cpython-311.pyc
■ ■ ■ test_fillna.cpython-311.pyc
■ ■ ■ test_insert.cpython-311.pyc
■ ■ ■ test_isocalendar.cpython-311.pyc
■ ■ ■ test_repeat.cpython-311.pyc
■ ■ ■ test_shift.cpython-311.pyc
■ ■ ■ test_snap.cpython-311.pyc
■ ■ ■ test_to_frame.cpython-311.pyc
■ ■ ■ test_to_period.cpython-311.pyc
■ ■ ■ test_to_series.cpython-311.pyc
■ ■ ■ test_astype.py
■ ■ ■ test_factorize.py
■ ■ ■ test_fillna.py
■ ■ ■ test_insert.py
■ ■ ■ test_isocalendar.py
■ ■ ■ test_repeat.py
■ ■ ■ test_shift.py

```


■	■	■	■	■	■	■	■	■■■■	test_snap.py	
■	■	■	■	■	■	■	■	■	■■■■	test_to_frame.py
■	■	■	■	■	■	■	■	■	■■■■	test_to_period.py
■	■	■	■	■	■	■	■	■	■■■■	test_to_series.py
■	■	■	■	■	■	■	■	■■■■	test_asof.py	
■	■	■	■	■	■	■	■	■■■■	test_constructors.py	
■	■	■	■	■	■	■	■	■■■■	test_date_range.py	
■	■	■	■	■	■	■	■	■■■■	test_datetime.py	
■	■	■	■	■	■	■	■	■■■■	test_datetimelike.py	
■	■	■	■	■	■	■	■	■■■■	test_delete.py	
■	■	■	■	■	■	■	■	■■■■	test_formats.py	
■	■	■	■	■	■	■	■	■■■■	test_freq_attr.py	
■	■	■	■	■	■	■	■	■■■■	test_indexing.py	
■	■	■	■	■	■	■	■	■■■■	test_join.py	
■	■	■	■	■	■	■	■	■■■■	test_map.py	
■	■	■	■	■	■	■	■	■■■■	test_misc.py	
■	■	■	■	■	■	■	■	■■■■	test_npfuncs.py	
■	■	■	■	■	■	■	■	■■■■	test_ops.py	
■	■	■	■	■	■	■	■	■■■■	test_partial_slicing.py	
■	■	■	■	■	■	■	■	■■■■	test_pickle.py	
■	■	■	■	■	■	■	■	■■■■	test_reindex.py	
■	■	■	■	■	■	■	■	■■■■	test_scalar_compat.py	
■	■	■	■	■	■	■	■	■■■■	test_setops.py	
■	■	■	■	■	■	■	■	■■■■	test_timezones.py	
■	■	■	■	■	■	■	■	■■■■	test_unique.py	
■	■	■	■	■	■	■	■■■■	interval		
■	■	■	■	■	■	■	■■■■	__init__.py		
■	■	■	■	■	■	■	■■■■	__pycache__		
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_astype.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_base.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_constructors.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_equals.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_formats.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_indexing.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_interval.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_interval_range.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_interval_tree.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_join.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_pickle.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	test_setops.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	test_astype.py		
■	■	■	■	■	■	■	■■■■	test_base.py		
■	■	■	■	■	■	■	■■■■	test_constructors.py		
■	■	■	■	■	■	■	■■■■	test_equals.py		
■	■	■	■	■	■	■	■■■■	test_formats.py		
■	■	■	■	■	■	■	■■■■	test_indexing.py		
■	■	■	■	■	■	■	■■■■	test_interval.py		
■	■	■	■	■	■	■	■■■■	test_interval_range.py		
■	■	■	■	■	■	■	■■■■	test_interval_tree.py		
■	■	■	■	■	■	■	■■■■	test_join.py		
■	■	■	■	■	■	■	■■■■	test_pickle.py		
■	■	■	■	■	■	■	■■■■	test_setops.py		
■	■	■	■	■	■	■	■■■■	multi		
■	■	■	■	■	■	■	■■■■	__init__.py		
■	■	■	■	■	■	■	■■■■	__pycache__		
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■■	conftest.cpython-311.pyc	

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_analytics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_astype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_conversion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_copy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_drop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_duplicates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_equivalence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_get_level_values.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_get_set.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_integrity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_isin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_join.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_lexsort.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_missing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_monotonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_names.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_partial_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_pickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reindex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reshape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_setops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_sorting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_take.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_analytics.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_astype.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_compat.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_constructors.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_conversion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_copy.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_drop.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_duplicates.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_equivalence.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_formats.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_get_level_values.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_get_set.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_integrity.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_isin.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_join.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_lexsort.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_missing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_monotonic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_names.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_partial_indexing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_pickle.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reindex.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_reshape.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_setops.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_sorting.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_take.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ numeric
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
```

```

    """ __init__.cpython-311.pyc
    """ test_astype.cpython-311.pyc
    """ test_indexing.cpython-311.pyc
    """ test_join.cpython-311.pyc
    """ test_numeric.cpython-311.pyc
    """ test_setops.cpython-311.pyc
    """ test_astype.py
    """ test_indexing.py
    """ test_join.py
    """ test_numeric.py
    """ test_setops.py
    """ object
    """ __init__.py
    """ __pycache__
    """ """ __init__.cpython-311.pyc
    """ """ test_astype.cpython-311.pyc
    """ """ test_indexing.cpython-311.pyc
    """ test_astype.py
    """ test_indexing.py
    """ period
    """ __init__.py
    """ __pycache__
    """ """ __init__.cpython-311.pyc
    """ """ test_constructors.cpython-311.pyc
    """ """ test_formats.cpython-311.pyc
    """ """ test_freq_attr.cpython-311.pyc
    """ """ test_indexing.cpython-311.pyc
    """ """ test_join.cpython-311.pyc
    """ """ test_monotonic.cpython-311.pyc
    """ """ test_partial_slicing.cpython-311.pyc
    """ """ test_period.cpython-311.pyc
    """ """ test_period_range.cpython-311.pyc
    """ """ test_pickle.cpython-311.pyc
    """ """ test_resolution.cpython-311.pyc
    """ """ test_scalar_compat.cpython-311.pyc
    """ """ test_searchsorted.cpython-311.pyc
    """ """ test_setops.cpython-311.pyc
    """ """ test_tools.cpython-311.pyc
    """ methods
    """ __init__.py
    """ __pycache__
    """ """ __init__.cpython-311.pyc
    """ """ test_asfreq.cpython-311.pyc
    """ """ test_astype.cpython-311.pyc
    """ """ test_factorize.cpython-311.pyc
    """ """ test_fillna.cpython-311.pyc
    """ """ test_insert.cpython-311.pyc
    """ """ test_is_full.cpython-311.pyc
    """ """ test_repeat.cpython-311.pyc
    """ """ test_shift.cpython-311.pyc
    """ """ test_to_timestamp.cpython-311.pyc
    """ test_asfreq.py
    """ test_astype.py
    """ test_factorize.py
    """ test_fillna.py
    """ test_insert.py
    """ test_is_full.py
    """ test_repeat.py

```

```

test_shift.py
test_to_timestamp.py
test_constructors.py
test_formats.py
test_freq_attr.py
test_indexing.py
test_join.py
test_monotonic.py
test_partial_slicing.py
test_period.py
test_period_range.py
test_pickle.py
test_resolution.py
test_scalar_compat.py
test_searchsorted.py
test_setops.py
test_tools.py
ranges
__init__.py
__pycache__
__init__.cpython-311.pyc
test_constructors.cpython-311.pyc
test_indexing.cpython-311.pyc
test_join.cpython-311.pyc
test_range.cpython-311.pyc
test_setops.cpython-311.pyc
test_constructors.py
test_indexing.py
test_join.py
test_range.py
test_setops.py
test_any_index.py
test_base.py
test_common.py
test_engines.py
test_frozen.py
test_index_new.py
test_indexing.py
test_numpy_compat.py
test_setops.py
test_subclass.py
timedeltas
__init__.py
__pycache__
__init__.cpython-311.pyc
test_constructors.cpython-311.pyc
test_delete.cpython-311.pyc
test_formats.cpython-311.pyc
test_freq_attr.cpython-311.pyc
test_indexing.cpython-311.pyc
test_join.cpython-311.pyc
test_ops.cpython-311.pyc
test_pickle.cpython-311.pyc
test_scalar_compat.cpython-311.pyc
test_searchsorted.cpython-311.pyc
test_setops.cpython-311.pyc
test_timedelta.cpython-311.pyc
test_timedelta_range.cpython-311.pyc

```

```

    methods
    ├── __init__.py
    ├── __pycache__
    │   ├── __init__.cpython-311.pyc
    │   ├── test_astype.cpython-311.pyc
    │   ├── test_factorize.cpython-311.pyc
    │   ├── test_fillna.cpython-311.pyc
    │   ├── test_insert.cpython-311.pyc
    │   ├── test_repeat.cpython-311.pyc
    │   └── test_shift.cpython-311.pyc
    ├── test_astype.py
    ├── test_factorize.py
    ├── test_fillna.py
    ├── test_insert.py
    ├── test_repeat.py
    ├── test_shift.py
    ├── test_constructors.py
    ├── test_delete.py
    ├── test_formats.py
    ├── test_freq_attr.py
    ├── test_indexing.py
    ├── test_join.py
    ├── test_ops.py
    ├── test_pickle.py
    ├── test_scalar_compat.py
    ├── test_searchsorted.py
    ├── test_setops.py
    ├── test_timedelta.py
    └── test_timedelta_range.py
    └── indexing
        ├── __init__.py
        ├── __pycache__
        │   ├── __init__.cpython-311.pyc
        │   ├── common.cpython-311.pyc
        │   ├── test_at.cpython-311.pyc
        │   ├── test_categorical.cpython-311.pyc
        │   ├── test_chaining_and_caching.cpython-311.pyc
        │   ├── test_check_indexer.cpython-311.pyc
        │   ├── test_coercion.cpython-311.pyc
        │   ├── test_datetime.cpython-311.pyc
        │   ├── test_floats.cpython-311.pyc
        │   ├── test_iat.cpython-311.pyc
        │   ├── test_iloc.cpython-311.pyc
        │   ├── test_indexers.cpython-311.pyc
        │   ├── test_indexing.cpython-311.pyc
        │   ├── test_loc.cpython-311.pyc
        │   ├── test_na_indexing.cpython-311.pyc
        │   ├── test_partial.cpython-311.pyc
        │   └── test_scalar.cpython-311.pyc
        ├── common.py
        └── interval
            ├── __init__.py
            ├── __pycache__
            │   ├── __init__.cpython-311.pyc
            │   ├── test_interval.cpython-311.pyc
            │   ├── test_interval_new.cpython-311.pyc
            ├── test_interval.py
            └── test_interval_new.py

```

```

multiindex
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_chaining_and_caching.cpython-311.pyc
  test_datetime.cpython-311.pyc
  test_getitem.cpython-311.pyc
  test_iloc.cpython-311.pyc
  test_indexing_slow.cpython-311.pyc
  test_loc.cpython-311.pyc
  test_multiindex.cpython-311.pyc
  test_partial.cpython-311.pyc
  test_setitem.cpython-311.pyc
  test_slice.cpython-311.pyc
  test_sorted.cpython-311.pyc
  test_chaining_and_caching.py
  test_datetime.py
  test_getitem.py
  test_iloc.py
  test_indexing_slow.py
  test_loc.py
  test_multiindex.py
  test_partial.py
  test_setitem.py
  test_slice.py
  test_sorted.py
  test_at.py
  test_categorical.py
  test_chaining_and_caching.py
  test_check_indexer.py
  test_coercion.py
  test_datetime.py
  test_floats.py
  test_iat.py
  test_iloc.py
  test_indexers.py
  test_indexing.py
  test_loc.py
  test_na_indexing.py
  test_partial.py
  test_scalar.py
interchange
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  conftest.cpython-311.pyc
  test_impl.cpython-311.pyc
  test_spec_conformance.cpython-311.pyc
  test_utils.cpython-311.pyc
  conftest.py
  test_impl.py
  test_spec_conformance.py
  test_utils.py
internals
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_api.cpython-311.pyc

```



```

■      ■■■ test_xlrd.cpython-311.pyc
■      ■■■ test_xlsxwriter.cpython-311.pyc
■      ■■■ test_xlwt.cpython-311.pyc
■      ■■■ conftest.py
■      ■■■ test_odf.py
■      ■■■ test_odswriter.py
■      ■■■ test_openpyxl.py
■      ■■■ test_readers.py
■      ■■■ test_style.py
■      ■■■ test_writers.py
■      ■■■ test_xlrd.py
■      ■■■ test_xlsxwriter.py
■      ■■■ test_xlwt.py
■      ■■■ formats
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■■■ __init__.cpython-311.pyc
■      ■■■ test_console.cpython-311.pyc
■      ■■■ test_css.cpython-311.pyc
■      ■■■ test_eng_formatting.cpython-311.pyc
■      ■■■ test_format.cpython-311.pyc
■      ■■■ test_info.cpython-311.pyc
■      ■■■ test_printing.cpython-311.pyc
■      ■■■ test_series_info.cpython-311.pyc
■      ■■■ test_to_csv.cpython-311.pyc
■      ■■■ test_to_excel.cpython-311.pyc
■      ■■■ test_to_html.cpython-311.pyc
■      ■■■ test_to_latex.cpython-311.pyc
■      ■■■ test_to_markdown.cpython-311.pyc
■      ■■■ test_to_string.cpython-311.pyc
■      ■■■ style
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■■■ __init__.cpython-311.pyc
■      ■■■ test_bar.cpython-311.pyc
■      ■■■ test_deprecated.cpython-311.pyc
■      ■■■ test_exceptions.cpython-311.pyc
■      ■■■ test_format.cpython-311.pyc
■      ■■■ test_highlight.cpython-311.pyc
■      ■■■ test_html.cpython-311.pyc
■      ■■■ test_matplotlib.cpython-311.pyc
■      ■■■ test_non_unique.cpython-311.pyc
■      ■■■ test_style.cpython-311.pyc
■      ■■■ test_to_latex.cpython-311.pyc
■      ■■■ test_to_string.cpython-311.pyc
■      ■■■ test_tooltip.cpython-311.pyc
■      ■■■ test_bar.py
■      ■■■ test_deprecated.py
■      ■■■ test_exceptions.py
■      ■■■ test_format.py
■      ■■■ test_highlight.py
■      ■■■ test_html.py
■      ■■■ test_matplotlib.py
■      ■■■ test_non_unique.py
■      ■■■ test_style.py
■      ■■■ test_to_latex.py
■      ■■■ test_to_string.py
■      ■■■ test_tooltip.py

```



```

test_console.py
test_css.py
test_eng_formatting.py
test_format.py
test_info.py
test_printing.py
test_series_info.py
test_to_csv.py
test_to_excel.py
test_to_html.py
test_to_latex.py
test_to_markdown.py
test_to_string.py
generate_legacy_storage_files.py
json
__init__.py
__pycache__
__init__.cpython-311.pyc
conftest.cpython-311.pyc
test_compression.cpython-311.pyc
test_deprecated_kwargs.cpython-311.pyc
test_json_table_schema.cpython-311.pyc
test_json_table_schema_ext_dtype.cpython-311.pyc
test_normalize.cpython-311.pyc
test_pandas.cpython-311.pyc
test_readlines.cpython-311.pyc
test_ujson.cpython-311.pyc
conftest.py
test_compression.py
test_deprecated_kwargs.py
test_json_table_schema.py
test_json_table_schema_ext_dtype.py
test_normalize.py
test_pandas.py
test_readlines.py
test_ujson.py
parser
__init__.py
__pycache__
__init__.cpython-311.pyc
conftest.cpython-311.pyc
test_c_parser_only.cpython-311.pyc
test_comment.cpython-311.pyc
test_compression.cpython-311.pyc
test_converters.cpython-311.pyc
test_dialect.cpython-311.pyc
test_encoding.cpython-311.pyc
test_header.cpython-311.pyc
test_index_col.cpython-311.pyc
test_mangle_dupes.cpython-311.pyc
test_multi_thread.cpython-311.pyc
test_na_values.cpython-311.pyc
test_network.cpython-311.pyc
test_parse_dates.cpython-311.pyc
test_python_parser_only.cpython-311.pyc
test_quoting.cpython-311.pyc
test_read_fwf.cpython-311.pyc
test_skiprows.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■■	test_textreader.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■■	test_unsupported.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■		common	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_chunksize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_common_basic.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_data_list.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_decimal.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_file_buffer_url.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_float.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_index.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_inf.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_ints.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_iterator.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_read_errors.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_verbose.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_chunksize.py	
■	■	■	■	■	■	■	■	■	■■■■	test_common_basic.py	
■	■	■	■	■	■	■	■	■	■■■■	test_data_list.py	
■	■	■	■	■	■	■	■	■	■■■■	test_decimal.py	
■	■	■	■	■	■	■	■	■	■■■■	test_file_buffer_url.py	
■	■	■	■	■	■	■	■	■	■■■■	test_float.py	
■	■	■	■	■	■	■	■	■	■■■■	test_index.py	
■	■	■	■	■	■	■	■	■	■■■■	test_inf.py	
■	■	■	■	■	■	■	■	■	■■■■	test_ints.py	
■	■	■	■	■	■	■	■	■	■■■■	test_iterator.py	
■	■	■	■	■	■	■	■	■	■■■■	test_read_errors.py	
■	■	■	■	■	■	■	■	■	■■■■	test_verbose.py	
■	■	■	■	■	■	■	■	■■■■		conftest.py	
■	■	■	■	■	■	■	■	■■■■		dtypes	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_categorical.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_dtypes_basic.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■■	test_empty.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_categorical.py	
■	■	■	■	■	■	■	■	■	■■■■	test_dtypes_basic.py	
■	■	■	■	■	■	■	■	■	■■■■	test_empty.py	
■	■	■	■	■	■	■	■	■■■■		test_c_parser_only.py	
■	■	■	■	■	■	■	■	■■■■		test_comment.py	
■	■	■	■	■	■	■	■	■■■■		test_compression.py	
■	■	■	■	■	■	■	■	■■■■		test_converters.py	
■	■	■	■	■	■	■	■	■■■■		test_dialect.py	
■	■	■	■	■	■	■	■	■■■■		test_encoding.py	
■	■	■	■	■	■	■	■	■■■■		test_header.py	
■	■	■	■	■	■	■	■	■■■■		test_index_col.py	
■	■	■	■	■	■	■	■	■■■■		test_mangle_dupes.py	
■	■	■	■	■	■	■	■	■■■■		test_multi_thread.py	
■	■	■	■	■	■	■	■	■■■■		test_na_values.py	
■	■	■	■	■	■	■	■	■■■■		test_network.py	
■	■	■	■	■	■	■	■	■■■■		test_parse_dates.py	
■	■	■	■	■	■	■	■	■■■■		test_python_parser_only.py	
■	■	■	■	■	■	■	■	■■■■		test_quoting.py	
■	■	■	■	■	■	■	■	■■■■		test_read_fwf.py	
■	■	■	■	■	■	■	■	■■■■		test_skiprows.py	

```

test_textreader.py
test_unsupported.py
usecols
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_parse_dates.cpython-311.pyc
        test_strings.cpython-311.pyc
        test_usecols_basic.cpython-311.pyc
    test_parse_dates.py
    test_strings.py
    test_usecols_basic.py
pytables
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        common.cpython-311.pyc
        conftest.cpython-311.pyc
        test_append.cpython-311.pyc
        test_categorical.cpython-311.pyc
        test_compat.cpython-311.pyc
        test_complex.cpython-311.pyc
        test_errors.cpython-311.pyc
        test_file_handling.cpython-311.pyc
        test_keys.cpython-311.pyc
        test_put.cpython-311.pyc
        test_pytables_missing.cpython-311.pyc
        test_read.cpython-311.pyc
        test_retain_attributes.cpython-311.pyc
        test_round_trip.cpython-311.pyc
        test_select.cpython-311.pyc
        test_store.cpython-311.pyc
        test_subclass.cpython-311.pyc
        test_time_series.cpython-311.pyc
        test_timezones.cpython-311.pyc
    common.py
    conftest.py
    test_append.py
    test_categorical.py
    test_compat.py
    test_complex.py
    test_errors.py
    test_file_handling.py
    test_keys.py
    test_put.py
    test_pytables_missing.py
    test_read.py
    test_retain_attributes.py
    test_round_trip.py
    test_select.py
    test_store.py
    test_subclass.py
    test_time_series.py
    test_timezones.py
sas
    __init__.py
    __pycache__
        __init__.cpython-311.pyc

```

```

■ ■ ■ test_sas.cpython-311.pyc
■ ■ ■ test_sas7bdat.cpython-311.pyc
■ ■ ■ test_xport.cpython-311.pyc
■ ■ ■ test_sas.py
■ ■ ■ test_sas7bdat.py
■ ■ ■ test_xport.py
■ ■ ■ test_clipboard.py
■ ■ ■ test_common.py
■ ■ ■ test_compression.py
■ ■ ■ test_date_converters.py
■ ■ ■ test_feather.py
■ ■ ■ test_fsspec.py
■ ■ ■ test_gcs.py
■ ■ ■ test_html.py
■ ■ ■ test_orc.py
■ ■ ■ test_parquet.py
■ ■ ■ test_pickle.py
■ ■ ■ test_s3.py
■ ■ ■ test_spss.py
■ ■ ■ test_sql.py
■ ■ ■ test_stata.py
■ ■ ■ test_user_agent.py
■ ■ ■ xml
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_to_xml.cpython-311.pyc
■ ■ ■ test_xml.cpython-311.pyc
■ ■ ■ test_xml_dtypes.cpython-311.pyc
■ ■ ■ test_to_xml.py
■ ■ ■ test_xml.py
■ ■ ■ test_xml_dtypes.py
■ ■ ■ libs
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_hashtable.cpython-311.pyc
■ ■ ■ test_join.cpython-311.pyc
■ ■ ■ test_lib.cpython-311.pyc
■ ■ ■ test_hashtable.py
■ ■ ■ test_join.py
■ ■ ■ test_lib.py
■ ■ ■ plotting
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ common.cpython-311.pyc
■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ test_backend.cpython-311.pyc
■ ■ ■ test_boxplot_method.cpython-311.pyc
■ ■ ■ test_common.cpython-311.pyc
■ ■ ■ test_converter.cpython-311.pyc
■ ■ ■ test_datetimelike.cpython-311.pyc
■ ■ ■ test_groupby.cpython-311.pyc
■ ■ ■ test_hist_method.cpython-311.pyc
■ ■ ■ test_misc.cpython-311.pyc
■ ■ ■ test_series.cpython-311.pyc
■ ■ ■ test_style.cpython-311.pyc

```

```

common.py
conftest.py
frame
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_frame.cpython-311.pyc
    test_frame_color.cpython-311.pyc
    test_frame_groupby.cpython-311.pyc
    test_frame_legend.cpython-311.pyc
    test_frame_subplots.cpython-311.pyc
    test_hist_box_by.cpython-311.pyc
    test_frame.py
    test_frame_color.py
    test_frame_groupby.py
    test_frame_legend.py
    test_frame_subplots.py
    test_hist_box_by.py
  test_backend.py
  test_boxplot_method.py
  test_common.py
  test_converter.py
  test_datetimelike.py
  test_groupby.py
  test_hist_method.py
  test_misc.py
  test_series.py
  test_style.py
reductions
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_reductions.cpython-311.pyc
    test_stat_reductions.cpython-311.pyc
  test_reductions.py
  test_stat_reductions.py
resample
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    conftest.cpython-311.pyc
    test_base.cpython-311.pyc
    test_datetime_index.cpython-311.pyc
    test_deprecated.cpython-311.pyc
    test_period_index.cpython-311.pyc
    test_resample_api.cpython-311.pyc
    test_resampler_grouper.cpython-311.pyc
    test_time_grouper.cpython-311.pyc
    test_timedelta.cpython-311.pyc
  conftest.py
  test_base.py
  test_datetime_index.py
  test_deprecated.py
  test_period_index.py
  test_resample_api.py
  test_resampler_grouper.py
  test_time_grouper.py
  test_timedelta.py

```

```

■■■ reshape
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ test_crosstab.cpython-311.pyc
■■■ test_cut.cpython-311.pyc
■■■ test_from_dummies.cpython-311.pyc
■■■ test_get_dummies.cpython-311.pyc
■■■ test_melt.cpython-311.pyc
■■■ test_pivot.cpython-311.pyc
■■■ test_pivot_multilevel.cpython-311.pyc
■■■ test_qcut.cpython-311.pyc
■■■ test_union_categoricals.cpython-311.pyc
■■■ test_util.cpython-311.pyc
■■■ concat
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ conftest.cpython-311.pyc
■■■ test_append.cpython-311.pyc
■■■ test_append_common.cpython-311.pyc
■■■ test_categorical.cpython-311.pyc
■■■ test_concat.cpython-311.pyc
■■■ test_dataframe.cpython-311.pyc
■■■ test_datetimes.cpython-311.pyc
■■■ test_empty.cpython-311.pyc
■■■ test_index.cpython-311.pyc
■■■ test_invalid.cpython-311.pyc
■■■ test_series.cpython-311.pyc
■■■ test_sort.cpython-311.pyc
■■■ conftest.py
■■■ test_append.py
■■■ test_append_common.py
■■■ test_categorical.py
■■■ test_concat.py
■■■ test_dataframe.py
■■■ test_datetimes.py
■■■ test_empty.py
■■■ test_index.py
■■■ test_invalid.py
■■■ test_series.py
■■■ test_sort.py
■■■ merge
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ test_join.cpython-311.pyc
■■■ test_merge.cpython-311.pyc
■■■ test_merge_asof.cpython-311.pyc
■■■ test_merge_cross.cpython-311.pyc
■■■ test_merge_index_as_string.cpython-311.pyc
■■■ test_merge_ordered.cpython-311.pyc
■■■ test_multi.cpython-311.pyc
■■■ test_join.py
■■■ test_merge.py
■■■ test_merge_asof.py
■■■ test_merge_cross.py
■■■ test_merge_index_as_string.py

```

[illegible]

```

■ ■ ■ test_rendering.cpython-311.pyc
■ ■ ■ test_timestamp.cpython-311.pyc
■ ■ ■ test_timezones.cpython-311.pyc
■ ■ ■ test_unary_ops.cpython-311.pyc
■ ■ ■ test_arithmetic.py
■ ■ ■ test_comparisons.py
■ ■ ■ test_constructors.py
■ ■ ■ test_formats.py
■ ■ ■ test_rendering.py
■ ■ ■ test_timestamp.py
■ ■ ■ test_timezones.py
■ ■ ■ test_unary_ops.py
■ ■ ■ series
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_api.cpython-311.pyc
■ ■ ■ test_arithmetic.cpython-311.pyc
■ ■ ■ test_constructors.cpython-311.pyc
■ ■ ■ test_cumulative.cpython-311.pyc
■ ■ ■ test_iteration.cpython-311.pyc
■ ■ ■ test_logical_ops.cpython-311.pyc
■ ■ ■ test_missing.cpython-311.pyc
■ ■ ■ test_npfuncs.cpython-311.pyc
■ ■ ■ test_reductions.cpython-311.pyc
■ ■ ■ test_repr.cpython-311.pyc
■ ■ ■ test_subclass.cpython-311.pyc
■ ■ ■ test_ufunc.cpython-311.pyc
■ ■ ■ test_unary.cpython-311.pyc
■ ■ ■ test_validate.cpython-311.pyc
■ ■ ■ accessors
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_cat_accessor.cpython-311.pyc
■ ■ ■ test_dt_accessor.cpython-311.pyc
■ ■ ■ test_sparse_accessor.cpython-311.pyc
■ ■ ■ test_str_accessor.cpython-311.pyc
■ ■ ■ test_cat_accessor.py
■ ■ ■ test_dt_accessor.py
■ ■ ■ test_sparse_accessor.py
■ ■ ■ test_str_accessor.py
■ ■ ■ indexing
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_datetime.cpython-311.pyc
■ ■ ■ test_delitem.cpython-311.pyc
■ ■ ■ test_get.cpython-311.pyc
■ ■ ■ test_getitem.cpython-311.pyc
■ ■ ■ test_indexing.cpython-311.pyc
■ ■ ■ test_mask.cpython-311.pyc
■ ■ ■ test_set_value.cpython-311.pyc
■ ■ ■ test_setitem.cpython-311.pyc
■ ■ ■ test_take.cpython-311.pyc
■ ■ ■ test_where.cpython-311.pyc
■ ■ ■ test_xs.cpython-311.pyc
■ ■ ■ test_datetime.py

```



```

test_delitem.py
test_get.py
test_getitem.py
test_indexing.py
test_mask.py
test_set_value.py
test_setitem.py
test_take.py
test_where.py
test_xs.py
methods
__init__.py
__pycache__
__init__.cpython-311.pyc
test_align.cpython-311.pyc
test_append.cpython-311.pyc
test_argsort.cpython-311.pyc
test_asof.cpython-311.pyc
test_astype.cpython-311.pyc
test_autocorr.cpython-311.pyc
test_between.cpython-311.pyc
test_clip.cpython-311.pyc
test_combine.cpython-311.pyc
test_combine_first.cpython-311.pyc
test_compare.cpython-311.pyc
test_convert.cpython-311.pyc
test_convert_dtypes.cpython-311.pyc
test_copy.cpython-311.pyc
test_count.cpython-311.pyc
test_cov_corr.cpython-311.pyc
test_describe.cpython-311.pyc
test_diff.cpython-311.pyc
test_drop.cpython-311.pyc
test_drop_duplicates.cpython-311.pyc
test_dropna.cpython-311.pyc
test_dtypes.cpython-311.pyc
test_duplicated.cpython-311.pyc
test_equals.cpython-311.pyc
test_explode.cpython-311.pyc
test_fillna.cpython-311.pyc
test_get_numeric_data.cpython-311.pyc
test_head_tail.cpython-311.pyc
test_infer_objects.cpython-311.pyc
test_interpolate.cpython-311.pyc
test_is_monotonic.cpython-311.pyc
test_is_unique.cpython-311.pyc
test_isin.cpython-311.pyc
test_isna.cpython-311.pyc
test_item.cpython-311.pyc
test_matmul.cpython-311.pyc
test_nlargest.cpython-311.pyc
test_nunique.cpython-311.pyc
test_pct_change.cpython-311.pyc
test_pop.cpython-311.pyc
test_quantile.cpython-311.pyc
test_rank.cpython-311.pyc
test_reindex.cpython-311.pyc
test_reindex_like.cpython-311.pyc

```

```

■ ■ ■ test_rename.cpython-311.pyc
■ ■ ■ test_rename_axis.cpython-311.pyc
■ ■ ■ test_repeat.cpython-311.pyc
■ ■ ■ test_replace.cpython-311.pyc
■ ■ ■ test_reset_index.cpython-311.pyc
■ ■ ■ test_round.cpython-311.pyc
■ ■ ■ test_searchsorted.cpython-311.pyc
■ ■ ■ test_set_name.cpython-311.pyc
■ ■ ■ test_sort_index.cpython-311.pyc
■ ■ ■ test_sort_values.cpython-311.pyc
■ ■ ■ test_to_csv.cpython-311.pyc
■ ■ ■ test_to_dict.cpython-311.pyc
■ ■ ■ test_to_frame.cpython-311.pyc
■ ■ ■ test_truncate.cpython-311.pyc
■ ■ ■ test_tz_localize.cpython-311.pyc
■ ■ ■ test_unique.cpython-311.pyc
■ ■ ■ test_unstack.cpython-311.pyc
■ ■ ■ test_update.cpython-311.pyc
■ ■ ■ test_value_counts.cpython-311.pyc
■ ■ ■ test_values.cpython-311.pyc
■ ■ ■ test_view.cpython-311.pyc
■ ■ ■ test_align.py
■ ■ ■ test_append.py
■ ■ ■ test_argsort.py
■ ■ ■ test_asof.py
■ ■ ■ test_astype.py
■ ■ ■ test_autocorr.py
■ ■ ■ test_between.py
■ ■ ■ test_clip.py
■ ■ ■ test_combine.py
■ ■ ■ test_combine_first.py
■ ■ ■ test_compare.py
■ ■ ■ test_convert.py
■ ■ ■ test_convert_dtypes.py
■ ■ ■ test_copy.py
■ ■ ■ test_count.py
■ ■ ■ test_cov_corr.py
■ ■ ■ test_describe.py
■ ■ ■ test_diff.py
■ ■ ■ test_drop.py
■ ■ ■ test_drop_duplicates.py
■ ■ ■ test_dropna.py
■ ■ ■ test_dtypes.py
■ ■ ■ test_duplicated.py
■ ■ ■ test_equals.py
■ ■ ■ test_explode.py
■ ■ ■ test_fillna.py
■ ■ ■ test_get_numeric_data.py
■ ■ ■ test_head_tail.py
■ ■ ■ test_infer_objects.py
■ ■ ■ test_interpolate.py
■ ■ ■ test_is_monotonic.py
■ ■ ■ test_is_unique.py
■ ■ ■ test_isin.py
■ ■ ■ test_isna.py
■ ■ ■ test_item.py
■ ■ ■ test_matmul.py
■ ■ ■ test_nlargest.py

```

```

■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_nunique.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_pct_change.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_pop.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_quantile.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_rank.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_reindex.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_reindex_like.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_rename.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_rename_axis.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_repeat.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_replace.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_reset_index.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_round.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_searchsorted.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_set_name.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_sort_index.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_sort_values.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_to_csv.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_to_dict.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_to_frame.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_truncate.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_tz_localize.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_unique.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_unstack.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_update.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_value_counts.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_values.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_view.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_api.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_arithmetic.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_constructors.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cumulative.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_iteration.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_logical_ops.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_missing.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_npfuncs.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_reductions.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_repr.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_subclass.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_ufunc.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_unary.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_validate.py
■      ■      ■      ■      ■      ■      ■■■■ strings
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ conftest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_api.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_case_justify.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_cat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_extract.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_find_replace.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_get_dummies.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_split_partition.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_string_array.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_strings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ conftest.py
■      ■      ■      ■      ■      ■      ■■■■ test_api.py

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_case_justify.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cat.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_extract.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_find_replace.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_get_dummies.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_split_partition.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_string_array.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_strings.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_aggregation.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_algos.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_common.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_downstream.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_errors.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_expressions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_flags.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_multilevel.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_nanops.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_optional_dependency.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_register_accessor.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sorting.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_take.py
■ ■ ■ ■ ■ ■ ■ ■■■ tools
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_datetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_numeric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_time.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_timedelta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_datetime.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_numeric.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_time.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_to_timedelta.py
■ ■ ■ ■ ■ ■ ■ ■■■ tseries
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ frequencies
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_freq_code.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_frequencies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_inference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_freq_code.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_frequencies.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_inference.py
■ ■ ■ ■ ■ ■ ■ ■■■ holiday
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_calendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_federal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_holiday.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_observance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_calendar.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_federal.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_holiday.py

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_np_datetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_parse_iso8601.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_parsing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_period_asfreq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_resolution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timedeltas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timezones.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_to_offset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tzconversion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_array_to_datetime.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ccalendar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_conversion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fields.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_libfrequencies.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_liboffsets.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_np_datetime.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_parse_iso8601.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_parsing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_period_asfreq.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_resolution.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timedeltas.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_timezones.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_to_offset.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tzconversion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ util
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_almost_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_attr_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_categorical_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_extension_array_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_frame_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_index_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_interval_array_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_numpy_array_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_produces_warning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_series_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deprecate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deprecate_kwarg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deprecate_nonkeyword_arguments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_doc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_hashing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_make_objects.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_numba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rewrite_warning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_safe_import.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shares_memory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_show_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_validate_args.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_validate_args_and_kwargs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_validate_inclusive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_validate_kwargs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assert_almost_equal.py

```

■	■	■	■	■	■	■	■■■	test_assert_attr_equal.py
■	■	■	■	■	■	■	■■■	test_assert_categorical_equal.py
■	■	■	■	■	■	■	■■■	test_assert_extension_array_equal.py
■	■	■	■	■	■	■	■■■	test_assert_frame_equal.py
■	■	■	■	■	■	■	■■■	test_assert_index_equal.py
■	■	■	■	■	■	■	■■■	test_assert_interval_array_equal.py
■	■	■	■	■	■	■	■■■	test_assert_numpy_array_equal.py
■	■	■	■	■	■	■	■■■	test_assert_produces_warning.py
■	■	■	■	■	■	■	■■■	test_assert_series_equal.py
■	■	■	■	■	■	■	■■■	test_deprecate.py
■	■	■	■	■	■	■	■■■	test_deprecate_kwarg.py
■	■	■	■	■	■	■	■■■	test_deprecate_nonkeyword_arguments.py
■	■	■	■	■	■	■	■■■	test_doc.py
■	■	■	■	■	■	■	■■■	test_hashing.py
■	■	■	■	■	■	■	■■■	test_make_objects.py
■	■	■	■	■	■	■	■■■	test_numba.py
■	■	■	■	■	■	■	■■■	test_rewrite_warning.py
■	■	■	■	■	■	■	■■■	test_safe_import.py
■	■	■	■	■	■	■	■■■	test_shares_memory.py
■	■	■	■	■	■	■	■■■	test_show_versions.py
■	■	■	■	■	■	■	■■■	test_util.py
■	■	■	■	■	■	■	■■■	test_validate_args.py
■	■	■	■	■	■	■	■■■	test_validate_args_and_kwargs.py
■	■	■	■	■	■	■	■■■	test_validate_inclusive.py
■	■	■	■	■	■	■	■■■	test_validate_kwargs.py
■	■	■	■	■	■	■■■	window	
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	conftest.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_api.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_apply.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_base_indexer.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cython_aggregations.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dtypes.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_ewm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_expanding.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_groupby.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_numba.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_online.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pairwise.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_rolling.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_rolling_functions.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_rolling_quantile.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_rolling_skew_kurt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_timeseries_window.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_win_type.cpython-311.pyc
■	■	■	■	■	■	■■■	conftest.py	
■	■	■	■	■	■	■■■	moments	
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	conftest.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_moments_consistency_ewm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_moments_consistency_expanding.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_moments_consistency_rolling.cpython-311.pyc
■	■	■	■	■	■	■■■	conftest.py	
■	■	■	■	■	■	■	■■■	test_moments_consistency_ewm.py

[illegible]


```
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ pandocfilters-1.5.1.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ pandocfilters.py
■ ■ ■ ■ ■ ■■■ paramiko
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _winapi.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ agent.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ auth_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ auth_strategy.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ ber.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ buffered_pipe.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ channel.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ compress.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ dsskey.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ ecdsakey.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ ed25519key.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ file.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ hostkeys.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ kex_curve25519.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ kex_ecdh_nist.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ kex_gex.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ kex_group1.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ kex_group14.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ kex_group16.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ kex_gss.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ message.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ packet.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pipe.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pkey.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ primes.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ proxy.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ rsakey.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sftp.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sftp_attr.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sftp_client.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sftp_file.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sftp_handle.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sftp_server.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sftp_si.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ ssh_exception.cpython-311.pyc
```

■	■	■	■	■	■	■■■	ssh_gss.cpython-311.pyc
■	■	■	■	■	■	■■■	transport.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■	■■■	win_openssh.cpython-311.pyc
■	■	■	■	■	■	■■■	win_pageant.cpython-311.pyc
■	■	■	■	■	■■■		_version.py
■	■	■	■	■	■■■		_winapi.py
■	■	■	■	■	■■■		agent.py
■	■	■	■	■	■■■		auth_handler.py
■	■	■	■	■	■■■		auth_strategy.py
■	■	■	■	■	■■■		ber.py
■	■	■	■	■	■■■		buffered_pipe.py
■	■	■	■	■	■■■		channel.py
■	■	■	■	■	■■■		client.py
■	■	■	■	■	■■■		common.py
■	■	■	■	■	■■■		compress.py
■	■	■	■	■	■■■		config.py
■	■	■	■	■	■■■		dsskey.py
■	■	■	■	■	■■■		ecdsa_key.py
■	■	■	■	■	■■■		ed25519key.py
■	■	■	■	■	■■■		file.py
■	■	■	■	■	■■■		hostkeys.py
■	■	■	■	■	■■■		kex_curve25519.py
■	■	■	■	■	■■■		kex_ecdh_nist.py
■	■	■	■	■	■■■		kex_gex.py
■	■	■	■	■	■■■		kex_group1.py
■	■	■	■	■	■■■		kex_group14.py
■	■	■	■	■	■■■		kex_group16.py
■	■	■	■	■	■■■		kex_gss.py
■	■	■	■	■	■■■		message.py
■	■	■	■	■	■■■		packet.py
■	■	■	■	■	■■■		pipe.py
■	■	■	■	■	■■■		pkey.py
■	■	■	■	■	■■■		primes.py
■	■	■	■	■	■■■		proxy.py
■	■	■	■	■	■■■		rsa_key.py
■	■	■	■	■	■■■		server.py
■	■	■	■	■	■■■		sftp.py
■	■	■	■	■	■■■		sftp_attr.py
■	■	■	■	■	■■■		sftp_client.py
■	■	■	■	■	■■■		sftp_file.py
■	■	■	■	■	■■■		sftp_handle.py
■	■	■	■	■	■■■		sftp_server.py
■	■	■	■	■	■■■		sftp_si.py
■	■	■	■	■	■■■		ssh_exception.py
■	■	■	■	■	■■■		ssh_gss.py
■	■	■	■	■	■■■		transport.py
■	■	■	■	■	■■■		util.py
■	■	■	■	■	■■■		win_openssh.py
■	■	■	■	■	■■■		win_pageant.py
■	■	■	■	■■■		paramiko-3.5.0.dist-info	
■	■	■	■	■	■■■	INSTALLER	
■	■	■	■	■	■■■	LICENSE	
■	■	■	■	■	■■■	METADATA	
■	■	■	■	■	■■■	RECORD	
■	■	■	■	■	■■■	WHEEL	
■	■	■	■	■	■■■	top_level.txt	
■	■	■	■	■■■		parso	


```

■ ■ ■ ■ ■ ■ ■■ state.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ test_build.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ test_highlevel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ test_regressions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ test_splines_bs_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ test_splines_crs_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ test_state.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ tokens.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ user_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ build.py
■ ■ ■ ■ ■ ■■■ builtins.py
■ ■ ■ ■ ■ ■■■ categorical.py
■ ■ ■ ■ ■ ■■■ compat.py
■ ■ ■ ■ ■ ■■■ compat_ordereddict.py
■ ■ ■ ■ ■ ■■■ constraint.py
■ ■ ■ ■ ■ ■■■ contrasts.py
■ ■ ■ ■ ■ ■■■ desc.py
■ ■ ■ ■ ■ ■■■ design_info.py
■ ■ ■ ■ ■ ■■■ eval.py
■ ■ ■ ■ ■ ■■■ highlevel.py
■ ■ ■ ■ ■ ■■■ infix_parser.py
■ ■ ■ ■ ■ ■■■ mgcv_cubic_splines.py
■ ■ ■ ■ ■ ■■■ missing.py
■ ■ ■ ■ ■ ■■■ origin.py
■ ■ ■ ■ ■ ■■■ parse_formula.py
■ ■ ■ ■ ■ ■■■ redundancy.py
■ ■ ■ ■ ■ ■■■ splines.py
■ ■ ■ ■ ■ ■■■ state.py
■ ■ ■ ■ ■ ■■■ test_build.py
■ ■ ■ ■ ■ ■■■ test_highlevel.py
■ ■ ■ ■ ■ ■■■ test_regressions.py
■ ■ ■ ■ ■ ■■■ test_splines_bs_data.py
■ ■ ■ ■ ■ ■■■ test_splines_crs_data.py
■ ■ ■ ■ ■ ■■■ test_state.py
■ ■ ■ ■ ■ ■■■ tokens.py
■ ■ ■ ■ ■ ■■■ user_util.py
■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■■■ patsy-1.0.1.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ pdf2image
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ generators.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ parsers.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdf2image.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■■■ generators.py
■ ■ ■ ■ ■ ■■■ parsers.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ pdf2image.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ pdf2image-1.16.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pdfkit
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ configuration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfkit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ source.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ api.py
■ ■ ■ ■ ■ ■ ■ ■ configuration.py
■ ■ ■ ■ ■ ■ ■ ■ pdfkit.py
■ ■ ■ ■ ■ ■ ■ ■ source.py
■ ■ ■ ■ ■ ■ ■ ■ pdfkit-0.6.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ DESCRIPTION.rst
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ metadata.json
■ ■ ■ ■ ■ ■ ■ ■ pbr.json
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pdfminer
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _saslprep.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ arcfour.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ascii85.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ccitt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cmapdb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ converter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ data_structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ encodingdb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ fontmetrics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ glyphlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ high_level.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ jbig2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ latin_enc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ layout.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ lzw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfcolor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfdevice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfdocument.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdffont.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfinterp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pdfpage.cpython-311.pyc

```

```

■ ■ ■ ■ ■ pdfparser.cpython-311.pyc
■ ■ ■ ■ ■ pdftypes.cpython-311.pyc
■ ■ ■ ■ ■ psparser.cpython-311.pyc
■ ■ ■ ■ ■ runlength.cpython-311.pyc
■ ■ ■ ■ ■ settings.cpython-311.pyc
■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ _saslprep.py
■ ■ ■ ■ arcfour.py
■ ■ ■ ■ ascii85.py
■ ■ ■ ■ ccitt.py
■ ■ ■ ■ cmap
■ ■ ■ ■ 78-EUC-H.pickle.gz
■ ■ ■ ■ 78-EUC-V.pickle.gz
■ ■ ■ ■ 78-H.pickle.gz
■ ■ ■ ■ 78-RKSJ-H.pickle.gz
■ ■ ■ ■ 78-RKSJ-V.pickle.gz
■ ■ ■ ■ 78-V.pickle.gz
■ ■ ■ ■ 78ms-RKSJ-H.pickle.gz
■ ■ ■ ■ 78ms-RKSJ-V.pickle.gz
■ ■ ■ ■ 83pv-RKSJ-H.pickle.gz
■ ■ ■ ■ 83pv-RKSJ-V.pickle.gz
■ ■ ■ ■ 90ms-RKSJ-H.pickle.gz
■ ■ ■ ■ 90ms-RKSJ-V.pickle.gz
■ ■ ■ ■ 90msp-RKSJ-H.pickle.gz
■ ■ ■ ■ 90msp-RKSJ-V.pickle.gz
■ ■ ■ ■ 90pv-RKSJ-H.pickle.gz
■ ■ ■ ■ 90pv-RKSJ-V.pickle.gz
■ ■ ■ ■ Add-H.pickle.gz
■ ■ ■ ■ Add-RKSJ-H.pickle.gz
■ ■ ■ ■ Add-RKSJ-V.pickle.gz
■ ■ ■ ■ Add-V.pickle.gz
■ ■ ■ ■ B5-H.pickle.gz
■ ■ ■ ■ B5-V.pickle.gz
■ ■ ■ ■ B5pc-H.pickle.gz
■ ■ ■ ■ B5pc-V.pickle.gz
■ ■ ■ ■ CNS-EUC-H.pickle.gz
■ ■ ■ ■ CNS-EUC-V.pickle.gz
■ ■ ■ ■ CNS1-H.pickle.gz
■ ■ ■ ■ CNS1-V.pickle.gz
■ ■ ■ ■ CNS2-H.pickle.gz
■ ■ ■ ■ CNS2-V.pickle.gz
■ ■ ■ ■ ETHK-B5-H.pickle.gz
■ ■ ■ ■ ETHK-B5-V.pickle.gz
■ ■ ■ ■ ETen-B5-H.pickle.gz
■ ■ ■ ■ ETen-B5-V.pickle.gz
■ ■ ■ ■ ETenms-B5-H.pickle.gz
■ ■ ■ ■ ETenms-B5-V.pickle.gz
■ ■ ■ ■ EUC-H.pickle.gz
■ ■ ■ ■ EUC-V.pickle.gz
■ ■ ■ ■ Ext-H.pickle.gz
■ ■ ■ ■ Ext-RKSJ-H.pickle.gz
■ ■ ■ ■ Ext-RKSJ-V.pickle.gz
■ ■ ■ ■ Ext-V.pickle.gz
■ ■ ■ ■ GB-EUC-H.pickle.gz
■ ■ ■ ■ GB-EUC-V.pickle.gz
■ ■ ■ ■ GB-H.pickle.gz
■ ■ ■ ■ GB-V.pickle.gz
■ ■ ■ ■ GBK-EUC-H.pickle.gz

```

■	■	■	■	■	■	■■■	GBK-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	GBK2K-H.pickle.gz
■	■	■	■	■	■	■■■	GBK2K-V.pickle.gz
■	■	■	■	■	■	■■■	GBKp-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	GBKp-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	GBT-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	GBT-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	GBT-H.pickle.gz
■	■	■	■	■	■	■■■	GBT-V.pickle.gz
■	■	■	■	■	■	■■■	GBTpc-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	GBTpc-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	GBpc-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	GBpc-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	H.pickle.gz
■	■	■	■	■	■	■■■	HKdla-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKdla-B5-V.pickle.gz
■	■	■	■	■	■	■■■	HKdlb-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKdlb-B5-V.pickle.gz
■	■	■	■	■	■	■■■	HKgccs-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKgccs-B5-V.pickle.gz
■	■	■	■	■	■	■■■	HKm314-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKm314-B5-V.pickle.gz
■	■	■	■	■	■	■■■	HKm471-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKm471-B5-V.pickle.gz
■	■	■	■	■	■	■■■	HKscs-B5-H.pickle.gz
■	■	■	■	■	■	■■■	HKscs-B5-V.pickle.gz
■	■	■	■	■	■	■■■	Hankaku-H.pickle.gz
■	■	■	■	■	■	■■■	Hankaku-V.pickle.gz
■	■	■	■	■	■	■■■	Hiragana-H.pickle.gz
■	■	■	■	■	■	■■■	Hiragana-V.pickle.gz
■	■	■	■	■	■	■■■	KSC-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	KSC-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	KSC-H.pickle.gz
■	■	■	■	■	■	■■■	KSC-Johab-H.pickle.gz
■	■	■	■	■	■	■■■	KSC-Johab-V.pickle.gz
■	■	■	■	■	■	■■■	KSC-V.pickle.gz
■	■	■	■	■	■	■■■	KSCms-UHC-H.pickle.gz
■	■	■	■	■	■	■■■	KSCms-UHC-HW-H.pickle.gz
■	■	■	■	■	■	■■■	KSCms-UHC-HW-V.pickle.gz
■	■	■	■	■	■	■■■	KSCms-UHC-V.pickle.gz
■	■	■	■	■	■	■■■	KSCpc-EUC-H.pickle.gz
■	■	■	■	■	■	■■■	KSCpc-EUC-V.pickle.gz
■	■	■	■	■	■	■■■	Katakana-H.pickle.gz
■	■	■	■	■	■	■■■	Katakana-V.pickle.gz
■	■	■	■	■	■	■■■	NWP-H.pickle.gz
■	■	■	■	■	■	■■■	NWP-V.pickle.gz
■	■	■	■	■	■	■■■	RKSJ-H.pickle.gz
■	■	■	■	■	■	■■■	RKSJ-V.pickle.gz
■	■	■	■	■	■	■■■	Roman-H.pickle.gz
■	■	■	■	■	■	■■■	Roman-V.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UCS2-H.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UCS2-V.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF16-H.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF16-V.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF8-H.pickle.gz
■	■	■	■	■	■	■■■	UniCNS-UTF8-V.pickle.gz

■	■	■	■	■	■	■■■	UniGB-UCS2-H.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UCS2-V.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF16-H.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF16-V.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF8-H.pickle.gz
■	■	■	■	■	■	■■■	UniGB-UTF8-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UCS2-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UCS2-HW-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UCS2-HW-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UCS2-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF16-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF16-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF8-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS-UTF8-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF16-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF16-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF8-H.pickle.gz
■	■	■	■	■	■	■■■	UniJIS2004-UTF8-V.pickle.gz
■	■	■	■	■	■	■■■	UniJISX0213-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniJISX0213-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniJISX02132004-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniJISX02132004-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UCS2-H.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UCS2-V.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF16-H.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF16-V.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF32-H.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF32-V.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF8-H.pickle.gz
■	■	■	■	■	■	■■■	UniKS-UTF8-V.pickle.gz
■	■	■	■	■	■	■■■	V.pickle.gz
■	■	■	■	■	■	■■■	WP-Symbol-H.pickle.gz
■	■	■	■	■	■	■■■	WP-Symbol-V.pickle.gz
■	■	■	■	■	■	■■■	to-unicode-Adobe-CNS1.pickle.gz
■	■	■	■	■	■	■■■	to-unicode-Adobe-GB1.pickle.gz
■	■	■	■	■	■	■■■	to-unicode-Adobe-Japan1.pickle.gz
■	■	■	■	■	■	■■■	to-unicode-Adobe-Korea1.pickle.gz
■	■	■	■	■	■■■	cmapdb.py	
■	■	■	■	■	■■■	converter.py	
■	■	■	■	■	■■■	data_structures.py	
■	■	■	■	■	■■■	encodingdb.py	
■	■	■	■	■	■■■	fontmetrics.py	
■	■	■	■	■	■■■	glyphlist.py	
■	■	■	■	■	■■■	high_level.py	
■	■	■	■	■	■■■	image.py	
■	■	■	■	■	■■■	jbig2.py	
■	■	■	■	■	■■■	latin_enc.py	
■	■	■	■	■	■■■	layout.py	
■	■	■	■	■	■■■	lzw.py	
■	■	■	■	■	■■■	pdfcolor.py	
■	■	■	■	■	■■■	pdfdevice.py	
■	■	■	■	■	■■■	pdfdocument.py	

```

■ ■ ■ ■ ■ ■■■ pdffont.py
■ ■ ■ ■ ■ ■■■ pdfinterp.py
■ ■ ■ ■ ■ ■■■ pdfpage.py
■ ■ ■ ■ ■ ■■■ pdfparser.py
■ ■ ■ ■ ■ ■■■ pdftypes.py
■ ■ ■ ■ ■ ■■■ psparser.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ runlength.py
■ ■ ■ ■ ■ ■■■ settings.py
■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■■■ pdfminer.six-20220319.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ pdfplumber
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _typing.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ cli.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ container.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ convert.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ display.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ page.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdf.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _typing.py
■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■■■ cli.py
■ ■ ■ ■ ■ ■■■ container.py
■ ■ ■ ■ ■ ■■■ convert.py
■ ■ ■ ■ ■ ■■■ display.py
■ ■ ■ ■ ■ ■■■ page.py
■ ■ ■ ■ ■ ■■■ pdf.py
■ ■ ■ ■ ■ ■■■ table.py
■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■■■ pdfplumber-0.6.2.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■■■ pbr.json
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ pdfrow
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ buildxobj.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ compress.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ crypt.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ findobjs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pagemerge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdfreader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdfwriter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ py23_diffs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ tokens.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ toreportlab.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ uncompress.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ buildxobj.py
■ ■ ■ ■ ■ ■■■ compress.py
■ ■ ■ ■ ■ ■■■ crypt.py
■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■■■ findobjs.py
■ ■ ■ ■ ■ ■■■ objects
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfarray.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfdict.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfindirect.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfname.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfobject.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfstring.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pdfarray.py
■ ■ ■ ■ ■ ■■■ pdfdict.py
■ ■ ■ ■ ■ ■■■ pdfindirect.py
■ ■ ■ ■ ■ ■■■ pdfname.py
■ ■ ■ ■ ■ ■■■ pdfobject.py
■ ■ ■ ■ ■ ■■■ pdfstring.py
■ ■ ■ ■ ■ ■■■ pagemerge.py
■ ■ ■ ■ ■ ■■■ pdfreader.py
■ ■ ■ ■ ■ ■■■ pdfwriter.py
■ ■ ■ ■ ■ ■■■ py23_diffs.py
■ ■ ■ ■ ■ ■■■ tokens.py
■ ■ ■ ■ ■ ■■■ toreportlab.py
■ ■ ■ ■ ■ ■■■ uncompress.py
■ ■ ■ ■ ■ ■■■ pdfrw-0.4.dist-info
■ ■ ■ ■ ■ ■■■ DESCRIPTION.rst
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ metadata.json
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ zip-safe
■ ■ ■ ■ ■ ■■■ pexpect
■ ■ ■ ■ ■ ■■■ ANSI.py
■ ■ ■ ■ ■ ■■■ FSM.py
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ ANSI.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ FSM.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _async.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _async_pre_await.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _async_w_await.cpython-311.pyc

```

■	■	■	■	■	■	■■■	exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■	expect.cpython-311.pyc
■	■	■	■	■	■	■■■	fdpexpect.cpython-311.pyc
■	■	■	■	■	■	■■■	popen_spawn.cpython-311.pyc
■	■	■	■	■	■	■■■	pty_spawn.cpython-311.pyc
■	■	■	■	■	■	■■■	pxssh.cpython-311.pyc
■	■	■	■	■	■	■■■	replwrap.cpython-311.pyc
■	■	■	■	■	■	■■■	run.cpython-311.pyc
■	■	■	■	■	■	■■■	screen.cpython-311.pyc
■	■	■	■	■	■	■■■	socket_pexpect.cpython-311.pyc
■	■	■	■	■	■	■■■	spawnbase.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■■■		_async.py
■	■	■	■	■	■■■		_async_pre_await.py
■	■	■	■	■	■■■		_async_w_await.py
■	■	■	■	■	■■■		bashrc.sh
■	■	■	■	■	■■■		exceptions.py
■	■	■	■	■	■■■		expect.py
■	■	■	■	■	■■■		fdpexpect.py
■	■	■	■	■	■■■		popen_spawn.py
■	■	■	■	■	■■■		pty_spawn.py
■	■	■	■	■	■■■		pxssh.py
■	■	■	■	■	■■■		replwrap.py
■	■	■	■	■	■■■		run.py
■	■	■	■	■	■■■		screen.py
■	■	■	■	■	■■■		socket_pexpect.py
■	■	■	■	■	■■■		spawnbase.py
■	■	■	■	■	■■■		utils.py
■	■	■	■	■	■■■		pexpect-4.9.0.dist-info
■	■	■	■	■	■■■		INSTALLER
■	■	■	■	■	■■■		LICENSE
■	■	■	■	■	■■■		METADATA
■	■	■	■	■	■■■		RECORD
■	■	■	■	■	■■■		WHEEL
■	■	■	■	■	■■■		top_level.txt
■	■	■	■	■	■■■		platformdirs
■	■	■	■	■	■■■		__init__.py
■	■	■	■	■	■■■		__main__.py
■	■	■	■	■	■■■		__pycache__
■	■	■	■	■	■■■		__init__.cpython-311.pyc
■	■	■	■	■	■■■		__main__.cpython-311.pyc
■	■	■	■	■	■■■		android.cpython-311.pyc
■	■	■	■	■	■■■		api.cpython-311.pyc
■	■	■	■	■	■■■		macos.cpython-311.pyc
■	■	■	■	■	■■■		unix.cpython-311.pyc
■	■	■	■	■	■■■		version.cpython-311.pyc
■	■	■	■	■	■■■		windows.cpython-311.pyc
■	■	■	■	■	■■■		android.py
■	■	■	■	■	■■■		api.py
■	■	■	■	■	■■■		macos.py
■	■	■	■	■	■■■		py.typed
■	■	■	■	■	■■■		unix.py
■	■	■	■	■	■■■		version.py
■	■	■	■	■	■■■		windows.py
■	■	■	■	■	■■■		platformdirs-4.3.6.dist-info
■	■	■	■	■	■■■		INSTALLER
■	■	■	■	■	■■■		METADATA
■	■	■	■	■	■■■		RECORD

```

■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ plotly
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _widget_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ animation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ basedatatypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ basewidget.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ callbacks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dashboard_objs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ files.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ grid_objs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ missing_ipywidgets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ optional_imports.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ presentation_objs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ serializers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ session.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ shapeannotation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ subplots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ validator_cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ widgets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ _widget_version.py
■ ■ ■ ■ ■ ■ ■ ■ animation.py
■ ■ ■ ■ ■ ■ ■ ■ basedatatypes.py
■ ■ ■ ■ ■ ■ ■ ■ basewidget.py
■ ■ ■ ■ ■ ■ ■ ■ callbacks.py
■ ■ ■ ■ ■ ■ ■ ■ colors
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.py
■ ■ ■ ■ ■ ■ ■ ■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ dashboard_objs.py
■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ express
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _chart_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _doc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _imshow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _special_inputs.cpython-311.pyc

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■    _trisurf.py
■      ■      ■      ■      ■      ■      ■    _violin.py
■      ■      ■      ■      ■      ■      ■    utils.py
■      ■      ■      ■      ■      ■      ■    files.py
■      ■      ■      ■      ■      ■      ■    graph_objects
■      ■      ■      ■      ■      ■      ■    __init__.py
■      ■      ■      ■      ■      ■      ■    __pycache__
■      ■      ■      ■      ■      ■      ■    _init_.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    graph_objs
■      ■      ■      ■      ■      ■      ■    __init__.py
■      ■      ■      ■      ■      ■      ■    __pycache__
■      ■      ■      ■      ■      ■      ■    _init_.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _area.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _bar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _barpolar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _box.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _candlestick.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _carpet.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _choropleth.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _choroplethmapbox.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _cone.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _contour.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _contourcarpet.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _densitymapbox.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _deprecations.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _figure.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _figurewidget.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _frame.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _funnel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _funnelarea.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _heatmap.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _heatmapgl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _histogram.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _histogram2d.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _histogram2dcontour.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _icicle.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _image.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _indicator.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _isosurface.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _layout.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _mesh3d.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _ohlcv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _parcats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _parcoords.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _pie.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _pointcloud.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _sankey.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _scatter.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _scatter3d.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _scattercarpet.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _scattergeo.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _scattergl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _scattermapbox.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _scatterpolar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _scatterpolargl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _scatterternary.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _splom.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■    _streamtube.cpython-311.pyc
```



```

_ violin.py
_ volume.py
_ waterfall.py
area
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _hoverlabel.cpython-311.pyc
        _marker.cpython-311.pyc
        _stream.cpython-311.pyc
    _hoverlabel.py
    _marker.py
    _stream.py
    hoverlabel
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc
        _font.py
bar
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _error_x.cpython-311.pyc
        _error_y.cpython-311.pyc
        _hoverlabel.cpython-311.pyc
        _insidetextfont.cpython-311.pyc
        _legendgrouptitle.cpython-311.pyc
        _marker.cpython-311.pyc
        _outsidetextfont.cpython-311.pyc
        _selected.cpython-311.pyc
        _stream.cpython-311.pyc
        _textfont.cpython-311.pyc
        _unselected.cpython-311.pyc
    _error_x.py
    _error_y.py
    _hoverlabel.py
    _insidetextfont.py
    _legendgrouptitle.py
    _marker.py
    _outsidetextfont.py
    _selected.py
    _stream.py
    _textfont.py
    _unselected.py
    hoverlabel
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc
        _font.py
    legendgrouptitle
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc
        _font.py
marker

```

```

__init__.py
__pycache__
  __init__.cpython-311.pyc
  _colorbar.cpython-311.pyc
  _line.cpython-311.pyc
  _pattern.cpython-311.pyc
  _colorbar.py
  _line.py
  _pattern.py
  colorbar
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _tickfont.cpython-311.pyc
      _tickformatstop.cpython-311.pyc
      _title.cpython-311.pyc
      _tickfont.py
      _tickformatstop.py
      _title.py
      title
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _font.cpython-311.pyc
      _font.py
  selected
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _marker.cpython-311.pyc
      _textfont.cpython-311.pyc
      _marker.py
      _textfont.py
  unselected
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _marker.cpython-311.pyc
      _textfont.cpython-311.pyc
      _marker.py
      _textfont.py
  barpolar
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _hoverlabel.cpython-311.pyc
      _legendgrouptitle.cpython-311.pyc
      _marker.cpython-311.pyc
      _selected.cpython-311.pyc
      _stream.cpython-311.pyc
      _unselected.cpython-311.pyc
    _hoverlabel.py
    _legendgrouptitle.py
    _marker.py
    _selected.py
    _stream.py
    _unselected.py
    hoverlabel

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
__colorbar.cpython-311.pyc
__line.cpython-311.pyc
__pattern.cpython-311.pyc
__colorbar.py
__line.py
__pattern.py
colorbar
__init__.py
__pycache__
__init__.cpython-311.pyc
__tickfont.cpython-311.pyc
__tickformatstop.cpython-311.pyc
__title.cpython-311.pyc
__tickfont.py
__tickformatstop.py
__title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
selected
__init__.py
__pycache__
__init__.cpython-311.pyc
__marker.cpython-311.pyc
__textfont.cpython-311.pyc
__marker.py
__textfont.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
__marker.cpython-311.pyc
__textfont.cpython-311.pyc
__marker.py
__textfont.py
box
__init__.py
__pycache__
__init__.cpython-311.pyc
hoverlabel.cpython-311.pyc

```

```

_ legendgrouptitle.cpython-311.pyc
_ line.cpython-311.pyc
_ marker.cpython-311.pyc
_ selected.cpython-311.pyc
_ stream.cpython-311.pyc
_ unselected.cpython-311.pyc
_hoverlabel.py
_legendgrouptitle.py
_line.py
_marker.py
_selected.py
_stream.py
_unselected.py
hoverlabel
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _font.cpython-311.pyc
        _font.py
legendgrouptitle
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _font.cpython-311.pyc
        _font.py
marker
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _line.cpython-311.pyc
        _line.py
selected
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _marker.cpython-311.pyc
        _marker.py
unselected
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _marker.cpython-311.pyc
        _marker.py
candlestick
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _decreasing.cpython-311.pyc
        _hoverlabel.cpython-311.pyc
        _increasing.cpython-311.pyc
        _legendgrouptitle.cpython-311.pyc
        _line.cpython-311.pyc
        _stream.cpython-311.pyc
_decreasing.py
_hoverlabel.py
_increasing.py
_legendgrouptitle.py
_line.py

```

```

    stream.py
    decreasing
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    increasing
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    carpet
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _aaxis.cpython-311.pyc
    _baxis.cpython-311.pyc
    _font.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _stream.cpython-311.pyc
    _aaxis.py
    _baxis.py
    _font.py
    _legendgrouptitle.py
    _stream.py
    aaxis
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    baxis
    __init__.py
    __pycache__

```

[illegible]

```

    font.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    selected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    unselected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    choroplethmapbox
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _marker.cpython-311.pyc
    _selected.cpython-311.pyc
    _stream.cpython-311.pyc
    _unselected.cpython-311.pyc
    _colorbar.py
    _hoverlabel.py
    _legendgrouptitle.py
    _marker.py
    _selected.py
    _stream.py
    _unselected.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc

```

```

    font.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    selected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    unselected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    cone
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _lighting.cpython-311.pyc
    _lightposition.cpython-311.pyc
    _stream.cpython-311.pyc
    _colorbar.py
    _hoverlabel.py
    _legendgrouptitle.py
    _lighting.py
    _lightposition.py
    _stream.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title

```



```

__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
contour
__init__.py
__pycache__
__init__.cpython-311.pyc
__colorbar.cpython-311.pyc
__contours.cpython-311.pyc
__hoverlabel.cpython-311.pyc
__legendgrouptitle.cpython-311.pyc
__line.cpython-311.pyc
__stream.cpython-311.pyc
__colorbar.py
__contours.py
__hoverlabel.py
__legendgrouptitle.py
__line.py
__stream.py
colorbar
__init__.py
__pycache__
__init__.cpython-311.pyc
__tickfont.cpython-311.pyc
__tickformatstop.cpython-311.pyc
__title.cpython-311.pyc
__tickfont.py
__tickformatstop.py
__title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
contours
__init__.py
__pycache__
__init__.cpython-311.pyc
__labelfont.cpython-311.pyc
__labelfont.py
hoverlabel
__init__.py
__pycache__

```

[illegible]

```

■■■■ _stream.cpython-311.pyc
■■■■ _colorbar.py
■■■■ _hoverlabel.py
■■■■ _legendgrouptitle.py
■■■■ _stream.py
■■■■ colorbar
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _tickfont.cpython-311.pyc
■■■■ _tickformatstop.cpython-311.pyc
■■■■ _title.cpython-311.pyc
■■■■ _tickfont.py
■■■■ _tickformatstop.py
■■■■ _title.py
■■■■ title
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _font.cpython-311.pyc
■■■■ _font.py
■■■■ hoverlabel
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _font.cpython-311.pyc
■■■■ _font.py
■■■■ legendgrouptitle
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _font.cpython-311.pyc
■■■■ _font.py
■■■■ funnel
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _connector.cpython-311.pyc
■■■■ _hoverlabel.cpython-311.pyc
■■■■ _insidetextfont.cpython-311.pyc
■■■■ _legendgrouptitle.cpython-311.pyc
■■■■ _marker.cpython-311.pyc
■■■■ _outsidetextfont.cpython-311.pyc
■■■■ _stream.cpython-311.pyc
■■■■ _textfont.cpython-311.pyc
■■■■ _connector.py
■■■■ _hoverlabel.py
■■■■ _insidetextfont.py
■■■■ _legendgrouptitle.py
■■■■ _marker.py
■■■■ _outsidetextfont.py
■■■■ _stream.py
■■■■ _textfont.py
■■■■ connector
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _line.cpython-311.pyc

```

```

■      ■■■ _line.py
■      ■■■ hoverlabel
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■■■ __init__.cpython-311.pyc
■      ■■■ _font.cpython-311.pyc
■      ■■■ _font.py
■      ■■■ legendgrouptitle
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■■■ __init__.cpython-311.pyc
■      ■■■ _font.cpython-311.pyc
■      ■■■ _font.py
■      ■■■ marker
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■■■ __init__.cpython-311.pyc
■      ■■■ _colorbar.cpython-311.pyc
■      ■■■ _line.cpython-311.pyc
■      ■■■ _colorbar.py
■      ■■■ _line.py
■      ■■■ colorbar
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■■■ __init__.cpython-311.pyc
■      ■■■ _tickfont.cpython-311.pyc
■      ■■■ _tickformatstop.cpython-311.pyc
■      ■■■ _title.cpython-311.pyc
■      ■■■ _tickfont.py
■      ■■■ _tickformatstop.py
■      ■■■ _title.py
■      ■■■ title
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■■■ __init__.cpython-311.pyc
■      ■■■ _font.cpython-311.pyc
■      ■■■ _font.py
■      ■■■ funnelarea
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■■■ __init__.cpython-311.pyc
■      ■■■ _domain.cpython-311.pyc
■      ■■■ _hoverlabel.cpython-311.pyc
■      ■■■ _insidetextfont.cpython-311.pyc
■      ■■■ _legendgrouptitle.cpython-311.pyc
■      ■■■ _marker.cpython-311.pyc
■      ■■■ _stream.cpython-311.pyc
■      ■■■ _textfont.cpython-311.pyc
■      ■■■ _title.cpython-311.pyc
■      ■■■ _domain.py
■      ■■■ _hoverlabel.py
■      ■■■ _insidetextfont.py
■      ■■■ _legendgrouptitle.py
■      ■■■ _marker.py
■      ■■■ _stream.py
■      ■■■ _textfont.py
■      ■■■ _title.py
■      ■■■ hoverlabel

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
__line.cpython-311.pyc
__line.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
graph_objs.py
heatmap
__init__.py
__pycache__
__init__.cpython-311.pyc
__colorbar.cpython-311.pyc
__hoverlabel.cpython-311.pyc
__legendgrouptitle.cpython-311.pyc
__stream.cpython-311.pyc
__colorbar.py
__hoverlabel.py
__legendgrouptitle.py
__stream.py
colorbar
__init__.py
__pycache__
__init__.cpython-311.pyc
__tickfont.cpython-311.pyc
__tickformatstop.cpython-311.pyc
__title.cpython-311.pyc
__tickfont.py
__tickformatstop.py
__title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py

```

```

    legendgrouptitle
    ___init__.py
    ___pycache___
    ___init__.cpython-311.pyc
    ___font.cpython-311.pyc
    ___font.py
    heatmapgl
    ___init__.py
    ___pycache___
    ___init__.cpython-311.pyc
    ___colorbar.cpython-311.pyc
    ___hoverlabel.cpython-311.pyc
    ___legendgrouptitle.cpython-311.pyc
    ___stream.cpython-311.pyc
    ___colorbar.py
    ___hoverlabel.py
    ___legendgrouptitle.py
    ___stream.py
    colorbar
    ___init__.py
    ___pycache___
    ___init__.cpython-311.pyc
    ___tickfont.cpython-311.pyc
    ___tickformatstop.cpython-311.pyc
    ___title.cpython-311.pyc
    ___tickfont.py
    ___tickformatstop.py
    ___title.py
    title
    ___init__.py
    ___pycache___
    ___init__.cpython-311.pyc
    ___font.cpython-311.pyc
    ___font.py
    hoverlabel
    ___init__.py
    ___pycache___
    ___init__.cpython-311.pyc
    ___font.cpython-311.pyc
    ___font.py
    legendgrouptitle
    ___init__.py
    ___pycache___
    ___init__.cpython-311.pyc
    ___font.cpython-311.pyc
    ___font.py
    histogram
    ___init__.py
    ___pycache___
    ___init__.cpython-311.pyc
    ___cumulative.cpython-311.pyc
    ___error_x.cpython-311.pyc
    ___error_y.cpython-311.pyc
    ___hoverlabel.cpython-311.pyc
    ___legendgrouptitle.cpython-311.pyc
    ___marker.cpython-311.pyc
    ___selected.cpython-311.pyc
    ___stream.cpython-311.pyc

```

[illegible]

```

    marker.py
    _textfont.py
    unselected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _textfont.cpython-311.pyc
    _marker.py
    _textfont.py
    histogram2d
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _marker.cpython-311.pyc
    _stream.cpython-311.pyc
    _xbins.cpython-311.pyc
    _ybins.cpython-311.pyc
    _colorbar.py
    _hoverlabel.py
    _legendgrouptitle.py
    _marker.py
    _stream.py
    _xbins.py
    _ybins.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    histogram2dcontour
    __init__.py

```



```

_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _colorbar.cpython-311.pyc
_ _ _ _ _ _contours.cpython-311.pyc
_ _ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _ _xbins.cpython-311.pyc
_ _ _ _ _ _ybins.cpython-311.pyc
_ _ _ _ _ _colorbar.py
_ _ _ _ _ _contours.py
_ _ _ _ _ _hoverlabel.py
_ _ _ _ _ _legendgrouptitle.py
_ _ _ _ _ _line.py
_ _ _ _ _ _marker.py
_ _ _ _ _ _stream.py
_ _ _ _ _ _xbins.py
_ _ _ _ _ _ybins.py
_ _ _ _ _ colorbar
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _tickfont.cpython-311.pyc
_ _ _ _ _ _tickformatstop.cpython-311.pyc
_ _ _ _ _ _title.cpython-311.pyc
_ _ _ _ _ _tickfont.py
_ _ _ _ _ _tickformatstop.py
_ _ _ _ _ _title.py
_ _ _ _ _ title
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ contours
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _labelfont.cpython-311.pyc
_ _ _ _ _ _labelfont.py
_ _ _ _ _ hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ icicle
_ _ _ _ _ __init__.py
_ _ _ _ _ pycache_
_ _ _ _ _ __init__.cpython-311.pyc

```

```

_ domain.cpython-311.pyc
_ hoverlabel.cpython-311.pyc
_ insidetextfont.cpython-311.pyc
_ leaf.cpython-311.pyc
_ legendgrouptitle.cpython-311.pyc
_ marker.cpython-311.pyc
_ outsidetextfont.cpython-311.pyc
_ pathbar.cpython-311.pyc
_ root.cpython-311.pyc
_ stream.cpython-311.pyc
_ textfont.cpython-311.pyc
_ tiling.cpython-311.pyc
domain.py
hoverlabel.py
insidetextfont.py
leaf.py
legendgrouptitle.py
marker.py
outsidetextfont.py
pathbar.py
root.py
stream.py
textfont.py
tiling.py
hoverlabel
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
legendgrouptitle
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
marker
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _line.cpython-311.pyc
    _colorbar.py
    _line.py
    colorbar
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _tickfont.cpython-311.pyc
        _tickformatstop.cpython-311.pyc
        _title.cpython-311.pyc
        _tickfont.py
        _tickformatstop.py
        _title.py
    title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc

```

```

font.cpython-311.pyc
font.py
pathbar
__init__.py
__pycache__
__init__.cpython-311.pyc
__textfont.cpython-311.pyc
__textfont.py
image
__init__.py
__pycache__
__init__.cpython-311.pyc
__hoverlabel.cpython-311.pyc
__legendgrouptitle.cpython-311.pyc
__stream.cpython-311.pyc
__hoverlabel.py
__legendgrouptitle.py
__stream.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__font.py
indicator
__init__.py
__pycache__
__init__.cpython-311.pyc
_delta.cpython-311.pyc
_domain.cpython-311.pyc
_gauge.cpython-311.pyc
__legendgrouptitle.cpython-311.pyc
__number.cpython-311.pyc
__stream.cpython-311.pyc
__title.cpython-311.pyc
_delta.py
_domain.py
_gauge.py
__legendgrouptitle.py
__number.py
__stream.py
__title.py
delta
__init__.py
__pycache__
__init__.cpython-311.pyc
_decreasing.cpython-311.pyc
__font.cpython-311.pyc
__increasing.cpython-311.pyc
_decreasing.py
__font.py
__increasing.py

```

[illegible]

[illegible]

[illegible]

■	■	■	■	■	■	■	■■■	_margin.py	
■	■	■	■	■	■	■	■■■	_modebar.py	
■	■	■	■	■	■	■	■■■	_newshape.py	
■	■	■	■	■	■	■	■■■	_polar.py	
■	■	■	■	■	■	■	■■■	_radialaxis.py	
■	■	■	■	■	■	■	■■■	_scene.py	
■	■	■	■	■	■	■	■■■	_shape.py	
■	■	■	■	■	■	■	■■■	_slider.py	
■	■	■	■	■	■	■	■■■	_template.py	
■	■	■	■	■	■	■	■■■	_ternary.py	
■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■■■	_transition.py	
■	■	■	■	■	■	■	■■■	_uniformtext.py	
■	■	■	■	■	■	■	■■■	_updatemenu.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	annotation	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_font.py	
■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.py
■	■	■	■	■	■	■	■■■	coloraxis	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_colorbar.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstop.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_tickfont.py	
■	■	■	■	■	■	■	■■■	_tickformatstop.py	
■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■■■	title	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.py
■	■	■	■	■	■	■	■■■	geo	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_center.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_domain.cpython-311.pyc

```

_ _ _ _ _lataxis.cpython-311.pyc
_ _ _ _ _lonaxis.cpython-311.pyc
_ _ _ _ _projection.cpython-311.pyc
_ _ _ _ _center.py
_ _ _ _ _domain.py
_ _ _ _ _lataxis.py
_ _ _ _ _lonaxis.py
_ _ _ _ _projection.py
_ _ _ _ _projection
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _rotation.cpython-311.pyc
_ _ _ _ _ _rotation.py
_ _ _ _ _grid
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _domain.cpython-311.pyc
_ _ _ _ _ _domain.py
_ _ _ _ _hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _legend
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _title.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _title.py
_ _ _ _ _title
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _mapbox
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _center.cpython-311.pyc
_ _ _ _ _ _domain.cpython-311.pyc
_ _ _ _ _ _layer.cpython-311.pyc
_ _ _ _ _ _center.py
_ _ _ _ _ _domain.py
_ _ _ _ _ _layer.py
_ _ _ _ _layer
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _circle.cpython-311.pyc
_ _ _ _ _ _fill.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _symbol.cpython-311.pyc

```



```

_ circle.py
_ _fill.py
_ _line.py
_ _symbol.py
_ symbol
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _textfont.cpython-311.pyc
_ _textfont.py
newshape
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _line.cpython-311.pyc
_ _line.py
polar
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _angularaxis.cpython-311.pyc
_ _domain.cpython-311.pyc
_ _radialaxis.cpython-311.pyc
_ _angularaxis.py
_ _domain.py
_ _radialaxis.py
_ angularaxis
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _tickfont.cpython-311.pyc
_ _tickformatstop.cpython-311.pyc
_ _tickfont.py
_ _tickformatstop.py
_ radialaxis
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _tickfont.cpython-311.pyc
_ _tickformatstop.cpython-311.pyc
_ _title.cpython-311.pyc
_ _tickfont.py
_ _tickformatstop.py
_ _title.py
_ title
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _font.py
scene
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _annotation.cpython-311.pyc
_ _aspectratio.cpython-311.pyc
_ _camera.cpython-311.pyc
_ _domain.cpython-311.pyc

```

```

■ ■ ■ ■ _xaxis.cpython-311.pyc
■ ■ ■ ■ _yaxis.cpython-311.pyc
■ ■ ■ ■ _zaxis.cpython-311.pyc
■ ■ ■ ■ _annotation.py
■ ■ ■ ■ _aspectratio.py
■ ■ ■ ■ _camera.py
■ ■ ■ ■ _domain.py
■ ■ ■ ■ _xaxis.py
■ ■ ■ ■ _yaxis.py
■ ■ ■ ■ _zaxis.py
■ ■ ■ ■ annotation
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _font.cpython-311.pyc
■ ■ ■ ■ _hoverlabel.cpython-311.pyc
■ ■ ■ ■ _font.py
■ ■ ■ ■ _hoverlabel.py
■ ■ ■ ■ hoverlabel
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _font.cpython-311.pyc
■ ■ ■ ■ _font.py
■ ■ ■ camera
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _center.cpython-311.pyc
■ ■ ■ _eye.cpython-311.pyc
■ ■ ■ _projection.cpython-311.pyc
■ ■ ■ _up.cpython-311.pyc
■ ■ ■ _center.py
■ ■ ■ _eye.py
■ ■ ■ _projection.py
■ ■ ■ _up.py
■ ■ ■ xaxis
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _tickfont.cpython-311.pyc
■ ■ ■ _tickformatstop.cpython-311.pyc
■ ■ ■ _title.cpython-311.pyc
■ ■ ■ _tickfont.py
■ ■ ■ _tickformatstop.py
■ ■ ■ _title.py
■ ■ ■ title
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _font.cpython-311.pyc
■ ■ ■ _font.py
■ ■ ■ yaxis
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _tickfont.cpython-311.pyc
■ ■ ■ _tickformatstop.cpython-311.pyc

```

```

_ _ _ _ _title.cpython-311.pyc
_ _ _ _ _tickfont.py
_ _ _ _ _tickformatstop.py
_ _ _ _ _title.py
_ _ _ _ title
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ zaxis
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _tickfont.cpython-311.pyc
_ _ _ _ _tickformatstop.cpython-311.pyc
_ _ _ _ _title.cpython-311.pyc
_ _ _ _ _tickfont.py
_ _ _ _ _tickformatstop.py
_ _ _ _ _title.py
_ _ _ _ title
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ shape
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _line.py
_ _ _ _ slider
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _currentvalue.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _pad.cpython-311.pyc
_ _ _ _ _step.cpython-311.pyc
_ _ _ _ _transition.cpython-311.pyc
_ _ _ _ _currentvalue.py
_ _ _ _ _font.py
_ _ _ _ _pad.py
_ _ _ _ _step.py
_ _ _ _ _transition.py
_ _ _ _ currentvalue
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ template
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _data.cpython-311.pyc
_ _ _ _ _layout.cpython-311.pyc

```

```

data.py
_layout.py
data
__init__.py
__pycache__
__init__.cpython-311.pyc
_area.cpython-311.pyc
_bar.cpython-311.pyc
_barpolar.cpython-311.pyc
_box.cpython-311.pyc
_candlestick.cpython-311.pyc
_carpet.cpython-311.pyc
_choropleth.cpython-311.pyc
_choroplethmapbox.cpython-311.pyc
_cone.cpython-311.pyc
_contour.cpython-311.pyc
_contourcarpet.cpython-311.pyc
_densitymapbox.cpython-311.pyc
_funnel.cpython-311.pyc
_funnelarea.cpython-311.pyc
_heatmap.cpython-311.pyc
_heatmapgl.cpython-311.pyc
_histogram.cpython-311.pyc
_histogram2d.cpython-311.pyc
_histogram2dcontour.cpython-311.pyc
_iceberg.cpython-311.pyc
_image.cpython-311.pyc
_indicator.cpython-311.pyc
_isosurface.cpython-311.pyc
_mesh3d.cpython-311.pyc
_ohlcv.cpython-311.pyc
_parcats.cpython-311.pyc
_parcoords.cpython-311.pyc
_pie.cpython-311.pyc
_pointcloud.cpython-311.pyc
_sankey.cpython-311.pyc
_scatter.cpython-311.pyc
_scatter3d.cpython-311.pyc
_scattercarpet.cpython-311.pyc
_scattergeo.cpython-311.pyc
_scattergl.cpython-311.pyc
_scattermapbox.cpython-311.pyc
_scatterpolar.cpython-311.pyc
_scatterpolargl.cpython-311.pyc
_scatterternary.cpython-311.pyc
_splom.cpython-311.pyc
_streamtube.cpython-311.pyc
_sunburst.cpython-311.pyc
_surface.cpython-311.pyc
_table.cpython-311.pyc
_treemap.cpython-311.pyc
_violin.cpython-311.pyc
_volume.cpython-311.pyc
_waterfall.cpython-311.pyc
_area.py
_bar.py
_barpolar.py
_box.py

```

■	■	■	■	■	■	■	■	■	■■■■	_candlestick.py
■	■	■	■	■	■	■	■	■	■■■■	_carpet.py
■	■	■	■	■	■	■	■	■	■■■■	_choropleth.py
■	■	■	■	■	■	■	■	■	■■■■	_choroplethmapbox.py
■	■	■	■	■	■	■	■	■	■■■■	_cone.py
■	■	■	■	■	■	■	■	■	■■■■	_contour.py
■	■	■	■	■	■	■	■	■	■■■■	_contourcarpet.py
■	■	■	■	■	■	■	■	■	■■■■	_densitymapbox.py
■	■	■	■	■	■	■	■	■	■■■■	_funnel.py
■	■	■	■	■	■	■	■	■	■■■■	_funnelarea.py
■	■	■	■	■	■	■	■	■	■■■■	_heatmap.py
■	■	■	■	■	■	■	■	■	■■■■	_heatmapgl.py
■	■	■	■	■	■	■	■	■	■■■■	_histogram.py
■	■	■	■	■	■	■	■	■	■■■■	_histogram2d.py
■	■	■	■	■	■	■	■	■	■■■■	_histogram2dcontour.py
■	■	■	■	■	■	■	■	■	■■■■	_icicle.py
■	■	■	■	■	■	■	■	■	■■■■	_image.py
■	■	■	■	■	■	■	■	■	■■■■	_indicator.py
■	■	■	■	■	■	■	■	■	■■■■	_isosurface.py
■	■	■	■	■	■	■	■	■	■■■■	_mesh3d.py
■	■	■	■	■	■	■	■	■	■■■■	_ohlc.py
■	■	■	■	■	■	■	■	■	■■■■	_parcats.py
■	■	■	■	■	■	■	■	■	■■■■	_parcoords.py
■	■	■	■	■	■	■	■	■	■■■■	_pie.py
■	■	■	■	■	■	■	■	■	■■■■	_pointcloud.py
■	■	■	■	■	■	■	■	■	■■■■	_sankey.py
■	■	■	■	■	■	■	■	■	■■■■	_scatter.py
■	■	■	■	■	■	■	■	■	■■■■	_scatter3d.py
■	■	■	■	■	■	■	■	■	■■■■	_scattercarpet.py
■	■	■	■	■	■	■	■	■	■■■■	_scattergeo.py
■	■	■	■	■	■	■	■	■	■■■■	_scattergl.py
■	■	■	■	■	■	■	■	■	■■■■	_scattermapbox.py
■	■	■	■	■	■	■	■	■	■■■■	_scatterpolar.py
■	■	■	■	■	■	■	■	■	■■■■	_scatterpolargl.py
■	■	■	■	■	■	■	■	■	■■■■	_scatterternary.py
■	■	■	■	■	■	■	■	■	■■■■	_splom.py
■	■	■	■	■	■	■	■	■	■■■■	_streamtube.py
■	■	■	■	■	■	■	■	■	■■■■	_sunburst.py
■	■	■	■	■	■	■	■	■	■■■■	_surface.py
■	■	■	■	■	■	■	■	■	■■■■	_table.py
■	■	■	■	■	■	■	■	■	■■■■	_treemap.py
■	■	■	■	■	■	■	■	■	■■■■	_violin.py
■	■	■	■	■	■	■	■	■	■■■■	_volume.py
■	■	■	■	■	■	■	■	■	■■■■	_waterfall.py
■	■	■	■	■	■	■	■■■		ternary	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_aaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_baxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_caxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_domain.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_aaxis.py	
■	■	■	■	■	■	■	■	■■■■	_baxis.py	
■	■	■	■	■	■	■	■	■■■■	_caxis.py	
■	■	■	■	■	■	■	■	■■■■	_domain.py	
■	■	■	■	■	■	■	■	■■■■	aaxis	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py


```

_ button.cpython-311.pyc
_ font.cpython-311.pyc
_ pad.cpython-311.pyc
_ button.py
_ font.py
_ pad.py
xaxis
__init__.py
__pycache__
__init__.cpython-311.pyc
_rangebreak.cpython-311.pyc
_rangeselector.cpython-311.pyc
_rangeslider.cpython-311.pyc
_tickfont.cpython-311.pyc
_tickformatstop.cpython-311.pyc
_title.cpython-311.pyc
_rangebreak.py
_rangeselector.py
_rangeslider.py
_tickfont.py
_tickformatstop.py
_title.py
rangeselector
__init__.py
__pycache__
__init__.cpython-311.pyc
_button.cpython-311.pyc
_font.cpython-311.pyc
_button.py
_font.py
rangeslider
__init__.py
__pycache__
__init__.cpython-311.pyc
_yaxis.cpython-311.pyc
_yaxis.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
yaxis
__init__.py
__pycache__
__init__.cpython-311.pyc
_rangebreak.cpython-311.pyc
_tickfont.cpython-311.pyc
_tickformatstop.cpython-311.pyc
_title.cpython-311.pyc
_rangebreak.py
_tickfont.py
_tickformatstop.py
_title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc

```

```

_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
mesh3d
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _colorbar.cpython-311.pyc
_ _ _ _ _contour.cpython-311.pyc
_ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _lighting.cpython-311.pyc
_ _ _ _ _lightposition.cpython-311.pyc
_ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _colorbar.py
_ _ _ _ _contour.py
_ _ _ _ _hoverlabel.py
_ _ _ _ _legendgrouptitle.py
_ _ _ _ _lighting.py
_ _ _ _ _lightposition.py
_ _ _ _ _stream.py
_ _ _ _ _colorbar
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _tickfont.cpython-311.pyc
_ _ _ _ _tickformatstop.cpython-311.pyc
_ _ _ _ _title.cpython-311.pyc
_ _ _ _ _tickfont.py
_ _ _ _ _tickformatstop.py
_ _ _ _ _title.py
_ _ _ _ _title
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ _hoverlabel
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ _legendgrouptitle
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ _ohlcv
_ _ _ _ _init__.py
_ _ _ _ _pycache_
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _decreasing.cpython-311.pyc
_ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _increasing.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _stream.cpython-311.pyc

```



```

_ decreasing.py
_ hoverlabel.py
_ increasing.py
_ legendgrouptitle.py
_ line.py
_ stream.py
decreasing
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _line.cpython-311.pyc
_ _line.py
hoverlabel
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _font.py
increasing
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _line.cpython-311.pyc
_ _line.py
legendgrouptitle
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _font.py
parcats
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _dimension.cpython-311.pyc
_ _domain.cpython-311.pyc
_ _labelfont.cpython-311.pyc
_ _legendgrouptitle.cpython-311.pyc
_ _line.cpython-311.pyc
_ _stream.cpython-311.pyc
_ _tickfont.cpython-311.pyc
_ _dimension.py
_ _domain.py
_ _labelfont.py
_ _legendgrouptitle.py
_ _line.py
_ _stream.py
_ _tickfont.py
legendgrouptitle
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _font.py
line
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc

```

```

    ■■■ _colorbar.cpython-311.pyc
    ■■■ _colorbar.py
    ■■■ colorbar
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _tickfont.cpython-311.pyc
    ■■■ _tickformatstop.cpython-311.pyc
    ■■■ _title.cpython-311.pyc
    ■■■ _tickfont.py
    ■■■ _tickformatstop.py
    ■■■ _title.py
    ■■■ title
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _font.cpython-311.pyc
    ■■■ _font.py
    ■■■ parcoords
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _dimension.cpython-311.pyc
    ■■■ _domain.cpython-311.pyc
    ■■■ _labelfont.cpython-311.pyc
    ■■■ _legendgrouptitle.cpython-311.pyc
    ■■■ _line.cpython-311.pyc
    ■■■ _rangefont.cpython-311.pyc
    ■■■ _stream.cpython-311.pyc
    ■■■ _tickfont.cpython-311.pyc
    ■■■ _dimension.py
    ■■■ _domain.py
    ■■■ _labelfont.py
    ■■■ _legendgrouptitle.py
    ■■■ _line.py
    ■■■ _rangefont.py
    ■■■ _stream.py
    ■■■ _tickfont.py
    ■■■ legendgrouptitle
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _font.cpython-311.pyc
    ■■■ _font.py
    ■■■ line
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _colorbar.cpython-311.pyc
    ■■■ _colorbar.py
    ■■■ colorbar
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _tickfont.cpython-311.pyc
    ■■■ _tickformatstop.cpython-311.pyc
    ■■■ _title.cpython-311.pyc
    ■■■ _tickfont.py

```

```

tickformatstop.py
_title.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
pie
__init__.py
__pycache__
__init__.cpython-311.pyc
_domain.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_insidetextfont.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_marker.cpython-311.pyc
_outsidetextfont.cpython-311.pyc
_stream.cpython-311.pyc
_textfont.cpython-311.pyc
_title.cpython-311.pyc
_domain.py
_hoverlabel.py
_insidetextfont.py
_legendgrouptitle.py
_marker.py
_outsidetextfont.py
_stream.py
_textfont.py
_title.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_line.cpython-311.pyc
_line.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
pointcloud
__init__.py
__pycache__
__init__.cpython-311.pyc

```

```

_ _ _ _ _ hoverlabel.cpython-311.pyc
_ _ _ _ _ legendgrouptitle.cpython-311.pyc
_ _ _ _ _ marker.cpython-311.pyc
_ _ _ _ _ stream.cpython-311.pyc
_ _ _ _ _ hoverlabel.py
_ _ _ _ _ legendgrouptitle.py
_ _ _ _ _ marker.py
_ _ _ _ _ stream.py
_ _ _ _ _ hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ font.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ font.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ border.cpython-311.pyc
_ _ _ _ _ border.py
_ _ _ _ _ sankey
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ domain.cpython-311.pyc
_ _ _ _ _ hoverlabel.cpython-311.pyc
_ _ _ _ _ legendgrouptitle.cpython-311.pyc
_ _ _ _ _ link.cpython-311.pyc
_ _ _ _ _ node.cpython-311.pyc
_ _ _ _ _ stream.cpython-311.pyc
_ _ _ _ _ textfont.cpython-311.pyc
_ _ _ _ _ domain.py
_ _ _ _ _ hoverlabel.py
_ _ _ _ _ legendgrouptitle.py
_ _ _ _ _ link.py
_ _ _ _ _ node.py
_ _ _ _ _ stream.py
_ _ _ _ _ textfont.py
_ _ _ _ _ hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ font.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ font.py
_ _ _ _ _ link
_ _ _ _ _ __init__.py

```

```

    █ _pycache__
    █   ████ __init__.cpython-311.pyc
    █   ████ _colorscale.cpython-311.pyc
    █   ████ _hoverlabel.cpython-311.pyc
    █   ████ _line.cpython-311.pyc
    █   ████ _colorscale.py
    █   ████ _hoverlabel.py
    █   ████ _line.py
    █   ████ hoverlabel
    █   █   ████ __init__.py
    █   █   ████ _pycache__
    █   █     ████ __init__.cpython-311.pyc
    █   █     ████ _font.cpython-311.pyc
    █   █     ████ _font.py
    █   ████ node
    █   ████ __init__.py
    █   ████ _pycache__
    █   █   ████ __init__.cpython-311.pyc
    █   █   ████ _hoverlabel.cpython-311.pyc
    █   █   ████ _line.cpython-311.pyc
    █   ████ _hoverlabel.py
    █   ████ _line.py
    █   ████ hoverlabel
    █   █   ████ __init__.py
    █   █   ████ _pycache__
    █   █     ████ __init__.cpython-311.pyc
    █   █     ████ _font.cpython-311.pyc
    █   █     ████ _font.py
    █   ████ scatter
    █   ████ __init__.py
    █   ████ _pycache__
    █   █   ████ __init__.cpython-311.pyc
    █   █   ████ _error_x.cpython-311.pyc
    █   █   ████ _error_y.cpython-311.pyc
    █   █   ████ _hoverlabel.cpython-311.pyc
    █   █   ████ _legendgrouptitle.cpython-311.pyc
    █   █   ████ _line.cpython-311.pyc
    █   █   ████ _marker.cpython-311.pyc
    █   █   ████ _selected.cpython-311.pyc
    █   █   ████ _stream.cpython-311.pyc
    █   █   ████ _textfont.cpython-311.pyc
    █   █   ████ _unselected.cpython-311.pyc
    █   ████ _error_x.py
    █   ████ _error_y.py
    █   ████ _hoverlabel.py
    █   ████ _legendgrouptitle.py
    █   ████ _line.py
    █   ████ _marker.py
    █   ████ _selected.py
    █   ████ _stream.py
    █   ████ _textfont.py
    █   ████ _unselected.py
    █   ████ hoverlabel
    █   █   ████ __init__.py
    █   █   ████ _pycache__
    █   █     ████ __init__.cpython-311.pyc
    █   █     ████ _font.cpython-311.pyc
    █   █     ████ _font.py

```

```

    legendgrouptitle
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___font.cpython-311.pyc
    ___font.py
    marker
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___colorbar.cpython-311.pyc
    ___gradient.cpython-311.pyc
    ___line.cpython-311.pyc
    ___colorbar.py
    ___gradient.py
    ___line.py
    colorbar
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___tickfont.cpython-311.pyc
    ___tickformatstop.cpython-311.pyc
    ___title.cpython-311.pyc
    ___tickfont.py
    ___tickformatstop.py
    ___title.py
    title
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___font.cpython-311.pyc
    ___font.py
    selected
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___marker.cpython-311.pyc
    ___textfont.cpython-311.pyc
    ___marker.py
    ___textfont.py
    unselected
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___marker.cpython-311.pyc
    ___textfont.cpython-311.pyc
    ___marker.py
    ___textfont.py
    scatter3d
    ___init__.py
    ___pycache__
    ___init__.cpython-311.pyc
    ___error_x.cpython-311.pyc
    ___error_y.cpython-311.pyc
    ___error_z.cpython-311.pyc
    ___hoverlabel.cpython-311.pyc
    ___legendgrouptitle.cpython-311.pyc
    ___line.cpython-311.pyc

```

```

_marker.cpython-311.pyc
_projection.cpython-311.pyc
_stream.cpython-311.pyc
_textfont.cpython-311.pyc
_error_x.py
_error_y.py
_error_z.py
_hoverlabel.py
_legendgrouptitle.py
_line.py
_marker.py
_projection.py
_stream.py
_textfont.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _font.py
legendgrouptitle
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _font.py
line
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _colorbar.cpython-311.pyc
        _colorbar.py
        colorbar
            __init__.py
            __pycache__
                __init__.cpython-311.pyc
                _tickfont.cpython-311.pyc
                _tickformatstop.cpython-311.pyc
                _title.cpython-311.pyc
                _tickfont.py
                _tickformatstop.py
                _title.py
                title
                    __init__.py
                    __pycache__
                        __init__.cpython-311.pyc
                        _font.cpython-311.pyc
                        _font.py
marker
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _colorbar.cpython-311.pyc
        _line.cpython-311.pyc
        _colorbar.py
        _line.py
        colorbar
            __init__.py

```

```

    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _tickfont.cpython-311.pyc
    ████ _tickformatstop.cpython-311.pyc
    ████ _title.cpython-311.pyc
    ████ _tickfont.py
    ████ _tickformatstop.py
    ████ _title.py
    ████ title
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _font.cpython-311.pyc
    ████ _font.py
    ████ projection
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _x.cpython-311.pyc
    ████ _y.cpython-311.pyc
    ████ _z.cpython-311.pyc
    ████ _x.py
    ████ _y.py
    ████ _z.py
    ████ scattercarpet
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _hoverlabel.cpython-311.pyc
    ████ _legendgrouptitle.cpython-311.pyc
    ████ _line.cpython-311.pyc
    ████ _marker.cpython-311.pyc
    ████ _selected.cpython-311.pyc
    ████ _stream.cpython-311.pyc
    ████ _textfont.cpython-311.pyc
    ████ _unselected.cpython-311.pyc
    ████ _hoverlabel.py
    ████ _legendgrouptitle.py
    ████ _line.py
    ████ _marker.py
    ████ _selected.py
    ████ _stream.py
    ████ _textfont.py
    ████ _unselected.py
    ████ hoverlabel
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _font.cpython-311.pyc
    ████ _font.py
    ████ legendgrouptitle
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _font.cpython-311.pyc
    ████ _font.py
    ████ marker
    ████ __init__.py

```


[illegible]

[illegible]

```

selected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __marker.cpython-311.pyc
  __textfont.cpython-311.pyc
  __marker.py
  __textfont.py
unselected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __marker.cpython-311.pyc
  __textfont.cpython-311.pyc
  __marker.py
  __textfont.py
scattermapbox
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __hoverlabel.cpython-311.pyc
  __legendgrouptitle.cpython-311.pyc
  __line.cpython-311.pyc
  __marker.cpython-311.pyc
  __selected.cpython-311.pyc
  __stream.cpython-311.pyc
  __textfont.cpython-311.pyc
  __unselected.cpython-311.pyc
  __hoverlabel.py
  __legendgrouptitle.py
  __line.py
  __marker.py
  __selected.py
  __stream.py
  __textfont.py
  __unselected.py
  hoverlabel
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __font.cpython-311.pyc
  __font.py
  legendgrouptitle
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __font.cpython-311.pyc
  __font.py
  marker
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  __colorbar.cpython-311.pyc
  __colorbar.py
  colorbar
  __init__.py
  __pycache__
  __init__.cpython-311.pyc

```

```

_ _ _ _ _ tickfont.cpython-311.pyc
_ _ _ _ _ _tickformatstop.cpython-311.pyc
_ _ _ _ _ _title.cpython-311.pyc
_ _ _ _ _ _tickfont.py
_ _ _ _ _ _tickformatstop.py
_ _ _ _ _ _title.py
_ _ _ _ _ title
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
selected
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _marker.py
unselected
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _marker.py
scatterpolar
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _selected.cpython-311.pyc
_ _ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _ _textfont.cpython-311.pyc
_ _ _ _ _ _unselected.cpython-311.pyc
_ _ _ _ _ _hoverlabel.py
_ _ _ _ _ _legendgrouptitle.py
_ _ _ _ _ _line.py
_ _ _ _ _ _marker.py
_ _ _ _ _ _selected.py
_ _ _ _ _ _stream.py
_ _ _ _ _ _textfont.py
_ _ _ _ _ _unselected.py
_ _ _ _ _ hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
marker
_ _ _ _ _ __init__.py

```

```

    _pycache_
__init__.cpython-311.pyc
_colorbar.cpython-311.pyc
_gradient.cpython-311.pyc
_line.cpython-311.pyc
_colorbar.py
_gradient.py
_line.py
colorbar
    __init__.py
    _pycache_
        __init__.cpython-311.pyc
        _tickfont.cpython-311.pyc
        _tickformatstop.cpython-311.pyc
        _title.cpython-311.pyc
        _tickfont.py
        _tickformatstop.py
        _title.py
        title
            __init__.py
            _pycache_
                __init__.cpython-311.pyc
                _font.cpython-311.pyc
            _font.py
selected
    __init__.py
    _pycache_
        __init__.cpython-311.pyc
        _marker.cpython-311.pyc
        _textfont.cpython-311.pyc
    _marker.py
    _textfont.py
unselected
    __init__.py
    _pycache_
        __init__.cpython-311.pyc
        _marker.cpython-311.pyc
        _textfont.cpython-311.pyc
    _marker.py
    _textfont.py
scatterpolargl
    __init__.py
    _pycache_
        __init__.cpython-311.pyc
        _hoverlabel.cpython-311.pyc
        _legendgrouptitle.cpython-311.pyc
        _line.cpython-311.pyc
        _marker.cpython-311.pyc
        _selected.cpython-311.pyc
        _stream.cpython-311.pyc
        _textfont.cpython-311.pyc
        _unselected.cpython-311.pyc
    _hoverlabel.py
    _legendgrouptitle.py
    _line.py
    _marker.py
    _selected.py
    _stream.py

```

[illegible]

[illegible]

[illegible]

```

colorbar
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _tickfont.cpython-311.pyc
  _tickformatstop.cpython-311.pyc
  _title.cpython-311.pyc
  _tickfont.py
  _tickformatstop.py
  _title.py
  title
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _font.cpython-311.pyc
  _font.py
selected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _marker.cpython-311.pyc
  _marker.py
unselected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _marker.cpython-311.pyc
  _marker.py
streamtube
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _colorbar.cpython-311.pyc
  _hoverlabel.cpython-311.pyc
  _legendgrouptitle.cpython-311.pyc
  _lighting.cpython-311.pyc
  _lightposition.cpython-311.pyc
  _starts.cpython-311.pyc
  _stream.cpython-311.pyc
  _colorbar.py
  _hoverlabel.py
  _legendgrouptitle.py
  _lighting.py
  _lightposition.py
  _starts.py
  _stream.py
  colorbar
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _tickfont.cpython-311.pyc
  _tickformatstop.cpython-311.pyc
  _title.cpython-311.pyc
  _tickfont.py
  _tickformatstop.py
  _title.py
  title
  __init__.py

```

```

■      ■■■ _pycache_
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _font.cpython-311.pyc
■      ■     ■■■ _font.py
■    ■■■ hoverlabel
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _font.cpython-311.pyc
■      ■     ■■■ _font.py
■    ■■■ legendgrouptitle
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _font.cpython-311.pyc
■      ■     ■■■ _font.py
■    ■■■ sunburst
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■■■ __init__.cpython-311.pyc
■      ■■■ _domain.cpython-311.pyc
■      ■■■ _hoverlabel.cpython-311.pyc
■      ■■■ _insidetextfont.cpython-311.pyc
■      ■■■ _leaf.cpython-311.pyc
■      ■■■ _legendgrouptitle.cpython-311.pyc
■      ■■■ _marker.cpython-311.pyc
■      ■■■ _outsidetextfont.cpython-311.pyc
■      ■■■ _root.cpython-311.pyc
■      ■■■ _stream.cpython-311.pyc
■      ■■■ _textfont.cpython-311.pyc
■    ■■■ _domain.py
■    ■■■ _hoverlabel.py
■    ■■■ _insidetextfont.py
■    ■■■ _leaf.py
■    ■■■ _legendgrouptitle.py
■    ■■■ _marker.py
■    ■■■ _outsidetextfont.py
■    ■■■ _root.py
■    ■■■ _stream.py
■    ■■■ _textfont.py
■    ■■■ hoverlabel
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _font.cpython-311.pyc
■      ■     ■■■ _font.py
■    ■■■ legendgrouptitle
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _font.cpython-311.pyc
■      ■     ■■■ _font.py
■    ■■■ marker
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■   ■■■ __init__.cpython-311.pyc
■      ■   ■■■ _colorbar.cpython-311.pyc
■      ■   ■■■ _line.cpython-311.pyc

```

```

    colorbar.py
    _line.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    surface
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _contours.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _lighting.cpython-311.pyc
    _lightposition.cpython-311.pyc
    _stream.cpython-311.pyc
    _colorbar.py
    _contours.py
    _hoverlabel.py
    _legendgrouptitle.py
    _lighting.py
    _lightposition.py
    _stream.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _tickfont.cpython-311.pyc
    _tickformatstop.cpython-311.pyc
    _title.cpython-311.pyc
    _tickfont.py
    _tickformatstop.py
    _title.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    contours
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _x.cpython-311.pyc
    _y.cpython-311.pyc

```

```

    █ _z.cpython-311.pyc
    █ _x.py
    █ _y.py
    █ _z.py
    █ x
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _project.cpython-311.pyc
    █     █ _project.py
    █ y
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _project.cpython-311.pyc
    █     █ _project.py
    █ z
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _project.cpython-311.pyc
    █     █ _project.py
    █ hoverlabel
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _font.cpython-311.pyc
    █     █ _font.py
    █ legendgrouptitle
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _font.cpython-311.pyc
    █     █ _font.py
    █ table
    █   █ __init__.py
    █   █ __pycache__
    █     █ __init__.cpython-311.pyc
    █     █ _cells.cpython-311.pyc
    █     █ _domain.cpython-311.pyc
    █     █ _header.cpython-311.pyc
    █     █ _hoverlabel.cpython-311.pyc
    █     █ _legendgrouptitle.cpython-311.pyc
    █     █ _stream.cpython-311.pyc
    █   █ _cells.py
    █   █ _domain.py
    █   █ _header.py
    █   █ _hoverlabel.py
    █   █ _legendgrouptitle.py
    █   █ _stream.py
    █   █ cells
    █     █ __init__.py
    █     █ __pycache__
    █       █ __init__.cpython-311.pyc
    █       █ _fill.cpython-311.pyc
    █       █ _font.cpython-311.pyc
    █       █ _line.cpython-311.pyc
    █       █ _fill.py

```

```

font.py
_line.py
header
__init__.py
__pycache__
__init__.cpython-311.pyc
_fill.cpython-311.pyc
_font.cpython-311.pyc
_line.cpython-311.pyc
_fill.py
_font.py
_line.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
treemap
__init__.py
__pycache__
__init__.cpython-311.pyc
_domain.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_insidetextfont.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_marker.cpython-311.pyc
_outsidetextfont.cpython-311.pyc
_pathbar.cpython-311.pyc
_root.cpython-311.pyc
_stream.cpython-311.pyc
_textfont.cpython-311.pyc
_tiling.cpython-311.pyc
_domain.py
_hoverlabel.py
_insidetextfont.py
_legendgrouptitle.py
_marker.py
_outsidetextfont.py
_pathbar.py
_root.py
_stream.py
_textfont.py
_tiling.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_font.py
legendgrouptitle
__init__.py

```

```

    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _font.cpython-311.pyc
    ████ _font.py
    ████ marker
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _colorbar.cpython-311.pyc
    ████ _line.cpython-311.pyc
    ████ _pad.cpython-311.pyc
    ████ _colorbar.py
    ████ _line.py
    ████ _pad.py
    ████ colorbar
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _tickfont.cpython-311.pyc
    ████ _tickformatstop.cpython-311.pyc
    ████ _title.cpython-311.pyc
    ████ _tickfont.py
    ████ _tickformatstop.py
    ████ _title.py
    ████ title
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _font.cpython-311.pyc
    ████ _font.py
    ████ pathbar
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _textfont.cpython-311.pyc
    ████ _textfont.py
    ████ violin
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _box.cpython-311.pyc
    ████ _hoverlabel.cpython-311.pyc
    ████ _legendgrouptitle.cpython-311.pyc
    ████ _line.cpython-311.pyc
    ████ _marker.cpython-311.pyc
    ████ _meanline.cpython-311.pyc
    ████ _selected.cpython-311.pyc
    ████ _stream.cpython-311.pyc
    ████ _unselected.cpython-311.pyc
    ████ _box.py
    ████ _hoverlabel.py
    ████ _legendgrouptitle.py
    ████ _line.py
    ████ _marker.py
    ████ _meanline.py
    ████ _selected.py
    ████ _stream.py
    ████ _unselected.py

```

```

    box
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _font.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _line.cpython-311.pyc
    _line.py
    selected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    unselected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _marker.py
    volume
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _caps.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _contour.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _lighting.cpython-311.pyc
    _lightposition.cpython-311.pyc
    _slices.cpython-311.pyc
    _spaceframe.cpython-311.pyc
    _stream.cpython-311.pyc
    _surface.cpython-311.pyc
    _caps.py
    _colorbar.py
    _contour.py
    _hoverlabel.py
    _legendgrouptitle.py
    _lighting.py
    _lightposition.py

```



```

_ _ _ _ _ hoverlabel.cpython-311.pyc
_ _ _ _ _ _increasing.cpython-311.pyc
_ _ _ _ _ _insidetextfont.cpython-311.pyc
_ _ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _ _outsidetextfont.cpython-311.pyc
_ _ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _ _textfont.cpython-311.pyc
_ _ _ _ _ _totals.cpython-311.pyc
_ _ _ _ _ connector.py
_ _ _ _ _ decreasing.py
_ _ _ _ _ _hoverlabel.py
_ _ _ _ _ _increasing.py
_ _ _ _ _ _insidetextfont.py
_ _ _ _ _ _legendgrouptitle.py
_ _ _ _ _ _outsidetextfont.py
_ _ _ _ _ _stream.py
_ _ _ _ _ _textfont.py
_ _ _ _ _ _totals.py
_ _ _ _ _ connector
_ _ _ _ _ _init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _line.py
decreasing
_ _ _ _ _ _init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _marker.py
_ _ _ _ _ marker
_ _ _ _ _ _init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _line.py
hoverlabel
_ _ _ _ _ _init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _font.py
increasing
_ _ _ _ _ _init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _marker.py
_ _ _ _ _ marker
_ _ _ _ _ _init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _line.py
legendgrouptitle
_ _ _ _ _ _init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _init__.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■■ chunked_requests.py
■ ■ ■ ■ ■ ■■■ presentation_objs.py
■ ■ ■ ■ ■ ■■■ serializers.py
■ ■ ■ ■ ■ ■■■ session.py
■ ■ ■ ■ ■ ■■■ shapeannotation.py
■ ■ ■ ■ ■ ■■■ subplots.py
■ ■ ■ ■ ■ ■■■ tools.py
■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■■■ validator_cache.py
■ ■ ■ ■ ■ ■■■ validators
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _area.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _bar.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _barpolar.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _box.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _candlestick.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _carpet.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _choropleth.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _choroplethmapbox.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _cone.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _contour.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _contourcarpet.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _data.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _densitymapbox.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _frames.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _funnel.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _funnelarea.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _heatmap.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _heatmapgl.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _histogram.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _histogram2d.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _histogram2dcontour.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _icicle.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _image.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _indicator.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _isosurface.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _layout.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _mesh3d.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _ohlc.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _parcats.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _parcoords.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _pie.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _pointcloud.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _sankey.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scatter.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scatter3d.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scattercarpet.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scattergeo.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scattergl.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scattermapbox.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scatterpolar.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scatterpolargl.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _scatterternary.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _splom.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _streamtube.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _sunburst.cpython-311.pyc
```

■	■	■	■	■	■	■	■■■	_surface.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_table.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_treemap.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_violin.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_volume.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_waterfall.cpython-311.pyc
■	■	■	■	■	■	■■■	_area.py	
■	■	■	■	■	■	■■■	_bar.py	
■	■	■	■	■	■	■■■	_barpolar.py	
■	■	■	■	■	■	■■■	_box.py	
■	■	■	■	■	■	■■■	_candlestick.py	
■	■	■	■	■	■	■■■	_carpet.py	
■	■	■	■	■	■	■■■	_choropleth.py	
■	■	■	■	■	■	■■■	_choroplethmapbox.py	
■	■	■	■	■	■	■■■	_cone.py	
■	■	■	■	■	■	■■■	_contour.py	
■	■	■	■	■	■	■■■	_contourcarpet.py	
■	■	■	■	■	■	■■■	_data.py	
■	■	■	■	■	■	■■■	_densitymapbox.py	
■	■	■	■	■	■	■■■	_frames.py	
■	■	■	■	■	■	■■■	_funnel.py	
■	■	■	■	■	■	■■■	_funnelarea.py	
■	■	■	■	■	■	■■■	_heatmap.py	
■	■	■	■	■	■	■■■	_heatmapgl.py	
■	■	■	■	■	■	■■■	_histogram.py	
■	■	■	■	■	■	■■■	_histogram2d.py	
■	■	■	■	■	■	■■■	_histogram2dcontour.py	
■	■	■	■	■	■	■■■	_icicle.py	
■	■	■	■	■	■	■■■	_image.py	
■	■	■	■	■	■	■■■	_indicator.py	
■	■	■	■	■	■	■■■	_isosurface.py	
■	■	■	■	■	■	■■■	_layout.py	
■	■	■	■	■	■	■■■	_mesh3d.py	
■	■	■	■	■	■	■■■	_ohlc.py	
■	■	■	■	■	■	■■■	_parcats.py	
■	■	■	■	■	■	■■■	_parcoords.py	
■	■	■	■	■	■	■■■	_pie.py	
■	■	■	■	■	■	■■■	_pointcloud.py	
■	■	■	■	■	■	■■■	_sankey.py	
■	■	■	■	■	■	■■■	_scatter.py	
■	■	■	■	■	■	■■■	_scatter3d.py	
■	■	■	■	■	■	■■■	_scattercarpet.py	
■	■	■	■	■	■	■■■	_scattergeo.py	
■	■	■	■	■	■	■■■	_scattergl.py	
■	■	■	■	■	■	■■■	_scattermapbox.py	
■	■	■	■	■	■	■■■	_scatterpolar.py	
■	■	■	■	■	■	■■■	_scatterpolargl.py	
■	■	■	■	■	■	■■■	_scatterternary.py	
■	■	■	■	■	■	■■■	_splom.py	
■	■	■	■	■	■	■■■	_streamtube.py	
■	■	■	■	■	■	■■■	_sunburst.py	
■	■	■	■	■	■	■■■	_surface.py	
■	■	■	■	■	■	■■■	_table.py	
■	■	■	■	■	■	■■■	_treemap.py	
■	■	■	■	■	■	■■■	_violin.py	
■	■	■	■	■	■	■■■	_volume.py	
■	■	■	■	■	■	■■■	_waterfall.py	
■	■	■	■	■	■	■■■	area	

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _customdata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _customdatasrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _hoverinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _hoverinfosrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _hoverlabel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _ids.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _idsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _legendgroup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _marker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _meta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _metasrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _name.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _opacity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _r.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _rsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _showlegend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _stream.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _t.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _tsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _uid.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _uirevision.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _visible.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _customdata.py
■ ■ ■ ■ ■ ■ ■ ■■■ _customdatasrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _hoverinfo.py
■ ■ ■ ■ ■ ■ ■ ■■■ _hoverinfosrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _hoverlabel.py
■ ■ ■ ■ ■ ■ ■ ■■■ _ids.py
■ ■ ■ ■ ■ ■ ■ ■■■ _idsrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _legendgroup.py
■ ■ ■ ■ ■ ■ ■ ■■■ _marker.py
■ ■ ■ ■ ■ ■ ■ ■■■ _meta.py
■ ■ ■ ■ ■ ■ ■ ■■■ _metasrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _name.py
■ ■ ■ ■ ■ ■ ■ ■■■ _opacity.py
■ ■ ■ ■ ■ ■ ■ ■■■ _r.py
■ ■ ■ ■ ■ ■ ■ ■■■ _rsrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _showlegend.py
■ ■ ■ ■ ■ ■ ■ ■■■ _stream.py
■ ■ ■ ■ ■ ■ ■ ■■■ _t.py
■ ■ ■ ■ ■ ■ ■ ■■■ _tsrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _uid.py
■ ■ ■ ■ ■ ■ ■ ■■■ _uirevision.py
■ ■ ■ ■ ■ ■ ■ ■■■ _visible.py
■ ■ ■ ■ ■ ■ ■ ■■■ hoverlabel
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _align.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _alignsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bgcolor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bgcolorsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bordercolor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bordercolorsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _font.cpython-311.pyc
```


■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_alignmentgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_base.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_basesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_cliponaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_constrainttext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dx.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_error_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_error_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offset.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outsidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_r.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_rsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_t.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_widthsrc.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _x0.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xaxis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xcalendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xhoverformat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xperiod.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xperiod0.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xperiodalignment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _y0.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _yaxis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _ycalendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _yhoverformat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _yperiod.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _yperiod0.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _yperiodalignment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _ysrc.cpython-311.pyc
■ ■ ■ ■ _alignmentgroup.py
■ ■ ■ ■ _base.py
■ ■ ■ ■ _basesrc.py
■ ■ ■ ■ _cliponaxis.py
■ ■ ■ ■ _constrainttext.py
■ ■ ■ ■ _customdata.py
■ ■ ■ ■ _customdatasrc.py
■ ■ ■ ■ _dx.py
■ ■ ■ ■ _dy.py
■ ■ ■ ■ _error_x.py
■ ■ ■ ■ _error_y.py
■ ■ ■ ■ _hoverinfo.py
■ ■ ■ ■ _hoverinfosrc.py
■ ■ ■ ■ _hoverlabel.py
■ ■ ■ ■ _hovertemplate.py
■ ■ ■ ■ _hovertemplatesrc.py
■ ■ ■ ■ _hovertext.py
■ ■ ■ ■ _hovertextsrc.py
■ ■ ■ ■ _ids.py
■ ■ ■ ■ _idssrc.py
■ ■ ■ ■ _insidetextanchor.py
■ ■ ■ ■ _insidetextfont.py
■ ■ ■ ■ _legendgroup.py
■ ■ ■ ■ _legendgrouptitle.py
■ ■ ■ ■ _legendrank.py
■ ■ ■ ■ _marker.py
■ ■ ■ ■ _meta.py
■ ■ ■ ■ _metasrc.py
■ ■ ■ ■ _name.py
■ ■ ■ ■ _offset.py
■ ■ ■ ■ _offsetgroup.py
■ ■ ■ ■ _offsetsrc.py
■ ■ ■ ■ _opacity.py
■ ■ ■ ■ _orientation.py
■ ■ ■ ■ _outsidetextfont.py
■ ■ ■ ■ _r.py
■ ■ ■ ■ _rsrc.py
■ ■ ■ ■ _selected.py
■ ■ ■ ■ _selectedpoints.py
■ ■ ■ ■ _showlegend.py

```

[illegible]

```

■■■■ _color.py
■■■■ _copy_ystyle.py
■■■■ _symmetric.py
■■■■ _thickness.py
■■■■ _traceref.py
■■■■ _tracerefminus.py
■■■■ _type.py
■■■■ _value.py
■■■■ _valueminus.py
■■■■ _visible.py
■■■■ _width.py
■■■■ error_y
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _array.cpython-311.pyc
■■■■ _arrayminus.cpython-311.pyc
■■■■ _arrayminussrc.cpython-311.pyc
■■■■ _arraysrc.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _symmetric.cpython-311.pyc
■■■■ _thickness.cpython-311.pyc
■■■■ _traceref.cpython-311.pyc
■■■■ _tracerefminus.cpython-311.pyc
■■■■ _type.cpython-311.pyc
■■■■ _value.cpython-311.pyc
■■■■ _valueminus.cpython-311.pyc
■■■■ _visible.cpython-311.pyc
■■■■ _width.cpython-311.pyc
■■■■ _array.py
■■■■ _arrayminus.py
■■■■ _arrayminussrc.py
■■■■ _arraysrc.py
■■■■ _color.py
■■■■ _symmetric.py
■■■■ _thickness.py
■■■■ _traceref.py
■■■■ _tracerefminus.py
■■■■ _type.py
■■■■ _value.py
■■■■ _valueminus.py
■■■■ _visible.py
■■■■ _width.py
■■■■ hoverlabel
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _align.cpython-311.pyc
■■■■ _alignsrc.cpython-311.pyc
■■■■ _bgcolor.cpython-311.pyc
■■■■ _bgcolorsrc.cpython-311.pyc
■■■■ _bordercolor.cpython-311.pyc
■■■■ _bordercolorsrc.cpython-311.pyc
■■■■ _font.cpython-311.pyc
■■■■ _namelength.cpython-311.pyc
■■■■ _namelengthsrc.cpython-311.pyc
■■■■ _align.py
■■■■ _alignsrc.py

```

```

_ _ _ _ _ bgcolor.py
_ _ _ _ _ bgcolorsrc.py
_ _ _ _ _ bordercolor.py
_ _ _ _ _ bordercolorsrc.py
_ _ _ _ _ font.py
_ _ _ _ _ namelength.py
_ _ _ _ _ namelengthsrc.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ insidetextfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ marker

```

■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_autocolorscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_coloraxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colormaps.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colormaps.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacitysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_pattern.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py	
■	■	■	■	■	■	■	■	■■■■	_cauto.py	
■	■	■	■	■	■	■	■	■■■■	_cmax.py	
■	■	■	■	■	■	■	■	■■■■	_cmid.py	
■	■	■	■	■	■	■	■	■■■■	_cmin.py	
■	■	■	■	■	■	■	■	■■■■	_color.py	
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py	
■	■	■	■	■	■	■	■	■■■■	_colorbar.py	
■	■	■	■	■	■	■	■	■■■■	_colormap.py	
■	■	■	■	■	■	■	■	■■■■	_colormaps.py	
■	■	■	■	■	■	■	■	■■■■	_line.py	
■	■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■	■■■■	_opacitysrc.py	
■	■	■	■	■	■	■	■	■■■■	_pattern.py	
■	■	■	■	■	■	■	■	■■■■	_reversescale.py	
■	■	■	■	■	■	■	■	■■■■	_showscale.py	
■	■	■	■	■	■	■	■	■■■■	colorbar	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc

```

███ _tickangle.cpython-311.pyc
███ _tickcolor.cpython-311.pyc
███ _tickfont.cpython-311.pyc
███ _tickformat.cpython-311.pyc
███ _tickformatstopdefaults.cpython-311.pyc
███ _tickformatstops.cpython-311.pyc
███ _ticklabeloverflow.cpython-311.pyc
███ _ticklabelposition.cpython-311.pyc
███ _ticklen.cpython-311.pyc
███ _tickmode.cpython-311.pyc
███ _tickprefix.cpython-311.pyc
███ _ticks.cpython-311.pyc
███ _ticksuffix.cpython-311.pyc
███ _ticktext.cpython-311.pyc
███ _ticktextsrc.cpython-311.pyc
███ _tickvals.cpython-311.pyc
███ _tickvalssrc.cpython-311.pyc
███ _tickwidth.cpython-311.pyc
███ _title.cpython-311.pyc
███ _x.cpython-311.pyc
███ _xanchor.cpython-311.pyc
███ _xpad.cpython-311.pyc
███ _y.cpython-311.pyc
███ _yanchor.cpython-311.pyc
███ _ypad.cpython-311.pyc
███ _bgcolor.py
███ _bordercolor.py
███ _borderwidth.py
███ _dtick.py
███ _exponentformat.py
███ _len.py
███ _lenmode.py
███ _minexponent.py
███ _nticks.py
███ _outlinecolor.py
███ _outlinewidth.py
███ _separatethousands.py
███ _showexponent.py
███ _showticklabels.py
███ _showtickprefix.py
███ _showticksuffix.py
███ _thickness.py
███ _thicknessmode.py
███ _tick0.py
███ _tickangle.py
███ _tickcolor.py
███ _tickfont.py
███ _tickformat.py
███ _tickformatstopdefaults.py
███ _tickformatstops.py
███ _ticklabeloverflow.py
███ _ticklabelposition.py
███ _ticklen.py
███ _tickmode.py
███ _tickprefix.py
███ _ticks.py
███ _ticksuffix.py
███ _ticktext.py

```

```

ticktextsrc.py
tickvals.py
tickvalssrc.py
tickwidth.py
title.py
x.py
xanchor.py
xpad.py
y.py
yanchor.py
ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
line
    __init__.py
    __pycache__

```


[illegible]

[illegible]

```

    tickvalssrc.py
    _tickwidth.py
    _title.py
    _x.py
    _xanchor.py
    _xpad.py
    _y.py
    _yanchor.py
    _ypad.py
    tickfont
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    tickformatstop
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _dtickrange.cpython-311.pyc
    _enabled.cpython-311.pyc
    _name.cpython-311.pyc
    _templateitemname.cpython-311.pyc
    _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    title
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _font.cpython-311.pyc
    _side.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    line
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    autocolorscale.cpython-311.pyc

```



```

_ _ _ _ _ auto.cpython-311.pyc
_ _ _ _ _ _cmx.cpython-311.pyc
_ _ _ _ _ _cmid.cpython-311.pyc
_ _ _ _ _ _cmin.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _coloraxis.cpython-311.pyc
_ _ _ _ _ _colorscale.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _reversescale.cpython-311.pyc
_ _ _ _ _ _width.cpython-311.pyc
_ _ _ _ _ _widthsrc.cpython-311.pyc
_ _ _ _ _ _autocolorscale.py
_ _ _ _ _ _cauto.py
_ _ _ _ _ _cmx.py
_ _ _ _ _ _cmid.py
_ _ _ _ _ _cmin.py
_ _ _ _ _ _color.py
_ _ _ _ _ _coloraxis.py
_ _ _ _ _ _colorscale.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _reversescale.py
_ _ _ _ _ _width.py
_ _ _ _ _ _widthsrc.py
_ _ _ _ _ pattern
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _bgcolor.cpython-311.pyc
_ _ _ _ _ _bgcolorsrc.cpython-311.pyc
_ _ _ _ _ _fgcolor.cpython-311.pyc
_ _ _ _ _ _fgcolorsrc.cpython-311.pyc
_ _ _ _ _ _fgopacity.cpython-311.pyc
_ _ _ _ _ _fillmode.cpython-311.pyc
_ _ _ _ _ _shape.cpython-311.pyc
_ _ _ _ _ _shapsrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizsrc.cpython-311.pyc
_ _ _ _ _ _solidity.cpython-311.pyc
_ _ _ _ _ _soliditysrc.cpython-311.pyc
_ _ _ _ _ _bgcolor.py
_ _ _ _ _ _bgcolorsrc.py
_ _ _ _ _ _fgcolor.py
_ _ _ _ _ _fgcolorsrc.py
_ _ _ _ _ _fgopacity.py
_ _ _ _ _ _fillmode.py
_ _ _ _ _ _shape.py
_ _ _ _ _ _shapsrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizsrc.py
_ _ _ _ _ _solidity.py
_ _ _ _ _ _soliditysrc.py
_ _ _ _ _ selected
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _textfont.cpython-311.pyc
_ _ _ _ _ _marker.py

```

```

    _textfont.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _opacity.cpython-311.pyc
    _color.py
    _opacity.py
    textfont
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _color.py
    stream
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
    _maxpoints.py
    _token.py
    unselected
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _marker.cpython-311.pyc
    _textfont.cpython-311.pyc
    _marker.py
    _textfont.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _opacity.cpython-311.pyc
    _color.py
    _opacity.py
    textfont
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _color.py
    box
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _alignmentgroup.cpython-311.pyc
    _boxmean.cpython-311.pyc
    _boxpoints.cpython-311.pyc
    _customdata.cpython-311.pyc
    _customdatasrc.cpython-311.pyc
    _dx.cpython-311.pyc
    _dy.cpython-311.pyc
    _fillcolor.cpython-311.pyc
    _hoverinfo.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoveron.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_jitter.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lowerfence.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lowerfencesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mean.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meansrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_median.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mediansrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_notched.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_notchspan.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_notchspansrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_notchwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_pointpos.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_q1.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_q1src.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_q3.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_q3src.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_quartilemethod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sd.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sdsr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_upperfence.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_upperfencesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_whiskerwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc

[illegible]

```

_quartilemethod.py
_sd.py
_sdsrsrc.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textsrsrc.py
_uid.py
_uirevision.py
_unselected.py
_upperfence.py
_upperfencesrsrc.py
_visible.py
_whiskerwidth.py
_width.py
_x.py
_x0.py
_xaxis.py
_xcalendar.py
_xhoverformat.py
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrsrsrc.py
_y.py
_y0.py
_yaxis.py
_ycalendar.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrsrc.py
_hoverlabel
    _init_.py
    __pycache__
        _init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _bordercolorsrsrc.cpython-311.pyc
        _font.cpython-311.pyc
        _namelength.cpython-311.pyc
        _namelengthsrsrc.cpython-311.pyc
    _align.py
    _alignsrsrc.py
    _bgcolor.py
    _bgcolorsrsrc.py
    _bordercolor.py
    _bordercolorsrsrc.py
    _font.py
    _namelength.py
    _namelengthsrsrc.py
    font

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_width.cpython-311.pyc
_color.py
_width.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_line.cpython-311.pyc
_opacity.cpython-311.pyc
_outliercolor.cpython-311.pyc
_size.cpython-311.pyc
_symbol.cpython-311.pyc
_color.py
_line.py
_opacity.py
_outliercolor.py
_size.py
_symbol.py
line

```

[illegible]

[illegible]

■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	_low.py	
■	■	■	■	■	■	■	■■■	_lowsrc.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_open.py	
■	■	■	■	■	■	■	■■■	_opensrc.py	
■	■	■	■	■	■	■	■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_whiskerwidth.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xperiod.py	
■	■	■	■	■	■	■	■■■	_xperiod0.py	
■	■	■	■	■	■	■	■■■	_xperiodalignment.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	decreasing	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_fillcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_fillcolor.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	line	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_color.py
■	■	■	■	■	■	■	■	■■■	_width.py
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc

```

_ _ _ _ _name_length.cpython-311.pyc
_ _ _ _ _namelengthsrc.cpython-311.pyc
_ _ _ _ _split.cpython-311.pyc
_ _ _ _ _align.py
_ _ _ _ _alignsrc.py
_ _ _ _ _bgcolor.py
_ _ _ _ _bgcolorsrc.py
_ _ _ _ _bordercolor.py
_ _ _ _ _bordercolorsrc.py
_ _ _ _ _font.py
_ _ _ _ _name_length.py
_ _ _ _ _namelengthsrc.py
_ _ _ _ _split.py
_ _ _ _ font
    _ _ _ _ __init__.py
    _ _ _ _ __pycache__
        _ _ _ _ __init__.cpython-311.pyc
        _ _ _ _ _color.cpython-311.pyc
        _ _ _ _ _colorsrc.cpython-311.pyc
        _ _ _ _ _family.cpython-311.pyc
        _ _ _ _ _familysrc.cpython-311.pyc
        _ _ _ _ _size.cpython-311.pyc
        _ _ _ _ _sizesrc.cpython-311.pyc
        _ _ _ _ _color.py
        _ _ _ _ _colorsrc.py
        _ _ _ _ _family.py
        _ _ _ _ _familysrc.py
        _ _ _ _ _size.py
        _ _ _ _ _sizesrc.py
increasing
    _ _ _ _ __init__.py
    _ _ _ _ __pycache__
        _ _ _ _ __init__.cpython-311.pyc
        _ _ _ _ _fill_color.cpython-311.pyc
        _ _ _ _ _line.cpython-311.pyc
        _ _ _ _ _fill_color.py
        _ _ _ _ _line.py
        _ _ _ _ line
            _ _ _ _ __init__.py
            _ _ _ _ __pycache__
                _ _ _ _ __init__.cpython-311.pyc
                _ _ _ _ _color.cpython-311.pyc
                _ _ _ _ _width.cpython-311.pyc
                _ _ _ _ _color.py
                _ _ _ _ _width.py
legendgrouptitle
    _ _ _ _ __init__.py
    _ _ _ _ __pycache__
        _ _ _ _ __init__.cpython-311.pyc
        _ _ _ _ _font.cpython-311.pyc
        _ _ _ _ _text.cpython-311.pyc
        _ _ _ _ _font.py
        _ _ _ _ _text.py
        _ _ _ _ font
            _ _ _ _ __init__.py
            _ _ _ _ __pycache__
                _ _ _ _ __init__.cpython-311.pyc
                _ _ _ _ _color.cpython-311.pyc
```

```

family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_width.cpython-311.pyc
_width.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
carpet
__init__.py
__pycache__
__init__.cpython-311.pyc
_a.cpython-311.pyc
_a0.cpython-311.pyc
_aaxis.cpython-311.pyc
_asrc.cpython-311.pyc
_b.cpython-311.pyc
_b0.cpython-311.pyc
_baxis.cpython-311.pyc
_bsrc.cpython-311.pyc
_carpet.cpython-311.pyc
_cheaterslope.cpython-311.pyc
_color.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc
_da.cpython-311.pyc
_db.cpython-311.pyc
_font.cpython-311.pyc
_ids.cpython-311.pyc
_idssrc.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_legendrank.cpython-311.pyc
_meta.cpython-311.pyc
 metasrc.cpython-311.pyc
_name.cpython-311.pyc
_opacity.cpython-311.pyc
_stream.cpython-311.pyc
_uid.cpython-311.pyc
_uirevision.cpython-311.pyc
_visible.cpython-311.pyc
_x.cpython-311.pyc
_xaxis.cpython-311.pyc
_xsrc.cpython-311.pyc
_y.cpython-311.pyc
_yaxis.cpython-311.pyc
_ysrc.cpython-311.pyc
_a.py

```

■	■	■	■	■	■	■	■■■	_a0.py	
■	■	■	■	■	■	■	■■■	_aaxis.py	
■	■	■	■	■	■	■	■■■	_asrc.py	
■	■	■	■	■	■	■	■■■	_b.py	
■	■	■	■	■	■	■	■■■	_b0.py	
■	■	■	■	■	■	■	■■■	_baxis.py	
■	■	■	■	■	■	■	■■■	_bsrc.py	
■	■	■	■	■	■	■	■■■	_carpet.py	
■	■	■	■	■	■	■	■■■	_cheaterslope.py	
■	■	■	■	■	■	■	■■■	_color.py	
■	■	■	■	■	■	■	■■■	_customdata.py	
■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■	_da.py	
■	■	■	■	■	■	■	■■■	_db.py	
■	■	■	■	■	■	■	■■■	_font.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idssrc.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	aaxis	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arraydtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arraytick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_autorange.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_autotypenumbers.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_categoryarray.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_categoryarraysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_categoryorder.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_cheatertype.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_endline.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_endlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_endlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_fixedrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_gridcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_gridwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_labelpadding.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_labelprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_labelsuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_linecolor.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minorgridcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minorgridcount.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minorgridwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_range.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showgrid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_smoothing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_arraydtick.py
■	■	■	■	■	■	■	■	■	■■■■	_arraytick0.py
■	■	■	■	■	■	■	■	■	■■■■	_autorange.py
■	■	■	■	■	■	■	■	■	■■■■	_autotypenumbers.py
■	■	■	■	■	■	■	■	■	■■■■	_categoryarray.py
■	■	■	■	■	■	■	■	■	■■■■	_categoryarraysrc.py
■	■	■	■	■	■	■	■	■	■■■■	_categoryorder.py
■	■	■	■	■	■	■	■	■	■■■■	_cheatertype.py
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■■■■	_endline.py
■	■	■	■	■	■	■	■	■	■■■■	_endlinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_endlinewidth.py
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■■■■	_fixedrange.py
■	■	■	■	■	■	■	■	■	■■■■	_gridcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_gridwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_labelpadding.py
■	■	■	■	■	■	■	■	■	■■■■	_labelprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_labelsuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_linecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.py
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_minorgridcolor.py

```

_ _ _ _ _ minorgridcount.py
_ _ _ _ _ _minorgridwidth.py
_ _ _ _ _ _nticks.py
_ _ _ _ _ _range.py
_ _ _ _ _ _rangemode.py
_ _ _ _ _ _separatethousands.py
_ _ _ _ _ _showexponent.py
_ _ _ _ _ _showgrid.py
_ _ _ _ _ _showline.py
_ _ _ _ _ _showticklabels.py
_ _ _ _ _ _showtickprefix.py
_ _ _ _ _ _showticksuffix.py
_ _ _ _ _ _smoothing.py
_ _ _ _ _ _startline.py
_ _ _ _ _ _startlinecolor.py
_ _ _ _ _ _startlinewidth.py
_ _ _ _ _ _tick0.py
_ _ _ _ _ _tickangle.py
_ _ _ _ _ _tickfont.py
_ _ _ _ _ _tickformat.py
_ _ _ _ _ _tickformatstopdefaults.py
_ _ _ _ _ _tickformatstops.py
_ _ _ _ _ _tickmode.py
_ _ _ _ _ _tickprefix.py
_ _ _ _ _ _ticksuffix.py
_ _ _ _ _ _ticktext.py
_ _ _ _ _ _ticktextsrc.py
_ _ _ _ _ _tickvals.py
_ _ _ _ _ _tickvalssrc.py
_ _ _ _ _ _title.py
_ _ _ _ _ _type.py
_ _ _ _ _ tickfont
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.py
_ _ _ _ _ _ _ _ _ _ _ _family.py
_ _ _ _ _ _ _ _ _ _ _ _size.py
_ _ _ _ _ tickformatstop
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _dtickrange.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _enabled.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _name.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _value.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _dtickrange.py
_ _ _ _ _ _ _ _ _ _ _ _enabled.py
_ _ _ _ _ _ _ _ _ _ _ _name.py
_ _ _ _ _ _ _ _ _ _ _ _templateitemname.py
_ _ _ _ _ _ _ _ _ _ _ _value.py
_ _ _ _ _ title
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__

```

[illegible]

■	■	■	■	■	■	■	■	■	■■■■	_startline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■		_arraydtick.py
■	■	■	■	■	■	■	■	■■■■		_arraytick0.py
■	■	■	■	■	■	■	■	■■■■		_autorange.py
■	■	■	■	■	■	■	■	■■■■		_autotypenumbers.py
■	■	■	■	■	■	■	■	■■■■		_categoryarray.py
■	■	■	■	■	■	■	■	■■■■		_categoryarraysrc.py
■	■	■	■	■	■	■	■	■■■■		_categoryorder.py
■	■	■	■	■	■	■	■	■■■■		_cheatertype.py
■	■	■	■	■	■	■	■	■■■■		_color.py
■	■	■	■	■	■	■	■	■■■■		_dtick.py
■	■	■	■	■	■	■	■	■■■■		_endline.py
■	■	■	■	■	■	■	■	■■■■		_endlinecolor.py
■	■	■	■	■	■	■	■	■■■■		_endlinewidth.py
■	■	■	■	■	■	■	■	■■■■		_exponentformat.py
■	■	■	■	■	■	■	■	■■■■		_fixedrange.py
■	■	■	■	■	■	■	■	■■■■		_gridcolor.py
■	■	■	■	■	■	■	■	■■■■		_gridwidth.py
■	■	■	■	■	■	■	■	■■■■		_labelpadding.py
■	■	■	■	■	■	■	■	■■■■		_labelprefix.py
■	■	■	■	■	■	■	■	■■■■		_labelsuffix.py
■	■	■	■	■	■	■	■	■■■■		_linecolor.py
■	■	■	■	■	■	■	■	■■■■		_linewidth.py
■	■	■	■	■	■	■	■	■■■■		_minexponent.py
■	■	■	■	■	■	■	■	■■■■		_minorgridcolor.py
■	■	■	■	■	■	■	■	■■■■		_minorgridcount.py
■	■	■	■	■	■	■	■	■■■■		_minorgridwidth.py
■	■	■	■	■	■	■	■	■■■■		_nticks.py
■	■	■	■	■	■	■	■	■■■■		_range.py
■	■	■	■	■	■	■	■	■■■■		_rangemode.py
■	■	■	■	■	■	■	■	■■■■		_separatethousands.py
■	■	■	■	■	■	■	■	■■■■		_showexponent.py
■	■	■	■	■	■	■	■	■■■■		_showgrid.py
■	■	■	■	■	■	■	■	■■■■		_showline.py
■	■	■	■	■	■	■	■	■■■■		_showticklabels.py
■	■	■	■	■	■	■	■	■■■■		_showtickprefix.py
■	■	■	■	■	■	■	■	■■■■		_showticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_smoothing.py
■	■	■	■	■	■	■	■	■■■■		_startline.py
■	■	■	■	■	■	■	■	■■■■		_startlinecolor.py
■	■	■	■	■	■	■	■	■■■■		_startlinewidth.py


```

tick0.py
_tickangle.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_tickmode.py
_tickprefix.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_title.py
_type.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _offset.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _offset.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py

```

```

font
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _family.cpython-311.pyc
  _size.cpython-311.pyc
  _color.py
  _family.py
  _size.py
legendgrouptitle
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _font.cpython-311.pyc
  _text.cpython-311.pyc
  _font.py
  _text.py
  font
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _family.cpython-311.pyc
  _size.cpython-311.pyc
  _color.py
  _family.py
  _size.py
stream
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _maxpoints.cpython-311.pyc
  _token.cpython-311.pyc
  _maxpoints.py
  _token.py
choropleth
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _autocolorscale.cpython-311.pyc
  _coloraxis.cpython-311.pyc
  _colorbar.cpython-311.pyc
  _colorscale.cpython-311.pyc
  _customdata.cpython-311.pyc
  _customdatasrc.cpython-311.pyc
  _featureidkey.cpython-311.pyc
  _geo.cpython-311.pyc
  _geojson.cpython-311.pyc
  _hoverinfo.cpython-311.pyc
  _hoverinfosrc.cpython-311.pyc
  _hoverlabel.cpython-311.pyc
  _hovertemplate.cpython-311.pyc
  _hovertemplatesrc.cpython-311.pyc
  _hovertext.cpython-311.pyc
  _hovertextsrc.cpython-311.pyc
  _ids.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_idssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locationmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locations.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locationssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py
■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colorscale.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_featureidkey.py
■	■	■	■	■	■	■	■	■■■■	_geo.py
■	■	■	■	■	■	■	■	■■■■	_geojson.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py
■	■	■	■	■	■	■	■	■■■■	_hovertext.py
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.py
■	■	■	■	■	■	■	■	■■■■	_ids.py
■	■	■	■	■	■	■	■	■■■■	_idssrc.py
■	■	■	■	■	■	■	■	■■■■	_legendgroup.py
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py
■	■	■	■	■	■	■	■	■■■■	_legendrank.py
■	■	■	■	■	■	■	■	■■■■	_locationmode.py
■	■	■	■	■	■	■	■	■■■■	_locations.py
■	■	■	■	■	■	■	■	■■■■	_locationssrc.py
■	■	■	■	■	■	■	■	■■■■	_marker.py
■	■	■	■	■	■	■	■	■■■■	_meta.py
■	■	■	■	■	■	■	■	■■■■	_metasrc.py
■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■■■■	_reversescale.py

■	■	■	■	■	■	■	■■■	_selected.py	
■	■	■	■	■	■	■	■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_unselected.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■■■■	_dtick.py	
■	■	■	■	■	■	■	■	■■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■■■■	_len.py	
■	■	■	■	■	■	■	■	■■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■■■■	_nticks.py	
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_thickness.py	
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py	
■	■	■	■	■	■	■	■	■■■■	_tick0.py	
■	■	■	■	■	■	■	■	■■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py	
■	■	■	■	■	■	■	■	■■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_ticks.py	
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■■■■	_title.py	
■	■	■	■	■	■	■	■	■■■■	_x.py	
■	■	■	■	■	■	■	■	■■■■	_xanchor.py	
■	■	■	■	■	■	■	■	■■■■	_xpad.py	
■	■	■	■	■	■	■	■	■■■■	_y.py	
■	■	■	■	■	■	■	■	■■■■	_yanchor.py	
■	■	■	■	■	■	■	■	■■■■	_ypad.py	
■	■	■	■	■	■	■	■	■■■■	tickfont	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc


```

name length src.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legend group title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_line.cpython-311.pyc
_opacity.cpython-311.pyc
_opacitysrc.cpython-311.pyc
_line.py
_opacity.py
_opacitysrc.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_width.cpython-311.pyc
_widthsrc.cpython-311.pyc
_color.py
_colorsrc.py
_width.py
_widthsrc.py
selected

```

[illegible]

[illegible]

■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_unselected.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc

```

_ypad.cpython-311.pyc
_bgcolor.py
_bordercolor.py
_borderwidth.py
_dtick.py
_exponentformat.py
_len.py
_lenmode.py
_minexponent.py
_nticks.py
_outlinecolor.py
_outlinewidth.py
_separatethousands.py
_showexponent.py
_showticklabels.py
_showtickprefix.py
_showticksuffix.py
_thickness.py
_thicknessmode.py
_tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    _init_.py
    _pycache_
        _init_.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
tickformatstop
    _init_.py
    _pycache_

```

```

    ■■■ _init_.cpython-311.pyc
    ■■■ _dtickrange.cpython-311.pyc
    ■■■ _enabled.cpython-311.pyc
    ■■■ _name.cpython-311.pyc
    ■■■ _templateitemname.cpython-311.pyc
    ■■■ _value.cpython-311.pyc
    ■■■ _dtickrange.py
    ■■■ _enabled.py
    ■■■ _name.py
    ■■■ _templateitemname.py
    ■■■ _value.py
    ■■■ title
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _font.cpython-311.pyc
    ■■■ _side.cpython-311.pyc
    ■■■ _text.cpython-311.pyc
    ■■■ _font.py
    ■■■ _side.py
    ■■■ _text.py
    ■■■ font
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _color.cpython-311.pyc
    ■■■ _family.cpython-311.pyc
    ■■■ _size.cpython-311.pyc
    ■■■ _color.py
    ■■■ _family.py
    ■■■ _size.py
    ■■■ hoverlabel
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _align.cpython-311.pyc
    ■■■ _alignsrc.cpython-311.pyc
    ■■■ _bgcolor.cpython-311.pyc
    ■■■ _bgcolorsrc.cpython-311.pyc
    ■■■ _bordercolor.cpython-311.pyc
    ■■■ _bordercolorsrc.cpython-311.pyc
    ■■■ _font.cpython-311.pyc
    ■■■ _namelength.cpython-311.pyc
    ■■■ _namelengthsrc.cpython-311.pyc
    ■■■ _align.py
    ■■■ _alignsrc.py
    ■■■ _bgcolor.py
    ■■■ _bgcolorsrc.py
    ■■■ _bordercolor.py
    ■■■ _bordercolorsrc.py
    ■■■ _font.py
    ■■■ _namelength.py
    ■■■ _namelengthsrc.py
    ■■■ font
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _color.cpython-311.pyc

```

```

_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ legendgrouptitle
_ _ _ _ _init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ _text.py
_ _ _ _ font
_ _ _ _ _init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
_ _ _ _ marker
_ _ _ _ _init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _opacitysrc.cpython-311.pyc
_ _ _ _ _line.py
_ _ _ _ _opacity.py
_ _ _ _ _opacitysrc.py
_ _ _ _ line
_ _ _ _ _init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _widthsrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _width.py
_ _ _ _ _widthsrc.py
_ _ _ _ selected
_ _ _ _ _init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _marker.py
_ _ _ _ marker

```

[illegible]

[illegible]

■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_scene.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_sizemode.py	
■	■	■	■	■	■	■	■■■	_sizeref.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_u.py	
■	■	■	■	■	■	■	■■■	_uhoverformat.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_usrc.py	
■	■	■	■	■	■	■	■■■	_v.py	
■	■	■	■	■	■	■	■■■	_vhoverformat.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_vsrc.py	
■	■	■	■	■	■	■	■■■	_w.py	
■	■	■	■	■	■	■	■■■	_whoverformat.py	
■	■	■	■	■	■	■	■■■	_wsrc.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■		_bgcolor.py
■	■	■	■	■	■	■	■	■■■■		_bordercolor.py
■	■	■	■	■	■	■	■	■■■■		_borderwidth.py
■	■	■	■	■	■	■	■	■■■■		_dtick.py
■	■	■	■	■	■	■	■	■■■■		_exponentformat.py
■	■	■	■	■	■	■	■	■■■■		_len.py
■	■	■	■	■	■	■	■	■■■■		_lenmode.py
■	■	■	■	■	■	■	■	■■■■		_minexponent.py
■	■	■	■	■	■	■	■	■■■■		_nticks.py
■	■	■	■	■	■	■	■	■■■■		_outlinecolor.py
■	■	■	■	■	■	■	■	■■■■		_outlinewidth.py
■	■	■	■	■	■	■	■	■■■■		_separatethousands.py
■	■	■	■	■	■	■	■	■■■■		_showexponent.py
■	■	■	■	■	■	■	■	■■■■		_showticklabels.py
■	■	■	■	■	■	■	■	■■■■		_showtickprefix.py
■	■	■	■	■	■	■	■	■■■■		_showticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_thickness.py
■	■	■	■	■	■	■	■	■■■■		_thicknessmode.py
■	■	■	■	■	■	■	■	■■■■		_tick0.py
■	■	■	■	■	■	■	■	■■■■		_tickangle.py
■	■	■	■	■	■	■	■	■■■■		_tickcolor.py
■	■	■	■	■	■	■	■	■■■■		_tickfont.py
■	■	■	■	■	■	■	■	■■■■		_tickformat.py
■	■	■	■	■	■	■	■	■■■■		_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■■■■		_tickformatstops.py
■	■	■	■	■	■	■	■	■■■■		_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■■■■		_ticklabelposition.py
■	■	■	■	■	■	■	■	■■■■		_ticklen.py
■	■	■	■	■	■	■	■	■■■■		_tickmode.py
■	■	■	■	■	■	■	■	■■■■		_tickprefix.py
■	■	■	■	■	■	■	■	■■■■		_ticks.py
■	■	■	■	■	■	■	■	■■■■		_ticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_ticktext.py
■	■	■	■	■	■	■	■	■■■■		_ticktextsrc.py
■	■	■	■	■	■	■	■	■■■■		_tickvals.py
■	■	■	■	■	■	■	■	■■■■		_tickvalssrc.py
■	■	■	■	■	■	■	■	■■■■		_tickwidth.py

```

_ title.py
_ x.py
_ xanchor.py
_ xpad.py
_ y.py
_ yanchor.py
_ ypad.py
tickfont
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        _init__.py
        __pycache__
            _init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
hoverlabel
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc

```

```

_ _ _ _ _ bgcolorsrc.cpython-311.pyc
_ _ _ _ _ _bordercolor.cpython-311.pyc
_ _ _ _ _ _bordercolorsrc.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _namelength.cpython-311.pyc
_ _ _ _ _ _namelengthsrc.cpython-311.pyc
_ _ _ _ _ _align.py
_ _ _ _ _ _alignsrc.py
_ _ _ _ _ _bgcolor.py
_ _ _ _ _ _bgcolorsrc.py
_ _ _ _ _ _bordercolor.py
_ _ _ _ _ _bordercolorsrc.py
_ _ _ _ _ _font.py
_ _ _ _ _ _namelength.py
_ _ _ _ _ _namelengthsrc.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
lighting
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _ambient.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _diffuse.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _facenormalsepsilon.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _fresnel.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _roughness.cpython-311.pyc

```

```

    _specular.cpython-311.pyc
    _vertexnormalsepsilon.cpython-311.pyc
    _ambient.py
    _diffuse.py
    _facenormalsepsilon.py
    _fresnel.py
    _roughness.py
    _specular.py
    _vertexnormalsepsilon.py
    lightposition
    __init__.py
    __pycache__
    _init__.cpython-311.pyc
    _x.cpython-311.pyc
    _y.cpython-311.pyc
    _z.cpython-311.pyc
    _x.py
    _y.py
    _z.py
    stream
    __init__.py
    __pycache__
    _init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
    _maxpoints.py
    _token.py
    contour
    __init__.py
    __pycache__
    _init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _autocontour.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _colormap.cpython-311.pyc
    _connectgaps.cpython-311.pyc
    _contours.cpython-311.pyc
    _customdata.cpython-311.pyc
    _customdatasrc.cpython-311.pyc
    _dx.cpython-311.pyc
    _dy.cpython-311.pyc
    _fillcolor.cpython-311.pyc
    _hoverinfo.cpython-311.pyc
    _hoverinfosrc.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _hoverongaps.cpython-311.pyc
    _hovertemplate.cpython-311.pyc
    _hovertemplatesrc.cpython-311.pyc
    _hovertext.cpython-311.pyc
    _hovertextsrc.cpython-311.pyc
    _ids.cpython-311.pyc
    _idssrc.cpython-311.pyc
    _legendgroup.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _legendrank.cpython-311.pyc
    _line.cpython-311.pyc
    _meta.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ncontours.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_transpose.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xtype.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ycalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ytype.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py
■	■	■	■	■	■	■	■	■■■■	_autocontour.py
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py
■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colorscale.py
■	■	■	■	■	■	■	■	■■■■	_connectgaps.py
■	■	■	■	■	■	■	■	■■■■	_contours.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_dx.py
■	■	■	■	■	■	■	■	■■■■	_dy.py
■	■	■	■	■	■	■	■	■■■■	_fillcolor.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_hoverongaps.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.py

■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idssrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_ncontours.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_transpose.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_x0.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xperiod.py	
■	■	■	■	■	■	■	■■■	_xperiod0.py	
■	■	■	■	■	■	■	■■■	_xperiodalignment.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_xtype.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_y0.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_yperiod.py	
■	■	■	■	■	■	■	■■■	_yperiod0.py	
■	■	■	■	■	■	■	■■■	_yperiodalignment.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_ytype.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc

```

■■■_dtick.cpython-311.pyc
■■■_exponentformat.cpython-311.pyc
■■■_len.cpython-311.pyc
■■■_lenmode.cpython-311.pyc
■■■_minexponent.cpython-311.pyc
■■■_nticks.cpython-311.pyc
■■■_outlinecolor.cpython-311.pyc
■■■_outlinewidth.cpython-311.pyc
■■■_separatethousands.cpython-311.pyc
■■■_showexponent.cpython-311.pyc
■■■_showticklabels.cpython-311.pyc
■■■_showtickprefix.cpython-311.pyc
■■■_showticksuffix.cpython-311.pyc
■■■_thickness.cpython-311.pyc
■■■_thicknessmode.cpython-311.pyc
■■■_tick0.cpython-311.pyc
■■■_tickangle.cpython-311.pyc
■■■_tickcolor.cpython-311.pyc
■■■_tickfont.cpython-311.pyc
■■■_tickformat.cpython-311.pyc
■■■_tickformatstopdefaults.cpython-311.pyc
■■■_tickformatstops.cpython-311.pyc
■■■_ticklabeloverflow.cpython-311.pyc
■■■_ticklabelposition.cpython-311.pyc
■■■_ticklen.cpython-311.pyc
■■■_tickmode.cpython-311.pyc
■■■_tickprefix.cpython-311.pyc
■■■_ticks.cpython-311.pyc
■■■_ticksuffix.cpython-311.pyc
■■■_ticktext.cpython-311.pyc
■■■_ticktextsrc.cpython-311.pyc
■■■_tickvals.cpython-311.pyc
■■■_tickvalssrc.cpython-311.pyc
■■■_tickwidth.cpython-311.pyc
■■■_title.cpython-311.pyc
■■■_x.cpython-311.pyc
■■■_xanchor.cpython-311.pyc
■■■_xpad.cpython-311.pyc
■■■_y.cpython-311.pyc
■■■_yanchor.cpython-311.pyc
■■■_ypad.cpython-311.pyc
■■■_bgcolor.py
■■■_bordercolor.py
■■■_borderwidth.py
■■■_dtick.py
■■■_exponentformat.py
■■■_len.py
■■■_lenmode.py
■■■_minexponent.py
■■■_nticks.py
■■■_outlinecolor.py
■■■_outlinewidth.py
■■■_separatethousands.py
■■■_showexponent.py
■■■_showticklabels.py
■■■_showtickprefix.py
■■■_showticksuffix.py
■■■_thickness.py

```

■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■ ■■■■	__init__.py
■	■	■	■	■	■	■	■	■ ■■■■	__pycache__
■	■	■	■	■	■	■	■	■ ■ ■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■■■■	_color.py
■	■	■	■	■	■	■	■	■ ■■■■	_family.py
■	■	■	■	■	■	■	■	■ ■■■■	_size.py
■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■ ■■■■	__init__.py
■	■	■	■	■	■	■	■	■ ■■■■	__pycache__
■	■	■	■	■	■	■	■	■ ■ ■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■■■■	_dtickrange.py
■	■	■	■	■	■	■	■	■ ■■■■	_enabled.py
■	■	■	■	■	■	■	■	■ ■■■■	_name.py
■	■	■	■	■	■	■	■	■ ■■■■	_templateitemname.py
■	■	■	■	■	■	■	■	■ ■■■■	_value.py
■	■	■	■	■	■	■	■	■■■■	title
■	■	■	■	■	■	■	■	■ ■■■■	__init__.py
■	■	■	■	■	■	■	■	■ ■■■■	__pycache__
■	■	■	■	■	■	■	■	■ ■ ■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_side.cpython-311.pyc
■	■	■	■	■	■	■	■	■ ■ ■■■■	_text.cpython-311.pyc


```

font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
contours
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _coloring.cpython-311.pyc
        _end.cpython-311.pyc
        _labelfont.cpython-311.pyc
        _labelformat.cpython-311.pyc
        _operation.cpython-311.pyc
        _showlabels.cpython-311.pyc
        _showlines.cpython-311.pyc
        _size.cpython-311.pyc
        _start.cpython-311.pyc
        _type.cpython-311.pyc
        _value.cpython-311.pyc
    _coloring.py
    _end.py
    _labelfont.py
    _labelformat.py
    _operation.py
    _showlabels.py
    _showlines.py
    _size.py
    _start.py
    _type.py
    _value.py
    labelfont
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc

```

```

    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    line
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _dash.cpython-311.pyc
    _smoothing.cpython-311.pyc
    _width.cpython-311.pyc
    _color.py
    _dash.py
    _smoothing.py

```

```

width.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
contourcarpet
__init__.py
__pycache__
__init__.cpython-311.pyc
_a.cpython-311.pyc
_a0.cpython-311.pyc
_asrc.cpython-311.pyc
_atype.cpython-311.pyc
_autocolorscale.cpython-311.pyc
_autocontour.cpython-311.pyc
_b.cpython-311.pyc
_b0.cpython-311.pyc
_bsrc.cpython-311.pyc
_btype.cpython-311.pyc
_carpet.cpython-311.pyc
_coloraxis.cpython-311.pyc
_colorbar.cpython-311.pyc
_colorscale.cpython-311.pyc
_contours.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc
_da.cpython-311.pyc
_db.cpython-311.pyc
_fillcolor.cpython-311.pyc
_hovertext.cpython-311.pyc
_hovertextsrc.cpython-311.pyc
_ids.cpython-311.pyc
_idssrc.cpython-311.pyc
_legendgroup.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_legendrank.cpython-311.pyc
_line.cpython-311.pyc
_meta.cpython-311.pyc
 metasrc.cpython-311.pyc
_name.cpython-311.pyc
_ncontours.cpython-311.pyc
_opacity.cpython-311.pyc
_reversescale.cpython-311.pyc
_showlegend.cpython-311.pyc
_showscale.cpython-311.pyc
_stream.cpython-311.pyc
_text.cpython-311.pyc
_textsrc.cpython-311.pyc
_transpose.cpython-311.pyc
_uid.cpython-311.pyc
_uirevision.cpython-311.pyc
_visible.cpython-311.pyc
_xaxis.cpython-311.pyc
_yaxis.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■■■■	_len.py
■	■	■	■	■	■	■	■	■■■■	_lenmode.py
■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■■■■	_linewidth.py

```

████ _separatethousands.py
████ _showexponent.py
████ _showticklabels.py
████ _showtickprefix.py
████ _showticksuffix.py
████ _thickness.py
████ _thicknessmode.py
████ _tick0.py
████ _tickangle.py
████ _tickcolor.py
████ _tickfont.py
████ _tickformat.py
████ _tickformatstopdefaults.py
████ _tickformatstops.py
████ _ticklabeloverflow.py
████ _ticklabelposition.py
████ _ticklen.py
████ _tickmode.py
████ _tickprefix.py
████ _ticks.py
████ _ticksuffix.py
████ _ticktext.py
████ _ticktextsrc.py
████ _tickvals.py
████ _tickvalssrc.py
████ _tickwidth.py
████ _title.py
████ _x.py
████ _xanchor.py
████ _xpad.py
████ _y.py
████ _yanchor.py
████ _ypad.py
████ tickfont
██   █████ __init__.py
██   █████ __pycache__
██   ███   █████ __init__.cpython-311.pyc
██   ███   █████ _color.cpython-311.pyc
██   ███   █████ _family.cpython-311.pyc
██   ███   █████ _size.cpython-311.pyc
██   █████ _color.py
██   █████ _family.py
██   █████ _size.py
████ tickformatstop
██   █████ __init__.py
██   █████ __pycache__
██   ███   █████ __init__.cpython-311.pyc
██   ███   █████ _dtickrange.cpython-311.pyc
██   ███   █████ _enabled.cpython-311.pyc
██   ███   █████ _name.cpython-311.pyc
██   ███   █████ _templateitemname.cpython-311.pyc
██   ███   █████ _value.cpython-311.pyc
██   █████ _dtickrange.py
██   █████ _enabled.py
██   █████ _name.py
██   █████ _templateitemname.py
██   █████ _value.py
████ title

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_side.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_side.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
contours
__init__.py
__pycache__
__init__.cpython-311.pyc
_coloring.cpython-311.pyc
_end.cpython-311.pyc
_labelfont.cpython-311.pyc
_labelformat.cpython-311.pyc
_operation.cpython-311.pyc
_showlabels.cpython-311.pyc
_showlines.cpython-311.pyc
_size.cpython-311.pyc
_start.cpython-311.pyc
_type.cpython-311.pyc
_value.cpython-311.pyc
_coloring.py
_end.py
_labelfont.py
_labelformat.py
_operation.py
_showlabels.py
_showlines.py
_size.py
_start.py
_type.py
_value.py
labelfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
legendgrouptitle
__init__.py
__pycache__

```

```

_      _init__.cpython-311.pyc
_      _font.cpython-311.pyc
_      _text.cpython-311.pyc
_      _font.py
_      _text.py
_      font
_      _init__.py
_      __pycache__
_      _init__.cpython-311.pyc
_      _color.cpython-311.pyc
_      _family.cpython-311.pyc
_      _size.cpython-311.pyc
_      _color.py
_      _family.py
_      _size.py
line
_      _init__.py
_      __pycache__
_      _init__.cpython-311.pyc
_      _color.cpython-311.pyc
_      _dash.cpython-311.pyc
_      _smoothing.cpython-311.pyc
_      _width.cpython-311.pyc
_      _color.py
_      _dash.py
_      _smoothing.py
_      _width.py
stream
_      _init__.py
_      __pycache__
_      _init__.cpython-311.pyc
_      _maxpoints.cpython-311.pyc
_      _token.cpython-311.pyc
_      _maxpoints.py
_      _token.py
densitymapbox
_      _init__.py
_      __pycache__
_      _init__.cpython-311.pyc
_      _autocolorscale.cpython-311.pyc
_      _below.cpython-311.pyc
_      _coloraxis.cpython-311.pyc
_      _colorbar.cpython-311.pyc
_      _colorscale.cpython-311.pyc
_      _customdata.cpython-311.pyc
_      _customdatasrc.cpython-311.pyc
_      _hoverinfo.cpython-311.pyc
_      _hoverinfosrc.cpython-311.pyc
_      _hoverlabel.cpython-311.pyc
_      _hovertemplate.cpython-311.pyc
_      _hovertemplatesrc.cpython-311.pyc
_      _hovertext.cpython-311.pyc
_      _hovertextsrc.cpython-311.pyc
_      _ids.cpython-311.pyc
_      _idssrc.cpython-311.pyc
_      _lat.cpython-311.pyc
_      _latsrc.cpython-311.pyc
_      _legendgroup.cpython-311.pyc

```



```

_ legendgrouptitle.cpython-311.pyc
_ legendrank.cpython-311.pyc
_ lon.cpython-311.pyc
_ lonsrc.cpython-311.pyc
_ meta.cpython-311.pyc
_ metasrc.cpython-311.pyc
_ name.cpython-311.pyc
_ opacity.cpython-311.pyc
_ radius.cpython-311.pyc
_ radiussrc.cpython-311.pyc
_ reversescale.cpython-311.pyc
_ showlegend.cpython-311.pyc
_ showscale.cpython-311.pyc
_ stream.cpython-311.pyc
_ subplot.cpython-311.pyc
_ text.cpython-311.pyc
_ textsrc.cpython-311.pyc
_ uid.cpython-311.pyc
_ uirevision.cpython-311.pyc
_ visible.cpython-311.pyc
_ z.cpython-311.pyc
_ zauto.cpython-311.pyc
_ zmax.cpython-311.pyc
_ zmid.cpython-311.pyc
_ zmin.cpython-311.pyc
_ zsrc.cpython-311.pyc
_ autocolorscale.py
_ below.py
_ coloraxis.py
_ colorbar.py
_ colorscale.py
_ customdata.py
_ customdatasrc.py
_ hoverinfo.py
_ hoverinfosrc.py
_ hoverlabel.py
_ hovertemplate.py
_ hovertemplatesrc.py
_ hovertext.py
_ hovertextsrc.py
_ ids.py
_ idssrc.py
_ lat.py
_ latsrc.py
_ legendgroup.py
_ legendgrouptitle.py
_ legendrank.py
_ lon.py
_ lonsrc.py
_ meta.py
_ metasrc.py
_ name.py
_ opacity.py
_ radius.py
_ radiussrc.py
_ reversescale.py
_ showlegend.py
_ showscale.py

```

■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_subplot.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc

[illegible]

```

__init__.py
__pycache__
    __init__.cpython-311.pyc
    _dtickrange.cpython-311.pyc
    _enabled.cpython-311.pyc
    _name.cpython-311.pyc
    _templateitemname.cpython-311.pyc
    _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
        _font.py
        _side.py
        _text.py
        font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
            _color.py
            _family.py
            _size.py
    hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _bordercolorsrc.cpython-311.pyc
        _font.cpython-311.pyc
        _namelength.cpython-311.pyc
        _namelengthsrc.cpython-311.pyc
        _align.py
        _alignsrc.py
        _bgcolor.py
        _bgcolorsrc.py
        _bordercolor.py
        _bordercolorsrc.py
        _font.py
        _namelength.py
        _namelengthsrc.py
        font
        __init__.py
        __pycache__

```

```

_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
legendgrouptitle
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ _text.py
_ _ _ _ font
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
stream
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _token.cpython-311.pyc
_ _ _ _ _maxpoints.py
_ _ _ _ _token.py
frame
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _baseframe.cpython-311.pyc
_ _ _ _ _data.cpython-311.pyc
_ _ _ _ _group.cpython-311.pyc
_ _ _ _ _layout.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _traces.cpython-311.pyc
_ _ _ _ _baseframe.py
_ _ _ _ _data.py
_ _ _ _ _group.py
_ _ _ _ _layout.py
_ _ _ _ _name.py
_ _ _ _ _traces.py
funnel
_ _ _ _ __init__.py
_ _ _ _ __pycache__

```

■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_alignmentgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_cliponaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_connector.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_constrainttext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dx.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offset.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outsidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc

■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■		_alignmentgroup.py
■	■	■	■	■	■	■	■■■■		_cliponaxis.py
■	■	■	■	■	■	■	■■■■		_connector.py
■	■	■	■	■	■	■	■■■■		_constrainttext.py
■	■	■	■	■	■	■	■■■■		_customdata.py
■	■	■	■	■	■	■	■■■■		_customdatasrc.py
■	■	■	■	■	■	■	■■■■		_dx.py
■	■	■	■	■	■	■	■■■■		_dy.py
■	■	■	■	■	■	■	■■■■		_hoverinfo.py
■	■	■	■	■	■	■	■■■■		_hoverinfosrc.py
■	■	■	■	■	■	■	■■■■		_hoverlabel.py
■	■	■	■	■	■	■	■■■■		_hovertemplate.py
■	■	■	■	■	■	■	■■■■		_hovertemplatesrc.py
■	■	■	■	■	■	■	■■■■		_hovertext.py
■	■	■	■	■	■	■	■■■■		_hovertextsrc.py
■	■	■	■	■	■	■	■■■■		_ids.py
■	■	■	■	■	■	■	■■■■		_idsrc.py
■	■	■	■	■	■	■	■■■■		_insidetextanchor.py
■	■	■	■	■	■	■	■■■■		_insidetextfont.py
■	■	■	■	■	■	■	■■■■		_legendgroup.py
■	■	■	■	■	■	■	■■■■		_legendgrouptitle.py
■	■	■	■	■	■	■	■■■■		_legendrank.py
■	■	■	■	■	■	■	■■■■		_marker.py
■	■	■	■	■	■	■	■■■■		_meta.py
■	■	■	■	■	■	■	■■■■		_metasrc.py
■	■	■	■	■	■	■	■■■■		_name.py
■	■	■	■	■	■	■	■■■■		_offset.py
■	■	■	■	■	■	■	■■■■		_offsetgroup.py
■	■	■	■	■	■	■	■■■■		_opacity.py
■	■	■	■	■	■	■	■■■■		_orientation.py
■	■	■	■	■	■	■	■■■■		_outsidetextfont.py
■	■	■	■	■	■	■	■■■■		_selectedpoints.py
■	■	■	■	■	■	■	■■■■		_showlegend.py
■	■	■	■	■	■	■	■■■■		_stream.py
■	■	■	■	■	■	■	■■■■		_text.py
■	■	■	■	■	■	■	■■■■		_textangle.py
■	■	■	■	■	■	■	■■■■		_textfont.py
■	■	■	■	■	■	■	■■■■		_textinfo.py
■	■	■	■	■	■	■	■■■■		_textposition.py
■	■	■	■	■	■	■	■■■■		_textpositionsrc.py
■	■	■	■	■	■	■	■■■■		_textsrc.py
■	■	■	■	■	■	■	■■■■		_texttemplate.py
■	■	■	■	■	■	■	■■■■		_texttemplatesrc.py
■	■	■	■	■	■	■	■■■■		_uid.py
■	■	■	■	■	■	■	■■■■		_uirevision.py
■	■	■	■	■	■	■	■■■■		_visible.py
■	■	■	■	■	■	■	■■■■		_width.py
■	■	■	■	■	■	■	■■■■		_x.py
■	■	■	■	■	■	■	■■■■		_x0.py
■	■	■	■	■	■	■	■■■■		_xaxis.py
■	■	■	■	■	■	■	■■■■		_xhoverformat.py
■	■	■	■	■	■	■	■■■■		_xperiod.py

```

_ xperiod0.py
_ xperiodalignment.py
_ xsrc.py
_ y.py
_ y0.py
_ yaxis.py
_ yhoverformat.py
_ yperiod.py
_ yperiod0.py
_ yperiodalignment.py
_ ysrc.py
connector
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _fillcolor.cpython-311.pyc
        _line.cpython-311.pyc
        _visible.cpython-311.pyc
    _fillcolor.py
    _line.py
    _visible.py
    line
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _dash.cpython-311.pyc
            _width.cpython-311.pyc
        _color.py
        _dash.py
        _width.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _bordercolorsrc.cpython-311.pyc
        _font.cpython-311.pyc
        _namelength.cpython-311.pyc
        _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc

```



```

_ _ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colrorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ insidetextfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colrorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colrorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _autocolorscale.cpython-311.pyc
_ _ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _ _cmax.cpython-311.pyc
_ _ _ _ _ _cmid.cpython-311.pyc
_ _ _ _ _ _cmin.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _coloraxis.cpython-311.pyc
_ _ _ _ _ _colorbar.cpython-311.pyc
_ _ _ _ _ _colormap.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■	_colorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_opacitysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■		_autocolorscale.py
■	■	■	■	■	■	■	■	■■■		_cauto.py
■	■	■	■	■	■	■	■	■■■		_cmax.py
■	■	■	■	■	■	■	■	■■■		_cmid.py
■	■	■	■	■	■	■	■	■■■		_cmin.py
■	■	■	■	■	■	■	■	■■■		_color.py
■	■	■	■	■	■	■	■	■■■		_coloraxis.py
■	■	■	■	■	■	■	■	■■■		_colorbar.py
■	■	■	■	■	■	■	■	■■■		_colormap.py
■	■	■	■	■	■	■	■	■■■		_colorsrc.py
■	■	■	■	■	■	■	■	■■■		_line.py
■	■	■	■	■	■	■	■	■■■		_opacity.py
■	■	■	■	■	■	■	■	■■■		_opacitysrc.py
■	■	■	■	■	■	■	■	■■■		_reversescale.py
■	■	■	■	■	■	■	■	■■■		_showscale.py
■	■	■	■	■	■	■	■	■■■		colorbar
■	■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc

[illegible]


```

_ _ _ _ _cauto.py
_ _ _ _ _cmax.py
_ _ _ _ _cmid.py
_ _ _ _ _cmin.py
_ _ _ _ _color.py
_ _ _ _ _coloraxis.py
_ _ _ _ _colorscale.py
_ _ _ _ _colorsrc.py
_ _ _ _ _reversescale.py
_ _ _ _ _width.py
_ _ _ _ _widthsrc.py
_ _ _ _ _outsidetextfont
_ _ _ _ ___init__.py
_ _ _ _ ___pycache__
_ _ _ _ ___init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ _stream
_ _ _ _ ___init__.py
_ _ _ _ ___pycache__
_ _ _ _ ___init__.cpython-311.pyc
_ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _token.cpython-311.pyc
_ _ _ _ _maxpoints.py
_ _ _ _ _token.py
_ _ _ _ _textfont
_ _ _ _ ___init__.py
_ _ _ _ ___pycache__
_ _ _ _ ___init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ _funnelarea
_ _ _ _ ___init__.py
_ _ _ _ ___pycache__
_ _ _ _ ___init__.cpython-311.pyc
_ _ _ _ _aspectratio.cpython-311.pyc
_ _ _ _ _baseratio.cpython-311.pyc
_ _ _ _ _customdata.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■■■	_labels.py	
■	■	■	■	■	■	■	■■■	_labelsrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_marker.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_scalegroup.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textfont.py	
■	■	■	■	■	■	■	■■■	_textinfo.py	
■	■	■	■	■	■	■	■■■	_textposition.py	
■	■	■	■	■	■	■	■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_values.py	
■	■	■	■	■	■	■	■■■	_valuessrc.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	domain	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_column.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_row.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_column.py	
■	■	■	■	■	■	■	■■■	_row.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_namelength.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_namelengthsrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_align.py	
■	■	■	■	■	■	■	■■■	_alignsrc.py	
■	■	■	■	■	■	■	■■■	_bgcolor.py	
■	■	■	■	■	■	■	■■■	_bgcolorsrc.py	
■	■	■	■	■	■	■	■■■	_bordercolor.py	
■	■	■	■	■	■	■	■■■	_bordercolorsrc.py	

```

font.py
    _namelength.py
    _namelengthsrc.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _colorsrc.cpython-311.pyc
            _family.cpython-311.pyc
            _familysrc.cpython-311.pyc
            _size.cpython-311.pyc
            _sizesrc.cpython-311.pyc
            _color.py
            _colorsrc.py
            _family.py
            _familysrc.py
            _size.py
            _sizesrc.py
    insidetextfont
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _colorsrc.cpython-311.pyc
            _family.cpython-311.pyc
            _familysrc.cpython-311.pyc
            _size.cpython-311.pyc
            _sizesrc.cpython-311.pyc
            _color.py
            _colorsrc.py
            _family.py
            _familysrc.py
            _size.py
            _sizesrc.py
    legendgrouptitle
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc
            _text.cpython-311.pyc
            _font.py
            _text.py
            font
                __init__.py
                __pycache__
                    __init__.cpython-311.pyc
                    _color.cpython-311.pyc
                    _family.cpython-311.pyc
                    _size.cpython-311.pyc
                    _color.py
                    _family.py
                    _size.py
    marker
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _colors.cpython-311.pyc

```



```

_ colorsrc.cpython-311.pyc
_ _line.cpython-311.pyc
_ colors.py
_ colorsrc.py
_ _line.py
_ line
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _color.cpython-311.pyc
_ _colorsrc.cpython-311.pyc
_ _width.cpython-311.pyc
_ _widthsrc.cpython-311.pyc
_ _color.py
_ _colorsrc.py
_ _width.py
_ _widthsrc.py
stream
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _maxpoints.cpython-311.pyc
_ _token.cpython-311.pyc
_ _maxpoints.py
_ _token.py
textfont
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _color.cpython-311.pyc
_ _colorsrc.cpython-311.pyc
_ _family.cpython-311.pyc
_ _familysrc.cpython-311.pyc
_ _size.cpython-311.pyc
_ _sizesrc.cpython-311.pyc
_ _color.py
_ _colorsrc.py
_ _family.py
_ _familysrc.py
_ _size.py
_ _sizesrc.py
title
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _position.cpython-311.pyc
_ _text.cpython-311.pyc
_ _font.py
_ _position.py
_ _text.py
font
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _color.cpython-311.pyc
_ _colorsrc.cpython-311.pyc
_ _family.cpython-311.pyc

```

```

_ familysrc.cpython-311.pyc
_ size.cpython-311.pyc
_ sizesrc.cpython-311.pyc
_ color.py
_ colorsrc.py
_ family.py
_ familysrc.py
_ size.py
_ sizesrc.py
heatmap
__init__.py
__pycache__
__init__.cpython-311.pyc
_autocolorscale.cpython-311.pyc
_coloraxis.cpython-311.pyc
_colorbar.cpython-311.pyc
_colorscale.cpython-311.pyc
_connectgaps.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc
_dx.cpython-311.pyc
_dy.cpython-311.pyc
_hoverinfo.cpython-311.pyc
_hoverinfosrc.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_hoverongaps.cpython-311.pyc
_hovertemplate.cpython-311.pyc
_hovertemplatesrc.cpython-311.pyc
_hovertext.cpython-311.pyc
_hovertextsrc.cpython-311.pyc
_ids.cpython-311.pyc
_idssrc.cpython-311.pyc
_legendgroup.cpython-311.pyc
_legendgrouptitle.cpython-311.pyc
_legendrank.cpython-311.pyc
_meta.cpython-311.pyc
 metasrc.cpython-311.pyc
_name.cpython-311.pyc
_opacity.cpython-311.pyc
_reversescale.cpython-311.pyc
_showlegend.cpython-311.pyc
_showscale.cpython-311.pyc
_stream.cpython-311.pyc
_text.cpython-311.pyc
_textsrc.cpython-311.pyc
_transpose.cpython-311.pyc
_uid.cpython-311.pyc
_uirevision.cpython-311.pyc
_visible.cpython-311.pyc
_x.cpython-311.pyc
_x0.cpython-311.pyc
_xaxis.cpython-311.pyc
_xcalendar.cpython-311.pyc
_xgap.cpython-311.pyc
_xhoverformat.cpython-311.pyc
_xperiod.cpython-311.pyc
_xperiod0.cpython-311.pyc
_xperiodalignment.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■■■	_x0.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xgap.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xperiod.py	
■	■	■	■	■	■	■	■■■	_xperiod0.py	
■	■	■	■	■	■	■	■■■	_xperiodalignment.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_xtype.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_y0.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_ygap.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_yperiod.py	
■	■	■	■	■	■	■	■■■	_yperiod0.py	
■	■	■	■	■	■	■	■■■	_yperiodalignment.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_ytype.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsmooth.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■■■■	_dtick.py	
■	■	■	■	■	■	■	■	■■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■■■■	_len.py	
■	■	■	■	■	■	■	■	■■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■■■■	_nticks.py	
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_thickness.py	
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py	
■	■	■	■	■	■	■	■	■■■■	_tick0.py	
■	■	■	■	■	■	■	■	■■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py	
■	■	■	■	■	■	■	■	■■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_ticks.py	
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■■■■	_title.py	
■	■	■	■	■	■	■	■	■■■■	_x.py	

```

_anchors.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc

```

```

████ _bordercolorsrc.cpython-311.pyc
████ _font.cpython-311.pyc
████ _namelength.cpython-311.pyc
████ _namelengthsrc.cpython-311.pyc
████ _align.py
████ _alignsrc.py
████ _bgcolor.py
████ _bgcolorsrc.py
████ _bordercolor.py
████ _bordercolorsrc.py
████ _font.py
████ _namelength.py
████ _namelengthsrc.py
████ font
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _colorsrc.cpython-311.pyc
████ _family.cpython-311.pyc
████ _familysrc.cpython-311.pyc
████ _size.cpython-311.pyc
████ _sizesrc.cpython-311.pyc
████ _color.py
████ _colorsrc.py
████ _family.py
████ _familysrc.py
████ _size.py
████ _sizesrc.py
████ legendgrouptitle
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _font.cpython-311.pyc
████ _text.cpython-311.pyc
████ _font.py
████ _text.py
████ font
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _family.cpython-311.pyc
████ _size.cpython-311.pyc
████ _color.py
████ _family.py
████ _size.py
████ stream
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _maxpoints.cpython-311.pyc
████ _token.cpython-311.pyc
████ _maxpoints.py
████ _token.py
████ heatmapgl
████ __init__.py
████ __pycache__

```

■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_coloraxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dx.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_transpose.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xtype.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ytype.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsmooth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py
■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colormap.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_dx.py
■	■	■	■	■	■	■	■	■■■■	_dy.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_ids.py

■	■	■	■	■	■	■	■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_transpose.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_x0.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_xtype.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_y0.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_ytype.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsmooth.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc

```

■ ■ ■ ■ _tickfont.cpython-311.pyc
■ ■ ■ ■ _tickformat.cpython-311.pyc
■ ■ ■ ■ _tickformatstopdefaults.cpython-311.pyc
■ ■ ■ ■ _tickformatstops.cpython-311.pyc
■ ■ ■ ■ _ticklabeloverflow.cpython-311.pyc
■ ■ ■ ■ _ticklabelposition.cpython-311.pyc
■ ■ ■ ■ _ticklen.cpython-311.pyc
■ ■ ■ ■ _tickmode.cpython-311.pyc
■ ■ ■ ■ _tickprefix.cpython-311.pyc
■ ■ ■ ■ _ticks.cpython-311.pyc
■ ■ ■ ■ _ticksuffix.cpython-311.pyc
■ ■ ■ ■ _ticktext.cpython-311.pyc
■ ■ ■ ■ _ticktextsrc.cpython-311.pyc
■ ■ ■ ■ _tickvals.cpython-311.pyc
■ ■ ■ ■ _tickvalssrc.cpython-311.pyc
■ ■ ■ ■ _tickwidth.cpython-311.pyc
■ ■ ■ ■ _title.cpython-311.pyc
■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ _xanchor.cpython-311.pyc
■ ■ ■ ■ _xpad.cpython-311.pyc
■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ _yanchor.cpython-311.pyc
■ ■ ■ ■ _ypad.cpython-311.pyc
■ ■ ■ ■ _bgcolor.py
■ ■ ■ ■ _bordercolor.py
■ ■ ■ ■ _borderwidth.py
■ ■ ■ ■ _dtick.py
■ ■ ■ ■ _exponentformat.py
■ ■ ■ ■ _len.py
■ ■ ■ ■ _lenmode.py
■ ■ ■ ■ _minexponent.py
■ ■ ■ ■ _nticks.py
■ ■ ■ ■ _outlinecolor.py
■ ■ ■ ■ _outlinewidth.py
■ ■ ■ ■ _separatethousands.py
■ ■ ■ ■ _showexponent.py
■ ■ ■ ■ _showticklabels.py
■ ■ ■ ■ _showtickprefix.py
■ ■ ■ ■ _showticksuffix.py
■ ■ ■ ■ _thickness.py
■ ■ ■ ■ _thicknessmode.py
■ ■ ■ ■ _tick0.py
■ ■ ■ ■ _tickangle.py
■ ■ ■ ■ _tickcolor.py
■ ■ ■ ■ _tickfont.py
■ ■ ■ ■ _tickformat.py
■ ■ ■ ■ _tickformatstopdefaults.py
■ ■ ■ ■ _tickformatstops.py
■ ■ ■ ■ _ticklabeloverflow.py
■ ■ ■ ■ _ticklabelposition.py
■ ■ ■ ■ _ticklen.py
■ ■ ■ ■ _tickmode.py
■ ■ ■ ■ _tickprefix.py
■ ■ ■ ■ _ticks.py
■ ■ ■ ■ _ticksuffix.py
■ ■ ■ ■ _ticktext.py
■ ■ ■ ■ _ticktextsrc.py
■ ■ ■ ■ _tickvals.py

```

```

_ tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
_tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
_tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
_title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
_hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc

```

```

    [ ] _alignsrc.cpython-311.pyc
    [ ] _bgcolor.cpython-311.pyc
    [ ] _bgcolorsrc.cpython-311.pyc
    [ ] _bordercolor.cpython-311.pyc
    [ ] _bordercolorsrc.cpython-311.pyc
    [ ] _font.cpython-311.pyc
    [ ] _namelength.cpython-311.pyc
    [ ] _namelengthsrc.cpython-311.pyc
    [ ] _align.py
    [ ] _alignsrc.py
    [ ] _bgcolor.py
    [ ] _bgcolorsrc.py
    [ ] _bordercolor.py
    [ ] _bordercolorsrc.py
    [ ] _font.py
    [ ] _namelength.py
    [ ] _namelengthsrc.py
    [ ] font
    [ ] _init__.py
    [ ] __pycache__
    [ ] _init__.cpython-311.pyc
    [ ] _color.cpython-311.pyc
    [ ] _colorsrc.cpython-311.pyc
    [ ] _family.cpython-311.pyc
    [ ] _familysrc.cpython-311.pyc
    [ ] _size.cpython-311.pyc
    [ ] _sizesrc.cpython-311.pyc
    [ ] _color.py
    [ ] _colorsrc.py
    [ ] _family.py
    [ ] _familysrc.py
    [ ] _size.py
    [ ] _sizesrc.py
    [ ] legendgrouptitle
    [ ] _init__.py
    [ ] __pycache__
    [ ] _init__.cpython-311.pyc
    [ ] _font.cpython-311.pyc
    [ ] _text.cpython-311.pyc
    [ ] _font.py
    [ ] _text.py
    [ ] font
    [ ] _init__.py
    [ ] __pycache__
    [ ] _init__.cpython-311.pyc
    [ ] _color.cpython-311.pyc
    [ ] _family.cpython-311.pyc
    [ ] _size.cpython-311.pyc
    [ ] _color.py
    [ ] _family.py
    [ ] _size.py
    [ ] stream
    [ ] _init__.py
    [ ] __pycache__
    [ ] _init__.cpython-311.pyc
    [ ] _maxpoints.cpython-311.pyc
    [ ] _token.cpython-311.pyc
    [ ] _maxpoints.py

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _token.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ histogram
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _alignmentgroup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _autobinx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _autobiny.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _bingroup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _cumulative.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _customdata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _customdatasrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _error_x.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _error_y.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _histfunc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _histnorm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hoverinfo.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hoverinfosrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hoverlabel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hovertemplate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hovertemplatesrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hovertext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hovertextsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _ids.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _idsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _legendgroup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _legendgrouptitle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _legendrank.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _marker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _meta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _metasrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _name.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _nbinsx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _nbinsy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _offsetgroup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _opacity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _orientation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _selected.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _selectedpoints.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _showlegend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _stream.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _textsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _uid.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _uirevision.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _unselected.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _visible.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xaxis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xbins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xcalendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xhoverformat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _yaxis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _ybins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _ycalendar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _yhoverformat.cpython-311.pyc
```

[illegible]

```

_ _ _ _ _init__ .cpython-311.pyc
_ _ _ _ _currentbin.cpython-311.pyc
_ _ _ _ _direction.cpython-311.pyc
_ _ _ _ _enabled.cpython-311.pyc
_ _ _ _ _currentbin.py
_ _ _ _ _direction.py
_ _ _ _ _enabled.py
_ _ _ _ _error_x
_ _ _ _ _init__ .py
_ _ _ _ _pycache__
_ _ _ _ _init__ .cpython-311.pyc
_ _ _ _ _array.cpython-311.pyc
_ _ _ _ _arrayminus.cpython-311.pyc
_ _ _ _ _arrayminussrc.cpython-311.pyc
_ _ _ _ _arraysrc.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _copy_ystyle.cpython-311.pyc
_ _ _ _ _symmetric.cpython-311.pyc
_ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _traceref.cpython-311.pyc
_ _ _ _ _tracerefminus.cpython-311.pyc
_ _ _ _ _type.cpython-311.pyc
_ _ _ _ _value.cpython-311.pyc
_ _ _ _ _valueminus.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _array.py
_ _ _ _ _arrayminus.py
_ _ _ _ _arrayminussrc.py
_ _ _ _ _arraysrc.py
_ _ _ _ _color.py
_ _ _ _ _copy_ystyle.py
_ _ _ _ _symmetric.py
_ _ _ _ _thickness.py
_ _ _ _ _traceref.py
_ _ _ _ _tracerefminus.py
_ _ _ _ _type.py
_ _ _ _ _value.py
_ _ _ _ _valueminus.py
_ _ _ _ _visible.py
_ _ _ _ _width.py
_ _ _ _ _error_y
_ _ _ _ _init__ .py
_ _ _ _ _pycache__
_ _ _ _ _init__ .cpython-311.pyc
_ _ _ _ _array.cpython-311.pyc
_ _ _ _ _arrayminus.cpython-311.pyc
_ _ _ _ _arrayminussrc.cpython-311.pyc
_ _ _ _ _arraysrc.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _symmetric.cpython-311.pyc
_ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _traceref.cpython-311.pyc
_ _ _ _ _tracerefminus.cpython-311.pyc
_ _ _ _ _type.cpython-311.pyc
_ _ _ _ _value.cpython-311.pyc
_ _ _ _ _valueminus.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc

```

```

_ width.cpython-311.pyc
_ array.py
_ arrayminus.py
_ arrayminussrc.py
_ arraysrc.py
_ color.py
_ symmetric.py
_ thickness.py
_ traceref.py
_ tracerefminus.py
_ type.py
_ value.py
_ valueminus.py
_ visible.py
_ width.py
    hoverlabel
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _align.cpython-311.pyc
            _alignsrc.cpython-311.pyc
            _bgcolor.cpython-311.pyc
            _bgcolorsrc.cpython-311.pyc
            _bordercolor.cpython-311.pyc
            _bordercolorsrc.cpython-311.pyc
            _font.cpython-311.pyc
            _namelength.cpython-311.pyc
            _namelengthsrc.cpython-311.pyc
        _align.py
        _alignsrc.py
        _bgcolor.py
        _bgcolorsrc.py
        _bordercolor.py
        _bordercolorsrc.py
        _font.py
        _namelength.py
        _namelengthsrc.py
        font
            __init__.py
            __pycache__
                __init__.cpython-311.pyc
                _color.cpython-311.pyc
                _colorsrc.cpython-311.pyc
                _family.cpython-311.pyc
                _familysrc.cpython-311.pyc
                _size.cpython-311.pyc
                _sizesrc.cpython-311.pyc
            _color.py
            _colorsrc.py
            _family.py
            _familysrc.py
            _size.py
            _sizesrc.py
    legendgrouptitle
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc

```



```

    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _colormap.cpython-311.pyc
    _colormapsrc.cpython-311.pyc
    _line.cpython-311.pyc
    _opacity.cpython-311.pyc
    _opacitysrc.cpython-311.pyc
    _pattern.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _showscale.cpython-311.pyc
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorbar.py
    _colormap.py
    _colormapsrc.py
    _line.py
    _opacity.py
    _opacitysrc.py
    _pattern.py
    _reversescale.py
    _showscale.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _borderwidth.cpython-311.pyc
    _dtick.cpython-311.pyc
    _exponentformat.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_len.py
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py

```

_ _ _ _ _ tickangle.py
_ _ _ _ _ tickcolor.py
_ _ _ _ _ tickfont.py
_ _ _ _ _ tickformat.py
_ _ _ _ _ tickformatstopdefaults.py
_ _ _ _ _ tickformatstops.py
_ _ _ _ _ ticklabeloverflow.py
_ _ _ _ _ ticklabelposition.py
_ _ _ _ _ ticklen.py
_ _ _ _ _ tickmode.py
_ _ _ _ _ tickprefix.py
_ _ _ _ _ ticks.py
_ _ _ _ _ ticksuffix.py
_ _ _ _ _ ticktext.py
_ _ _ _ _ ticktextsrc.py
_ _ _ _ _ tickvals.py
_ _ _ _ _ tickvalssrc.py
_ _ _ _ _ tickwidth.py
_ _ _ _ _ title.py
_ _ _ _ _ x.py
_ _ _ _ _ xanchor.py
_ _ _ _ _ xpad.py
_ _ _ _ _ y.py
_ _ _ _ _ yanchor.py
_ _ _ _ _ ypad.py
_ _ _ _ _ tickfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ tickformatstop
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _dtickrange.cpython-311.pyc
_ _ _ _ _ _enabled.cpython-311.pyc
_ _ _ _ _ _name.cpython-311.pyc
_ _ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _ _value.cpython-311.pyc
_ _ _ _ _ _dtickrange.py
_ _ _ _ _ _enabled.py
_ _ _ _ _ _name.py
_ _ _ _ _ _templateitemname.py
_ _ _ _ _ _value.py
_ _ _ _ _ title
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _side.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _side.py

```



```

_fgcolorsrc.py
_fgopacity.py
_fillmode.py
_shape.py
_shapescr.py
_size.py
_sizesrc.py
_solidity.py
_soliditysrc.py
selected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_textfont.cpython-311.pyc
_marker.py
_textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_opacity.cpython-311.pyc
_color.py
_opacity.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_color.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_textfont.cpython-311.pyc
_marker.py
_textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_opacity.cpython-311.pyc
_color.py
_opacity.py
textfont
__init__.py
__pycache__

```

```

■ ■ ■ _init__.cpython-311.pyc
■ ■ ■ _color.cpython-311.pyc
■ ■ ■ _color.py
■ ■ ■ xbins
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _end.cpython-311.pyc
■ ■ ■ _size.cpython-311.pyc
■ ■ ■ _start.cpython-311.pyc
■ ■ ■ _end.py
■ ■ ■ _size.py
■ ■ ■ _start.py
■ ■ ■ ybins
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _end.cpython-311.pyc
■ ■ ■ _size.cpython-311.pyc
■ ■ ■ _start.cpython-311.pyc
■ ■ ■ _end.py
■ ■ ■ _size.py
■ ■ ■ _start.py
■ ■ ■ histogram2d
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _autobinx.cpython-311.pyc
■ ■ ■ _autobiny.cpython-311.pyc
■ ■ ■ _autocolorscale.cpython-311.pyc
■ ■ ■ _bingroup.cpython-311.pyc
■ ■ ■ _coloraxis.cpython-311.pyc
■ ■ ■ _colorbar.cpython-311.pyc
■ ■ ■ _colorscale.cpython-311.pyc
■ ■ ■ _customdata.cpython-311.pyc
■ ■ ■ _customdatasrc.cpython-311.pyc
■ ■ ■ _histfunc.cpython-311.pyc
■ ■ ■ _histnorm.cpython-311.pyc
■ ■ ■ _hoverinfo.cpython-311.pyc
■ ■ ■ _hoverinfosrc.cpython-311.pyc
■ ■ ■ _hoverlabel.cpython-311.pyc
■ ■ ■ _hovertemplate.cpython-311.pyc
■ ■ ■ _hovertemplatesrc.cpython-311.pyc
■ ■ ■ _ids.cpython-311.pyc
■ ■ ■ _idssrc.cpython-311.pyc
■ ■ ■ _legendgroup.cpython-311.pyc
■ ■ ■ _legendgrouptitle.cpython-311.pyc
■ ■ ■ _legendrank.cpython-311.pyc
■ ■ ■ _marker.cpython-311.pyc
■ ■ ■ _meta.cpython-311.pyc
■ ■ ■ _metasrc.cpython-311.pyc
■ ■ ■ _name.cpython-311.pyc
■ ■ ■ _nbinsx.cpython-311.pyc
■ ■ ■ _nbinsy.cpython-311.pyc
■ ■ ■ _opacity.cpython-311.pyc
■ ■ ■ _reversescale.cpython-311.pyc
■ ■ ■ _showlegend.cpython-311.pyc
■ ■ ■ _showscalesource.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xbingroup.py	
■	■	■	■	■	■	■	■■■	_xbins.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xgap.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ybingroup.py	
■	■	■	■	■	■	■	■■■	_ybins.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_ygap.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsmooth.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■■■■	_dtick.py	
■	■	■	■	■	■	■	■	■■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■■■■	_len.py	
■	■	■	■	■	■	■	■	■■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■■■■	_nticks.py	
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_thickness.py	
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py	
■	■	■	■	■	■	■	■	■■■■	_tick0.py	
■	■	■	■	■	■	■	■	■■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py	
■	■	■	■	■	■	■	■	■■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_ticks.py	
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■■■■	_title.py	
■	■	■	■	■	■	■	■	■■■■	_x.py	

```

_anchors.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc

```

```

_ bordercolorsrc.cpython-311.pyc
_ font.cpython-311.pyc
_ namelength.cpython-311.pyc
_ namelengthsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_color.py
_colorsrc.py
stream
__init__.py
__pycache__

```

[illegible]

[illegible]

■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_nbinsx.py	
■	■	■	■	■	■	■	■■■	_nbinsy.py	
■	■	■	■	■	■	■	■■■	_ncontours.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_xbingroup.py	
■	■	■	■	■	■	■	■■■	_xbins.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	_ybingroup.py	
■	■	■	■	■	■	■	■■■	_ybins.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zauto.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zmax.py	
■	■	■	■	■	■	■	■■■	_zmid.py	
■	■	■	■	■	■	■	■■■	_zmin.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc

```

■ ■ ■ ■ _tickfont.cpython-311.pyc
■ ■ ■ ■ _tickformat.cpython-311.pyc
■ ■ ■ ■ _tickformatstopdefaults.cpython-311.pyc
■ ■ ■ ■ _tickformatstops.cpython-311.pyc
■ ■ ■ ■ _ticklabeloverflow.cpython-311.pyc
■ ■ ■ ■ _ticklabelposition.cpython-311.pyc
■ ■ ■ ■ _ticklen.cpython-311.pyc
■ ■ ■ ■ _tickmode.cpython-311.pyc
■ ■ ■ ■ _tickprefix.cpython-311.pyc
■ ■ ■ ■ _ticks.cpython-311.pyc
■ ■ ■ ■ _ticksuffix.cpython-311.pyc
■ ■ ■ ■ _ticktext.cpython-311.pyc
■ ■ ■ ■ _ticktextsrc.cpython-311.pyc
■ ■ ■ ■ _tickvals.cpython-311.pyc
■ ■ ■ ■ _tickvalssrc.cpython-311.pyc
■ ■ ■ ■ _tickwidth.cpython-311.pyc
■ ■ ■ ■ _title.cpython-311.pyc
■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ _xanchor.cpython-311.pyc
■ ■ ■ ■ _xpad.cpython-311.pyc
■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ _yanchor.cpython-311.pyc
■ ■ ■ ■ _ypad.cpython-311.pyc
■ ■ ■ ■ _bgcolor.py
■ ■ ■ ■ _bordercolor.py
■ ■ ■ ■ _borderwidth.py
■ ■ ■ ■ _dtick.py
■ ■ ■ ■ _exponentformat.py
■ ■ ■ ■ _len.py
■ ■ ■ ■ _lenmode.py
■ ■ ■ ■ _minexponent.py
■ ■ ■ ■ _nticks.py
■ ■ ■ ■ _outlinecolor.py
■ ■ ■ ■ _outlinewidth.py
■ ■ ■ ■ _separatethousands.py
■ ■ ■ ■ _showexponent.py
■ ■ ■ ■ _showticklabels.py
■ ■ ■ ■ _showtickprefix.py
■ ■ ■ ■ _showticksuffix.py
■ ■ ■ ■ _thickness.py
■ ■ ■ ■ _thicknessmode.py
■ ■ ■ ■ _tick0.py
■ ■ ■ ■ _tickangle.py
■ ■ ■ ■ _tickcolor.py
■ ■ ■ ■ _tickfont.py
■ ■ ■ ■ _tickformat.py
■ ■ ■ ■ _tickformatstopdefaults.py
■ ■ ■ ■ _tickformatstops.py
■ ■ ■ ■ _ticklabeloverflow.py
■ ■ ■ ■ _ticklabelposition.py
■ ■ ■ ■ _ticklen.py
■ ■ ■ ■ _tickmode.py
■ ■ ■ ■ _tickprefix.py
■ ■ ■ ■ _ticks.py
■ ■ ■ ■ _ticksuffix.py
■ ■ ■ ■ _ticktext.py
■ ■ ■ ■ _ticktextsrc.py
■ ■ ■ ■ _tickvals.py

```

```

_ tickvalssrc.py
_ tickwidth.py
_ title.py
_ x.py
_ xanchor.py
_ xpad.py
_ y.py
_ yanchor.py
_ ypad.py
tickfont
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        _init__.py
        __pycache__
            _init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
contours
    _init__.py
    __pycache__
        _init__.cpython-311.pyc
        _coloring.cpython-311.pyc

```


■	■	■	■	■	■	■	■	■	■■■■	_end.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_labelfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_labelformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_operation.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showlabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showlines.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_start.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■		_coloring.py
■	■	■	■	■	■	■	■	■■■■		_end.py
■	■	■	■	■	■	■	■	■■■■		_labelfont.py
■	■	■	■	■	■	■	■	■■■■		_labelformat.py
■	■	■	■	■	■	■	■	■■■■		_operation.py
■	■	■	■	■	■	■	■	■■■■		_showlabels.py
■	■	■	■	■	■	■	■	■■■■		_showlines.py
■	■	■	■	■	■	■	■	■■■■		_size.py
■	■	■	■	■	■	■	■	■■■■		_start.py
■	■	■	■	■	■	■	■	■■■■		_type.py
■	■	■	■	■	■	■	■	■■■■		_value.py
■	■	■	■	■	■	■	■	■■■■		labelfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■■■■			hoverlabel
■	■	■	■	■	■	■	■	■■■■		__init__.py
■	■	■	■	■	■	■	■	■■■■		__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_namelength.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_namelengthsrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■			_align.py
■	■	■	■	■	■	■	■■■■			_alignsrc.py
■	■	■	■	■	■	■	■■■■			_bgcolor.py
■	■	■	■	■	■	■	■■■■			_bgcolorsrc.py
■	■	■	■	■	■	■	■■■■			_bordercolor.py
■	■	■	■	■	■	■	■■■■			_bordercolorsrc.py
■	■	■	■	■	■	■	■■■■			_font.py
■	■	■	■	■	■	■	■■■■			_namelength.py
■	■	■	■	■	■	■	■■■■			_namelengthsrc.py
■	■	■	■	■	■	■	■■■■			font
■	■	■	■	■	■	■	■	■■■■		__init__.py
■	■	■	■	■	■	■	■	■■■■		__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc

```

_ _ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _font.py
_ _ _ _ _ _ _ _ _ _ _ _text.py
_ _ _ _ _ _ _ _ _ _ _ font
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.py
_ _ _ _ _ _ _ _ _ _ _ _family.py
_ _ _ _ _ _ _ _ _ _ _ _size.py
_ _ _ _ _ line
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _dash.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _smoothing.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _width.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.py
_ _ _ _ _ _ _ _ _ _ _ _dash.py
_ _ _ _ _ _ _ _ _ _ _ _smoothing.py
_ _ _ _ _ _ _ _ _ _ _ _width.py
_ _ _ _ _ marker
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.py
_ _ _ _ _ _ _ _ _ _ _ _colorsrc.py
_ _ _ _ _ stream
_ _ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _token.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _maxpoints.py
_ _ _ _ _ _ _ _ _ _ _ _token.py
_ _ _ _ _ xbins

```

```

    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ __end.cpython-311.pyc
    ████ __size.cpython-311.pyc
    ████ __start.cpython-311.pyc
    ████ __end.py
    ████ __size.py
    ████ __start.py
    ████ ybins
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ __end.cpython-311.pyc
    ████ __size.cpython-311.pyc
    ████ __start.cpython-311.pyc
    ████ __end.py
    ████ __size.py
    ████ __start.py
    ████ icicle
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _branchvalues.cpython-311.pyc
    ████ _count.cpython-311.pyc
    ████ _customdata.cpython-311.pyc
    ████ _customdatasrc.cpython-311.pyc
    ████ _domain.cpython-311.pyc
    ████ _hoverinfo.cpython-311.pyc
    ████ _hoverinfosrc.cpython-311.pyc
    ████ _hoverlabel.cpython-311.pyc
    ████ _hovertemplate.cpython-311.pyc
    ████ _hovertemplatesrc.cpython-311.pyc
    ████ _hovertime.cpython-311.pyc
    ████ _hovertime_src.cpython-311.pyc
    ████ _ids.cpython-311.pyc
    ████ _idssrc.cpython-311.pyc
    ████ _insidetextfont.cpython-311.pyc
    ████ _labels.cpython-311.pyc
    ████ _labelssrc.cpython-311.pyc
    ████ _leaf.cpython-311.pyc
    ████ _legendgrouptitle.cpython-311.pyc
    ████ _legendrank.cpython-311.pyc
    ████ _level.cpython-311.pyc
    ████ _marker.cpython-311.pyc
    ████ _maxdepth.cpython-311.pyc
    ████ _meta.cpython-311.pyc
    ████ _metasrc.cpython-311.pyc
    ████ _name.cpython-311.pyc
    ████ _opacity.cpython-311.pyc
    ████ _outsidetextfont.cpython-311.pyc
    ████ _parents.cpython-311.pyc
    ████ _parentssrc.cpython-311.pyc
    ████ _pathbar.cpython-311.pyc
    ████ _root.cpython-311.pyc
    ████ _sort.cpython-311.pyc
    ████ _stream.cpython-311.pyc
    ████ _text.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tiling.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_valuessrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■		_branchvalues.py
■	■	■	■	■	■	■	■■■■		_count.py
■	■	■	■	■	■	■	■■■■		_customdata.py
■	■	■	■	■	■	■	■■■■		_customdatasrc.py
■	■	■	■	■	■	■	■■■■		_domain.py
■	■	■	■	■	■	■	■■■■		_hoverinfo.py
■	■	■	■	■	■	■	■■■■		_hoverinfosrc.py
■	■	■	■	■	■	■	■■■■		_hoverlabel.py
■	■	■	■	■	■	■	■■■■		_hovertemplate.py
■	■	■	■	■	■	■	■■■■		_hovertemplatesrc.py
■	■	■	■	■	■	■	■■■■		_hovertext.py
■	■	■	■	■	■	■	■■■■		_hovertextsrc.py
■	■	■	■	■	■	■	■■■■		_ids.py
■	■	■	■	■	■	■	■■■■		_idsrc.py
■	■	■	■	■	■	■	■■■■		_insidetextfont.py
■	■	■	■	■	■	■	■■■■		_labels.py
■	■	■	■	■	■	■	■■■■		_labelsrc.py
■	■	■	■	■	■	■	■■■■		_leaf.py
■	■	■	■	■	■	■	■■■■		_legendgrouptitle.py
■	■	■	■	■	■	■	■■■■		_legendrank.py
■	■	■	■	■	■	■	■■■■		_level.py
■	■	■	■	■	■	■	■■■■		_marker.py
■	■	■	■	■	■	■	■■■■		_maxdepth.py
■	■	■	■	■	■	■	■■■■		_meta.py
■	■	■	■	■	■	■	■■■■		_metasrc.py
■	■	■	■	■	■	■	■■■■		_name.py
■	■	■	■	■	■	■	■■■■		_opacity.py
■	■	■	■	■	■	■	■■■■		_outsidetextfont.py
■	■	■	■	■	■	■	■■■■		_parents.py
■	■	■	■	■	■	■	■■■■		_parentsrc.py
■	■	■	■	■	■	■	■■■■		_pathbar.py
■	■	■	■	■	■	■	■■■■		_root.py
■	■	■	■	■	■	■	■■■■		_sort.py
■	■	■	■	■	■	■	■■■■		_stream.py
■	■	■	■	■	■	■	■■■■		_text.py
■	■	■	■	■	■	■	■■■■		_textfont.py
■	■	■	■	■	■	■	■■■■		_textinfo.py
■	■	■	■	■	■	■	■■■■		_textposition.py
■	■	■	■	■	■	■	■■■■		_textsrc.py
■	■	■	■	■	■	■	■■■■		_texttemplate.py
■	■	■	■	■	■	■	■■■■		_texttemplatesrc.py
■	■	■	■	■	■	■	■■■■		_tiling.py
■	■	■	■	■	■	■	■■■■		_uid.py
■	■	■	■	■	■	■	■■■■		_uirevision.py
■	■	■	■	■	■	■	■■■■		_values.py
■	■	■	■	■	■	■	■■■■		_valuessrc.py

```

    _visible.py
    domain
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _column.cpython-311.pyc
    _row.cpython-311.pyc
    _x.cpython-311.pyc
    _y.cpython-311.pyc
    _column.py
    _row.py
    _x.py
    _y.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _align.cpython-311.pyc
    _alignsrc.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolorsrc.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    insidetextfont
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc

```

```

_ familysrc.cpython-311.pyc
_ size.cpython-311.pyc
_ sizesrc.cpython-311.pyc
_ color.py
_ colorsrc.py
_ family.py
_ familysrc.py
_ size.py
_ sizesrc.py
leaf
_ __init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ _opacity.cpython-311.pyc
_ opacity.py
legendgrouptitle
_ __init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _text.cpython-311.pyc
_ font.py
_ text.py
font
_ __init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ _color.cpython-311.pyc
_ _family.cpython-311.pyc
_ _size.cpython-311.pyc
_ color.py
_ family.py
_ size.py
marker
_ __init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ autocolorscale.cpython-311.pyc
_ cauto.cpython-311.pyc
_ cmax.cpython-311.pyc
_ cmid.cpython-311.pyc
_ cmin.cpython-311.pyc
_ coloraxis.cpython-311.pyc
_ colorbar.cpython-311.pyc
_ colors.cpython-311.pyc
_ colorscale.cpython-311.pyc
_ colorssrc.cpython-311.pyc
_ line.cpython-311.pyc
_ reversescale.cpython-311.pyc
_ showscale.cpython-311.pyc
_ autocolorscale.py
_ cauto.py
_ cmax.py
_ cmid.py
_ cmin.py
_ coloraxis.py
_ colorbar.py
_ colors.py

```

■	■	■	■	■	■	■	■	■■■■	_colorscale.py
■	■	■	■	■	■	■	■	■■■■	_colorsrc.py
■	■	■	■	■	■	■	■	■■■■	_line.py
■	■	■	■	■	■	■	■	■■■■	_reversescale.py
■	■	■	■	■	■	■	■	■■■■	_showscale.py
■	■	■	■	■	■	■	■	■■■■	colorbar
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvalsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■■■■	_exponentformat.py

■	■	■	■	■	■	■	■	■	■■■■	_len.py
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.py
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc


```

    ■■■ _init_.cpython-311.pyc
    ■■■ _flip.cpython-311.pyc
    ■■■ _orientation.cpython-311.pyc
    ■■■ _pad.cpython-311.pyc
    ■■■ _flip.py
    ■■■ _orientation.py
    ■■■ _pad.py
    ■■■ image
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ _init_.cpython-311.pyc
    ■■■ _colormodel.cpython-311.pyc
    ■■■ _customdata.cpython-311.pyc
    ■■■ _customdatasrc.cpython-311.pyc
    ■■■ _dx.cpython-311.pyc
    ■■■ _dy.cpython-311.pyc
    ■■■ _hoverinfo.cpython-311.pyc
    ■■■ _hoverinfosrc.cpython-311.pyc
    ■■■ _hoverlabel.cpython-311.pyc
    ■■■ _hovertemplate.cpython-311.pyc
    ■■■ _hovertemplatesrc.cpython-311.pyc
    ■■■ _hovertext.cpython-311.pyc
    ■■■ _hovertextsrc.cpython-311.pyc
    ■■■ _ids.cpython-311.pyc
    ■■■ _idssrc.cpython-311.pyc
    ■■■ _legendgrouptitle.cpython-311.pyc
    ■■■ _legendrank.cpython-311.pyc
    ■■■ _meta.cpython-311.pyc
    ■■■ _metasrc.cpython-311.pyc
    ■■■ _name.cpython-311.pyc
    ■■■ _opacity.cpython-311.pyc
    ■■■ _source.cpython-311.pyc
    ■■■ _stream.cpython-311.pyc
    ■■■ _text.cpython-311.pyc
    ■■■ _textsrc.cpython-311.pyc
    ■■■ _uid.cpython-311.pyc
    ■■■ _uirevision.cpython-311.pyc
    ■■■ _visible.cpython-311.pyc
    ■■■ _x0.cpython-311.pyc
    ■■■ _xaxis.cpython-311.pyc
    ■■■ _y0.cpython-311.pyc
    ■■■ _yaxis.cpython-311.pyc
    ■■■ _z.cpython-311.pyc
    ■■■ _zmax.cpython-311.pyc
    ■■■ _zmin.cpython-311.pyc
    ■■■ _zsmooth.cpython-311.pyc
    ■■■ _zsrc.cpython-311.pyc
    ■■■ _colormodel.py
    ■■■ _customdata.py
    ■■■ _customdatasrc.py
    ■■■ _dx.py
    ■■■ _dy.py
    ■■■ _hoverinfo.py
    ■■■ _hoverinfosrc.py
    ■■■ _hoverlabel.py
    ■■■ _hovertemplate.py
    ■■■ _hovertemplatesrc.py
    ■■■ _hovertext.py

```

```

_hovertextsrc.py
_ids.py
_idssrc.py
_legendgrouptitle.py
_legendrank.py
_meta.py
 metasrc.py
_name.py
_opacity.py
_source.py
_stream.py
_text.py
_textsrc.py
_uid.py
_uirevision.py
_visible.py
_x0.py
_xaxis.py
_y0.py
_yaxis.py
_z.py
_zmax.py
_zmin.py
_zsmooth.py
_zsrc.py
hoverlabel
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _align.cpython-311.pyc
    _alignsrc.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolorsrc.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _colorsrc.cpython-311.pyc
        _family.cpython-311.pyc
        _familysrc.cpython-311.pyc
        _size.cpython-311.pyc
        _sizesrc.cpython-311.pyc
        _color.py

```



```
■ ■ ■ ■ ■ ■ ■ ■■■ _customdatasrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _delta.py
■ ■ ■ ■ ■ ■ ■ ■■■ _domain.py
■ ■ ■ ■ ■ ■ ■ ■■■ _gauge.py
■ ■ ■ ■ ■ ■ ■ ■■■ _ids.py
■ ■ ■ ■ ■ ■ ■ ■■■ _idssrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _legendgrouptitle.py
■ ■ ■ ■ ■ ■ ■ ■■■ _legendrank.py
■ ■ ■ ■ ■ ■ ■ ■■■ _meta.py
■ ■ ■ ■ ■ ■ ■ ■■■ _metasrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mode.py
■ ■ ■ ■ ■ ■ ■ ■■■ _name.py
■ ■ ■ ■ ■ ■ ■ ■■■ _number.py
■ ■ ■ ■ ■ ■ ■ ■■■ _stream.py
■ ■ ■ ■ ■ ■ ■ ■■■ _title.py
■ ■ ■ ■ ■ ■ ■ ■■■ _uid.py
■ ■ ■ ■ ■ ■ ■ ■■■ _uirevision.py
■ ■ ■ ■ ■ ■ ■ ■■■ _value.py
■ ■ ■ ■ ■ ■ ■ ■■■ _visible.py
■ ■ ■ ■ ■ ■ ■ ■■■ delta
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _decreasing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _font.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _increasing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _position.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _reference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _relative.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _valueformat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _decreasing.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _font.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _increasing.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _position.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _reference.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _relative.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ _valueformat.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ decreasing
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _symbol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _color.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _symbol.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ font
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _family.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _size.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _color.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _family.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _size.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ increasing
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■ ■■■ __pycache__
```

```

_ _ _ _ _init___.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _symbol.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _symbol.py
_ _ _ _ domain
_ _ _ _ _init___.py
_ _ _ _ _pycache__
_ _ _ _ _init___.cpython-311.pyc
_ _ _ _ _column.cpython-311.pyc
_ _ _ _ _row.cpython-311.pyc
_ _ _ _ _x.cpython-311.pyc
_ _ _ _ _y.cpython-311.pyc
_ _ _ _ _column.py
_ _ _ _ _row.py
_ _ _ _ _x.py
_ _ _ _ _y.py
_ _ _ _ gauge
_ _ _ _ _init___.py
_ _ _ _ _pycache__
_ _ _ _ _init___.cpython-311.pyc
_ _ _ _ _axis.cpython-311.pyc
_ _ _ _ _bar.cpython-311.pyc
_ _ _ _ _bgcolor.cpython-311.pyc
_ _ _ _ _bordercolor.cpython-311.pyc
_ _ _ _ _borderwidth.cpython-311.pyc
_ _ _ _ _shape.cpython-311.pyc
_ _ _ _ _stepdefaults.cpython-311.pyc
_ _ _ _ _steps.cpython-311.pyc
_ _ _ _ _threshold.cpython-311.pyc
_ _ _ _ _axis.py
_ _ _ _ _bar.py
_ _ _ _ _bgcolor.py
_ _ _ _ _bordercolor.py
_ _ _ _ _borderwidth.py
_ _ _ _ _shape.py
_ _ _ _ _stepdefaults.py
_ _ _ _ _steps.py
_ _ _ _ _threshold.py
_ _ _ _ axis
_ _ _ _ _init___.py
_ _ _ _ _pycache__
_ _ _ _ _init___.cpython-311.pyc
_ _ _ _ _dtick.cpython-311.pyc
_ _ _ _ _exponentformat.cpython-311.pyc
_ _ _ _ _minexponent.cpython-311.pyc
_ _ _ _ _nticks.cpython-311.pyc
_ _ _ _ _range.cpython-311.pyc
_ _ _ _ _separatethousands.cpython-311.pyc
_ _ _ _ _showexponent.cpython-311.pyc
_ _ _ _ _showticklabels.cpython-311.pyc
_ _ _ _ _showtickprefix.cpython-311.pyc
_ _ _ _ _showticksuffix.cpython-311.pyc
_ _ _ _ _tick0.cpython-311.pyc
_ _ _ _ _tickangle.cpython-311.pyc
_ _ _ _ _tickcolor.cpython-311.pyc
_ _ _ _ _tickfont.cpython-311.pyc
_ _ _ _ _tickformat.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py	
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_range.py	
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■	■	■	■■■	tickfont	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_color.py	
■	■	■	■	■	■	■	■	■	■	■■■	_family.py	
■	■	■	■	■	■	■	■	■	■	■■■	_size.py	
■	■	■	■	■	■	■	■	■	■	■■■	tickformatstop	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_name.cpython-311.pyc

[illegible]

```

_ _ _ _ _ showlegend.py
_ _ _ _ _ _ showscale.py
_ _ _ _ _ _ slices.py
_ _ _ _ _ _ spaceframe.py
_ _ _ _ _ _ stream.py
_ _ _ _ _ _ surface.py
_ _ _ _ _ _ text.py
_ _ _ _ _ _ textsrc.py
_ _ _ _ _ _ uid.py
_ _ _ _ _ _ uirevision.py
_ _ _ _ _ _ value.py
_ _ _ _ _ _ valuehoverformat.py
_ _ _ _ _ _ valuesrc.py
_ _ _ _ _ _ visible.py
_ _ _ _ _ _ x.py
_ _ _ _ _ _ xhoverformat.py
_ _ _ _ _ _ xsrc.py
_ _ _ _ _ _ y.py
_ _ _ _ _ _ yhoverformat.py
_ _ _ _ _ _ ysrc.py
_ _ _ _ _ _ z.py
_ _ _ _ _ _ zhoverformat.py
_ _ _ _ _ _ zsrc.py
_ _ _ _ _ caps
_ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _x.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _y.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _z.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _x.py
_ _ _ _ _ _ _ _ _ _ _y.py
_ _ _ _ _ _ _ _ _ _ _z.py
_ _ _ _ _ _ _ _ _ _ x
_ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _fill.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _show.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _fill.py
_ _ _ _ _ _ _ _ _ _ _show.py
_ _ _ _ _ _ _ _ _ _ y
_ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _fill.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _show.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _fill.py
_ _ _ _ _ _ _ _ _ _ _show.py
_ _ _ _ _ _ _ _ _ _ z
_ _ _ _ _ _ _ _ _ _ __init__.py
_ _ _ _ _ _ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _fill.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _show.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _fill.py
_ _ _ _ _ _ _ _ _ _ _show.py
_ _ _ _ _ colorbar

```

■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■■■■	_len.py
■	■	■	■	■	■	■	■	■■■■	_lenmode.py
■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■■■■	_linewidth.py

```

████ _separatethousands.py
████ _showexponent.py
████ _showticklabels.py
████ _showtickprefix.py
████ _showticksuffix.py
████ _thickness.py
████ _thicknessmode.py
████ _tick0.py
████ _tickangle.py
████ _tickcolor.py
████ _tickfont.py
████ _tickformat.py
████ _tickformatstopdefaults.py
████ _tickformatstops.py
████ _ticklabeloverflow.py
████ _ticklabelposition.py
████ _ticklen.py
████ _tickmode.py
████ _tickprefix.py
████ _ticks.py
████ _ticksuffix.py
████ _ticktext.py
████ _ticktextsrc.py
████ _tickvals.py
████ _tickvalssrc.py
████ _tickwidth.py
████ _title.py
████ _x.py
████ _xanchor.py
████ _xpad.py
████ _y.py
████ _yanchor.py
████ _ypad.py
████ tickfont
██   █████ __init__.py
██   █████ __pycache__
██   ███ █████ __init__.cpython-311.pyc
██   ███ █████ _color.cpython-311.pyc
██   ███ █████ _family.cpython-311.pyc
██   ███ █████ _size.cpython-311.pyc
██   █████ _color.py
██   █████ _family.py
██   █████ _size.py
████ tickformatstop
██   █████ __init__.py
██   █████ __pycache__
██   ███ █████ __init__.cpython-311.pyc
██   ███ █████ _dtickrange.cpython-311.pyc
██   ███ █████ _enabled.cpython-311.pyc
██   ███ █████ _name.cpython-311.pyc
██   ███ █████ _templateitemname.cpython-311.pyc
██   ███ █████ _value.cpython-311.pyc
██   █████ _dtickrange.py
██   █████ _enabled.py
██   █████ _name.py
██   █████ _templateitemname.py
██   █████ _value.py
████ title

```


■	■	■	■	■	■	■	■	■■■■	_hovermode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_iciclecolorway.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_imagedefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_images.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mapbox.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_margin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_modebar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_newshape.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_paper_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_piecolorway.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_plot_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_polar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_radialaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_scene.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectdirection.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectionrevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_separators.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_shapedefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_shapes.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sliderdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sliders.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_spikedistance.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_sunburstcolorway.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_template.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ternary.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_transition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_treemapcolorway.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uniformtext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_updatemenudefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_updatemenus.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_violingap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_violingroupgap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_violinmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_waterfallgap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_waterfallgroupgap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_waterfallmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_activeshape.py
■	■	■	■	■	■	■	■	■■■■	_angularaxis.py
■	■	■	■	■	■	■	■	■■■■	_annotationdefaults.py
■	■	■	■	■	■	■	■	■■■■	_annotations.py
■	■	■	■	■	■	■	■	■■■■	_autosize.py
■	■	■	■	■	■	■	■	■■■■	_autotypenumbers.py
■	■	■	■	■	■	■	■	■■■■	_bargap.py
■	■	■	■	■	■	■	■	■■■■	_bargroupgap.py
■	■	■	■	■	■	■	■	■■■■	_barmode.py
■	■	■	■	■	■	■	■	■■■■	_barnorm.py
■	■	■	■	■	■	■	■	■■■■	_boxgap.py
■	■	■	■	■	■	■	■	■■■■	_boxgroupgap.py

[illegible]

■	■	■	■	■	■	■	■■■	_ternary.py	
■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■■■	_transition.py	
■	■	■	■	■	■	■	■■■	_treemapcolorway.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_uniformtext.py	
■	■	■	■	■	■	■	■■■	_updatemenudefaults.py	
■	■	■	■	■	■	■	■■■	_updatemenus.py	
■	■	■	■	■	■	■	■■■	_violingap.py	
■	■	■	■	■	■	■	■■■	_violingroupgap.py	
■	■	■	■	■	■	■	■■■	_violinmode.py	
■	■	■	■	■	■	■	■■■	_waterfallgap.py	
■	■	■	■	■	■	■	■■■	_waterfallgroupgap.py	
■	■	■	■	■	■	■	■■■	_waterfallmode.py	
■	■	■	■	■	■	■	■■■	_width.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	activeshape	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_fillcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_fillcolor.py
■	■	■	■	■	■	■	■	■■■	_opacity.py
■	■	■	■	■	■	■	■■■	angularaxis	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_domain.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_endpadding.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_range.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showline.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickorientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_domain.py	
■	■	■	■	■	■	■	■■■	_endpadding.py	
■	■	■	■	■	■	■	■■■	_range.py	
■	■	■	■	■	■	■	■■■	_showline.py	
■	■	■	■	■	■	■	■■■	_showticklabels.py	
■	■	■	■	■	■	■	■■■	_tickcolor.py	
■	■	■	■	■	■	■	■■■	_ticklen.py	
■	■	■	■	■	■	■	■■■	_tickorientation.py	
■	■	■	■	■	■	■	■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	annotation	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrowcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrowhead.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrowside.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrowsize.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_arrowwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ax.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_axref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ay.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ayref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_captureevents.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_clicktoshow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_height.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showarrow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_standoff.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startarrowhead.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startarrowsize.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_startstandoff.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_textangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_valign.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xclick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xshift.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yclick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yshift.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_align.py	
■	■	■	■	■	■	■	■	■■■■	_arrowcolor.py	
■	■	■	■	■	■	■	■	■■■■	_arrowhead.py	
■	■	■	■	■	■	■	■	■■■■	_arrowside.py	
■	■	■	■	■	■	■	■	■■■■	_arrowsize.py	
■	■	■	■	■	■	■	■	■■■■	_arrowwidth.py	
■	■	■	■	■	■	■	■	■■■■	_ax.py	
■	■	■	■	■	■	■	■	■■■■	_axref.py	
■	■	■	■	■	■	■	■	■■■■	_ay.py	
■	■	■	■	■	■	■	■	■■■■	_ayref.py	
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■■■■	_borderpad.py	
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■■■■	_captureevents.py	
■	■	■	■	■	■	■	■	■■■■	_clicktoshow.py	
■	■	■	■	■	■	■	■	■■■■	_font.py	
■	■	■	■	■	■	■	■	■■■■	_height.py	
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■	■■■■	_hovertext.py	

■	■	■	■	■	■	■	■	■	■■■	_cauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_cmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_cmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_cmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■		_autocolormapscale.py
■	■	■	■	■	■	■	■	■■■		_cauto.py
■	■	■	■	■	■	■	■	■■■		_cmax.py
■	■	■	■	■	■	■	■	■■■		_cmid.py
■	■	■	■	■	■	■	■	■■■		_cmin.py
■	■	■	■	■	■	■	■	■■■		_colorbar.py
■	■	■	■	■	■	■	■	■■■		_colormapscale.py
■	■	■	■	■	■	■	■	■■■		_reversescale.py
■	■	■	■	■	■	■	■	■■■		_showscale.py
■	■	■	■	■	■	■	■	■■■		colorbar
■	■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickvalsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py	
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_len.py	
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.py	
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.py	
■	■	■	■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.py	
■	■	■	■	■	■	■	■	■	■	■■■	tickfont	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_size.cpython-311.pyc


```

■ ■ ■ ■ _init_.py
■ ■ ■ ■ _pycache_
■ ■ ■ ■ _init_.cpython-311.pyc
■ ■ ■ ■ _bgcolor.cpython-311.pyc
■ ■ ■ ■ _center.cpython-311.pyc
■ ■ ■ ■ _coastlinecolor.cpython-311.pyc
■ ■ ■ ■ _coastlinewidth.cpython-311.pyc
■ ■ ■ ■ _countrycolor.cpython-311.pyc
■ ■ ■ ■ _countrywidth.cpython-311.pyc
■ ■ ■ ■ _domain.cpython-311.pyc
■ ■ ■ ■ _fitbounds.cpython-311.pyc
■ ■ ■ ■ _framecolor.cpython-311.pyc
■ ■ ■ ■ _framewidth.cpython-311.pyc
■ ■ ■ ■ _lakecolor.cpython-311.pyc
■ ■ ■ ■ _landcolor.cpython-311.pyc
■ ■ ■ ■ _lataxis.cpython-311.pyc
■ ■ ■ ■ _lonaxis.cpython-311.pyc
■ ■ ■ ■ _oceancolor.cpython-311.pyc
■ ■ ■ ■ _projection.cpython-311.pyc
■ ■ ■ ■ _resolution.cpython-311.pyc
■ ■ ■ ■ _rivercolor.cpython-311.pyc
■ ■ ■ ■ _riverwidth.cpython-311.pyc
■ ■ ■ ■ _scope.cpython-311.pyc
■ ■ ■ ■ _showcoastlines.cpython-311.pyc
■ ■ ■ ■ _showcountries.cpython-311.pyc
■ ■ ■ ■ _showframe.cpython-311.pyc
■ ■ ■ ■ _showlakes.cpython-311.pyc
■ ■ ■ ■ _showland.cpython-311.pyc
■ ■ ■ ■ _showocean.cpython-311.pyc
■ ■ ■ ■ _showrivers.cpython-311.pyc
■ ■ ■ ■ _showsubunits.cpython-311.pyc
■ ■ ■ ■ _subunitcolor.cpython-311.pyc
■ ■ ■ ■ _subunitwidth.cpython-311.pyc
■ ■ ■ ■ _uirevision.cpython-311.pyc
■ ■ ■ ■ _visible.cpython-311.pyc
■ ■ ■ ■ _bgcolor.py
■ ■ ■ ■ _center.py
■ ■ ■ ■ _coastlinecolor.py
■ ■ ■ ■ _coastlinewidth.py
■ ■ ■ ■ _countrycolor.py
■ ■ ■ ■ _countrywidth.py
■ ■ ■ ■ _domain.py
■ ■ ■ ■ _fitbounds.py
■ ■ ■ ■ _framecolor.py
■ ■ ■ ■ _framewidth.py
■ ■ ■ ■ _lakecolor.py
■ ■ ■ ■ _landcolor.py
■ ■ ■ ■ _lataxis.py
■ ■ ■ ■ _lonaxis.py
■ ■ ■ ■ _oceancolor.py
■ ■ ■ ■ _projection.py
■ ■ ■ ■ _resolution.py
■ ■ ■ ■ _rivercolor.py
■ ■ ■ ■ _riverwidth.py
■ ■ ■ ■ _scope.py
■ ■ ■ ■ _showcoastlines.py
■ ■ ■ ■ _showcountries.py
■ ■ ■ ■ _showframe.py

```

```

_ showlakes.py
_ showland.py
_ showocean.py
_ showrivers.py
_ showsubunits.py
_ subunitcolor.py
_ subunitwidth.py
_ uirevision.py
_ visible.py
center
    _ _init_.py
    _ _pycache_
        _ _init_.cpython-311.pyc
        _ _lat_.cpython-311.pyc
        _ _lon_.cpython-311.pyc
    _ _lat_.py
    _ _lon_.py
domain
    _ _init_.py
    _ _pycache_
        _ _init_.cpython-311.pyc
        _ _column_.cpython-311.pyc
        _ _row_.cpython-311.pyc
        _ _x_.cpython-311.pyc
        _ _y_.cpython-311.pyc
    _ _column_.py
    _ _row_.py
    _ _x_.py
    _ _y_.py
lataxis
    _ _init_.py
    _ _pycache_
        _ _init_.cpython-311.pyc
        _ _dtick_.cpython-311.pyc
        _ _gridcolor_.cpython-311.pyc
        _ _gridwidth_.cpython-311.pyc
        _ _range_.cpython-311.pyc
        _ _showgrid_.cpython-311.pyc
        _ _tick0_.cpython-311.pyc
    _ _dtick_.py
    _ _gridcolor_.py
    _ _gridwidth_.py
    _ _range_.py
    _ _showgrid_.py
    _ _tick0_.py
lonaxis
    _ _init_.py
    _ _pycache_
        _ _init_.cpython-311.pyc
        _ _dtick_.cpython-311.pyc
        _ _gridcolor_.cpython-311.pyc
        _ _gridwidth_.cpython-311.pyc
        _ _range_.cpython-311.pyc
        _ _showgrid_.cpython-311.pyc
        _ _tick0_.cpython-311.pyc
    _ _dtick_.py
    _ _gridcolor_.py
    _ _gridwidth_.py

```

```

    _range.py
    _showgrid.py
    _tick0.py
    projection
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _distance.cpython-311.pyc
    _parallels.cpython-311.pyc
    _rotation.cpython-311.pyc
    _scale.cpython-311.pyc
    _tilt.cpython-311.pyc
    _type.cpython-311.pyc
    _distance.py
    _parallels.py
    _rotation.py
    _scale.py
    _tilt.py
    _type.py
    rotation
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _lat.cpython-311.pyc
    _lon.cpython-311.pyc
    _roll.cpython-311.pyc
    _lat.py
    _lon.py
    _roll.py
    grid
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _columns.cpython-311.pyc
    _domain.cpython-311.pyc
    _pattern.cpython-311.pyc
    _roworder.cpython-311.pyc
    _rows.cpython-311.pyc
    _subplots.cpython-311.pyc
    _xaxes.cpython-311.pyc
    _xgap.cpython-311.pyc
    _xside.cpython-311.pyc
    _yaxes.cpython-311.pyc
    _ygap.cpython-311.pyc
    _yside.cpython-311.pyc
    _columns.py
    _domain.py
    _pattern.py
    _roworder.py
    _rows.py
    _subplots.py
    _xaxes.py
    _xgap.py
    _xside.py
    _yaxes.py
    _ygap.py
    _yside.py
    domain

```



```

_ row.cpython-311.pyc
_ x.cpython-311.pyc
_ y.cpython-311.pyc
_ column.py
_ row.py
_ x.py
_ y.py
layer
__init__.py
__pycache__
__init__.cpython-311.pyc
_ below.cpython-311.pyc
_ circle.cpython-311.pyc
_ color.cpython-311.pyc
_ coordinates.cpython-311.pyc
_ fill.cpython-311.pyc
_ line.cpython-311.pyc
_ maxzoom.cpython-311.pyc
_ minzoom.cpython-311.pyc
_ name.cpython-311.pyc
_ opacity.cpython-311.pyc
_ source.cpython-311.pyc
_ sourceattribution.cpython-311.pyc
_ sourcelayer.cpython-311.pyc
_ sourcetype.cpython-311.pyc
_ symbol.cpython-311.pyc
_ templateitemname.cpython-311.pyc
_ type.cpython-311.pyc
_ visible.cpython-311.pyc
_ below.py
_ circle.py
_ color.py
_ coordinates.py
_ fill.py
_ line.py
_ maxzoom.py
_ minzoom.py
_ name.py
_ opacity.py
_ source.py
_ sourceattribution.py
_ sourcelayer.py
_ sourcetype.py
_ symbol.py
_ templateitemname.py
_ type.py
_ visible.py
circle
__init__.py
__pycache__
__init__.cpython-311.pyc
_ radius.cpython-311.pyc
_ radius.py
fill
__init__.py
__pycache__
__init__.cpython-311.pyc
_ outlinecolor.cpython-311.pyc

```



```

_ add.cpython-311.pyc
_ addsrc.cpython-311.pyc
_ bgcolor.cpython-311.pyc
_ color.cpython-311.pyc
_ orientation.cpython-311.pyc
_ remove.cpython-311.pyc
_ removesrc.cpython-311.pyc
_ uirevision.cpython-311.pyc
_activecolor.py
_add.py
_addsrc.py
_bgcolor.py
_color.py
_orientation.py
_remove.py
_removesrc.py
_uirevision.py
newshape
__init__.py
__pycache__
__init__.cpython-311.pyc
_drawdirection.cpython-311.pyc
_fillcolor.cpython-311.pyc
_fillrule.cpython-311.pyc
_layer.cpython-311.pyc
_line.cpython-311.pyc
_opacity.cpython-311.pyc
_drawdirection.py
_fillcolor.py
_fillrule.py
_layer.py
_line.py
_opacity.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_dash.cpython-311.pyc
_width.cpython-311.pyc
_color.py
_dash.py
_width.py
polar
__init__.py
__pycache__
__init__.cpython-311.pyc
_angularaxis.cpython-311.pyc
_bargap.cpython-311.pyc
_barmode.cpython-311.pyc
_bgcolor.cpython-311.pyc
_domain.cpython-311.pyc
_gridshape.cpython-311.pyc
_hole.cpython-311.pyc
_radialaxis.cpython-311.pyc
_sector.cpython-311.pyc
_uirevision.cpython-311.pyc
_angularaxis.py

```

```

_ bargap.py
_ barmode.py
_ bgcolor.py
_ domain.py
_ gridshape.py
_ hole.py
_ radialaxis.py
_ sector.py
_ uirevision.py
angularaxis
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ autotypenumbers.cpython-311.pyc
_ categoryarray.cpython-311.pyc
_ categoryarraysrc.cpython-311.pyc
_ categoryorder.cpython-311.pyc
_ color.cpython-311.pyc
_ direction.cpython-311.pyc
_ dtick.cpython-311.pyc
_ exponentformat.cpython-311.pyc
_ gridcolor.cpython-311.pyc
_ gridwidth.cpython-311.pyc
_ hoverformat.cpython-311.pyc
_ layer.cpython-311.pyc
_ linecolor.cpython-311.pyc
_ linewidth.cpython-311.pyc
_ minexponent.cpython-311.pyc
_ nticks.cpython-311.pyc
_ period.cpython-311.pyc
_ rotation.cpython-311.pyc
_ separatethousands.cpython-311.pyc
_ showexponent.cpython-311.pyc
_ showgrid.cpython-311.pyc
_ showline.cpython-311.pyc
_ showticklabels.cpython-311.pyc
_ showtickprefix.cpython-311.pyc
_ showticksuffix.cpython-311.pyc
_ thetaunit.cpython-311.pyc
_ tick0.cpython-311.pyc
_ tickangle.cpython-311.pyc
_ tickcolor.cpython-311.pyc
_ tickfont.cpython-311.pyc
_ tickformat.cpython-311.pyc
_ tickformatstopdefaults.cpython-311.pyc
_ tickformatstops.cpython-311.pyc
_ ticklen.cpython-311.pyc
_ tickmode.cpython-311.pyc
_ tickprefix.cpython-311.pyc
_ ticks.cpython-311.pyc
_ ticksuffix.cpython-311.pyc
_ ticktext.cpython-311.pyc
_ ticktextsrc.cpython-311.pyc
_ tickvals.cpython-311.pyc
_ tickvalssrc.cpython-311.pyc
_ tickwidth.cpython-311.pyc
_ type.cpython-311.pyc
_ uirevision.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_autotypenumbers.py	
■	■	■	■	■	■	■	■	■	■	■■■	_categoryarray.py	
■	■	■	■	■	■	■	■	■	■	■■■	_categoryarraysrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_categoryorder.py	
■	■	■	■	■	■	■	■	■	■	■■■	_color.py	
■	■	■	■	■	■	■	■	■	■	■■■	_direction.py	
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py	
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_gridcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_gridwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_hoverformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_layer.py	
■	■	■	■	■	■	■	■	■	■	■■■	_linecolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_linewidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_period.py	
■	■	■	■	■	■	■	■	■	■	■■■	_rotation.py	
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showgrid.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showline.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_thetaunit.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_type.py	
■	■	■	■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■	■	■	■■■	tickfont	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_color.py	
■	■	■	■	■	■	■	■	■	■	■■■	_family.py	
■	■	■	■	■	■	■	■	■	■	■■■	_size.py	
■	■	■	■	■	■	■	■	■	■	■■■	tickformatstop	

[illegible]


```

███ _ticks.py
███ _ticksuffix.py
███ _ticktext.py
███ _ticktextsrc.py
███ _tickvals.py
███ _tickvalssrc.py
███ _tickwidth.py
███ _title.py
███ _type.py
███ _uirevision.py
███ _visible.py
███ tickfont
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ _color.cpython-311.pyc
███ _family.cpython-311.pyc
███ _size.cpython-311.pyc
███ _color.py
███ _family.py
███ _size.py
███ tickformatstop
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ _dtickrange.cpython-311.pyc
███ _enabled.cpython-311.pyc
███ _name.cpython-311.pyc
███ _templateitemname.cpython-311.pyc
███ _value.cpython-311.pyc
███ _dtickrange.py
███ _enabled.py
███ _name.py
███ _templateitemname.py
███ _value.py
███ title
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ _font.cpython-311.pyc
███ _text.cpython-311.pyc
███ _font.py
███ _text.py
███ font
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ _color.cpython-311.pyc
███ _family.cpython-311.pyc
███ _size.cpython-311.pyc
███ _color.py
███ _family.py
███ _size.py
███ radialaxis
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ _domain.cpython-311.pyc

```

```

_ending.cpython-311.pyc
_orientation.cpython-311.pyc
_range.cpython-311.pyc
_showline.cpython-311.pyc
_showticklabels.cpython-311.pyc
_tickcolor.cpython-311.pyc
_ticklen.cpython-311.pyc
_tickorientation.cpython-311.pyc
_ticksuffix.cpython-311.pyc
_visible.cpython-311.pyc
_domain.py
_endpadding.py
_orientation.py
_range.py
_showline.py
_showticklabels.py
_tickcolor.py
_ticklen.py
_tickorientation.py
_ticksuffix.py
_visible.py
scene
__init__.py
__pycache__
__init__.cpython-311.pyc
_annotationdefaults.cpython-311.pyc
_annotations.cpython-311.pyc
_aspectmode.cpython-311.pyc
_aspectratio.cpython-311.pyc
_bgcolor.cpython-311.pyc
_camera.cpython-311.pyc
_domain.cpython-311.pyc
_dragmode.cpython-311.pyc
_hovermode.cpython-311.pyc
_uirevision.cpython-311.pyc
_xaxis.cpython-311.pyc
_yaxis.cpython-311.pyc
_zaxis.cpython-311.pyc
_annotationdefaults.py
_annotations.py
_aspectmode.py
_aspectratio.py
_bgcolor.py
_camera.py
_domain.py
_dragmode.py
_hovermode.py
_uirevision.py
_xaxis.py
_yaxis.py
_zaxis.py
annotation
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc
_arrowcolor.cpython-311.pyc
_arrowhead.cpython-311.pyc

```

[illegible]

```

templateitemname.py
_text.py
_textangle.py
_valign.py
_visible.py
_width.py
_x.py
_xanchor.py
_xshift.py
_y.py
_yanchor.py
_yshift.py
_z.py
font
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _font.cpython-311.pyc
    _bgcolor.py
    _bordercolor.py
    _font.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
aspectratio
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _x.cpython-311.pyc
        _y.cpython-311.pyc
        _z.cpython-311.pyc
    _x.py
    _y.py
    _z.py
camera
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _center.cpython-311.pyc

```

```

_ eye.cpython-311.pyc
_ _projection.cpython-311.pyc
_ _up.cpython-311.pyc
_ _center.py
_ _eye.py
_ _projection.py
_ _up.py
_ center
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _x.cpython-311.pyc
_ _y.cpython-311.pyc
_ _z.cpython-311.pyc
_ _x.py
_ _y.py
_ _z.py
_ eye
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _x.cpython-311.pyc
_ _y.cpython-311.pyc
_ _z.cpython-311.pyc
_ _x.py
_ _y.py
_ _z.py
_ projection
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _type.cpython-311.pyc
_ _type.py
_ up
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _x.cpython-311.pyc
_ _y.cpython-311.pyc
_ _z.cpython-311.pyc
_ _x.py
_ _y.py
_ _z.py
_ domain
_ _init__.py
_ _pycache__
_ _init__.cpython-311.pyc
_ _column.cpython-311.pyc
_ _row.cpython-311.pyc
_ _x.cpython-311.pyc
_ _y.cpython-311.pyc
_ _column.py
_ _row.py
_ _x.py
_ _y.py
_ xaxis
_ _init__.py
_ _pycache__

```

```

■■■ _init_.cpython-311.pyc
■■■ _autorange.cpython-311.pyc
■■■ _autotypenumbers.cpython-311.pyc
■■■ _backgroundcolor.cpython-311.pyc
■■■ _calendar.cpython-311.pyc
■■■ _categoryarray.cpython-311.pyc
■■■ _categoryarraysrc.cpython-311.pyc
■■■ _categoryorder.cpython-311.pyc
■■■ _color.cpython-311.pyc
■■■ _dtick.cpython-311.pyc
■■■ _exponentformat.cpython-311.pyc
■■■ _gridcolor.cpython-311.pyc
■■■ _gridwidth.cpython-311.pyc
■■■ _hoverformat.cpython-311.pyc
■■■ _linecolor.cpython-311.pyc
■■■ _linewidth.cpython-311.pyc
■■■ _minexponent.cpython-311.pyc
■■■ _mirror.cpython-311.pyc
■■■ _nticks.cpython-311.pyc
■■■ _range.cpython-311.pyc
■■■ _rangemode.cpython-311.pyc
■■■ _separatethousands.cpython-311.pyc
■■■ _showaxeslabels.cpython-311.pyc
■■■ _showbackground.cpython-311.pyc
■■■ _showexponent.cpython-311.pyc
■■■ _showgrid.cpython-311.pyc
■■■ _showline.cpython-311.pyc
■■■ _showspikes.cpython-311.pyc
■■■ _showticklabels.cpython-311.pyc
■■■ _showtickprefix.cpython-311.pyc
■■■ _showticksuffix.cpython-311.pyc
■■■ _spikecolor.cpython-311.pyc
■■■ _spikesides.cpython-311.pyc
■■■ _spikethickness.cpython-311.pyc
■■■ _tick0.cpython-311.pyc
■■■ _tickangle.cpython-311.pyc
■■■ _tickcolor.cpython-311.pyc
■■■ _tickfont.cpython-311.pyc
■■■ _tickformat.cpython-311.pyc
■■■ _tickformatstopdefaults.cpython-311.pyc
■■■ _tickformatstops.cpython-311.pyc
■■■ _ticklen.cpython-311.pyc
■■■ _tickmode.cpython-311.pyc
■■■ _tickprefix.cpython-311.pyc
■■■ _ticks.cpython-311.pyc
■■■ _ticksuffix.cpython-311.pyc
■■■ _ticktext.cpython-311.pyc
■■■ _ticktextsrc.cpython-311.pyc
■■■ _tickvals.cpython-311.pyc
■■■ _tickvalssrc.cpython-311.pyc
■■■ _tickwidth.cpython-311.pyc
■■■ _title.cpython-311.pyc
■■■ _type.cpython-311.pyc
■■■ _visible.cpython-311.pyc
■■■ _zeroline.cpython-311.pyc
■■■ _zerolinecolor.cpython-311.pyc
■■■ _zerolinewidth.cpython-311.pyc
■■■ _autorange.py

```

■	■	■	■	■	■	■	■	■	■■■	_autotypenumbers.py
■	■	■	■	■	■	■	■	■	■■■	_backgroundcolor.py
■	■	■	■	■	■	■	■	■	■■■	_calendar.py
■	■	■	■	■	■	■	■	■	■■■	_categoryarray.py
■	■	■	■	■	■	■	■	■	■■■	_categoryarraysrc.py
■	■	■	■	■	■	■	■	■	■■■	_categoryorder.py
■	■	■	■	■	■	■	■	■	■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■■■	_gridcolor.py
■	■	■	■	■	■	■	■	■	■■■	_gridwidth.py
■	■	■	■	■	■	■	■	■	■■■	_hoverformat.py
■	■	■	■	■	■	■	■	■	■■■	_linecolor.py
■	■	■	■	■	■	■	■	■	■■■	_linewidth.py
■	■	■	■	■	■	■	■	■	■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■■■	_mirror.py
■	■	■	■	■	■	■	■	■	■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■■■	_range.py
■	■	■	■	■	■	■	■	■	■■■	_rangemode.py
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■■■	_showaxeslabels.py
■	■	■	■	■	■	■	■	■	■■■	_showbackground.py
■	■	■	■	■	■	■	■	■	■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■■■	_showgrid.py
■	■	■	■	■	■	■	■	■	■■■	_showline.py
■	■	■	■	■	■	■	■	■	■■■	_showspikes.py
■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■	_spikecolor.py
■	■	■	■	■	■	■	■	■	■■■	_spikesides.py
■	■	■	■	■	■	■	■	■	■■■	_spikethickness.py
■	■	■	■	■	■	■	■	■	■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■	_type.py
■	■	■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■	■	■■■	_zeroline.py
■	■	■	■	■	■	■	■	■	■■■	_zerolinecolor.py
■	■	■	■	■	■	■	■	■	■■■	_zerolinewidth.py
■	■	■	■	■	■	■	■	■	■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■	__pycache__

```

_      _init_.cpython-311.pyc
_      _color.cpython-311.pyc
_      _family.cpython-311.pyc
_      _size.cpython-311.pyc
_      _color.py
_      _family.py
_      _size.py
_      tickformatstop
_      __init__.py
_      __pycache__
_      _init_.cpython-311.pyc
_      _dtickrange.cpython-311.pyc
_      _enabled.cpython-311.pyc
_      _name.cpython-311.pyc
_      _templateitemname.cpython-311.pyc
_      _value.cpython-311.pyc
_      _dtickrange.py
_      _enabled.py
_      _name.py
_      _templateitemname.py
_      _value.py
_      title
_      __init__.py
_      __pycache__
_      _init_.cpython-311.pyc
_      _font.cpython-311.pyc
_      _text.cpython-311.pyc
_      _font.py
_      _text.py
_      font
_      __init__.py
_      __pycache__
_      _init_.cpython-311.pyc
_      _color.cpython-311.pyc
_      _family.cpython-311.pyc
_      _size.cpython-311.pyc
_      _color.py
_      _family.py
_      _size.py
_      yaxis
_      __init__.py
_      __pycache__
_      _init_.cpython-311.pyc
_      _autorange.cpython-311.pyc
_      _autotypenumbers.cpython-311.pyc
_      _backgroundcolor.cpython-311.pyc
_      _calendar.cpython-311.pyc
_      _categoryarray.cpython-311.pyc
_      _categoryarraysrc.cpython-311.pyc
_      _categoryorder.cpython-311.pyc
_      _color.cpython-311.pyc
_      _dtick.cpython-311.pyc
_      _exponentformat.cpython-311.pyc
_      _gridcolor.cpython-311.pyc
_      _gridwidth.cpython-311.pyc
_      _hoverformat.cpython-311.pyc
_      _linecolor.cpython-311.pyc
_      _linewidth.cpython-311.pyc

```


[illegible]

■	■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■■■■	_range.py
■	■	■	■	■	■	■	■	■	■■■■	_rangemode.py
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■■■■	_showaxeslabels.py
■	■	■	■	■	■	■	■	■	■■■■	_showbackground.py
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_showgrid.py
■	■	■	■	■	■	■	■	■	■■■■	_showline.py
■	■	■	■	■	■	■	■	■	■■■■	_showspikes.py
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_spikecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_spikesides.py
■	■	■	■	■	■	■	■	■	■■■■	_spikethickness.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_type.py
■	■	■	■	■	■	■	■	■	■■■■	_visible.py
■	■	■	■	■	■	■	■	■	■■■■	_zeroline.py
■	■	■	■	■	■	■	■	■	■■■■	_zerolinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_zerolinewidth.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc

```

_ dtickrange.py
_ _enabled.py
_ _name.py
_ _templateitemname.py
_ _value.py
title
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _text.cpython-311.pyc
_ _font.py
_ _text.py
_ font
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _color.cpython-311.pyc
_ _family.cpython-311.pyc
_ _size.cpython-311.pyc
_ _color.py
_ _family.py
_ _size.py
zaxis
_ _init__.py
_ _pycache_
_ _init__.cpython-311.pyc
_ _autorange.cpython-311.pyc
_ _autotypenumbers.cpython-311.pyc
_ _backgroundcolor.cpython-311.pyc
_ _calendar.cpython-311.pyc
_ _categoryarray.cpython-311.pyc
_ _categoryarraysrc.cpython-311.pyc
_ _categoryorder.cpython-311.pyc
_ _color.cpython-311.pyc
_ _dtick.cpython-311.pyc
_ _exponentformat.cpython-311.pyc
_ _gridcolor.cpython-311.pyc
_ _gridwidth.cpython-311.pyc
_ _hoverformat.cpython-311.pyc
_ _linecolor.cpython-311.pyc
_ _linewidth.cpython-311.pyc
_ _minexponent.cpython-311.pyc
_ _mirror.cpython-311.pyc
_ _nticks.cpython-311.pyc
_ _range.cpython-311.pyc
_ _rangemode.cpython-311.pyc
_ _separatethousands.cpython-311.pyc
_ _showaxeslabels.cpython-311.pyc
_ _showbackground.cpython-311.pyc
_ _showexponent.cpython-311.pyc
_ _showgrid.cpython-311.pyc
_ _showline.cpython-311.pyc
_ _showspikes.cpython-311.pyc
_ _showticklabels.cpython-311.pyc
_ _showtickprefix.cpython-311.pyc
_ _showticksuffix.cpython-311.pyc
_ _spikecolor.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■	■■■	_spikesides.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_spikethickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_zeroline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_zerolinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_zerolinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_autorange.py
■	■	■	■	■	■	■	■	■	■	■■■	_autotypenumbers.py
■	■	■	■	■	■	■	■	■	■	■■■	_backgroundcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_calendar.py
■	■	■	■	■	■	■	■	■	■	■■■	_categoryarray.py
■	■	■	■	■	■	■	■	■	■	■■■	_categoryarraysrc.py
■	■	■	■	■	■	■	■	■	■	■■■	_categoryorder.py
■	■	■	■	■	■	■	■	■	■	■■■	_color.py
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_gridcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_gridwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_hoverformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_linecolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_linewidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_mirror.py
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_range.py
■	■	■	■	■	■	■	■	■	■	■■■	_rangemode.py
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■	■■■	_showaxeslabels.py
■	■	■	■	■	■	■	■	■	■	■■■	_showbackground.py
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_showgrid.py
■	■	■	■	■	■	■	■	■	■	■■■	_showline.py
■	■	■	■	■	■	■	■	■	■	■■■	_showspikes.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_spikecolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_spikesides.py
■	■	■	■	■	■	■	■	■	■	■■■	_spikethickness.py

```

tick0.py
_tickangle.py
_tickcolor.py
_tickfont.py
_tickformat.py
_tickformatstopdefaults.py
_tickformatstops.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_type.py
_visible.py
_zeroline.py
_zerolinecolor.py
_zerolinewidth.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _text.py
    font
        __init__.py
        __pycache__

```

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
_ _ _ _ shape
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _editable.cpython-311.pyc
_ _ _ _ _fillcolor.cpython-311.pyc
_ _ _ _ _fillrule.cpython-311.pyc
_ _ _ _ _layer.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _path.cpython-311.pyc
_ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _type.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _x0.cpython-311.pyc
_ _ _ _ _x1.cpython-311.pyc
_ _ _ _ _xanchor.cpython-311.pyc
_ _ _ _ _xref.cpython-311.pyc
_ _ _ _ _xsize.cpython-311.pyc
_ _ _ _ _y0.cpython-311.pyc
_ _ _ _ _y1.cpython-311.pyc
_ _ _ _ _yanchor.cpython-311.pyc
_ _ _ _ _yref.cpython-311.pyc
_ _ _ _ _ysize.cpython-311.pyc
_ _ _ _ _editable.py
_ _ _ _ _fillcolor.py
_ _ _ _ _fillrule.py
_ _ _ _ _layer.py
_ _ _ _ _line.py
_ _ _ _ _name.py
_ _ _ _ _opacity.py
_ _ _ _ _path.py
_ _ _ _ _templateitemname.py
_ _ _ _ _type.py
_ _ _ _ _visible.py
_ _ _ _ _x0.py
_ _ _ _ _x1.py
_ _ _ _ _xanchor.py
_ _ _ _ _xref.py
_ _ _ _ _xsize.py
_ _ _ _ _y0.py
_ _ _ _ _y1.py
_ _ _ _ _yanchor.py
_ _ _ _ _yref.py
_ _ _ _ _ysize.py
_ _ _ _ line
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc

```

```

■ ■ ■ ■ ■ _dash.cpython-311.pyc
■ ■ ■ ■ ■ _width.cpython-311.pyc
■ ■ ■ ■ ■ _color.py
■ ■ ■ ■ ■ _dash.py
■ ■ ■ ■ ■ _width.py
■ ■ ■ slider
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ ■ ■ _init_.cpython-311.pyc
■ ■ ■ ■ ■ _active.cpython-311.pyc
■ ■ ■ ■ ■ _activebgcolor.cpython-311.pyc
■ ■ ■ ■ ■ _bgcolor.cpython-311.pyc
■ ■ ■ ■ ■ _bordercolor.cpython-311.pyc
■ ■ ■ ■ ■ _borderwidth.cpython-311.pyc
■ ■ ■ ■ ■ _currentvalue.cpython-311.pyc
■ ■ ■ ■ ■ _font.cpython-311.pyc
■ ■ ■ ■ ■ _len.cpython-311.pyc
■ ■ ■ ■ ■ _lenmode.cpython-311.pyc
■ ■ ■ ■ ■ _minorticklen.cpython-311.pyc
■ ■ ■ ■ ■ _name.cpython-311.pyc
■ ■ ■ ■ ■ _pad.cpython-311.pyc
■ ■ ■ ■ ■ _stepdefaults.cpython-311.pyc
■ ■ ■ ■ ■ _steps.cpython-311.pyc
■ ■ ■ ■ ■ _templateitemname.cpython-311.pyc
■ ■ ■ ■ ■ _tickcolor.cpython-311.pyc
■ ■ ■ ■ ■ _ticklen.cpython-311.pyc
■ ■ ■ ■ ■ _tickwidth.cpython-311.pyc
■ ■ ■ ■ ■ _transition.cpython-311.pyc
■ ■ ■ ■ ■ _visible.cpython-311.pyc
■ ■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ ■ _xanchor.cpython-311.pyc
■ ■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ ■ _yanchor.cpython-311.pyc
■ ■ ■ ■ _active.py
■ ■ ■ ■ _activebgcolor.py
■ ■ ■ ■ _bgcolor.py
■ ■ ■ ■ _bordercolor.py
■ ■ ■ ■ _borderwidth.py
■ ■ ■ ■ _currentvalue.py
■ ■ ■ ■ _font.py
■ ■ ■ ■ _len.py
■ ■ ■ ■ _lenmode.py
■ ■ ■ ■ _minorticklen.py
■ ■ ■ ■ _name.py
■ ■ ■ ■ _pad.py
■ ■ ■ ■ _stepdefaults.py
■ ■ ■ ■ _steps.py
■ ■ ■ ■ _templateitemname.py
■ ■ ■ ■ _tickcolor.py
■ ■ ■ ■ _ticklen.py
■ ■ ■ ■ _tickwidth.py
■ ■ ■ ■ _transition.py
■ ■ ■ ■ _visible.py
■ ■ ■ ■ _x.py
■ ■ ■ ■ _xanchor.py
■ ■ ■ ■ _y.py
■ ■ ■ ■ _yanchor.py
■ ■ ■ currentvalue

```

[illegible]


```

    _visible.cpython-311.pyc
    _args.py
    _execute.py
    _label.py
    _method.py
    _name.py
    _templateitemname.py
    _value.py
    _visible.py
    transition
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _duration.cpython-311.pyc
    _easing.cpython-311.pyc
    _duration.py
    _easing.py
    template
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _data.cpython-311.pyc
    _layout.cpython-311.pyc
    _data.py
    _layout.py
    data
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _area.cpython-311.pyc
    _bar.cpython-311.pyc
    _barpolar.cpython-311.pyc
    _box.cpython-311.pyc
    _candlestick.cpython-311.pyc
    _carpet.cpython-311.pyc
    _choropleth.cpython-311.pyc
    _choroplethmapbox.cpython-311.pyc
    _cone.cpython-311.pyc
    _contour.cpython-311.pyc
    _contourcarpet.cpython-311.pyc
    _densitymapbox.cpython-311.pyc
    _funnel.cpython-311.pyc
    _funnelarea.cpython-311.pyc
    _heatmap.cpython-311.pyc
    _heatmapgl.cpython-311.pyc
    _histogram.cpython-311.pyc
    _histogram2d.cpython-311.pyc
    _histogram2dcontour.cpython-311.pyc
    _icicle.cpython-311.pyc
    _image.cpython-311.pyc
    _indicator.cpython-311.pyc
    _isosurface.cpython-311.pyc
    _mesh3d.cpython-311.pyc
    _ohlc.cpython-311.pyc
    _parcats.cpython-311.pyc
    _parcoords.cpython-311.pyc
    _pie.cpython-311.pyc
    _pointcloud.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■	■■■	_sankey.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scatter.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scatter3d.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scattercarpet.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scattergeo.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scattergl.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scattermapbox.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scatterpolar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scatterpolargl.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_scatterternary.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_splom.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_streamtube.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_sunburst.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_surface.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_table.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_treemap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_violin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_volume.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_waterfall.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_area.py
■	■	■	■	■	■	■	■	■	■	■■■	_bar.py
■	■	■	■	■	■	■	■	■	■	■■■	_barpolar.py
■	■	■	■	■	■	■	■	■	■	■■■	_box.py
■	■	■	■	■	■	■	■	■	■	■■■	_candlestick.py
■	■	■	■	■	■	■	■	■	■	■■■	_carpet.py
■	■	■	■	■	■	■	■	■	■	■■■	_choropleth.py
■	■	■	■	■	■	■	■	■	■	■■■	_choroplethmapbox.py
■	■	■	■	■	■	■	■	■	■	■■■	_cone.py
■	■	■	■	■	■	■	■	■	■	■■■	_contour.py
■	■	■	■	■	■	■	■	■	■	■■■	_contourcarpet.py
■	■	■	■	■	■	■	■	■	■	■■■	_densitymapbox.py
■	■	■	■	■	■	■	■	■	■	■■■	_funnel.py
■	■	■	■	■	■	■	■	■	■	■■■	_funnelarea.py
■	■	■	■	■	■	■	■	■	■	■■■	_heatmap.py
■	■	■	■	■	■	■	■	■	■	■■■	_heatmapgl.py
■	■	■	■	■	■	■	■	■	■	■■■	_histogram.py
■	■	■	■	■	■	■	■	■	■	■■■	_histogram2d.py
■	■	■	■	■	■	■	■	■	■	■■■	_histogram2dcontour.py
■	■	■	■	■	■	■	■	■	■	■■■	_icicle.py
■	■	■	■	■	■	■	■	■	■	■■■	_image.py
■	■	■	■	■	■	■	■	■	■	■■■	_indicator.py
■	■	■	■	■	■	■	■	■	■	■■■	_isosurface.py
■	■	■	■	■	■	■	■	■	■	■■■	_mesh3d.py
■	■	■	■	■	■	■	■	■	■	■■■	_ohlc.py
■	■	■	■	■	■	■	■	■	■	■■■	_parcats.py
■	■	■	■	■	■	■	■	■	■	■■■	_parcoords.py
■	■	■	■	■	■	■	■	■	■	■■■	_pie.py
■	■	■	■	■	■	■	■	■	■	■■■	_pointcloud.py
■	■	■	■	■	■	■	■	■	■	■■■	_sankey.py
■	■	■	■	■	■	■	■	■	■	■■■	_scatter.py
■	■	■	■	■	■	■	■	■	■	■■■	_scatter3d.py
■	■	■	■	■	■	■	■	■	■	■■■	_scattercarpet.py
■	■	■	■	■	■	■	■	■	■	■■■	_scattergeo.py
■	■	■	■	■	■	■	■	■	■	■■■	_scattergl.py
■	■	■	■	■	■	■	■	■	■	■■■	_scattermapbox.py
■	■	■	■	■	■	■	■	■	■	■■■	_scatterpolar.py
■	■	■	■	■	■	■	■	■	■	■■■	_scatterpolargl.py
■	■	■	■	■	■	■	■	■	■	■■■	_scatterternary.py

```

_ splom.py
_ streamtube.py
_ sunburst.py
_ surface.py
_ table.py
_ treemap.py
_ violin.py
_ volume.py
_ waterfall.py
ternary
__init__.py
__pycache__
__init__.cpython-311.pyc
_aaxis.cpython-311.pyc
_baxis.cpython-311.pyc
_bgcolor.cpython-311.pyc
_caxis.cpython-311.pyc
_domain.cpython-311.pyc
_sum.cpython-311.pyc
_uirevision.cpython-311.pyc
_aaxis.py
_baxis.py
_bgcolor.py
_caxis.py
_domain.py
_sum.py
_uirevision.py
aaxis
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_dtick.cpython-311.pyc
_exponentformat.cpython-311.pyc
_gridcolor.cpython-311.pyc
_gridwidth.cpython-311.pyc
_hoverformat.cpython-311.pyc
_layer.cpython-311.pyc
_linecolor.cpython-311.pyc
_linewidth.cpython-311.pyc
_min.cpython-311.pyc
_minexponent.cpython-311.pyc
_nticks.cpython-311.pyc
_separatethousands.cpython-311.pyc
_showexponent.cpython-311.pyc
_showgrid.cpython-311.pyc
_showline.cpython-311.pyc
_showticklabels.cpython-311.pyc
_showtickprefix.cpython-311.pyc
_showticksuffix.cpython-311.pyc
_tick0.cpython-311.pyc
_tickangle.cpython-311.pyc
_tickcolor.cpython-311.pyc
_tickfont.cpython-311.pyc
_tickformat.cpython-311.pyc
_tickformatstopdefaults.cpython-311.pyc
_tickformatstops.cpython-311.pyc
_ticklen.cpython-311.pyc

```

```

███ _tickmode.cpython-311.pyc
███ _tickprefix.cpython-311.pyc
███ _ticks.cpython-311.pyc
███ _ticksuffix.cpython-311.pyc
███ _ticktext.cpython-311.pyc
███ _ticktextsrc.cpython-311.pyc
███ _tickvals.cpython-311.pyc
███ _tickvalssrc.cpython-311.pyc
███ _tickwidth.cpython-311.pyc
███ _title.cpython-311.pyc
███ _uirevision.cpython-311.pyc
████ _color.py
████ _dtick.py
████ _exponentformat.py
████ _gridcolor.py
████ _gridwidth.py
████ _hoverformat.py
████ _layer.py
████ _linecolor.py
████ _linewidth.py
████ _min.py
████ _minexponent.py
████ _nticks.py
████ _separatethousands.py
████ _showexponent.py
████ _showgrid.py
████ _showline.py
████ _showticklabels.py
████ _showtickprefix.py
████ _showticksuffix.py
████ _tick0.py
████ _tickangle.py
████ _tickcolor.py
████ _tickfont.py
████ _tickformat.py
████ _tickformatstopdefaults.py
████ _tickformatstops.py
████ _ticklen.py
████ _tickmode.py
████ _tickprefix.py
████ _ticks.py
████ _ticksuffix.py
████ _ticktext.py
████ _ticktextsrc.py
████ _tickvals.py
████ _tickvalssrc.py
████ _tickwidth.py
████ _title.py
████ _uirevision.py
████ tickfont
████ __init__.py
████ __pycache__
████ ███ __init__.cpython-311.pyc
████ ███ _color.cpython-311.pyc
████ ███ _family.cpython-311.pyc
████ ███ _size.cpython-311.pyc
████ _color.py
████ _family.py

```

```

    size.py
    tickformatstop
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _dtickrange.cpython-311.pyc
    _enabled.cpython-311.pyc
    _name.cpython-311.pyc
    _templateitemname.cpython-311.pyc
    _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    baxis
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _dtick.cpython-311.pyc
    _exponentformat.cpython-311.pyc
    _gridcolor.cpython-311.pyc
    _gridwidth.cpython-311.pyc
    _hoverformat.cpython-311.pyc
    _layer.cpython-311.pyc
    _linecolor.cpython-311.pyc
    _linewidth.cpython-311.pyc
    _min.cpython-311.pyc
    _minexponent.cpython-311.pyc
    _nticks.cpython-311.pyc
    _separatethousands.cpython-311.pyc
    _showexponent.cpython-311.pyc
    _showgrid.cpython-311.pyc
    _showline.cpython-311.pyc
    _showticklabels.cpython-311.pyc
    _showtickprefix.cpython-311.pyc
    _showticksuffix.cpython-311.pyc
    _tick0.cpython-311.pyc
    tickangle.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_color.py
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_gridcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_gridwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_hoverformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_layer.py
■	■	■	■	■	■	■	■	■	■	■■■	_linecolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_linewidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_min.py
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_showgrid.py
■	■	■	■	■	■	■	■	■	■	■■■	_showline.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_title.py
■	■	■	■	■	■	■	■	■	■	■■■	_uirevision.py
■	■	■	■	■	■	■	■	■	■	■■■	tickfont
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__

```

_      _init_.cpython-311.pyc
_      _color.cpython-311.pyc
_      _family.cpython-311.pyc
_      _size.cpython-311.pyc
_      _color.py
_      _family.py
_      _size.py
_      tickformatstop
_      __init__.py
_      __pycache__
_      _init_.cpython-311.pyc
_      _dtickrange.cpython-311.pyc
_      _enabled.cpython-311.pyc
_      _name.cpython-311.pyc
_      _templateitemname.cpython-311.pyc
_      _value.cpython-311.pyc
_      _dtickrange.py
_      _enabled.py
_      _name.py
_      _templateitemname.py
_      _value.py
_      title
_      __init__.py
_      __pycache__
_      _init_.cpython-311.pyc
_      _font.cpython-311.pyc
_      _text.cpython-311.pyc
_      _font.py
_      _text.py
_      font
_      __init__.py
_      __pycache__
_      _init_.cpython-311.pyc
_      _color.cpython-311.pyc
_      _family.cpython-311.pyc
_      _size.cpython-311.pyc
_      _color.py
_      _family.py
_      _size.py
_      caxis
_      __init__.py
_      __pycache__
_      _init_.cpython-311.pyc
_      _color.cpython-311.pyc
_      _dtick.cpython-311.pyc
_      _exponentformat.cpython-311.pyc
_      _gridcolor.cpython-311.pyc
_      _gridwidth.cpython-311.pyc
_      _hoverformat.cpython-311.pyc
_      _layer.cpython-311.pyc
_      _linecolor.cpython-311.pyc
_      _linewidth.cpython-311.pyc
_      _min.cpython-311.pyc
_      _minexponent.cpython-311.pyc
_      _nticks.cpython-311.pyc
_      _separatethousands.cpython-311.pyc
_      _showexponent.cpython-311.pyc
_      _showgrid.cpython-311.pyc

```

[illegible]


```

_ tickwidth.py
_ title.py
_ uirevision.py
tickfont
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ _color.cpython-311.pyc
_ _family.cpython-311.pyc
_ _size.cpython-311.pyc
_ color.py
_ family.py
_ size.py
tickformatstop
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ dtickrange.cpython-311.pyc
_ enabled.cpython-311.pyc
_ name.cpython-311.pyc
_ templateitemname.cpython-311.pyc
_ value.cpython-311.pyc
_ dtickrange.py
_ enabled.py
_ name.py
_ templateitemname.py
_ value.py
title
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ _font.cpython-311.pyc
_ _text.cpython-311.pyc
_ font.py
_ text.py
font
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ _color.cpython-311.pyc
_ _family.cpython-311.pyc
_ _size.cpython-311.pyc
_ color.py
_ family.py
_ size.py
domain
_ __init__.py
_ __pycache__
_ __init__.cpython-311.pyc
_ column.cpython-311.pyc
_ row.cpython-311.pyc
_ x.cpython-311.pyc
_ y.cpython-311.pyc
_ column.py
_ row.py
_ x.py
_ y.py
title

```



```

■■■■_overlaying.cpython-311.pyc
■■■■_position.cpython-311.pyc
■■■■_range.cpython-311.pyc
■■■■_rangebreakdefaults.cpython-311.pyc
■■■■_rangebreaks.cpython-311.pyc
■■■■_rangemode.cpython-311.pyc
■■■■_rangeselector.cpython-311.pyc
■■■■_rangeslider.cpython-311.pyc
■■■■_scaleanchor.cpython-311.pyc
■■■■_scaleratio.cpython-311.pyc
■■■■_separatethousands.cpython-311.pyc
■■■■_showdividers.cpython-311.pyc
■■■■_showexponent.cpython-311.pyc
■■■■_showgrid.cpython-311.pyc
■■■■_showline.cpython-311.pyc
■■■■_showspikes.cpython-311.pyc
■■■■_showticklabels.cpython-311.pyc
■■■■_showtickprefix.cpython-311.pyc
■■■■_showticksuffix.cpython-311.pyc
■■■■_side.cpython-311.pyc
■■■■_spikecolor.cpython-311.pyc
■■■■_spikedash.cpython-311.pyc
■■■■_spikemode.cpython-311.pyc
■■■■_spikesnap.cpython-311.pyc
■■■■_spikethickness.cpython-311.pyc
■■■■_tick0.cpython-311.pyc
■■■■_tickangle.cpython-311.pyc
■■■■_tickcolor.cpython-311.pyc
■■■■_tickfont.cpython-311.pyc
■■■■_tickformat.cpython-311.pyc
■■■■_tickformatstopdefaults.cpython-311.pyc
■■■■_tickformatstops.cpython-311.pyc
■■■■_ticklabelmode.cpython-311.pyc
■■■■_ticklabeloverflow.cpython-311.pyc
■■■■_ticklabelposition.cpython-311.pyc
■■■■_ticklen.cpython-311.pyc
■■■■_tickmode.cpython-311.pyc
■■■■_tickprefix.cpython-311.pyc
■■■■_ticks.cpython-311.pyc
■■■■_tickson.cpython-311.pyc
■■■■_ticksuffix.cpython-311.pyc
■■■■_ticktext.cpython-311.pyc
■■■■_ticktextsrc.cpython-311.pyc
■■■■_tickvals.cpython-311.pyc
■■■■_tickvalssrc.cpython-311.pyc
■■■■_tickwidth.cpython-311.pyc
■■■■_title.cpython-311.pyc
■■■■_type.cpython-311.pyc
■■■■_uirevision.cpython-311.pyc
■■■■_visible.cpython-311.pyc
■■■■_zeroline.cpython-311.pyc
■■■■_zerolinecolor.cpython-311.pyc
■■■■_zerolinewidth.cpython-311.pyc
■■■■_anchor.py
■■■■_automargin.py
■■■■_autorange.py
■■■■_autotypenumbers.py
■■■■_calendar.py

```



```

tickmode.py
_tickprefix.py
_ticks.py
_tickson.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_type.py
_uirevision.py
_visible.py
_zeroline.py
_zerolinecolor.py
_zerolinewidth.py
rangebreak
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _bounds.cpython-311.pyc
        _dvalue.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _pattern.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _values.cpython-311.pyc
    _bounds.py
    _dvalue.py
    _enabled.py
    _name.py
    _pattern.py
    _templateitemname.py
    _values.py
rangeselector
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _activecolor.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _borderwidth.cpython-311.pyc
        _buttondefaults.cpython-311.pyc
        _buttons.cpython-311.pyc
        _font.cpython-311.pyc
        _visible.cpython-311.pyc
        _x.cpython-311.pyc
        _xanchor.cpython-311.pyc
        _y.cpython-311.pyc
        _yanchor.cpython-311.pyc
    _activecolor.py
    _bgcolor.py
    _bordercolor.py
    _borderwidth.py
    _buttondefaults.py
    _buttons.py
    _font.py

```

```

_ _ _ _ _ visible.py
_ _ _ _ _ _x.py
_ _ _ _ _ _xanchor.py
_ _ _ _ _ _y.py
_ _ _ _ _ _yanchor.py
_ _ _ _ _ button
_ _ _ _ _   _ _ _ _ _ __init__.py
_ _ _ _ _   _ _ _ _ _ __pycache__
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _count.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _label.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _name.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _step.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _stepmode.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _count.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _label.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _name.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _step.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _stepmode.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _templateitemname.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _visible.py
_ _ _ _ _ font
_ _ _ _ _   _ _ _ _ _ __init__.py
_ _ _ _ _   _ _ _ _ _ __pycache__
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _color.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _family.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _size.py
_ _ _ _ _ rangeslider
_ _ _ _ _   _ _ _ _ _ __init__.py
_ _ _ _ _   _ _ _ _ _ __pycache__
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _autorange.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _bgcolor.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _bordercolor.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _borderwidth.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _range.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _yaxis.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _autorange.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _bgcolor.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _bordercolor.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _borderwidth.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _range.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _thickness.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _visible.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _yaxis.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ yaxis
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ __init__.py
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _ __pycache__
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _   _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _   _ _ _ _ _   _ _ _ _ _   _ _ _ _ _ _range.cpython-311.pyc

```


[illegible]

■	■	■	■	■	■	■	■	■	■■■■	_categoryorder.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_constrain.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_constraintoward.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dividercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dividerwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_domain.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_fixedrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_gridcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_gridwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_layer.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_linecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_matches.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_mirror.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_overlaying.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_position.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_range.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangebreakdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangebreaks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_rangemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_scaleanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_scaleratio.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showdividers.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showgrid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showspikes.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_side.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikedash.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikesnap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_spikethickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickson.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_zeroline.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_zerolinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_zerolinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■		_anchor.py
■	■	■	■	■	■	■	■	■■■■		_automargin.py
■	■	■	■	■	■	■	■	■■■■		_autorange.py
■	■	■	■	■	■	■	■	■■■■		_autotypenumbers.py
■	■	■	■	■	■	■	■	■■■■		_calendar.py
■	■	■	■	■	■	■	■	■■■■		_categoryarray.py
■	■	■	■	■	■	■	■	■■■■		_categoryarraysrc.py
■	■	■	■	■	■	■	■	■■■■		_categoryorder.py
■	■	■	■	■	■	■	■	■■■■		_color.py
■	■	■	■	■	■	■	■	■■■■		_constrain.py
■	■	■	■	■	■	■	■	■■■■		_constraintoward.py
■	■	■	■	■	■	■	■	■■■■		_dividercolor.py
■	■	■	■	■	■	■	■	■■■■		_dividerwidth.py
■	■	■	■	■	■	■	■	■■■■		_domain.py
■	■	■	■	■	■	■	■	■■■■		_dtick.py
■	■	■	■	■	■	■	■	■■■■		_exponentformat.py
■	■	■	■	■	■	■	■	■■■■		_fixedrange.py
■	■	■	■	■	■	■	■	■■■■		_gridcolor.py
■	■	■	■	■	■	■	■	■■■■		_gridwidth.py
■	■	■	■	■	■	■	■	■■■■		_hoverformat.py
■	■	■	■	■	■	■	■	■■■■		_layer.py
■	■	■	■	■	■	■	■	■■■■		_linecolor.py
■	■	■	■	■	■	■	■	■■■■		_linewidth.py
■	■	■	■	■	■	■	■	■■■■		_matches.py
■	■	■	■	■	■	■	■	■■■■		_minexponent.py
■	■	■	■	■	■	■	■	■■■■		_mirror.py
■	■	■	■	■	■	■	■	■■■■		_nticks.py
■	■	■	■	■	■	■	■	■■■■		_overlying.py
■	■	■	■	■	■	■	■	■■■■		_position.py
■	■	■	■	■	■	■	■	■■■■		_range.py
■	■	■	■	■	■	■	■	■■■■		_rangebreakdefaults.py
■	■	■	■	■	■	■	■	■■■■		_rangebreaks.py
■	■	■	■	■	■	■	■	■■■■		_rangemode.py
■	■	■	■	■	■	■	■	■■■■		_scaleanchor.py
■	■	■	■	■	■	■	■	■■■■		_scaleratio.py
■	■	■	■	■	■	■	■	■■■■		_separatethousands.py
■	■	■	■	■	■	■	■	■■■■		_showdividers.py
■	■	■	■	■	■	■	■	■■■■		_showexponent.py
■	■	■	■	■	■	■	■	■■■■		_showgrid.py
■	■	■	■	■	■	■	■	■■■■		_showline.py
■	■	■	■	■	■	■	■	■■■■		_showspikes.py
■	■	■	■	■	■	■	■	■■■■		_showticklabels.py
■	■	■	■	■	■	■	■	■■■■		_showtickprefix.py
■	■	■	■	■	■	■	■	■■■■		_showticksuffix.py
■	■	■	■	■	■	■	■	■■■■		_side.py

■	■	■	■	■	■	■	■	■■■■	_spikecolor.py
■	■	■	■	■	■	■	■	■■■■	_spikedash.py
■	■	■	■	■	■	■	■	■■■■	_spikemode.py
■	■	■	■	■	■	■	■	■■■■	_spikesnap.py
■	■	■	■	■	■	■	■	■■■■	_spikethickness.py
■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■■■■	_ticklabelmode.py
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■■■■	_tickson.py
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■■■■	_type.py
■	■	■	■	■	■	■	■	■■■■	_uirevision.py
■	■	■	■	■	■	■	■	■■■■	_visible.py
■	■	■	■	■	■	■	■	■■■■	_zeroline.py
■	■	■	■	■	■	■	■	■■■■	_zerolinecolor.py
■	■	■	■	■	■	■	■	■■■■	_zerolinewidth.py
■	■	■	■	■	■	■	■	■■■■	rangebreak
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bounds.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dvalue.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_pattern.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bounds.py
■	■	■	■	■	■	■	■	■■■■	_dvalue.py
■	■	■	■	■	■	■	■	■■■■	_enabled.py
■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■■■■	_pattern.py
■	■	■	■	■	■	■	■	■■■■	_templateitemname.py
■	■	■	■	■	■	■	■	■■■■	_values.py
■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc

```

████ _color.py
████ _family.py
████ _size.py
████ tickformatstop
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _dtickrange.cpython-311.pyc
████   █████ _enabled.cpython-311.pyc
████   █████ _name.cpython-311.pyc
████   █████ _templateitemname.cpython-311.pyc
████   █████ _value.cpython-311.pyc
████ _dtickrange.py
████ _enabled.py
████ _name.py
████ _templateitemname.py
████ _value.py
████ title
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _font.cpython-311.pyc
████   █████ _standoff.cpython-311.pyc
████   █████ _text.cpython-311.pyc
████ _font.py
████ _standoff.py
████ _text.py
████ font
████   █████ __init__.py
████   █████ __pycache__
████   █████   █████ __init__.cpython-311.pyc
████   █████   █████ _color.cpython-311.pyc
████   █████   █████ _family.cpython-311.pyc
████   █████   █████ _size.cpython-311.pyc
████   █████ _color.py
████   █████ _family.py
████   █████ _size.py
████ mesh3d
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _alphahull.cpython-311.pyc
████   █████ _autocolorscale.cpython-311.pyc
████   █████ _cauto.cpython-311.pyc
████   █████ _cmax.cpython-311.pyc
████   █████ _cmid.cpython-311.pyc
████   █████ _cmin.cpython-311.pyc
████   █████ _color.cpython-311.pyc
████   █████ _coloraxis.cpython-311.pyc
████   █████ _colorbar.cpython-311.pyc
████   █████ _colormap.cpython-311.pyc
████   █████ _contour.cpython-311.pyc
████   █████ _customdata.cpython-311.pyc
████   █████ _customdatasrc.cpython-311.pyc
████   █████ _deelaunayaxis.cpython-311.pyc
████   █████ _facecolor.cpython-311.pyc
████   █████ _facecolorsrc.cpython-311.pyc
████   █████ _flatshading.cpython-311.pyc

```

[illegible]

							_coloraxis.py
							_colorbar.py
							_colorscale.py
							_contour.py
							_customdata.py
							_customdatasrc.py
							_deelaunayaxis.py
							_facecolor.py
							_facecolorsrc.py
							_flatshading.py
							_hoverinfo.py
							_hoverinfosrc.py
							_hoverlabel.py
							_hovertemplate.py
							_hovertemplatesrc.py
							_hovertext.py
							_hovertextsrc.py
							_i.py
							_ids.py
							_idssrc.py
							_intensity.py
							_intensitymode.py
							_intensitiesrc.py
							_isrc.py
							_j.py
							_jsrc.py
							_k.py
							_ksrc.py
							_legendgroup.py
							_legendgrouptitle.py
							_legendrank.py
							_lighting.py
							_lightposition.py
							_meta.py
							_metasrc.py
							_name.py
							_opacity.py
							_reversescale.py
							_scene.py
							_showlegend.py
							_showscales.py
							_stream.py
							_text.py
							_textsrl.py
							_uid.py
							_uirevision.py
							_vertexcolor.py
							_vertexcolorsrc.py
							_visible.py
							_x.py
							_xcalendar.py
							_xhoverformat.py
							_xsrl.py
							_y.py
							_ycalendar.py
							_yhovelformat.py
							_ysrl.py
							_z.py

```

████ _calendar.py
████ _zhoverformat.py
████ _zsrc.py
████ colorbar
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _bgcolor.cpython-311.pyc
████ _bordercolor.cpython-311.pyc
████ _borderwidth.cpython-311.pyc
████ _dtick.cpython-311.pyc
████ _exponentformat.cpython-311.pyc
████ _len.cpython-311.pyc
████ _lenmode.cpython-311.pyc
████ _minexponent.cpython-311.pyc
████ _nticks.cpython-311.pyc
████ _outlinecolor.cpython-311.pyc
████ _outlinewidth.cpython-311.pyc
████ _separatethousands.cpython-311.pyc
████ _showexponent.cpython-311.pyc
████ _showticklabels.cpython-311.pyc
████ _showtickprefix.cpython-311.pyc
████ _showticksuffix.cpython-311.pyc
████ _thickness.cpython-311.pyc
████ _thicknessmode.cpython-311.pyc
████ _tick0.cpython-311.pyc
████ _tickangle.cpython-311.pyc
████ _tickcolor.cpython-311.pyc
████ _tickfont.cpython-311.pyc
████ _tickformat.cpython-311.pyc
████ _tickformatstopdefaults.cpython-311.pyc
████ _tickformatstops.cpython-311.pyc
████ _ticklabeloverflow.cpython-311.pyc
████ _ticklabelposition.cpython-311.pyc
████ _ticklen.cpython-311.pyc
████ _tickmode.cpython-311.pyc
████ _tickprefix.cpython-311.pyc
████ _ticks.cpython-311.pyc
████ _ticksuffix.cpython-311.pyc
████ _ticktext.cpython-311.pyc
████ _ticktextsrc.cpython-311.pyc
████ _tickvals.cpython-311.pyc
████ _tickvalssrc.cpython-311.pyc
████ _tickwidth.cpython-311.pyc
████ _title.cpython-311.pyc
████ _x.cpython-311.pyc
████ _xanchor.cpython-311.pyc
████ _xpad.cpython-311.pyc
████ _y.cpython-311.pyc
████ _yanchor.cpython-311.pyc
████ _ypad.cpython-311.pyc
████ _bgcolor.py
████ _bordercolor.py
████ _borderwidth.py
████ _dtick.py
████ _exponentformat.py
████ _len.py
████ _lenmode.py

```



```

_ minexponent.py
_ _nticks.py
_ _outlinecolor.py
_ _outlinewidth.py
_ _separatethousands.py
_ _showexponent.py
_ _showticklabels.py
_ _showtickprefix.py
_ _showticksuffix.py
_ _thickness.py
_ _thicknessmode.py
_ _tick0.py
_ _tickangle.py
_ _tickcolor.py
_ _tickfont.py
_ _tickformat.py
_ _tickformatstopdefaults.py
_ _tickformatstops.py
_ _ticklabeloverflow.py
_ _ticklabelposition.py
_ _ticklen.py
_ _tickmode.py
_ _tickprefix.py
_ _ticks.py
_ _ticksuffix.py
_ _ticktext.py
_ _ticktextsrc.py
_ _tickvals.py
_ _tickvalssrc.py
_ _tickwidth.py
_ _title.py
_ _x.py
_ _xanchor.py
_ _xpad.py
_ _y.py
_ _yanchor.py
_ _ypad.py
_ tickfont
_   _init_.py
_   __pycache__
_     _init_.cpython-311.pyc
_     _color.cpython-311.pyc
_     _family.cpython-311.pyc
_     _size.cpython-311.pyc
_   _color.py
_   _family.py
_   _size.py
_ tickformatstop
_   _init_.py
_   __pycache__
_     _init_.cpython-311.pyc
_     _dtickrange.cpython-311.pyc
_     _enabled.cpython-311.pyc
_     _name.cpython-311.pyc
_     _templateitemname.cpython-311.pyc
_     _value.cpython-311.pyc
_   _dtickrange.py
_   enabled.py

```

```

_ name.py
_ templateitemname.py
_ value.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_side.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_side.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
contour
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_show.cpython-311.pyc
_width.cpython-311.pyc
_color.py
_show.py
_width.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc
_alignsrc.cpython-311.pyc
_bgcolor.cpython-311.pyc
_bgcolorsrc.cpython-311.pyc
_bordercolor.cpython-311.pyc
_bordercolorsrc.cpython-311.pyc
_font.cpython-311.pyc
_namelength.cpython-311.pyc
_namelengthsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
font
__init__.py
__pycache__

```

```

    ■■■ _init_.cpython-311.pyc
    ■■■ _color.cpython-311.pyc
    ■■■ _colorsrc.cpython-311.pyc
    ■■■ _family.cpython-311.pyc
    ■■■ _familysrc.cpython-311.pyc
    ■■■ _size.cpython-311.pyc
    ■■■ _sizesrc.cpython-311.pyc
    ■■■ _color.py
    ■■■ _colorsrc.py
    ■■■ _family.py
    ■■■ _familysrc.py
    ■■■ _size.py
    ■■■ _sizesrc.py
    ■■■ legendgrouptitle
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ _init_.cpython-311.pyc
    ■■■ _font.cpython-311.pyc
    ■■■ _text.cpython-311.pyc
    ■■■ _font.py
    ■■■ _text.py
    ■■■ font
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ _init_.cpython-311.pyc
    ■■■ _color.cpython-311.pyc
    ■■■ _family.cpython-311.pyc
    ■■■ _size.cpython-311.pyc
    ■■■ _color.py
    ■■■ _family.py
    ■■■ _size.py
    ■■■ lighting
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ _init_.cpython-311.pyc
    ■■■ _ambient.cpython-311.pyc
    ■■■ _diffuse.cpython-311.pyc
    ■■■ _facenormalsepsilon.cpython-311.pyc
    ■■■ _fresnel.cpython-311.pyc
    ■■■ _roughness.cpython-311.pyc
    ■■■ _specular.cpython-311.pyc
    ■■■ _vertexnormalsepsilon.cpython-311.pyc
    ■■■ _ambient.py
    ■■■ _diffuse.py
    ■■■ _facenormalsepsilon.py
    ■■■ _fresnel.py
    ■■■ _roughness.py
    ■■■ _specular.py
    ■■■ _vertexnormalsepsilon.py
    ■■■ lightposition
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ _init_.cpython-311.pyc
    ■■■ _x.cpython-311.pyc
    ■■■ _y.cpython-311.pyc
    ■■■ _z.cpython-311.pyc
    ■■■ _x.py
    ■■■ _y.py

```

```

████ _z.py
████ stream
████ __init__.py
████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _maxpoints.cpython-311.pyc
████   █████ _token.cpython-311.pyc
████   █████ _maxpoints.py
████   █████ _token.py
████ ohlc
████   █████ __init__.py
████   █████ __pycache__
████   █████ __init__.cpython-311.pyc
████   █████ _close.cpython-311.pyc
████   █████ _closesrc.cpython-311.pyc
████   █████ _customdata.cpython-311.pyc
████   █████ _customdatasrc.cpython-311.pyc
████   █████ _decreasing.cpython-311.pyc
████   █████ _high.cpython-311.pyc
████   █████ _highsrc.cpython-311.pyc
████   █████ _hoverinfo.cpython-311.pyc
████   █████ _hoverinfosrc.cpython-311.pyc
████   █████ _hoverlabel.cpython-311.pyc
████   █████ _hovertext.cpython-311.pyc
████   █████ _hovertextsrc.cpython-311.pyc
████   █████ _ids.cpython-311.pyc
████   █████ _idssrc.cpython-311.pyc
████   █████ _increasing.cpython-311.pyc
████   █████ _legendgroup.cpython-311.pyc
████   █████ _legendgrouptitle.cpython-311.pyc
████   █████ _legendrank.cpython-311.pyc
████   █████ _line.cpython-311.pyc
████   █████ _low.cpython-311.pyc
████   █████ _lowsrc.cpython-311.pyc
████   █████ _meta.cpython-311.pyc
████   █████ _metasrc.cpython-311.pyc
████   █████ _name.cpython-311.pyc
████   █████ _opacity.cpython-311.pyc
████   █████ _open.cpython-311.pyc
████   █████ _opensrc.cpython-311.pyc
████   █████ _selectedpoints.cpython-311.pyc
████   █████ _showlegend.cpython-311.pyc
████   █████ _stream.cpython-311.pyc
████   █████ _text.cpython-311.pyc
████   █████ _textsrc.cpython-311.pyc
████   █████ _tickwidth.cpython-311.pyc
████   █████ _uid.cpython-311.pyc
████   █████ _uirevision.cpython-311.pyc
████   █████ _visible.cpython-311.pyc
████   █████ _x.cpython-311.pyc
████   █████ _xaxis.cpython-311.pyc
████   █████ _xcalendar.cpython-311.pyc
████   █████ _xhoverformat.cpython-311.pyc
████   █████ _xperiod.cpython-311.pyc
████   █████ _xperiod0.cpython-311.pyc
████   █████ _xperiodalignment.cpython-311.pyc
████   █████ _xsrc.cpython-311.pyc
████   █████ _yaxis.cpython-311.pyc

```

```

■ ■ ■ ■ _hoverformat.cpython-311.pyc
■ ■ ■ ■ _close.py
■ ■ ■ ■ _closesrc.py
■ ■ ■ ■ _customdata.py
■ ■ ■ ■ _customdatasrc.py
■ ■ ■ ■ _decreasing.py
■ ■ ■ ■ _high.py
■ ■ ■ ■ _highsrc.py
■ ■ ■ ■ _hoverinfo.py
■ ■ ■ ■ _hoverinfosrc.py
■ ■ ■ ■ _hoverlabel.py
■ ■ ■ ■ _hovertext.py
■ ■ ■ ■ _hovertextsrc.py
■ ■ ■ ■ _ids.py
■ ■ ■ ■ _idssrc.py
■ ■ ■ ■ _increasing.py
■ ■ ■ ■ _legendgroup.py
■ ■ ■ ■ _legendgrouptitle.py
■ ■ ■ ■ _legendrank.py
■ ■ ■ ■ _line.py
■ ■ ■ ■ _low.py
■ ■ ■ ■ _lowsrc.py
■ ■ ■ ■ _meta.py
■ ■ ■ ■ _metasrc.py
■ ■ ■ ■ _name.py
■ ■ ■ ■ _opacity.py
■ ■ ■ ■ _open.py
■ ■ ■ ■ _opensrc.py
■ ■ ■ ■ _selectedpoints.py
■ ■ ■ ■ _showlegend.py
■ ■ ■ ■ _stream.py
■ ■ ■ ■ _text.py
■ ■ ■ ■ _textsrc.py
■ ■ ■ ■ _tickwidth.py
■ ■ ■ ■ _uid.py
■ ■ ■ ■ _uirevision.py
■ ■ ■ ■ _visible.py
■ ■ ■ ■ _x.py
■ ■ ■ ■ _xaxis.py
■ ■ ■ ■ _xcalendar.py
■ ■ ■ ■ _xhoverformat.py
■ ■ ■ ■ _xperiod.py
■ ■ ■ ■ _xperiod0.py
■ ■ ■ ■ _xperiodalignment.py
■ ■ ■ ■ _xsrc.py
■ ■ ■ ■ _yaxis.py
■ ■ ■ ■ _yhoverformat.py
■ ■ ■ ■ decreasing
■ ■ ■ ■ _init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ _init__.cpython-311.pyc
■ ■ ■ ■ _line.cpython-311.pyc
■ ■ ■ ■ _line.py
■ ■ ■ ■ line
■ ■ ■ ■ _init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ _init__.cpython-311.pyc
■ ■ ■ ■ _color.cpython-311.pyc

```

[illegible]

```

    color.py
    _dash.py
    _width.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    line
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _dash.cpython-311.pyc
    _width.cpython-311.pyc
    _dash.py
    _width.py
    stream
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
    _maxpoints.py
    _token.py
    parcats
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _arrangement.cpython-311.pyc
    _bundlecolors.cpython-311.pyc
    _counts.cpython-311.pyc
    _countssrc.cpython-311.pyc
    _dimensiondefaults.cpython-311.pyc
    _dimensions.cpython-311.pyc
    _domain.cpython-311.pyc
    _hoverinfo.cpython-311.pyc
    _hoveron.cpython-311.pyc
    _hovertemplate.cpython-311.pyc
    _labelfont.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc
    _line.cpython-311.pyc
    _meta.cpython-311.pyc
    _metasrc.cpython-311.pyc
    _name.cpython-311.pyc
    _sortpaths.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_arrangement.py	
■	■	■	■	■	■	■	■■■■	_bundlecolors.py	
■	■	■	■	■	■	■	■■■■	_counts.py	
■	■	■	■	■	■	■	■■■■	_countssrc.py	
■	■	■	■	■	■	■	■■■■	_dimensiondefaults.py	
■	■	■	■	■	■	■	■■■■	_dimensions.py	
■	■	■	■	■	■	■	■■■■	_domain.py	
■	■	■	■	■	■	■	■■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■■	_hoveron.py	
■	■	■	■	■	■	■	■■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■■	_labelfont.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_line.py	
■	■	■	■	■	■	■	■■■■	_meta.py	
■	■	■	■	■	■	■	■■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■■■■	_sortpaths.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_tickfont.py	
■	■	■	■	■	■	■	■■■■	_uid.py	
■	■	■	■	■	■	■	■■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■■	_visible.py	
■	■	■	■	■	■	■	■■■■	dimension	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_categoryarray.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_categoryarraysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_categoryorder.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_displayindex.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_label.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_valuessrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_categoryarray.py	
■	■	■	■	■	■	■	■■■■	_categoryarraysrc.py	
■	■	■	■	■	■	■	■■■■	_categoryorder.py	
■	■	■	■	■	■	■	■■■■	_displayindex.py	
■	■	■	■	■	■	■	■■■■	_label.py	
■	■	■	■	■	■	■	■■■■	_ticktext.py	
■	■	■	■	■	■	■	■■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■■■■	_values.py	
■	■	■	■	■	■	■	■■■■	_valuessrc.py	
■	■	■	■	■	■	■	■■■■	_visible.py	
■	■	■	■	■	■	■	■■■■	domain	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_column.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_row.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc


```

_ y.cpython-311.pyc
_ column.py
_ row.py
_ x.py
_ y.py
labelfont
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
_color.py
_family.py
_size.py
legendgrouptitle
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
_font.py
_text.py
font
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
line
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _colorscale.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _hovertemplate.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _shape.cpython-311.pyc
    _showscale.cpython-311.pyc
_autocolorscale.py
_cauto.py
_cmax.py
_cmid.py
_cmin.py
_color.py
_coloraxis.py

```

■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colormap.py
■	■	■	■	■	■	■	■	■■■■	_colorsrc.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.py
■	■	■	■	■	■	■	■	■■■■	_reversescale.py
■	■	■	■	■	■	■	■	■■■■	_shape.py
■	■	■	■	■	■	■	■	■■■■	_showscale.py
■	■	■	■	■	■	■	■	■■■■	colorbar
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■ _ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py

■	■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■■■■	_len.py
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.py
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc

```

    _templateitemname.cpython-311.pyc
    _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    title
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _side.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    stream
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
    _maxpoints.py
    _token.py
    tickfont
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    parcoords
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _customdata.cpython-311.pyc
    _customdatasrc.cpython-311.pyc
    _dimensiondefaults.cpython-311.pyc
    _dimensions.cpython-311.pyc
    _domain.cpython-311.pyc
    _ids.cpython-311.pyc
    _idsrc.cpython-311.pyc
    _labelangle.cpython-311.pyc
    _labelfont.cpython-311.pyc

```

```

_ _ _ _ _labelside.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _legendrank.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _meta.cpython-311.pyc
_ _ _ _ _metasrc.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _rangefont.cpython-311.pyc
_ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _tickfont.cpython-311.pyc
_ _ _ _ _uid.cpython-311.pyc
_ _ _ _ _uirevision.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _customdata.py
_ _ _ _ _customdatasrc.py
_ _ _ _ _dimensiondefaults.py
_ _ _ _ _dimensions.py
_ _ _ _ _domain.py
_ _ _ _ _ids.py
_ _ _ _ _idssrc.py
_ _ _ _ _labelangle.py
_ _ _ _ _labelfont.py
_ _ _ _ _labelside.py
_ _ _ _ _legendgrouptitle.py
_ _ _ _ _legendrank.py
_ _ _ _ _line.py
_ _ _ _ _meta.py
_ _ _ _ _metasrc.py
_ _ _ _ _name.py
_ _ _ _ _rangefont.py
_ _ _ _ _stream.py
_ _ _ _ _tickfont.py
_ _ _ _ _uid.py
_ _ _ _ _uirevision.py
_ _ _ _ _visible.py
_ _ _ _ dimension
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _constrainrange.cpython-311.pyc
_ _ _ _ _label.cpython-311.pyc
_ _ _ _ _multiselect.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _range.cpython-311.pyc
_ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _tickformat.cpython-311.pyc
_ _ _ _ _ticktext.cpython-311.pyc
_ _ _ _ _ticktextsrc.cpython-311.pyc
_ _ _ _ _tickvals.cpython-311.pyc
_ _ _ _ _tickvalssrc.cpython-311.pyc
_ _ _ _ _values.cpython-311.pyc
_ _ _ _ _valuessrc.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ constrainrange.py
_ _ _ _ label.py
_ _ _ _ multiselect.py
_ _ _ _ name.py
_ _ _ _ range.py

```


■	■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_coloraxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colormaps.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_autocolorscale.py	
■	■	■	■	■	■	■	■	■■■	_cauto.py	
■	■	■	■	■	■	■	■	■■■	_cmap.py	
■	■	■	■	■	■	■	■	■■■	_cmid.py	
■	■	■	■	■	■	■	■	■■■	_cmin.py	
■	■	■	■	■	■	■	■	■■■	_color.py	
■	■	■	■	■	■	■	■	■■■	_coloraxis.py	
■	■	■	■	■	■	■	■	■■■	_colorbar.py	
■	■	■	■	■	■	■	■	■■■	_colormap.py	
■	■	■	■	■	■	■	■	■■■	_colormaps.py	
■	■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc	
■	■	■	■	■	■	■	■	■	■	■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py	
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_len.py	
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.py	
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■	■	■■■	_title.py	
■	■	■	■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.py	
■	■	■	■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.py	
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.py	
■	■	■	■	■	■	■	■	■	■	■■■	tickfont	
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc


```

    █ _init__.py
    █ _pycache_
    █   █ __init__.cpython-311.pyc
    █   █ _color.cpython-311.pyc
    █   █ _family.cpython-311.pyc
    █   █ _size.cpython-311.pyc
    █   █ _color.py
    █   █ _family.py
    █   █ _size.py
    █   █ pie
    █     █ __init__.py
    █     █ _pycache_
    █       █ __init__.cpython-311.pyc
    █       █ automargin.cpython-311.pyc
    █       █ customdata.cpython-311.pyc
    █       █ customdatasrc.cpython-311.pyc
    █       █ direction.cpython-311.pyc
    █       █ dlabel.cpython-311.pyc
    █       █ domain.cpython-311.pyc
    █       █ hole.cpython-311.pyc
    █       █ hoverinfo.cpython-311.pyc
    █       █ hoverinfosrc.cpython-311.pyc
    █       █ hoverlabel.cpython-311.pyc
    █       █ hovertemplate.cpython-311.pyc
    █       █ hovertemplatesrc.cpython-311.pyc
    █       █ hovertext.cpython-311.pyc
    █       █ hovertextsrc.cpython-311.pyc
    █       █ ids.cpython-311.pyc
    █       █ idssrc.cpython-311.pyc
    █       █ insidetextfont.cpython-311.pyc
    █       █ insidetextorientation.cpython-311.pyc
    █       █ label0.cpython-311.pyc
    █       █ labels.cpython-311.pyc
    █       █ labelssrc.cpython-311.pyc
    █       █ legendgroup.cpython-311.pyc
    █       █ legendgrouptitle.cpython-311.pyc
    █       █ legendrank.cpython-311.pyc
    █       █ marker.cpython-311.pyc
    █       █ meta.cpython-311.pyc
    █       █ metasrc.cpython-311.pyc
    █       █ name.cpython-311.pyc
    █       █ opacity.cpython-311.pyc
    █       █ outsidetextfont.cpython-311.pyc
    █       █ pull.cpython-311.pyc
    █       █ pullsrc.cpython-311.pyc
    █       █ rotation.cpython-311.pyc
    █       █ scalegroup.cpython-311.pyc
    █       █ showlegend.cpython-311.pyc
    █       █ sort.cpython-311.pyc
    █       █ stream.cpython-311.pyc
    █       █ text.cpython-311.pyc
    █       █ textfont.cpython-311.pyc
    █       █ textinfo.cpython-311.pyc
    █       █ textposition.cpython-311.pyc
    █       █ textpositionsrc.cpython-311.pyc
    █       █ textsrc.cpython-311.pyc
    █       █ texttemplate.cpython-311.pyc
    █       █ texttemplatesrc.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_valuessrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_automargin.py	
■	■	■	■	■	■	■	■■■■	_customdata.py	
■	■	■	■	■	■	■	■■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■■	_direction.py	
■	■	■	■	■	■	■	■■■■	_dlabel.py	
■	■	■	■	■	■	■	■■■■	_domain.py	
■	■	■	■	■	■	■	■■■■	_hole.py	
■	■	■	■	■	■	■	■■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■■	_ids.py	
■	■	■	■	■	■	■	■■■■	_idssrc.py	
■	■	■	■	■	■	■	■■■■	_insidetextfont.py	
■	■	■	■	■	■	■	■■■■	_insidetextorientation.py	
■	■	■	■	■	■	■	■■■■	_label0.py	
■	■	■	■	■	■	■	■■■■	_labels.py	
■	■	■	■	■	■	■	■■■■	_labelsrc.py	
■	■	■	■	■	■	■	■■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■■	_marker.py	
■	■	■	■	■	■	■	■■■■	_meta.py	
■	■	■	■	■	■	■	■■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■■■■	_outsidetextfont.py	
■	■	■	■	■	■	■	■■■■	_pull.py	
■	■	■	■	■	■	■	■■■■	_pullsrc.py	
■	■	■	■	■	■	■	■■■■	_rotation.py	
■	■	■	■	■	■	■	■■■■	_scalegroup.py	
■	■	■	■	■	■	■	■■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■■	_sort.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_text.py	
■	■	■	■	■	■	■	■■■■	_textfont.py	
■	■	■	■	■	■	■	■■■■	_textinfo.py	
■	■	■	■	■	■	■	■■■■	_textposition.py	
■	■	■	■	■	■	■	■■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■■	_title.py	
■	■	■	■	■	■	■	■■■■	_uid.py	
■	■	■	■	■	■	■	■■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■■	_values.py	
■	■	■	■	■	■	■	■■■■	_valuessrc.py	
■	■	■	■	■	■	■	■■■■	_visible.py	
■	■	■	■	■	■	■	■■■■	domain	

```

■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _column.cpython-311.pyc
■■■■ _row.cpython-311.pyc
■■■■ _x.cpython-311.pyc
■■■■ _y.cpython-311.pyc
■■■■ _column.py
■■■■ _row.py
■■■■ _x.py
■■■■ _y.py
■■■■ hoverlabel
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _align.cpython-311.pyc
■■■■ _alignsrc.cpython-311.pyc
■■■■ _bgcolor.cpython-311.pyc
■■■■ _bgcolorsrc.cpython-311.pyc
■■■■ _bordercolor.cpython-311.pyc
■■■■ _bordercolorsrc.cpython-311.pyc
■■■■ _font.cpython-311.pyc
■■■■ _namelength.cpython-311.pyc
■■■■ _namelengthsrc.cpython-311.pyc
■■■■ _align.py
■■■■ _alignsrc.py
■■■■ _bgcolor.py
■■■■ _bgcolorsrc.py
■■■■ _bordercolor.py
■■■■ _bordercolorsrc.py
■■■■ _font.py
■■■■ _namelength.py
■■■■ _namelengthsrc.py
■■■■ font
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _colorsrc.cpython-311.pyc
■■■■ _family.cpython-311.pyc
■■■■ _familysrc.cpython-311.pyc
■■■■ _size.cpython-311.pyc
■■■■ _sizesrc.cpython-311.pyc
■■■■ _color.py
■■■■ _colorsrc.py
■■■■ _family.py
■■■■ _familysrc.py
■■■■ _size.py
■■■■ _sizesrc.py
■■■■ insidetextfont
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _colorsrc.cpython-311.pyc
■■■■ _family.cpython-311.pyc
■■■■ _familysrc.cpython-311.pyc
■■■■ _size.cpython-311.pyc

```

```

_ _ _ _ _ sizesrc.cpython-311.pyc
_ _ _ _ _ color.py
_ _ _ _ _ colorsrc.py
_ _ _ _ _ family.py
_ _ _ _ _ familysrc.py
_ _ _ _ _ size.py
_ _ _ _ _ sizesrc.py
_ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ font.cpython-311.pyc
_ _ _ _ _ text.cpython-311.pyc
_ _ _ _ _ font.py
_ _ _ _ _ text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ color.cpython-311.pyc
_ _ _ _ _ family.cpython-311.pyc
_ _ _ _ _ size.cpython-311.pyc
_ _ _ _ _ color.py
_ _ _ _ _ family.py
_ _ _ _ _ size.py
_ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ colors.cpython-311.pyc
_ _ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ _ line.cpython-311.pyc
_ _ _ _ _ colors.py
_ _ _ _ _ colorsrc.py
_ _ _ _ _ line.py
_ _ _ _ _ line
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ color.cpython-311.pyc
_ _ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ _ width.cpython-311.pyc
_ _ _ _ _ widthsrc.cpython-311.pyc
_ _ _ _ _ color.py
_ _ _ _ _ colorsrc.py
_ _ _ _ _ width.py
_ _ _ _ _ widthsrc.py
_ _ _ _ _ outsidetextfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ color.cpython-311.pyc
_ _ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ _ family.cpython-311.pyc
_ _ _ _ _ familysrc.cpython-311.pyc
_ _ _ _ _ size.cpython-311.pyc
_ _ _ _ _ sizesrc.cpython-311.pyc
_ _ _ _ _ color.py

```

```

    colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    stream
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
    _maxpoints.py
    _token.py
    textfont
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    title
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _font.cpython-311.pyc
    _position.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _position.py
    _text.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    pointcloud
    _init__.py
    __pycache__

```

■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_indices.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_indicessrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xbounds.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xboundssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ybounds.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yboundsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_ids.py
■	■	■	■	■	■	■	■	■■■■	_idsrc.py
■	■	■	■	■	■	■	■	■■■■	_indices.py
■	■	■	■	■	■	■	■	■■■■	_indicessrc.py
■	■	■	■	■	■	■	■	■■■■	_legendgroup.py
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py
■	■	■	■	■	■	■	■	■■■■	_legendrank.py
■	■	■	■	■	■	■	■	■■■■	_marker.py
■	■	■	■	■	■	■	■	■■■■	_meta.py
■	■	■	■	■	■	■	■	■■■■	_metasrc.py
■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■■■■	_opacity.py
■	■	■	■	■	■	■	■	■■■■	_showlegend.py
■	■	■	■	■	■	■	■	■■■■	_stream.py
■	■	■	■	■	■	■	■	■■■■	_text.py
■	■	■	■	■	■	■	■	■■■■	_textsrc.py

■	■	■	■	■	■	■	■■■	_uid.py
■	■	■	■	■	■	■	■■■	_uirevision.py
■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■■■	_x.py
■	■	■	■	■	■	■	■■■	_xaxis.py
■	■	■	■	■	■	■	■■■	_xbounds.py
■	■	■	■	■	■	■	■■■	_xboundssrc.py
■	■	■	■	■	■	■	■■■	_xsrc.py
■	■	■	■	■	■	■	■■■	_xy.py
■	■	■	■	■	■	■	■■■	_xysrc.py
■	■	■	■	■	■	■	■■■	_y.py
■	■	■	■	■	■	■	■■■	_yaxis.py
■	■	■	■	■	■	■	■■■	_ybounds.py
■	■	■	■	■	■	■	■■■	_yboundssrc.py
■	■	■	■	■	■	■	■■■	_ysrc.py
■	■	■	■	■	■	■	■■■	hoverlabel
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	_namelength.cpython-311.pyc
■	■	■	■	■	■	■	■	_namelengthsrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_align.py
■	■	■	■	■	■	■	■■■	_alignsrc.py
■	■	■	■	■	■	■	■■■	_bgcolor.py
■	■	■	■	■	■	■	■■■	_bgcolorsrc.py
■	■	■	■	■	■	■	■■■	_bordercolor.py
■	■	■	■	■	■	■	■■■	_bordercolorsrc.py
■	■	■	■	■	■	■	■■■	_font.py
■	■	■	■	■	■	■	■■■	_namelength.py
■	■	■	■	■	■	■	■■■	_namelengthsrc.py
■	■	■	■	■	■	■	■■■	font
■	■	■	■	■	■	■	■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	_colorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	_familysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	_sizesrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_color.py
■	■	■	■	■	■	■	■■■	_colorsrc.py
■	■	■	■	■	■	■	■■■	_family.py
■	■	■	■	■	■	■	■■■	_familysrc.py
■	■	■	■	■	■	■	■■■	_size.py
■	■	■	■	■	■	■	■■■	_sizesrc.py
■	■	■	■	■	■	■	■■■	legendgrouptitle
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	_font.cpython-311.pyc


```

    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    marker
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _blend.cpython-311.pyc
    _border.cpython-311.pyc
    _color.cpython-311.pyc
    _opacity.cpython-311.pyc
    _sizemax.cpython-311.pyc
    _sizemin.cpython-311.pyc
    _blend.py
    _border.py
    _color.py
    _opacity.py
    _sizemax.py
    _sizemin.py
    border
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _arearatio.cpython-311.pyc
    _color.cpython-311.pyc
    _arearatio.py
    _color.py
    stream
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
    _maxpoints.py
    _token.py
    sankey
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _arrangement.cpython-311.pyc
    _customdata.cpython-311.pyc
    _customdatasrc.cpython-311.pyc
    _domain.cpython-311.pyc
    _hoverinfo.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _ids.cpython-311.pyc
    _idssrc.cpython-311.pyc
    _legendgrouptitle.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_link.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_node.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_valueformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_valuesuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_arrangement.py	
■	■	■	■	■	■	■	■■■■	_customdata.py	
■	■	■	■	■	■	■	■■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■■	_domain.py	
■	■	■	■	■	■	■	■■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■■	_ids.py	
■	■	■	■	■	■	■	■■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■■	_link.py	
■	■	■	■	■	■	■	■■■■	_meta.py	
■	■	■	■	■	■	■	■■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■■■■	_node.py	
■	■	■	■	■	■	■	■■■■	_orientation.py	
■	■	■	■	■	■	■	■■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_textfont.py	
■	■	■	■	■	■	■	■■■■	_uid.py	
■	■	■	■	■	■	■	■■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■■	_valueformat.py	
■	■	■	■	■	■	■	■■■■	_valuesuffix.py	
■	■	■	■	■	■	■	■■■■	_visible.py	
■	■	■	■	■	■	■	■■■■	domain	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_column.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_row.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_column.py	
■	■	■	■	■	■	■	■■■■	_row.py	
■	■	■	■	■	■	■	■■■■	_x.py	
■	■	■	■	■	■	■	■■■■	_y.py	
■	■	■	■	■	■	■	■■■■	hoverlabel	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc

[illegible]

```

■ ■ ■ ■ _customdatasrc.cpython-311.pyc
■ ■ ■ ■ _hoverinfo.cpython-311.pyc
■ ■ ■ ■ _hoverlabel.cpython-311.pyc
■ ■ ■ ■ _hovertemplate.cpython-311.pyc
■ ■ ■ ■ _hovertemplatesrc.cpython-311.pyc
■ ■ ■ ■ _label.cpython-311.pyc
■ ■ ■ ■ _labelsrc.cpython-311.pyc
■ ■ ■ ■ _line.cpython-311.pyc
■ ■ ■ ■ _source.cpython-311.pyc
■ ■ ■ ■ _sourcesrc.cpython-311.pyc
■ ■ ■ ■ _target.cpython-311.pyc
■ ■ ■ ■ _targetsrc.cpython-311.pyc
■ ■ ■ ■ _value.cpython-311.pyc
■ ■ ■ ■ _valuesrc.cpython-311.pyc
■ ■ ■ ■ _color.py
■ ■ ■ ■ _colourscaledefaults.py
■ ■ ■ ■ _colourscales.py
■ ■ ■ ■ _colorsrc.py
■ ■ ■ ■ _customdata.py
■ ■ ■ ■ _customdatasrc.py
■ ■ ■ ■ _hoverinfo.py
■ ■ ■ ■ _hoverlabel.py
■ ■ ■ ■ _hovertemplate.py
■ ■ ■ ■ _hovertemplatesrc.py
■ ■ ■ ■ _label.py
■ ■ ■ ■ _labelsrc.py
■ ■ ■ ■ _line.py
■ ■ ■ ■ _source.py
■ ■ ■ ■ _sourcesrc.py
■ ■ ■ ■ _target.py
■ ■ ■ ■ _targetsrc.py
■ ■ ■ ■ _value.py
■ ■ ■ ■ _valuesrc.py
■ ■ ■ ■ colorscale
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _cmax.cpython-311.pyc
■ ■ ■ ■ _cmin.cpython-311.pyc
■ ■ ■ ■ _colorscale.cpython-311.pyc
■ ■ ■ ■ _label.cpython-311.pyc
■ ■ ■ ■ _name.cpython-311.pyc
■ ■ ■ ■ _templateitemname.cpython-311.pyc
■ ■ ■ ■ _cmax.py
■ ■ ■ ■ _cmin.py
■ ■ ■ ■ _colorscale.py
■ ■ ■ ■ _label.py
■ ■ ■ ■ _name.py
■ ■ ■ ■ _templateitemname.py
■ ■ ■ ■ hoverlabel
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _align.cpython-311.pyc
■ ■ ■ ■ _alignsrc.cpython-311.pyc
■ ■ ■ ■ _bgcolor.cpython-311.pyc
■ ■ ■ ■ _bgcolorsrc.cpython-311.pyc
■ ■ ■ ■ _bordercolor.cpython-311.pyc

```

```

    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    _init_.py
    __pycache__
    _init_.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
line
    _init_.py
    __pycache__
    _init_.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _width.cpython-311.pyc
    _widthsrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _width.py
    _widthsrc.py
node
    _init_.py
    __pycache__
    _init_.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _customdata.cpython-311.pyc
    _customdatasrc.cpython-311.pyc
    _groups.cpython-311.pyc
    _hoverinfo.cpython-311.pyc
    _hoverlabel.cpython-311.pyc
    _hovertemplate.cpython-311.pyc
    _hovertemplatesrc.cpython-311.pyc
    _label.cpython-311.pyc
    _labelsrc.cpython-311.pyc
    _line.cpython-311.pyc
    _pad.cpython-311.pyc

```

```

■ ■ ■ ■ _thickness.cpython-311.pyc
■ ■ ■ ■ _x.cpython-311.pyc
■ ■ ■ ■ _xsrc.cpython-311.pyc
■ ■ ■ ■ _y.cpython-311.pyc
■ ■ ■ ■ _ysrc.cpython-311.pyc
■ ■ ■ ■ _color.py
■ ■ ■ ■ _colorsrc.py
■ ■ ■ ■ _customdata.py
■ ■ ■ ■ _customdatasrc.py
■ ■ ■ ■ _groups.py
■ ■ ■ ■ _hoverinfo.py
■ ■ ■ ■ _hoverlabel.py
■ ■ ■ ■ _hovertemplate.py
■ ■ ■ ■ _hovertemplatesrc.py
■ ■ ■ ■ _label.py
■ ■ ■ ■ _labelsrc.py
■ ■ ■ ■ _line.py
■ ■ ■ ■ _pad.py
■ ■ ■ ■ _thickness.py
■ ■ ■ ■ _x.py
■ ■ ■ ■ _xsrc.py
■ ■ ■ ■ _y.py
■ ■ ■ ■ _ysrc.py
■ ■ ■ ■ hoverlabel
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _align.cpython-311.pyc
■ ■ ■ ■ _alignsrc.cpython-311.pyc
■ ■ ■ ■ _bgcolor.cpython-311.pyc
■ ■ ■ ■ _bgcolorsrc.cpython-311.pyc
■ ■ ■ ■ _bordercolor.cpython-311.pyc
■ ■ ■ ■ _bordercolorsrc.cpython-311.pyc
■ ■ ■ ■ _font.cpython-311.pyc
■ ■ ■ ■ _namelength.cpython-311.pyc
■ ■ ■ ■ _namelengthsrc.cpython-311.pyc
■ ■ ■ ■ _align.py
■ ■ ■ ■ _alignsrc.py
■ ■ ■ ■ _bgcolor.py
■ ■ ■ ■ _bgcolorsrc.py
■ ■ ■ ■ _bordercolor.py
■ ■ ■ ■ _bordercolorsrc.py
■ ■ ■ ■ _font.py
■ ■ ■ ■ _namelength.py
■ ■ ■ ■ _namelengthsrc.py
■ ■ ■ ■ font
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _color.cpython-311.pyc
■ ■ ■ ■ _colorsrc.cpython-311.pyc
■ ■ ■ ■ _family.cpython-311.pyc
■ ■ ■ ■ _familysrc.cpython-311.pyc
■ ■ ■ ■ _size.cpython-311.pyc
■ ■ ■ ■ _sizesrc.cpython-311.pyc
■ ■ ■ ■ _color.py
■ ■ ■ ■ _colorsrc.py
■ ■ ■ ■ _family.py

```

[illegible]


```

_ _ _ _ _ hoverformat.py
_ _ _ _ _ _yperiod.py
_ _ _ _ _ _yperiod0.py
_ _ _ _ _ _yperiodalignment.py
_ _ _ _ _ _ysrc.py
_ _ _ _ _ error_x
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _array.cpython-311.pyc
_ _ _ _ _ _arrayminus.cpython-311.pyc
_ _ _ _ _ _arrayminussrc.cpython-311.pyc
_ _ _ _ _ _arraysrc.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _copy_ystyle.cpython-311.pyc
_ _ _ _ _ _symmetric.cpython-311.pyc
_ _ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _ _traceref.cpython-311.pyc
_ _ _ _ _ _tracerefminus.cpython-311.pyc
_ _ _ _ _ _type.cpython-311.pyc
_ _ _ _ _ _value.cpython-311.pyc
_ _ _ _ _ _valueminus.cpython-311.pyc
_ _ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _ _width.cpython-311.pyc
_ _ _ _ _ _array.py
_ _ _ _ _ _arrayminus.py
_ _ _ _ _ _arrayminussrc.py
_ _ _ _ _ _arraysrc.py
_ _ _ _ _ _color.py
_ _ _ _ _ _copy_ystyle.py
_ _ _ _ _ _symmetric.py
_ _ _ _ _ _thickness.py
_ _ _ _ _ _traceref.py
_ _ _ _ _ _tracerefminus.py
_ _ _ _ _ _type.py
_ _ _ _ _ _value.py
_ _ _ _ _ _valueminus.py
_ _ _ _ _ _visible.py
_ _ _ _ _ _width.py
_ _ _ _ _ error_y
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _array.cpython-311.pyc
_ _ _ _ _ _arrayminus.cpython-311.pyc
_ _ _ _ _ _arrayminussrc.cpython-311.pyc
_ _ _ _ _ _arraysrc.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _symmetric.cpython-311.pyc
_ _ _ _ _ _thickness.cpython-311.pyc
_ _ _ _ _ _traceref.cpython-311.pyc
_ _ _ _ _ _tracerefminus.cpython-311.pyc
_ _ _ _ _ _type.cpython-311.pyc
_ _ _ _ _ _value.cpython-311.pyc
_ _ _ _ _ _valueminus.cpython-311.pyc
_ _ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _ _width.cpython-311.pyc
_ _ _ _ _ _array.py

```

```

_ arrayminus.py
_ arrayminussrc.py
_ arraysrc.py
_ color.py
_ symmetric.py
_ thickness.py
_ traceref.py
_ tracerefminus.py
_ type.py
_ value.py
_ valueminus.py
_ visible.py
_ width.py
  hoverlabel
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _align.cpython-311.pyc
      _alignsrc.cpython-311.pyc
      _bgcolor.cpython-311.pyc
      _bgcolorsrc.cpython-311.pyc
      _bordercolor.cpython-311.pyc
      _bordercolorsrc.cpython-311.pyc
      _font.cpython-311.pyc
      _namelength.cpython-311.pyc
      _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _colorsrc.cpython-311.pyc
        _family.cpython-311.pyc
        _familysrc.cpython-311.pyc
        _size.cpython-311.pyc
        _sizesrc.cpython-311.pyc
      _color.py
      _colorsrc.py
      _family.py
      _familysrc.py
      _size.py
      _sizesrc.py
  legendgrouptitle
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _font.cpython-311.pyc
      _text.cpython-311.pyc
    font.py

```

```

    text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    line
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _dash.cpython-311.pyc
    _shape.cpython-311.pyc
    _simplify.cpython-311.pyc
    _smoothing.cpython-311.pyc
    _width.cpython-311.pyc
    _color.py
    _dash.py
    _shape.py
    _simplify.py
    _smoothing.py
    _width.py
    marker
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _colormap.cpython-311.pyc
    _colormapsrc.cpython-311.pyc
    _gradient.cpython-311.pyc
    _line.cpython-311.pyc
    _maxdisplayed.cpython-311.pyc
    _opacity.cpython-311.pyc
    _opacitysrc.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _showscale.cpython-311.pyc
    _size.cpython-311.pyc
    _sizemin.cpython-311.pyc
    _sizemode.cpython-311.pyc
    _sizeref.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _symbol.cpython-311.pyc
    _symbolsrc.cpython-311.pyc
    _autocolorscale.py
    _cauto.py
    _cmax.py

```

```

_ cmid.py
_ cmin.py
_ color.py
_ coloraxis.py
_ colorbar.py
_ colorscale.py
_ colorsrc.py
_ gradient.py
_ line.py
_ maxdisplayed.py
_ opacity.py
_ opacitysrc.py
_ reversescale.py
_ showscale.py
_ size.py
_ sizemin.py
_ sizemode.py
_ sizeref.py
_ sizesrc.py
_ symbol.py
_ symbolsrc.py
colorbar
    _ __init__.py
    _ __pycache__
        _ __init__.cpython-311.pyc
        _ bgcolor.cpython-311.pyc
        _ bordercolor.cpython-311.pyc
        _ borderwidth.cpython-311.pyc
        _ dtick.cpython-311.pyc
        _ exponentformat.cpython-311.pyc
        _ len.cpython-311.pyc
        _ lenmode.cpython-311.pyc
        _ minexponent.cpython-311.pyc
        _ nticks.cpython-311.pyc
        _ outlinecolor.cpython-311.pyc
        _ outlinewidth.cpython-311.pyc
        _ separatethousands.cpython-311.pyc
        _ showexponent.cpython-311.pyc
        _ showticklabels.cpython-311.pyc
        _ showtickprefix.cpython-311.pyc
        _ showticksuffix.cpython-311.pyc
        _ thickness.cpython-311.pyc
        _ thicknessmode.cpython-311.pyc
        _ tick0.cpython-311.pyc
        _ tickangle.cpython-311.pyc
        _ tickcolor.cpython-311.pyc
        _ tickfont.cpython-311.pyc
        _ tickformat.cpython-311.pyc
        _ tickformatstopdefaults.cpython-311.pyc
        _ tickformatstops.cpython-311.pyc
        _ ticklabeloverflow.cpython-311.pyc
        _ ticklabelposition.cpython-311.pyc
        _ ticklen.cpython-311.pyc
        _ tickmode.cpython-311.pyc
        _ tickprefix.cpython-311.pyc
        _ ticks.cpython-311.pyc
        _ ticksuffix.cpython-311.pyc
        _ ticktext.cpython-311.pyc

```

[illegible]


```

_ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _cmax.cpython-311.pyc
_ _ _ _ _cmid.cpython-311.pyc
_ _ _ _ _cmin.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _coloraxis.cpython-311.pyc
_ _ _ _ _colorscale.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _reversescale.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _widthsrc.cpython-311.pyc
_ _ _ _ _autocolorscale.py
_ _ _ _ _cauto.py
_ _ _ _ _cmax.py
_ _ _ _ _cmid.py
_ _ _ _ _cmin.py
_ _ _ _ _color.py
_ _ _ _ _coloraxis.py
_ _ _ _ _colorscale.py
_ _ _ _ _colorsrc.py
_ _ _ _ _reversescale.py
_ _ _ _ _width.py
_ _ _ _ _widthsrc.py
_ _ _ selected
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _textfont.cpython-311.pyc
_ _ _ _ _marker.py
_ _ _ _ _textfont.py
_ _ _ marker
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _opacity.py
_ _ _ _ _size.py
_ _ _ textfont
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ stream
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _token.cpython-311.pyc
_ _ _ _ _maxpoints.py
_ _ _ _ _token.py
_ _ _ textfont
_ _ _ _ __init__.py
_ _ _ _ __pycache__

```



```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ _unselected
_ _ _ _ _init_.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _textfont.cpython-311.pyc
_ _ _ _ _marker.py
_ _ _ _ _textfont.py
_ _ _ _ _marker
_ _ _ _ _init_.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _opacity.py
_ _ _ _ _size.py
_ _ _ _ _textfont
_ _ _ _ _init_.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _scatter3d
_ _ _ _ _init_.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _connectgaps.cpython-311.pyc
_ _ _ _ _customdata.cpython-311.pyc
_ _ _ _ _customdatasrc.cpython-311.pyc
_ _ _ _ _error_x.cpython-311.pyc
_ _ _ _ _error_y.cpython-311.pyc
_ _ _ _ _error_z.cpython-311.pyc
_ _ _ _ _hoverinfo.cpython-311.pyc
_ _ _ _ _hoverinfosrc.cpython-311.pyc
_ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _hovertemplate.cpython-311.pyc
_ _ _ _ _hovertemplatesrc.cpython-311.pyc
_ _ _ _ _hovertext.cpython-311.pyc
_ _ _ _ _hovertextsrc.cpython-311.pyc
_ _ _ _ _ids.cpython-311.pyc
_ _ _ _ _idssrc.cpython-311.pyc
_ _ _ _ _legendgroup.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■■■	_mode.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_projection.py	
■	■	■	■	■	■	■	■■■	_scene.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_surfaceaxis.py	
■	■	■	■	■	■	■	■■■	_surfacecolor.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textfont.py	
■	■	■	■	■	■	■	■■■	_textposition.py	
■	■	■	■	■	■	■	■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zcalendar.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	error_x	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_array.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrayminus.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arrayminussrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_arraysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_copy_zstyle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_symmetric.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_traceref.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tracerefminus.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_type.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_valueminus.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_array.py	
■	■	■	■	■	■	■	■■■	_arrayminus.py	
■	■	■	■	■	■	■	■■■	_arrayminussrc.py	
■	■	■	■	■	■	■	■■■	_arraysrc.py	
■	■	■	■	■	■	■	■■■	_color.py	
■	■	■	■	■	■	■	■■■	_copy_zstyle.py	
■	■	■	■	■	■	■	■■■	_symmetric.py	
■	■	■	■	■	■	■	■■■	_thickness.py	

[illegible]

```

_ width.cpython-311.pyc
_ array.py
_ arrayminus.py
_ arrayminussrc.py
_ arraysrc.py
_ color.py
_ symmetric.py
_ thickness.py
_ traceref.py
_ tracerefminus.py
_ type.py
_ value.py
_ valueminus.py
_ visible.py
_ width.py
    hoverlabel
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _align.cpython-311.pyc
            _alignsrc.cpython-311.pyc
            _bgcolor.cpython-311.pyc
            _bgcolorsrc.cpython-311.pyc
            _bordercolor.cpython-311.pyc
            _bordercolorsrc.cpython-311.pyc
            _font.cpython-311.pyc
            _namelength.cpython-311.pyc
            _namelengthsrc.cpython-311.pyc
        _align.py
        _alignsrc.py
        _bgcolor.py
        _bgcolorsrc.py
        _bordercolor.py
        _bordercolorsrc.py
        _font.py
        _namelength.py
        _namelengthsrc.py
        font
            __init__.py
            __pycache__
                __init__.cpython-311.pyc
                _color.cpython-311.pyc
                _colorsrc.cpython-311.pyc
                _family.cpython-311.pyc
                _familysrc.cpython-311.pyc
                _size.cpython-311.pyc
                _sizesrc.cpython-311.pyc
            _color.py
            _colorsrc.py
            _family.py
            _familysrc.py
            _size.py
            _sizesrc.py
    legendgrouptitle
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _font.cpython-311.pyc

```

```

    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
line
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorbar.cpython-311.pyc
    _colormap.cpython-311.pyc
    _colormap.cpython-311.pyc
    _dash.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _showscale.cpython-311.pyc
    _width.cpython-311.pyc
    _autocolorscale.py
    _cauto.py
    _cmax.py
    _cmid.py
    _cmin.py
    _color.py
    _coloraxis.py
    _colorbar.py
    _colormap.py
    _colormap.py
    _dash.py
    _reversescale.py
    _showscale.py
    _width.py
    colorbar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _borderwidth.cpython-311.pyc
    _dtick.cpython-311.pyc
    _exponentformat.cpython-311.pyc
    _len.cpython-311.pyc
    _lenmode.cpython-311.pyc
    _minexponent.cpython-311.pyc
    _nticks.cpython-311.pyc

```

[illegible]

```

tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__

```



```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
_ _ _ _ marker
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _autocolorscale.cpython-311.pyc
_ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _cmax.cpython-311.pyc
_ _ _ _ _cmid.cpython-311.pyc
_ _ _ _ _cmin.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _coloraxis.cpython-311.pyc
_ _ _ _ _colorbar.cpython-311.pyc
_ _ _ _ _colormap.cpython-311.pyc
_ _ _ _ _colormap.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _reversescale.cpython-311.pyc
_ _ _ _ _showscale.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizemin.cpython-311.pyc
_ _ _ _ _sizemode.cpython-311.pyc
_ _ _ _ _sizeref.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _symbol.cpython-311.pyc
_ _ _ _ _symbolsrc.cpython-311.pyc
_ _ _ _ _autocolorscale.py
_ _ _ _ _cauto.py
_ _ _ _ _cmax.py
_ _ _ _ _cmid.py
_ _ _ _ _cmin.py
_ _ _ _ _color.py
_ _ _ _ _coloraxis.py
_ _ _ _ _colorbar.py
_ _ _ _ _colormap.py
_ _ _ _ _colormap.py
_ _ _ _ _line.py
_ _ _ _ _opacity.py
_ _ _ _ _reversescale.py
_ _ _ _ _showscale.py
_ _ _ _ _size.py
_ _ _ _ _sizemin.py
_ _ _ _ _sizemode.py
_ _ _ _ _sizeref.py
_ _ _ _ _sizesrc.py
_ _ _ _ _symbol.py
_ _ _ _ _symbolsrc.py
_ _ _ _ colorbar
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _bgcolor.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.py
■	■	■	■	■	■	■	■	■	■■■■	_enabled.py
■	■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.py
■	■	■	■	■	■	■	■	■	■■■■	_value.py
■	■	■	■	■	■	■	■	■	■■■■	title
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_font.cpython-311.pyc

```

_       _side.cpython-311.pyc
_       _text.cpython-311.pyc
_       _font.py
_       _side.py
_       _text.py
_       font
_       __init__.py
_       __pycache__
_       __init__.cpython-311.pyc
_       _color.cpython-311.pyc
_       _family.cpython-311.pyc
_       _size.cpython-311.pyc
_       _color.py
_       _family.py
_       _size.py
line
_       __init__.py
_       __pycache__
_       __init__.cpython-311.pyc
_       _autocolorscale.cpython-311.pyc
_       _cauto.cpython-311.pyc
_       _cmax.cpython-311.pyc
_       _cmid.cpython-311.pyc
_       _cmin.cpython-311.pyc
_       _color.cpython-311.pyc
_       _coloraxis.cpython-311.pyc
_       _colormap.cpython-311.pyc
_       _colormaps.cpython-311.pyc
_       _reversescale.cpython-311.pyc
_       _width.cpython-311.pyc
_       _autocolorscale.py
_       _cauto.py
_       _cmax.py
_       _cmid.py
_       _cmin.py
_       _color.py
_       _coloraxis.py
_       _colormap.py
_       _colormaps.py
_       _reversescale.py
_       _width.py
projection
_       __init__.py
_       __pycache__
_       __init__.cpython-311.pyc
_       _x.cpython-311.pyc
_       _y.cpython-311.pyc
_       _z.cpython-311.pyc
_       _x.py
_       _y.py
_       _z.py
_       x
_       __init__.py
_       __pycache__
_       __init__.cpython-311.pyc
_       _opacity.cpython-311.pyc
_       _scale.cpython-311.pyc
_       _show.cpython-311.pyc

```

```

_ opacity.py
_ scale.py
_ show.py
y
__init__.py
__pycache__
__init__.cpython-311.pyc
__opacity__.cpython-311.pyc
__scale__.cpython-311.pyc
__show__.cpython-311.pyc
_opacity.py
_scale.py
_show.py
z
__init__.py
__pycache__
__init__.cpython-311.pyc
__opacity__.cpython-311.pyc
__scale__.cpython-311.pyc
__show__.cpython-311.pyc
_opacity.py
_scale.py
_show.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
__maxpoints__.cpython-311.pyc
__token__.cpython-311.pyc
_maxpoints.py
_token.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_size.py
_sizesrc.py
scattercarpet
__init__.py
__pycache__
__init__.cpython-311.pyc
_a.cpython-311.pyc
_asrc.cpython-311.pyc
_b.cpython-311.pyc
_bsrc.cpython-311.pyc
_carpet.cpython-311.pyc
_connectgaps.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc
_fill.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■■	_fillcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hoveron.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_idssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_mode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_a.py
■	■	■	■	■	■	■	■	■	■■■■	_asrc.py
■	■	■	■	■	■	■	■	■	■■■■	_b.py
■	■	■	■	■	■	■	■	■	■■■■	_bsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_carpet.py
■	■	■	■	■	■	■	■	■	■■■■	_connectgaps.py
■	■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■	■■■■	_fill.py
■	■	■	■	■	■	■	■	■	■■■■	_fillcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■	■■■■	_hoveron.py
■	■	■	■	■						

■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	_marker.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_mode.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_selected.py	
■	■	■	■	■	■	■	■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textfont.py	
■	■	■	■	■	■	■	■■■	_textposition.py	
■	■	■	■	■	■	■	■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_unselected.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_xaxis.py	
■	■	■	■	■	■	■	■■■	_yaxis.py	
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_namelength.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_namelengthsrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_align.py	
■	■	■	■	■	■	■	■■■	_alignsrc.py	
■	■	■	■	■	■	■	■■■	_bgcolor.py	
■	■	■	■	■	■	■	■■■	_bgcolorsrc.py	
■	■	■	■	■	■	■	■■■	_bordercolor.py	
■	■	■	■	■	■	■	■■■	_bordercolorsrc.py	
■	■	■	■	■	■	■	■■■	_font.py	
■	■	■	■	■	■	■	■■■	_namelength.py	
■	■	■	■	■	■	■	■■■	_namelengthsrc.py	
■	■	■	■	■	■	■	■■■	font	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_colorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_familysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_size.cpython-311.pyc

```

_ _ _ _ _ sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
_ _ _ _ _ legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _text.py
_ _ _ _ _ font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ line
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _dash.cpython-311.pyc
_ _ _ _ _ _shape.cpython-311.pyc
_ _ _ _ _ _smoothing.cpython-311.pyc
_ _ _ _ _ _width.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _dash.py
_ _ _ _ _ _shape.py
_ _ _ _ _ _smoothing.py
_ _ _ _ _ _width.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _autocolorscale.cpython-311.pyc
_ _ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _ _cmax.cpython-311.pyc
_ _ _ _ _ _cmid.cpython-311.pyc
_ _ _ _ _ _cmin.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _coloraxis.cpython-311.pyc
_ _ _ _ _ _colorbar.cpython-311.pyc
_ _ _ _ _ _colormap.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _gradient.cpython-311.pyc
_ _ _ _ _ _line.cpython-311.pyc
_ _ _ _ _ _maxdisplayed.cpython-311.pyc
_ _ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _ _opacitysrc.cpython-311.pyc

```


■	■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizeref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbol.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbolsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py	
■	■	■	■	■	■	■	■	■■■■	_cauto.py	
■	■	■	■	■	■	■	■	■■■■	_cmax.py	
■	■	■	■	■	■	■	■	■■■■	_cmid.py	
■	■	■	■	■	■	■	■	■■■■	_cmin.py	
■	■	■	■	■	■	■	■	■■■■	_color.py	
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py	
■	■	■	■	■	■	■	■	■■■■	_colorbar.py	
■	■	■	■	■	■	■	■	■■■■	_colormap.py	
■	■	■	■	■	■	■	■	■■■■	_colormapsrc.py	
■	■	■	■	■	■	■	■	■■■■	_gradient.py	
■	■	■	■	■	■	■	■	■■■■	_line.py	
■	■	■	■	■	■	■	■	■■■■	_maxdisplayed.py	
■	■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■	■■■■	_opacitysrc.py	
■	■	■	■	■	■	■	■	■■■■	_reversescale.py	
■	■	■	■	■	■	■	■	■■■■	_showscale.py	
■	■	■	■	■	■	■	■	■■■■	_size.py	
■	■	■	■	■	■	■	■	■■■■	_sizemin.py	
■	■	■	■	■	■	■	■	■■■■	_sizemode.py	
■	■	■	■	■	■	■	■	■■■■	_sizeref.py	
■	■	■	■	■	■	■	■	■■■■	_sizesrc.py	
■	■	■	■	■	■	■	■	■■■■	_symbol.py	
■	■	■	■	■	■	■	■	■■■■	_symbolsrc.py	
■	■	■	■	■	■	■	■	■■■■	colorbar	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc

[illegible]

```

    tickvalssrc.py
    _tickwidth.py
    _title.py
    _x.py
    _xanchor.py
    _xpad.py
    _y.py
    _yanchor.py
    _ypad.py
    tickfont
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    tickformatstop
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _dtickrange.cpython-311.pyc
    _enabled.cpython-311.pyc
    _name.cpython-311.pyc
    _templateitemname.cpython-311.pyc
    _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
    title
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _font.cpython-311.pyc
    _side.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    gradient
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc

```

```

_ _ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ _ _type.cpython-311.pyc
_ _ _ _ _ _typesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _type.py
_ _ _ _ _ _typesrc.py
_ _ _ _ _ line
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _autocolorscale.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _cauto.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _cmax.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _cmid.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _cmin.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _coloraxis.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _colorscale.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _reversescale.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _width.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _widthsrc.cpython-311.pyc
_ _ _ _ _ _autocolorscale.py
_ _ _ _ _ _cauto.py
_ _ _ _ _ _cmax.py
_ _ _ _ _ _cmid.py
_ _ _ _ _ _cmin.py
_ _ _ _ _ _color.py
_ _ _ _ _ _coloraxis.py
_ _ _ _ _ _colorscale.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _reversescale.py
_ _ _ _ _ _width.py
_ _ _ _ _ _widthsrc.py
_ _ _ _ _ selected
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _textfont.cpython-311.pyc
_ _ _ _ _ _marker.py
_ _ _ _ _ _textfont.py
_ _ _ _ _ marker
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _opacity.py
_ _ _ _ _ _size.py
_ _ _ _ _ textfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ _ _ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _ _ _ _ _ _ _color.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	_fillcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_geo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_geojson.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_latsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locationmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locations.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_locationssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lon.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lonsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_connectgaps.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.py
■	■	■	■	■	■	■	■	■■■■	_featureidkey.py
■	■	■	■	■	■	■	■	■■■■	_fill.py
■	■	■	■	■	■	■	■	■■■■	_fillcolor.py
■	■	■	■	■	■	■	■	■■■■	_geo.py
■	■	■	■	■	■	■	■	■■■■	_geojson.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.py
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.py
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py
■	■	■	■	■	■	■	■	■■■■	_hovertext.py

```

_hovertextsrc.py
_ids.py
_idssrc.py
_lat.py
_latsrc.py
_legendgroup.py
_legendgrouptitle.py
_legendrank.py
_line.py
_locationmode.py
_locations.py
_locationssrc.py
_lon.py
_lonsrc.py
_marker.py
_meta.py
 metasrc.py
_mode.py
_name.py
_opacity.py
_selected.py
_selectedpoints.py
_showlegend.py
_stream.py
_text.py
_textfont.py
_textposition.py
_textpositionsrc.py
_textsrc.py
_texttemplate.py
_texttemplatesrc.py
_uid.py
_uirevision.py
_unselected.py
_visible.py
_hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _bordercolorsrc.cpython-311.pyc
        _font.cpython-311.pyc
        _namelength.cpython-311.pyc
        _namelengthsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
_font
```

[illegible]

■	■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacitysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizeref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbol.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbolsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py	
■	■	■	■	■	■	■	■	■■■■	_cauto.py	
■	■	■	■	■	■	■	■	■■■■	_cmax.py	
■	■	■	■	■	■	■	■	■■■■	_cmid.py	
■	■	■	■	■	■	■	■	■■■■	_cmin.py	
■	■	■	■	■	■	■	■	■■■■	_color.py	
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py	
■	■	■	■	■	■	■	■	■■■■	_colorbar.py	
■	■	■	■	■	■	■	■	■■■■	_colormap.py	
■	■	■	■	■	■	■	■	■■■■	_colormapsrc.py	
■	■	■	■	■	■	■	■	■■■■	_gradient.py	
■	■	■	■	■	■	■	■	■■■■	_line.py	
■	■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■	■■■■	_opacitysrc.py	
■	■	■	■	■	■	■	■	■■■■	_reversescale.py	
■	■	■	■	■	■	■	■	■■■■	_showscale.py	
■	■	■	■	■	■	■	■	■■■■	_size.py	
■	■	■	■	■	■	■	■	■■■■	_sizemin.py	
■	■	■	■	■	■	■	■	■■■■	_sizemode.py	
■	■	■	■	■	■	■	■	■■■■	_sizeref.py	
■	■	■	■	■	■	■	■	■■■■	_sizesrc.py	
■	■	■	■	■	■	■	■	■■■■	_symbol.py	
■	■	■	■	■	■	■	■	■■■■	_symbolsrc.py	
■	■	■	■	■	■	■	■	■■■■	colorbar	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc

[illegible]

```

_ ticktextsrc.py
_ tickvals.py
_ tickvalssrc.py
_ tickwidth.py
_ title.py
_ x.py
_ xanchor.py
_ xpad.py
_ y.py
_ yanchor.py
_ ypad.py
tickfont
_ _init_.py
_ _pycache_
_ _init_.cpython-311.pyc
_ _color.cpython-311.pyc
_ _family.cpython-311.pyc
_ _size.cpython-311.pyc
_ color.py
_ family.py
_ size.py
tickformatstop
_ _init_.py
_ _pycache_
_ _init_.cpython-311.pyc
_ _dtickrange.cpython-311.pyc
_ _enabled.cpython-311.pyc
_ _name.cpython-311.pyc
_ _templateitemname.cpython-311.pyc
_ _value.cpython-311.pyc
_ dtickrange.py
_ enabled.py
_ name.py
_ templateitemname.py
_ value.py
title
_ _init_.py
_ _pycache_
_ _init_.cpython-311.pyc
_ _font.cpython-311.pyc
_ _side.cpython-311.pyc
_ _text.cpython-311.pyc
_ font.py
_ side.py
_ text.py
font
_ _init_.py
_ _pycache_
_ _init_.cpython-311.pyc
_ _color.cpython-311.pyc
_ _family.cpython-311.pyc
_ _size.cpython-311.pyc
_ color.py
_ family.py
_ size.py
gradient
_ _init_.py
_ _pycache_

```



```

__init__.cpython-311.pyc
_color.cpython-311.pyc
_color.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_textfont.cpython-311.pyc
_marker.py
_textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_opacity.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_opacity.py
_size.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_color.py
scattergl
__init__.py
__pycache__
__init__.cpython-311.pyc
_connectgaps.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_dx.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_error_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_error_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_fill.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_fillcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_marker.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_mode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ycalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod.cpython-311.pyc
■	■	■	■						


```

_yp0.py
_yperiodalignment.py
_ysrc.py
error_x
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _array.cpython-311.pyc
        _arrayminus.cpython-311.pyc
        _arrayminussrc.cpython-311.pyc
        _arraysrc.cpython-311.pyc
        _color.cpython-311.pyc
        _copy_ystyle.cpython-311.pyc
        _symmetric.cpython-311.pyc
        _thickness.cpython-311.pyc
        _traceref.cpython-311.pyc
        _tracerefminus.cpython-311.pyc
        _type.cpython-311.pyc
        _value.cpython-311.pyc
        _valueminus.cpython-311.pyc
        _visible.cpython-311.pyc
        _width.cpython-311.pyc
    _array.py
    _arrayminus.py
    _arrayminussrc.py
    _arraysrc.py
    _color.py
    _copy_ystyle.py
    _symmetric.py
    _thickness.py
    _traceref.py
    _tracerefminus.py
    _type.py
    _value.py
    _valueminus.py
    _visible.py
    _width.py
error_y
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _array.cpython-311.pyc
        _arrayminus.cpython-311.pyc
        _arrayminussrc.cpython-311.pyc
        _arraysrc.cpython-311.pyc
        _color.cpython-311.pyc
        _symmetric.cpython-311.pyc
        _thickness.cpython-311.pyc
        _traceref.cpython-311.pyc
        _tracerefminus.cpython-311.pyc
        _type.cpython-311.pyc
        _value.cpython-311.pyc
        _valueminus.cpython-311.pyc
        _visible.cpython-311.pyc
        _width.cpython-311.pyc
    _array.py
    _arrayminus.py
    _arrayminussrc.py

```



```

_arraysrc.py
_color.py
_symmetric.py
_thickness.py
_traceref.py
_tracerefminus.py
_type.py
_value.py
_valueminus.py
_visible.py
_width.py
hoverlabel
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _align.cpython-311.pyc
    _alignsrc.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolorsrc.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
font
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _colorsrc.cpython-311.pyc
        _family.cpython-311.pyc
        _familysrc.cpython-311.pyc
        _size.cpython-311.pyc
        _sizesrc.cpython-311.pyc
        _color.py
        _colorsrc.py
        _family.py
        _familysrc.py
        _size.py
        _sizesrc.py
legendgrouptitle
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
_font.py
_text.py
font

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	_opacity.py
■	■	■	■	■	■	■	■	■■■■	_opacitysrc.py
■	■	■	■	■	■	■	■	■■■■	_reversescale.py
■	■	■	■	■	■	■	■	■■■■	_showscale.py
■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■■■■	_sizemin.py
■	■	■	■	■	■	■	■	■■■■	_sizemode.py
■	■	■	■	■	■	■	■	■■■■	_sizeref.py
■	■	■	■	■	■	■	■	■■■■	_sizesrc.py
■	■	■	■	■	■	■	■	■■■■	_symbol.py
■	■	■	■	■	■	■	■	■■■■	_symbolsrc.py
■	■	■	■	■	■	■	■	■■■■	colorbar
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc

```

■ ■ ■ _ypad.cpython-311.pyc
■ ■ ■ _bgcolor.py
■ ■ ■ _bordercolor.py
■ ■ ■ _borderwidth.py
■ ■ ■ _dtick.py
■ ■ ■ _exponentformat.py
■ ■ ■ _len.py
■ ■ ■ _lenmode.py
■ ■ ■ _minexponent.py
■ ■ ■ _nticks.py
■ ■ ■ _outlinecolor.py
■ ■ ■ _outlinewidth.py
■ ■ ■ _separatethousands.py
■ ■ ■ _showexponent.py
■ ■ ■ _showticklabels.py
■ ■ ■ _showtickprefix.py
■ ■ ■ _showticksuffix.py
■ ■ ■ _thickness.py
■ ■ ■ _thicknessmode.py
■ ■ ■ _tick0.py
■ ■ ■ _tickangle.py
■ ■ ■ _tickcolor.py
■ ■ ■ _tickfont.py
■ ■ ■ _tickformat.py
■ ■ ■ _tickformatstopdefaults.py
■ ■ ■ _tickformatstops.py
■ ■ ■ _ticklabeloverflow.py
■ ■ ■ _ticklabelposition.py
■ ■ ■ _ticklen.py
■ ■ ■ _tickmode.py
■ ■ ■ _tickprefix.py
■ ■ ■ _ticks.py
■ ■ ■ _ticksuffix.py
■ ■ ■ _ticktext.py
■ ■ ■ _ticktextsrc.py
■ ■ ■ _tickvals.py
■ ■ ■ _tickvalssrc.py
■ ■ ■ _tickwidth.py
■ ■ ■ _title.py
■ ■ ■ _x.py
■ ■ ■ _xanchor.py
■ ■ ■ _xpad.py
■ ■ ■ _y.py
■ ■ ■ _yanchor.py
■ ■ ■ _ypad.py
■ ■ ■ tickfont
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _color.cpython-311.pyc
■ ■ ■ _family.cpython-311.pyc
■ ■ ■ _size.cpython-311.pyc
■ ■ ■ _color.py
■ ■ ■ _family.py
■ ■ ■ _size.py
■ ■ ■ tickformatstop
■ ■ ■ __init__.py
■ ■ ■ __pycache__

```



```

selected
__init__.py
__pycache__
__init__.cpython-311.pyc
__marker.cpython-311.pyc
__textfont.cpython-311.pyc
__marker.py
__textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__opacity.cpython-311.pyc
__size.cpython-311.pyc
__color.py
__opacity.py
__size.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__color.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
__maxpoints.cpython-311.pyc
__token.cpython-311.pyc
__maxpoints.py
__token.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__colorsrc.cpython-311.pyc
__family.cpython-311.pyc
__familysrc.cpython-311.pyc
__size.cpython-311.pyc
__sizesrc.cpython-311.pyc
__color.py
__colorsrc.py
__family.py
__familysrc.py
__size.py
__sizesrc.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
__marker.cpython-311.pyc
__textfont.cpython-311.pyc
__marker.py
__textfont.py
marker

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_unselected.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_below.py	
■	■	■	■	■	■	■	■■■■	_connectgaps.py	
■	■	■	■	■	■	■	■■■■	_customdata.py	
■	■	■	■	■	■	■	■■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■■	_fill.py	
■	■	■	■	■	■	■	■■■■	_fillcolor.py	
■	■	■	■	■	■	■	■■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■■	_ids.py	
■	■	■	■	■	■	■	■■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■■	_lat.py	
■	■	■	■	■	■	■	■■■■	_latsrc.py	
■	■	■	■	■	■	■	■■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■■	_line.py	
■	■	■	■	■	■	■	■■■■	_lon.py	
■	■	■	■	■	■	■	■■■■	_lonsrc.py	
■	■	■	■	■	■	■	■■■■	_marker.py	
■	■	■	■	■	■	■	■■■■	_meta.py	
■	■	■	■	■	■	■	■■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■■	_mode.py	
■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■■■■	_selected.py	
■	■	■	■	■	■	■	■■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_subplot.py	
■	■	■	■	■	■	■	■■■■	_text.py	
■	■	■	■	■	■	■	■■■■	_textfont.py	
■	■	■	■	■	■	■	■■■■	_textposition.py	
■	■	■	■	■	■	■	■■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■■	_uid.py	
■	■	■	■	■	■	■	■■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■■	_unselected.py	
■	■	■	■	■	■	■	■■■■	_visible.py	
■	■	■	■	■	■	■	■■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc

[illegible]

■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_allowoverlap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_angle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_anglesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_autocolorscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_cmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_coloraxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_colsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_opacitysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizemode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizeref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_sizsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbol.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_symbolsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_allowoverlap.py	
■	■	■	■	■	■	■	■	■■■■	_angle.py	
■	■	■	■	■	■	■	■	■■■■	_anglesrc.py	
■	■	■	■	■	■	■	■	■■■■	_autocolormap.py	
■	■	■	■	■	■	■	■	■■■■	_cauto.py	
■	■	■	■	■	■	■	■	■■■■	_cmax.py	
■	■	■	■	■	■	■	■	■■■■	_cmid.py	
■	■	■	■	■	■	■	■	■■■■	_cmin.py	
■	■	■	■	■	■	■	■	■■■■	_color.py	
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py	
■	■	■	■	■	■	■	■	■■■■	_colorbar.py	
■	■	■	■	■	■	■	■	■■■■	_colormap.py	
■	■	■	■	■	■	■	■	■■■■	_colsrc.py	
■	■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■	■■■■	_opacitysrc.py	
■	■	■	■	■	■	■	■	■■■■	_reversescale.py	
■	■	■	■	■	■	■	■	■■■■	_showscale.py	
■	■	■	■	■	■	■	■	■■■■	_size.py	
■	■	■	■	■	■	■	■	■■■■	_sizemin.py	
■	■	■	■	■	■	■	■	■■■■	_sizemode.py	
■	■	■	■	■	■	■	■	■■■■	_sizeref.py	
■	■	■	■	■	■	■	■	■■■■	_sizsrc.py	
■	■	■	■	■	■	■	■	■■■■	_symbol.py	
■	■	■	■	■	■	■	■	■■■■	_symbolsrc.py	
■	■	■	■	■	■	■	■	■■■■	colorbar	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■	■■■	_len.py
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.py
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.py

```

_ _ _ _ _ tickangle.py
_ _ _ _ _ tickcolor.py
_ _ _ _ _ tickfont.py
_ _ _ _ _ tickformat.py
_ _ _ _ _ tickformatstopdefaults.py
_ _ _ _ _ tickformatstops.py
_ _ _ _ _ ticklabeloverflow.py
_ _ _ _ _ ticklabelposition.py
_ _ _ _ _ ticklen.py
_ _ _ _ _ tickmode.py
_ _ _ _ _ tickprefix.py
_ _ _ _ _ ticks.py
_ _ _ _ _ ticksuffix.py
_ _ _ _ _ ticktext.py
_ _ _ _ _ ticktextsrc.py
_ _ _ _ _ tickvals.py
_ _ _ _ _ tickvalssrc.py
_ _ _ _ _ tickwidth.py
_ _ _ _ _ title.py
_ _ _ _ _ x.py
_ _ _ _ _ xanchor.py
_ _ _ _ _ xpad.py
_ _ _ _ _ y.py
_ _ _ _ _ yanchor.py
_ _ _ _ _ ypad.py
_ _ _ _ _ tickfont
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _family.py
_ _ _ _ _ _size.py
_ _ _ _ _ tickformatstop
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _dtickrange.cpython-311.pyc
_ _ _ _ _ _enabled.cpython-311.pyc
_ _ _ _ _ _name.cpython-311.pyc
_ _ _ _ _ _templateitemname.cpython-311.pyc
_ _ _ _ _ _value.cpython-311.pyc
_ _ _ _ _ _dtickrange.py
_ _ _ _ _ _enabled.py
_ _ _ _ _ _name.py
_ _ _ _ _ _templateitemname.py
_ _ _ _ _ _value.py
_ _ _ _ _ title
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _side.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _side.py

```

```

font
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _family.cpython-311.pyc
  _size.cpython-311.pyc
  _color.py
  _family.py
  _size.py
selected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _marker.cpython-311.pyc
  _marker.py
  marker
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _opacity.cpython-311.pyc
  _size.cpython-311.pyc
  _color.py
  _opacity.py
  _size.py
stream
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _maxpoints.cpython-311.pyc
  _token.cpython-311.pyc
  _maxpoints.py
  _token.py
textfont
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _family.cpython-311.pyc
  _size.cpython-311.pyc
  _color.py
  _family.py
  _size.py
unselected
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _marker.cpython-311.pyc
  _marker.py
  marker
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _color.cpython-311.pyc
  _opacity.cpython-311.pyc
  _size.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■	■■■	_cliponaxis.py	
■	■	■	■	■	■	■	■■■	_connectgaps.py	
■	■	■	■	■	■	■	■■■	_customdata.py	
■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■	_dr.py	
■	■	■	■	■	■	■	■■■	_dtheta.py	
■	■	■	■	■	■	■	■■■	_fill.py	
■	■	■	■	■	■	■	■■■	_fillcolor.py	
■	■	■	■	■	■	■	■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■	_hoveron.py	
■	■	■	■	■	■	■	■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	_marker.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_mode.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_r.py	
■	■	■	■	■	■	■	■■■	_r0.py	
■	■	■	■	■	■	■	■■■	_rsrc.py	
■	■	■	■	■	■	■	■■■	_selected.py	
■	■	■	■	■	■	■	■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_subplot.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textfont.py	
■	■	■	■	■	■	■	■■■	_textposition.py	
■	■	■	■	■	■	■	■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■	_theta.py	
■	■	■	■	■	■	■	■■■	_theta0.py	
■	■	■	■	■	■	■	■■■	_thetasrc.py	
■	■	■	■	■	■	■	■■■	_thetaunit.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_unselected.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc

```

_ _ _ _ bgcolorsrc.cpython-311.pyc
_ _ _ _ bordercolor.cpython-311.pyc
_ _ _ _ bordercolorsrc.cpython-311.pyc
_ _ _ _ font.cpython-311.pyc
_ _ _ _ namelength.cpython-311.pyc
_ _ _ _ namelengthsrc.cpython-311.pyc
_ _ _ _ align.py
_ _ _ _ alignsrc.py
_ _ _ _ bgcolor.py
_ _ _ _ bgcolorsrc.py
_ _ _ _ bordercolor.py
_ _ _ _ bordercolorsrc.py
_ _ _ _ font.py
_ _ _ _ namelength.py
_ _ _ _ namelengthsrc.py
_ _ _ _ font
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ color.cpython-311.pyc
_ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ family.cpython-311.pyc
_ _ _ _ familysrc.cpython-311.pyc
_ _ _ _ size.cpython-311.pyc
_ _ _ _ sizesrc.cpython-311.pyc
_ _ _ _ color.py
_ _ _ _ colorsrc.py
_ _ _ _ family.py
_ _ _ _ familysrc.py
_ _ _ _ size.py
_ _ _ _ sizesrc.py
legendgrouptitle
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ font.cpython-311.pyc
_ _ _ _ text.cpython-311.pyc
_ _ _ _ font.py
_ _ _ _ text.py
_ _ _ _ font
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ color.cpython-311.pyc
_ _ _ _ family.cpython-311.pyc
_ _ _ _ size.cpython-311.pyc
_ _ _ _ color.py
_ _ _ _ family.py
_ _ _ _ size.py
line
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ color.cpython-311.pyc
_ _ _ _ dash.cpython-311.pyc
_ _ _ _ shape.cpython-311.pyc
_ _ _ _ smoothing.cpython-311.pyc
_ _ _ _ width.cpython-311.pyc

```



```

■■■ _color.py
■■■ _dash.py
■■■ _shape.py
■■■ _smoothing.py
■■■ _width.py
■■■ marker
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _autocolorscale.cpython-311.pyc
■■■ _cauto.cpython-311.pyc
■■■ _cmax.cpython-311.pyc
■■■ _cmid.cpython-311.pyc
■■■ _cmin.cpython-311.pyc
■■■ _color.cpython-311.pyc
■■■ _coloraxis.cpython-311.pyc
■■■ _colorbar.cpython-311.pyc
■■■ _colorscale.cpython-311.pyc
■■■ _colormsg.cpython-311.pyc
■■■ _gradient.cpython-311.pyc
■■■ _line.cpython-311.pyc
■■■ _maxdisplayed.cpython-311.pyc
■■■ _opacity.cpython-311.pyc
■■■ _opacitysrc.cpython-311.pyc
■■■ _reversescale.cpython-311.pyc
■■■ _showscale.cpython-311.pyc
■■■ _size.cpython-311.pyc
■■■ _sizemin.cpython-311.pyc
■■■ _sizemode.cpython-311.pyc
■■■ _sizeref.cpython-311.pyc
■■■ _sizesrc.cpython-311.pyc
■■■ _symbol.cpython-311.pyc
■■■ _symbolsrc.cpython-311.pyc
■■■ _autocolorscale.py
■■■ _cauto.py
■■■ _cmax.py
■■■ _cmid.py
■■■ _cmin.py
■■■ _color.py
■■■ _coloraxis.py
■■■ _colorbar.py
■■■ _colorscale.py
■■■ _colormsg.py
■■■ _gradient.py
■■■ _line.py
■■■ _maxdisplayed.py
■■■ _opacity.py
■■■ _opacitysrc.py
■■■ _reversescale.py
■■■ _showscale.py
■■■ _size.py
■■■ _sizemin.py
■■■ _sizemode.py
■■■ _sizeref.py
■■■ _sizesrc.py
■■■ _symbol.py
■■■ _symbolsrc.py
■■■ colorbar

```

■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_bgcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_bordercolor.py
■	■	■	■	■	■	■	■	■	■■■■	_borderwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_dtick.py
■	■	■	■	■	■	■	■	■	■■■■	_exponentformat.py
■	■	■	■	■	■	■	■	■	■■■■	_len.py
■	■	■	■	■	■	■	■	■	■■■■	_lenmode.py
■	■	■	■	■	■	■	■	■	■■■■	_minexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_nticks.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py

```

████ _separatethousands.py
████ _showexponent.py
████ _showticklabels.py
████ _showtickprefix.py
████ _showticksuffix.py
████ _thickness.py
████ _thicknessmode.py
████ _tick0.py
████ _tickangle.py
████ _tickcolor.py
████ _tickfont.py
████ _tickformat.py
████ _tickformatstopdefaults.py
████ _tickformatstops.py
████ _ticklabeloverflow.py
████ _ticklabelposition.py
████ _ticklen.py
████ _tickmode.py
████ _tickprefix.py
████ _ticks.py
████ _ticksuffix.py
████ _ticktext.py
████ _ticktextsrc.py
████ _tickvals.py
████ _tickvalssrc.py
████ _tickwidth.py
████ _title.py
████ _x.py
████ _xanchor.py
████ _xpad.py
████ _y.py
████ _yanchor.py
████ _ypad.py
████ tickfont
  █████ __init__.py
  █████ __pycache__
    █████ __init__.cpython-311.pyc
    █████ _color.cpython-311.pyc
    █████ _family.cpython-311.pyc
    █████ _size.cpython-311.pyc
  █████ _color.py
  █████ _family.py
  █████ _size.py
  █████ tickformatstop
  █████ __init__.py
  █████ __pycache__
    █████ __init__.cpython-311.pyc
    █████ _dtickrange.cpython-311.pyc
    █████ _enabled.cpython-311.pyc
    █████ _name.cpython-311.pyc
    █████ _templateitemname.cpython-311.pyc
    █████ _value.cpython-311.pyc
  █████ _dtickrange.py
  █████ _enabled.py
  █████ _name.py
  █████ _templateitemname.py
  █████ _value.py
  █████ title

```

```

__init__.py
__pycache__
  __init__.cpython-311.pyc
  _font.cpython-311.pyc
  _side.cpython-311.pyc
  _text.cpython-311.pyc
  _font.py
  _side.py
  _text.py
  font
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
gradient
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colormap.cpython-311.pyc
    _type.cpython-311.pyc
    _typesrc.cpython-311.pyc
    _color.py
    _colormap.py
    _type.py
    _typesrc.py
line
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _autocolorscale.cpython-311.pyc
    _cauto.cpython-311.pyc
    _cmax.cpython-311.pyc
    _cmid.cpython-311.pyc
    _cmin.cpython-311.pyc
    _color.cpython-311.pyc
    _coloraxis.cpython-311.pyc
    _colorscale.cpython-311.pyc
    _colormap.cpython-311.pyc
    _reversescale.cpython-311.pyc
    _width.cpython-311.pyc
    _widthsrc.cpython-311.pyc
  _autocolorscale.py
  _cauto.py
  _cmax.py
  _cmid.py
  _cmin.py
  _color.py
  _coloraxis.py
  _colorscale.py
  _colormap.py
  _reversescale.py
  _width.py

```

[illegible]

```

__init__.py
__pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _opacity.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _opacity.py
    _size.py
    textfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _color.py
    scatterpolargl
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _connectgaps.cpython-311.pyc
        _customdata.cpython-311.pyc
        _customdatasrc.cpython-311.pyc
        _dr.cpython-311.pyc
        _dtheta.cpython-311.pyc
        _fill.cpython-311.pyc
        _fillcolor.cpython-311.pyc
        _hoverinfo.cpython-311.pyc
        _hoverinfosrc.cpython-311.pyc
        _hoverlabel.cpython-311.pyc
        _hovertemplate.cpython-311.pyc
        _hovertemplatesrc.cpython-311.pyc
        _hovertext.cpython-311.pyc
        _hovertextsrc.cpython-311.pyc
        _ids.cpython-311.pyc
        _idssrc.cpython-311.pyc
        _legendgroup.cpython-311.pyc
        _legendgrouptitle.cpython-311.pyc
        _legendrank.cpython-311.pyc
        _line.cpython-311.pyc
        _marker.cpython-311.pyc
        _meta.cpython-311.pyc
        _metasrc.cpython-311.pyc
        _mode.cpython-311.pyc
        _name.cpython-311.pyc
        _opacity.cpython-311.pyc
        _r.cpython-311.pyc
        _r0.cpython-311.pyc
        _rsrc.cpython-311.pyc
        _selected.cpython-311.pyc
        _selectedpoints.cpython-311.pyc
        _showlegend.cpython-311.pyc
        _stream.cpython-311.pyc
        _subplot.cpython-311.pyc
        _text.cpython-311.pyc
        _textfont.cpython-311.pyc
        _textposition.cpython-311.pyc
        _textpositionsrc.cpython-311.pyc
        _textsrc.cpython-311.pyc

```

[illegible]

```

    visible.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _align.cpython-311.pyc
    _alignsrc.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolorsrc.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    line

```



```

■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _dash.cpython-311.pyc
■■■■ _shape.cpython-311.pyc
■■■■ _width.cpython-311.pyc
■■■■ _color.py
■■■■ _dash.py
■■■■ _shape.py
■■■■ _width.py
■■■■ marker
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _autocolorscale.cpython-311.pyc
■■■■ _cauto.cpython-311.pyc
■■■■ _cmax.cpython-311.pyc
■■■■ _cmid.cpython-311.pyc
■■■■ _cmin.cpython-311.pyc
■■■■ _color.cpython-311.pyc
■■■■ _coloraxis.cpython-311.pyc
■■■■ _colorbar.cpython-311.pyc
■■■■ _colorscale.cpython-311.pyc
■■■■ _colorsrc.cpython-311.pyc
■■■■ _line.cpython-311.pyc
■■■■ _opacity.cpython-311.pyc
■■■■ _opacitysrc.cpython-311.pyc
■■■■ _reversescale.cpython-311.pyc
■■■■ _showscale.cpython-311.pyc
■■■■ _size.cpython-311.pyc
■■■■ _sizemin.cpython-311.pyc
■■■■ _sizemode.cpython-311.pyc
■■■■ _sizeref.cpython-311.pyc
■■■■ _sizesrc.cpython-311.pyc
■■■■ _symbol.cpython-311.pyc
■■■■ _symbolsrc.cpython-311.pyc
■■■■ _autocolorscale.py
■■■■ _cauto.py
■■■■ _cmax.py
■■■■ _cmid.py
■■■■ _cmin.py
■■■■ _color.py
■■■■ _coloraxis.py
■■■■ _colorbar.py
■■■■ _colorscale.py
■■■■ _colorsrc.py
■■■■ _line.py
■■■■ _opacity.py
■■■■ _opacitysrc.py
■■■■ _reversescale.py
■■■■ _showscale.py
■■■■ _size.py
■■■■ _sizemin.py
■■■■ _sizemode.py
■■■■ _sizeref.py
■■■■ _sizesrc.py
■■■■ _symbol.py

```

```

■■■■ _symbolsrc.py
■■■■ colorbar
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ _bgcolor.cpython-311.pyc
■■■■ _bordercolor.cpython-311.pyc
■■■■ _borderwidth.cpython-311.pyc
■■■■ _dtick.cpython-311.pyc
■■■■ _exponentformat.cpython-311.pyc
■■■■ _len.cpython-311.pyc
■■■■ _lenmode.cpython-311.pyc
■■■■ _minexponent.cpython-311.pyc
■■■■ _nticks.cpython-311.pyc
■■■■ _outlinecolor.cpython-311.pyc
■■■■ _outlinewidth.cpython-311.pyc
■■■■ _separatethousands.cpython-311.pyc
■■■■ _showexponent.cpython-311.pyc
■■■■ _showticklabels.cpython-311.pyc
■■■■ _showtickprefix.cpython-311.pyc
■■■■ _showticksuffix.cpython-311.pyc
■■■■ _thickness.cpython-311.pyc
■■■■ _thicknessmode.cpython-311.pyc
■■■■ _tick0.cpython-311.pyc
■■■■ _tickangle.cpython-311.pyc
■■■■ _tickcolor.cpython-311.pyc
■■■■ _tickfont.cpython-311.pyc
■■■■ _tickformat.cpython-311.pyc
■■■■ _tickformatstopdefaults.cpython-311.pyc
■■■■ _tickformatstops.cpython-311.pyc
■■■■ _ticklabeloverflow.cpython-311.pyc
■■■■ _ticklabelposition.cpython-311.pyc
■■■■ _ticklen.cpython-311.pyc
■■■■ _tickmode.cpython-311.pyc
■■■■ _tickprefix.cpython-311.pyc
■■■■ _ticks.cpython-311.pyc
■■■■ _ticksuffix.cpython-311.pyc
■■■■ _ticktext.cpython-311.pyc
■■■■ _ticktextsrc.cpython-311.pyc
■■■■ _tickvals.cpython-311.pyc
■■■■ _tickvalssrc.cpython-311.pyc
■■■■ _tickwidth.cpython-311.pyc
■■■■ _title.cpython-311.pyc
■■■■ _x.cpython-311.pyc
■■■■ _xanchor.cpython-311.pyc
■■■■ _xpad.cpython-311.pyc
■■■■ _y.cpython-311.pyc
■■■■ _yanchor.cpython-311.pyc
■■■■ _ypad.cpython-311.pyc
■■■■ _bgcolor.py
■■■■ _bordercolor.py
■■■■ _borderwidth.py
■■■■ _dtick.py
■■■■ _exponentformat.py
■■■■ _len.py
■■■■ _lenmode.py
■■■■ _minexponent.py
■■■■ _nticks.py

```

■	■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py
■	■	■	■	■	■	■	■	■	■■■■	_linewidth.py
■	■	■	■	■	■	■	■	■	■■■■	_separatethousands.py
■	■	■	■	■	■	■	■	■	■■■■	_showexponent.py
■	■	■	■	■	■	■	■	■	■■■■	_showticklabels.py
■	■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_thickness.py
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■	■■■■	tickformatstop
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.py
■	■	■	■	■	■	■	■	■	■■■■	_enabled.py
■	■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.py

```

value.py
title
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_side.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_side.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_autocolorscale.cpython-311.pyc
_cauto.cpython-311.pyc
_cmax.cpython-311.pyc
_cmidx.cpython-311.pyc
_cmin.cpython-311.pyc
_color.cpython-311.pyc
_coloraxis.cpython-311.pyc
_colorscale.cpython-311.pyc
_colorsrc.cpython-311.pyc
_reversescale.cpython-311.pyc
_width.cpython-311.pyc
_widthsrc.cpython-311.pyc
_autocolorscale.py
_cauto.py
_cmax.py
_cmidx.py
_cmin.py
_color.py
_coloraxis.py
_colorscale.py
_colorsrc.py
_reversescale.py
_width.py
_widthsrc.py
selected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_textfont.cpython-311.pyc
_marker.py
_textfont.py
marker

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_opacity.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_opacity.py
_size.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_color.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
_marker.cpython-311.pyc
_textfont.cpython-311.pyc
_marker.py
_textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_opacity.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_opacity.py
_size.py
textfont

```

[illegible]

■	■	■	■	■	■	■	■■■	_a.py	
■	■	■	■	■	■	■	■■■	_asrc.py	
■	■	■	■	■	■	■	■■■	_b.py	
■	■	■	■	■	■	■	■■■	_bsrc.py	
■	■	■	■	■	■	■	■■■	_c.py	
■	■	■	■	■	■	■	■■■	_cliponaxis.py	
■	■	■	■	■	■	■	■■■	_connectgaps.py	
■	■	■	■	■	■	■	■■■	_csrc.py	
■	■	■	■	■	■	■	■■■	_customdata.py	
■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■	_fill.py	
■	■	■	■	■	■	■	■■■	_fillcolor.py	
■	■	■	■	■	■	■	■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■	_hoveron.py	
■	■	■	■	■	■	■	■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idsrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_line.py	
■	■	■	■	■	■	■	■■■	_marker.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_mode.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_selected.py	
■	■	■	■	■	■	■	■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_subplot.py	
■	■	■	■	■	■	■	■■■	_sum.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textfont.py	
■	■	■	■	■	■	■	■■■	_textposition.py	
■	■	■	■	■	■	■	■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_texttemplate.py	
■	■	■	■	■	■	■	■■■	_texttemplatesrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_unselected.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	hoverlabel	
■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_align.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_alignsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc

```

    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    legendgrouptitle
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
    line
    _init__.py
    __pycache__
    _init__.cpython-311.pyc
    _color.cpython-311.pyc
    _dash.cpython-311.pyc
    _shape.cpython-311.pyc
    _smoothing.cpython-311.pyc
    _width.cpython-311.pyc
    _color.py
    _dash.py

```



```

■ ■ ■ _shape.py
■ ■ ■ _smoothing.py
■ ■ ■ _width.py
■ ■ ■ marker
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _autocolorscale.cpython-311.pyc
■ ■ ■ _cauto.cpython-311.pyc
■ ■ ■ _cmax.cpython-311.pyc
■ ■ ■ _cmid.cpython-311.pyc
■ ■ ■ _cmin.cpython-311.pyc
■ ■ ■ _color.cpython-311.pyc
■ ■ ■ _coloraxis.cpython-311.pyc
■ ■ ■ _colorbar.cpython-311.pyc
■ ■ ■ _colormap.cpython-311.pyc
■ ■ ■ _colormaps.cpython-311.pyc
■ ■ ■ _colourscale.cpython-311.pyc
■ ■ ■ _colormapsrc.cpython-311.pyc
■ ■ ■ _gradient.cpython-311.pyc
■ ■ ■ _line.cpython-311.pyc
■ ■ ■ _maxdisplayed.cpython-311.pyc
■ ■ ■ _opacity.cpython-311.pyc
■ ■ ■ _opacitysrc.cpython-311.pyc
■ ■ ■ _reversescale.cpython-311.pyc
■ ■ ■ _showscale.cpython-311.pyc
■ ■ ■ _size.cpython-311.pyc
■ ■ ■ _sizemin.cpython-311.pyc
■ ■ ■ _sizemode.cpython-311.pyc
■ ■ ■ _sizeref.cpython-311.pyc
■ ■ ■ _sizesrc.cpython-311.pyc
■ ■ ■ _symbol.cpython-311.pyc
■ ■ ■ _symbolsrc.cpython-311.pyc
■ ■ ■ _autocolorscale.py
■ ■ ■ _cauto.py
■ ■ ■ _cmax.py
■ ■ ■ _cmid.py
■ ■ ■ _cmin.py
■ ■ ■ _color.py
■ ■ ■ _coloraxis.py
■ ■ ■ _colorbar.py
■ ■ ■ _colormap.py
■ ■ ■ _colormaps.py
■ ■ ■ _colourscale.py
■ ■ ■ _colormapsrc.py
■ ■ ■ _gradient.py
■ ■ ■ _line.py
■ ■ ■ _maxdisplayed.py
■ ■ ■ _opacity.py
■ ■ ■ _opacitysrc.py
■ ■ ■ _reversescale.py
■ ■ ■ _showscale.py
■ ■ ■ _size.py
■ ■ ■ _sizemin.py
■ ■ ■ _sizemode.py
■ ■ ■ _sizeref.py
■ ■ ■ _sizesrc.py
■ ■ ■ _symbol.py
■ ■ ■ _symbolsrc.py
■ ■ ■ colorbar
■ ■ ■ __init__.py
■ ■ ■ __pycache__

```

■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■	■■■	_dtick.py	
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■	■■■	_len.py	
■	■	■	■	■	■	■	■	■	■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■	■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■	■■■	_nticks.py	
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■	■■■	_showexponent.py	

```

_ showticklabels.py
_ showtickprefix.py
_ showticksuffix.py
_ thickness.py
_ thicknessmode.py
_ tick0.py
_ tickangle.py
_ tickcolor.py
_ tickfont.py
_ tickformat.py
_ tickformatstopdefaults.py
_ tickformatstops.py
_ ticklabeloverflow.py
_ ticklabelposition.py
_ ticklen.py
_ tickmode.py
_ tickprefix.py
_ ticks.py
_ ticksuffix.py
_ ticktext.py
_ ticktextsrc.py
_ tickvals.py
_ tickvalssrc.py
_ tickwidth.py
_ title.py
_ x.py
_ xanchor.py
_ xpad.py
_ y.py
_ yanchor.py
_ ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__

```

[illegible]

```

__init__.py
__pycache__
__init__.cpython-311.pyc
__marker.cpython-311.pyc
__textfont.cpython-311.pyc
__marker.py
__textfont.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__opacity.cpython-311.pyc
__size.cpython-311.pyc
__color.py
__opacity.py
__size.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__color.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
__maxpoints.cpython-311.pyc
__token.cpython-311.pyc
__maxpoints.py
__token.py
textfont
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__colorsrc.cpython-311.pyc
__family.cpython-311.pyc
__familysrc.cpython-311.pyc
__size.cpython-311.pyc
__sizesrc.cpython-311.pyc
__color.py
__colorsrc.py
__family.py
__familysrc.py
__size.py
__sizesrc.py
unselected
__init__.py
__pycache__
__init__.cpython-311.pyc
__marker.cpython-311.pyc
__textfont.cpython-311.pyc
__marker.py
__textfont.py
marker
__init__.py
__pycache__

```

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _opacity.py
_ _ _ _ _size.py
_ _ _ _ _textfont
_ _ _ _ _init_.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _splom
_ _ _ _ _init_.py
_ _ _ _ _pycache_
_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _customdata.cpython-311.pyc
_ _ _ _ _customdatasrc.cpython-311.pyc
_ _ _ _ _diagonal.cpython-311.pyc
_ _ _ _ _dimensiondefaults.cpython-311.pyc
_ _ _ _ _dimensions.cpython-311.pyc
_ _ _ _ _hoverinfo.cpython-311.pyc
_ _ _ _ _hoverinfosrc.cpython-311.pyc
_ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _hovertemplate.cpython-311.pyc
_ _ _ _ _hovertemplatesrc.cpython-311.pyc
_ _ _ _ _hovertext.cpython-311.pyc
_ _ _ _ _hovertextsrc.cpython-311.pyc
_ _ _ _ _ids.cpython-311.pyc
_ _ _ _ _idssrc.cpython-311.pyc
_ _ _ _ _legendgroup.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _legendrank.cpython-311.pyc
_ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _meta.cpython-311.pyc
_ _ _ _ _metasrc.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _selected.cpython-311.pyc
_ _ _ _ _selectedpoints.cpython-311.pyc
_ _ _ _ _showlegend.cpython-311.pyc
_ _ _ _ _showlowerhalf.cpython-311.pyc
_ _ _ _ _showupperhalf.cpython-311.pyc
_ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _textsrc.cpython-311.pyc
_ _ _ _ _uid.cpython-311.pyc
_ _ _ _ _uirevision.cpython-311.pyc
_ _ _ _ _unselected.cpython-311.pyc
_ _ _ _ _visible.cpython-311.pyc
_ _ _ _ _xaxes.cpython-311.pyc
_ _ _ _ _xhoverformat.cpython-311.pyc
_ _ _ _ _yaxes.cpython-311.pyc
_ _ _ _ _yhoverformat.cpython-311.pyc
_ _ _ _ _customdata.py
_ _ _ _ _customdatasrc.py
_ _ _ _ _diagonal.py

```

■	■	■	■	■	■	■	■■■	_dimensiondefaults.py
■	■	■	■	■	■	■	■■■	_dimensions.py
■	■	■	■	■	■	■	■■■	_hoverinfo.py
■	■	■	■	■	■	■	■■■	_hoverinfosrc.py
■	■	■	■	■	■	■	■■■	_hoverlabel.py
■	■	■	■	■	■	■	■■■	_hovertemplate.py
■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py
■	■	■	■	■	■	■	■■■	_hovertext.py
■	■	■	■	■	■	■	■■■	_hovertextsrc.py
■	■	■	■	■	■	■	■■■	_ids.py
■	■	■	■	■	■	■	■■■	_idsrc.py
■	■	■	■	■	■	■	■■■	_legendgroup.py
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py
■	■	■	■	■	■	■	■■■	_legendrank.py
■	■	■	■	■	■	■	■■■	_marker.py
■	■	■	■	■	■	■	■■■	_meta.py
■	■	■	■	■	■	■	■■■	_metasrc.py
■	■	■	■	■	■	■	■■■	_name.py
■	■	■	■	■	■	■	■■■	_opacity.py
■	■	■	■	■	■	■	■■■	_selected.py
■	■	■	■	■	■	■	■■■	_selectedpoints.py
■	■	■	■	■	■	■	■■■	_showlegend.py
■	■	■	■	■	■	■	■■■	_showlowerhalf.py
■	■	■	■	■	■	■	■■■	_showupperhalf.py
■	■	■	■	■	■	■	■■■	_stream.py
■	■	■	■	■	■	■	■■■	_text.py
■	■	■	■	■	■	■	■■■	_textsrc.py
■	■	■	■	■	■	■	■■■	_uid.py
■	■	■	■	■	■	■	■■■	_uirevision.py
■	■	■	■	■	■	■	■■■	_unselected.py
■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■■■	_xaxes.py
■	■	■	■	■	■	■	■■■	_xhoverformat.py
■	■	■	■	■	■	■	■■■	_yaxes.py
■	■	■	■	■	■	■	■■■	_yhoverformat.py
■	■	■	■	■	■	■	■■■	diagonal
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_visible.py
■	■	■	■	■	■	■	■■■	dimension
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _axis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _label.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _values.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _valuessrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■ _visible.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_axis.py
■	■	■	■	■	■	■	■■■	_label.py
■	■	■	■	■	■	■	■■■	_name.py
■	■	■	■	■	■	■	■■■	_templateitemname.py
■	■	■	■	■	■	■	■■■	_values.py
■	■	■	■	■	■	■	■■■	_valuessrc.py

```

    visible.py
    axis
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _matches.cpython-311.pyc
    _type.cpython-311.pyc
    _matches.py
    _type.py
    hoverlabel
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _align.cpython-311.pyc
    _alignsrc.cpython-311.pyc
    _bgcolor.cpython-311.pyc
    _bgcolorsrc.cpython-311.pyc
    _bordercolor.cpython-311.pyc
    _bordercolorsrc.cpython-311.pyc
    _font.cpython-311.pyc
    _namelength.cpython-311.pyc
    _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _colorsrc.cpython-311.pyc
    _family.cpython-311.pyc
    _familysrc.cpython-311.pyc
    _size.cpython-311.pyc
    _sizesrc.cpython-311.pyc
    _color.py
    _colorsrc.py
    _family.py
    _familysrc.py
    _size.py
    _sizesrc.py
    legendgrouptitle
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _font.cpython-311.pyc
    _text.cpython-311.pyc
    _font.py
    _text.py
    font
    __init__.py
    __pycache__

```


[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■	■■■	_dtick.py	
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■	■■■	_len.py	
■	■	■	■	■	■	■	■	■	■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■	■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■	■■■	_nticks.py	
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■	■■■	_showexponent.py	

```

_ showticklabels.py
_ showtickprefix.py
_ showticksuffix.py
_ thickness.py
_ thicknessmode.py
_ tick0.py
_ tickangle.py
_ tickcolor.py
_ tickfont.py
_ tickformat.py
_ tickformatstopdefaults.py
_ tickformatstops.py
_ ticklabeloverflow.py
_ ticklabelposition.py
_ ticklen.py
_ tickmode.py
_ tickprefix.py
_ ticks.py
_ ticksuffix.py
_ ticktext.py
_ ticktextsrc.py
_ tickvals.py
_ tickvalssrc.py
_ tickwidth.py
_ title.py
_ x.py
_ xanchor.py
_ xpad.py
_ y.py
_ yanchor.py
_ ypad.py
tickfont
    _ __init__.py
    _ __pycache__
        _ __init__.cpython-311.pyc
        _ _color.cpython-311.pyc
        _ _family.cpython-311.pyc
        _ _size.cpython-311.pyc
    _ _color.py
    _ _family.py
    _ _size.py
tickformatstop
    _ __init__.py
    _ __pycache__
        _ __init__.cpython-311.pyc
        _ _dtickrange.cpython-311.pyc
        _ _enabled.cpython-311.pyc
        _ _name.cpython-311.pyc
        _ _templateitemname.cpython-311.pyc
        _ _value.cpython-311.pyc
    _ _dtickrange.py
    _ _enabled.py
    _ _name.py
    _ _templateitemname.py
    _ _value.py
title
    _ __init__.py
    _ __pycache__

```

```

_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ font.cpython-311.pyc
_ _ _ _ side.cpython-311.pyc
_ _ _ _ text.cpython-311.pyc
_ _ _ _ font.py
_ _ _ _ side.py
_ _ _ _ text.py
_ _ _ _ font
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ color.cpython-311.pyc
_ _ _ _ family.cpython-311.pyc
_ _ _ _ size.cpython-311.pyc
_ _ _ _ color.py
_ _ _ _ family.py
_ _ _ _ size.py
line
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ autocolorscale.cpython-311.pyc
_ _ _ _ cauto.cpython-311.pyc
_ _ _ _ cmax.cpython-311.pyc
_ _ _ _ cmid.cpython-311.pyc
_ _ _ _ cmin.cpython-311.pyc
_ _ _ _ color.cpython-311.pyc
_ _ _ _ coloraxis.cpython-311.pyc
_ _ _ _ colorscale.cpython-311.pyc
_ _ _ _ colorsrc.cpython-311.pyc
_ _ _ _ reversescale.cpython-311.pyc
_ _ _ _ width.cpython-311.pyc
_ _ _ _ widthsrc.cpython-311.pyc
_ _ _ _ autocolorscale.py
_ _ _ _ cauto.py
_ _ _ _ cmax.py
_ _ _ _ cmid.py
_ _ _ _ cmin.py
_ _ _ _ color.py
_ _ _ _ coloraxis.py
_ _ _ _ colorscale.py
_ _ _ _ colorsrc.py
_ _ _ _ reversescale.py
_ _ _ _ width.py
_ _ _ _ widthsrc.py
selected
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ marker.cpython-311.pyc
_ _ _ _ marker.py
_ _ _ _ marker
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ color.cpython-311.pyc
_ _ _ _ opacity.cpython-311.pyc
_ _ _ _ size.cpython-311.pyc

```

```
■ ■ ■ color.py  
■ ■ ■ _opacity.py  
■ ■ ■ _size.py  
■■■ stream  
■ ■ ■ __init__.py  
■ ■ ■ __pycache__  
■ ■ ■ ■ ■ __init__.cpython-311.pyc  
■ ■ ■ ■ ■ _maxpoints.cpython-311.pyc  
■ ■ ■ ■ ■ _token.cpython-311.pyc  
■ ■ ■ _maxpoints.py  
■ ■ ■ _token.py  
■■■ unselected  
■ ■ ■ __init__.py  
■ ■ ■ __pycache__  
■ ■ ■ ■ ■ __init__.cpython-311.pyc  
■ ■ ■ ■ ■ _marker.cpython-311.pyc  
■ ■ ■ _marker.py  
■ ■ ■ marker  
■ ■ ■ ■ ■ __init__.py  
■ ■ ■ ■ ■ __pycache__  
■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc  
■ ■ ■ ■ ■ ■ ■ _color.cpython-311.pyc  
■ ■ ■ ■ ■ ■ ■ _opacity.cpython-311.pyc  
■ ■ ■ ■ ■ ■ ■ _size.cpython-311.pyc  
■ ■ ■ ■ ■ _color.py  
■ ■ ■ ■ ■ _opacity.py  
■ ■ ■ ■ ■ _size.py  
■■■ streamtube  
■ ■ ■ __init__.py  
■ ■ ■ __pycache__  
■ ■ ■ ■ ■ __init__.cpython-311.pyc  
■ ■ ■ ■ ■ _autocolorscale.cpython-311.pyc  
■ ■ ■ ■ ■ _cauto.cpython-311.pyc  
■ ■ ■ ■ ■ _cmatrix.cpython-311.pyc  
■ ■ ■ ■ ■ _cmid.cpython-311.pyc  
■ ■ ■ ■ ■ _cmin.cpython-311.pyc  
■ ■ ■ ■ ■ _coloraxis.cpython-311.pyc  
■ ■ ■ ■ ■ _colorbar.cpython-311.pyc  
■ ■ ■ ■ ■ _colorscales.cpython-311.pyc  
■ ■ ■ ■ ■ _customdata.cpython-311.pyc  
■ ■ ■ ■ ■ _customdatasrc.cpython-311.pyc  
■ ■ ■ ■ ■ _hoverinfo.cpython-311.pyc  
■ ■ ■ ■ ■ _hoverinfosrc.cpython-311.pyc  
■ ■ ■ ■ ■ _hoverlabel.cpython-311.pyc  
■ ■ ■ ■ ■ _hovertemplate.cpython-311.pyc  
■ ■ ■ ■ ■ _hovertemplatesrc.cpython-311.pyc  
■ ■ ■ ■ ■ _hovertext.cpython-311.pyc  
■ ■ ■ ■ ■ _ids.cpython-311.pyc  
■ ■ ■ ■ ■ _idssrc.cpython-311.pyc  
■ ■ ■ ■ ■ _legendgroup.cpython-311.pyc  
■ ■ ■ ■ ■ _legendgrouptitle.cpython-311.pyc  
■ ■ ■ ■ ■ _legendranks.cpython-311.pyc  
■ ■ ■ ■ ■ _lighting.cpython-311.pyc  
■ ■ ■ ■ ■ _lightposition.cpython-311.pyc  
■ ■ ■ ■ ■ _maxdisplayed.cpython-311.pyc  
■ ■ ■ ■ ■ _meta.cpython-311.pyc  
■ ■ ■ ■ ■ _metasrc.cpython-311.pyc  
■ ■ ■ ■ ■ _name.cpython-311.pyc
```

■	■	■	■	■	■	■	■	■	■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_scene.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_sizeref.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_starts.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_u.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_uhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_usrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_v.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_vhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_vsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_w.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_whooverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_wsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_zhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_autocolorscale.py	
■	■	■	■	■	■	■	■	■■■	_cauto.py	
■	■	■	■	■	■	■	■	■■■	_cmax.py	
■	■	■	■	■	■	■	■	■■■	_cmid.py	
■	■	■	■	■	■	■	■	■■■	_cmin.py	
■	■	■	■	■	■	■	■	■■■	_coloraxis.py	
■	■	■	■	■	■	■	■	■■■	_colorbar.py	
■	■	■	■	■	■	■	■	■■■	_colorscale.py	
■	■	■	■	■	■	■	■	■■■	_customdata.py	
■	■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■	■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■	■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■	■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■	■■■	_hovertext.py	
■	■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■	■■■	_idssrc.py	
■	■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■	■■■	_lighting.py	
■	■	■	■	■	■	■	■	■■■	_lightposition.py	
■	■	■	■	■	■	■	■	■■■	_maxdisplayed.py	
■	■	■	■	■	■	■	■	■■■	_meta.py	
■	■									

■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_scene.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_sizeref.py	
■	■	■	■	■	■	■	■■■	_starts.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_u.py	
■	■	■	■	■	■	■	■■■	_uhoverformat.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_usrc.py	
■	■	■	■	■	■	■	■■■	_v.py	
■	■	■	■	■	■	■	■■■	_vhoverformat.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_vsrc.py	
■	■	■	■	■	■	■	■■■	_w.py	
■	■	■	■	■	■	■	■■■	_whooverformat.py	
■	■	■	■	■	■	■	■■■	_wsrc.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc

■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■■■	_dtick.py	
■	■	■	■	■	■	■	■	■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■■■	_len.py	
■	■	■	■	■	■	■	■	■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■■■	_nticks.py	
■	■	■	■	■	■	■	■	■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■■■	_thickness.py	
■	■	■	■	■	■	■	■	■■■	_thicknessmode.py	
■	■	■	■	■	■	■	■	■■■	_tick0.py	
■	■	■	■	■	■	■	■	■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.py	
■	■	■	■	■	■	■	■	■■■	_ticklabelposition.py	
■	■	■	■	■	■	■	■	■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■■■	_tickmode.py	
■	■	■	■	■	■	■	■	■■■	_tickprefix.py	
■	■	■	■	■	■	■	■	■■■	_ticks.py	
■	■	■	■	■	■	■	■	■■■	_ticksuffix.py	
■	■	■	■	■	■	■	■	■■■	_ticktext.py	
■	■	■	■	■	■	■	■	■■■	_ticktextsrc.py	
■	■	■	■	■	■	■	■	■■■	_tickvals.py	
■	■	■	■	■	■	■	■	■■■	_tickvalssrc.py	
■	■	■	■	■	■	■	■	■■■	_tickwidth.py	
■	■	■	■	■	■	■	■	■■■	_title.py	
■	■									


```

_anchors.py
_xpad.py
_y.py
_ypad.py
_tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
_tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
_title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
_hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc

```

```

    ##### bordercolorsrc.cpython-311.pyc
    ##### _font.cpython-311.pyc
    ##### _namelength.cpython-311.pyc
    ##### _namelengthsrc.cpython-311.pyc
    ##### _align.py
    ##### _alignsrc.py
    ##### _bgcolor.py
    ##### _bgcolorsrc.py
    ##### _bordercolor.py
    ##### _bordercolorsrc.py
    ##### _font.py
    ##### _namelength.py
    ##### _namelengthsrc.py
    ##### font
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### _color.cpython-311.pyc
    ##### _colorsrc.cpython-311.pyc
    ##### _family.cpython-311.pyc
    ##### _familysrc.cpython-311.pyc
    ##### _size.cpython-311.pyc
    ##### _sizesrc.cpython-311.pyc
    ##### _color.py
    ##### _colorsrc.py
    ##### _family.py
    ##### _familysrc.py
    ##### _size.py
    ##### _sizesrc.py
    ##### legendgrouptitle
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### _font.cpython-311.pyc
    ##### _text.cpython-311.pyc
    ##### _font.py
    ##### _text.py
    ##### font
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### _color.cpython-311.pyc
    ##### _family.cpython-311.pyc
    ##### _size.cpython-311.pyc
    ##### _color.py
    ##### _family.py
    ##### _size.py
    ##### lighting
    ##### __init__.py
    ##### __pycache__
    ##### __init__.cpython-311.pyc
    ##### _ambient.cpython-311.pyc
    ##### _diffuse.cpython-311.pyc
    ##### _facenormalsepsilon.cpython-311.pyc
    ##### _fresnel.cpython-311.pyc
    ##### _roughness.cpython-311.pyc
    ##### _specular.cpython-311.pyc
    ##### _vertexnormalsepsilon.cpython-311.pyc

```

```

_ambient.py
_diffuse.py
_facenormalsepsilon.py
_fresnel.py
_roughness.py
_specular.py
_vertexnormalsepsilon.py
lightposition
__init__.py
__pycache__
__init__.cpython-311.pyc
_x.cpython-311.pyc
_y.cpython-311.pyc
_z.cpython-311.pyc
_x.py
_y.py
_z.py
starts
__init__.py
__pycache__
__init__.cpython-311.pyc
_x.cpython-311.pyc
_xsrc.cpython-311.pyc
_y.cpython-311.pyc
_ysrc.cpython-311.pyc
_z.cpython-311.pyc
_zsrc.cpython-311.pyc
_x.py
_xsrc.py
_y.py
_ysrc.py
_z.py
_zsrc.py
stream
__init__.py
__pycache__
__init__.cpython-311.pyc
_maxpoints.cpython-311.pyc
_token.cpython-311.pyc
_maxpoints.py
_token.py
sunburst
__init__.py
__pycache__
__init__.cpython-311.pyc
_branchvalues.cpython-311.pyc
_count.cpython-311.pyc
_customdata.cpython-311.pyc
_customdatasrc.cpython-311.pyc
_domain.cpython-311.pyc
_hoverinfo.cpython-311.pyc
_hoverinfosrc.cpython-311.pyc
_hoverlabel.cpython-311.pyc
_hovertemplate.cpython-311.pyc
_hovertemplatesrc.cpython-311.pyc
_hovertext.cpython-311.pyc
_hovertextsrc.cpython-311.pyc
_ids.cpython-311.pyc

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■■■ _metasrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _name.py
■ ■ ■ ■ ■ ■ ■ ■■■ _opacity.py
■ ■ ■ ■ ■ ■ ■ ■■■ _outsidetextfont.py
■ ■ ■ ■ ■ ■ ■ ■■■ _parents.py
■ ■ ■ ■ ■ ■ ■ ■■■ _parentssrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _root.py
■ ■ ■ ■ ■ ■ ■ ■■■ _rotation.py
■ ■ ■ ■ ■ ■ ■ ■■■ _sort.py
■ ■ ■ ■ ■ ■ ■ ■■■ _stream.py
■ ■ ■ ■ ■ ■ ■ ■■■ _text.py
■ ■ ■ ■ ■ ■ ■ ■■■ _textfont.py
■ ■ ■ ■ ■ ■ ■ ■■■ _textinfo.py
■ ■ ■ ■ ■ ■ ■ ■■■ _textsrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _texttemplate.py
■ ■ ■ ■ ■ ■ ■ ■■■ _texttemplatesrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _uid.py
■ ■ ■ ■ ■ ■ ■ ■■■ _uirevision.py
■ ■ ■ ■ ■ ■ ■ ■■■ _values.py
■ ■ ■ ■ ■ ■ ■ ■■■ _valuessrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _visible.py
■ ■ ■ ■ ■ ■ ■ ■■■ domain
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _column.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _row.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _x.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _y.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _column.py
■ ■ ■ ■ ■ ■ ■ ■■■ _row.py
■ ■ ■ ■ ■ ■ ■ ■■■ _x.py
■ ■ ■ ■ ■ ■ ■ ■■■ _y.py
■ ■ ■ ■ ■ ■ ■ ■■■ hoverlabel
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _align.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _alignsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bgcolor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bgcolorsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bordercolor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bordercolorsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _font.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _namelength.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _namelengthsrc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _align.py
■ ■ ■ ■ ■ ■ ■ ■■■ _alignsrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _bgcolor.py
■ ■ ■ ■ ■ ■ ■ ■■■ _bgcolorsrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _bordercolor.py
■ ■ ■ ■ ■ ■ ■ ■■■ _bordercolorsrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ _font.py
■ ■ ■ ■ ■ ■ ■ ■■■ _namelength.py
■ ■ ■ ■ ■ ■ ■ ■■■ _namelengthsrc.py
■ ■ ■ ■ ■ ■ ■ ■■■ font
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__

```

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ insidetextfont
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ leaf
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _opacity.py
_ _ _ _ legendgrouptitle
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _font.py
_ _ _ _ _text.py
_ _ _ _ font
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
_ _ _ _ marker
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ autocolorscale.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■	_cauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_cmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_cmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_cmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_coloraxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colors.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colorscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_colorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_line.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■		_autocolorscale.py
■	■	■	■	■	■	■	■	■■■		_cauto.py
■	■	■	■	■	■	■	■	■■■		_cmax.py
■	■	■	■	■	■	■	■	■■■		_cmid.py
■	■	■	■	■	■	■	■	■■■		_cmin.py
■	■	■	■	■	■	■	■	■■■		_coloraxis.py
■	■	■	■	■	■	■	■	■■■		_colorbar.py
■	■	■	■	■	■	■	■	■■■		_colors.py
■	■	■	■	■	■	■	■	■■■		_colorscale.py
■	■	■	■	■	■	■	■	■■■		_colorsrc.py
■	■	■	■	■	■	■	■	■■■		_line.py
■	■	■	■	■	■	■	■	■■■		_reversescale.py
■	■	■	■	■	■	■	■	■■■		_showscale.py
■	■	■	■	■	■	■	■	■■■		colorbar
■	■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_outlinewidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_separatethousands.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticklabels.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showtickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_tickmode.cpython-311.pyc

[illegible]


```

_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
    _dtickrange.py
    _enabled.py
    _name.py
    _templateitemname.py
    _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
    _font.py
    _side.py
    _text.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _family.cpython-311.pyc
            _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
line
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _colormsg.cpython-311.pyc
        _width.cpython-311.pyc
        _widthsrc.cpython-311.pyc
    _color.py
    _colormsg.py
    _width.py
    _widthsrc.py
outsidetextfont

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	_contours.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hidesurface.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lighting.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_lightposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacityscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_scene.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_surfacecolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_surfacecolorsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ycalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_z.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zcalendar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_zsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_autocolorscale.py
■	■	■	■	■	■	■	■	■■■■	_cauto.py
■	■	■	■	■	■	■	■	■■■■	_cmax.py
■	■	■	■	■	■	■	■	■■■■	_cmid.py
■	■	■	■	■	■	■	■	■■■■	_cmin.py
■	■	■	■	■	■	■	■	■■■■	_coloraxis.py
■	■	■	■	■	■	■	■	■■■■	_colorbar.py
■	■	■	■	■	■	■	■	■■■■	_colorscale.py
■	■	■	■	■	■	■	■	■■■■	_connectgaps.py
■	■	■	■	■	■	■	■	■■■■	_contours.py
■	■	■	■	■	■	■	■	■■■■	_customdata.py

■	■	■	■	■	■	■	■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■	_hidesurface.py	
■	■	■	■	■	■	■	■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■	_ids.py	
■	■	■	■	■	■	■	■■■	_idssrc.py	
■	■	■	■	■	■	■	■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■	_lighting.py	
■	■	■	■	■	■	■	■■■	_lightposition.py	
■	■	■	■	■	■	■	■■■	_meta.py	
■	■	■	■	■	■	■	■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■	_name.py	
■	■	■	■	■	■	■	■■■	_opacity.py	
■	■	■	■	■	■	■	■■■	_opacityscale.py	
■	■	■	■	■	■	■	■■■	_reversescale.py	
■	■	■	■	■	■	■	■■■	_scene.py	
■	■	■	■	■	■	■	■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■	_showscale.py	
■	■	■	■	■	■	■	■■■	_stream.py	
■	■	■	■	■	■	■	■■■	_surfacecolor.py	
■	■	■	■	■	■	■	■■■	_surfacecolorsrc.py	
■	■	■	■	■	■	■	■■■	_text.py	
■	■	■	■	■	■	■	■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■	_uid.py	
■	■	■	■	■	■	■	■■■	_uirevision.py	
■	■	■	■	■	■	■	■■■	_visible.py	
■	■	■	■	■	■	■	■■■	_x.py	
■	■	■	■	■	■	■	■■■	_xcalendar.py	
■	■	■	■	■	■	■	■■■	_xhoverformat.py	
■	■	■	■	■	■	■	■■■	_xsrc.py	
■	■	■	■	■	■	■	■■■	_y.py	
■	■	■	■	■	■	■	■■■	_ycalendar.py	
■	■	■	■	■	■	■	■■■	_yhoverformat.py	
■	■	■	■	■	■	■	■■■	_ysrc.py	
■	■	■	■	■	■	■	■■■	_z.py	
■	■	■	■	■	■	■	■■■	_zcalendar.py	
■	■	■	■	■	■	■	■■■	_zhoverformat.py	
■	■	■	■	■	■	■	■■■	_zsrc.py	
■	■	■	■	■	■	■	■■■	colorbar	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bgcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_bordercolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_borderwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_dtick.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_exponentformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_len.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lenmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_minexponent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_nticks.cpython-311.pyc

```

■ ■ ■ _outlinecolor.cpython-311.pyc
■ ■ ■ _outlinewidth.cpython-311.pyc
■ ■ ■ _separatethousands.cpython-311.pyc
■ ■ ■ _showexponent.cpython-311.pyc
■ ■ ■ _showticklabels.cpython-311.pyc
■ ■ ■ _showtickprefix.cpython-311.pyc
■ ■ ■ _showticksuffix.cpython-311.pyc
■ ■ ■ _thickness.cpython-311.pyc
■ ■ ■ _thicknessmode.cpython-311.pyc
■ ■ ■ _tick0.cpython-311.pyc
■ ■ ■ _tickangle.cpython-311.pyc
■ ■ ■ _tickcolor.cpython-311.pyc
■ ■ ■ _tickfont.cpython-311.pyc
■ ■ ■ _tickformat.cpython-311.pyc
■ ■ ■ _tickformatstopdefaults.cpython-311.pyc
■ ■ ■ _tickformatstops.cpython-311.pyc
■ ■ ■ _ticklabeloverflow.cpython-311.pyc
■ ■ ■ _ticklabelposition.cpython-311.pyc
■ ■ ■ _ticklen.cpython-311.pyc
■ ■ ■ _tickmode.cpython-311.pyc
■ ■ ■ _tickprefix.cpython-311.pyc
■ ■ ■ _ticks.cpython-311.pyc
■ ■ ■ _ticksuffix.cpython-311.pyc
■ ■ ■ _ticktext.cpython-311.pyc
■ ■ ■ _ticktextsrc.cpython-311.pyc
■ ■ ■ _tickvals.cpython-311.pyc
■ ■ ■ _tickvalssrc.cpython-311.pyc
■ ■ ■ _tickwidth.cpython-311.pyc
■ ■ ■ _title.cpython-311.pyc
■ ■ ■ _x.cpython-311.pyc
■ ■ ■ _xanchor.cpython-311.pyc
■ ■ ■ _xpad.cpython-311.pyc
■ ■ ■ _y.cpython-311.pyc
■ ■ ■ _yanchor.cpython-311.pyc
■ ■ ■ _ypad.cpython-311.pyc
■ ■ ■ _bgcolor.py
■ ■ ■ _bordercolor.py
■ ■ ■ _borderwidth.py
■ ■ ■ _dtick.py
■ ■ ■ _exponentformat.py
■ ■ ■ _len.py
■ ■ ■ _lenmode.py
■ ■ ■ _minexponent.py
■ ■ ■ _nticks.py
■ ■ ■ _outlinecolor.py
■ ■ ■ _outlinewidth.py
■ ■ ■ _separatethousands.py
■ ■ ■ _showexponent.py
■ ■ ■ _showticklabels.py
■ ■ ■ _showtickprefix.py
■ ■ ■ _showticksuffix.py
■ ■ ■ _thickness.py
■ ■ ■ _thicknessmode.py
■ ■ ■ _tick0.py
■ ■ ■ _tickangle.py
■ ■ ■ _tickcolor.py
■ ■ ■ _tickfont.py
■ ■ ■ _tickformat.py

```

```

tickformatstopdefaults.py
_tickformatstops.py
_ticklabeloverflow.py
_ticklabelposition.py
_ticklen.py
_tickmode.py
_tickprefix.py
_ticks.py
_ticksuffix.py
_ticktext.py
_ticktextsrc.py
_tickvals.py
_tickvalssrc.py
_tickwidth.py
_title.py
_x.py
_xanchor.py
_xpad.py
_y.py
_yanchor.py
_ypad.py
tickfont
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _color.cpython-311.pyc
        _family.cpython-311.pyc
        _size.cpython-311.pyc
        _color.py
        _family.py
        _size.py
tickformatstop
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _dtickrange.cpython-311.pyc
        _enabled.cpython-311.pyc
        _name.cpython-311.pyc
        _templateitemname.cpython-311.pyc
        _value.cpython-311.pyc
        _dtickrange.py
        _enabled.py
        _name.py
        _templateitemname.py
        _value.py
title
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _font.cpython-311.pyc
        _side.cpython-311.pyc
        _text.cpython-311.pyc
        _font.py
        _side.py
        _text.py
        font
            __init__.py
            __pycache__

```

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
contours
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _x.cpython-311.pyc
_ _ _ _ _y.cpython-311.pyc
_ _ _ _ _z.cpython-311.pyc
_ _ _ _ _x.py
_ _ _ _ _y.py
_ _ _ _ _z.py
_ _ _ _ x
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _end.cpython-311.pyc
_ _ _ _ _highlight.cpython-311.pyc
_ _ _ _ _highlightcolor.cpython-311.pyc
_ _ _ _ _highlightwidth.cpython-311.pyc
_ _ _ _ _project.cpython-311.pyc
_ _ _ _ _show.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _start.cpython-311.pyc
_ _ _ _ _usecolormap.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _end.py
_ _ _ _ _highlight.py
_ _ _ _ _highlightcolor.py
_ _ _ _ _highlightwidth.py
_ _ _ _ _project.py
_ _ _ _ _show.py
_ _ _ _ _size.py
_ _ _ _ _start.py
_ _ _ _ _usecolormap.py
_ _ _ _ _width.py
_ _ _ _ project
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _x.cpython-311.pyc
_ _ _ _ _y.cpython-311.pyc
_ _ _ _ _z.cpython-311.pyc
_ _ _ _ _x.py
_ _ _ _ _y.py
_ _ _ _ _z.py
y
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc

```

```

_ _ _ _ _end.cpython-311.pyc
_ _ _ _ _highlight.cpython-311.pyc
_ _ _ _ _highlightcolor.cpython-311.pyc
_ _ _ _ _highlightwidth.cpython-311.pyc
_ _ _ _ _project.cpython-311.pyc
_ _ _ _ _show.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _start.cpython-311.pyc
_ _ _ _ _usecolormap.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _end.py
_ _ _ _ _highlight.py
_ _ _ _ _highlightcolor.py
_ _ _ _ _highlightwidth.py
_ _ _ _ _project.py
_ _ _ _ _show.py
_ _ _ _ _size.py
_ _ _ _ _start.py
_ _ _ _ _usecolormap.py
_ _ _ _ _width.py
_ _ _ _ project
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _x.cpython-311.pyc
_ _ _ _ _y.cpython-311.pyc
_ _ _ _ _z.cpython-311.pyc
_ _ _ _ _x.py
_ _ _ _ _y.py
_ _ _ _ _z.py
_ _ _ z
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _end.cpython-311.pyc
_ _ _ _ _highlight.cpython-311.pyc
_ _ _ _ _highlightcolor.cpython-311.pyc
_ _ _ _ _highlightwidth.cpython-311.pyc
_ _ _ _ _project.cpython-311.pyc
_ _ _ _ _show.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _start.cpython-311.pyc
_ _ _ _ _usecolormap.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _end.py
_ _ _ _ _highlight.py
_ _ _ _ _highlightcolor.py
_ _ _ _ _highlightwidth.py
_ _ _ _ _project.py
_ _ _ _ _show.py
_ _ _ _ _size.py
_ _ _ _ _start.py
_ _ _ _ _usecolormap.py
_ _ _ _ _width.py
_ _ _ _ project

```



```

__init__.py
__pycache__
__init__.cpython-311.pyc
_x.cpython-311.pyc
_y.cpython-311.pyc
_z.cpython-311.pyc
_x.py
_y.py
_z.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc
_alignsrc.cpython-311.pyc
_bgcolor.cpython-311.pyc
_bgcolorsrc.cpython-311.pyc
_bordercolor.cpython-311.pyc
_bordercolorsrc.cpython-311.pyc
_font.cpython-311.pyc
_namelenh.cpython-311.pyc
_namelenhsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelenh.py
_namelenhsrc.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__

```

```

_ _ _ _ _init___.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _family.py
_ _ _ _ _size.py
lighting
_ _ _ _ _init___.py
_ _ _ _ _pycache__
_ _ _ _ _init___.cpython-311.pyc
_ _ _ _ _ambient.cpython-311.pyc
_ _ _ _ _diffuse.cpython-311.pyc
_ _ _ _ _fresnel.cpython-311.pyc
_ _ _ _ _roughness.cpython-311.pyc
_ _ _ _ _specular.cpython-311.pyc
_ _ _ _ _ambient.py
_ _ _ _ _diffuse.py
_ _ _ _ _fresnel.py
_ _ _ _ _roughness.py
_ _ _ _ _specular.py
lightposition
_ _ _ _ _init___.py
_ _ _ _ _pycache__
_ _ _ _ _init___.cpython-311.pyc
_ _ _ _ _x.cpython-311.pyc
_ _ _ _ _y.cpython-311.pyc
_ _ _ _ _z.cpython-311.pyc
_ _ _ _ _x.py
_ _ _ _ _y.py
_ _ _ _ _z.py
stream
_ _ _ _ _init___.py
_ _ _ _ _pycache__
_ _ _ _ _init___.cpython-311.pyc
_ _ _ _ _maxpoints.cpython-311.pyc
_ _ _ _ _token.cpython-311.pyc
_ _ _ _ _maxpoints.py
_ _ _ _ _token.py
table
_ _ _ _ _init___.py
_ _ _ _ _pycache__
_ _ _ _ _init___.cpython-311.pyc
_ _ _ _ _cells.cpython-311.pyc
_ _ _ _ _columnorder.cpython-311.pyc
_ _ _ _ _columnordersrc.cpython-311.pyc
_ _ _ _ _columnwidth.cpython-311.pyc
_ _ _ _ _columnwidthsrc.cpython-311.pyc
_ _ _ _ _customdata.cpython-311.pyc
_ _ _ _ _customdatasrc.cpython-311.pyc
_ _ _ _ _domain.cpython-311.pyc
_ _ _ _ _header.cpython-311.pyc
_ _ _ _ _hoverinfo.cpython-311.pyc
_ _ _ _ _hoverinfosrc.cpython-311.pyc
_ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _ids.cpython-311.pyc
_ _ _ _ _idssrc.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc

```

[illegible]

```

_ prefixsrc.py
_ suffix.py
_ suffixsrc.py
_ values.py
_ valuessrc.py
fill
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_color.py
_colorsrc.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_width.cpython-311.pyc
_widthsrc.cpython-311.pyc
_color.py
_colorsrc.py
_width.py
_widthsrc.py
domain
__init__.py
__pycache__
__init__.cpython-311.pyc
_column.cpython-311.pyc
_row.cpython-311.pyc
_x.cpython-311.pyc
_y.cpython-311.pyc
_column.py
_row.py
_x.py
_y.py
header
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc

```

```

_ _ _ _ _alignsrc.cpython-311.pyc
_ _ _ _ _fill.cpython-311.pyc
_ _ _ _ _font.cpython-311.pyc
_ _ _ _ _format.cpython-311.pyc
_ _ _ _ _formatsrc.cpython-311.pyc
_ _ _ _ _height.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _prefix.cpython-311.pyc
_ _ _ _ _prefixsrc.cpython-311.pyc
_ _ _ _ _suffix.cpython-311.pyc
_ _ _ _ _suffixsrc.cpython-311.pyc
_ _ _ _ _values.cpython-311.pyc
_ _ _ _ _valuessrc.cpython-311.pyc
_ _ _ _ _align.py
_ _ _ _ _alignsrc.py
_ _ _ _ _fill.py
_ _ _ _ _font.py
_ _ _ _ _format.py
_ _ _ _ _formatsrc.py
_ _ _ _ _height.py
_ _ _ _ _line.py
_ _ _ _ _prefix.py
_ _ _ _ _prefixsrc.py
_ _ _ _ _suffix.py
_ _ _ _ _suffixsrc.py
_ _ _ _ _values.py
_ _ _ _ _valuessrc.py
_ _ _ _ _fill
_ _ _ _ _init__.py
_ _ _ _ _pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _font
_ _ _ _ _init__.py
_ _ _ _ _pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _family.cpython-311.pyc
_ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _size.cpython-311.pyc
_ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _color.py
_ _ _ _ _colorsrc.py
_ _ _ _ _family.py
_ _ _ _ _familysrc.py
_ _ _ _ _size.py
_ _ _ _ _sizesrc.py
_ _ _ _ _line
_ _ _ _ _init__.py
_ _ _ _ _pycache__
_ _ _ _ _init__.cpython-311.pyc
_ _ _ _ _color.cpython-311.pyc
_ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _width.cpython-311.pyc

```

```

_ widthsrc.cpython-311.pyc
_ color.py
_ colorsrc.py
_ width.py
_ widthsrc.py
hoverlabel
__init__.py
__pycache__
__init__.cpython-311.pyc
_align.cpython-311.pyc
_alignsrc.cpython-311.pyc
_bgcolor.cpython-311.pyc
_bgcolorsrc.cpython-311.pyc
_bordercolor.cpython-311.pyc
_bordercolorsrc.cpython-311.pyc
_font.cpython-311.pyc
_namelength.cpython-311.pyc
_namelengthsrc.cpython-311.pyc
_align.py
_alignsrc.py
_bgcolor.py
_bgcolorsrc.py
_bordercolor.py
_bordercolorsrc.py
_font.py
_namelength.py
_namelengthsrc.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc

```

[illegible]

[illegible]


```

■■■ _row.py
■■■ _x.py
■■■ _y.py
■■■ hoverlabel
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _align.cpython-311.pyc
■■■ _alignsrc.cpython-311.pyc
■■■ _bgcolor.cpython-311.pyc
■■■ _bgcolorsrc.cpython-311.pyc
■■■ _bordercolor.cpython-311.pyc
■■■ _bordercolorsrc.cpython-311.pyc
■■■ _font.cpython-311.pyc
■■■ _namelength.cpython-311.pyc
■■■ _namelengthsrc.cpython-311.pyc
■■■ _align.py
■■■ _alignsrc.py
■■■ _bgcolor.py
■■■ _bgcolorsrc.py
■■■ _bordercolor.py
■■■ _bordercolorsrc.py
■■■ _font.py
■■■ _namelength.py
■■■ _namelengthsrc.py
■■■ font
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _color.cpython-311.pyc
■■■ _colorsrc.cpython-311.pyc
■■■ _family.cpython-311.pyc
■■■ _familysrc.cpython-311.pyc
■■■ _size.cpython-311.pyc
■■■ _sizesrc.cpython-311.pyc
■■■ _color.py
■■■ _colorsrc.py
■■■ _family.py
■■■ _familysrc.py
■■■ _size.py
■■■ _sizesrc.py
■■■ insidetextfont
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _color.cpython-311.pyc
■■■ _colorsrc.cpython-311.pyc
■■■ _family.cpython-311.pyc
■■■ _familysrc.cpython-311.pyc
■■■ _size.cpython-311.pyc
■■■ _sizesrc.cpython-311.pyc
■■■ _color.py
■■■ _colorsrc.py
■■■ _family.py
■■■ _familysrc.py
■■■ _size.py
■■■ _sizesrc.py
■■■ legendgrouptitle

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
__font.cpython-311.pyc
__text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
__color.cpython-311.pyc
__family.cpython-311.pyc
__size.cpython-311.pyc
_color.py
_family.py
_size.py
marker
__init__.py
__pycache__
__init__.cpython-311.pyc
__autocolorscale.cpython-311.pyc
__cauto.cpython-311.pyc
__cmax.cpython-311.pyc
__cmid.cpython-311.pyc
__cmin.cpython-311.pyc
__coloraxis.cpython-311.pyc
__colorbar.cpython-311.pyc
__colors.cpython-311.pyc
__colormap.cpython-311.pyc
__colorssrc.cpython-311.pyc
__depthfade.cpython-311.pyc
__line.cpython-311.pyc
__pad.cpython-311.pyc
__reversescale.cpython-311.pyc
__showscale.cpython-311.pyc
__autocolorscale.py
__cauto.py
__cmax.py
__cmid.py
__cmin.py
__coloraxis.py
__colorbar.py
__colors.py
__colormap.py
__colorssrc.py
__depthfade.py
__line.py
__pad.py
__reversescale.py
__showscale.py
colorbar
__init__.py
__pycache__
__init__.cpython-311.pyc
__bgcolor.cpython-311.pyc
__bordercolor.cpython-311.pyc
__borderwidth.cpython-311.pyc

```

```

■■■ _dtick.cpython-311.pyc
■■■ _exponentformat.cpython-311.pyc
■■■ _len.cpython-311.pyc
■■■ _lenmode.cpython-311.pyc
■■■ _minexponent.cpython-311.pyc
■■■ _nticks.cpython-311.pyc
■■■ _outlinecolor.cpython-311.pyc
■■■ _outlinewidth.cpython-311.pyc
■■■ _separatethousands.cpython-311.pyc
■■■ _showexponent.cpython-311.pyc
■■■ _showticklabels.cpython-311.pyc
■■■ _showtickprefix.cpython-311.pyc
■■■ _showticksuffix.cpython-311.pyc
■■■ _thickness.cpython-311.pyc
■■■ _thicknessmode.cpython-311.pyc
■■■ _tick0.cpython-311.pyc
■■■ _tickangle.cpython-311.pyc
■■■ _tickcolor.cpython-311.pyc
■■■ _tickfont.cpython-311.pyc
■■■ _tickformat.cpython-311.pyc
■■■ _tickformatstopdefaults.cpython-311.pyc
■■■ _tickformatstops.cpython-311.pyc
■■■ _ticklabeloverflow.cpython-311.pyc
■■■ _ticklabelposition.cpython-311.pyc
■■■ _ticklen.cpython-311.pyc
■■■ _tickmode.cpython-311.pyc
■■■ _tickprefix.cpython-311.pyc
■■■ _ticks.cpython-311.pyc
■■■ _ticksuffix.cpython-311.pyc
■■■ _ticktext.cpython-311.pyc
■■■ _ticktextsrc.cpython-311.pyc
■■■ _tickvals.cpython-311.pyc
■■■ _tickvalssrc.cpython-311.pyc
■■■ _tickwidth.cpython-311.pyc
■■■ _title.cpython-311.pyc
■■■ _x.cpython-311.pyc
■■■ _xanchor.cpython-311.pyc
■■■ _xpad.cpython-311.pyc
■■■ _y.cpython-311.pyc
■■■ _yanchor.cpython-311.pyc
■■■ _ypad.cpython-311.pyc
■■■ _bgcolor.py
■■■ _bordercolor.py
■■■ _borderwidth.py
■■■ _dtick.py
■■■ _exponentformat.py
■■■ _len.py
■■■ _lenmode.py
■■■ _minexponent.py
■■■ _nticks.py
■■■ _outlinecolor.py
■■■ _outlinewidth.py
■■■ _separatethousands.py
■■■ _showexponent.py
■■■ _showticklabels.py
■■■ _showtickprefix.py
■■■ _showticksuffix.py
■■■ _thickness.py

```

■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tick0.py
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.py
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.py
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.py
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.py
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticks.py
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.py
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.py
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.py
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.py
■	■	■	■	■	■	■	■	■	■■■■	_title.py
■	■	■	■	■	■	■	■	■	■■■■	_x.py
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_xpad.py
■	■	■	■	■	■	■	■	■	■■■■	_y.py
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.py
■	■	■	■	■	■	■	■	■	■■■■	_ypad.py
■	■	■	■	■	■	■	■	■	■■■■	tickfont
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_family.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_size.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_color.py
■	■	■	■	■	■	■	■	■	■■■■	_family.py
■	■	■	■	■	■	■	■	■	■■■■	_size.py
■	■	■	■	■	■	■	■	■■■■	tickformatstop	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_enabled.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_dtickrange.py
■	■	■	■	■	■	■	■	■	■■■■	_enabled.py
■	■	■	■	■	■	■	■	■	■■■■	_name.py
■	■	■	■	■	■	■	■	■	■■■■	_templateitemname.py
■	■	■	■	■	■	■	■	■	■■■■	_value.py
■	■	■	■	■	■	■	■	■■■■	title	
■	■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_font.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_side.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc

```

font.py
_side.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_width.cpython-311.pyc
_widthsrc.cpython-311.pyc
_color.py
_colorsrc.py
_width.py
_widthsrc.py
pad
__init__.py
__pycache__
__init__.cpython-311.pyc
_b.cpython-311.pyc
_l.cpython-311.pyc
_r.cpython-311.pyc
_t.cpython-311.pyc
_b.py
_l.py
_r.py
_t.py
outsidetextfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
pathbar
__init__.py
__pycache__
__init__.cpython-311.pyc
_edgeshape.cpython-311.pyc

```

[illegible]

```

_ _ _ _ _init_.cpython-311.pyc
_ _ _ _ _flip.cpython-311.pyc
_ _ _ _ _packing.cpython-311.pyc
_ _ _ _ _pad.cpython-311.pyc
_ _ _ _ _squarifyratio.cpython-311.pyc
_ _ _ _ _flip.py
_ _ _ _ _packing.py
_ _ _ _ _pad.py
_ _ _ _ _squarifyratio.py
_ _ _ _ violin
_ _ _ _ __init__.py
_ _ _ _ __pycache__
_ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _alignmentgroup.cpython-311.pyc
_ _ _ _ _bandwidth.cpython-311.pyc
_ _ _ _ _box.cpython-311.pyc
_ _ _ _ _customdata.cpython-311.pyc
_ _ _ _ _customdatasrc.cpython-311.pyc
_ _ _ _ _fillcolor.cpython-311.pyc
_ _ _ _ _hoverinfo.cpython-311.pyc
_ _ _ _ _hoverinfosrc.cpython-311.pyc
_ _ _ _ _hoverlabel.cpython-311.pyc
_ _ _ _ _hoveron.cpython-311.pyc
_ _ _ _ _hovertemplate.cpython-311.pyc
_ _ _ _ _hovertemplatesrc.cpython-311.pyc
_ _ _ _ _hovertext.cpython-311.pyc
_ _ _ _ _hovertextsrc.cpython-311.pyc
_ _ _ _ _ids.cpython-311.pyc
_ _ _ _ _idssrc.cpython-311.pyc
_ _ _ _ _jitter.cpython-311.pyc
_ _ _ _ _legendgroup.cpython-311.pyc
_ _ _ _ _legendgrouptitle.cpython-311.pyc
_ _ _ _ _legendrank.cpython-311.pyc
_ _ _ _ _line.cpython-311.pyc
_ _ _ _ _marker.cpython-311.pyc
_ _ _ _ _meanline.cpython-311.pyc
_ _ _ _ _meta.cpython-311.pyc
_ _ _ _ _metasrc.cpython-311.pyc
_ _ _ _ _name.cpython-311.pyc
_ _ _ _ _offsetgroup.cpython-311.pyc
_ _ _ _ _opacity.cpython-311.pyc
_ _ _ _ _orientation.cpython-311.pyc
_ _ _ _ _pointpos.cpython-311.pyc
_ _ _ _ _points.cpython-311.pyc
_ _ _ _ _scalegroup.cpython-311.pyc
_ _ _ _ _scalemode.cpython-311.pyc
_ _ _ _ _selected.cpython-311.pyc
_ _ _ _ _selectedpoints.cpython-311.pyc
_ _ _ _ _showlegend.cpython-311.pyc
_ _ _ _ _side.cpython-311.pyc
_ _ _ _ _span.cpython-311.pyc
_ _ _ _ _spanmode.cpython-311.pyc
_ _ _ _ _stream.cpython-311.pyc
_ _ _ _ _text.cpython-311.pyc
_ _ _ _ _textsrc.cpython-311.pyc
_ _ _ _ _uid.cpython-311.pyc
_ _ _ _ _uirevision.cpython-311.pyc
_ _ _ _ _unselected.cpython-311.pyc

```

[illegible]


```

width.py
_x.py
_x0.py
_xaxis.py
_xhoverformat.py
_xsrc.py
_y.py
_y0.py
_yaxis.py
_yhoverformat.py
_ysrc.py
box
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _fillcolor.cpython-311.pyc
        _line.cpython-311.pyc
        _visible.cpython-311.pyc
        _width.cpython-311.pyc
    _fillcolor.py
    _line.py
    _visible.py
    _width.py
    line
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _width.cpython-311.pyc
        _color.py
        _width.py
hoverlabel
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _align.cpython-311.pyc
        _alignsrc.cpython-311.pyc
        _bgcolor.cpython-311.pyc
        _bgcolorsrc.cpython-311.pyc
        _bordercolor.cpython-311.pyc
        _bordercolorsrc.cpython-311.pyc
        _font.cpython-311.pyc
        _namelength.cpython-311.pyc
        _namelengthsrc.cpython-311.pyc
    _align.py
    _alignsrc.py
    _bgcolor.py
    _bgcolorsrc.py
    _bordercolor.py
    _bordercolorsrc.py
    _font.py
    _namelength.py
    _namelengthsrc.py
    font
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc

```


■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_autocolorscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_caps.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_cauto.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_cmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_cmid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_cmin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_coloraxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_colorbar.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_colormap.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_contour.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_flatshading.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_isomax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_isomin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lighting.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_lightposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_opacityscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_reversescale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_scene.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_showscale.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_slices.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_spaceframe.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_surface.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_value.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_valuehoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_valuesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_yhoverformat.cpython-311.pyc

[illegible]

```

_ymatformat.py
_ysrc.py
_z.py
_zhoverformat.py
_zsrc.py
caps
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _x.cpython-311.pyc
    _y.cpython-311.pyc
    _z.cpython-311.pyc
_x.py
_y.py
_z.py
x
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _fill.cpython-311.pyc
        _show.cpython-311.pyc
    _fill.py
    _show.py
y
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _fill.cpython-311.pyc
        _show.cpython-311.pyc
    _fill.py
    _show.py
z
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _fill.cpython-311.pyc
        _show.cpython-311.pyc
    _fill.py
    _show.py
colorbar
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        bgcolor.cpython-311.pyc
        bordercolor.cpython-311.pyc
        borderwidth.cpython-311.pyc
        dtick.cpython-311.pyc
        exponentformat.cpython-311.pyc
        len.cpython-311.pyc
        lenmode.cpython-311.pyc
        minexponent.cpython-311.pyc
        nticks.cpython-311.pyc
        outlinecolor.cpython-311.pyc
        outlinewidth.cpython-311.pyc
        separatethousands.cpython-311.pyc
        showexponent.cpython-311.pyc
        showticklabels.cpython-311.pyc
        showtickprefix.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■	■■■■	_showticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thickness.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_thicknessmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tick0.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickcolor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickformatstops.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticklen.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickmode.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickprefix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticks.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticksuffix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktext.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ticktextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvals.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickvalssrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_tickwidth.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_title.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_xpad.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_yanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	_ypad.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_bgcolor.py	
■	■	■	■	■	■	■	■	■■■■	_bordercolor.py	
■	■	■	■	■	■	■	■	■■■■	_borderwidth.py	
■	■	■	■	■	■	■	■	■■■■	_dtick.py	
■	■	■	■	■	■	■	■	■■■■	_exponentformat.py	
■	■	■	■	■	■	■	■	■■■■	_len.py	
■	■	■	■	■	■	■	■	■■■■	_lenmode.py	
■	■	■	■	■	■	■	■	■■■■	_minexponent.py	
■	■	■	■	■	■	■	■	■■■■	_nticks.py	
■	■	■	■	■	■	■	■	■■■■	_outlinecolor.py	
■	■	■	■	■	■	■	■	■■■■	_outlinewidth.py	
■	■	■	■	■	■	■	■	■■■■	_separatethousands.py	
■	■	■	■	■	■	■	■	■■■■	_showexponent.py	
■	■	■	■	■	■	■	■	■■■■	_showticklabels.py	
■	■	■	■	■	■	■	■	■■■■	_showtickprefix.py	
■	■	■	■	■	■	■	■	■■■■	_showticksuffix.py	
■	■	■	■	■	■	■	■	■■■■	_thickness.py	
■	■	■	■	■	■	■	■	■■■■	_thicknessmode.py	
■	■	■	■	■	■	■	■	■■■■	_tick0.py	
■	■	■	■	■	■	■	■	■■■■	_tickangle.py	
■	■	■	■	■	■	■	■	■■■■	_tickcolor.py	
■	■	■	■	■	■	■	■	■■■■	_tickfont.py	
■	■	■	■	■	■	■	■	■■■■	_tickformat.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstopdefaults.py	
■	■	■	■	■	■	■	■	■■■■	_tickformatstops.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabeloverflow.py	
■	■	■	■	■	■	■	■	■■■■	_ticklabelposition.py	
■	■	■	■	■	■	■	■	■■■■	_ticklen.py	
■	■	■	■	■	■	■	■	■■■■	_tickmode.py	


```

_ _ _ _ _ size.py
contour
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _show.cpython-311.pyc
_ _ _ _ _ _width.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _show.py
_ _ _ _ _ _width.py
hoverlabel
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _align.cpython-311.pyc
_ _ _ _ _ _alignsrc.cpython-311.pyc
_ _ _ _ _ _bgcolor.cpython-311.pyc
_ _ _ _ _ _bgcolorsrc.cpython-311.pyc
_ _ _ _ _ _bordercolor.cpython-311.pyc
_ _ _ _ _ _bordercolorsrc.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _namelength.cpython-311.pyc
_ _ _ _ _ _namelengthsrc.cpython-311.pyc
_ _ _ _ _ _align.py
_ _ _ _ _ _alignsrc.py
_ _ _ _ _ _bgcolor.py
_ _ _ _ _ _bgcolorsrc.py
_ _ _ _ _ _bordercolor.py
_ _ _ _ _ _bordercolorsrc.py
_ _ _ _ _ _font.py
_ _ _ _ _ _namelength.py
_ _ _ _ _ _namelengthsrc.py
font
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _color.cpython-311.pyc
_ _ _ _ _ _colorsrc.cpython-311.pyc
_ _ _ _ _ _family.cpython-311.pyc
_ _ _ _ _ _familysrc.cpython-311.pyc
_ _ _ _ _ _size.cpython-311.pyc
_ _ _ _ _ _sizesrc.cpython-311.pyc
_ _ _ _ _ _color.py
_ _ _ _ _ _colorsrc.py
_ _ _ _ _ _family.py
_ _ _ _ _ _familysrc.py
_ _ _ _ _ _size.py
_ _ _ _ _ _sizesrc.py
legendgrouptitle
_ _ _ _ _ __init__.py
_ _ _ _ _ __pycache__
_ _ _ _ _ __init__.cpython-311.pyc
_ _ _ _ _ _font.cpython-311.pyc
_ _ _ _ _ _text.cpython-311.pyc
_ _ _ _ _ _font.py
_ _ _ _ _ _text.py
font

```

```

__init__.py
__pycache__
    __init__.cpython-311.pyc
    _color.cpython-311.pyc
    _family.cpython-311.pyc
    _size.cpython-311.pyc
    _color.py
    _family.py
    _size.py
lighting
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _ambient.cpython-311.pyc
        _diffuse.cpython-311.pyc
        _facenormalsepsilon.cpython-311.pyc
        _fresnel.cpython-311.pyc
        _roughness.cpython-311.pyc
        _specular.cpython-311.pyc
        _vertexnormalsepsilon.cpython-311.pyc
        _ambient.py
        _diffuse.py
        _facenormalsepsilon.py
        _fresnel.py
        _roughness.py
        _specular.py
        _vertexnormalsepsilon.py
lightposition
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _x.cpython-311.pyc
        _y.cpython-311.pyc
        _z.cpython-311.pyc
        _x.py
        _y.py
        _z.py
slices
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _x.cpython-311.pyc
        _y.cpython-311.pyc
        _z.cpython-311.pyc
        _x.py
        _y.py
        _z.py
x
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _fill.cpython-311.pyc
        _locations.cpython-311.pyc
        _locationssrc.cpython-311.pyc
        _show.cpython-311.pyc
        _fill.py
        _locations.py
        _locationssrc.py

```

```

_ show.py
y
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _fill.cpython-311.pyc
    _locations.cpython-311.pyc
    _locationssrc.cpython-311.pyc
    _show.cpython-311.pyc
    _fill.py
    _locations.py
    _locationssrc.py
    _show.py
z
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _fill.cpython-311.pyc
    _locations.cpython-311.pyc
    _locationssrc.cpython-311.pyc
    _show.cpython-311.pyc
    _fill.py
    _locations.py
    _locationssrc.py
    _show.py
spaceframe
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _fill.cpython-311.pyc
    _show.cpython-311.pyc
    _fill.py
    _show.py
stream
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _maxpoints.cpython-311.pyc
    _token.cpython-311.pyc
    _maxpoints.py
    _token.py
surface
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _count.cpython-311.pyc
    _fill.cpython-311.pyc
    _pattern.cpython-311.pyc
    _show.cpython-311.pyc
    _count.py
    _fill.py
    _pattern.py
    _show.py
waterfall
__init__.py
__pycache__
    __init__.cpython-311.pyc
    _alignmentgroup.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	_base.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_cliponaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_connector.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_constrainttext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdata.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_customdatasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_decreasing.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dx.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_dy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverinfosrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hoverlabel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertext.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_hovertextsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ids.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_idsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_increasing.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextanchor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_insidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendgrouptitle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_legendrank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_measure.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_measuresrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_meta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_metasrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_name.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offset.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetgroup.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_offsetsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_opacity.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_orientation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_outsidetextfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_selectedpoints.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_showlegend.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_stream.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_text.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textangle.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textfont.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textinfo.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textposition.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textpositionsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_textsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_texttemplatesrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_totals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uid.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_uirevision.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_visible.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_width.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_widthsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_x0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiod.cpython-311.pyc

■	■	■	■	■	■	■	■	■■■■	_xperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_xsrc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_y0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yaxis.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yhoverformat.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiod0.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_yperiodalignment.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_ysrc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_alignmentgroup.py	
■	■	■	■	■	■	■	■■■■	_base.py	
■	■	■	■	■	■	■	■■■■	_cliponaxis.py	
■	■	■	■	■	■	■	■■■■	_connector.py	
■	■	■	■	■	■	■	■■■■	_constrainttext.py	
■	■	■	■	■	■	■	■■■■	_customdata.py	
■	■	■	■	■	■	■	■■■■	_customdatasrc.py	
■	■	■	■	■	■	■	■■■■	_decreasing.py	
■	■	■	■	■	■	■	■■■■	_dx.py	
■	■	■	■	■	■	■	■■■■	_dy.py	
■	■	■	■	■	■	■	■■■■	_hoverinfo.py	
■	■	■	■	■	■	■	■■■■	_hoverinfosrc.py	
■	■	■	■	■	■	■	■■■■	_hoverlabel.py	
■	■	■	■	■	■	■	■■■■	_hovertemplate.py	
■	■	■	■	■	■	■	■■■■	_hovertemplatesrc.py	
■	■	■	■	■	■	■	■■■■	_hovertext.py	
■	■	■	■	■	■	■	■■■■	_hovertextsrc.py	
■	■	■	■	■	■	■	■■■■	_ids.py	
■	■	■	■	■	■	■	■■■■	_idssrc.py	
■	■	■	■	■	■	■	■■■■	_increasing.py	
■	■	■	■	■	■	■	■■■■	_insidetextanchor.py	
■	■	■	■	■	■	■	■■■■	_insidetextfont.py	
■	■	■	■	■	■	■	■■■■	_legendgroup.py	
■	■	■	■	■	■	■	■■■■	_legendgrouptitle.py	
■	■	■	■	■	■	■	■■■■	_legendrank.py	
■	■	■	■	■	■	■	■■■■	_measure.py	
■	■	■	■	■	■	■	■■■■	_measuresrc.py	
■	■	■	■	■	■	■	■■■■	_meta.py	
■	■	■	■	■	■	■	■■■■	_metasrc.py	
■	■	■	■	■	■	■	■■■■	_name.py	
■	■	■	■	■	■	■	■■■■	_offset.py	
■	■	■	■	■	■	■	■■■■	_offsetgroup.py	
■	■	■	■	■	■	■	■■■■	_offsetsrc.py	
■	■	■	■	■	■	■	■■■■	_opacity.py	
■	■	■	■	■	■	■	■■■■	_orientation.py	
■	■	■	■	■	■	■	■■■■	_outsidetextfont.py	
■	■	■	■	■	■	■	■■■■	_selectedpoints.py	
■	■	■	■	■	■	■	■■■■	_showlegend.py	
■	■	■	■	■	■	■	■■■■	_stream.py	
■	■	■	■	■	■	■	■■■■	_text.py	
■	■	■	■	■	■	■	■■■■	_textangle.py	
■	■	■	■	■	■	■	■■■■	_textfont.py	
■	■	■	■	■	■	■	■■■■	_textinfo.py	
■	■	■	■	■	■	■	■■■■	_textposition.py	
■	■	■	■	■	■	■	■■■■	_textpositionsrc.py	
■	■	■	■	■	■	■	■■■■	_textsrc.py	
■	■	■	■	■	■	■	■■■■	_texttemplate.py	

```

_templatesrc.py
_totals.py
_uid.py
_uirevision.py
_visible.py
_width.py
_widthsrc.py
_x.py
_x0.py
_xaxis.py
_xhoverformat.py
_xperiod.py
_xperiod0.py
_xperiodalignment.py
_xsrc.py
_y.py
_y0.py
_yaxis.py
_yhoverformat.py
_yperiod.py
_yperiod0.py
_yperiodalignment.py
_ysrc.py
connector
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _line.cpython-311.pyc
        _mode.cpython-311.pyc
        _visible.cpython-311.pyc
    _line.py
    _mode.py
    _visible.py
    line
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _dash.cpython-311.pyc
            _width.cpython-311.pyc
        _color.py
        _dash.py
        _width.py
decreasing
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _marker.cpython-311.pyc
    _marker.py
    marker
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            _color.cpython-311.pyc
            _line.cpython-311.pyc
        _color.py
        _line.py
        line

```

[illegible]

```

line.py
line
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_width.cpython-311.pyc
_color.py
_width.py
insidetextfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py
_sizesrc.py
legendgrouptitle
__init__.py
__pycache__
__init__.cpython-311.pyc
_font.cpython-311.pyc
_text.cpython-311.pyc
_font.py
_text.py
font
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_family.cpython-311.pyc
_size.cpython-311.pyc
_color.py
_family.py
_size.py
outsidetextfont
__init__.py
__pycache__
__init__.cpython-311.pyc
_color.cpython-311.pyc
_colorsrc.cpython-311.pyc
_family.cpython-311.pyc
_familysrc.cpython-311.pyc
_size.cpython-311.pyc
_sizesrc.cpython-311.pyc
_color.py
_colorsrc.py
_family.py
_familysrc.py
_size.py

```



```

████ _sizesrc.py
████ stream
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _maxpoints.cpython-311.pyc
████ _token.cpython-311.pyc
████ _maxpoints.py
████ _token.py
████ textfont
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _colorsrc.cpython-311.pyc
████ _family.cpython-311.pyc
████ _familysrc.cpython-311.pyc
████ _size.cpython-311.pyc
████ _sizesrc.cpython-311.pyc
████ _color.py
████ _colorsrc.py
████ _family.py
████ _familysrc.py
████ _size.py
████ _sizesrc.py
████ totals
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _marker.cpython-311.pyc
████ _marker.py
████ marker
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _line.cpython-311.pyc
████ _color.py
████ _line.py
████ line
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _color.cpython-311.pyc
████ _width.cpython-311.pyc
████ _color.py
████ _width.py
████ version.py
████ widgets.py
████ plotly-5.3.0.dist-info
████ INSTALLER
████ LICENSE.txt
████ METADATA
████ RECORD
████ REQUESTED
████ WHEEL
████ top_level.txt
████ plotlywidget

```

[illegible]

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ geom_rug.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_segment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_sina.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_smooth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_spoke.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_step.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_tile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_violin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ geom_vline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ annotate.py
■ ■ ■ ■ ■ ■ ■ ■■■ annotation_logticks.py
■ ■ ■ ■ ■ ■ ■ ■■■ annotation_stripes.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_abline.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_area.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_bar.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_bin_2d.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_blank.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_boxplot.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_col.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_count.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_crossbar.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_density.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_density_2d.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_dotplot.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_errorbar.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_errorbarh.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_freqpoly.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_histogram.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_hline.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_jitter.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_label.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_line.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_linerange.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_map.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_path.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_point.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_pointdensity.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_pointrange.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_polygon.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_qq.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_qq_line.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_quantile.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_raster.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_rect.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_ribbon.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_rug.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_segment.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_sina.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_smooth.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_spoke.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_step.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_text.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_tile.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_violin.py
■ ■ ■ ■ ■ ■ ■ ■■■ geom_vline.py
■ ■ ■ ■ ■ ■ ■ ■■■ ggplot.py
```

```

    guides
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    guide.cpython-311.pyc
    guide_axis.cpython-311.pyc
    guide_colorbar.cpython-311.pyc
    guide_legend.cpython-311.pyc
    guides.cpython-311.pyc
    guide.py
    guide_axis.py
    guide_colorbar.py
    guide_legend.py
    guides.py
    labels.py
    layer.py
    mapping
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    aes.cpython-311.pyc
    evaluation.cpython-311.pyc
    aes.py
    evaluation.py
    options.py
    positions
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    position.cpython-311.pyc
    position_dodge.cpython-311.pyc
    position_dodge2.cpython-311.pyc
    position_fill.cpython-311.pyc
    position_identity.cpython-311.pyc
    position_jitter.cpython-311.pyc
    position_jitterdodge.cpython-311.pyc
    position_nudge.cpython-311.pyc
    position_stack.cpython-311.pyc
    position.py
    position_dodge.py
    position_dodge2.py
    position_fill.py
    position_identity.py
    position_jitter.py
    position_jitterdodge.py
    position_nudge.py
    position_stack.py
    qplot.py
    scales
    ___init___py
    ___pycache___
    ___init___cpython-311.pyc
    limits.cpython-311.pyc
    range.cpython-311.pyc
    scale.cpython-311.pyc
    scale_alpha.cpython-311.pyc
    scale_color.cpython-311.pyc
    scale_identity.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■ scale_linetype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scale_manual.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scale_shape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scale_size.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scale_stroke.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scale_xy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ scales.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ limits.py
■ ■ ■ ■ ■ ■ ■ ■■ range.py
■ ■ ■ ■ ■ ■ ■ ■■ scale.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_alpha.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_color.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_identity.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_linetype.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_manual.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_shape.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_size.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_stroke.py
■ ■ ■ ■ ■ ■ ■ ■■ scale_xy.py
■ ■ ■ ■ ■ ■ ■ ■■ scales.py
■ ■ ■ ■ ■ ■ ■ ■■ stats
■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ binning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ density.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ distributions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ smoothers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_bin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_bin_2d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_bindot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_boxplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_count.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_density.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_density_2d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_ecdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_ellipse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_hull.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_identity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_pointdensity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_qq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_qq_line.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_quantile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_sina.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_smooth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_sum.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_summary.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_summary_bin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_unique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ stat_ydensity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■ binning.py
■ ■ ■ ■ ■ ■ ■ ■■ density.py
■ ■ ■ ■ ■ ■ ■ ■■ distributions.py
■ ■ ■ ■ ■ ■ ■ ■■ smoothers.py
■ ■ ■ ■ ■ ■ ■ ■■ stat.py
■ ■ ■ ■ ■ ■ ■ ■■ stat_bin.py

```

```

stat_bin_2d.py
stat_bindot.py
stat_boxplot.py
stat_count.py
stat_density.py
stat_density_2d.py
stat_ecdf.py
stat_ellipse.py
stat_function.py
stat_hull.py
stat_identity.py
stat_pointdensity.py
stat_qq.py
stat_qq_line.py
stat_quantile.py
stat_sina.py
stat_smooth.py
stat_sum.py
stat_summary.py
stat_summary_bin.py
stat_unique.py
stat_ydensity.py
themes
__init__.py
__pycache__
__init__.cpython-311.pyc
elements.cpython-311.pyc
seaborn_rcmod.cpython-311.pyc
theme.cpython-311.pyc
theme_538.cpython-311.pyc
theme_bw.cpython-311.pyc
theme_classic.cpython-311.pyc
theme_dark.cpython-311.pyc
theme_gray.cpython-311.pyc
theme_light.cpython-311.pyc
theme_linedraw.cpython-311.pyc
theme_matplotlib.cpython-311.pyc
theme_minimal.cpython-311.pyc
theme_seaborn.cpython-311.pyc
theme_tufte.cpython-311.pyc
theme_void.cpython-311.pyc
theme_xkcd.cpython-311.pyc
themeable.cpython-311.pyc
elements.py
seaborn_rcmod.py
theme.py
theme_538.py
theme_bw.py
theme_classic.py
theme_dark.py
theme_gray.py
theme_light.py
theme_linedraw.py
theme_matplotlib.py
theme_minimal.py
theme_seaborn.py
theme_tufte.py
theme_void.py

```

```

████ theme_xkcd.py
████ themeable.py
████ utils.py
████ watermark.py
████ plotnine-0.10.1.dist-info
████ INSTALLER
████ LICENSE
████ METADATA
████ RECORD
████ REQUESTED
████ WHEEL
████ top_level.txt
████ pluggy
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _callers.cpython-311.pyc
████ _hooks.cpython-311.pyc
████ _manager.cpython-311.pyc
████ _result.cpython-311.pyc
████ _tracing.cpython-311.pyc
████ _version.cpython-311.pyc
████ _warnings.cpython-311.pyc
████ _callers.py
████ _hooks.py
████ _manager.py
████ _result.py
████ _tracing.py
████ _version.py
████ _warnings.py
████ py.typed
████ pluggy-1.5.0.dist-info
████ INSTALLER
████ LICENSE
████ METADATA
████ RECORD
████ WHEEL
████ top_level.txt
████ pooch
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _version.cpython-311.pyc
████ core.cpython-311.pyc
████ downloaders.cpython-311.pyc
████ hashes.cpython-311.pyc
████ processors.cpython-311.pyc
████ utils.cpython-311.pyc
████ _version.py
████ core.py
████ downloaders.py
████ hashes.py
████ processors.py
████ tests
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ test_core.cpython-311.pyc

```



```

■ ■ ■ ■ ■ ■ ■ ■■■ test_downloaders.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_hashes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_integration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_processors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■ ■ ■■■ large-data.txt
■ ■ ■ ■ ■ ■ ■ ■■■ registry-custom-url.txt
■ ■ ■ ■ ■ ■ ■ ■■■ registry-invalid.txt
■ ■ ■ ■ ■ ■ ■ ■■■ registry-spaces.txt
■ ■ ■ ■ ■ ■ ■ ■■■ registry.txt
■ ■ ■ ■ ■ ■ ■ ■■■ registry_comments.txt
■ ■ ■ ■ ■ ■ ■ ■■■ store
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■■ subdir
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■■ tiny-data.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■■■■ tiny-data.txt
■ ■ ■ ■ ■ ■ ■ ■■■■ store.tar.gz
■ ■ ■ ■ ■ ■ ■ ■■■■ store.zip
■ ■ ■ ■ ■ ■ ■ ■■■■ tiny-data.tar.gz
■ ■ ■ ■ ■ ■ ■ ■■■■ tiny-data.txt
■ ■ ■ ■ ■ ■ ■ ■■■■ tiny-data.txt.bz2
■ ■ ■ ■ ■ ■ ■ ■■■■ tiny-data.txt.gz
■ ■ ■ ■ ■ ■ ■ ■■■■ tiny-data.txt.xz
■ ■ ■ ■ ■ ■ ■ ■■■■ tiny-data.zip
■ ■ ■ ■ ■ ■ ■ ■■■■ test_core.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_downloaders.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_hashes.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_integration.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_processors.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■■ test_version.py
■ ■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ pooch-1.8.2.dist-info
■ ■ ■ ■ ■ ■ ■■■■ AUTHORS.md
■ ■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ ppx
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ action.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ exc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ media.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ package.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ presentation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ shared.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ slide.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ spec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ util.cpython-311.pyc

```

```

■■■ action.py
■■■ api.py
■■■ chart
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ axis.cpython-311.pyc
■■■ category.cpython-311.pyc
■■■ chart.cpython-311.pyc
■■■ data.cpython-311.pyc
■■■ datalabel.cpython-311.pyc
■■■ legend.cpython-311.pyc
■■■ marker.cpython-311.pyc
■■■ plot.cpython-311.pyc
■■■ point.cpython-311.pyc
■■■ series.cpython-311.pyc
■■■ xlsx.cpython-311.pyc
■■■ xmlwriter.cpython-311.pyc
■■■ axis.py
■■■ category.py
■■■ chart.py
■■■ data.py
■■■ datalabel.py
■■■ legend.py
■■■ marker.py
■■■ plot.py
■■■ point.py
■■■ series.py
■■■ xlsx.py
■■■ xmlwriter.py
■■■ compat
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ python2.cpython-311.pyc
■■■ python3.cpython-311.pyc
■■■ python2.py
■■■ python3.py
■■■ dml
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ chtfmt.cpython-311.pyc
■■■ color.cpython-311.pyc
■■■ effect.cpython-311.pyc
■■■ fill.cpython-311.pyc
■■■ line.cpython-311.pyc
■■■ chtfmt.py
■■■ color.py
■■■ effect.py
■■■ fill.py
■■■ line.py
■■■ enum
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ action.cpython-311.pyc
■■■ base.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lang.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shapes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ action.py
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ chart.py
■ ■ ■ ■ ■ ■ ■ ■■■ dml.py
■ ■ ■ ■ ■ ■ ■ ■■■ lang.py
■ ■ ■ ■ ■ ■ ■ ■■■ shapes.py
■ ■ ■ ■ ■ ■ ■ ■■■ text.py
■ ■ ■ ■ ■ ■ ■ ■■■ exc.py
■ ■ ■ ■ ■ ■ ■ ■■■ media.py
■ ■ ■ ■ ■ ■ ■ ■■■ opc
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ oxml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ package.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ packuri.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ serialized.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shared.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ spec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ constants.py
■ ■ ■ ■ ■ ■ ■ ■■■ oxml.py
■ ■ ■ ■ ■ ■ ■ ■■■ package.py
■ ■ ■ ■ ■ ■ ■ ■■■ packuri.py
■ ■ ■ ■ ■ ■ ■ ■■■ serialized.py
■ ■ ■ ■ ■ ■ ■ ■■■ shared.py
■ ■ ■ ■ ■ ■ ■ ■■■ spec.py
■ ■ ■ ■ ■ ■ ■ ■■■ oxml
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ action.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coreprops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ns.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ presentation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ simletypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ slide.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ theme.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ xmlchemy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ action.py
■ ■ ■ ■ ■ ■ ■ ■■■ chart
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ axis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ datalabel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ legend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ marker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ series.cpython-311.pyc
```

```

■ ■ ■ shared.cpython-311.pyc
■ ■ ■ axis.py
■ ■ ■ chart.py
■ ■ ■ datalabel.py
■ ■ ■ legend.py
■ ■ ■ marker.py
■ ■ ■ plot.py
■ ■ ■ series.py
■ ■ ■ shared.py
■ ■ ■ coreprops.py
■ ■ ■ dml
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ color.cpython-311.pyc
■ ■ ■ fill.cpython-311.pyc
■ ■ ■ line.cpython-311.pyc
■ ■ ■ color.py
■ ■ ■ fill.py
■ ■ ■ line.py
■ ■ ■ ns.py
■ ■ ■ presentation.py
■ ■ ■ shapes
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ autoshape.cpython-311.pyc
■ ■ ■ connector.cpython-311.pyc
■ ■ ■ graphfrm.cpython-311.pyc
■ ■ ■ groupshape.cpython-311.pyc
■ ■ ■ picture.cpython-311.pyc
■ ■ ■ shared.cpython-311.pyc
■ ■ ■ autoshape.py
■ ■ ■ connector.py
■ ■ ■ graphfrm.py
■ ■ ■ groupshape.py
■ ■ ■ picture.py
■ ■ ■ shared.py
■ ■ ■ simpletypes.py
■ ■ ■ slide.py
■ ■ ■ table.py
■ ■ ■ text.py
■ ■ ■ theme.py
■ ■ ■ xmlchemy.py
■ ■ ■ package.py
■ ■ ■ parts
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ chart.cpython-311.pyc
■ ■ ■ coreprops.cpython-311.pyc
■ ■ ■ embeddedpackage.cpython-311.pyc
■ ■ ■ image.cpython-311.pyc
■ ■ ■ media.cpython-311.pyc
■ ■ ■ presentation.cpython-311.pyc
■ ■ ■ slide.cpython-311.pyc
■ ■ ■ chart.py
■ ■ ■ coreprops.py

```

```

■■■■ embeddedpackage.py
■■■■ image.py
■■■■ media.py
■■■■ presentation.py
■■■■ slide.py
■■■■ presentation.py
■■■■ shapes
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ autoshape.cpython-311.pyc
■■■■ base.cpython-311.pyc
■■■■ connector.cpython-311.pyc
■■■■ freeform.cpython-311.pyc
■■■■ graphfrm.cpython-311.pyc
■■■■ group.cpython-311.pyc
■■■■ picture.cpython-311.pyc
■■■■ placeholder.cpython-311.pyc
■■■■ shapetree.cpython-311.pyc
■■■■ autoshape.py
■■■■ base.py
■■■■ connector.py
■■■■ freeform.py
■■■■ graphfrm.py
■■■■ group.py
■■■■ picture.py
■■■■ placeholder.py
■■■■ shapetree.py
■■■■ shared.py
■■■■ slide.py
■■■■ spec.py
■■■■ table.py
■■■■ templates
■■■■ default.pptx
■■■■ docx-icon.emf
■■■■ generic-icon.emf
■■■■ notes.xml
■■■■ notesMaster.xml
■■■■ pptx-icon.emf
■■■■ theme.xml
■■■■ xlsx-icon.emf
■■■■ text
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ fonts.cpython-311.pyc
■■■■ layout.cpython-311.pyc
■■■■ text.cpython-311.pyc
■■■■ fonts.py
■■■■ layout.py
■■■■ text.py
■■■■ util.py
■■■■ preshed
■■■■ __init__.pxd
■■■■ __init__.py
■■■■ __pycache__
■■■■ __init__.cpython-311.pyc
■■■■ about.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■■■ about.py
■      ■      ■      ■      ■      ■■■ bloom.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ bloom.pxd
■      ■      ■      ■      ■      ■■■ bloom.pyx
■      ■      ■      ■      ■      ■■■ counter.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ counter.pxd
■      ■      ■      ■      ■      ■■■ counter.pyx
■      ■      ■      ■      ■      ■■■ maps.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ maps.pxd
■      ■      ■      ■      ■      ■■■ maps.pyx
■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■    ■■■ __init__.py
■      ■      ■      ■      ■      ■    ■■■ __pycache__
■      ■      ■      ■      ■      ■    ■    ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■    ■■■ test_bloom.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■    ■■■ test_counter.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■    ■■■ test_hashing.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■    ■■■ test_pop.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■    ■■■ test_bloom.py
■      ■      ■      ■      ■      ■    ■    ■■■ test_counter.py
■      ■      ■      ■      ■      ■    ■    ■■■ test_hashing.py
■      ■      ■      ■      ■      ■    ■    ■■■ test_pop.py
■      ■      ■      ■      ■      ■■■ preshed-3.0.9.dist-info
■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■■■ LICENSE
■      ■      ■      ■      ■      ■■■ METADATA
■      ■      ■      ■      ■      ■■■ RECORD
■      ■      ■      ■      ■      ■■■ WHEEL
■      ■      ■      ■      ■      ■■■ top_level.txt
■      ■      ■      ■      ■      ■■■ priority
■      ■      ■      ■      ■      ■    ■■■ __init__.py
■      ■      ■      ■      ■      ■    ■■■ __pycache__
■      ■      ■      ■      ■      ■    ■    ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■    ■■■ priority.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■ priority.py
■      ■      ■      ■      ■      ■    ■■■ py.typed
■      ■      ■      ■      ■      ■■■ priority-2.0.0.dist-info
■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■■■ LICENSE
■      ■      ■      ■      ■      ■■■ METADATA
■      ■      ■      ■      ■      ■■■ RECORD
■      ■      ■      ■      ■      ■■■ WHEEL
■      ■      ■      ■      ■      ■■■ top_level.txt
■      ■      ■      ■      ■      ■■■ proglog
■      ■      ■      ■      ■      ■    ■■■ __init__.py
■      ■      ■      ■      ■      ■    ■■■ __pycache__
■      ■      ■      ■      ■      ■    ■    ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■    ■■■ proglog.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■    ■■■ version.cpython-311.pyc
■      ■      ■      ■      ■      ■    ■■■ proglog.py
■      ■      ■      ■      ■      ■    ■■■ version.py
■      ■      ■      ■      ■      ■■■ proglog-0.1.10.dist-info
■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■■■ LICENSE
■      ■      ■      ■      ■      ■■■ METADATA
■      ■      ■      ■      ■      ■■■ RECORD
■      ■      ■      ■      ■      ■■■ WHEEL
■      ■      ■      ■      ■      ■■■ top_level.txt

```

```

■ ■ ■ ■ ■■■■ prometheus_client
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ asgi.cpython-311.pyc
■ ■ ■ ■ ■■■■ context_managers.cpython-311.pyc
■ ■ ■ ■ ■■■■ core.cpython-311.pyc
■ ■ ■ ■ ■■■■ decorator.cpython-311.pyc
■ ■ ■ ■ ■■■■ exposition.cpython-311.pyc
■ ■ ■ ■ ■■■■ gc_collector.cpython-311.pyc
■ ■ ■ ■ ■■■■ metrics.cpython-311.pyc
■ ■ ■ ■ ■■■■ metrics_core.cpython-311.pyc
■ ■ ■ ■ ■■■■ mmap_dict.cpython-311.pyc
■ ■ ■ ■ ■■■■ multiprocessing.cpython-311.pyc
■ ■ ■ ■ ■■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■■■■ platform_collector.cpython-311.pyc
■ ■ ■ ■ ■■■■ process_collector.cpython-311.pyc
■ ■ ■ ■ ■■■■ registry.cpython-311.pyc
■ ■ ■ ■ ■■■■ samples.cpython-311.pyc
■ ■ ■ ■ ■■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■■■■ values.cpython-311.pyc
■ ■ ■ ■ ■■■■ asgi.py
■ ■ ■ ■ ■■■■ bridge
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ graphite.cpython-311.pyc
■ ■ ■ ■ ■■■■ graphite.py
■ ■ ■ ■ ■■■■ context_managers.py
■ ■ ■ ■ ■■■■ core.py
■ ■ ■ ■ ■■■■ decorator.py
■ ■ ■ ■ ■■■■ exposition.py
■ ■ ■ ■ ■■■■ gc_collector.py
■ ■ ■ ■ ■■■■ metrics.py
■ ■ ■ ■ ■■■■ metrics_core.py
■ ■ ■ ■ ■■■■ mmap_dict.py
■ ■ ■ ■ ■■■■ multiprocessing.py
■ ■ ■ ■ ■■■■ openmetrics
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ exposition.cpython-311.pyc
■ ■ ■ ■ ■■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■■■■ exposition.py
■ ■ ■ ■ ■■■■ parser.py
■ ■ ■ ■ ■■■■ parser.py
■ ■ ■ ■ ■■■■ platform_collector.py
■ ■ ■ ■ ■■■■ process_collector.py
■ ■ ■ ■ ■■■■ py.typed
■ ■ ■ ■ ■■■■ registry.py
■ ■ ■ ■ ■■■■ samples.py
■ ■ ■ ■ ■■■■ twisted
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ _exposition.cpython-311.pyc
■ ■ ■ ■ ■■■■ _exposition.py
■ ■ ■ ■ ■■■■ utils.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ values.py
■ ■ ■ ■ ■ ■ ■ ■ prometheus_client-0.21.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ NOTICE
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ prompt_toolkit
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ auto_suggest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ buffer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cursor_shapes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ data_structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ document.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ enums.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ history.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ keys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ log.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ mouse_events.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ patch_stdout.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ renderer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ search.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ selection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ token.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ validation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ win32_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ application
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ application.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ current.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dummy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ run_in_terminal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ application.py
■ ■ ■ ■ ■ ■ ■ ■ current.py
■ ■ ■ ■ ■ ■ ■ ■ dummy.py
■ ■ ■ ■ ■ ■ ■ ■ run_in_terminal.py
■ ■ ■ ■ ■ ■ ■ ■ auto_suggest.py
■ ■ ■ ■ ■ ■ ■ ■ buffer.py
■ ■ ■ ■ ■ ■ ■ ■ cache.py
■ ■ ■ ■ ■ ■ ■ ■ clipboard
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ in_memory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pyperclip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ in_memory.py
■ ■ ■ ■ ■ ■ ■ ■ pyperclip.py
■ ■ ■ ■ ■ ■ ■ ■ completion

```


[illegible]

```

enum_.py
eventloop
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    async_generator.cpython-311.pyc
    inputhook.cpython-311.pyc
    utils.cpython-311.pyc
    win32.cpython-311.pyc
  async_generator.py
  inputhook.py
  utils.py
  win32.py
filters
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    app.cpython-311.pyc
    base.cpython-311.pyc
    cli.cpython-311.pyc
    utils.cpython-311.pyc
  app.py
  base.py
  cli.py
  utils.py
formatted_text
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    ansi.cpython-311.pyc
    base.cpython-311.pyc
    html.cpython-311.pyc
    pygments.cpython-311.pyc
    utils.cpython-311.pyc
  ansi.py
  base.py
  html.py
  pygments.py
  utils.py
history.py
input
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    ansi_escape_sequences.cpython-311.pyc
    base.cpython-311.pyc
    defaults.cpython-311.pyc
    posix_pipe.cpython-311.pyc
    posix_utils.cpython-311.pyc
    typeahead.cpython-311.pyc
    vt100.cpython-311.pyc
    vt100_parser.cpython-311.pyc
    win32.cpython-311.pyc
    win32_pipe.cpython-311.pyc
  ansi_escape_sequences.py
  base.py
  defaults.py
  posix_pipe.py

```



```

■ ■ ■ ■ ■ ■ ■ ■■■ controls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dimension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dummy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ layout.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ margins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ menus.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mouse_handlers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ processors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ screen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ scrollable_pane.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ containers.py
■ ■ ■ ■ ■ ■ ■ ■■■ controls.py
■ ■ ■ ■ ■ ■ ■ ■■■ dimension.py
■ ■ ■ ■ ■ ■ ■ ■■■ dummy.py
■ ■ ■ ■ ■ ■ ■ ■■■ layout.py
■ ■ ■ ■ ■ ■ ■ ■■■ margins.py
■ ■ ■ ■ ■ ■ ■ ■■■ menus.py
■ ■ ■ ■ ■ ■ ■ ■■■ mouse_handlers.py
■ ■ ■ ■ ■ ■ ■ ■■■ processors.py
■ ■ ■ ■ ■ ■ ■ ■■■ screen.py
■ ■ ■ ■ ■ ■ ■ ■■■ scrollable_pane.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ lexers
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pigments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ pigments.py
■ ■ ■ ■ ■ ■ ■ ■■■ log.py
■ ■ ■ ■ ■ ■ ■ ■■■ mouse_events.py
■ ■ ■ ■ ■ ■ ■ ■■■ output
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ color_depth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ conemu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ defaults.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ flush_stdout.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ plain_text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vt100.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ win32.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ windows10.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■ ■ ■■■ color_depth.py
■ ■ ■ ■ ■ ■ ■ ■■■ conemu.py
■ ■ ■ ■ ■ ■ ■ ■■■ defaults.py
■ ■ ■ ■ ■ ■ ■ ■■■ flush_stdout.py
■ ■ ■ ■ ■ ■ ■ ■■■ plain_text.py
■ ■ ■ ■ ■ ■ ■ ■■■ vt100.py
■ ■ ■ ■ ■ ■ ■ ■■■ win32.py
■ ■ ■ ■ ■ ■ ■ ■■■ windows10.py
■ ■ ■ ■ ■ ■ ■ ■■■ patch_stdout.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ renderer.py

```

```

■ ■ ■ ■ ■ ■■■ search.py
■ ■ ■ ■ ■ ■■■ selection.py
■ ■ ■ ■ ■ ■■■ shortcuts
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ dialogs.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ prompt.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ dialogs.py
■ ■ ■ ■ ■ ■■■ progress_bar
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ formatters.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■■■ formatters.py
■ ■ ■ ■ ■ ■■■ prompt.py
■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■■■ styles
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ defaults.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ named_colors.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ pigments.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ style.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ style_transformation.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■■■ defaults.py
■ ■ ■ ■ ■ ■■■ named_colors.py
■ ■ ■ ■ ■ ■■■ pigments.py
■ ■ ■ ■ ■ ■■■ style.py
■ ■ ■ ■ ■ ■■■ style_transformation.py
■ ■ ■ ■ ■ ■■■ token.py
■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■■■ validation.py
■ ■ ■ ■ ■ ■■■ widgets
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ dialogs.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ menus.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ toolbars.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■■■ dialogs.py
■ ■ ■ ■ ■ ■■■ menus.py
■ ■ ■ ■ ■ ■■■ toolbars.py
■ ■ ■ ■ ■ ■■■ win32_types.py
■ ■ ■ ■ ■ ■■■ prompt_toolkit-3.0.48.dist-info
■ ■ ■ ■ ■ ■■■ AUTHORS.rst
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD

```

```

■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      pronouncing
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      pronouncing-0.2.0.dist-info
■      ■      ■      ■      ■      ■      AUTHORS.rst
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      REQUESTED
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      zip-safe
■      ■      ■      ■      ■      ■      propcache
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _helpers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _helpers_py.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      api.cpython-311.pyc
■      ■      ■      ■      ■      ■      _helpers.py
■      ■      ■      ■      ■      ■      _helpers_c.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      _helpers_c.pyx
■      ■      ■      ■      ■      ■      _helpers_py.py
■      ■      ■      ■      ■      ■      api.py
■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      propcache-0.2.1.dist-info
■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      NOTICE
■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      psutil
■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _compat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _psaix.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _psbsd.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _pslinux.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _psosx.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _psposix.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _pssunos.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _pswindows.cpython-311.pyc
■      ■      ■      ■      ■      ■      _common.py
■      ■      ■      ■      ■      ■      _compat.py
■      ■      ■      ■      ■      ■      _psaix.py
■      ■      ■      ■      ■      ■      _psbsd.py
■      ■      ■      ■      ■      ■      _pslinux.py
■      ■      ■      ■      ■      ■      _psosx.py
■      ■      ■      ■      ■      ■      _psposix.py
■      ■      ■      ■      ■      ■      _pssunos.py

```

```

■ ■ ■ ■ ■ ■■■ _psutil_linux.abi3.so
■ ■ ■ ■ ■ ■■■ _psutil_posix.abi3.so
■ ■ ■ ■ ■ ■■■ _pswindows.py
■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __main__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_aix.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_bsd.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_connections.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_contracts.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_linux.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_memleaks.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_misc.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_osx.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_posix.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_process.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_process_all.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_sunos.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_system.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_testutils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_unicode.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_windows.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ test_aix.py
■ ■ ■ ■ ■ ■■■ test_bsd.py
■ ■ ■ ■ ■ ■■■ test_connections.py
■ ■ ■ ■ ■ ■■■ test_contracts.py
■ ■ ■ ■ ■ ■■■ test_linux.py
■ ■ ■ ■ ■ ■■■ test_memleaks.py
■ ■ ■ ■ ■ ■■■ test_misc.py
■ ■ ■ ■ ■ ■■■ test_osx.py
■ ■ ■ ■ ■ ■■■ test_posix.py
■ ■ ■ ■ ■ ■■■ test_process.py
■ ■ ■ ■ ■ ■■■ test_process_all.py
■ ■ ■ ■ ■ ■■■ test_sunos.py
■ ■ ■ ■ ■ ■■■ test_system.py
■ ■ ■ ■ ■ ■■■ test_testutils.py
■ ■ ■ ■ ■ ■■■ test_unicode.py
■ ■ ■ ■ ■ ■■■ test_windows.py
■ ■ ■ ■ ■ ■■■ psutil-6.1.0.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ ptyprocess
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _fork_pty.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ ptyprocess.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _fork_pty.py
■ ■ ■ ■ ■ ■■■ ptyprocess.py
■ ■ ■ ■ ■ ■■■ util.py

```

```

■ ■ ■ ■ ■■■■ ptyprocess-0.7.0.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ pure_eval
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ core.cpython-311.pyc
■ ■ ■ ■ ■■■■ my_getattr_static.cpython-311.pyc
■ ■ ■ ■ ■■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■■■■ version.cpython-311.pyc
■ ■ ■ ■ ■■■■ core.py
■ ■ ■ ■ ■■■■ my_getattr_static.py
■ ■ ■ ■ ■■■■ py.typed
■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■■■■ version.py
■ ■ ■ ■ ■■■■ pure_eval-0.2.3.dist-info
■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■■■■ LICENSE.txt
■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■■■■ py
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __init__.pyi
■ ■ ■ ■ ■■■■ __metainfo.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ __metainfo.cpython-311.pyc
■ ■ ■ ■ ■■■■ _builtin.cpython-311.pyc
■ ■ ■ ■ ■■■■ _error.cpython-311.pyc
■ ■ ■ ■ ■■■■ _std.cpython-311.pyc
■ ■ ■ ■ ■■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■■■■ _xmlgen.cpython-311.pyc
■ ■ ■ ■ ■■■■ test.cpython-311.pyc
■ ■ ■ ■ ■■■■ _builtin.py
■ ■ ■ ■ ■■■■ _code
■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■■ _assertionnew.cpython-311.pyc
■ ■ ■ ■ ■■■■ _assertionold.cpython-311.pyc
■ ■ ■ ■ ■■■■ _py2traceback.cpython-311.pyc
■ ■ ■ ■ ■■■■ assertion.cpython-311.pyc
■ ■ ■ ■ ■■■■ code.cpython-311.pyc
■ ■ ■ ■ ■■■■ source.cpython-311.pyc
■ ■ ■ ■ ■■■■ _assertionnew.py
■ ■ ■ ■ ■■■■ _assertionold.py
■ ■ ■ ■ ■■■■ _py2traceback.py
■ ■ ■ ■ ■■■■ assertion.py
■ ■ ■ ■ ■■■■ code.py
■ ■ ■ ■ ■■■■ source.py
■ ■ ■ ■ ■■■■ _error.py
■ ■ ■ ■ ■■■■ _io

```


[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ iniconfig
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ iniconfig-1.1.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _xmlgen.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ error.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ iniconfig.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ io.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ path.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ xml.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py-1.11.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pyOpenSSL-21.0.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py_cpuinfo-9.0.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pycountry
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ db.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ databases
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ iso15924.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ iso3166-1.json
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ iso3166-2.json
```

```

iso3166-3.json
iso4217.json
iso639-3.json
iso639-5.json
db.py
locales
  ab
    LC_MESSAGES
      iso3166-1.mo
    ace
    LC_MESSAGES
      iso3166-1.mo
    ach
    LC_MESSAGES
      iso3166-1.mo
    af
    LC_MESSAGES
      iso3166-1.mo
      iso3166-3.mo
      iso3166.mo
      iso639-3.mo
      iso639_3.mo
    ak
    LC_MESSAGES
      iso3166-1.mo
    am
    LC_MESSAGES
      iso3166-1.mo
      iso3166-3.mo
      iso3166.mo
      iso639-3.mo
      iso639_3.mo
    an
    LC_MESSAGES
      iso3166-1.mo
    ar
    LC_MESSAGES
      iso15924.mo
      iso3166-1.mo
      iso3166-3.mo
      iso3166.mo
      iso4217.mo
      iso639-3.mo
      iso639_3.mo
    as
    LC_MESSAGES
      iso3166-1.mo
      iso3166-3.mo
      iso3166.mo
    ast
    LC_MESSAGES
      iso15924.mo
      iso3166-1.mo
      iso3166-2.mo
      iso3166-3.mo
      iso3166.mo
      iso4217.mo
      iso639-3.mo

```



```

■■■ br
■■■ LC_MESSAGES
■■■ iso15924.mo
■■■ iso3166-1.mo
■■■ iso3166-3.mo
■■■ iso3166.mo
■■■ iso4217.mo
■■■ iso639-3.mo
■■■ iso639_3.mo
■■■ bs
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ iso3166-2.mo
■■■ iso3166-3.mo
■■■ iso3166.mo
■■■ iso3166_2.mo
■■■ iso639-3.mo
■■■ iso639_3.mo
■■■ byn
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ iso3166-3.mo
■■■ iso3166.mo
■■■ iso639-3.mo
■■■ iso639_3.mo
■■■ ca
■■■ LC_MESSAGES
■■■ iso15924.mo
■■■ iso3166-1.mo
■■■ iso3166-2.mo
■■■ iso3166-3.mo
■■■ iso3166.mo
■■■ iso3166_2.mo
■■■ iso4217.mo
■■■ iso639-3.mo
■■■ iso639_3.mo
■■■ ce
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ ch
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ chr
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ ckb
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ crh
■■■ LC_MESSAGES
■■■ iso3166-1.mo
■■■ iso3166-2.mo
■■■ iso3166-3.mo
■■■ iso3166.mo
■■■ iso3166_2.mo
■■■ iso639-3.mo
■■■ iso639_3.mo
■■■ cs

```

[illegible]

```

el
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639-5.mo
iso639_3.mo
en
LC_MESSAGES
iso3166-2.mo
iso3166_2.mo
eo
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso639-3.mo
iso639_3.mo
es
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
et
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso4217.mo
iso639-3.mo
iso639-5.mo
iso639_3.mo
eu
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso639-3.mo

```


[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

my	LC_MESSAGES	iso3166-1.mo
na	LC_MESSAGES	iso3166-1.mo
nah	LC_MESSAGES	iso3166-1.mo
nb	LC_MESSAGES	iso15924.mo
		iso3166-1.mo
		iso3166-3.mo
		iso3166.mo
		iso4217.mo
		iso639-3.mo
		iso639_3.mo
nb_NO	LC_MESSAGES	iso3166-2.mo
		iso639-5.mo
ne	LC_MESSAGES	iso3166-1.mo
		iso3166-3.mo
		iso3166.mo
nl	LC_MESSAGES	iso15924.mo
		iso3166-1.mo
		iso3166-2.mo
		iso3166-3.mo
		iso3166.mo
		iso3166_2.mo
		iso4217.mo
		iso639-3.mo
		iso639-5.mo
		iso639_3.mo
nn	LC_MESSAGES	iso15924.mo
		iso3166-1.mo
		iso3166-3.mo
		iso3166.mo
		iso4217.mo
		iso639-3.mo
		iso639_3.mo
nso	LC_MESSAGES	iso3166-1.mo
		iso3166-2.mo
		iso3166-3.mo
		iso3166.mo
		iso3166_2.mo
		iso639-3.mo
		iso639_3.mo
ny		

[illegible]

```

iso3166.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
pt_BR
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso4217.mo
iso639-3.mo
iso639-5.mo
iso639_3.mo
ro
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
ru
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
rw
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
sc
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso4217.mo
iso639-3.mo
iso639-5.mo
sd
LC_MESSAGES
iso3166-1.mo
si
LC_MESSAGES
iso3166-1.mo

```


[illegible]


```

iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
zh_HK
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso4217.mo
zh_Hant
LC_MESSAGES
iso639-5.mo
zh_TW
LC_MESSAGES
iso15924.mo
iso3166-1.mo
iso3166-2.mo
iso3166-3.mo
iso3166.mo
iso3166_2.mo
iso4217.mo
iso639-3.mo
iso639_3.mo
zu
LC_MESSAGES
iso3166-1.mo
iso3166-3.mo
iso3166.mo
iso639-3.mo
iso639_3.mo
tests
__pycache__
test_general.cpython-311.pyc
test_general.py
pycountry-20.7.3.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
pycparser
__init__.py
__pycache__
__init__.cpython-311.pyc
_ast_gen.cpython-311.pyc
_build_tables.cpython-311.pyc
ast_transforms.cpython-311.pyc
c_ast.cpython-311.pyc
c_generator.cpython-311.pyc

```

```
■ ■ ■ ■ c_lexer.cpython-311.pyc  
■ ■ ■ ■ c_parser.cpython-311.pyc  
■ ■ ■ ■ lextab.cpython-311.pyc  
■ ■ ■ ■ plyparser.cpython-311.pyc  
■ ■ ■ ■ yacctab.cpython-311.pyc  
■ ■ ■ _ast_gen.py  
■ ■ ■ _build_tables.py  
■ ■ ■ _c_ast.cfg  
■ ■ ■ ast_transforms.py  
■ ■ ■ c_ast.py  
■ ■ ■ c_generator.py  
■ ■ ■ c_lexer.py  
■ ■ ■ c_parser.py  
■ ■ ■ lextab.py  
■ ■ ■ ply  
■ ■ ■ __init__.py  
■ ■ ■ __pycache__  
■ ■ ■ ■ __init__.cpython-311.pyc  
■ ■ ■ cpp.cpython-311.pyc  
■ ■ ■ ctokens.cpython-311.pyc  
■ ■ ■ lex.cpython-311.pyc  
■ ■ ■ yacc.cpython-311.pyc  
■ ■ ■ ygen.cpython-311.pyc  
■ ■ ■ cpp.py  
■ ■ ■ ctokens.py  
■ ■ ■ lex.py  
■ ■ ■ yacc.py  
■ ■ ■ ygen.py  
■ ■ ■ plyparser.py  
■ ■ ■ yacctab.py  
■ ■ pyparser-2.22.dist-info  
■ ■ ■ INSTALLER  
■ ■ ■ LICENSE  
■ ■ ■ METADATA  
■ ■ ■ RECORD  
■ ■ ■ WHEEL  
■ ■ top_level.txt  
■ ■ ■ pycryptodome-3.21.0.dist-info  
■ ■ ■ AUTHORS.rst  
■ ■ ■ INSTALLER  
■ ■ ■ LICENSE.rst  
■ ■ ■ METADATA  
■ ■ ■ RECORD  
■ ■ ■ WHEEL  
■ ■ top_level.txt  
■ ■ ■ pycryptodomex-3.21.0.dist-info  
■ ■ ■ AUTHORS.rst  
■ ■ ■ INSTALLER  
■ ■ ■ LICENSE.rst  
■ ■ ■ METADATA  
■ ■ ■ RECORD  
■ ■ ■ WHEEL  
■ ■ top_level.txt  
■ ■ pydantic  
■ ■ ■ __init__.py  
■ ■ ■ __pycache__  
■ ■ ■ ■ __init__.cpython-311.pyc  
■ ■ ■ migration.cpython-311.pyc
```

■	■	■	■	■	■	■■■	alias_generators.cpython-311.pyc
■	■	■	■	■	■	■■■	aliases.cpython-311.pyc
■	■	■	■	■	■	■■■	annotated_handlers.cpython-311.pyc
■	■	■	■	■	■	■■■	class_validators.cpython-311.pyc
■	■	■	■	■	■	■■■	color.cpython-311.pyc
■	■	■	■	■	■	■■■	config.cpython-311.pyc
■	■	■	■	■	■	■■■	dataclasses.cpython-311.pyc
■	■	■	■	■	■	■■■	datetime_parse.cpython-311.pyc
■	■	■	■	■	■	■■■	decorator.cpython-311.pyc
■	■	■	■	■	■	■■■	env_settings.cpython-311.pyc
■	■	■	■	■	■	■■■	error_wrappers.cpython-311.pyc
■	■	■	■	■	■	■■■	errors.cpython-311.pyc
■	■	■	■	■	■	■■■	fields.cpython-311.pyc
■	■	■	■	■	■	■■■	functional_serializers.cpython-311.pyc
■	■	■	■	■	■	■■■	functional_validators.cpython-311.pyc
■	■	■	■	■	■	■■■	generics.cpython-311.pyc
■	■	■	■	■	■	■■■	json.cpython-311.pyc
■	■	■	■	■	■	■■■	json_schema.cpython-311.pyc
■	■	■	■	■	■	■■■	main.cpython-311.pyc
■	■	■	■	■	■	■■■	mypy.cpython-311.pyc
■	■	■	■	■	■	■■■	networks.cpython-311.pyc
■	■	■	■	■	■	■■■	parse.cpython-311.pyc
■	■	■	■	■	■	■■■	root_model.cpython-311.pyc
■	■	■	■	■	■	■■■	schema.cpython-311.pyc
■	■	■	■	■	■	■■■	tools.cpython-311.pyc
■	■	■	■	■	■	■■■	type_adapter.cpython-311.pyc
■	■	■	■	■	■	■■■	types.cpython-311.pyc
■	■	■	■	■	■	■■■	typing.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■	validate_call_decorator.cpython-311.pyc
■	■	■	■	■	■	■■■	validators.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■	■■■	warnings.cpython-311.pyc
■	■	■	■	■	■■■		_internal
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_config.cpython-311.pyc
■	■	■	■	■	■	■■■	_core_metadata.cpython-311.pyc
■	■	■	■	■	■	■■■	_core_utils.cpython-311.pyc
■	■	■	■	■	■	■■■	_dataclasses.cpython-311.pyc
■	■	■	■	■	■	■■■	_decorators.cpython-311.pyc
■	■	■	■	■	■	■■■	_decorators_v1.cpython-311.pyc
■	■	■	■	■	■	■■■	_discriminated_union.cpython-311.pyc
■	■	■	■	■	■	■■■	_docs_extraction.cpython-311.pyc
■	■	■	■	■	■	■■■	_fields.cpython-311.pyc
■	■	■	■	■	■	■■■	_forward_ref.cpython-311.pyc
■	■	■	■	■	■	■■■	_generate_schema.cpython-311.pyc
■	■	■	■	■	■	■■■	_generics.cpython-311.pyc
■	■	■	■	■	■	■■■	_git.cpython-311.pyc
■	■	■	■	■	■	■■■	_import_utils.cpython-311.pyc
■	■	■	■	■	■	■■■	_internal_dataclass.cpython-311.pyc
■	■	■	■	■	■	■■■	_known_annotated_metadata.cpython-311.pyc
■	■	■	■	■	■	■■■	_mock_val_ser.cpython-311.pyc
■	■	■	■	■	■	■■■	_model_construction.cpython-311.pyc
■	■	■	■	■	■	■■■	_repr.cpython-311.pyc
■	■	■	■	■	■	■■■	_schema_generation_shared.cpython-311.pyc
■	■	■	■	■	■	■■■	_serializers.cpython-311.pyc

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ networks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ schema.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ typing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ validators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _hypothesis_plugin.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ annotated_types.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ class_validators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ color.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ config.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dataclasses.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ datetime_parse.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decorator.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ env_settings.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ error_wrappers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ errors.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ fields.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ generics.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ json.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ main.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ mypy.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ networks.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ parse.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ schema.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tools.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ types.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ typing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ validators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ validate_call_decorator.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ validators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ warnings.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pydantic-2.9.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pydantic_core
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ core_schema.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _pydantic_core.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _pydantic_core.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ core_schema.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pydantic_core-2.23.4.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER

```



```

■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pydyf
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pydyf-0.11.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ pygments
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cmdline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ console.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ filter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ formatter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ lexer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ modeline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ plugin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ regexopt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ scanner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ sphinxext.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ style.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ token.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ unistring.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ cmdline.py
■ ■ ■ ■ ■ ■ ■ ■ console.py
■ ■ ■ ■ ■ ■ ■ ■ filter.py
■ ■ ■ ■ ■ ■ ■ ■ filters
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ formatter.py
■ ■ ■ ■ ■ ■ ■ ■ formatters
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mapping.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ bbcode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ groff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ html.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ img.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ irc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ latex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ other.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ pangomarkup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ rtf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ svg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ terminal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ terminal256.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _mapping.py
■ ■ ■ ■ ■ ■ ■ ■ bbcode.py

```


■	■	■	■	■	■	■	■■■	automation.cpython-311.pyc
■	■	■	■	■	■	■	■■■	bare.cpython-311.pyc
■	■	■	■	■	■	■	■■■	basic.cpython-311.pyc
■	■	■	■	■	■	■	■■■	bdd.cpython-311.pyc
■	■	■	■	■	■	■	■■■	berry.cpython-311.pyc
■	■	■	■	■	■	■	■■■	bibtex.cpython-311.pyc
■	■	■	■	■	■	■	■■■	blueprint.cpython-311.pyc
■	■	■	■	■	■	■	■■■	boa.cpython-311.pyc
■	■	■	■	■	■	■	■■■	bqn.cpython-311.pyc
■	■	■	■	■	■	■	■■■	business.cpython-311.pyc
■	■	■	■	■	■	■	■■■	c_cpp.cpython-311.pyc
■	■	■	■	■	■	■	■■■	c_like.cpython-311.pyc
■	■	■	■	■	■	■	■■■	capnproto.cpython-311.pyc
■	■	■	■	■	■	■	■■■	carbon.cpython-311.pyc
■	■	■	■	■	■	■	■■■	cddl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	chapel.cpython-311.pyc
■	■	■	■	■	■	■	■■■	clean.cpython-311.pyc
■	■	■	■	■	■	■	■■■	comal.cpython-311.pyc
■	■	■	■	■	■	■	■■■	compiled.cpython-311.pyc
■	■	■	■	■	■	■	■■■	configs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	console.cpython-311.pyc
■	■	■	■	■	■	■	■■■	cplint.cpython-311.pyc
■	■	■	■	■	■	■	■■■	crystal.cpython-311.pyc
■	■	■	■	■	■	■	■■■	csound.cpython-311.pyc
■	■	■	■	■	■	■	■■■	css.cpython-311.pyc
■	■	■	■	■	■	■	■■■	d.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dalvik.cpython-311.pyc
■	■	■	■	■	■	■	■■■	data.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dax.cpython-311.pyc
■	■	■	■	■	■	■	■■■	devicetree.cpython-311.pyc
■	■	■	■	■	■	■	■■■	diff.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dns.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dotnet.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dsls.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dylan.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ecl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	eiffel.cpython-311.pyc
■	■	■	■	■	■	■	■■■	elm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	elpi.cpython-311.pyc
■	■	■	■	■	■	■	■■■	email.cpython-311.pyc
■	■	■	■	■	■	■	■■■	erlang.cpython-311.pyc
■	■	■	■	■	■	■	■■■	esoteric.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ezhil.cpython-311.pyc
■	■	■	■	■	■	■	■■■	factor.cpython-311.pyc
■	■	■	■	■	■	■	■■■	fantom.cpython-311.pyc
■	■	■	■	■	■	■	■■■	felix.cpython-311.pyc
■	■	■	■	■	■	■	■■■	fift.cpython-311.pyc
■	■	■	■	■	■	■	■■■	floscript.cpython-311.pyc
■	■	■	■	■	■	■	■■■	forth.cpython-311.pyc
■	■	■	■	■	■	■	■■■	fortran.cpython-311.pyc
■	■	■	■	■	■	■	■■■	foxpro.cpython-311.pyc
■	■	■	■	■	■	■	■■■	freefem.cpython-311.pyc
■	■	■	■	■	■	■	■■■	func.cpython-311.pyc
■	■	■	■	■	■	■	■■■	functional.cpython-311.pyc
■	■	■	■	■	■	■	■■■	futhark.cpython-311.pyc
■	■	■	■	■	■	■	■■■	gcodelexer.cpython-311.pyc
■	■	■	■	■	■	■	■■■	gdscrip.cpython-311.pyc
■	■	■	■	■	■	■	■■■	go.cpython-311.pyc

■	■	■	■	■	■	■	■■■	grammar_notation.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graphics.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graphql.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graphviz.cpython-311.pyc
■	■	■	■	■	■	■	■■■	gresql.cpython-311.pyc
■	■	■	■	■	■	■	■■■	haskell.cpython-311.pyc
■	■	■	■	■	■	■	■■■	haxe.cpython-311.pyc
■	■	■	■	■	■	■	■■■	hdl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	hexdump.cpython-311.pyc
■	■	■	■	■	■	■	■■■	html.cpython-311.pyc
■	■	■	■	■	■	■	■■■	idl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	igor.cpython-311.pyc
■	■	■	■	■	■	■	■■■	inferno.cpython-311.pyc
■	■	■	■	■	■	■	■■■	installers.cpython-311.pyc
■	■	■	■	■	■	■	■■■	int_fiction.cpython-311.pyc
■	■	■	■	■	■	■	■■■	iolang.cpython-311.pyc
■	■	■	■	■	■	■	■■■	j.cpython-311.pyc
■	■	■	■	■	■	■	■■■	javascript.cpython-311.pyc
■	■	■	■	■	■	■	■■■	jmespath.cpython-311.pyc
■	■	■	■	■	■	■	■■■	jslt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	jsonnet.cpython-311.pyc
■	■	■	■	■	■	■	■■■	jsx.cpython-311.pyc
■	■	■	■	■	■	■	■■■	julia.cpython-311.pyc
■	■	■	■	■	■	■	■■■	jvm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	kuin.cpython-311.pyc
■	■	■	■	■	■	■	■■■	kusto.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ldap.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lean.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lilypond.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lisp.cpython-311.pyc
■	■	■	■	■	■	■	■■■	macaulay2.cpython-311.pyc
■	■	■	■	■	■	■	■■■	make.cpython-311.pyc
■	■	■	■	■	■	■	■■■	markup.cpython-311.pyc
■	■	■	■	■	■	■	■■■	math.cpython-311.pyc
■	■	■	■	■	■	■	■■■	matlab.cpython-311.pyc
■	■	■	■	■	■	■	■■■	maxima.cpython-311.pyc
■	■	■	■	■	■	■	■■■	meson.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mime.cpython-311.pyc
■	■	■	■	■	■	■	■■■	minecraft.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mips.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ml.cpython-311.pyc
■	■	■	■	■	■	■	■■■	modeling.cpython-311.pyc
■	■	■	■	■	■	■	■■■	modula2.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mojo.cpython-311.pyc
■	■	■	■	■	■	■	■■■	monte.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mosel.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ncl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	nimrod.cpython-311.pyc
■	■	■	■	■	■	■	■■■	nit.cpython-311.pyc
■	■	■	■	■	■	■	■■■	nix.cpython-311.pyc
■	■	■	■	■	■	■	■■■	oberon.cpython-311.pyc
■	■	■	■	■	■	■	■■■	objective.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ooc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	openscad.cpython-311.pyc
■	■	■	■	■	■	■	■■■	other.cpython-311.pyc
■	■	■	■	■	■	■	■■■	parasail.cpython-311.pyc
■	■	■	■	■	■	■	■■■	parsers.cpython-311.pyc

■	■	■	■	■	■	■	■■■	pascal.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pawn.cpython-311.pyc
■	■	■	■	■	■	■	■■■	perl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	phix.cpython-311.pyc
■	■	■	■	■	■	■	■■■	php.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pointless.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pony.cpython-311.pyc
■	■	■	■	■	■	■	■■■	praat.cpython-311.pyc
■	■	■	■	■	■	■	■■■	procfile.cpython-311.pyc
■	■	■	■	■	■	■	■■■	prolog.cpython-311.pyc
■	■	■	■	■	■	■	■■■	promql.cpython-311.pyc
■	■	■	■	■	■	■	■■■	prql.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ptx.cpython-311.pyc
■	■	■	■	■	■	■	■■■	python.cpython-311.pyc
■	■	■	■	■	■	■	■■■	q.cpython-311.pyc
■	■	■	■	■	■	■	■■■	qlik.cpython-311.pyc
■	■	■	■	■	■	■	■■■	qvt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	r.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rdf.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rebol.cpython-311.pyc
■	■	■	■	■	■	■	■■■	resource.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ride.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rita.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rnc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	roboconf.cpython-311.pyc
■	■	■	■	■	■	■	■■■	robotframework.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ruby.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rust.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sas.cpython-311.pyc
■	■	■	■	■	■	■	■■■	savi.cpython-311.pyc
■	■	■	■	■	■	■	■■■	scdoc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	scripting.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sgf.cpython-311.pyc
■	■	■	■	■	■	■	■■■	shell.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sieve.cpython-311.pyc
■	■	■	■	■	■	■	■■■	slash.cpython-311.pyc
■	■	■	■	■	■	■	■■■	smalltalk.cpython-311.pyc
■	■	■	■	■	■	■	■■■	smithy.cpython-311.pyc
■	■	■	■	■	■	■	■■■	smv.cpython-311.pyc
■	■	■	■	■	■	■	■■■	snobol.cpython-311.pyc
■	■	■	■	■	■	■	■■■	solidity.cpython-311.pyc
■	■	■	■	■	■	■	■■■	soong.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sophia.cpython-311.pyc
■	■	■	■	■	■	■	■■■	special.cpython-311.pyc
■	■	■	■	■	■	■	■■■	spice.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sql.cpython-311.pyc
■	■	■	■	■	■	■	■■■	srcinfo.cpython-311.pyc
■	■	■	■	■	■	■	■■■	stata.cpython-311.pyc
■	■	■	■	■	■	■	■■■	supercollider.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tact.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tal.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tcl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	teal.cpython-311.pyc
■	■	■	■	■	■	■	■■■	templates.cpython-311.pyc
■	■	■	■	■	■	■	■■■	teraterm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	testing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	text.cpython-311.pyc
■	■	■	■	■	■	■	■■■	textedit.cpython-311.pyc

■	■	■	■	■	■	■	■■■	textfmts.cpython-311.pyc
■	■	■	■	■	■	■	■■■	theorem.cpython-311.pyc
■	■	■	■	■	■	■	■■■	thingsdb.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tlb.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tls.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tnt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	trafficscript.cpython-311.pyc
■	■	■	■	■	■	■	■■■	typoscript.cpython-311.pyc
■	■	■	■	■	■	■	■■■	typst.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ul4.cpython-311.pyc
■	■	■	■	■	■	■	■■■	unicon.cpython-311.pyc
■	■	■	■	■	■	■	■■■	urbi.cpython-311.pyc
■	■	■	■	■	■	■	■■■	usd.cpython-311.pyc
■	■	■	■	■	■	■	■■■	varnish.cpython-311.pyc
■	■	■	■	■	■	■	■■■	verification.cpython-311.pyc
■	■	■	■	■	■	■	■■■	verifpal.cpython-311.pyc
■	■	■	■	■	■	■	■■■	vip.cpython-311.pyc
■	■	■	■	■	■	■	■■■	vyper.cpython-311.pyc
■	■	■	■	■	■	■	■■■	web.cpython-311.pyc
■	■	■	■	■	■	■	■■■	webassembly.cpython-311.pyc
■	■	■	■	■	■	■	■■■	webidl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	webmisc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	wgsl.cpython-311.pyc
■	■	■	■	■	■	■	■■■	whiley.cpython-311.pyc
■	■	■	■	■	■	■	■■■	wowtoc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	wren.cpython-311.pyc
■	■	■	■	■	■	■	■■■	x10.cpython-311.pyc
■	■	■	■	■	■	■	■■■	xorg.cpython-311.pyc
■	■	■	■	■	■	■	■■■	yang.cpython-311.pyc
■	■	■	■	■	■	■	■■■	yara.cpython-311.pyc
■	■	■	■	■	■	■	■■■	zig.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_ada_builtins.py
■	■	■	■	■	■	■	■■■	_asy_builtins.py
■	■	■	■	■	■	■	■■■	_cl_builtins.py
■	■	■	■	■	■	■	■■■	_cocoa_builtins.py
■	■	■	■	■	■	■	■■■	_csound_builtins.py
■	■	■	■	■	■	■	■■■	_css_builtins.py
■	■	■	■	■	■	■	■■■	_julia_builtins.py
■	■	■	■	■	■	■	■■■	_lasso_builtins.py
■	■	■	■	■	■	■	■■■	_lilypond_builtins.py
■	■	■	■	■	■	■	■■■	_lua_builtins.py
■	■	■	■	■	■	■	■■■	_luau_builtins.py
■	■	■	■	■	■	■	■■■	_mapping.py
■	■	■	■	■	■	■	■■■	_mql_builtins.py
■	■	■	■	■	■	■	■■■	_mysql_builtins.py
■	■	■	■	■	■	■	■■■	_openedge_builtins.py
■	■	■	■	■	■	■	■■■	_php_builtins.py
■	■	■	■	■	■	■	■■■	_postgres_builtins.py
■	■	■	■	■	■	■	■■■	_qlik_builtins.py
■	■	■	■	■	■	■	■■■	_scheme_builtins.py
■	■	■	■	■	■	■	■■■	_scilab_builtins.py
■	■	■	■	■	■	■	■■■	_sourcmod_builtins.py
■	■	■	■	■	■	■	■■■	_stan_builtins.py
■	■	■	■	■	■	■	■■■	_stata_builtins.py
■	■	■	■	■	■	■	■■■	_tsql_builtins.py
■	■	■	■	■	■	■	■■■	_usd_builtins.py
■	■	■	■	■	■	■	■■■	_vbscript_builtins.py
■	■	■	■	■	■	■	■■■	_vim_builtins.py

■	■	■	■	■	■	■■■	actionscript.py
■	■	■	■	■	■	■■■	ada.py
■	■	■	■	■	■	■■■	agile.py
■	■	■	■	■	■	■■■	algebra.py
■	■	■	■	■	■	■■■	ambient.py
■	■	■	■	■	■	■■■	amdgpu.py
■	■	■	■	■	■	■■■	ampl.py
■	■	■	■	■	■	■■■	apdlexer.py
■	■	■	■	■	■	■■■	apl.py
■	■	■	■	■	■	■■■	archetype.py
■	■	■	■	■	■	■■■	arrow.py
■	■	■	■	■	■	■■■	arturo.py
■	■	■	■	■	■	■■■	asc.py
■	■	■	■	■	■	■■■	asm.py
■	■	■	■	■	■	■■■	asn1.py
■	■	■	■	■	■	■■■	automation.py
■	■	■	■	■	■	■■■	bare.py
■	■	■	■	■	■	■■■	basic.py
■	■	■	■	■	■	■■■	bdd.py
■	■	■	■	■	■	■■■	berry.py
■	■	■	■	■	■	■■■	bibtex.py
■	■	■	■	■	■	■■■	blueprint.py
■	■	■	■	■	■	■■■	boa.py
■	■	■	■	■	■	■■■	bqn.py
■	■	■	■	■	■	■■■	business.py
■	■	■	■	■	■	■■■	c_cpp.py
■	■	■	■	■	■	■■■	c_like.py
■	■	■	■	■	■	■■■	capnproto.py
■	■	■	■	■	■	■■■	carbon.py
■	■	■	■	■	■	■■■	cddl.py
■	■	■	■	■	■	■■■	chapel.py
■	■	■	■	■	■	■■■	clean.py
■	■	■	■	■	■	■■■	comal.py
■	■	■	■	■	■	■■■	compiled.py
■	■	■	■	■	■	■■■	configs.py
■	■	■	■	■	■	■■■	console.py
■	■	■	■	■	■	■■■	cplint.py
■	■	■	■	■	■	■■■	crystal.py
■	■	■	■	■	■	■■■	csound.py
■	■	■	■	■	■	■■■	css.py
■	■	■	■	■	■	■■■	d.py
■	■	■	■	■	■	■■■	dalvik.py
■	■	■	■	■	■	■■■	data.py
■	■	■	■	■	■	■■■	dax.py
■	■	■	■	■	■	■■■	devicetree.py
■	■	■	■	■	■	■■■	diff.py
■	■	■	■	■	■	■■■	dns.py
■	■	■	■	■	■	■■■	dotnet.py
■	■	■	■	■	■	■■■	dsls.py
■	■	■	■	■	■	■■■	dylan.py
■	■	■	■	■	■	■■■	ecl.py
■	■	■	■	■	■	■■■	eiffel.py
■	■	■	■	■	■	■■■	elm.py
■	■	■	■	■	■	■■■	elpi.py
■	■	■	■	■	■	■■■	email.py
■	■	■	■	■	■	■■■	erlang.py
■	■	■	■	■	■	■■■	esoteric.py
■	■	■	■	■	■	■■■	ezhil.py

■	■	■	■	■	■	■■■	factor.py
■	■	■	■	■	■	■■■	fantom.py
■	■	■	■	■	■	■■■	felix.py
■	■	■	■	■	■	■■■	fift.py
■	■	■	■	■	■	■■■	floscript.py
■	■	■	■	■	■	■■■	forth.py
■	■	■	■	■	■	■■■	fortran.py
■	■	■	■	■	■	■■■	foxpro.py
■	■	■	■	■	■	■■■	freefem.py
■	■	■	■	■	■	■■■	func.py
■	■	■	■	■	■	■■■	functional.py
■	■	■	■	■	■	■■■	futhark.py
■	■	■	■	■	■	■■■	gcodelexer.py
■	■	■	■	■	■	■■■	gdscrip.py
■	■	■	■	■	■	■■■	go.py
■	■	■	■	■	■	■■■	grammar_notation.py
■	■	■	■	■	■	■■■	graph.py
■	■	■	■	■	■	■■■	graphics.py
■	■	■	■	■	■	■■■	graphql.py
■	■	■	■	■	■	■■■	graphviz.py
■	■	■	■	■	■	■■■	gresql.py
■	■	■	■	■	■	■■■	haskell.py
■	■	■	■	■	■	■■■	haxe.py
■	■	■	■	■	■	■■■	hdl.py
■	■	■	■	■	■	■■■	hexdump.py
■	■	■	■	■	■	■■■	html.py
■	■	■	■	■	■	■■■	idl.py
■	■	■	■	■	■	■■■	igor.py
■	■	■	■	■	■	■■■	inferno.py
■	■	■	■	■	■	■■■	installers.py
■	■	■	■	■	■	■■■	int_fiction.py
■	■	■	■	■	■	■■■	iolang.py
■	■	■	■	■	■	■■■	j.py
■	■	■	■	■	■	■■■	javascript.py
■	■	■	■	■	■	■■■	jmespath.py
■	■	■	■	■	■	■■■	jslt.py
■	■	■	■	■	■	■■■	jsonnet.py
■	■	■	■	■	■	■■■	jsx.py
■	■	■	■	■	■	■■■	julia.py
■	■	■	■	■	■	■■■	jvm.py
■	■	■	■	■	■	■■■	kuin.py
■	■	■	■	■	■	■■■	kusto.py
■	■	■	■	■	■	■■■	ldap.py
■	■	■	■	■	■	■■■	lean.py
■	■	■	■	■	■	■■■	lilypond.py
■	■	■	■	■	■	■■■	lisp.py
■	■	■	■	■	■	■■■	macaulay2.py
■	■	■	■	■	■	■■■	make.py
■	■	■	■	■	■	■■■	markup.py
■	■	■	■	■	■	■■■	math.py
■	■	■	■	■	■	■■■	matlab.py
■	■	■	■	■	■	■■■	maxima.py
■	■	■	■	■	■	■■■	meson.py
■	■	■	■	■	■	■■■	mime.py
■	■	■	■	■	■	■■■	minecraft.py
■	■	■	■	■	■	■■■	mips.py
■	■	■	■	■	■	■■■	ml.py
■	■	■	■	■	■	■■■	modeling.py

■	■	■	■	■	■	■■■	modula2.py
■	■	■	■	■	■	■■■	mojo.py
■	■	■	■	■	■	■■■	monte.py
■	■	■	■	■	■	■■■	mosel.py
■	■	■	■	■	■	■■■	ncl.py
■	■	■	■	■	■	■■■	nimrod.py
■	■	■	■	■	■	■■■	nit.py
■	■	■	■	■	■	■■■	nix.py
■	■	■	■	■	■	■■■	oberon.py
■	■	■	■	■	■	■■■	objective.py
■	■	■	■	■	■	■■■	ooc.py
■	■	■	■	■	■	■■■	openscad.py
■	■	■	■	■	■	■■■	other.py
■	■	■	■	■	■	■■■	parasail.py
■	■	■	■	■	■	■■■	parsers.py
■	■	■	■	■	■	■■■	pascal.py
■	■	■	■	■	■	■■■	pawn.py
■	■	■	■	■	■	■■■	perl.py
■	■	■	■	■	■	■■■	phix.py
■	■	■	■	■	■	■■■	php.py
■	■	■	■	■	■	■■■	pointless.py
■	■	■	■	■	■	■■■	pony.py
■	■	■	■	■	■	■■■	praat.py
■	■	■	■	■	■	■■■	procfile.py
■	■	■	■	■	■	■■■	prolog.py
■	■	■	■	■	■	■■■	promql.py
■	■	■	■	■	■	■■■	prql.py
■	■	■	■	■	■	■■■	ptx.py
■	■	■	■	■	■	■■■	python.py
■	■	■	■	■	■	■■■	q.py
■	■	■	■	■	■	■■■	qlik.py
■	■	■	■	■	■	■■■	qvt.py
■	■	■	■	■	■	■■■	r.py
■	■	■	■	■	■	■■■	rdf.py
■	■	■	■	■	■	■■■	rebol.py
■	■	■	■	■	■	■■■	resource.py
■	■	■	■	■	■	■■■	ride.py
■	■	■	■	■	■	■■■	rita.py
■	■	■	■	■	■	■■■	rnc.py
■	■	■	■	■	■	■■■	roboconf.py
■	■	■	■	■	■	■■■	robotframework.py
■	■	■	■	■	■	■■■	ruby.py
■	■	■	■	■	■	■■■	rust.py
■	■	■	■	■	■	■■■	sas.py
■	■	■	■	■	■	■■■	savi.py
■	■	■	■	■	■	■■■	scdoc.py
■	■	■	■	■	■	■■■	scripting.py
■	■	■	■	■	■	■■■	sgf.py
■	■	■	■	■	■	■■■	shell.py
■	■	■	■	■	■	■■■	sieve.py
■	■	■	■	■	■	■■■	slash.py
■	■	■	■	■	■	■■■	smalltalk.py
■	■	■	■	■	■	■■■	smithy.py
■	■	■	■	■	■	■■■	smv.py
■	■	■	■	■	■	■■■	snobol.py
■	■	■	■	■	■	■■■	solidity.py
■	■	■	■	■	■	■■■	soong.py
■	■	■	■	■	■	■■■	sophia.py

■	■	■	■	■	■	■■■	special.py
■	■	■	■	■	■	■■■	spice.py
■	■	■	■	■	■	■■■	sql.py
■	■	■	■	■	■	■■■	srcinfo.py
■	■	■	■	■	■	■■■	stata.py
■	■	■	■	■	■	■■■	supercollider.py
■	■	■	■	■	■	■■■	tact.py
■	■	■	■	■	■	■■■	tal.py
■	■	■	■	■	■	■■■	tcl.py
■	■	■	■	■	■	■■■	teal.py
■	■	■	■	■	■	■■■	templates.py
■	■	■	■	■	■	■■■	teraterm.py
■	■	■	■	■	■	■■■	testing.py
■	■	■	■	■	■	■■■	text.py
■	■	■	■	■	■	■■■	textedit.py
■	■	■	■	■	■	■■■	textfmts.py
■	■	■	■	■	■	■■■	theorem.py
■	■	■	■	■	■	■■■	thingsdb.py
■	■	■	■	■	■	■■■	tlb.py
■	■	■	■	■	■	■■■	tls.py
■	■	■	■	■	■	■■■	tnt.py
■	■	■	■	■	■	■■■	trafficscript.py
■	■	■	■	■	■	■■■	typoscript.py
■	■	■	■	■	■	■■■	typst.py
■	■	■	■	■	■	■■■	ul4.py
■	■	■	■	■	■	■■■	unicon.py
■	■	■	■	■	■	■■■	urbi.py
■	■	■	■	■	■	■■■	usd.py
■	■	■	■	■	■	■■■	varnish.py
■	■	■	■	■	■	■■■	verification.py
■	■	■	■	■	■	■■■	verifpal.py
■	■	■	■	■	■	■■■	vip.py
■	■	■	■	■	■	■■■	vyper.py
■	■	■	■	■	■	■■■	web.py
■	■	■	■	■	■	■■■	webassembly.py
■	■	■	■	■	■	■■■	webidl.py
■	■	■	■	■	■	■■■	webmisc.py
■	■	■	■	■	■	■■■	wgsl.py
■	■	■	■	■	■	■■■	whiley.py
■	■	■	■	■	■	■■■	wowtoc.py
■	■	■	■	■	■	■■■	wren.py
■	■	■	■	■	■	■■■	x10.py
■	■	■	■	■	■	■■■	xorg.py
■	■	■	■	■	■	■■■	yang.py
■	■	■	■	■	■	■■■	yara.py
■	■	■	■	■	■	■■■	zig.py
■	■	■	■	■	■■■	modeline.py	
■	■	■	■	■	■■■	plugin.py	
■	■	■	■	■	■■■	regexopt.py	
■	■	■	■	■	■■■	scanner.py	
■	■	■	■	■	■■■	sphinxext.py	
■	■	■	■	■	■■■	style.py	
■	■	■	■	■	■■■	styles	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	_mapping.cpython-311.pyc
■	■	■	■	■	■	■■■	abap.cpython-311.pyc

■	■	■	■	■	■	■	■■■	algol.cpython-311.pyc
■	■	■	■	■	■	■	■■■	algol_nu.cpython-311.pyc
■	■	■	■	■	■	■	■■■	arduino.cpython-311.pyc
■	■	■	■	■	■	■	■■■	autumn.cpython-311.pyc
■	■	■	■	■	■	■	■■■	borland.cpython-311.pyc
■	■	■	■	■	■	■	■■■	bw.cpython-311.pyc
■	■	■	■	■	■	■	■■■	coffee.cpython-311.pyc
■	■	■	■	■	■	■	■■■	colorful.cpython-311.pyc
■	■	■	■	■	■	■	■■■	default.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dracula.cpython-311.pyc
■	■	■	■	■	■	■	■■■	emacs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	friendly.cpython-311.pyc
■	■	■	■	■	■	■	■■■	friendly_grayscale.cpython-311.pyc
■	■	■	■	■	■	■	■■■	fruity.cpython-311.pyc
■	■	■	■	■	■	■	■■■	gh_dark.cpython-311.pyc
■	■	■	■	■	■	■	■■■	gruvbox.cpython-311.pyc
■	■	■	■	■	■	■	■■■	igor.cpython-311.pyc
■	■	■	■	■	■	■	■■■	inkpot.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lightbulb.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lilypond.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lovelace.cpython-311.pyc
■	■	■	■	■	■	■	■■■	manni.cpython-311.pyc
■	■	■	■	■	■	■	■■■	material.cpython-311.pyc
■	■	■	■	■	■	■	■■■	monokai.cpython-311.pyc
■	■	■	■	■	■	■	■■■	murphy.cpython-311.pyc
■	■	■	■	■	■	■	■■■	native.cpython-311.pyc
■	■	■	■	■	■	■	■■■	nord.cpython-311.pyc
■	■	■	■	■	■	■	■■■	onedark.cpython-311.pyc
■	■	■	■	■	■	■	■■■	paraiso_dark.cpython-311.pyc
■	■	■	■	■	■	■	■■■	paraiso_light.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pastie.cpython-311.pyc
■	■	■	■	■	■	■	■■■	perldoc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rainbow_dash.cpython-311.pyc
■	■	■	■	■	■	■	■■■	rrt.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sas.cpython-311.pyc
■	■	■	■	■	■	■	■■■	solarized.cpython-311.pyc
■	■	■	■	■	■	■	■■■	staroffice.cpython-311.pyc
■	■	■	■	■	■	■	■■■	stata_dark.cpython-311.pyc
■	■	■	■	■	■	■	■■■	stata_light.cpython-311.pyc
■	■	■	■	■	■	■	■■■	tango.cpython-311.pyc
■	■	■	■	■	■	■	■■■	trac.cpython-311.pyc
■	■	■	■	■	■	■	■■■	vim.cpython-311.pyc
■	■	■	■	■	■	■	■■■	vs.cpython-311.pyc
■	■	■	■	■	■	■	■■■	xcode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	zenburn.cpython-311.pyc
■	■	■	■	■	■	■■■	■■■	_mapping.py
■	■	■	■	■	■	■■■	■■■	abap.py
■	■	■	■	■	■	■■■	■■■	algol.py
■	■	■	■	■	■	■■■	■■■	algol_nu.py
■	■	■	■	■	■	■■■	■■■	arduino.py
■	■	■	■	■	■	■■■	■■■	autumn.py
■	■	■	■	■	■	■■■	■■■	borland.py
■	■	■	■	■	■	■■■	■■■	bw.py
■	■	■	■	■	■	■■■	■■■	coffee.py
■	■	■	■	■	■	■■■	■■■	colorful.py
■	■	■	■	■	■	■■■	■■■	default.py
■	■	■	■	■	■	■■■	■■■	dracula.py
■	■	■	■	■	■	■■■	■■■	emacs.py

```

■ ■ ■ ■ ■ ■ ■ ■ friendly.py
■ ■ ■ ■ ■ ■ ■ ■ friendly_grayscale.py
■ ■ ■ ■ ■ ■ ■ ■ fruity.py
■ ■ ■ ■ ■ ■ ■ ■ gh_dark.py
■ ■ ■ ■ ■ ■ ■ ■ gruvbox.py
■ ■ ■ ■ ■ ■ ■ ■ igor.py
■ ■ ■ ■ ■ ■ ■ ■ inkpot.py
■ ■ ■ ■ ■ ■ ■ ■ lightbulb.py
■ ■ ■ ■ ■ ■ ■ ■ lilypond.py
■ ■ ■ ■ ■ ■ ■ ■ lovelace.py
■ ■ ■ ■ ■ ■ ■ ■ manni.py
■ ■ ■ ■ ■ ■ ■ ■ material.py
■ ■ ■ ■ ■ ■ ■ ■ monokai.py
■ ■ ■ ■ ■ ■ ■ ■ murphy.py
■ ■ ■ ■ ■ ■ ■ ■ native.py
■ ■ ■ ■ ■ ■ ■ ■ nord.py
■ ■ ■ ■ ■ ■ ■ ■ onedark.py
■ ■ ■ ■ ■ ■ ■ ■ paraiso_dark.py
■ ■ ■ ■ ■ ■ ■ ■ paraiso_light.py
■ ■ ■ ■ ■ ■ ■ ■ pastie.py
■ ■ ■ ■ ■ ■ ■ ■ perldoc.py
■ ■ ■ ■ ■ ■ ■ ■ rainbow_dash.py
■ ■ ■ ■ ■ ■ ■ ■ rrt.py
■ ■ ■ ■ ■ ■ ■ ■ sas.py
■ ■ ■ ■ ■ ■ ■ ■ solarized.py
■ ■ ■ ■ ■ ■ ■ ■ staroffice.py
■ ■ ■ ■ ■ ■ ■ ■ stata_dark.py
■ ■ ■ ■ ■ ■ ■ ■ stata_light.py
■ ■ ■ ■ ■ ■ ■ ■ tango.py
■ ■ ■ ■ ■ ■ ■ ■ trac.py
■ ■ ■ ■ ■ ■ ■ ■ vim.py
■ ■ ■ ■ ■ ■ ■ ■ vs.py
■ ■ ■ ■ ■ ■ ■ ■ xcode.py
■ ■ ■ ■ ■ ■ ■ ■ zenburn.py
■ ■ ■ ■ ■ ■ ■ ■ token.py
■ ■ ■ ■ ■ ■ ■ ■ unistring.py
■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ pygments-2.18.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ AUTHORS
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ pygraphviz
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ agraph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ graphviz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ scraper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _graphviz.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ agraph.py
■ ■ ■ ■ ■ ■ ■ ■ graphviz.i
■ ■ ■ ■ ■ ■ ■ ■ graphviz.py

```



```

graphviz_wrap.c
scraper.py
testing.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_attribute_defaults.cpython-311.pyc
test_clear.cpython-311.pyc
test_close.cpython-311.pyc
test_drawing.cpython-311.pyc
test_edge_attributes.cpython-311.pyc
test_graph.cpython-311.pyc
test_html.cpython-311.pyc
test_layout.cpython-311.pyc
test_node_attributes.cpython-311.pyc
test_readwrite.cpython-311.pyc
test_scraper.cpython-311.pyc
test_string.cpython-311.pyc
test_subgraph.cpython-311.pyc
test_unicode.cpython-311.pyc
test_attribute_defaults.py
test_clear.py
test_close.py
test_drawing.py
test_edge_attributes.py
test_graph.py
test_html.py
test_layout.py
test_node_attributes.py
test_readwrite.py
test_scraper.py
test_string.py
test_subgraph.py
test_unicode.py
pygraphviz-1.7.dist-info
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
pylab.py
pylog
__init__.py
__pycache__
__init__.cpython-311.pyc
control_structures.cpython-311.pyc
logic_variables.cpython-311.pyc
control_structures.py
logic_variables.py
sequence_options
__init__.py
__pycache__
__init__.cpython-311.pyc
linked_list.cpython-311.pyc
sequences.cpython-311.pyc

```

```

■ ■ ■ ■ ■ super_sequence.cpython-311.pyc
■ ■ ■ ■ ■ linked_list.py
■ ■ ■ ■ ■ sequences.py
■ ■ ■ ■ ■ super_sequence.py
■ ■ ■ ■ ■ pylog-1.1.dist-info
■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ pyluach
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ dates.cpython-311.pyc
■ ■ ■ ■ ■ gematria.cpython-311.pyc
■ ■ ■ ■ ■ hebrewcal.cpython-311.pyc
■ ■ ■ ■ ■ parshios.cpython-311.pyc
■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ dates.py
■ ■ ■ ■ ■ gematria.py
■ ■ ■ ■ ■ hebrewcal.py
■ ■ ■ ■ ■ parshios.py
■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ pyluach-2.2.0.dist-info
■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ pymc
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ aesaraf.cpython-311.pyc
■ ■ ■ ■ ■ blocking.cpython-311.pyc
■ ■ ■ ■ ■ data.cpython-311.pyc
■ ■ ■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ func_utils.cpython-311.pyc
■ ■ ■ ■ ■ initial_point.cpython-311.pyc
■ ■ ■ ■ ■ math.cpython-311.pyc
■ ■ ■ ■ ■ model.cpython-311.pyc
■ ■ ■ ■ ■ model_graph.cpython-311.pyc
■ ■ ■ ■ ■ parallel_sampling.cpython-311.pyc
■ ■ ■ ■ ■ printing.cpython-311.pyc
■ ■ ■ ■ ■ sampling.cpython-311.pyc
■ ■ ■ ■ ■ sampling_jax.cpython-311.pyc
■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ vartypes.cpython-311.pyc
■ ■ ■ ■ ■ aesaraf.py
■ ■ ■ ■ ■ backends
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ arviz.cpython-311.pyc
■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ndarray.cpython-311.pyc
■ ■ ■ ■ ■ report.cpython-311.pyc

```

[illegible]

```

ode.cpython-311.pyc
utils.cpython-311.pyc
ode.py
utils.py
parallel_sampling.py
plots
__init__.py
__pycache__
__init__.cpython-311.pyc
printing.py
sampling.py
sampling_jax.py
smc
__init__.py
__pycache__
__init__.cpython-311.pyc
sample_smc.cpython-311.pyc
smc.cpython-311.pyc
sample_smc.py
smc.py
stats
__init__.py
__pycache__
__init__.cpython-311.pyc
step_methods
__init__.py
__pycache__
__init__.cpython-311.pyc
arraystep.cpython-311.pyc
compound.cpython-311.pyc
metropolis.cpython-311.pyc
mlda.cpython-311.pyc
slicer.cpython-311.pyc
step_sizes.cpython-311.pyc
arraystep.py
compound.py
hmc
__init__.py
__pycache__
__init__.cpython-311.pyc
base_hmc.cpython-311.pyc
hmc.cpython-311.pyc
integration.cpython-311.pyc
nuts.cpython-311.pyc
quadpotential.cpython-311.pyc
base_hmc.py
hmc.py
integration.py
nuts.py
quadpotential.py
metropolis.py
mlda.py
slicer.py
step_sizes.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc

```

■	■	■	■	■	■	■■■ backend_fixtures.cpython-311.pyc
■	■	■	■	■	■	■■■ checks.cpython-311.pyc
■	■	■	■	■	■	■■■ conftest.cpython-311.pyc
■	■	■	■	■	■	■■■ helpers.cpython-311.pyc
■	■	■	■	■	■	■■■ models.cpython-311.pyc
■	■	■	■	■	■	■■■ sampler_fixtures.cpython-311.pyc
■	■	■	■	■	■	■■■ test_aesaraf.cpython-311.pyc
■	■	■	■	■	■	■■■ test_data_container.cpython-311.pyc
■	■	■	■	■	■	■■■ test_dist_math.cpython-311.pyc
■	■	■	■	■	■	■■■ test_distributions.cpython-311.pyc
■	■	■	■	■	■	■■■ test_distributions_moments.cpython-311.pyc
■	■	■	■	■	■	■■■ test_distributions_random.cpython-311.pyc
■	■	■	■	■	■	■■■ test_distributions_timeseries.cpython-311.pyc
■	■	■	■	■	■	■■■ test_func_utils.cpython-311.pyc
■	■	■	■	■	■	■■■ test_gp.cpython-311.pyc
■	■	■	■	■	■	■■■ test_hmc.cpython-311.pyc
■	■	■	■	■	■	■■■ test_idata_conversion.cpython-311.pyc
■	■	■	■	■	■	■■■ test_initial_point.cpython-311.pyc
■	■	■	■	■	■	■■■ test_logprob.cpython-311.pyc
■	■	■	■	■	■	■■■ test_math.cpython-311.pyc
■	■	■	■	■	■	■■■ test_minibatches.cpython-311.pyc
■	■	■	■	■	■	■■■ test_missing.cpython-311.pyc
■	■	■	■	■	■	■■■ test_mixture.cpython-311.pyc
■	■	■	■	■	■	■■■ test_model.cpython-311.pyc
■	■	■	■	■	■	■■■ test_model_graph.cpython-311.pyc
■	■	■	■	■	■	■■■ test_modelcontext.cpython-311.pyc
■	■	■	■	■	■	■■■ test_ndarray_backend.cpython-311.pyc
■	■	■	■	■	■	■■■ test_ode.cpython-311.pyc
■	■	■	■	■	■	■■■ test_parallel_sampling.cpython-311.pyc
■	■	■	■	■	■	■■■ test_pickling.cpython-311.pyc
■	■	■	■	■	■	■■■ test_posdef_sym.cpython-311.pyc
■	■	■	■	■	■	■■■ test_posteriors.cpython-311.pyc
■	■	■	■	■	■	■■■ test_printing.cpython-311.pyc
■	■	■	■	■	■	■■■ test_profile.cpython-311.pyc
■	■	■	■	■	■	■■■ test_quadpotential.cpython-311.pyc
■	■	■	■	■	■	■■■ test_sampling.cpython-311.pyc
■	■	■	■	■	■	■■■ test_sampling_jax.cpython-311.pyc
■	■	■	■	■	■	■■■ test_shape_handling.cpython-311.pyc
■	■	■	■	■	■	■■■ test_shared.cpython-311.pyc
■	■	■	■	■	■	■■■ test_smc.cpython-311.pyc
■	■	■	■	■	■	■■■ test_starting.cpython-311.pyc
■	■	■	■	■	■	■■■ test_step.cpython-311.pyc
■	■	■	■	■	■	■■■ test_transforms.cpython-311.pyc
■	■	■	■	■	■	■■■ test_tuning.cpython-311.pyc
■	■	■	■	■	■	■■■ test_types.cpython-311.pyc
■	■	■	■	■	■	■■■ test_updates.cpython-311.pyc
■	■	■	■	■	■	■■■ test_util.cpython-311.pyc
■	■	■	■	■	■	■■■ test_variational_inference.cpython-311.pyc
■	■	■	■	■	■■■ backend_fixtures.py	
■	■	■	■	■	■■■ checks.py	
■	■	■	■	■	■■■ conftest.py	
■	■	■	■	■	■■■ helpers.py	
■	■	■	■	■	■■■ models.py	
■	■	■	■	■	■■■ sampler_fixtures.py	
■	■	■	■	■	■■■ test_aesaraf.py	
■	■	■	■	■	■■■ test_data_container.py	
■	■	■	■	■	■■■ test_dist_math.py	
■	■	■	■	■	■■■ test_distributions.py	

```

■ ■ ■ ■ ■ ■ ■■■ test_distributions_moments.py
■ ■ ■ ■ ■ ■ ■■■ test_distributions_random.py
■ ■ ■ ■ ■ ■ ■■■ test_distributions_timeseries.py
■ ■ ■ ■ ■ ■ ■■■ test_func_utils.py
■ ■ ■ ■ ■ ■ ■■■ test_gp.py
■ ■ ■ ■ ■ ■ ■■■ test_hmc.py
■ ■ ■ ■ ■ ■ ■■■ test_idata_conversion.py
■ ■ ■ ■ ■ ■ ■■■ test_initial_point.py
■ ■ ■ ■ ■ ■ ■■■ test_logprob.py
■ ■ ■ ■ ■ ■ ■■■ test_math.py
■ ■ ■ ■ ■ ■ ■■■ test_minibatches.py
■ ■ ■ ■ ■ ■ ■■■ test_missing.py
■ ■ ■ ■ ■ ■ ■■■ test_mixture.py
■ ■ ■ ■ ■ ■ ■■■ test_model.py
■ ■ ■ ■ ■ ■ ■■■ test_model_graph.py
■ ■ ■ ■ ■ ■ ■■■ test_modelcontext.py
■ ■ ■ ■ ■ ■ ■■■ test_ndarray_backend.py
■ ■ ■ ■ ■ ■ ■■■ test_ode.py
■ ■ ■ ■ ■ ■ ■■■ test_parallel_sampling.py
■ ■ ■ ■ ■ ■ ■■■ test_pickling.py
■ ■ ■ ■ ■ ■ ■■■ test_posdef_sym.py
■ ■ ■ ■ ■ ■ ■■■ test_posteriors.py
■ ■ ■ ■ ■ ■ ■■■ test_printing.py
■ ■ ■ ■ ■ ■ ■■■ test_profile.py
■ ■ ■ ■ ■ ■ ■■■ test_quadpotential.py
■ ■ ■ ■ ■ ■ ■■■ test_sampling.py
■ ■ ■ ■ ■ ■ ■■■ test_sampling_jax.py
■ ■ ■ ■ ■ ■ ■■■ test_shape_handling.py
■ ■ ■ ■ ■ ■ ■■■ test_shared.py
■ ■ ■ ■ ■ ■ ■■■ test_smc.py
■ ■ ■ ■ ■ ■ ■■■ test_starting.py
■ ■ ■ ■ ■ ■ ■■■ test_step.py
■ ■ ■ ■ ■ ■ ■■■ test_transforms.py
■ ■ ■ ■ ■ ■ ■■■ test_tuning.py
■ ■ ■ ■ ■ ■ ■■■ test_types.py
■ ■ ■ ■ ■ ■ ■■■ test_updates.py
■ ■ ■ ■ ■ ■ ■■■ test_util.py
■ ■ ■ ■ ■ ■ ■■■ test_variational_inference.py
■ ■ ■ ■ ■ ■ ■■■ tuning
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ scaling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ starting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ scaling.py
■ ■ ■ ■ ■ ■ ■■■ starting.py
■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■■■ variational
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ approximations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ callbacks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ inference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ operators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ opvi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ stein.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_functions.cpython-311.pyc

```

```

■ ■ ■ ■ ■ updates.cpython-311.pyc
■ ■ ■ ■ ■ approximations.py
■ ■ ■ ■ ■ callbacks.py
■ ■ ■ ■ ■ inference.py
■ ■ ■ ■ ■ operators.py
■ ■ ■ ■ ■ opvi.py
■ ■ ■ ■ ■ stein.py
■ ■ ■ ■ ■ test_functions.py
■ ■ ■ ■ ■ updates.py
■ ■ ■ ■ ■ vartypes.py
■ ■ ■ ■ ■ pymc-4.0.1.dist-info
■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ py pandoc
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ pandoc_download.cpython-311.pyc
■ ■ ■ ■ ■ py3compat.cpython-311.pyc
■ ■ ■ ■ ■ pandoc_download.py
■ ■ ■ ■ ■ py3compat.py
■ ■ ■ ■ ■ py pandoc-1.6.3.dist-info
■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ py parsing
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ actions.cpython-311.pyc
■ ■ ■ ■ ■ common.cpython-311.pyc
■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ helpers.cpython-311.pyc
■ ■ ■ ■ ■ results.cpython-311.pyc
■ ■ ■ ■ ■ testing.cpython-311.pyc
■ ■ ■ ■ ■ unicode.cpython-311.pyc
■ ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ actions.py
■ ■ ■ ■ ■ common.py
■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ diagram
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ helpers.py
■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ results.py

```

```

■ ■ ■ ■ ■ testing.py
■ ■ ■ ■ ■ unicode.py
■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ parsing-3.2.0.dist-info
■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ pyphen
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ dictionaries
■ ■ ■ ■ ■ README_hyph_NO.txt
■ ■ ■ ■ ■ README_hyph_be_BY.txt
■ ■ ■ ■ ■ README_hyph_bg_BG.txt
■ ■ ■ ■ ■ README_hyph_ca.txt
■ ■ ■ ■ ■ README_hyph_cs_CZ.txt
■ ■ ■ ■ ■ README_hyph_da_DK.txt
■ ■ ■ ■ ■ README_hyph_de.txt
■ ■ ■ ■ ■ README_hyph_el_GR.txt
■ ■ ■ ■ ■ README_hyph_en_GB.txt
■ ■ ■ ■ ■ README_hyph_en_US.txt
■ ■ ■ ■ ■ README_hyph_es.txt
■ ■ ■ ■ ■ README_hyph_et_EE.txt
■ ■ ■ ■ ■ README_hyph_eu.txt
■ ■ ■ ■ ■ README_hyph_fr.txt
■ ■ ■ ■ ■ README_hyph_gl.txt
■ ■ ■ ■ ■ README_hyph_hr_HR.txt
■ ■ ■ ■ ■ README_hyph_hu_HU.txt
■ ■ ■ ■ ■ README_hyph_is.txt
■ ■ ■ ■ ■ README_hyph_it_IT.txt
■ ■ ■ ■ ■ README_hyph_lt_LT.txt
■ ■ ■ ■ ■ README_hyph_lv_LV.txt
■ ■ ■ ■ ■ README_hyph_pl_PL.txt
■ ■ ■ ■ ■ README_hyph_pt_BR.txt
■ ■ ■ ■ ■ README_hyph_pt_PT.txt
■ ■ ■ ■ ■ README_hyph_ro_RO.txt
■ ■ ■ ■ ■ README_hyph_sk_SK.txt
■ ■ ■ ■ ■ README_hyph_sl_SI.txt
■ ■ ■ ■ ■ README_hyph_sq_AL.txt
■ ■ ■ ■ ■ README_hyph_sr.txt
■ ■ ■ ■ ■ README_hyph_sv.txt
■ ■ ■ ■ ■ README_hyph_te_IN.txt
■ ■ ■ ■ ■ README_hyph_th_TH.txt
■ ■ ■ ■ ■ README_hyph_uk_UA.txt
■ ■ ■ ■ ■ hyph_af_ZA.dic
■ ■ ■ ■ ■ hyph_be_BY.dic
■ ■ ■ ■ ■ hyph_bg_BG.dic
■ ■ ■ ■ ■ hyph_ca.dic
■ ■ ■ ■ ■ hyph_cs_CZ.dic
■ ■ ■ ■ ■ hyph_da_DK.dic
■ ■ ■ ■ ■ hyph_de_AT.dic
■ ■ ■ ■ ■ hyph_de_CH.dic
■ ■ ■ ■ ■ hyph_de_DE.dic
■ ■ ■ ■ ■ hyph_el_GR.dic
■ ■ ■ ■ ■ hyph_en_GB.dic

```


■	■	■	■	■	■	■■■	hyph_en_US.dic
■	■	■	■	■	■	■■■	hyph_eo.dic
■	■	■	■	■	■	■■■	hyph_es.dic
■	■	■	■	■	■	■■■	hyph_et_EE.dic
■	■	■	■	■	■	■■■	hyph_eu.dic
■	■	■	■	■	■	■■■	hyph_fr.dic
■	■	■	■	■	■	■■■	hyph_gl.dic
■	■	■	■	■	■	■■■	hyph_hr_HR.dic
■	■	■	■	■	■	■■■	hyph_hu_HU.dic
■	■	■	■	■	■	■■■	hyph_id_ID.dic
■	■	■	■	■	■	■■■	hyph_is.dic
■	■	■	■	■	■	■■■	hyph_it_IT.dic
■	■	■	■	■	■	■■■	hyph_lt.dic
■	■	■	■	■	■	■■■	hyph_lv_LV.dic
■	■	■	■	■	■	■■■	hyph_mn_MN.dic
■	■	■	■	■	■	■■■	hyph_nb_NO.dic
■	■	■	■	■	■	■■■	hyph_nl_NL.dic
■	■	■	■	■	■	■■■	hyph_nn_NO.dic
■	■	■	■	■	■	■■■	hyph_pl_PL.dic
■	■	■	■	■	■	■■■	hyph_pt_BR.dic
■	■	■	■	■	■	■■■	hyph_pt_PT.dic
■	■	■	■	■	■	■■■	hyph_ro_RO.dic
■	■	■	■	■	■	■■■	hyph_ru_RU.dic
■	■	■	■	■	■	■■■	hyph_sk_SK.dic
■	■	■	■	■	■	■■■	hyph_sl_SI.dic
■	■	■	■	■	■	■■■	hyph_sq_AL.dic
■	■	■	■	■	■	■■■	hyph_sr.dic
■	■	■	■	■	■	■■■	hyph_sr_Latn.dic
■	■	■	■	■	■	■■■	hyph_sv.dic
■	■	■	■	■	■	■■■	hyph_te_IN.dic
■	■	■	■	■	■	■■■	hyph_th_TH.dic
■	■	■	■	■	■	■■■	hyph_uk_UA.dic
■	■	■	■	■	■	■■■	hyph_zu_ZA.dic
■	■	■	■	■	■	■■■	update.sh
■	■	■	■	■■■	■■■	pyphen-0.17.0.dist-info	
■	■	■	■	■	■■■	COPYING.GPL	
■	■	■	■	■	■■■	COPYING.LGPL	
■	■	■	■	■	■■■	COPYING.MPL	
■	■	■	■	■	■■■	INSTALLER	
■	■	■	■	■	■■■	LICENSE	
■	■	■	■	■	■■■	METADATA	
■	■	■	■	■	■■■	RECORD	
■	■	■	■	■	■■■	WHEEL	
■	■	■	■	■■■	■■■	pyproj	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__main__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■■■	__init__.cpython-311.pyc	
■	■	■	■	■	■■■	__main__.cpython-311.pyc	
■	■	■	■	■	■■■	_show_versions.cpython-311.pyc	
■	■	■	■	■	■■■	aoi.cpython-311.pyc	
■	■	■	■	■	■■■	datadir.cpython-311.pyc	
■	■	■	■	■	■■■	enums.cpython-311.pyc	
■	■	■	■	■	■■■	exceptions.cpython-311.pyc	
■	■	■	■	■	■■■	geod.cpython-311.pyc	
■	■	■	■	■	■■■	network.cpython-311.pyc	
■	■	■	■	■	■■■	proj.cpython-311.pyc	
■	■	■	■	■	■■■	sync.cpython-311.pyc	

```

■      ■      ■      ■      ■      ■      ■      transformer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _compat.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _compat.pxd
■      ■      ■      ■      ■      ■      ■      _compat.pyi
■      ■      ■      ■      ■      ■      ■      _compat.pyx
■      ■      ■      ■      ■      ■      ■      _crs.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _crs.pxd
■      ■      ■      ■      ■      ■      ■      _crs.pyi
■      ■      ■      ■      ■      ■      ■      _crs.pyx
■      ■      ■      ■      ■      ■      ■      _datadir.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _datadir.pxd
■      ■      ■      ■      ■      ■      ■      _datadir.pyi
■      ■      ■      ■      ■      ■      ■      _datadir.pyx
■      ■      ■      ■      ■      ■      ■      _geod.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _geod.pxd
■      ■      ■      ■      ■      ■      ■      _geod.pyi
■      ■      ■      ■      ■      ■      ■      _geod.pyx
■      ■      ■      ■      ■      ■      ■      _network.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _network.pyi
■      ■      ■      ■      ■      ■      ■      _network.pyx
■      ■      ■      ■      ■      ■      ■      _show_versions.py
■      ■      ■      ■      ■      ■      ■      _sync.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _sync.pyi
■      ■      ■      ■      ■      ■      ■      _sync.pyx
■      ■      ■      ■      ■      ■      ■      _transformer.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      _transformer.pxd
■      ■      ■      ■      ■      ■      ■      _transformer.pyi
■      ■      ■      ■      ■      ■      ■      _transformer.pyx
■      ■      ■      ■      ■      ■      ■      aoi.py
■      ■      ■      ■      ■      ■      ■      base.pxi
■      ■      ■      ■      ■      ■      ■      crs
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _cf1x8.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      coordinate_operation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      coordinate_system.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      crs.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      datum.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      enums.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _cf1x8.py
■      ■      ■      ■      ■      ■      ■      coordinate_operation.py
■      ■      ■      ■      ■      ■      ■      coordinate_system.py
■      ■      ■      ■      ■      ■      ■      crs.py
■      ■      ■      ■      ■      ■      ■      datum.py
■      ■      ■      ■      ■      ■      ■      enums.py
■      ■      ■      ■      ■      ■      ■      database.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      database.pyi
■      ■      ■      ■      ■      ■      ■      database.pyx
■      ■      ■      ■      ■      ■      ■      datadir.py
■      ■      ■      ■      ■      ■      ■      enums.py
■      ■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      ■      geod.py
■      ■      ■      ■      ■      ■      ■      list.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      list.pyi
■      ■      ■      ■      ■      ■      ■      list.pyx
■      ■      ■      ■      ■      ■      ■      network.py

```

```

proj.pxi
proj.py
proj_dir
share
proj
CH
GL27
ITRF2000
ITRF2008
ITRF2014
deformation_model.schema.json
nad.lst
nad27
nad83
other.extra
proj.db
proj.ini
projjson.schema.json
triangulation.schema.json
world
py.typed
sync.py
transformer.py
utils.py
pyproj-3.6.1.dist-info
INSTALLER
LICENSE
LICENSE_proj
METADATA
RECORD
WHEEL
entry_points.txt
top_level.txt
pyproj.libs
libcurl-0a1527eb.so.4.8.0
libnghttp2-55af48d7.so.14.24.2
libproj-1552b914.so.25.9.3.0
libsqlite3-7ee472c1.so.0.8.6
libtiff-ada18b9b.so.6.0.0
pyprover
__coconut__.py
__init__.py
__pycache__
__coconut__.cpython-311.pyc
__init__.cpython-311.pyc
atoms.cpython-311.pyc
constants.cpython-311.pyc
logic.cpython-311.pyc
parser.cpython-311.pyc
tests.cpython-311.pyc
tools.cpython-311.pyc
util.cpython-311.pyc
atoms.py
constants.py
logic.py
parser.py
tests.py
tools.py

```

```

util.py
pyprover-0.5.6.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
REQUESTED
WHEEL
top_level.txt
pyshp-2.3.1.dist-info
INSTALLER
LICENSE.TXT
METADATA
RECORD
WHEEL
top_level.txt
pyswisseph-2.10.3.2.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
WHEEL
top_level.txt
pyswisseph.libs
libsqlite3-f79e2a86.so.0.8.6
pytesseract
__init__.py
__pycache__
__init__.cpython-311.pyc
pytesseract.cpython-311.pyc
pytesseract.py
pytesseract-0.3.8.dist-info
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
entry_points.txt
top_level.txt
pytest
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
collect.cpython-311.pyc
collect.py
py.typed
pytest-6.2.5.dist-info
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
entry_points.txt
top_level.txt

```



```
■ ■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ multipart.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ python_multipart-0.0.19.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ python_pptx-0.6.21.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ pythonjsonlogger
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ jsonlogger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ jsonlogger.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ pytttsx3
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ driver.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ engine.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ six.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ voice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ driver.py
■ ■ ■ ■ ■ ■ ■ ■ drivers
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _espeak.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dummy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ espeak.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nsss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ sapi5.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _espeak.py
■ ■ ■ ■ ■ ■ ■ ■ dummy.py
■ ■ ■ ■ ■ ■ ■ ■ espeak.py
■ ■ ■ ■ ■ ■ ■ ■ nsss.py
■ ■ ■ ■ ■ ■ ■ ■ sapi5.py
■ ■ ■ ■ ■ ■ ■ ■ engine.py
■ ■ ■ ■ ■ ■ ■ ■ six.py
■ ■ ■ ■ ■ ■ ■ ■ voice.py
■ ■ ■ ■ ■ ■ ■ ■ pytttsx3-2.90.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
```

```

■   ■   ■   ■   ■   ■   ■   top_level.txt
■   ■   ■   ■   ■   ■   ■   pytz
■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   exceptions.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   lazy.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   reference.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   tzfile.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   tzinfo.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   exceptions.py
■   ■   ■   ■   ■   ■   ■   lazy.py
■   ■   ■   ■   ■   ■   ■   reference.py
■   ■   ■   ■   ■   ■   ■   tzfile.py
■   ■   ■   ■   ■   ■   ■   tzinfo.py
■   ■   ■   ■   ■   ■   ■   zoneinfo
■   ■   ■   ■   ■   ■   ■   Africa
■   ■   ■   ■   ■   ■   ■   Abidjan
■   ■   ■   ■   ■   ■   ■   Accra
■   ■   ■   ■   ■   ■   ■   Addis_Ababa
■   ■   ■   ■   ■   ■   ■   Algiers
■   ■   ■   ■   ■   ■   ■   Asmara
■   ■   ■   ■   ■   ■   ■   Asmera
■   ■   ■   ■   ■   ■   ■   Bamako
■   ■   ■   ■   ■   ■   ■   Bangui
■   ■   ■   ■   ■   ■   ■   Banjul
■   ■   ■   ■   ■   ■   ■   Bissau
■   ■   ■   ■   ■   ■   ■   Blantyre
■   ■   ■   ■   ■   ■   ■   Brazzaville
■   ■   ■   ■   ■   ■   ■   Bujumbura
■   ■   ■   ■   ■   ■   ■   Cairo
■   ■   ■   ■   ■   ■   ■   Casablanca
■   ■   ■   ■   ■   ■   ■   Ceuta
■   ■   ■   ■   ■   ■   ■   Conakry
■   ■   ■   ■   ■   ■   ■   Dakar
■   ■   ■   ■   ■   ■   ■   Dar_es_Salaam
■   ■   ■   ■   ■   ■   ■   Djibouti
■   ■   ■   ■   ■   ■   ■   Douala
■   ■   ■   ■   ■   ■   ■   El_Aaiun
■   ■   ■   ■   ■   ■   ■   Freetown
■   ■   ■   ■   ■   ■   ■   Gaborone
■   ■   ■   ■   ■   ■   ■   Harare
■   ■   ■   ■   ■   ■   ■   Johannesburg
■   ■   ■   ■   ■   ■   ■   Juba
■   ■   ■   ■   ■   ■   ■   Kampala
■   ■   ■   ■   ■   ■   ■   Khartoum
■   ■   ■   ■   ■   ■   ■   Kigali
■   ■   ■   ■   ■   ■   ■   Kinshasa
■   ■   ■   ■   ■   ■   ■   Lagos
■   ■   ■   ■   ■   ■   ■   Libreville
■   ■   ■   ■   ■   ■   ■   Lome
■   ■   ■   ■   ■   ■   ■   Luanda
■   ■   ■   ■   ■   ■   ■   Lubumbashi
■   ■   ■   ■   ■   ■   ■   Lusaka
■   ■   ■   ■   ■   ■   ■   Malabo
■   ■   ■   ■   ■   ■   ■   Maputo
■   ■   ■   ■   ■   ■   ■   Maseru
■   ■   ■   ■   ■   ■   ■   Mbabane

```


■	■	■	■	■	■	■	■■■	Mogadishu
■	■	■	■	■	■	■	■■■	Monrovia
■	■	■	■	■	■	■	■■■	Nairobi
■	■	■	■	■	■	■	■■■	Ndjamena
■	■	■	■	■	■	■	■■■	Niamey
■	■	■	■	■	■	■	■■■	Nouakchott
■	■	■	■	■	■	■	■■■	Ouagadougou
■	■	■	■	■	■	■	■■■	Porto-Novo
■	■	■	■	■	■	■	■■■	Sao_Tome
■	■	■	■	■	■	■	■■■	Timbuktu
■	■	■	■	■	■	■	■■■	Tripoli
■	■	■	■	■	■	■	■■■	Tunis
■	■	■	■	■	■	■	■■■	Windhoek
■	■	■	■	■	■	■■■	■■■	America
■	■	■	■	■	■	■	■■■	Adak
■	■	■	■	■	■	■	■■■	Anchorage
■	■	■	■	■	■	■	■■■	Anguilla
■	■	■	■	■	■	■	■■■	Antigua
■	■	■	■	■	■	■	■■■	Araguaina
■	■	■	■	■	■	■	■■■	Argentina
■	■	■	■	■	■	■	■ ■■■	Buenos_Aires
■	■	■	■	■	■	■	■ ■■■	Catamarca
■	■	■	■	■	■	■	■ ■■■	ComodRivadavia
■	■	■	■	■	■	■	■ ■■■	Cordoba
■	■	■	■	■	■	■	■ ■■■	Jujuy
■	■	■	■	■	■	■	■ ■■■	La_Rioja
■	■	■	■	■	■	■	■ ■■■	Mendoza
■	■	■	■	■	■	■	■ ■■■	Rio_Gallegos
■	■	■	■	■	■	■	■ ■■■	Salta
■	■	■	■	■	■	■	■ ■■■	San_Juan
■	■	■	■	■	■	■	■ ■■■	San_Luis
■	■	■	■	■	■	■	■ ■■■	Tucuman
■	■	■	■	■	■	■	■ ■■■	Ushuaia
■	■	■	■	■	■	■	■■■	Aruba
■	■	■	■	■	■	■	■■■	Asuncion
■	■	■	■	■	■	■	■■■	Atikokan
■	■	■	■	■	■	■	■■■	Atka
■	■	■	■	■	■	■	■■■	Bahia
■	■	■	■	■	■	■	■■■	Bahia_Banderas
■	■	■	■	■	■	■	■■■	Barbados
■	■	■	■	■	■	■	■■■	Belem
■	■	■	■	■	■	■	■■■	Belize
■	■	■	■	■	■	■	■■■	Blanc-Sablon
■	■	■	■	■	■	■	■■■	Boa_Vista
■	■	■	■	■	■	■	■■■	Bogota
■	■	■	■	■	■	■	■■■	Boise
■	■	■	■	■	■	■	■■■	Buenos_Aires
■	■	■	■	■	■	■	■■■	Cambridge_Bay
■	■	■	■	■	■	■	■■■	Campo_Grande
■	■	■	■	■	■	■	■■■	Cancun
■	■	■	■	■	■	■	■■■	Caracas
■	■	■	■	■	■	■	■■■	Catamarca
■	■	■	■	■	■	■	■■■	Cayenne
■	■	■	■	■	■	■	■■■	Cayman
■	■	■	■	■	■	■	■■■	Chicago
■	■	■	■	■	■	■	■■■	Chihuahua
■	■	■	■	■	■	■	■■■	Ciudad_Juarez
■	■	■	■	■	■	■	■■■	Coral_Harbour

■	■	■	■	■	■	■	■■■	Cordoba
■	■	■	■	■	■	■	■■■	Costa_Rica
■	■	■	■	■	■	■	■■■	Creston
■	■	■	■	■	■	■	■■■	Cuiaba
■	■	■	■	■	■	■	■■■	Curacao
■	■	■	■	■	■	■	■■■	Danmarkshavn
■	■	■	■	■	■	■	■■■	Dawson
■	■	■	■	■	■	■	■■■	Dawson_Creek
■	■	■	■	■	■	■	■■■	Denver
■	■	■	■	■	■	■	■■■	Detroit
■	■	■	■	■	■	■	■■■	Dominica
■	■	■	■	■	■	■	■■■	Edmonton
■	■	■	■	■	■	■	■■■	Eirunepe
■	■	■	■	■	■	■	■■■	El_Salvador
■	■	■	■	■	■	■	■■■	Ensenada
■	■	■	■	■	■	■	■■■	Fort_Nelson
■	■	■	■	■	■	■	■■■	Fort_Wayne
■	■	■	■	■	■	■	■■■	Fortaleza
■	■	■	■	■	■	■	■■■	Glace_Bay
■	■	■	■	■	■	■	■■■	Godthab
■	■	■	■	■	■	■	■■■	Goose_Bay
■	■	■	■	■	■	■	■■■	Grand_Turk
■	■	■	■	■	■	■	■■■	Grenada
■	■	■	■	■	■	■	■■■	Guadeloupe
■	■	■	■	■	■	■	■■■	Guatemala
■	■	■	■	■	■	■	■■■	Guayaquil
■	■	■	■	■	■	■	■■■	Guyana
■	■	■	■	■	■	■	■■■	Halifax
■	■	■	■	■	■	■	■■■	Havana
■	■	■	■	■	■	■	■■■	Hermosillo
■	■	■	■	■	■	■	■■■	Indiana
■	■	■	■	■	■	■	■ ■■■	Indianapolis
■	■	■	■	■	■	■	■ ■■■	Knox
■	■	■	■	■	■	■	■ ■■■	Marengo
■	■	■	■	■	■	■	■ ■■■	Petersburg
■	■	■	■	■	■	■	■ ■■■	Tell_City
■	■	■	■	■	■	■	■ ■■■	Vevay
■	■	■	■	■	■	■	■ ■■■	Vincennes
■	■	■	■	■	■	■	■ ■■■	Winamac
■	■	■	■	■	■	■	■■■	Indianapolis
■	■	■	■	■	■	■	■■■	Inuvik
■	■	■	■	■	■	■	■■■	Iqaluit
■	■	■	■	■	■	■	■■■	Jamaica
■	■	■	■	■	■	■	■■■	Jujuy
■	■	■	■	■	■	■	■■■	Juneau
■	■	■	■	■	■	■	■■■	Kentucky
■	■	■	■	■	■	■	■ ■■■	Louisville
■	■	■	■	■	■	■	■ ■■■	Monticello
■	■	■	■	■	■	■	■■■	Knox_IN
■	■	■	■	■	■	■	■■■	Kralendijk
■	■	■	■	■	■	■	■■■	La_Paz
■	■	■	■	■	■	■	■■■	Lima
■	■	■	■	■	■	■	■■■	Los_Angeles
■	■	■	■	■	■	■	■■■	Louisville
■	■	■	■	■	■	■	■■■	Lower_Princes
■	■	■	■	■	■	■	■■■	Maceio
■	■	■	■	■	■	■	■■■	Managua
■	■	■	■	■	■	■	■■■	Manaus

■	■	■	■	■	■	■	■■■	Marigot
■	■	■	■	■	■	■	■■■	Martinique
■	■	■	■	■	■	■	■■■	Matamoros
■	■	■	■	■	■	■	■■■	Mazatlan
■	■	■	■	■	■	■	■■■	Mendoza
■	■	■	■	■	■	■	■■■	Menominee
■	■	■	■	■	■	■	■■■	Merida
■	■	■	■	■	■	■	■■■	Metlakatla
■	■	■	■	■	■	■	■■■	Mexico_City
■	■	■	■	■	■	■	■■■	Miquelon
■	■	■	■	■	■	■	■■■	Moncton
■	■	■	■	■	■	■	■■■	Monterrey
■	■	■	■	■	■	■	■■■	Montevideo
■	■	■	■	■	■	■	■■■	Montreal
■	■	■	■	■	■	■	■■■	Montserrat
■	■	■	■	■	■	■	■■■	Nassau
■	■	■	■	■	■	■	■■■	New_York
■	■	■	■	■	■	■	■■■	Nipigon
■	■	■	■	■	■	■	■■■	Nome
■	■	■	■	■	■	■	■■■	Noronha
■	■	■	■	■	■	■	■■■	North_Dakota
■	■	■	■	■	■	■	■ ■■■	Beulah
■	■	■	■	■	■	■	■ ■■■	Center
■	■	■	■	■	■	■	■ ■■■	New_Salem
■	■	■	■	■	■	■	■■■	Nuuk
■	■	■	■	■	■	■	■■■	Ojinaga
■	■	■	■	■	■	■	■■■	Panama
■	■	■	■	■	■	■	■■■	Pangnirtung
■	■	■	■	■	■	■	■■■	Paramaribo
■	■	■	■	■	■	■	■■■	Phoenix
■	■	■	■	■	■	■	■■■	Port-au-Prince
■	■	■	■	■	■	■	■■■	Port_of_Spain
■	■	■	■	■	■	■	■■■	Porto_Acre
■	■	■	■	■	■	■	■■■	Porto_Velho
■	■	■	■	■	■	■	■■■	Puerto_Rico
■	■	■	■	■	■	■	■■■	Punta_Arenas
■	■	■	■	■	■	■	■■■	Rainy_River
■	■	■	■	■	■	■	■■■	Rankin_Inlet
■	■	■	■	■	■	■	■■■	Recife
■	■	■	■	■	■	■	■■■	Regina
■	■	■	■	■	■	■	■■■	Resolute
■	■	■	■	■	■	■	■■■	Rio_Branco
■	■	■	■	■	■	■	■■■	Rosario
■	■	■	■	■	■	■	■■■	Santa_Isabel
■	■	■	■	■	■	■	■■■	Santarem
■	■	■	■	■	■	■	■■■	Santiago
■	■	■	■	■	■	■	■■■	Santo_Domingo
■	■	■	■	■	■	■	■■■	Sao_Paulo
■	■	■	■	■	■	■	■■■	Scoresbysund
■	■	■	■	■	■	■	■■■	Shiprock
■	■	■	■	■	■	■	■■■	Sitka
■	■	■	■	■	■	■	■■■	St_Barthelemy
■	■	■	■	■	■	■	■■■	St_Johns
■	■	■	■	■	■	■	■■■	St_Kitts
■	■	■	■	■	■	■	■■■	St_Lucia
■	■	■	■	■	■	■	■■■	St_Thomas
■	■	■	■	■	■	■	■■■	St_Vincent
■	■	■	■	■	■	■	■■■	Swift_Current

■	■	■	■	■	■	■	■■■	Tegucigalpa
■	■	■	■	■	■	■	■■■	Thule
■	■	■	■	■	■	■	■■■	Thunder_Bay
■	■	■	■	■	■	■	■■■	Tijuana
■	■	■	■	■	■	■	■■■	Toronto
■	■	■	■	■	■	■	■■■	Tortola
■	■	■	■	■	■	■	■■■	Vancouver
■	■	■	■	■	■	■	■■■	Virgin
■	■	■	■	■	■	■	■■■	Whitehorse
■	■	■	■	■	■	■	■■■	Winnipeg
■	■	■	■	■	■	■	■■■	Yakutat
■	■	■	■	■	■	■	■■■	Yellowknife
■	■	■	■	■	■	■■■	■■■	Antarctica
■	■	■	■	■	■	■	■■■	Casey
■	■	■	■	■	■	■	■■■	Davis
■	■	■	■	■	■	■	■■■	DumontDURville
■	■	■	■	■	■	■	■■■	Macquarie
■	■	■	■	■	■	■	■■■	Mawson
■	■	■	■	■	■	■	■■■	McMurdo
■	■	■	■	■	■	■	■■■	Palmer
■	■	■	■	■	■	■	■■■	Rothera
■	■	■	■	■	■	■	■■■	South_Pole
■	■	■	■	■	■	■	■■■	Syowa
■	■	■	■	■	■	■	■■■	Troll
■	■	■	■	■	■	■	■■■	Vostok
■	■	■	■	■	■	■■■	■■■	Arctic
■	■	■	■	■	■	■	■■■	Longyearbyen
■	■	■	■	■	■	■■■	■■■	Asia
■	■	■	■	■	■	■	■■■	Aden
■	■	■	■	■	■	■	■■■	Almaty
■	■	■	■	■	■	■	■■■	Amman
■	■	■	■	■	■	■	■■■	Anadyr
■	■	■	■	■	■	■	■■■	Aqtau
■	■	■	■	■	■	■	■■■	Aqtobe
■	■	■	■	■	■	■	■■■	Ashgabat
■	■	■	■	■	■	■	■■■	Ashkhabad
■	■	■	■	■	■	■	■■■	Atyrau
■	■	■	■	■	■	■	■■■	Baghdad
■	■	■	■	■	■	■	■■■	Bahrain
■	■	■	■	■	■	■	■■■	Baku
■	■	■	■	■	■	■	■■■	Bangkok
■	■	■	■	■	■	■	■■■	Barnaul
■	■	■	■	■	■	■	■■■	Beirut
■	■	■	■	■	■	■	■■■	Bishkek
■	■	■	■	■	■	■	■■■	Brunei
■	■	■	■	■	■	■	■■■	Calcutta
■	■	■	■	■	■	■	■■■	Chita
■	■	■	■	■	■	■	■■■	Choibalsan
■	■	■	■	■	■	■	■■■	Chongqing
■	■	■	■	■	■	■	■■■	Chungking
■	■	■	■	■	■	■	■■■	Colombo
■	■	■	■	■	■	■	■■■	Dacca
■	■	■	■	■	■	■	■■■	Damascus
■	■	■	■	■	■	■	■■■	Dhaka
■	■	■	■	■	■	■	■■■	Dili
■	■	■	■	■	■	■	■■■	Dubai
■	■	■	■	■	■	■	■■■	Dushanbe
■	■	■	■	■	■	■	■■■	Famagusta

[illegible]

[illegible]

[illegible]

[illegible]

■	■	■	■	■	■	■	■■■	Johnston
■	■	■	■	■	■	■	■■■	Kanton
■	■	■	■	■	■	■	■■■	Kiritimati
■	■	■	■	■	■	■	■■■	Kosrae
■	■	■	■	■	■	■	■■■	Kwajalein
■	■	■	■	■	■	■	■■■	Majuro
■	■	■	■	■	■	■	■■■	Marquesas
■	■	■	■	■	■	■	■■■	Midway
■	■	■	■	■	■	■	■■■	Nauru
■	■	■	■	■	■	■	■■■	Niue
■	■	■	■	■	■	■	■■■	Norfolk
■	■	■	■	■	■	■	■■■	Noumea
■	■	■	■	■	■	■	■■■	Pago_Pago
■	■	■	■	■	■	■	■■■	Palau
■	■	■	■	■	■	■	■■■	Pitcairn
■	■	■	■	■	■	■	■■■	Pohnpei
■	■	■	■	■	■	■	■■■	Ponape
■	■	■	■	■	■	■	■■■	Port_Moresby
■	■	■	■	■	■	■	■■■	Rarotonga
■	■	■	■	■	■	■	■■■	Saipan
■	■	■	■	■	■	■	■■■	Samoa
■	■	■	■	■	■	■	■■■	Tahiti
■	■	■	■	■	■	■	■■■	Tarawa
■	■	■	■	■	■	■	■■■	Tongatapu
■	■	■	■	■	■	■	■■■	Truk
■	■	■	■	■	■	■	■■■	Wake
■	■	■	■	■	■	■	■■■	Wallis
■	■	■	■	■	■	■	■■■	Yap
■	■	■	■	■	■	■■■	Poland	
■	■	■	■	■	■	■■■	Portugal	
■	■	■	■	■	■	■■■	ROC	
■	■	■	■	■	■	■■■	ROK	
■	■	■	■	■	■	■■■	Singapore	
■	■	■	■	■	■	■■■	Turkey	
■	■	■	■	■	■	■■■	UCT	
■	■	■	■	■	■	■■■	US	
■	■	■	■	■	■	■	■■■	Alaska
■	■	■	■	■	■	■	■■■	Aleutian
■	■	■	■	■	■	■	■■■	Arizona
■	■	■	■	■	■	■	■■■	Central
■	■	■	■	■	■	■	■■■	East-Indiana
■	■	■	■	■	■	■	■■■	Eastern
■	■	■	■	■	■	■	■■■	Hawaii
■	■	■	■	■	■	■	■■■	Indiana-Starke
■	■	■	■	■	■	■	■■■	Michigan
■	■	■	■	■	■	■	■■■	Mountain
■	■	■	■	■	■	■	■■■	Pacific
■	■	■	■	■	■	■	■■■	Samoa
■	■	■	■	■	■	■■■	UTC	
■	■	■	■	■	■	■■■	Universal	
■	■	■	■	■	■	■■■	W-SU	
■	■	■	■	■	■	■■■	WET	
■	■	■	■	■	■	■■■	Zulu	
■	■	■	■	■	■	■■■	iso3166.tab	
■	■	■	■	■	■	■■■	leapseconds	
■	■	■	■	■	■	■■■	tzdata.zi	
■	■	■	■	■	■	■■■	zone.tab	
■	■	■	■	■	■	■■■	zone1970.tab	


```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _readers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _wavelab_signals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ create_dat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _readers.py
■ ■ ■ ■ ■ ■ ■ ■■■ _wavelab_signals.py
■ ■ ■ ■ ■ ■ ■ ■■■ aero.npz
■ ■ ■ ■ ■ ■ ■ ■■■ ascent.npz
■ ■ ■ ■ ■ ■ ■ ■■■ camera.npz
■ ■ ■ ■ ■ ■ ■ ■■■ create_dat.py
■ ■ ■ ■ ■ ■ ■ ■■■ ecg.npz
■ ■ ■ ■ ■ ■ ■ ■■■ sst_nino3.npz
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ test__pywt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_concurrent.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_cwt_wavelets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_deprecations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_doc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_dwt_idwt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_matlab_compatibility.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_matlab_compatibility_cwt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_modes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mra.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_multidim.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_multilevel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_perfect_reconstruction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_swt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_thresholding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_wavelet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_wp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_wp2d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_wpnd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ data
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ generate_matlab_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ generate_matlab_data_cwt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cwt_matlabR2015b_result.npz
■ ■ ■ ■ ■ ■ ■ ■■■ dwt_matlabR2012a_result.npz
■ ■ ■ ■ ■ ■ ■ ■■■ generate_matlab_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ generate_matlab_data_cwt.py
■ ■ ■ ■ ■ ■ ■ ■■■ wavelab_test_signals.npz
■ ■ ■ ■ ■ ■ ■ ■■■ test__pywt.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_concurrent.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cwt_wavelets.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_deprecations.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_doc.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dwt_idwt.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_matlab_compatibility.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_matlab_compatibility_cwt.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_modes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_mra.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_multidim.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_multilevel.py

```

```

test_perfect_reconstruction.py
test_swt.py
test_thresholding.py
test_wavelet.py
test_wp.py
test_wp2d.py
test_wpond.py
version.py
pyximport
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    pyxbuild.cpython-311.pyc
    pyximport.cpython-311.pyc
  pyxbuild.py
  pyximport.py
pyxlsb
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    biff12.cpython-311.pyc
    handlers.cpython-311.pyc
    reader.cpython-311.pyc
    stringtable.cpython-311.pyc
    workbook.cpython-311.pyc
    worksheet.cpython-311.pyc
  biff12.py
  handlers.py
  reader.py
  stringtable.py
  workbook.py
  worksheet.py
pyxlsb-1.0.8.dist-info
  COPYING
  COPYING.LESSER
  INSTALLER
  METADATA
  RECORD
  REQUESTED
  WHEEL
  top_level.txt
pyzbar
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    locations.cpython-311.pyc
    pyzbar.cpython-311.pyc
    pyzbar_error.cpython-311.pyc
    wrapper.cpython-311.pyc
    zbar_library.cpython-311.pyc
  locations.py
  pyzbar.py
  pyzbar_error.py
  scripts
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      read_zbar.cpython-311.pyc

```

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ rarfile.py
■ ■ ■ ■ ■ ■ ■ ■ rasterio
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _path.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _show_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ control.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ coords.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ drivers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ enums.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ env.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ features.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ fill.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ mask.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ merge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ path.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ profiles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ rpc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ sample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ session.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ transform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ vrt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ warp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ windows.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _base.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _env.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _err.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _example.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _features.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _filepath.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _fill.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _io.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _path.py
■ ■ ■ ■ ■ ■ ■ ■ _show_versions.py
■ ■ ■ ■ ■ ■ ■ ■ _transform.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _warp.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ control.py
■ ■ ■ ■ ■ ■ ■ ■ coords.py
■ ■ ■ ■ ■ ■ ■ ■ crs.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ drivers.py
■ ■ ■ ■ ■ ■ ■ ■ dtypes.py
■ ■ ■ ■ ■ ■ ■ ■ enums.py
■ ■ ■ ■ ■ ■ ■ ■ env.py
■ ■ ■ ■ ■ ■ ■ ■ errors.py
■ ■ ■ ■ ■ ■ ■ ■ features.py
■ ■ ■ ■ ■ ■ ■ ■ fill.py
■ ■ ■ ■ ■ ■ ■ ■ gdal_data
■ ■ ■ ■ ■ ■ ■ ■ GDALLogoBW.svg
■ ■ ■ ■ ■ ■ ■ ■ GDALLogoColor.svg
■ ■ ■ ■ ■ ■ ■ ■ GDALLogoGS.svg

```


■	■	■	■	■	■	■■■	LICENSE.TXT
■	■	■	■	■	■	■■■	bag_template.xml
■	■	■	■	■	■	■■■	cubewerx_extra.wkt
■	■	■	■	■	■	■■■	default.rsc
■	■	■	■	■	■	■■■	ecw_cs.wkt
■	■	■	■	■	■	■■■	eedaconf.json
■	■	■	■	■	■	■■■	epsg.wkt
■	■	■	■	■	■	■■■	esri_StatePlane_extra.wkt
■	■	■	■	■	■	■■■	gdalicon.png
■	■	■	■	■	■	■■■	gdalmdiminfo_output.schema.json
■	■	■	■	■	■	■■■	gdalvrt.xsd
■	■	■	■	■	■	■■■	gml_registry.xml
■	■	■	■	■	■	■■■	gmlasconf.xml
■	■	■	■	■	■	■■■	gmlasconf.xsd
■	■	■	■	■	■	■■■	grib2_center.csv
■	■	■	■	■	■	■■■	grib2_process.csv
■	■	■	■	■	■	■■■	grib2_subcenter.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_13.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_14.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_15.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_16.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_17.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_18.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_19.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_190.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_191.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_20.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_6.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_0_7.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_191.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_10_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_1_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_1_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_1_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_20_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_20_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_20_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_2_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_0.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_1.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_2.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_3.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_4.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_5.csv
■	■	■	■	■	■	■■■	grib2_table_4_2_3_6.csv

■	■	■	■	■	■	■■■	ozi_datum.csv
■	■	■	■	■	■	■■■	ozi_ellips.csv
■	■	■	■	■	■	■■■	pci_datum.txt
■	■	■	■	■	■	■■■	pci_ellips.txt
■	■	■	■	■	■	■■■	pdfcomposition.xsd
■	■	■	■	■	■	■■■	pds4_template.xml
■	■	■	■	■	■	■■■	plscenesconf.json
■	■	■	■	■	■	■■■	ruian_vf_ob_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_st_uvoh_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_st_v1.gfs
■	■	■	■	■	■	■■■	ruian_vf_v1.gfs
■	■	■	■	■	■	■■■	s57agencies.csv
■	■	■	■	■	■	■■■	s57attributes.csv
■	■	■	■	■	■	■■■	s57expectedinput.csv
■	■	■	■	■	■	■■■	s57objectclasses.csv
■	■	■	■	■	■	■■■	seed_2d.dgn
■	■	■	■	■	■	■■■	seed_3d.dgn
■	■	■	■	■	■	■■■	stateplane.csv
■	■	■	■	■	■	■■■	template_tiles.mapml
■	■	■	■	■	■	■■■	tms_LINZAntarticaMapTileGrid.json
■	■	■	■	■	■	■■■	tms_MapML_APSTILE.json
■	■	■	■	■	■	■■■	tms_MapML_CBMTILE.json
■	■	■	■	■	■	■■■	tms_NZTM2000.json
■	■	■	■	■	■	■■■	trailer.dxf
■	■	■	■	■	■	■■■	vdv452.xml
■	■	■	■	■	■	■■■	vdv452.xsd
■	■	■	■	■	■	■■■	vicar.json
■	■	■	■	■	■■■	io.py	
■	■	■	■	■	■■■	mask.py	
■	■	■	■	■	■■■	merge.py	
■	■	■	■	■	■■■	path.py	
■	■	■	■	■	■■■	plot.py	
■	■	■	■	■	■■■	profiles.py	
■	■	■	■	■	■■■	proj_data	
■	■	■	■	■	■	■■■	CH
■	■	■	■	■	■	■■■	GL27
■	■	■	■	■	■	■■■	ITRF2000
■	■	■	■	■	■	■■■	ITRF2008
■	■	■	■	■	■	■■■	ITRF2014
■	■	■	■	■	■	■■■	deformation_model.schema.json
■	■	■	■	■	■	■■■	nad.lst
■	■	■	■	■	■	■■■	nad27
■	■	■	■	■	■	■■■	nad83
■	■	■	■	■	■	■■■	other.extra
■	■	■	■	■	■	■■■	proj.db
■	■	■	■	■	■	■■■	proj.ini
■	■	■	■	■	■	■■■	projjson.schema.json
■	■	■	■	■	■	■■■	triangulation.schema.json
■	■	■	■	■	■	■■■	world
■	■	■	■	■	■■■	rio	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	blocks.cpython-311.pyc
■	■	■	■	■	■	■■■	bounds.cpython-311.pyc
■	■	■	■	■	■	■■■	calc.cpython-311.pyc
■	■	■	■	■	■	■■■	clip.cpython-311.pyc
■	■	■	■	■	■	■■■	convert.cpython-311.pyc

```
■ ■ ■ ■ ■ ■ ■ ■■■ edit_info.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ env.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gcps.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ info.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ insp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ main.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mask.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ merge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ overview.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rasterize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shapes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stack.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ transform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ warp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ blocks.py
■ ■ ■ ■ ■ ■ ■ ■■■ bounds.py
■ ■ ■ ■ ■ ■ ■ ■■■ calc.py
■ ■ ■ ■ ■ ■ ■ ■■■ clip.py
■ ■ ■ ■ ■ ■ ■ ■■■ convert.py
■ ■ ■ ■ ■ ■ ■ ■■■ edit_info.py
■ ■ ■ ■ ■ ■ ■ ■■■ env.py
■ ■ ■ ■ ■ ■ ■ ■■■ gcps.py
■ ■ ■ ■ ■ ■ ■ ■■■ helpers.py
■ ■ ■ ■ ■ ■ ■ ■■■ info.py
■ ■ ■ ■ ■ ■ ■ ■■■ insp.py
■ ■ ■ ■ ■ ■ ■ ■■■ main.py
■ ■ ■ ■ ■ ■ ■ ■■■ mask.py
■ ■ ■ ■ ■ ■ ■ ■■■ merge.py
■ ■ ■ ■ ■ ■ ■ ■■■ options.py
■ ■ ■ ■ ■ ■ ■ ■■■ overview.py
■ ■ ■ ■ ■ ■ ■ ■■■ rasterize.py
■ ■ ■ ■ ■ ■ ■ ■■■ rm.py
■ ■ ■ ■ ■ ■ ■ ■■■ sample.py
■ ■ ■ ■ ■ ■ ■ ■■■ shapes.py
■ ■ ■ ■ ■ ■ ■ ■■■ stack.py
■ ■ ■ ■ ■ ■ ■ ■■■ transform.py
■ ■ ■ ■ ■ ■ ■ ■■■ warp.py
■ ■ ■ ■ ■ ■ ■ ■■■ rpc.py
■ ■ ■ ■ ■ ■ ■ ■■■ sample.py
■ ■ ■ ■ ■ ■ ■ ■■■ session.py
■ ■ ■ ■ ■ ■ ■ ■■■ shutil.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ tools.py
■ ■ ■ ■ ■ ■ ■ ■■■ transform.py
■ ■ ■ ■ ■ ■ ■ ■■■ vrt.py
■ ■ ■ ■ ■ ■ ■ ■■■ warp.py
■ ■ ■ ■ ■ ■ ■ ■■■ windows.py
■ ■ ■ ■ ■ ■ ■■■ rasterio-1.3.3.dist-info
■ ■ ■ ■ ■ ■ ■■■ AUTHORS.txt
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
```

```

■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ rasterio.libs
■ ■ ■ ■ ■ ■■■ libaec-7506c78d.so.0.0.10
■ ■ ■ ■ ■ ■■■ libcurl-eb5b6711.so.4.7.0
■ ■ ■ ■ ■ ■■■ libgdal-fe50f3e8.so.31.0.2
■ ■ ■ ■ ■ ■■■ libgeos-5d7e03f5.so.3.11.0
■ ■ ■ ■ ■ ■■■ libgeos_c-93989d8b.so.1.17.0
■ ■ ■ ■ ■ ■■■ libgif-0706e08a.so.7.0.0
■ ■ ■ ■ ■ ■■■ libhdf5-e2994792.so.200.1.0
■ ■ ■ ■ ■ ■■■ libhdf5_hl-cfd10301.so.200.0.1
■ ■ ■ ■ ■ ■■■ libjpeg-82e9a1fb.so.9.3.0
■ ■ ■ ■ ■ ■■■ libjson-c-94fd386a.so.5.1.0
■ ■ ■ ■ ■ ■■■ liblzma-c949e524.so.5.2.2
■ ■ ■ ■ ■ ■■■ libnetcdf-0040b334.so.13.1.1
■ ■ ■ ■ ■ ■■■ libnghttp2-e183d352.so.14.21.1
■ ■ ■ ■ ■ ■■■ libopenjp2-a166e295.so.2.4.0
■ ■ ■ ■ ■ ■■■ libpcre-9513aab5.so.1.2.0
■ ■ ■ ■ ■ ■■■ libpng16-8ebcc106.so.16.35.0
■ ■ ■ ■ ■ ■■■ libproj-198cf725.so.25.9.0.1
■ ■ ■ ■ ■ ■■■ libsqlite3-b9d397b9.so.0.8.6
■ ■ ■ ■ ■ ■■■ libsz-cbeefad7.so.2.0.1
■ ■ ■ ■ ■ ■■■ libtiff-eeefa7591.so.5.7.0
■ ■ ■ ■ ■ ■■■ libwebp-2a0a5086.so.7.0.5
■ ■ ■ ■ ■ ■■■ libzstd-8255c9c1.so.1.5.0
■ ■ ■ ■ ■ ■■■ rdflib
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ collection.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ compare.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ container.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ events.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ graph.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ paths.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ plugin.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ query.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ resource.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ serializer.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ store.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ term.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ void.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ collection.py
■ ■ ■ ■ ■ ■■■ compare.py
■ ■ ■ ■ ■ ■■■ compat.py
■ ■ ■ ■ ■ ■■■ container.py
■ ■ ■ ■ ■ ■■■ events.py
■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■■■ extras
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ cmdlineutils.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ describer.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ external_graph_libs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ infixowl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cmdlineutils.py
■ ■ ■ ■ ■ ■ ■ ■■■ describer.py
■ ■ ■ ■ ■ ■ ■ ■■■ external_graph_libs.py
■ ■ ■ ■ ■ ■ ■ ■■■ infixowl.py
■ ■ ■ ■ ■ ■ ■■■■ graph.py
■ ■ ■ ■ ■ ■ ■■■■ namespace
■ ■ ■ ■ ■ ■ ■■■■ _CSVW.py
■ ■ ■ ■ ■ ■ ■■■■ _DC.py
■ ■ ■ ■ ■ ■ ■■■■ _DCAM.py
■ ■ ■ ■ ■ ■ ■■■■ _DCAT.py
■ ■ ■ ■ ■ ■ ■■■■ _DCMITYPE.py
■ ■ ■ ■ ■ ■ ■■■■ _DCTERMS.py
■ ■ ■ ■ ■ ■ ■■■■ _DOAP.py
■ ■ ■ ■ ■ ■ ■■■■ _FOAF.py
■ ■ ■ ■ ■ ■ ■■■■ _ODRL2.py
■ ■ ■ ■ ■ ■ ■■■■ _ORG.py
■ ■ ■ ■ ■ ■ ■■■■ _OWL.py
■ ■ ■ ■ ■ ■ ■■■■ _PROF.py
■ ■ ■ ■ ■ ■ ■■■■ _PROV.py
■ ■ ■ ■ ■ ■ ■■■■ _QB.py
■ ■ ■ ■ ■ ■ ■■■■ _RDF.py
■ ■ ■ ■ ■ ■ ■■■■ _RDFS.py
■ ■ ■ ■ ■ ■ ■■■■ _SDO.py
■ ■ ■ ■ ■ ■ ■■■■ _SH.py
■ ■ ■ ■ ■ ■ ■■■■ _SKOS.py
■ ■ ■ ■ ■ ■ ■■■■ _SOSA.py
■ ■ ■ ■ ■ ■ ■■■■ _SSN.py
■ ■ ■ ■ ■ ■ ■■■■ _TIME.py
■ ■ ■ ■ ■ ■ ■■■■ _VANN.py
■ ■ ■ ■ ■ ■ ■■■■ _VOID.py
■ ■ ■ ■ ■ ■ ■■■■ _XSD.py
■ ■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■■ _CSVW.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DC.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DCAM.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DCAT.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DCMITYPE.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DCTERMS.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _DOAP.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _FOAF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _ODRL2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _ORG.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _OWL.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _PROF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _PROV.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _QB.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _RDF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _RDFS.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _SDO.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _SH.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _SKOS.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _SOSA.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _SSN.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _TIME.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ _VANN.cpython-311.pyc
```

```

_ _ _ _ _ VOID.cpython-311.pyc
_ _ _ _ _ XSD.cpython-311.pyc
_ _ _ _ _ __init__.cpython-311.pyc
parser.py
paths.py
plugin.py
plugins
__init__.py
__pycache__
__init__.cpython-311.pyc
parsers
RDFVOC.py
__init__.py
__pycache__
RDFVOC.cpython-311.pyc
__init__.cpython-311.pyc
jsonld.cpython-311.pyc
notation3.cpython-311.pyc
nquads.cpython-311.pyc
ntriples.cpython-311.pyc
rdfxml.cpython-311.pyc
trig.cpython-311.pyc
trix.cpython-311.pyc
jsonld.py
notation3.py
nquads.py
ntriples.py
rdfxml.py
trig.py
trix.py
serializers
__init__.py
__pycache__
__init__.cpython-311.pyc
jsonld.cpython-311.pyc
n3.cpython-311.pyc
nquads.cpython-311.pyc
nt.cpython-311.pyc
rdfxml.cpython-311.pyc
trig.cpython-311.pyc
trix.cpython-311.pyc
turtle.cpython-311.pyc
xmlwriter.cpython-311.pyc
jsonld.py
n3.py
nquads.py
nt.py
rdfxml.py
trig.py
trix.py
turtle.py
xmlwriter.py
shared
__init__.py
__pycache__
__init__.cpython-311.pyc
jsonld
__init__.py

```


[illegible]

```
jsschema.py
py.typed
retrieval.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_core.cpython-311.pyc
        test_exceptions.cpython-311.pyc
        test_jsschema.cpython-311.pyc
        test_referencing_suite.cpython-311.pyc
        test_retrieval.cpython-311.pyc
test_core.py
test_exceptions.py
test_jsschema.py
test_referencing_suite.py
test_retrieval.py
typing.py
referencing-0.35.1.dist-info
INSTALLER
METADATA
RECORD
WHEEL
licenses
COPYING
regex
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _regex_core.cpython-311.pyc
        regex.cpython-311.pyc
        test_regex.cpython-311.pyc
    _regex.cpython-311-x86_64-linux-gnu.so
    _regex_core.py
    regex.py
    test_regex.py
regex-2024.11.6.dist-info
INSTALLER
LICENSE.txt
METADATA
RECORD
WHEEL
top_level.txt
reportlab
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        rl_config.cpython-311.pyc
        rl_settings.cpython-311.pyc
fonts
      readme.txt
    DarkGarden-changelog.txt
    DarkGarden-copying-gpl.txt
    DarkGarden-copying.txt
    DarkGarden-readme.txt
    DarkGarden.sfd
    DarkGardenMK.afm
    DarkGardenMK.pfb
```

■	■	■	■	■	■	■■■	Vera.ttf
■	■	■	■	■	■	■■■	VeraBI.ttf
■	■	■	■	■	■	■■■	VeraBd.ttf
■	■	■	■	■	■	■■■	VeraIt.ttf
■	■	■	■	■	■	■■■	_a____.pfb
■	■	■	■	■	■	■■■	_ab____.pfb
■	■	■	■	■	■	■■■	_abi____.pfb
■	■	■	■	■	■	■■■	_ai____.pfb
■	■	■	■	■	■	■■■	_eb____.pfb
■	■	■	■	■	■	■■■	_ebi____.pfb
■	■	■	■	■	■	■■■	_ei____.pfb
■	■	■	■	■	■	■■■	_er____.pfb
■	■	■	■	■	■	■■■	bitstream-vera-license.txt
■	■	■	■	■	■	■■■	callig15.afm
■	■	■	■	■	■	■■■	callig15.pfb
■	■	■	■	■	■	■■■	cob____.pfb
■	■	■	■	■	■	■■■	cobo____.pfb
■	■	■	■	■	■	■■■	com____.pfb
■	■	■	■	■	■	■■■	coo____.pfb
■	■	■	■	■	■	■■■	sy____.pfb
■	■	■	■	■	■	■■■	zd____.pfb
■	■	■	■	■	■	■■■	zx____.pfb
■	■	■	■	■	■	■■■	zy____.pfb
■	■	■	■	■	■■■	graphics	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	renderPDF.cpython-311.pyc
■	■	■	■	■	■	■■■	renderPM.cpython-311.pyc
■	■	■	■	■	■	■■■	renderPS.cpython-311.pyc
■	■	■	■	■	■	■■■	renderSVG.cpython-311.pyc
■	■	■	■	■	■	■■■	renderbase.cpython-311.pyc
■	■	■	■	■	■	■■■	shapes.cpython-311.pyc
■	■	■	■	■	■	■■■	testdrawings.cpython-311.pyc
■	■	■	■	■	■	■■■	testshapes.cpython-311.pyc
■	■	■	■	■	■	■■■	transform.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■	widgetbase.cpython-311.pyc
■	■	■	■	■	■■■	_renderPM.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	barcode	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	code128.cpython-311.pyc
■	■	■	■	■	■	■■■	code39.cpython-311.pyc
■	■	■	■	■	■	■■■	code93.cpython-311.pyc
■	■	■	■	■	■	■■■	common.cpython-311.pyc
■	■	■	■	■	■	■■■	dmtx.cpython-311.pyc
■	■	■	■	■	■	■■■	eanbc.cpython-311.pyc
■	■	■	■	■	■	■■■	ecc200datamatrix.cpython-311.pyc
■	■	■	■	■	■	■■■	fourstate.cpython-311.pyc
■	■	■	■	■	■	■■■	lto.cpython-311.pyc
■	■	■	■	■	■	■■■	qr.cpython-311.pyc
■	■	■	■	■	■	■■■	qrencoder.cpython-311.pyc
■	■	■	■	■	■	■■■	test.cpython-311.pyc
■	■	■	■	■	■	■■■	usps.cpython-311.pyc
■	■	■	■	■	■	■■■	usps4s.cpython-311.pyc
■	■	■	■	■	■	■■■	widgets.cpython-311.pyc

```
■ ■ ■ ■ ■ ■ ■ ■■■ code128.py
■ ■ ■ ■ ■ ■ ■ ■■■ code39.py
■ ■ ■ ■ ■ ■ ■ ■■■ code93.py
■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■■■ dmtx.py
■ ■ ■ ■ ■ ■ ■ ■■■ eanbc.py
■ ■ ■ ■ ■ ■ ■ ■■■ ecc200datamatrix.py
■ ■ ■ ■ ■ ■ ■ ■■■ fourstate.py
■ ■ ■ ■ ■ ■ ■ ■■■ lto.py
■ ■ ■ ■ ■ ■ ■ ■■■ qr.py
■ ■ ■ ■ ■ ■ ■ ■■■ qrencoder.py
■ ■ ■ ■ ■ ■ ■ ■■■ test.py
■ ■ ■ ■ ■ ■ ■ ■■■ usps.py
■ ■ ■ ■ ■ ■ ■ ■■■ usps4s.py
■ ■ ■ ■ ■ ■ ■ ■■■ widgets.py
■ ■ ■ ■ ■ ■ ■ ■■■ charts
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ areas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ axes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ barcharts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dotbox.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ doughnut.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ legends.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ linecharts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lineplots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ piecharts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ slidebox.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ spider.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ textlabels.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils3d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ areas.py
■ ■ ■ ■ ■ ■ ■ ■■■ axes.py
■ ■ ■ ■ ■ ■ ■ ■■■ barcharts.py
■ ■ ■ ■ ■ ■ ■ ■■■ dotbox.py
■ ■ ■ ■ ■ ■ ■ ■■■ doughnut.py
■ ■ ■ ■ ■ ■ ■ ■■■ legends.py
■ ■ ■ ■ ■ ■ ■ ■■■ linecharts.py
■ ■ ■ ■ ■ ■ ■ ■■■ lineplots.py
■ ■ ■ ■ ■ ■ ■ ■■■ markers.py
■ ■ ■ ■ ■ ■ ■ ■■■ piecharts.py
■ ■ ■ ■ ■ ■ ■ ■■■ slidebox.py
■ ■ ■ ■ ■ ■ ■ ■■■ spider.py
■ ■ ■ ■ ■ ■ ■ ■■■ textlabels.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils3d.py
■ ■ ■ ■ ■ ■ ■ ■■■ renderPDF.py
■ ■ ■ ■ ■ ■ ■ ■■■ renderPM.py
■ ■ ■ ■ ■ ■ ■ ■■■ renderPS.py
■ ■ ■ ■ ■ ■ ■ ■■■ renderSVG.py
■ ■ ■ ■ ■ ■ ■ ■■■ renderbase.py
■ ■ ■ ■ ■ ■ ■ ■■■ samples
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ bubble.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ clustered_bar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ clustered_column.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ excelcolors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ exploded_pie.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ filled_radar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ line_chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ linechart_with_markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ radar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ runall.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter_lines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter_lines_markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ simple_pie.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ stacked_bar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ stacked_column.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bubble.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ clustered_bar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ clustered_column.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ excelcolors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ exploded_pie.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ filled_radar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ line_chart.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ linechart_with_markers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ radar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ runall.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter_lines.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ scatter_lines_markers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ simple_pie.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ stacked_bar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ stacked_column.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ shapes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ testdrawings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ testshapes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ transform.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ widgetbase.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ widgets
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ adjustableArrow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ eventcal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ flags.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ grids.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ markers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ signsandsymbols.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ adjustableArrow.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ eventcal.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ flags.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ grids.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ markers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ signsandsymbols.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ table.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ lib
■ ■ ■ ■ ■ ■ ■ ■ ■■ PyFontify.py

```



```

■ ■ ■ ■ ■ ■ ■■■ rparsexml.py
■ ■ ■ ■ ■ ■ ■■■ sequencer.py
■ ■ ■ ■ ■ ■ ■■■ styles.py
■ ■ ■ ■ ■ ■ ■■■ testutils.py
■ ■ ■ ■ ■ ■ ■■■ textsplit.py
■ ■ ■ ■ ■ ■ ■■■ units.py
■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■ validators.py
■ ■ ■ ■ ■ ■ ■■■ yaml.py
■ ■ ■ ■ ■ ■ ■■■ pdfbase
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _can_cmap_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _cidfontdata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_macexpert.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_macroman.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_pdffdoc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_standard.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_symbol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_winansi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_zapfdingbats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_courier.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_courierbold.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_courierboldoblique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_courieroblique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_helvetica.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_helvicabold.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_helvicaboldoblique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_helveticaoblique.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_symbol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_timesbold.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_timesbolditalic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_timesitalic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_timesroman.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_zapfdingbats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _glyphlist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ acroform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ cidfonts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdffdoc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdfform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdfmetrics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdfpattern.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ pdfutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ rl_codecs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ ttfonts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _can_cmap_data.py
■ ■ ■ ■ ■ ■ ■■■ _cidfontdata.py
■ ■ ■ ■ ■ ■ ■■■ _fontdata.py
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_macexpert.py
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_macroman.py
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_pdffdoc.py
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_standard.py
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_symbol.py
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_winansi.py
■ ■ ■ ■ ■ ■ ■■■ _fontdata_enc_zapfdingbats.py
■ ■ ■ ■ ■ ■ ■■■ _fontdata_widths_courier.py

```

■	■	■	■	■	■	■■■■	_fontdata_widths_courierbold.py
■	■	■	■	■	■	■■■■	_fontdata_widths_courierboldoblique.py
■	■	■	■	■	■	■■■■	_fontdata_widths_courieroblique.py
■	■	■	■	■	■	■■■■	_fontdata_widths_helvetica.py
■	■	■	■	■	■	■■■■	_fontdata_widths_helvicabold.py
■	■	■	■	■	■	■■■■	_fontdata_widths_helvicaboldoblique.py
■	■	■	■	■	■	■■■■	_fontdata_widths_helveticaoblique.py
■	■	■	■	■	■	■■■■	_fontdata_widths_symbol.py
■	■	■	■	■	■	■■■■	_fontdata_widths_timesbold.py
■	■	■	■	■	■	■■■■	_fontdata_widths_timesbolditalic.py
■	■	■	■	■	■	■■■■	_fontdata_widths_timesitalic.py
■	■	■	■	■	■	■■■■	_fontdata_widths_timesroman.py
■	■	■	■	■	■	■■■■	_fontdata_widths_zapfdingbats.py
■	■	■	■	■	■	■■■■	_glyphlist.py
■	■	■	■	■	■	■■■■	acroform.py
■	■	■	■	■	■	■■■■	cidfonts.py
■	■	■	■	■	■	■■■■	pdfdoc.py
■	■	■	■	■	■	■■■■	pdfform.py
■	■	■	■	■	■	■■■■	pdfmetrics.py
■	■	■	■	■	■	■■■■	pdfpattern.py
■	■	■	■	■	■	■■■■	pdfutils.py
■	■	■	■	■	■	■■■■	rl_codecs.py
■	■	■	■	■	■	■■■■	ttfonts.py
■	■	■	■	■	■■■■	pdfgen	
■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	canvas.cpython-311.pyc
■	■	■	■	■	■	■■■■	pathobject.cpython-311.pyc
■	■	■	■	■	■	■■■■	pdfgeom.cpython-311.pyc
■	■	■	■	■	■	■■■■	pdfimages.cpython-311.pyc
■	■	■	■	■	■	■■■■	textobject.cpython-311.pyc
■	■	■	■	■	■	■■■■	canvas.py
■	■	■	■	■	■	■■■■	pathobject.py
■	■	■	■	■	■	■■■■	pdfgeom.py
■	■	■	■	■	■	■■■■	pdfimages.py
■	■	■	■	■	■	■■■■	textobject.py
■	■	■	■	■	■■■■	platypus	
■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■	doctemplate.cpython-311.pyc
■	■	■	■	■	■	■■■■	figures.cpython-311.pyc
■	■	■	■	■	■	■■■■	flowables.cpython-311.pyc
■	■	■	■	■	■	■■■■	frames.cpython-311.pyc
■	■	■	■	■	■	■■■■	multicol.cpython-311.pyc
■	■	■	■	■	■	■■■■	para.cpython-311.pyc
■	■	■	■	■	■	■■■■	paragraph.cpython-311.pyc
■	■	■	■	■	■	■■■■	paraparser.cpython-311.pyc
■	■	■	■	■	■	■■■■	tableofcontents.cpython-311.pyc
■	■	■	■	■	■	■■■■	tables.cpython-311.pyc
■	■	■	■	■	■	■■■■	xpreformatted.cpython-311.pyc
■	■	■	■	■	■■■■	doctemplate.py	
■	■	■	■	■	■■■■	figures.py	
■	■	■	■	■	■■■■	flowables.py	
■	■	■	■	■	■■■■	frames.py	
■	■	■	■	■	■■■■	multicol.py	
■	■	■	■	■	■■■■	para.py	


```
■ ■ ■ ■ ■ ■ ■■ paragraph.py
■ ■ ■ ■ ■ ■ ■■ parparser.py
■ ■ ■ ■ ■ ■ ■■ tableofcontents.py
■ ■ ■ ■ ■ ■ ■■ tables.py
■ ■ ■ ■ ■ ■ ■■ xpreformatted.py
■ ■ ■ ■ ■ ■ ■■ rl_config.py
■ ■ ■ ■ ■ ■ ■■ rl_settings.py
■ ■ ■ ■ ■ ■ ■■ reportlab-3.6.12.dist-info
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■ reportlab.libs
■ ■ ■ ■ ■ ■ ■■ libbz2-a273e504.so.1.0.6
■ ■ ■ ■ ■ ■ ■■ libfreetype-c0e61f0c.so.6.14.0
■ ■ ■ ■ ■ ■ ■■ libpng15-ce838cd1.so.15.13.0
■ ■ ■ ■ ■ ■ ■■ requests
■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ __version__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _internal_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ adapters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ auth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ certs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ cookies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ help.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ hooks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ models.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ packages.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ sessions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ status_codes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ __version__.py
■ ■ ■ ■ ■ ■ ■■ _internal_utils.py
■ ■ ■ ■ ■ ■ ■■ adapters.py
■ ■ ■ ■ ■ ■ ■■ api.py
■ ■ ■ ■ ■ ■ ■■ auth.py
■ ■ ■ ■ ■ ■ ■■ certs.py
■ ■ ■ ■ ■ ■ ■■ compat.py
■ ■ ■ ■ ■ ■ ■■ cookies.py
■ ■ ■ ■ ■ ■ ■■ exceptions.py
■ ■ ■ ■ ■ ■ ■■ help.py
■ ■ ■ ■ ■ ■ ■■ hooks.py
■ ■ ■ ■ ■ ■ ■■ models.py
■ ■ ■ ■ ■ ■ ■■ packages.py
■ ■ ■ ■ ■ ■ ■■ sessions.py
■ ■ ■ ■ ■ ■ ■■ status_codes.py
■ ■ ■ ■ ■ ■ ■■ structures.py
■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■■ requests-2.31.0.dist-info
```

[illegible]

■	■	■	■	■	■	■■■	bar.cpython-311.pyc
■	■	■	■	■	■	■■■	box.cpython-311.pyc
■	■	■	■	■	■	■■■	cells.cpython-311.pyc
■	■	■	■	■	■	■■■	color.cpython-311.pyc
■	■	■	■	■	■	■■■	color_triplet.cpython-311.pyc
■	■	■	■	■	■	■■■	columns.cpython-311.pyc
■	■	■	■	■	■	■■■	console.cpython-311.pyc
■	■	■	■	■	■	■■■	constrain.cpython-311.pyc
■	■	■	■	■	■	■■■	containers.cpython-311.pyc
■	■	■	■	■	■	■■■	control.cpython-311.pyc
■	■	■	■	■	■	■■■	default_styles.cpython-311.pyc
■	■	■	■	■	■	■■■	diagnose.cpython-311.pyc
■	■	■	■	■	■	■■■	emoji.cpython-311.pyc
■	■	■	■	■	■	■■■	errors.cpython-311.pyc
■	■	■	■	■	■	■■■	file_proxy.cpython-311.pyc
■	■	■	■	■	■	■■■	filesize.cpython-311.pyc
■	■	■	■	■	■	■■■	highlighter.cpython-311.pyc
■	■	■	■	■	■	■■■	json.cpython-311.pyc
■	■	■	■	■	■	■■■	jupyter.cpython-311.pyc
■	■	■	■	■	■	■■■	layout.cpython-311.pyc
■	■	■	■	■	■	■■■	live.cpython-311.pyc
■	■	■	■	■	■	■■■	live_render.cpython-311.pyc
■	■	■	■	■	■	■■■	logging.cpython-311.pyc
■	■	■	■	■	■	■■■	markdown.cpython-311.pyc
■	■	■	■	■	■	■■■	markup.cpython-311.pyc
■	■	■	■	■	■	■■■	measure.cpython-311.pyc
■	■	■	■	■	■	■■■	padding.cpython-311.pyc
■	■	■	■	■	■	■■■	pager.cpython-311.pyc
■	■	■	■	■	■	■■■	palette.cpython-311.pyc
■	■	■	■	■	■	■■■	panel.cpython-311.pyc
■	■	■	■	■	■	■■■	pretty.cpython-311.pyc
■	■	■	■	■	■	■■■	progress.cpython-311.pyc
■	■	■	■	■	■	■■■	progress_bar.cpython-311.pyc
■	■	■	■	■	■	■■■	prompt.cpython-311.pyc
■	■	■	■	■	■	■■■	protocol.cpython-311.pyc
■	■	■	■	■	■	■■■	region.cpython-311.pyc
■	■	■	■	■	■	■■■	repr.cpython-311.pyc
■	■	■	■	■	■	■■■	rule.cpython-311.pyc
■	■	■	■	■	■	■■■	scope.cpython-311.pyc
■	■	■	■	■	■	■■■	screen.cpython-311.pyc
■	■	■	■	■	■	■■■	segment.cpython-311.pyc
■	■	■	■	■	■	■■■	spinner.cpython-311.pyc
■	■	■	■	■	■	■■■	status.cpython-311.pyc
■	■	■	■	■	■	■■■	style.cpython-311.pyc
■	■	■	■	■	■	■■■	styled.cpython-311.pyc
■	■	■	■	■	■	■■■	syntax.cpython-311.pyc
■	■	■	■	■	■	■■■	table.cpython-311.pyc
■	■	■	■	■	■	■■■	terminal_theme.cpython-311.pyc
■	■	■	■	■	■	■■■	text.cpython-311.pyc
■	■	■	■	■	■	■■■	theme.cpython-311.pyc
■	■	■	■	■	■	■■■	themes.cpython-311.pyc
■	■	■	■	■	■	■■■	traceback.cpython-311.pyc
■	■	■	■	■	■	■■■	tree.cpython-311.pyc
■	■	■	■	■	■■■	_cell_widths.py	
■	■	■	■	■	■■■	_emoji_codes.py	
■	■	■	■	■	■■■	_emoji_replace.py	
■	■	■	■	■	■■■	_export_format.py	
■	■	■	■	■	■■■	_extension.py	

■	■	■	■	■	■■■■	_fileno.py
■	■	■	■	■	■■■■	_inspect.py
■	■	■	■	■	■■■■	_log_render.py
■	■	■	■	■	■■■■	_loop.py
■	■	■	■	■	■■■■	_null_file.py
■	■	■	■	■	■■■■	_palettes.py
■	■	■	■	■	■■■■	_pick.py
■	■	■	■	■	■■■■	_ratio.py
■	■	■	■	■	■■■■	_spinners.py
■	■	■	■	■	■■■■	_stack.py
■	■	■	■	■	■■■■	_timer.py
■	■	■	■	■	■■■■	_win32_console.py
■	■	■	■	■	■■■■	_windows.py
■	■	■	■	■	■■■■	_windows_renderer.py
■	■	■	■	■	■■■■	_wrap.py
■	■	■	■	■	■■■■	abc.py
■	■	■	■	■	■■■■	align.py
■	■	■	■	■	■■■■	ansi.py
■	■	■	■	■	■■■■	bar.py
■	■	■	■	■	■■■■	box.py
■	■	■	■	■	■■■■	cells.py
■	■	■	■	■	■■■■	color.py
■	■	■	■	■	■■■■	color_triplet.py
■	■	■	■	■	■■■■	columns.py
■	■	■	■	■	■■■■	console.py
■	■	■	■	■	■■■■	constrain.py
■	■	■	■	■	■■■■	containers.py
■	■	■	■	■	■■■■	control.py
■	■	■	■	■	■■■■	default_styles.py
■	■	■	■	■	■■■■	diagnose.py
■	■	■	■	■	■■■■	emoji.py
■	■	■	■	■	■■■■	errors.py
■	■	■	■	■	■■■■	file_proxy.py
■	■	■	■	■	■■■■	filesize.py
■	■	■	■	■	■■■■	highlighter.py
■	■	■	■	■	■■■■	json.py
■	■	■	■	■	■■■■	jupyter.py
■	■	■	■	■	■■■■	layout.py
■	■	■	■	■	■■■■	live.py
■	■	■	■	■	■■■■	live_render.py
■	■	■	■	■	■■■■	logging.py
■	■	■	■	■	■■■■	markdown.py
■	■	■	■	■	■■■■	markup.py
■	■	■	■	■	■■■■	measure.py
■	■	■	■	■	■■■■	padding.py
■	■	■	■	■	■■■■	pager.py
■	■	■	■	■	■■■■	palette.py
■	■	■	■	■	■■■■	panel.py
■	■	■	■	■	■■■■	pretty.py
■	■	■	■	■	■■■■	progress.py
■	■	■	■	■	■■■■	progress_bar.py
■	■	■	■	■	■■■■	prompt.py
■	■	■	■	■	■■■■	protocol.py
■	■	■	■	■	■■■■	py.typed
■	■	■	■	■	■■■■	region.py
■	■	■	■	■	■■■■	repr.py
■	■	■	■	■	■■■■	rule.py
■	■	■	■	■	■■■■	scope.py

```

■ ■ ■ ■ ■ ■■■ screen.py
■ ■ ■ ■ ■ ■■■ segment.py
■ ■ ■ ■ ■ ■■■ spinner.py
■ ■ ■ ■ ■ ■■■ status.py
■ ■ ■ ■ ■ ■■■ style.py
■ ■ ■ ■ ■ ■■■ styled.py
■ ■ ■ ■ ■ ■■■ syntax.py
■ ■ ■ ■ ■ ■■■ table.py
■ ■ ■ ■ ■ ■■■ terminal_theme.py
■ ■ ■ ■ ■ ■■■ text.py
■ ■ ■ ■ ■ ■■■ theme.py
■ ■ ■ ■ ■ ■■■ themes.py
■ ■ ■ ■ ■ ■■■ traceback.py
■ ■ ■ ■ ■ ■■■ tree.py
■ ■ ■ ■ ■ ■■■ rich-13.9.4.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ rpds
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ rpds.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■■ rpds_py-0.22.3.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ licenses
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ scikit_image-0.20.0.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ scikit_learn-1.1.3.dist-info
■ ■ ■ ■ ■ ■■■ COPYING
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ scikit_learn.libs
■ ■ ■ ■ ■ ■■■ libgomp-a34b3233.so.1.0.0
■ ■ ■ ■ ■ ■■■ scipy
■ ■ ■ ■ ■ ■■■ __config__.py
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __config__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _distributor_init.cpython-311.pyc

```

```

■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ version.cpython-311.pyc
■ ■ ■ _distributor_init.py
■ ■ ■ _lib
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■ _bunch.cpython-311.pyc
■ ■ ■   ■ ■ ■ _ccallback.cpython-311.pyc
■ ■ ■   ■ ■ ■ _disjoint_set.cpython-311.pyc
■ ■ ■   ■ ■ ■ _docscrape.cpython-311.pyc
■ ■ ■   ■ ■ ■ _gcutils.cpython-311.pyc
■ ■ ■   ■ ■ ■ _pep440.cpython-311.pyc
■ ■ ■   ■ ■ ■ _testutils.cpython-311.pyc
■ ■ ■   ■ ■ ■ _threadsafety.cpython-311.pyc
■ ■ ■   ■ ■ ■ _tmpdirs.cpython-311.pyc
■ ■ ■   ■ ■ ■ _util.cpython-311.pyc
■ ■ ■   ■ ■ ■ decorator.cpython-311.pyc
■ ■ ■   ■ ■ ■ deprecation.cpython-311.pyc
■ ■ ■   ■ ■ ■ doccer.cpython-311.pyc
■ ■ ■   ■ ■ ■ uarray.cpython-311.pyc
■ ■ ■ _bunch.py
■ ■ ■ _ccallback.py
■ ■ ■ _ccallback_c.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _disjoint_set.py
■ ■ ■ _docscrape.py
■ ■ ■ _fpumode.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _gcutils.py
■ ■ ■ _pep440.py
■ ■ ■ _test_ccallback.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _test_deprecation_call.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _test_deprecation_def.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _testutils.py
■ ■ ■ _threadsafety.py
■ ■ ■ _tmpdirs.py
■ ■ ■ _uarray
■ ■ ■   ■ ■ ■ LICENSE
■ ■ ■   ■ ■ ■ __init__.py
■ ■ ■   ■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ _backend.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ _backend.py
■ ■ ■   ■ ■ ■   ■ ■ ■ _uarray.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _util.py
■ ■ ■ decorator.py
■ ■ ■ deprecation.py
■ ■ ■ doccer.py
■ ■ ■ messagestream.cpython-311-x86_64-linux-gnu.so
■ ■ ■ tests
■ ■ ■   ■ ■ ■ __init__.py
■ ■ ■   ■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_gcutils.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_pep440.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_testutils.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_threadsafety.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_util.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ test_bunch.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ccallback.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deprecation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_cycles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_public_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_scipy_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tmpdirs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gcutils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__pep440.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__testutils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__threadsafety.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__util.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_bunch.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ccallback.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deprecation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_import_cycles.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_public_api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_scipy_version.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tmpdirs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_warnings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ uarray.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ cluster
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hierarchy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ vq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _hierarchy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _optimal_leaf_ordering.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _vq.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ hierarchy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hierarchy_test_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_disjoint_set.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_hierarchy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hierarchy_test_data.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_disjoint_set.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_hierarchy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_vq.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ vq.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ constants
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _codata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ codata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ constants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _codata.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ codata.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests

```

[illegible]


```

test_backend.py
test_fft_function.py
test_fftllog.py
test_helper.py
test_multithreading.py
test_numpy.py
test_real_transforms.py
fftpack
__init__.py
__pycache__
__init__.cpython-311.pyc
_basic.cpython-311.pyc
_helper.cpython-311.pyc
_pseudo_diffs.cpython-311.pyc
_realtransforms.cpython-311.pyc
basic.cpython-311.pyc
helper.cpython-311.pyc
pseudo_diffs.cpython-311.pyc
realtransforms.cpython-311.pyc
_basic.py
_helper.py
_pseudo_diffs.py
_realtransforms.py
basic.py
convolve.cpython-311-x86_64-linux-gnu.so
helper.py
pseudo_diffs.py
realtransforms.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_basic.cpython-311.pyc
test_helper.cpython-311.pyc
test_import.cpython-311.pyc
test_pseudo_diffs.cpython-311.pyc
test_real_transforms.cpython-311.pyc
fftw_double_ref.npz
fftw_longdouble_ref.npz
fftw_single_ref.npz
test.npz
test_basic.py
test_helper.py
test_import.py
test_pseudo_diffs.py
test_real_transforms.py
integrate
__init__.py
__pycache__
__init__.cpython-311.pyc
_bvp.cpython-311.pyc
_ode.cpython-311.pyc
_odepack_py.cpython-311.pyc
_quad_vec.cpython-311.pyc
_quadpack_py.cpython-311.pyc
_quadrature.cpython-311.pyc
dop.cpython-311.pyc
lsoda.cpython-311.pyc

```

```

odepack.cpython-311.pyc
quadpack.cpython-311.pyc
setup.cpython-311.pyc
vode.cpython-311.pyc
_bvp.py
_dop.cpython-311-x86_64-linux-gnu.so
_ivp
__init__.py
__pycache__
    __init__.cpython-311.pyc
    base.cpython-311.pyc
    bdf.cpython-311.pyc
    common.cpython-311.pyc
    dop853_coefficients.cpython-311.pyc
    ivp.cpython-311.pyc
    lsoda.cpython-311.pyc
    radau.cpython-311.pyc
    rk.cpython-311.pyc
    base.py
    bdf.py
    common.py
    dop853_coefficients.py
    ivp.py
    lsoda.py
    radau.py
    rk.py
    tests
    __pycache__
        test_ivp.cpython-311.pyc
        test_rk.cpython-311.pyc
        test_ivp.py
        test_rk.py
_lsoda.cpython-311-x86_64-linux-gnu.so
_ode.py
odepack.cpython-311-x86_64-linux-gnu.so
odepack_py.py
_quad_vec.py
_quadpack.cpython-311-x86_64-linux-gnu.so
_quadpack_py.py
_quadrature.py
_test_multivariate.cpython-311-x86_64-linux-gnu.so
_test_odeint_banded.cpython-311-x86_64-linux-gnu.so
_vode.cpython-311-x86_64-linux-gnu.so
dop.py
lsoda.py
odepack.py
quadpack.py
setup.py
tests
__init__.py
__pycache__
    __init__.cpython-311.pyc
    test_quad_vec.cpython-311.pyc
    test_banded_ode_solvers.cpython-311.pyc
    test_bvp.cpython-311.pyc
    test_integrate.cpython-311.pyc
    test_odeint_jac.cpython-311.pyc
    test_quadpack.cpython-311.pyc

```

```

test__quad_vec.py
test_banded_ode_solvers.py
test_bvp.py
test_integrate.py
test_odeint_jac.py
test_quadpack.py
test_quadrature.py
vode.py
interpolate
__init__.py
__pycache__
__init__.cpython-311.pyc
_bsplines.cpython-311.pyc
_cubic.cpython-311.pyc
_fitpack2.cpython-311.pyc
_fitpack_impl.cpython-311.pyc
_fitpack_py.cpython-311.pyc
_interpnd_info.cpython-311.pyc
_interpolate.cpython-311.pyc
_ndgriddata.cpython-311.pyc
_pade.cpython-311.pyc
_polyint.cpython-311.pyc
_rbf.cpython-311.pyc
_rbfinterp.cpython-311.pyc
_rbfinterp_pythran.cpython-311.pyc
_rgi.cpython-311.pyc
_fitpack.cpython-311.pyc
_fitpack2.cpython-311.pyc
_interpolate.cpython-311.pyc
_ndgriddata.cpython-311.pyc
_polyint.cpython-311.pyc
_rbf.cpython-311.pyc
_bspl.cpython-311-x86_64-linux-gnu.so
_bsplines.py
_cubic.py
_fitpack.cpython-311-x86_64-linux-gnu.so
_fitpack2.py
_fitpack_impl.py
_fitpack_py.py
_interpnd_info.py
_interpolate.py
_ndgriddata.py
_pade.py
_polyint.py
_ppoly.cpython-311-x86_64-linux-gnu.so
_rbf.py
_rbfinterp.py
_rbfinterp_pythran.cpython-311-x86_64-linux-gnu.so
_rbfinterp_pythran.py
_rgi.py
dfitpack.cpython-311-x86_64-linux-gnu.so
_fitpack.py
_fitpack2.py
_interpnd.cpython-311-x86_64-linux-gnu.so
_interpolate.py
_ndgriddata.py
_polyint.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ rbf.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_bsplines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fitpack.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fitpack2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_gil.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_interpnd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_interpolate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ndgriddata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pade.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_polyint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rbf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rbfinterp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rgi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ bug-1310.npz
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ estimate_gradients_hang.npy
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_bsplines.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fitpack.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_fitpack2.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_gil.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_interpnd.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_interpolate.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ndgriddata.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_pade.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_polyint.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rbf.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rbfinterp.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_rgi.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ io
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _fortran.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _idl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _mmio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _netcdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ harwell_boeing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ idl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ mmio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ netcdf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ wavfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _fortran.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _harwell_boeing
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _fortran_format_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ hb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _fortran_format_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ hb.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc

```

```

test_fortran_format.cpython-311.pyc
test_hb.cpython-311.pyc
test_fortran_format.py
test_hb.py
_idl.py
_mmio.py
_netcdf.py
_test_fortran.cpython-311-x86_64-linux-gnu.so
arff
__init__.py
__pycache__
__init__.cpython-311.pyc
_arffread.cpython-311.pyc
arffread.cpython-311.pyc
_arffread.py
arffread.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_arffread.cpython-311.pyc
data
iris.arff
missing.arff
nodata.arff
quoted_nominal.arff
quoted_nominal_spaces.arff
test1.arff
test10.arff
test11.arff
test2.arff
test3.arff
test4.arff
test5.arff
test6.arff
test7.arff
test8.arff
test9.arff
test_arffread.py
harwell_boeing.py
idl.py
matlab
__init__.py
__pycache__
__init__.cpython-311.pyc
_byteordercodes.cpython-311.pyc
_mio.cpython-311.pyc
_mio4.cpython-311.pyc
_mio5.cpython-311.pyc
_mio5_params.cpython-311.pyc
_miobase.cpython-311.pyc
byteordercodes.cpython-311.pyc
mio.cpython-311.pyc
mio4.cpython-311.pyc
mio5.cpython-311.pyc
mio5_params.cpython-311.pyc
mio5_utils.cpython-311.pyc
mio_utils.cpython-311.pyc

```

[illegible]


```

testparsecomplex_7.4_GLNx86.mat
testparsefloat_7.4_GLNx86.mat
teststring_4.2c_SOL2.mat
teststring_6.1_SOL2.mat
teststring_6.5.1_GLNx86.mat
teststring_7.1_GLNx86.mat
teststring_7.4_GLNx86.mat
teststringarray_4.2c_SOL2.mat
teststringarray_6.1_SOL2.mat
teststringarray_6.5.1_GLNx86.mat
teststringarray_7.1_GLNx86.mat
teststringarray_7.4_GLNx86.mat
teststruct_6.1_SOL2.mat
teststruct_6.5.1_GLNx86.mat
teststruct_7.1_GLNx86.mat
teststruct_7.4_GLNx86.mat
teststructarr_6.1_SOL2.mat
teststructarr_6.5.1_GLNx86.mat
teststructarr_7.1_GLNx86.mat
teststructarr_7.4_GLNx86.mat
teststructnest_6.1_SOL2.mat
teststructnest_6.5.1_GLNx86.mat
teststructnest_7.1_GLNx86.mat
teststructnest_7.4_GLNx86.mat
testunicode_7.1_GLNx86.mat
testunicode_7.4_GLNx86.mat
testvec_4_GLNx86.mat
test_byteordercodes.py
test_mio.py
test_mio5_utils.py
test_mio_funcs.py
test_mio_utils.py
test_miobase.py
test_pathological.py
test_streams.py
mmio.py
netcdf.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_fortran.cpython-311.pyc
test_idl.cpython-311.pyc
test_mmio.cpython-311.pyc
test_netcdf.cpython-311.pyc
test_paths.cpython-311.pyc
test_wavfile.cpython-311.pyc
data
Transparent Busy.ani
array_float32_1d.sav
array_float32_2d.sav
array_float32_3d.sav
array_float32_4d.sav
array_float32_5d.sav
array_float32_6d.sav
array_float32_7d.sav
array_float32_8d.sav
array_float32_pointer_1d.sav

```


■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_2d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_3d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_4d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_5d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_6d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_7d.sav
■	■	■	■	■	■	■	■	■■■■	array_float32_pointer_8d.sav
■	■	■	■	■	■	■	■	■■■■	example_1.nc
■	■	■	■	■	■	■	■	■■■■	example_2.nc
■	■	■	■	■	■	■	■	■■■■	example_3_maskedvals.nc
■	■	■	■	■	■	■	■	■■■■	fortran-3x3d-2i.dat
■	■	■	■	■	■	■	■	■■■■	fortran-mixed.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-11x1x10.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-15x10x22.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-1x1x1.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-1x1x5.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-1x1x7.dat
■	■	■	■	■	■	■	■	■■■■	fortran-sf8-1x3x5.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-11x1x10.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-15x10x22.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-1x1x1.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-1x1x5.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-1x1x7.dat
■	■	■	■	■	■	■	■	■■■■	fortran-si4-1x3x5.dat
■	■	■	■	■	■	■	■	■■■■	invalid_pointer.sav
■	■	■	■	■	■	■	■	■■■■	null_pointer.sav
■	■	■	■	■	■	■	■	■■■■	scalar_byte.sav
■	■	■	■	■	■	■	■	■■■■	scalar_byte_descr.sav
■	■	■	■	■	■	■	■	■■■■	scalar_complex32.sav
■	■	■	■	■	■	■	■	■■■■	scalar_complex64.sav
■	■	■	■	■	■	■	■	■■■■	scalar_float32.sav
■	■	■	■	■	■	■	■	■■■■	scalar_float64.sav
■	■	■	■	■	■	■	■	■■■■	scalar_heap_pointer.sav
■	■	■	■	■	■	■	■	■■■■	scalar_int16.sav
■	■	■	■	■	■	■	■	■■■■	scalar_int32.sav
■	■	■	■	■	■	■	■	■■■■	scalar_int64.sav
■	■	■	■	■	■	■	■	■■■■	scalar_string.sav
■	■	■	■	■	■	■	■	■■■■	scalar_uint16.sav
■	■	■	■	■	■	■	■	■■■■	scalar_uint32.sav
■	■	■	■	■	■	■	■	■■■■	scalar_uint64.sav
■	■	■	■	■	■	■	■	■■■■	struct_arrays.sav
■	■	■	■	■	■	■	■	■■■■	struct_arrays_byte_idl80.sav
■	■	■	■	■	■	■	■	■■■■	struct_arrays_replicated.sav
■	■	■	■	■	■	■	■	■■■■	struct_arrays_replicated_3d.sav
■	■	■	■	■	■	■	■	■■■■	struct_inherit.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointer_arrays.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointer_arrays_replicated.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointer_arrays_replicated_3d.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointers.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointers_replicated.sav
■	■	■	■	■	■	■	■	■■■■	struct_pointers_replicated_3d.sav
■	■	■	■	■	■	■	■	■■■■	struct_scalars.sav
■	■	■	■	■	■	■	■	■■■■	struct_scalars_replicated.sav
■	■	■	■	■	■	■	■	■■■■	struct_scalars_replicated_3d.sav
■	■	■	■	■	■	■	■	■■■■	test-44100Hz-2ch-32bit-float-be.wav
■	■	■	■	■	■	■	■	■■■■	test-44100Hz-2ch-32bit-float-le.wav
■	■	■	■	■	■	■	■	■■■■	test-44100Hz-be-1ch-4bytes.wav
■	■	■	■	■	■	■	■	■■■■	test-44100Hz-le-1ch-4bytes-early-eof-no-data.wav

```
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-44100Hz-le-1ch-4bytes-early-eof.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-44100Hz-le-1ch-4bytes-incomplete-chunk.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-44100Hz-le-1ch-4bytes.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-48000Hz-2ch-64bit-float-le-wavex.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-be-3ch-5S-24bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-1ch-10S-20bit-extra.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-1ch-1byte-ulaw.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-2ch-1byteu.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-24bit-inconsistent.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-24bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-36bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-45bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-53bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-3ch-5S-64bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-4ch-9S-12bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test-8000Hz-le-5ch-9S-5bit.wav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ various_compressed.sav
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_fortran.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_idl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_mmio.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_netcdf.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_paths.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_wavfile.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ wavfile.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ linalg
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_cholesky.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_cossin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_ldl.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_lu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_polar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_qr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_qz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_schur.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _decomp_svd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _expm_frechet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _flinalg_py.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _interpolative_backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _matfuncs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _matfuncs_inv_ssqr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _matfuncs_sqrtm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _procrustes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _sketches.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _solvers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _special_matrices.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ _testutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ blas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ decomp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ decomp_cholesky.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ decomp_lu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ decomp_qr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ decomp_schur.cpython-311.pyc
```

■	■	■	■	■	■	■■■	decomp_svd.cpython-311.pyc
■	■	■	■	■	■	■■■	flinalg.cpython-311.pyc
■	■	■	■	■	■	■■■	interpolative.cpython-311.pyc
■	■	■	■	■	■	■■■	lapack.cpython-311.pyc
■	■	■	■	■	■	■■■	matfuncs.cpython-311.pyc
■	■	■	■	■	■	■■■	misc.cpython-311.pyc
■	■	■	■	■	■	■■■	special_matrices.cpython-311.pyc
■	■	■	■	■	■■■		_basic.py
■	■	■	■	■	■■■		_blas_subroutine_wrappers.f
■	■	■	■	■	■■■		_blas_subroutines.h
■	■	■	■	■	■■■		_cythonized_array_utils.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_cythonized_array_utils.pxd
■	■	■	■	■	■■■		_cythonized_array_utils.pyi
■	■	■	■	■	■■■		_decomp.py
■	■	■	■	■	■■■		_decomp_cholesky.py
■	■	■	■	■	■■■		_decomp_cossin.py
■	■	■	■	■	■■■		_decomp_ldl.py
■	■	■	■	■	■■■		_decomp_lu.py
■	■	■	■	■	■■■		_decomp_polar.py
■	■	■	■	■	■■■		_decomp_qr.py
■	■	■	■	■	■■■		_decomp_qz.py
■	■	■	■	■	■■■		_decomp_schur.py
■	■	■	■	■	■■■		_decomp_svd.py
■	■	■	■	■	■■■		_decomp_update.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_expm_frechet.py
■	■	■	■	■	■■■		_fblas.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_flapack.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_flinalg.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_flinalg_py.py
■	■	■	■	■	■■■		_interpolative.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_interpolative_backend.py
■	■	■	■	■	■■■		_lapack_subroutine_wrappers.f
■	■	■	■	■	■■■		_lapack_subroutines.h
■	■	■	■	■	■■■		_matfuncs.py
■	■	■	■	■	■■■		_matfuncs_expm.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_matfuncs_expm.pyi
■	■	■	■	■	■■■		_matfuncs_inv_ssqr.py
■	■	■	■	■	■■■		_matfuncs_sqrtm.py
■	■	■	■	■	■■■		_matfuncs_sqrtm_triu.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_misc.py
■	■	■	■	■	■■■		_procrustes.py
■	■	■	■	■	■■■		_sketches.py
■	■	■	■	■	■■■		_solve_toeplitz.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		_solvers.py
■	■	■	■	■	■■■		_special_matrices.py
■	■	■	■	■	■■■		_testutils.py
■	■	■	■	■	■■■		basic.py
■	■	■	■	■	■■■		blas.py
■	■	■	■	■	■■■		cython_blas.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		cython_blas.pxd
■	■	■	■	■	■■■		cython_blas.pyx
■	■	■	■	■	■■■		cython_lapack.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■■■		cython_lapack.pxd
■	■	■	■	■	■■■		cython_lapack.pyx
■	■	■	■	■	■■■		decomp.py
■	■	■	■	■	■■■		decomp_cholesky.py
■	■	■	■	■	■■■		decomp_lu.py
■	■	■	■	■	■■■		decomp_qr.py

```

■      ■      ■      ■      ■      ■      ■■■■ decomp_schur.py
■      ■      ■      ■      ■      ■      ■■■■ decomp_svd.py
■      ■      ■      ■      ■      ■      ■■■■ flinalg.py
■      ■      ■      ■      ■      ■      ■■■■ interpolative.py
■      ■      ■      ■      ■      ■      ■■■■ lapack.py
■      ■      ■      ■      ■      ■      ■■■■ matfuncs.py
■      ■      ■      ■      ■      ■      ■■■■ misc.py
■      ■      ■      ■      ■      ■      ■■■■ special_matrices.py
■      ■      ■      ■      ■      ■      ■■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_blas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cython_blas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cython_lapack.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cythonized_array_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_cholesky.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_cossin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_ldl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_polar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_update.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_fblas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_interpolative.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_lapack.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_matfuncs.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_matmul_toeplitz.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_misc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_procrustes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_sketches.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_solve_toeplitz.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_solvers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ test_special_matrices.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ data
■      ■      ■      ■      ■      ■      ■      ■■■■ carex_15_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ carex_18_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ carex_19_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ carex_20_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ carex_6_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ gendare_20170120_data.npz
■      ■      ■      ■      ■      ■      ■      ■■■■ test_basic.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_blas.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cython_blas.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cython_lapack.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cythonized_array_utils.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_cholesky.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_cossin.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_ldl.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_polar.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_decomp_update.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_fblas.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_interpolative.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_lapack.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_matfuncs.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_matmul_toeplitz.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_misc.py

```

```

test_procrustes.py
test_sketches.py
test_solve_toeplitz.py
test_solvers.py
test_special_matrices.py
linalg.pxd
misc
__init__.py
__pycache__
__init__.cpython-311.pyc
_common.cpython-311.pyc
common.cpython-311.pyc
doccer.cpython-311.pyc
_common.py
ascent.dat
common.py
doccer.py
ecg.dat
face.dat
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_common.cpython-311.pyc
test_doccer.cpython-311.pyc
test_common.py
test_doccer.py
ndimage
__init__.py
__pycache__
__init__.cpython-311.pyc
_filters.cpython-311.pyc
_fourier.cpython-311.pyc
_interpolation.cpython-311.pyc
_measurements.cpython-311.pyc
_morphology.cpython-311.pyc
_ni_docstrings.cpython-311.pyc
_ni_support.cpython-311.pyc
_filters.cpython-311.pyc
_fourier.cpython-311.pyc
_interpolation.cpython-311.pyc
_measurements.cpython-311.pyc
_morphology.cpython-311.pyc
_ctest.cpython-311-x86_64-linux-gnu.so
_cytest.cpython-311-x86_64-linux-gnu.so
_filters.py
_fourier.py
_interpolation.py
_measurements.py
_morphology.py
_nd_image.cpython-311-x86_64-linux-gnu.so
_ni_docstrings.py
_ni_label.cpython-311-x86_64-linux-gnu.so
_ni_support.py
_filters.py
_fourier.py
_interpolation.py
_measurements.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ morphology.py
■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_c_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_datatypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_fourier.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_interpolation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_measurements.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_morphology.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_splines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ label_inputs.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ label_results.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ label_strels.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dots.png
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_c_api.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_datatypes.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_filters.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_fourier.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_interpolation.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_measurements.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_morphology.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_splines.py
■ ■ ■ ■ ■ ■ ■ ■ odr
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __odrpack.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _add_newdocs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _models.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _odrpack.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ models.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ odrpack.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _add_newdocs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _models.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _odrpack.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ models.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ odrpack.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_odr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_odr.py
■ ■ ■ ■ ■ ■ ■ ■ optimize
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ README
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __nnls.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __nnls.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _basinhopping.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _cobyla_py.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _constraints.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _differentiable_functions.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■■	_differential evolution.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_direct_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_dual_annealing.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_hessian_update_strategy.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_lbfgsb_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linesearch.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_doc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_highs.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_ip.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_rs.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_simplex.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_linprog_util.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_milp.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_minimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_minpack_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_nnls.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_nonlin.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_numdiff.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_optimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_qap.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_remove_redundancy.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_root.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_root_scalar.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_shgo.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_slsqp_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_spectral.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_tnc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_trustregion.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_trustregion_dogleg.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_trustregion_exact.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_trustregion_krylov.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_trustregion_ncg.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_tstutils.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_zeros_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	cobyla.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	lbfgsb.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	linesearch.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	minpack.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	minpack2.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	moduleTNC.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	nonlin.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	optimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	slsqp.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	tnc.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	zeros.cpython-311.pyc
■	■	■	■	■	■	■■■■	■■■■	_basinhopping.py
■	■	■	■	■	■	■■■■	■■■■	_bglu_dense.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	■■■■	_cobyla.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	■■■■	_cobyla_py.py
■	■	■	■	■	■	■■■■	■■■■	_constraints.py
■	■	■	■	■	■	■■■■	■■■■	_differentiable_functions.py
■	■	■	■	■	■	■■■■	■■■■	_differential evolution.py
■	■	■	■	■	■	■■■■	■■■■	_direct.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	■■■■	_direct_py.py
■	■	■	■	■	■	■■■■	■■■■	_dual_annealing.py
■	■	■	■	■	■	■■■■	■■■■	_group_columns.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■	■■■■	_hessian_update_strategy.py

```

■ ■ ■ _highs
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _highs_constants.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _highs_wrapper.cpython-311-x86_64-linux-gnu.so
■ ■ ■ src
■   ■ ■ ■ cython
■     ■ ■ HConst.pxd
■     ■ ■ Highs.pxd
■     ■ ■ HighsIO.pxd
■     ■ ■ HighsInfo.pxd
■     ■ ■ HighsLp.pxd
■     ■ ■ HighsLpUtils.pxd
■     ■ ■ HighsModelUtils.pxd
■     ■ ■ HighsOptions.pxd
■     ■ ■ HighsRuntimeOptions.pxd
■     ■ ■ HighsStatus.pxd
■     ■ ■ SimplexConst.pxd
■     ■ ■ highs_c_api.pxd
■ ■ ■ _lbfgsb.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _lbfgsb_py.py
■ ■ ■ _linesearch.py
■ ■ ■ _linprog.py
■ ■ ■ _linprog_doc.py
■ ■ ■ _linprog_highs.py
■ ■ ■ _linprog_ip.py
■ ■ ■ _linprog_rs.py
■ ■ ■ _linprog_simplex.py
■ ■ ■ _linprog_util.py
■ ■ ■ _lsap.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _lsq
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■     ■ ■ ■ __init__.cpython-311.pyc
■     ■ ■ ■ bvls.cpython-311.pyc
■     ■ ■ ■ common.cpython-311.pyc
■     ■ ■ ■ dogbox.cpython-311.pyc
■     ■ ■ ■ least_squares.cpython-311.pyc
■     ■ ■ ■ lsq_linear.cpython-311.pyc
■     ■ ■ ■ trf.cpython-311.pyc
■     ■ ■ ■ trf_linear.cpython-311.pyc
■   ■ ■ ■ bvls.py
■   ■ ■ ■ common.py
■   ■ ■ ■ dogbox.py
■   ■ ■ ■ givens_elimination.cpython-311-x86_64-linux-gnu.so
■   ■ ■ ■ least_squares.py
■   ■ ■ ■ lsq_linear.py
■   ■ ■ ■ trf.py
■   ■ ■ ■ trf_linear.py
■ ■ ■ _milp.py
■ ■ ■ _minimize.py
■ ■ ■ _minpack.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _minpack2.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _minpack_py.py
■ ■ ■ _moduleTNC.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _nnls.py
■ ■ ■ _nonlin.py
```



```

■■■■ _numdiff.py
■■■■ _optimize.py
■■■■ _qap.py
■■■■ _remove_redundancy.py
■■■■ _root.py
■■■■ _root_scalar.py
■■■■ _shgo.py
■■■■ _shgo_lib
■■■■   ■■■■ __init__.py
■■■■   ■■■■ __pycache__
■■■■       ■■■■ __init__.cpython-311.pyc
■■■■       ■■■■ triangulation.cpython-311.pyc
■■■■       ■■■■ triangulation.py
■■■■ _slsqp.cpython-311-x86_64-linux-gnu.so
■■■■ _slsqp_py.py
■■■■ _spectral.py
■■■■ _tnc.py
■■■■ _trlib
■■■■   ■■■■ __init__.py
■■■■   ■■■■ __pycache__
■■■■       ■■■■ __init__.cpython-311.pyc
■■■■       ■■■■ _trlib.cpython-311-x86_64-linux-gnu.so
■■■■ _trustregion.py
■■■■ _trustregion_constr
■■■■   ■■■■ __init__.py
■■■■   ■■■■ __pycache__
■■■■       ■■■■ __init__.cpython-311.pyc
■■■■       ■■■■ canonical_constraint.cpython-311.pyc
■■■■       ■■■■ equality_constrained_sqp.cpython-311.pyc
■■■■       ■■■■ minimize_trustregion_constr.cpython-311.pyc
■■■■       ■■■■ projections.cpython-311.pyc
■■■■       ■■■■ qp_subproblem.cpython-311.pyc
■■■■       ■■■■ report.cpython-311.pyc
■■■■       ■■■■ tr_interior_point.cpython-311.pyc
■■■■ canonical_constraint.py
■■■■ equality_constrained_sqp.py
■■■■ minimize_trustregion_constr.py
■■■■ projections.py
■■■■ qp_subproblem.py
■■■■ report.py
■■■■ tests
■■■■   ■■■■ __init__.py
■■■■   ■■■■ __pycache__
■■■■       ■■■■ __init__.cpython-311.pyc
■■■■       ■■■■ test_canonical_constraint.cpython-311.pyc
■■■■       ■■■■ test_projections.cpython-311.pyc
■■■■       ■■■■ test_qp_subproblem.cpython-311.pyc
■■■■       ■■■■ test_report.cpython-311.pyc
■■■■       ■■■■ test_canonical_constraint.py
■■■■       ■■■■ test_projections.py
■■■■       ■■■■ test_qp_subproblem.py
■■■■       ■■■■ test_report.py
■■■■ tr_interior_point.py
■■■■ _trustregion_dogleg.py
■■■■ _trustregion_exact.py
■■■■ _trustregion_krylov.py
■■■■ _trustregion_ncg.py
■■■■ tstutils.py

```

```

████ _zeros.cpython-311-x86_64-linux-gnu.so
████ _zeros.py.py
████ cobyla.py
████ cython_optimize
████   ████ __init__.py
████   ████ __pycache__
████   ████   ████ __init__.cpython-311.pyc
████   ████ _zeros.cpython-311-x86_64-linux-gnu.so
████   ████ _zeros.pxd
████   ████ c_zeros.pxd
████ cython_optimize.pxd
████ lbfgsb.py
████ linesearch.py
████ minpack.py
████ minpack2.py
████ moduleTNC.py
████ nonlin.py
████ optimize.py
████ slsqp.py
████ tests
████   ████ __init__.py
████   ████ __pycache__
████   ████   ████ __init__.cpython-311.pyc
████   ████   ████ test__basinhopping.cpython-311.pyc
████   ████   ████ test__differential_evolution.cpython-311.pyc
████   ████   ████ test__dual_annealing.cpython-311.pyc
████   ████   ████ test__linprog_clean_inputs.cpython-311.pyc
████   ████   ████ test__numdiff.cpython-311.pyc
████   ████   ████ test__remove_redundancy.cpython-311.pyc
████   ████   ████ test__root.cpython-311.pyc
████   ████   ████ test__shgo.cpython-311.pyc
████   ████   ████ test__spectral.cpython-311.pyc
████   ████   ████ test_cobyla.cpython-311.pyc
████   ████   ████ test_constraint_conversion.cpython-311.pyc
████   ████   ████ test_constraints.cpython-311.pyc
████   ████   ████ test_cython_optimize.cpython-311.pyc
████   ████   ████ test_differentiable_functions.cpython-311.pyc
████   ████   ████ test_direct.cpython-311.pyc
████   ████   ████ test_hessian_update_strategy.cpython-311.pyc
████   ████   ████ test_lbfgsb_hessinv.cpython-311.pyc
████   ████   ████ test_lbfgsb_setulb.cpython-311.pyc
████   ████   ████ test_least_squares.cpython-311.pyc
████   ████   ████ test_linear_assignment.cpython-311.pyc
████   ████   ████ test_linesearch.cpython-311.pyc
████   ████   ████ test_linprog.cpython-311.pyc
████   ████   ████ test_lsq_common.cpython-311.pyc
████   ████   ████ test_lsq_linear.cpython-311.pyc
████   ████   ████ test_milp.cpython-311.pyc
████   ████   ████ test_minimize_constrained.cpython-311.pyc
████   ████   ████ test_minpack.cpython-311.pyc
████   ████   ████ test_nnls.cpython-311.pyc
████   ████   ████ test_nonlin.cpython-311.pyc
████   ████   ████ test_optimize.cpython-311.pyc
████   ████   ████ test_quadratic_assignment.cpython-311.pyc
████   ████   ████ test_regression.cpython-311.pyc
████   ████   ████ test_slsqp.cpython-311.pyc
████   ████   ████ test_tnc.cpython-311.pyc
████   ████   ████ test_trustregion.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trustregion_exact.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trustregion_krylov.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_zeros.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__basinhopping.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__differential_evolution.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__dual_annealing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__linprog_clean_inputs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__numdiff.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__remove_redundancy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__root.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__shgo.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test__spectral.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cobyla.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_constraint_conversion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_constraints.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cython_optimize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_differentiable_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_direct.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_hessian_update_strategy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lbfgsb_hessinv.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lbfgsb_setulb.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_least_squares.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_linear_assignment.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_linesearch.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_linprog.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lsq_common.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lsq_linear.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_milp.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_minimize_constrained.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_minpack.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_nnls.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_nonlin.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_optimize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_quadratic_assignment.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_regression.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_slsqp.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tnc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trustregion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trustregion_exact.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trustregion_krylov.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_zeros.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tnc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ zeros.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ optimize.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■■ signal
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _arraytools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _bsplines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _czt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _filter_design.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _fir_filter_design.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _lti_conversion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _ltisys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _max_len_seq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _max_len_seq_inner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _peak_finding.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■■	_savitzky_golay.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_signaltools.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_spectral.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_spectral_py.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_upfirdn.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_waveforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_wavelets.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	bsplines.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	filter_design.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	fir_filter_design.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	lti_conversion.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	ltisys.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	signaltools.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	spectral.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	spline.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	waveforms.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	wavelets.cpython-311.pyc
■	■	■	■	■	■	■■■■		_arraytools.py
■	■	■	■	■	■	■■■■		_bsplines.py
■	■	■	■	■	■	■■■■		_czt.py
■	■	■	■	■	■	■■■■		_filter_design.py
■	■	■	■	■	■	■■■■		_fir_filter_design.py
■	■	■	■	■	■	■■■■		_lti_conversion.py
■	■	■	■	■	■	■■■■		_ltisys.py
■	■	■	■	■	■	■■■■		_max_len_seq.py
■	■	■	■	■	■	■■■■		_max_len_seq_inner.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■		_max_len_seq_inner.py
■	■	■	■	■	■	■■■■		_peak_finding.py
■	■	■	■	■	■	■■■■		_peak_finding_utils.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■		_savitzky_golay.py
■	■	■	■	■	■	■■■■		_signaltools.py
■	■	■	■	■	■	■■■■		_sigtools.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■		_sosfilt.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■		_spectral.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■		_spectral.py
■	■	■	■	■	■	■■■■		_spectral_py.py
■	■	■	■	■	■	■■■■		_spline.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■		_upfirdn.py
■	■	■	■	■	■	■■■■		_upfirdn_apply.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■■		_waveforms.py
■	■	■	■	■	■	■■■■		_wavelets.py
■	■	■	■	■	■	■■■■		bsplines.py
■	■	■	■	■	■	■■■■		filter_design.py
■	■	■	■	■	■	■■■■		fir_filter_design.py
■	■	■	■	■	■	■■■■		lti_conversion.py
■	■	■	■	■	■	■■■■		ltisys.py
■	■	■	■	■	■	■■■■		signaltools.py
■	■	■	■	■	■	■■■■		spectral.py
■	■	■	■	■	■	■■■■		spline.py
■	■	■	■	■	■	■■■■		tests
■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■■■■	__pycache__
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	mpsig.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_array_tools.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_bsplines.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_cont2discrete.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_czt.cpython-311.pyc

```

■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_dltisys.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_filter_design.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_fir_filter_design.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_ltisys.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_max_len_seq.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_peak_finding.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_result_type.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_savitzky_golay.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_signaltools.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_spectral.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_upfirdn.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_waveforms.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_wavelets.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ test_windows.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ mpsig.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_array_tools.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_bsplines.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_cont2discrete.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_czt.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_dltisys.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_filter_design.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_fir_filter_design.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_ltisys.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_max_len_seq.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_peak_finding.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_result_type.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_savitzky_golay.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_signaltools.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_spectral.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_upfirdn.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_waveforms.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_wavelets.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_windows.py
■      ■      ■      ■      ■      ■      ■■■■ waveforms.py
■      ■      ■      ■      ■      ■      ■■■■ wavelets.py
■      ■      ■      ■      ■      ■      ■■■■ windows
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ _windows.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■■ windows.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _windows.py
■      ■      ■      ■      ■      ■      ■      ■■■■ windows.py
■      ■      ■      ■      ■      ■      ■■■■ sparse
■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _arrays.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _bsr.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _compressed.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _construct.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _coo.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _csc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _csr.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _data.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _dia.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _dok.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■■	_extract.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_index.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_lil.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_matrix_io.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_spfuncs.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_sputils.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	base.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	bsr.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	compressed.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	construct.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	coo.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	csc.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	csc.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	csr.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	data.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	dia.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	dok.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	extract.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	lil.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	sparsetools.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	spfuncs.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	sputils.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	_arrays.py	
■	■	■	■	■	■	■	■■■■	_base.py	
■	■	■	■	■	■	■	■■■■	_bsr.py	
■	■	■	■	■	■	■	■■■■	_compressed.py	
■	■	■	■	■	■	■	■■■■	_construct.py	
■	■	■	■	■	■	■	■■■■	_coo.py	
■	■	■	■	■	■	■	■■■■	_csc.py	
■	■	■	■	■	■	■	■■■■	_csparsetools.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_csr.py	
■	■	■	■	■	■	■	■■■■	_data.py	
■	■	■	■	■	■	■	■■■■	_dia.py	
■	■	■	■	■	■	■	■■■■	_dok.py	
■	■	■	■	■	■	■	■■■■	_extract.py	
■	■	■	■	■	■	■	■■■■	_index.py	
■	■	■	■	■	■	■	■■■■	_lil.py	
■	■	■	■	■	■	■	■■■■	_matrix_io.py	
■	■	■	■	■	■	■	■■■■	_sparsetools.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_spfuncs.py	
■	■	■	■	■	■	■	■■■■	_sputils.py	
■	■	■	■	■	■	■	■■■■	base.py	
■	■	■	■	■	■	■	■■■■	bsr.py	
■	■	■	■	■	■	■	■■■■	compressed.py	
■	■	■	■	■	■	■	■■■■	construct.py	
■	■	■	■	■	■	■	■■■■	coo.py	
■	■	■	■	■	■	■	■■■■	csc.py	
■	■	■	■	■	■	■	■■■■	csgraph	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_laplacian.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	_validation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	setup.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	_flow.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_laplacian.py	
■	■	■	■	■	■	■	■■■■	_matching.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_min_spanning_tree.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_reordering.cpython-311-x86_64-linux-gnu.so	

```

shortest_path.cpython-311-x86_64-linux-gnu.so
_tools.cpython-311-x86_64-linux-gnu.so
_traversal.cpython-311-x86_64-linux-gnu.so
_validation.py
setup.py
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_connected_components.cpython-311.pyc
    test_conversions.cpython-311.pyc
    test_flow.cpython-311.pyc
    test_graph_laplacian.cpython-311.pyc
    test_matching.cpython-311.pyc
    test_reordering.cpython-311.pyc
    test_shortest_path.cpython-311.pyc
    test_spanning_tree.cpython-311.pyc
    test_traversal.cpython-311.pyc
    test_connected_components.py
    test_conversions.py
    test_flow.py
    test_graph_laplacian.py
    test_matching.py
    test_reordering.py
    test_shortest_path.py
    test_spanning_tree.py
    test_traversal.py
csr.py
data.py
dia.py
dok.py
extract.py
lil.py
linalg
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _expm_multiply.cpython-311.pyc
    _interface.cpython-311.pyc
    _matfuncs.cpython-311.pyc
    _norm.cpython-311.pyc
    _onenormest.cpython-311.pyc
    _svdp.cpython-311.pyc
    dsolve.cpython-311.pyc
    eigen.cpython-311.pyc
    interface.cpython-311.pyc
    isolve.cpython-311.pyc
    matfuncs.cpython-311.pyc
    _dsolve
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        _add_newdocs.cpython-311.pyc
        linsolve.cpython-311.pyc
        _add_newdocs.py
        _superlu.cpython-311-x86_64-linux-gnu.so
        linsolve.py
        tests

```

```

    init_.py
    __pycache__
    __init__.cpython-311.pyc
    test_linsolve.cpython-311.pyc
    test_linsolve.py
    _eigen
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _svds.cpython-311.pyc
    _svds_doc.cpython-311.pyc
    _svds.py
    _svds_doc.py
    arpack
    COPYING
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    arpack.cpython-311.pyc
    _arpack.cpython-311-x86_64-linux-gnu.so
    arpack.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_arpack.cpython-311.pyc
    test_arpack.py
    lobpcg
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    lobpcg.cpython-311.pyc
    lobpcg.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_lobpcg.cpython-311.pyc
    test_lobpcg.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_svds.cpython-311.pyc
    test_svds.py
    _expm_multiply.py
    _interface.py
    _isolve
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _gcrotmk.cpython-311.pyc
    iterative.cpython-311.pyc
    lgmres.cpython-311.pyc
    lsqr.cpython-311.pyc
    lsqr.cpython-311.pyc
    minres.cpython-311.pyc
    tfqmr.cpython-311.pyc

```



```

■      ■■■■ utils.cpython-311.pyc
■      ■■■■ _gcrotmk.py
■      ■■■■ _iterative.cpython-311-x86_64-linux-gnu.so
■      ■■■■ iterative.py
■      ■■■■ lgmres.py
■      ■■■■ lsqr.py
■      ■■■■ minres.py
■      ■■■■ tests
■      ■■■■ __init__.py
■      ■■■■ __pycache__
■          ■■■■ __init__.cpython-311.pyc
■          ■■■■ demo_lgmres.cpython-311.pyc
■          ■■■■ test_gcrotmk.cpython-311.pyc
■          ■■■■ test_iterative.cpython-311.pyc
■          ■■■■ test_lgmres.cpython-311.pyc
■          ■■■■ test_lsqr.cpython-311.pyc
■          ■■■■ test_minres.cpython-311.pyc
■          ■■■■ test_utils.cpython-311.pyc
■      ■■■■ demo_lgmres.py
■      ■■■■ test_gcrotmk.py
■      ■■■■ test_iterative.py
■      ■■■■ test_lgmres.py
■      ■■■■ test_lsqr.py
■      ■■■■ test_minres.py
■      ■■■■ test_utils.py
■      ■■■■ tfqmr.py
■      ■■■■ utils.py
■      ■■■■ _matfuncs.py
■      ■■■■ _norm.py
■      ■■■■ _onenormest.py
■      ■■■■ _propack
■      ■■■■ _cpropack.cpython-311-x86_64-linux-gnu.so
■      ■■■■ _dpropack.cpython-311-x86_64-linux-gnu.so
■      ■■■■ _spropack.cpython-311-x86_64-linux-gnu.so
■      ■■■■ _zpropack.cpython-311-x86_64-linux-gnu.so
■      ■■■■ _svdp.py
■      ■■■■ dsolve.py
■      ■■■■ eigen.py
■      ■■■■ interface.py
■      ■■■■ isolve.py
■      ■■■■ matfuncs.py
■      ■■■■ tests
■      ■■■■ __init__.py
■      ■■■■ __pycache__
■          ■■■■ __init__.cpython-311.pyc
■          ■■■■ test_expm_multiply.cpython-311.pyc
■          ■■■■ test_interface.cpython-311.pyc
■          ■■■■ test_matfuncs.cpython-311.pyc
■          ■■■■ test_norm.cpython-311.pyc
■          ■■■■ test_onenormest.cpython-311.pyc
■          ■■■■ test_propack.cpython-311.pyc
■          ■■■■ test_pydata_sparse.cpython-311.pyc
■      ■■■■ propack_test_data.npz
■      ■■■■ test_expm_multiply.py
■      ■■■■ test_interface.py
```

```

test_matfuncs.py
test_norm.py
test_onenormest.py
test_propack.py
test_pydata_sparse.py
sparsetools.py
spfuns.py
sputils.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_array_api.cpython-311.pyc
test_base.cpython-311.pyc
test_construct.cpython-311.pyc
test_csc.cpython-311.pyc
test_csr.cpython-311.pyc
test_extract.cpython-311.pyc
test_matrix_io.cpython-311.pyc
test_sparsetools.cpython-311.pyc
test_spfuncs.cpython-311.pyc
test_sputils.cpython-311.pyc
data
csc_py2.npz
csc_py3.npz
test_array_api.py
test_base.py
test_construct.py
test_csc.py
test_csr.py
test_extract.py
test_matrix_io.py
test_sparsetools.py
test_spfuncs.py
test_sputils.py
spatial
__init__.py
__pycache__
__init__.cpython-311.pyc
_geometric_slerp.cpython-311.pyc
_kdtree.cpython-311.pyc
_plotutils.cpython-311.pyc
_procrustes.cpython-311.pyc
_spherical_voronoi.cpython-311.pyc
ckdtree.cpython-311.pyc
distance.cpython-311.pyc
kdtree.cpython-311.pyc
qhull.cpython-311.pyc
_ckdtree.cpython-311-x86_64-linux-gnu.so
_ckdtree.pyi
_distance_pybind.cpython-311-x86_64-linux-gnu.so
_distance_wrap.cpython-311-x86_64-linux-gnu.so
_geometric_slerp.py
_hausdorff.cpython-311-x86_64-linux-gnu.so
_kdtree.py
_plotutils.py
_procrustes.py
_qhull.cpython-311-x86_64-linux-gnu.so

```

```

_qhull.pyi
_spherical_voronoi.py
_voronoi.cpython-311-x86_64-linux-gnu.so
_voronoi.pyi
ckdtree.py
distance.py
distance.pyi
kdtree.py
qhull.py
qhull_src
COPYING.txt
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_plotutils.cpython-311.pyc
test_procrustes.cpython-311.pyc
test_distance.cpython-311.pyc
test_hausdorff.cpython-311.pyc
test_kdtree.cpython-311.pyc
test_qhull.cpython-311.pyc
test_slerp.cpython-311.pyc
test_spherical_voronoi.cpython-311.pyc
data
cdist-X1.txt
cdist-X2.txt
degenerate_pointset.npz
iris.txt
pdist-boolean-inp.txt
pdist-chebyshev-ml-iris.txt
pdist-chebyshev-ml.txt
pdist-cityblock-ml-iris.txt
pdist-cityblock-ml.txt
pdist-correlation-ml-iris.txt
pdist-correlation-ml.txt
pdist-cosine-ml-iris.txt
pdist-cosine-ml.txt
pdist-double-inp.txt
pdist-euclidean-ml-iris.txt
pdist-euclidean-ml.txt
pdist-hamming-ml.txt
pdist-jaccard-ml.txt
pdist-jensenshannon-ml-iris.txt
pdist-jensenshannon-ml.txt
pdist-minkowski-3.2-ml-iris.txt
pdist-minkowski-3.2-ml.txt
pdist-minkowski-5.8-ml-iris.txt
pdist-seuclidean-ml-iris.txt
pdist-seuclidean-ml.txt
pdist-spearman-ml.txt
random-bool-data.txt
random-double-data.txt
random-int-data.txt
random-uint-data.txt
selfdual-4d-polytope.txt
test_plotutils.py
test_procrustes.py
test_distance.py

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_hausdorff.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_kdtree.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_qhull.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_slerp.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_spherical_voronoi.py
■ ■ ■ ■ ■ ■ ■ ■■■ transform
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _rotation_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _rotation_spline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rotation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _rotation.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _rotation.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _rotation_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ _rotation_spline.py
■ ■ ■ ■ ■ ■ ■ ■■■ rotation.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rotation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rotation_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rotation_spline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rotation.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rotation_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rotation_spline.py
■ ■ ■ ■ ■ ■ ■ ■■■ special
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _add_newdocs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _ellip_harm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _lambertw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _logsumexp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mptestutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _orthogonal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _sf_error.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _sfun_stats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _spherical_bessel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _testutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ add_newdocs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ orthogonal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sf_error.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ specfun.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sfun_stats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _add_newdocs.py
■ ■ ■ ■ ■ ■ ■ ■■■ _basic.py
■ ■ ■ ■ ■ ■ ■ ■■■ _comb.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _ellip_harm.py
■ ■ ■ ■ ■ ■ ■ ■■■ _ellip_harm_2.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _lambertw.py
■ ■ ■ ■ ■ ■ ■ ■■■ _logsumexp.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mptestutils.py
■ ■ ■ ■ ■ ■ ■ ■■■ _orthogonal.py
■ ■ ■ ■ ■ ■ ■ ■■■ _orthogonal.pyi

```

```

_ _precompute
_ _init_.py
_ _pycache__
_ _init__.cpython-311.pyc
cosine_cdf.cpython-311.pyc
expn_asym.cpython-311.pyc
gammainc_asym.cpython-311.pyc
gammainc_data.cpython-311.pyc
lambertw.cpython-311.pyc
loggamma.cpython-311.pyc
struve_convergence.cpython-311.pyc
utils.cpython-311.pyc
wright_bessel.cpython-311.pyc
wright_bessel_data.cpython-311.pyc
wrightomega.cpython-311.pyc
zetac.cpython-311.pyc
cosine_cdf.py
expn_asym.py
gammainc_asym.py
gammainc_data.py
lambertw.py
loggamma.py
struve_convergence.py
utils.py
wright_bessel.py
wright_bessel_data.py
wrightomega.py
zetac.py
_sf_error.py
_specfun.cpython-311-x86_64-linux-gnu.so
_spfun_stats.py
_spherical_bessel.py
_test_round.cpython-311-x86_64-linux-gnu.so
_test_round.pyi
_testutils.py
_ufuncs.cpython-311-x86_64-linux-gnu.so
_ufuncs.pyi
_ufuncs.pyx
_ufuncs_cxx.cpython-311-x86_64-linux-gnu.so
_ufuncs_cxx.pxd
_ufuncs_cxx.pyx
_ufuncs_cxx_defs.h
_ufuncs_defs.h
add_newdocs.py
basic.py
cython_special.cpython-311-x86_64-linux-gnu.so
cython_special.pxd
cython_special.pyi
cython_special.pyx
orthogonal.py
sf_error.py
specfun.py
spfun_stats.py
tests
_ _init_.py
_ _pycache__
_ _init__.cpython-311.pyc
test_basic.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	test_bdtr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_boxcox.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_cdflib.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_cdft_asymptotic.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_cosine_distr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_cython_special.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_data.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_digamma.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_ellip_harm.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_erfinv.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_exponential_integrals.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_faddeeva.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_gamma.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_gammainc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_hyp2f1.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_hypergeometric.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_kolmogorov.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_lambertw.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_log_softmax.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_loggamma.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_logit.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_logsumexp.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_mpmath.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_nan_inputs.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_ndtr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_ndtri_exp.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_orthogonal.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_orthogonal_eval.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_owens_t.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_pcf.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_pdtr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_precompute_expn_asy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_precompute_gammainc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_precompute_utils.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_round.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_sf_error.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_sici.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_spence.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_spfun_stats.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_sph_harm.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_spherical_bessel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_trig.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_wright_bessel.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_wrightomega.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_zeta.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	data
■	■	■	■	■	■	■	■	■■■■	boost.npz
■	■	■	■	■	■	■	■	■■■■	gsl.npz
■	■	■	■	■	■	■	■	■■■■	local.npz
■	■	■	■	■	■	■	■	■■■■	test_basic.py
■	■	■	■	■	■	■	■	■■■■	test_bdtr.py
■	■	■	■	■	■	■	■	■■■■	test_boxcox.py
■	■	■	■	■	■	■	■	■■■■	test_cdflib.py
■	■	■	■	■	■	■	■	■■■■	test_cdft_asymptotic.py
■	■	■	■	■	■	■	■	■■■■	test_cosine_distr.py
■	■	■	■	■	■	■	■	■■■■	test_cython_special.py
■	■	■	■	■	■	■	■	■■■■	test_data.py
■	■	■	■	■	■	■	■	■■■■	test_digamma.py

■	■	■	■	■	■	■	■■■	test_ellip_harm.py
■	■	■	■	■	■	■	■■■	test_erfinv.py
■	■	■	■	■	■	■	■■■	test_exponential_integrals.py
■	■	■	■	■	■	■	■■■	test_faddeeva.py
■	■	■	■	■	■	■	■■■	test_gamma.py
■	■	■	■	■	■	■	■■■	test_gammainc.py
■	■	■	■	■	■	■	■■■	test_hyp2f1.py
■	■	■	■	■	■	■	■■■	test_hypergeometric.py
■	■	■	■	■	■	■	■■■	test_kolmogorov.py
■	■	■	■	■	■	■	■■■	test_lambertw.py
■	■	■	■	■	■	■	■■■	test_log_softmax.py
■	■	■	■	■	■	■	■■■	test_loggamma.py
■	■	■	■	■	■	■	■■■	test_logit.py
■	■	■	■	■	■	■	■■■	test_logsumexp.py
■	■	■	■	■	■	■	■■■	test_mpmath.py
■	■	■	■	■	■	■	■■■	test_nan_inputs.py
■	■	■	■	■	■	■	■■■	test_ndtr.py
■	■	■	■	■	■	■	■■■	test_ndtri_exp.py
■	■	■	■	■	■	■	■■■	test_orthogonal.py
■	■	■	■	■	■	■	■■■	test_orthogonal_eval.py
■	■	■	■	■	■	■	■■■	test_owens_t.py
■	■	■	■	■	■	■	■■■	test_pcf.py
■	■	■	■	■	■	■	■■■	test_pdtr.py
■	■	■	■	■	■	■	■■■	test_precompute_expn_asy.py
■	■	■	■	■	■	■	■■■	test_precompute_gammainc.py
■	■	■	■	■	■	■	■■■	test_precompute_utils.py
■	■	■	■	■	■	■	■■■	test_round.py
■	■	■	■	■	■	■	■■■	test_sf_error.py
■	■	■	■	■	■	■	■■■	test_sici.py
■	■	■	■	■	■	■	■■■	test_spence.py
■	■	■	■	■	■	■	■■■	test_spfun_stats.py
■	■	■	■	■	■	■	■■■	test_sph_harm.py
■	■	■	■	■	■	■	■■■	test_spherical_bessel.py
■	■	■	■	■	■	■	■■■	test_trig.py
■	■	■	■	■	■	■	■■■	test_wright_bessel.py
■	■	■	■	■	■	■	■■■	test_wrightomega.py
■	■	■	■	■	■	■	■■■	test_zeta.py
■	■	■	■	■	■■■	■	■■■	special.pxd
■	■	■	■	■	■■■	■	■■■	stats
■	■	■	■	■	■	■■■	■■■	__init__.py
■	■	■	■	■	■	■■■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_axis_nan_policy.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_binned_statistic.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_binomtest.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_common.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_constants.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_continuous_distns.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_crosstab.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_discrete_distns.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_distn_infrastructure.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_distr_params.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_entropy.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_fit.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_generate_pyx.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_hypotests.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_kde.cpython-311.pyc
■	■	■	■	■	■	■	■■■	_ksstats.cpython-311.pyc

```

■      ■      ■      ■      ■      ■      ■      ■      _mannwhitneyu.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _morestats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _mstats_basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _mstats_extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _multivariate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _page_trend_test.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _qmc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _relative_risk.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _resampling.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _result_classes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _rvs_sampling.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _stats_mstats_common.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _stats_py.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _tukeylambda_stats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _variation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _warnings_errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      biasedurn.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      contingency.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      distributions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      kde.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      morestats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mstats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mstats_basic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mstats_extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mvn.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      qmc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      sampling.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      statlib.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      stats.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _axis_nan_policy.py
■      ■      ■      ■      ■      ■      ■      ■      _biasedurn.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      _biasedurn.pxd
■      ■      ■      ■      ■      ■      ■      ■      _binned_statistic.py
■      ■      ■      ■      ■      ■      ■      ■      _binomtest.py
■      ■      ■      ■      ■      ■      ■      ■      _boost
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      _init_.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      beta_ufunc.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      binom_ufunc.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      hypergeom_ufunc.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      nbinom_ufunc.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      ncf_ufunc.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      _common.py
■      ■      ■      ■      ■      ■      ■      ■      _constants.py
■      ■      ■      ■      ■      ■      ■      ■      _continuous_distns.py
■      ■      ■      ■      ■      ■      ■      ■      _crosstab.py
■      ■      ■      ■      ■      ■      ■      ■      _discrete_distns.py
■      ■      ■      ■      ■      ■      ■      ■      _distn_infrastructure.py
■      ■      ■      ■      ■      ■      ■      ■      _distr_params.py
■      ■      ■      ■      ■      ■      ■      ■      _entropy.py
■      ■      ■      ■      ■      ■      ■      ■      _fit.py
■      ■      ■      ■      ■      ■      ■      ■      _generate_pyx.py
■      ■      ■      ■      ■      ■      ■      ■      _hypotests.py
■      ■      ■      ■      ■      ■      ■      ■      _hypotests_pythran.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■      ■      _kde.py
■      ■      ■      ■      ■      ■      ■      ■      _ksstats.py
■      ■      ■      ■      ■      ■      ■      ■      _levy_stable

```


■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	levyst.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_mannwhitneyu.py	
■	■	■	■	■	■	■	■■■■	_morestats.py	
■	■	■	■	■	■	■	■■■■	_mstats_basic.py	
■	■	■	■	■	■	■	■■■■	_mstats_extras.py	
■	■	■	■	■	■	■	■■■■	_multivariate.py	
■	■	■	■	■	■	■	■■■■	_mvn.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_page_trend_test.py	
■	■	■	■	■	■	■	■■■■	_qmc.py	
■	■	■	■	■	■	■	■■■■	_qmc_cy.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_qmc_cy.pyi	
■	■	■	■	■	■	■	■■■■	_relative_risk.py	
■	■	■	■	■	■	■	■■■■	_resampling.py	
■	■	■	■	■	■	■	■■■■	_result_classes.py	
■	■	■	■	■	■	■	■■■■	_rvs_sampling.py	
■	■	■	■	■	■	■	■■■■	_sobol.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_sobol.pyi	
■	■	■	■	■	■	■	■■■■	_sobol_direction_numbers.npz	
■	■	■	■	■	■	■	■■■■	_statlib.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_stats.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	_stats.pxd	
■	■	■	■	■	■	■	■■■■	_stats_mstats_common.py	
■	■	■	■	■	■	■	■■■■	_stats_py.py	
■	■	■	■	■	■	■	■■■■	_tukeylambda_stats.py	
■	■	■	■	■	■	■	■■■■	_unuran	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	unuran.pxd	
■	■	■	■	■	■	■	■■■■	unuran_wrapper.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■	■	■■■■	unuran_wrapper.pyi	
■	■	■	■	■	■	■	■■■■	_variation.py	
■	■	■	■	■	■	■	■■■■	_warnings_errors.py	
■	■	■	■	■	■	■	■■■■	biasedurn.py	
■	■	■	■	■	■	■	■■■■	contingency.py	
■	■	■	■	■	■	■	■■■■	distributions.py	
■	■	■	■	■	■	■	■■■■	kde.py	
■	■	■	■	■	■	■	■■■■	morestats.py	
■	■	■	■	■	■	■	■■■■	mstats.py	
■	■	■	■	■	■	■	■■■■	mstats_basic.py	
■	■	■	■	■	■	■	■■■■	mstats_extras.py	
■	■	■	■	■	■	■	■■■■	mvn.py	
■	■	■	■	■	■	■	■■■■	qmc.py	
■	■	■	■	■	■	■	■■■■	sampling.py	
■	■	■	■	■	■	■	■■■■	statlib.py	
■	■	■	■	■	■	■	■■■■	stats.py	
■	■	■	■	■	■	■	■■■■	tests	
■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	common_tests.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	studentized_range_mpmath_ref.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	test_axis_nan_policy.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	test_binned_statistic.cpython-311.pyc	
■	■	■	■	■	■	■	■■■■	test_boost_ufuncs.cpython-311.pyc	

■	■	■	■	■	■	■	■	■■■	test_contingency.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_continuous_basic.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_crosstab.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_discrete_basic.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_discrete_distns.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_distributions.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_entropy.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_fit.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_hypotests.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_kdeoth.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_morestats.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_mstats_basic.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_mstats_extras.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_multivariate.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_qmc.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_rank.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_relative_risk.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_resampling.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_sampling.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_stats.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_tukeylambda_stats.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	test_variation.cpython-311.pyc
■	■	■	■	■	■	■	■■■	common_tests.py	
■	■	■	■	■	■	■	■■■	data	
■	■	■	■	■	■	■	■	■■■	levy_stable
■	■	■	■	■	■	■	■	■■■	stable-Z1-cdf-sample-data.npy
■	■	■	■	■	■	■	■	■■■	stable-Z1-pdf-sample-data.npy
■	■	■	■	■	■	■	■	■■■	stable-loc-scale-sample-data.npy
■	■	■	■	■	■	■	■■■	nist_anova	
■	■	■	■	■	■	■	■	■■■	AtmWtAg.dat
■	■	■	■	■	■	■	■	■■■	SiRstv.dat
■	■	■	■	■	■	■	■	■■■	SmLs01.dat
■	■	■	■	■	■	■	■	■■■	SmLs02.dat
■	■	■	■	■	■	■	■	■■■	SmLs03.dat
■	■	■	■	■	■	■	■	■■■	SmLs04.dat
■	■	■	■	■	■	■	■	■■■	SmLs05.dat
■	■	■	■	■	■	■	■	■■■	SmLs06.dat
■	■	■	■	■	■	■	■	■■■	SmLs07.dat
■	■	■	■	■	■	■	■	■■■	SmLs08.dat
■	■	■	■	■	■	■	■	■■■	SmLs09.dat
■	■	■	■	■	■	■	■■■	nist_linregress	
■	■	■	■	■	■	■	■	■■■	Norris.dat
■	■	■	■	■	■	■	■■■	studentized_range_mpmath_ref.json	
■	■	■	■	■	■	■	■■■	studentized_range_mpmath_ref.py	
■	■	■	■	■	■	■	■■■	test_axis_nan_policy.py	
■	■	■	■	■	■	■	■■■	test_binned_statistic.py	
■	■	■	■	■	■	■	■■■	test_boost_ufuncs.py	
■	■	■	■	■	■	■	■■■	test_contingency.py	
■	■	■	■	■	■	■	■■■	test_continuous_basic.py	
■	■	■	■	■	■	■	■■■	test_crosstab.py	
■	■	■	■	■	■	■	■■■	test_discrete_basic.py	
■	■	■	■	■	■	■	■■■	test_discrete_distns.py	
■	■	■	■	■	■	■	■■■	test_distributions.py	
■	■	■	■	■	■	■	■■■	test_entropy.py	
■	■	■	■	■	■	■	■■■	test_fit.py	
■	■	■	■	■	■	■	■■■	test_hypotests.py	
■	■	■	■	■	■	■	■■■	test_kdeoth.py	
■	■	■	■	■	■	■	■■■	test_morestats.py	

```

■ ■ ■ ■ ■ test_mstats_basic.py
■ ■ ■ ■ ■ test_mstats_extras.py
■ ■ ■ ■ ■ test_multivariate.py
■ ■ ■ ■ ■ test_qmc.py
■ ■ ■ ■ ■ test_rank.py
■ ■ ■ ■ ■ test_relative_risk.py
■ ■ ■ ■ ■ test_resampling.py
■ ■ ■ ■ ■ test_sampling.py
■ ■ ■ ■ ■ test_stats.py
■ ■ ■ ■ ■ test_tukeylambda_stats.py
■ ■ ■ ■ ■ test_variation.py
■ ■ ■ ■ version.py
■ ■ ■ ■ scipy-1.9.3.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ METADATA
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ scipy.libs
■ ■ ■ ■ libgfortran-040039e1.so.5.0.0
■ ■ ■ ■ libopenblas-p-r0-41284840.3.18.so
■ ■ ■ ■ libquadmath-96973f99.so.0.0.0
■ ■ ■ ■ seaborn
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _core.cpython-311.pyc
■ ■ ■ ■ _decorators.cpython-311.pyc
■ ■ ■ ■ _docstrings.cpython-311.pyc
■ ■ ■ ■ _statistics.cpython-311.pyc
■ ■ ■ ■ _testing.cpython-311.pyc
■ ■ ■ ■ algorithms.cpython-311.pyc
■ ■ ■ ■ apionly.cpython-311.pyc
■ ■ ■ ■ axisgrid.cpython-311.pyc
■ ■ ■ ■ categorical.cpython-311.pyc
■ ■ ■ ■ cm.cpython-311.pyc
■ ■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ ■ distributions.cpython-311.pyc
■ ■ ■ ■ linearmodels.cpython-311.pyc
■ ■ ■ ■ matrix.cpython-311.pyc
■ ■ ■ ■ miscplot.cpython-311.pyc
■ ■ ■ ■ palettes.cpython-311.pyc
■ ■ ■ ■ rcmod.cpython-311.pyc
■ ■ ■ ■ regression.cpython-311.pyc
■ ■ ■ ■ relational.cpython-311.pyc
■ ■ ■ ■ timeseries.cpython-311.pyc
■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ widgets.cpython-311.pyc
■ ■ ■ ■ _core.py
■ ■ ■ ■ _decorators.py
■ ■ ■ ■ _docstrings.py
■ ■ ■ ■ _statistics.py
■ ■ ■ ■ _testing.py
■ ■ ■ ■ algorithms.py
■ ■ ■ ■ apionly.py
■ ■ ■ ■ axisgrid.py
■ ■ ■ ■ categorical.py
```

```

cm.py
colors
__init__.py
__pycache__
__init__.cpython-311.pyc
crayons.cpython-311.pyc
xkcd_rgb.cpython-311.pyc
crayons.py
xkcd_rgb.py
conftest.py
distributions.py
external
__init__.py
__pycache__
__init__.cpython-311.pyc
docscrape.cpython-311.pyc
husl.cpython-311.pyc
six.cpython-311.pyc
docscrape.py
husl.py
six.py
linearmodels.py
matrix.py
miscplot.py
palettes.py
rcmod.py
regression.py
relational.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_algorithms.cpython-311.pyc
test_axisgrid.cpython-311.pyc
test_categorical.cpython-311.pyc
test_core.cpython-311.pyc
test_decorators.cpython-311.pyc
test_distributions.cpython-311.pyc
test_docstrings.cpython-311.pyc
test_matrix.cpython-311.pyc
test_miscplot.cpython-311.pyc
test_palettes.cpython-311.pyc
test_rcmod.cpython-311.pyc
test_regression.cpython-311.pyc
test_relational.cpython-311.pyc
test_statistics.cpython-311.pyc
test_utils.cpython-311.pyc
test_algorithms.py
test_axisgrid.py
test_categorical.py
test_core.py
test_decorators.py
test_distributions.py
test_docstrings.py
test_matrix.py
test_miscplot.py
test_palettes.py
test_rcmod.py

```

```

■      ■      ■      ■      ■      ■      test_regression.py
■      ■      ■      ■      ■      ■      test_relational.py
■      ■      ■      ■      ■      ■      test_statistics.py
■      ■      ■      ■      ■      ■      test_utils.py
■      ■      ■      ■      ■      ■      timeseries.py
■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      widgets.py
■      ■      ■      ■      ■■■    seaborn-0.11.2.dist-info
■      ■      ■      ■      ■      ■■■    INSTALLER
■      ■      ■      ■      ■      ■■■    LICENSE
■      ■      ■      ■      ■      ■■■    METADATA
■      ■      ■      ■      ■      ■■■    RECORD
■      ■      ■      ■      ■      ■■■    REQUESTED
■      ■      ■      ■      ■      ■■■    WHEEL
■      ■      ■      ■      ■      ■■■    top_level.txt
■      ■      ■      ■      ■■■    segment
■      ■      ■      ■      ■      ■■■    analytics
■      ■      ■      ■      ■      ■      ■■■    __init__.py
■      ■      ■      ■      ■      ■      ■■■    __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■    __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■    client.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■    consumer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■    request.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■    utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■    version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■    client.py
■      ■      ■      ■      ■      ■      ■■■    consumer.py
■      ■      ■      ■      ■      ■      ■■■    request.py
■      ■      ■      ■      ■      ■      ■■■    utils.py
■      ■      ■      ■      ■      ■      ■■■    version.py
■      ■      ■      ■      ■■■    send2trash
■      ■      ■      ■      ■      ■■■    __init__.py
■      ■      ■      ■      ■      ■■■    __main__.py
■      ■      ■      ■      ■      ■■■    __pycache__
■      ■      ■      ■      ■      ■      ■■■    __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■    __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■    compat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■    exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■    plat_gio.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■    plat_other.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■    util.cpython-311.pyc
■      ■      ■      ■      ■      ■■■    compat.py
■      ■      ■      ■      ■      ■■■    exceptions.py
■      ■      ■      ■      ■      ■■■    mac
■      ■      ■      ■      ■      ■      ■■■    __init__.py
■      ■      ■      ■      ■      ■      ■■■    __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■    __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■    legacy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■    modern.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■    legacy.py
■      ■      ■      ■      ■      ■      ■■■    modern.py
■      ■      ■      ■      ■      ■■■    plat_gio.py
■      ■      ■      ■      ■      ■■■    plat_other.py
■      ■      ■      ■      ■      ■■■    util.py
■      ■      ■      ■      ■      ■■■    win
■      ■      ■      ■      ■      ■      ■■■    IFFileOperationProgressSink.py
■      ■      ■      ■      ■      ■      ■■■    __init__.py
■      ■      ■      ■      ■      ■      ■■■    __pycache__

```

```

FileOperationProgressSink.cpython-311.pyc
__init__.cpython-311.pyc
legacy.cpython-311.pyc
modern.cpython-311.pyc
legacy.py
modern.py
sentencepiece
__init__.py
__pycache__
__init__.cpython-311.pyc
_version.cpython-311.pyc
sentencepiece_model_pb2.cpython-311.pyc
sentencepiece_pb2.cpython-311.pyc
_sentencepiece.cpython-311-x86_64-linux-gnu.so
_version.py
sentencepiece_model_pb2.py
sentencepiece_pb2.py
sentencepiece-0.2.0.dist-info
INSTALLER
METADATA
RECORD
WHEEL
top_level.txt
shap
__init__.py
__pycache__
__init__.cpython-311.pyc
_explanation.cpython-311.pyc
_serializable.cpython-311.pyc
datasets.cpython-311.pyc
links.cpython-311.pyc
_cext.cpython-311-x86_64-linux-gnu.so
_explanation.py
_serializable.py
actions
__init__.py
__pycache__
__init__.cpython-311.pyc
_action.cpython-311.pyc
_optimizer.cpython-311.pyc
_action.py
_optimizer.py
benchmark
__init__.py
__pycache__
__init__.cpython-311.pyc
experiments.cpython-311.pyc
framework.cpython-311.pyc
measures.cpython-311.pyc
methods.cpython-311.pyc
metrics.cpython-311.pyc
models.cpython-311.pyc
perturbation.cpython-311.pyc
plots.cpython-311.pyc
experiments.py
framework.py
measures.py
methods.py

```

```

■      ■      ■      ■      ■      ■      ■      ■■■■ metrics.py
■      ■      ■      ■      ■      ■      ■      ■■■■ models.py
■      ■      ■      ■      ■      ■      ■      ■■■■ perturbation.py
■      ■      ■      ■      ■      ■      ■      ■■■■ plots.py
■      ■      ■      ■      ■      ■      ■■■■ cext
■      ■      ■      ■      ■      ■      ■      ■■■■ tree_shap.h
■      ■      ■      ■      ■      ■      ■■■■ datasets.py
■      ■      ■      ■      ■      ■      ■■■■ explainers
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _additive.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _exact.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _explainer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _gpu_tree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _gradient.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _kernel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _linear.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _partition.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _permutation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _sampling.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _tree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ mimic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ pytree.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ tf_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _additive.py
■      ■      ■      ■      ■      ■      ■■■■ _deep
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ deep_pytorch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ deep_tf.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ deep_pytorch.py
■      ■      ■      ■      ■      ■      ■      ■■■■ deep_tf.py
■      ■      ■      ■      ■      ■      ■■■■ _exact.py
■      ■      ■      ■      ■      ■      ■■■■ _explainer.py
■      ■      ■      ■      ■      ■      ■■■■ _gpu_tree.py
■      ■      ■      ■      ■      ■      ■■■■ _gradient.py
■      ■      ■      ■      ■      ■      ■■■■ _kernel.py
■      ■      ■      ■      ■      ■      ■■■■ _linear.py
■      ■      ■      ■      ■      ■      ■■■■ _partition.py
■      ■      ■      ■      ■      ■      ■■■■ _permutation.py
■      ■      ■      ■      ■      ■      ■■■■ _sampling.py
■      ■      ■      ■      ■      ■      ■■■■ _tree.py
■      ■      ■      ■      ■      ■      ■■■■ mimic.py
■      ■      ■      ■      ■      ■      ■■■■ other
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _coefficient.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _lime.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _maple.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _random.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■ _treegain.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _coefficient.py
■      ■      ■      ■      ■      ■      ■■■■ _lime.py
■      ■      ■      ■      ■      ■      ■■■■ _maple.py
■      ■      ■      ■      ■      ■      ■■■■ _random.py

```

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■■■ _waterfall.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bar.py
■ ■ ■ ■ ■ ■ ■ ■■■ _beeswarm.py
■ ■ ■ ■ ■ ■ ■ ■■■ _decision.py
■ ■ ■ ■ ■ ■ ■ ■■■ _embedding.py
■ ■ ■ ■ ■ ■ ■ ■■■ _force.py
■ ■ ■ ■ ■ ■ ■ ■■■ _force_matplotlib.py
■ ■ ■ ■ ■ ■ ■ ■■■ _group_difference.py
■ ■ ■ ■ ■ ■ ■ ■■■ _heatmap.py
■ ■ ■ ■ ■ ■ ■ ■■■ _image.py
■ ■ ■ ■ ■ ■ ■ ■■■ _labels.py
■ ■ ■ ■ ■ ■ ■ ■■■ _monitoring.py
■ ■ ■ ■ ■ ■ ■ ■■■ _partial_dependence.py
■ ■ ■ ■ ■ ■ ■ ■■■ _scatter.py
■ ■ ■ ■ ■ ■ ■ ■■■ _text.py
■ ■ ■ ■ ■ ■ ■ ■■■ _utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ _violin.py
■ ■ ■ ■ ■ ■ ■ ■■■ _waterfall.py
■ ■ ■ ■ ■ ■ ■ ■■■ colors
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _colorconv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _colors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _colorconv.py
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _colors.py
■ ■ ■ ■ ■ ■ ■ ■■■ resources
■ ■ ■ ■ ■ ■ ■ ■■■ bundle.js
■ ■ ■ ■ ■ ■ ■ ■■■ logoSmallGray.png
■ ■ ■ ■ ■ ■ ■ ■■■ utils
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _clustering.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _general.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _keras.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _legacy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _masked_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ _show_progress.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ transformers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _clustering.py
■ ■ ■ ■ ■ ■ ■ ■■■ _general.py
■ ■ ■ ■ ■ ■ ■ ■■■ _keras.py
■ ■ ■ ■ ■ ■ ■ ■■■ _legacy.py
■ ■ ■ ■ ■ ■ ■ ■■■ _masked_model.py
■ ■ ■ ■ ■ ■ ■ ■■■ _show_progress.py
■ ■ ■ ■ ■ ■ ■ ■■■ image.py
■ ■ ■ ■ ■ ■ ■ ■■■ transformers.py
■ ■ ■ ■ ■ ■ ■ ■■■ shap-0.39.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■■■ shapefile.py
■ ■ ■ ■ ■ ■ ■ ■■■ shapely

```

```

__init__.py
__pycache__
  __init__.cpython-311.pyc
  _buildcfg.cpython-311.pyc
  affinity.cpython-311.pyc
  coords.cpython-311.pyc
  ctypes_declarations.cpython-311.pyc
  errors.cpython-311.pyc
  geos.cpython-311.pyc
  impl.cpython-311.pyc
  iterops.cpython-311.pyc
  linref.cpython-311.pyc
  ops.cpython-311.pyc
  predicates.cpython-311.pyc
  prepared.cpython-311.pyc
  strtree.cpython-311.pyc
  topology.cpython-311.pyc
  validation.cpython-311.pyc
  wkb.cpython-311.pyc
  wkt.cpython-311.pyc
  _buildcfg.py
  _geos.pxi
  affinity.py
  algorithms
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      cga.cpython-311.pyc
      polylabel.cpython-311.pyc
    cga.py
    polylabel.py
  coords.py
  ctypes_declarations.py
  errors.py
  examples
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      dissolve.cpython-311.pyc
      geoms.cpython-311.pyc
      intersect.cpython-311.pyc
    dissolve.py
    geoms.py
    intersect.py
  geometry
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      base.cpython-311.pyc
      collection.cpython-311.pyc
      geo.cpython-311.pyc
      linestring.cpython-311.pyc
      multilinestring.cpython-311.pyc
      multipoint.cpython-311.pyc
      multipolygon.cpython-311.pyc
      point.cpython-311.pyc
      polygon.cpython-311.pyc
      proxy.cpython-311.pyc

```

```

base.py
collection.py
geo.py
linestring.py
multilinestring.py
multipoint.py
multipolygon.py
point.py
polygon.py
proxy.py
geos.py
impl.py
iterops.py
linref.py
ops.py
predicates.py
prepared.py
speedups
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _speedups.c
    _speedups.pyx
strtree.py
topology.py
validation.py
vectorized
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _vectorized.c
    _vectorized.pyx
wkb.py
wkt.py
shellingham
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _core.cpython-311.pyc
    nt.cpython-311.pyc
    _core.py
    nt.py
    posix
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _core.cpython-311.pyc
    proc.cpython-311.pyc
    ps.cpython-311.pyc
    _core.py
    proc.py
    ps.py
shellingham-1.5.4.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL

```

```

■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ zip-safe
■ ■ ■ ■ ■ ■ ■ ■ six-1.17.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ six.py
■ ■ ■ ■ ■ ■ ■ ■ skimage
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _shared
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _dependency_checks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _geometry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _tempfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ coord.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ filters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tester.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version_requirements.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _dependency_checks.py
■ ■ ■ ■ ■ ■ ■ ■ _geometry.py
■ ■ ■ ■ ■ ■ ■ ■ _tempfile.py
■ ■ ■ ■ ■ ■ ■ ■ _warnings.py
■ ■ ■ ■ ■ ■ ■ ■ coord.py
■ ■ ■ ■ ■ ■ ■ ■ fast_exp.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ fast_exp.h
■ ■ ■ ■ ■ ■ ■ ■ filters.py
■ ■ ■ ■ ■ ■ ■ ■ geometry.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ interpolation.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ tester.py
■ ■ ■ ■ ■ ■ ■ ■ testing.py
■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_coord.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_fast_exp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_geometry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_interpolation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_safe_as_int.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_version_requirements.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_warnings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_coord.py
■ ■ ■ ■ ■ ■ ■ ■ test_fast_exp.py
■ ■ ■ ■ ■ ■ ■ ■ test_geometry.py

```

```

■      ■      ■      ■      ■      ■      ■      test_interpolation.py
■      ■      ■      ■      ■      ■      ■      test_safe_as_int.py
■      ■      ■      ■      ■      ■      ■      test_testing.py
■      ■      ■      ■      ■      ■      ■      test_utils.py
■      ■      ■      ■      ■      ■      ■      test_version_requirements.py
■      ■      ■      ■      ■      ■      ■      test_warnings.py
■      ■      ■      ■      ■      ■      ■■■ transform.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■ utils.py
■      ■      ■      ■      ■      ■      ■■■ version_requirements.py
■      ■      ■      ■      ■      ■■■ color
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ adapt_rgb.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ colorconv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ colorlabel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ delta_e.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ rgb_colors.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ adapt_rgb.py
■      ■      ■      ■      ■      ■■■ colorconv.py
■      ■      ■      ■      ■      ■■■ colorlabel.py
■      ■      ■      ■      ■      ■■■ delta_e.py
■      ■      ■      ■      ■      ■■■ rgb_colors.py
■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_adapt_rgb.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_colorconv.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_colorlabel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_delta_e.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ test_adapt_rgb.py
■      ■      ■      ■      ■      ■      ■■■ test_colorconv.py
■      ■      ■      ■      ■      ■      ■■■ test_colorlabel.py
■      ■      ■      ■      ■      ■      ■■■ test_delta_e.py
■      ■      ■      ■      ■      ■■■ conftest.py
■      ■      ■      ■      ■      ■■■ data
■      ■      ■      ■      ■      ■■■ README.txt
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __init__.pyi
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _binary_blobs.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _fetchers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _registry.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _binary_blobs.py
■      ■      ■      ■      ■      ■■■ _fetchers.py
■      ■      ■      ■      ■      ■■■ _registry.py
■      ■      ■      ■      ■      ■■■ astronaut.png
■      ■      ■      ■      ■      ■■■ brick.png
■      ■      ■      ■      ■      ■■■ camera.png
■      ■      ■      ■      ■      ■■■ cell.png
■      ■      ■      ■      ■      ■■■ chelsea.png
■      ■      ■      ■      ■      ■■■ chessboard_GRAY.png
■      ■      ■      ■      ■      ■■■ chessboard_RGB.png
■      ■      ■      ■      ■      ■■■ clock_motion.png
■      ■      ■      ■      ■      ■■■ coffee.png
■      ■      ■      ■      ■      ■■■ coins.png

```

```

■ ■ ■ color.png
■ ■ ■ grass.png
■ ■ ■ gravel.png
■ ■ ■ horse.png
■ ■ ■ hubble_deep_field.jpg
■ ■ ■ ihc.png
■ ■ ■ lbpcascade_frontalface_opencv.xml
■ ■ ■ lfw_subset.npy
■ ■ ■ logo.png
■ ■ ■ microaneurysms.png
■ ■ ■ moon.png
■ ■ ■ motorcycle_disp.npz
■ ■ ■ motorcycle_left.png
■ ■ ■ motorcycle_right.png
■ ■ ■ multipage.tif
■ ■ ■ no_time_for_that_tiny.gif
■ ■ ■ page.png
■ ■ ■ phantom.png
■ ■ ■ retina.jpg
■ ■ ■ rocket.jpg
■ ■ ■ tests
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■   ■   ■ ■ ■ __init__.cpython-311.pyc
■   ■   ■ ■ ■ test_data.cpython-311.pyc
■   ■ ■ ■ test_data.py
■ ■ ■ text.png
■ ■ ■ draw
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■   ■   ■ ■ ■ __init__.cpython-311.pyc
■   ■   ■ ■ ■ _polygon2mask.cpython-311.pyc
■   ■   ■ ■ ■ _random_shapes.cpython-311.pyc
■   ■   ■ ■ ■ draw.cpython-311.pyc
■   ■   ■ ■ ■ draw3d.cpython-311.pyc
■   ■   ■ ■ ■ draw_nd.cpython-311.pyc
■ ■ ■ _draw.cpython-311-x86_64-linux-gnu.so
■ ■ ■ _polygon2mask.py
■ ■ ■ _random_shapes.py
■ ■ ■ draw.py
■ ■ ■ draw3d.py
■ ■ ■ draw_nd.py
■ ■ ■ tests
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■   ■   ■ ■ ■ __init__.cpython-311.pyc
■   ■   ■ ■ ■ test_draw.cpython-311.pyc
■   ■   ■ ■ ■ test_draw3d.cpython-311.pyc
■   ■   ■ ■ ■ test_draw_nd.cpython-311.pyc
■   ■   ■ ■ ■ test_polygon2mask.cpython-311.pyc
■   ■   ■ ■ ■ test_random_shapes.cpython-311.pyc
■   ■ ■ ■ test_draw.py
■   ■ ■ ■ test_draw3d.py
■   ■ ■ ■ test_draw_nd.py
■   ■ ■ ■ test_polygon2mask.py
■   ■ ■ ■ test_random_shapes.py
■ ■ ■ exposure
■   ■ ■ ■ __init__.py

```

[illegible]

```

orb.py
orb_cy.cpython-311-x86_64-linux-gnu.so
orb_descriptor_positions.txt
peak.py
sift.py
template.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_basic_features.cpython-311.pyc
test_blob.cpython-311.pyc
test_brief.cpython-311.pyc
test_canny.cpython-311.pyc
test_cascade.cpython-311.pyc
test_censure.cpython-311.pyc
test_corner.cpython-311.pyc
test_daisy.cpython-311.pyc
test_haar.cpython-311.pyc
test_hog.cpython-311.pyc
test_match.cpython-311.pyc
test_orb.cpython-311.pyc
test_peak.cpython-311.pyc
test_sift.cpython-311.pyc
test_template.cpython-311.pyc
test_texture.cpython-311.pyc
test_util.cpython-311.pyc
test_basic_features.py
test_blob.py
test_brief.py
test_canny.py
test_cascade.py
test_censure.py
test_corner.py
test_daisy.py
test_haar.py
test_hog.py
test_match.py
test_orb.py
test_peak.py
test_sift.py
test_template.py
test_texture.py
test_util.py
texture.py
util.py
filters
__init__.py
__init__.pyi
__pycache__
__init__.cpython-311.pyc
_fft_based.cpython-311.pyc
_gabor.cpython-311.pyc
_gaussian.cpython-311.pyc
_median.cpython-311.pyc
_rank_order.cpython-311.pyc
_sparse.cpython-311.pyc
_unsharp_mask.cpython-311.pyc

```


[illegible]

```

test_lpi_filter.py
test_median.py
test_ridges.py
test_thresholding.py
test_unsharp_mask.py
test_window.py
thresholding.py
future
__init__.py
__pycache__
__init__.cpython-311.pyc
manual_segmentation.cpython-311.pyc
trainable_segmentation.cpython-311.pyc
graph
__init__.py
__pycache__
__init__.cpython-311.pyc
manual_segmentation.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_trainable_segmentation.cpython-311.pyc
test_trainable_segmentation.py
trainable_segmentation.py
graph
__init__.py
__pycache__
__init__.cpython-311.pyc
_graph.cpython-311.pyc
_graph_cut.cpython-311.pyc
_graph_merge.cpython-311.pyc
_ncut.cpython-311.pyc
_rag.cpython-311.pyc
mcp.cpython-311.pyc
spath.cpython-311.pyc
_graph.py
_graph_cut.py
_graph_merge.py
_mcp.cpython-311-x86_64-linux-gnu.so
_ncut.py
_ncut_cy.cpython-311-x86_64-linux-gnu.so
_rag.py
_spath.cpython-311-x86_64-linux-gnu.so
heap.cpython-311-x86_64-linux-gnu.so
mcp.py
spath.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_anisotropy.cpython-311.pyc
test_connect.cpython-311.pyc
test_flexible.cpython-311.pyc
test_heap.cpython-311.pyc
test_mcp.cpython-311.pyc
test_pixel_graph.cpython-311.pyc
test_rag.cpython-311.pyc

```

```

■■■ test_spath.cpython-311.pyc
■■■ test_anisotropy.py
■■■ test_connect.py
■■■ test_flexible.py
■■■ test_heap.py
■■■ test_mcp.py
■■■ test_pixel_graph.py
■■■ test_rag.py
■■■ test_spath.py
■■■ io
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _image_stack.cpython-311.pyc
■■■ _io.cpython-311.pyc
■■■ collection.cpython-311.pyc
■■■ manage_plugins.cpython-311.pyc
■■■ sift.cpython-311.pyc
■■■ util.cpython-311.pyc
■■■ _image_stack.py
■■■ _io.py
■■■ _plugins
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ fits_plugin.cpython-311.pyc
■■■ gdal_plugin.cpython-311.pyc
■■■ imageio_plugin.cpython-311.pyc
■■■ imread_plugin.cpython-311.pyc
■■■ matplotlib_plugin.cpython-311.pyc
■■■ pil_plugin.cpython-311.pyc
■■■ simpleitk_plugin.cpython-311.pyc
■■■ tiffplugin.cpython-311.pyc
■■■ _colormixer.cpython-311-x86_64-linux-gnu.so
■■■ _histograms.cpython-311-x86_64-linux-gnu.so
■■■ fits_plugin.ini
■■■ fits_plugin.py
■■■ gdal_plugin.ini
■■■ gdal_plugin.py
■■■ imageio_plugin.ini
■■■ imageio_plugin.py
■■■ imread_plugin.ini
■■■ imread_plugin.py
■■■ matplotlib_plugin.ini
■■■ matplotlib_plugin.py
■■■ pil_plugin.ini
■■■ pil_plugin.py
■■■ simpleitk_plugin.ini
■■■ simpleitk_plugin.py
■■■ tiffplugin.ini
■■■ tiffplugin.py
■■■ collection.py
■■■ manage_plugins.py
■■■ sift.py
■■■ tests
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_collection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fits.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_histograms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_imageio.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_imread.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_io.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mpl_imshow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multi_image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pil.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_plugin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sift.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_simpleitk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tiffiff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_collection.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fits.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_histograms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_imageio.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_imread.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_io.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mpl_imshow.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multi_image.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pil.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_plugin.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sift.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_simpleitk.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tiffiff.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ measure
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _blur_effect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _colocalization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _find_contours.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _label.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _marching_cubes_lewiner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _marching_cubes_lewiner_luts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _moments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _moments_analytical.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _polygon.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _regionprops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _regionprops_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ block.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ entropy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ fit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ npoly.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ profile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _blur_effect.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _ccomp.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _colocalization.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _find_contours.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _find_contours_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _label.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _marching_cubes_lewiner.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _marching_cubes_lewiner_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _marching_cubes_lewiner_luts.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _moments.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _moments_analytical.py

```

```

_ moments.py.cpython-311-x86_64-linux-gnu.so
_ pnpoly.cpython-311-x86_64-linux-gnu.so
_ polygon.py
_ regionprops.py
_ regionprops_utils.py
block.py
entropy.py
fit.py
pnpoly.py
profile.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_block.cpython-311.pyc
        test_blur_effect.cpython-311.pyc
        test_ccomp.cpython-311.pyc
        test_colocalization.cpython-311.pyc
        test_entropy.cpython-311.pyc
        test_find_contours.cpython-311.pyc
        test_fit.cpython-311.pyc
        test_label.cpython-311.pyc
        test_marching_cubes.cpython-311.pyc
        test_moments.cpython-311.pyc
        test_pnpoly.cpython-311.pyc
        test_polygon.cpython-311.pyc
        test_profile.cpython-311.pyc
        test_regionprops.cpython-311.pyc
test_block.py
test_blur_effect.py
test_ccomp.py
test_colocalization.py
test_entropy.py
test_find_contours.py
test_fit.py
test_label.py
test_marching_cubes.py
test_moments.py
test_pnpoly.py
test_polygon.py
test_profile.py
test_regionprops.py
metrics
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _adapted_rand_error.cpython-311.pyc
        _contingency_table.cpython-311.pyc
        _structural_similarity.cpython-311.pyc
        _variation_of_information.cpython-311.pyc
        set_metrics.cpython-311.pyc
        simple_metrics.cpython-311.pyc
    _adapted_rand_error.py
    _contingency_table.py
    _structural_similarity.py
    _variation_of_information.py
    set_metrics.py
    simple_metrics.py

```

```

■ ■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_segmentation_metrics.cpython-311.pyc
■ ■ ■ ■ test_set_metrics.cpython-311.pyc
■ ■ ■ ■ test_simple_metrics.cpython-311.pyc
■ ■ ■ ■ test_structural_similarity.cpython-311.pyc
■ ■ ■ ■ test_segmentation_metrics.py
■ ■ ■ ■ test_set_metrics.py
■ ■ ■ ■ test_simple_metrics.py
■ ■ ■ ■ test_structural_similarity.py
■ ■ ■ morphology
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _flood_fill.cpython-311.pyc
■ ■ ■ ■ _skeletonize.cpython-311.pyc
■ ■ ■ ■ _util.cpython-311.pyc
■ ■ ■ ■ binary.cpython-311.pyc
■ ■ ■ ■ convex_hull.cpython-311.pyc
■ ■ ■ ■ extrema.cpython-311.pyc
■ ■ ■ ■ footprints.cpython-311.pyc
■ ■ ■ ■ gray.cpython-311.pyc
■ ■ ■ ■ grayreconstruct.cpython-311.pyc
■ ■ ■ ■ isotropic.cpython-311.pyc
■ ■ ■ ■ max_tree.cpython-311.pyc
■ ■ ■ ■ misc.cpython-311.pyc
■ ■ ■ ■ _convex_hull.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _extrema_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _flood_fill.py
■ ■ ■ ■ _flood_fill_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _grayreconstruct.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _max_tree.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _skeletonize.py
■ ■ ■ ■ _skeletonize_3d_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _skeletonize_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _util.py
■ ■ ■ ■ ball_decompositions.npy
■ ■ ■ ■ binary.py
■ ■ ■ ■ convex_hull.py
■ ■ ■ ■ disk_decompositions.npy
■ ■ ■ ■ extrema.py
■ ■ ■ ■ footprints.py
■ ■ ■ ■ gray.py
■ ■ ■ ■ grayreconstruct.py
■ ■ ■ ■ isotropic.py
■ ■ ■ ■ max_tree.py
■ ■ ■ ■ misc.py
■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_binary.cpython-311.pyc
■ ■ ■ ■ test_convex_hull.cpython-311.pyc
■ ■ ■ ■ test_extrema.cpython-311.pyc
■ ■ ■ ■ test_flood_fill.cpython-311.pyc
■ ■ ■ ■ test_footprints.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gray.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_isotropic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_max_tree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_misc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reconstruction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_skeletonize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_skeletonize_3d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_binary.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_convex_hull.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_extrema.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_flood_fill.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_footprints.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gray.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_isotropic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_max_tree.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reconstruction.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_skeletonize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_skeletonize_3d.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_util.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ registration
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _masked_phase_cross_correlation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _optical_flow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _optical_flow_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _phase_cross_correlation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _masked_phase_cross_correlation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _optical_flow.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _optical_flow_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _phase_cross_correlation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ilk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_masked_phase_cross_correlation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_phase_cross_correlation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tv11.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ilk.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_masked_phase_cross_correlation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_phase_cross_correlation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tv11.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ restoration
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _cycle_spin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _denoise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ deconvolution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ inpaint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ j_invariant.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ non_local_means.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ rolling_ball.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ uft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ unwrap.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ _cycle_spin.py
■ ■ ■ ■ ■ ■ ■ ■ _denoise.py
■ ■ ■ ■ ■ ■ ■ ■ _denoise_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _inpaint.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _nl_means_denoising.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _rolling_ball_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _unwrap_1d.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _unwrap_2d.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ _unwrap_3d.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ deconvolution.py
■ ■ ■ ■ ■ ■ ■ ■ inpaint.py
■ ■ ■ ■ ■ ■ ■ ■ j_invariant.py
■ ■ ■ ■ ■ ■ ■ ■ non_local_means.py
■ ■ ■ ■ ■ ■ ■ ■ rolling_ball.py
■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_denoise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_inpaint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_j_invariant.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_restoration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_rolling_ball.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_unwrap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_denoise.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_inpaint.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_j_invariant.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_restoration.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_rolling_ball.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_unwrap.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ uft.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ unwrap.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ segmentation
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _chan_vese.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _clear_border.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _expand_labels.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _felzenszwalb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _join.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _quickshift.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _watershed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ active_contour_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ boundaries.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ morphsnakes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ random_walker_segmentation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ slic_superpixels.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _chan_vese.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _clear_border.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _expand_labels.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _felzenszwalb.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _felzenszwalb_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _join.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _quickshift.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _quickshift_cy.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _slic.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ _watershed.py

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_regular_grid.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_unique_rows.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_apply_parallel.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_arraycrop.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_compare.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dtype.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_invert.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_labels.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_map_array.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_montage.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_random_noise.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_regular_grid.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_shape.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_unique_rows.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ unique.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ sklearn
■ ■ ■ ■ ■ ■ ■ ■ ■■ __check_build
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _check_build.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ setup.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _distributor_init.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _min_dependencies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ calibration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ discriminant_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dummy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ isotonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ kernel_approximation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ kernel_ridge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ multiclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ multioutput.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ naive_bayes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ pipeline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ random_projection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ setup.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _build_utils
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ openmp_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ pre_build_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ openmp_helpers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pre_build_helpers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _config.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _distributor_init.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ _isotonic.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■■ _loss
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py

```



```

_ twenty_newsgroups.py
data
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    boston_house_prices.csv
    breast_cancer.csv
    diabetes_data_raw.csv.gz
    diabetes_target.csv.gz
    digits.csv.gz
    iris.csv
    linnerud_exercise.csv
    linnerud_physiological.csv
    wine_data.csv
descr
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    boston_house_prices.rst
    breast_cancer.rst
    california_housing.rst
    covtype.rst
    diabetes.rst
    digits.rst
    iris.rst
    kddcup99.rst
    lfw.rst
    linnerud.rst
    olivetti_faces.rst
    rcv1.rst
    twenty_newsgroups.rst
    wine_data.rst
images
    README.txt
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    china.jpg
    flower.jpg
setup.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    conftest.cpython-311.pyc
    test_20news.cpython-311.pyc
    test_base.cpython-311.pyc
    test_california_housing.cpython-311.pyc
    test_common.cpython-311.pyc
    test_covtype.cpython-311.pyc
    test_kddcup99.cpython-311.pyc
    test_lfw.cpython-311.pyc
    test_olivetti_faces.cpython-311.pyc
    test_openml.cpython-311.pyc
    test_rcv1.cpython-311.pyc
    test_samples_generator.cpython-311.pyc
    test_svmlight_format.cpython-311.pyc
    conftest.py

```

```
data
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  openml
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  id_1
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  api-v1-jd-1.json.gz
  api-v1-jdf-1.json.gz
  api-v1-jdq-1.json.gz
  data-v1-dl-1.arff.gz
  id_1119
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  api-v1-jd-1119.json.gz
  api-v1-jdf-1119.json.gz
  api-v1-jdl-dn-adult-census-l-2-dv-1.json.gz
  api-v1-jdl-dn-adult-census-l-2-s-act-.json.gz
  api-v1-jdq-1119.json.gz
  data-v1-dl-54002.arff.gz
  id_2
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  api-v1-jd-2.json.gz
  api-v1-jdf-2.json.gz
  api-v1-jdl-dn-anneal-l-2-dv-1.json.gz
  api-v1-jdl-dn-anneal-l-2-s-act-.json.gz
  api-v1-jdq-2.json.gz
  data-v1-dl-1666876.arff.gz
  id_292
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  api-v1-jd-292.json.gz
  api-v1-jd-40981.json.gz
  api-v1-jdf-292.json.gz
  api-v1-jdf-40981.json.gz
  api-v1-jdl-dn-australian-l-2-dv-1-s-dact.json.gz
  api-v1-jdl-dn-australian-l-2-dv-1.json.gz
  api-v1-jdl-dn-australian-l-2-s-act-.json.gz
  data-v1-dl-49822.arff.gz
  id_3
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  api-v1-jd-3.json.gz
  api-v1-jdf-3.json.gz
  api-v1-jdq-3.json.gz
  data-v1-dl-3.arff.gz
  id_40589
  __init__.py
```



```

    ■■■ __init__.cpython-311.pyc
    ■■■ api-v1-jd-61.json.gz
    ■■■ api-v1-jdf-61.json.gz
    ■■■ api-v1-jdl-dn-iris-l-2-dv-1.json.gz
    ■■■ api-v1-jdl-dn-iris-l-2-s-act-.json.gz
    ■■■ api-v1-jdq-61.json.gz
    ■■■ data-v1-dl-61.arff.gz
    ■■■ id_62
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ api-v1-jd-62.json.gz
    ■■■ api-v1-jdf-62.json.gz
    ■■■ api-v1-jdq-62.json.gz
    ■■■ data-v1-dl-52352.arff.gz
    ■■■ svmlight_classification.txt
    ■■■ svmlight_invalid.txt
    ■■■ svmlight_invalid_order.txt
    ■■■ svmlight_multilabel.txt
    ■■■ test_20news.py
    ■■■ test_base.py
    ■■■ test_california_housing.py
    ■■■ test_common.py
    ■■■ test_covtype.py
    ■■■ test_kddcup99.py
    ■■■ test_lfw.py
    ■■■ test_olivetti_faces.py
    ■■■ test_openml.py
    ■■■ test_rcv1.py
    ■■■ test_samples_generator.py
    ■■■ test_svmlight_format.py
    ■■■ decomposition
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ _base.cpython-311.pyc
    ■■■ _dict_learning.cpython-311.pyc
    ■■■ _factor_analysis.cpython-311.pyc
    ■■■ _fastica.cpython-311.pyc
    ■■■ _incremental_pca.cpython-311.pyc
    ■■■ _kernel_pca.cpython-311.pyc
    ■■■ _lda.cpython-311.pyc
    ■■■ _nmf.cpython-311.pyc
    ■■■ _pca.cpython-311.pyc
    ■■■ _sparse_pca.cpython-311.pyc
    ■■■ _truncated_svd.cpython-311.pyc
    ■■■ setup.cpython-311.pyc
    ■■■ _base.py
    ■■■ _cdnmf_fast.cpython-311-x86_64-linux-gnu.so
    ■■■ _dict_learning.py
    ■■■ _factor_analysis.py
    ■■■ _fastica.py
    ■■■ _incremental_pca.py
    ■■■ _kernel_pca.py
    ■■■ _lda.py
    ■■■ _nmf.py
    ■■■ _online_lda_fast.cpython-311-x86_64-linux-gnu.so
    ■■■ _pca.py

```

```

    sparse_pca.py
    _truncated_svd.py
    setup.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_dict_learning.cpython-311.pyc
    test_factor_analysis.cpython-311.pyc
    test_fastica.cpython-311.pyc
    test_incremental_pca.cpython-311.pyc
    test_kernel_pca.cpython-311.pyc
    test_nmf.cpython-311.pyc
    test_online_lda.cpython-311.pyc
    test_pca.cpython-311.pyc
    test_sparse_pca.cpython-311.pyc
    test_truncated_svd.cpython-311.pyc
    test_dict_learning.py
    test_factor_analysis.py
    test_fastica.py
    test_incremental_pca.py
    test_kernel_pca.py
    test_nmf.py
    test_online_lda.py
    test_pca.py
    test_sparse_pca.py
    test_truncated_svd.py
    discriminant_analysis.py
    dummy.py
    ensemble
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _bagging.cpython-311.pyc
    _base.cpython-311.pyc
    _forest.cpython-311.pyc
    _gb.cpython-311.pyc
    _gb_losses.cpython-311.pyc
    _iforest.cpython-311.pyc
    _stacking.cpython-311.pyc
    _voting.cpython-311.pyc
    _weight_boosting.cpython-311.pyc
    setup.cpython-311.pyc
    _bagging.py
    _base.py
    _forest.py
    _gb.py
    _gb_losses.py
    _gradient_boosting.cpython-311-x86_64-linux-gnu.so
    _hist_gradient_boosting
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    binning.cpython-311.pyc
    gradient_boosting.cpython-311.pyc
    grower.cpython-311.pyc
    predictor.cpython-311.pyc
    binning.cpython-311-x86_64-linux-gnu.so

```

```

_ bitset.cpython-311-x86_64-linux-gnu.so
_ _bitset.pxd
_ _gradient_boosting.cpython-311-x86_64-linux-gnu.so
_ _predictor.cpython-311-x86_64-linux-gnu.so
binning.py
common.cpython-311-x86_64-linux-gnu.so
common.pxd
gradient_boosting.py
grower.py
histogram.cpython-311-x86_64-linux-gnu.so
predictor.py
splitting.cpython-311-x86_64-linux-gnu.so
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_binning.cpython-311.pyc
        test_bitset.cpython-311.pyc
        test_compare_lightgbm.cpython-311.pyc
        test_gradient_boosting.cpython-311.pyc
        test_grower.cpython-311.pyc
        test_histogram.cpython-311.pyc
        test_monotonic_constraints.cpython-311.pyc
        test_predictor.cpython-311.pyc
        test_splitting.cpython-311.pyc
        test_warm_start.cpython-311.pyc
test_binning.py
test_bitset.py
test_compare_lightgbm.py
test_gradient_boosting.py
test_grower.py
test_histogram.py
test_monotonic_constraints.py
test_predictor.py
test_splitting.py
test_warm_start.py
utils.cpython-311-x86_64-linux-gnu.so
_ iforest.py
_ stacking.py
_ voting.py
_ weight_boosting.py
setup.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_bagging.cpython-311.pyc
        test_base.cpython-311.pyc
        test_common.cpython-311.pyc
        test_forest.cpython-311.pyc
        test_gradient_boosting.cpython-311.pyc
        test_gradient_boosting_loss_functions.cpython-311.pyc
        test_iforest.cpython-311.pyc
        test_stacking.cpython-311.pyc
        test_voting.cpython-311.pyc
        test_weight_boosting.cpython-311.pyc
test_bagging.py
test_base.py

```

```

test_common.py
test_forest.py
test_gradient_boosting.py
test_gradient_boosting_loss_functions.py
test_iforest.py
test_stacking.py
test_voting.py
test_weight_boosting.py
exceptions.py
experimental
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    enable_halving_search_cv.cpython-311.pyc
    enable_hist_gradient_boosting.cpython-311.pyc
    enable_iterative_imputer.cpython-311.pyc
    enable_halving_search_cv.py
    enable_hist_gradient_boosting.py
    enable_iterative_imputer.py
    tests
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
        test_enable_hist_gradient_boosting.cpython-311.pyc
        test_enable_iterative_imputer.cpython-311.pyc
        test_enable_successive_halving.cpython-311.pyc
        test_enable_hist_gradient_boosting.py
        test_enable_iterative_imputer.py
        test_enable_successive_halving.py
externals
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    _arff.cpython-311.pyc
    _lobpcg.cpython-311.pyc
    _numpy_compiler_patch.cpython-311.pyc
    conftest.cpython-311.pyc
    _arff.py
    _lobpcg.py
    _numpy_compiler_patch.py
    _packaging
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
        _structures.cpython-311.pyc
        version.cpython-311.pyc
    _structures.py
    version.py
    conftest.py
feature_extraction
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    _dict_vectorizer.cpython-311.pyc
    _hash.cpython-311.pyc
    _stop_words.cpython-311.pyc
    image.cpython-311.pyc
    setup.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _dict_vectorizer.py
■ ■ ■ ■ ■ ■ ■ ■■■ _hash.py
■ ■ ■ ■ ■ ■ ■ ■■■ _hashing_fast.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _stop_words.py
■ ■ ■ ■ ■ ■ ■ ■■■ image.py
■ ■ ■ ■ ■ ■ ■ ■■■ setup.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_dict_vectorizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_feature_hasher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_text.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_dict_vectorizer.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_feature_hasher.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_image.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_text.py
■ ■ ■ ■ ■ ■ ■ ■■■ text.py
■ ■ ■ ■ ■ ■ ■ ■■■ feature_selection
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _from_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mutual_info.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _rfe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _sequential.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _univariate_selection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _variance_threshold.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _base.py
■ ■ ■ ■ ■ ■ ■ ■■■ _from_model.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mutual_info.py
■ ■ ■ ■ ■ ■ ■ ■■■ _rfe.py
■ ■ ■ ■ ■ ■ ■ ■■■ _sequential.py
■ ■ ■ ■ ■ ■ ■ ■■■ _univariate_selection.py
■ ■ ■ ■ ■ ■ ■ ■■■ _variance_threshold.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_chi2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_feature_select.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_from_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mutual_info.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rfe.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sequential.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_variance_threshold.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_base.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_chi2.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_feature_select.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_from_model.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_mutual_info.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rfe.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sequential.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_variance_threshold.py
```

```

■   ■   ■   ■   ■   ■   ■   gaussian_process
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _gpc.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _gpr.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   kernels.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _gpc.py
■   ■   ■   ■   ■   ■   ■   ■   _gpr.py
■   ■   ■   ■   ■   ■   ■   ■   kernels.py
■   ■   ■   ■   ■   ■   ■   ■   tests
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _mini_sequence_kernel.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_gpc.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_gpr.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_kernels.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _mini_sequence_kernel.py
■   ■   ■   ■   ■   ■   ■   ■   test_gpc.py
■   ■   ■   ■   ■   ■   ■   ■   test_gpr.py
■   ■   ■   ■   ■   ■   ■   ■   test_kernels.py
■   ■   ■   ■   ■   ■   ■   ■   impute
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _base.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _iterative.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _knn.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _base.py
■   ■   ■   ■   ■   ■   ■   ■   _iterative.py
■   ■   ■   ■   ■   ■   ■   ■   _knn.py
■   ■   ■   ■   ■   ■   ■   ■   tests
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_base.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_common.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_impute.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_knn.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   test_base.py
■   ■   ■   ■   ■   ■   ■   ■   test_common.py
■   ■   ■   ■   ■   ■   ■   ■   test_impute.py
■   ■   ■   ■   ■   ■   ■   ■   test_knn.py
■   ■   ■   ■   ■   ■   ■   ■   inspection
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _partial_dependence.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _permutation_importance.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   setup.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   _partial_dependence.py
■   ■   ■   ■   ■   ■   ■   ■   _permutation_importance.py
■   ■   ■   ■   ■   ■   ■   ■   _plot
■   ■   ■   ■   ■   ■   ■   ■   __init__.py
■   ■   ■   ■   ■   ■   ■   ■   __pycache__
■   ■   ■   ■   ■   ■   ■   ■   __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   decision_boundary.cpython-311.pyc

```

```

partial_dependence.cpython-311.pyc
decision_boundary.py
partial_dependence.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
test_boundary_decision_display.cpython-311.pyc
test_plot_partial_dependence.cpython-311.pyc
test_boundary_decision_display.py
test_plot_partial_dependence.py
setup.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
test_partial_dependence.cpython-311.pyc
test_permutation_importance.cpython-311.pyc
test_partial_dependence.py
test_permutation_importance.py
isotonic.py
kernel_approximation.py
kernel_ridge.py
linear_model
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
_base.cpython-311.pyc
_bayes.cpython-311.pyc
_coordinate_descent.cpython-311.pyc
_huber.cpython-311.pyc
_least_angle.cpython-311.pyc
_linear_loss.cpython-311.pyc
_logistic.cpython-311.pyc
_omp.cpython-311.pyc
_passive_aggressive.cpython-311.pyc
_perceptron.cpython-311.pyc
_quantile.cpython-311.pyc
_ransac.cpython-311.pyc
_ridge.cpython-311.pyc
_sag.cpython-311.pyc
_stochastic_gradient.cpython-311.pyc
_theil_sen.cpython-311.pyc
setup.cpython-311.pyc
_base.py
_bayes.py
_cd_fast.cpython-311-x86_64-linux-gnu.so
_coordinate_descent.py
_glm
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
glm.cpython-311.pyc
glm.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc

```



```

■ ■ ■ ■ ■ test_glm.cpython-311.pyc
■ ■ ■ ■ ■ test_glm.py
■ ■ ■ ■ _huber.py
■ ■ ■ ■ _least_angle.py
■ ■ ■ ■ _linear_loss.py
■ ■ ■ ■ _logistic.py
■ ■ ■ ■ _omp.py
■ ■ ■ ■ _passive_aggressive.py
■ ■ ■ ■ _perceptron.py
■ ■ ■ ■ _quantile.py
■ ■ ■ ■ _ransac.py
■ ■ ■ ■ _ridge.py
■ ■ ■ ■ _sag.py
■ ■ ■ ■ _sag_fast.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _sgd_fast.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _sgd_fast.pxd
■ ■ ■ ■ _stochastic_gradient.py
■ ■ ■ ■ _theil_sen.py
■ ■ ■ ■ setup.py
■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_base.cpython-311.pyc
■ ■ ■ ■ test_bayes.cpython-311.pyc
■ ■ ■ ■ test_common.cpython-311.pyc
■ ■ ■ ■ test_coordinate_descent.cpython-311.pyc
■ ■ ■ ■ test_huber.cpython-311.pyc
■ ■ ■ ■ test_least_angle.cpython-311.pyc
■ ■ ■ ■ test_linear_loss.cpython-311.pyc
■ ■ ■ ■ test_logistic.cpython-311.pyc
■ ■ ■ ■ test_omp.cpython-311.pyc
■ ■ ■ ■ test_passive_aggressive.cpython-311.pyc
■ ■ ■ ■ test_perceptron.cpython-311.pyc
■ ■ ■ ■ test_quantile.cpython-311.pyc
■ ■ ■ ■ test_ransac.cpython-311.pyc
■ ■ ■ ■ test_ridge.cpython-311.pyc
■ ■ ■ ■ test_sag.cpython-311.pyc
■ ■ ■ ■ test_sgd.cpython-311.pyc
■ ■ ■ ■ test_sparse_coordinate_descent.cpython-311.pyc
■ ■ ■ ■ test_theil_sen.cpython-311.pyc
■ ■ ■ ■ test_base.py
■ ■ ■ ■ test_bayes.py
■ ■ ■ ■ test_common.py
■ ■ ■ ■ test_coordinate_descent.py
■ ■ ■ ■ test_huber.py
■ ■ ■ ■ test_least_angle.py
■ ■ ■ ■ test_linear_loss.py
■ ■ ■ ■ test_logistic.py
■ ■ ■ ■ test_omp.py
■ ■ ■ ■ test_passive_aggressive.py
■ ■ ■ ■ test_perceptron.py
■ ■ ■ ■ test_quantile.py
■ ■ ■ ■ test_ransac.py
■ ■ ■ ■ test_ridge.py
■ ■ ■ ■ test_sag.py
■ ■ ■ ■ test_sgd.py
■ ■ ■ ■ test_sparse_coordinate_descent.py

```

```

test_theil_sen.py
manifold
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _isomap.cpython-311.pyc
    _locally_linear.cpython-311.pyc
    _mds.cpython-311.pyc
    _spectral_embedding.cpython-311.pyc
    _t_sne.cpython-311.pyc
    setup.cpython-311.pyc
    _barnes_hut_tsne.cpython-311-x86_64-linux-gnu.so
    _isomap.py
    _locally_linear.py
    _mds.py
    _spectral_embedding.py
    _t_sne.py
    _utils.cpython-311-x86_64-linux-gnu.so
    setup.py
    tests
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        test_isomap.cpython-311.pyc
        test_locally_linear.cpython-311.pyc
        test_mds.cpython-311.pyc
        test_spectral_embedding.cpython-311.pyc
        test_t_sne.cpython-311.pyc
      test_isomap.py
      test_locally_linear.py
      test_mds.py
      test_spectral_embedding.py
      test_t_sne.py
  metrics
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _base.cpython-311.pyc
      _classification.cpython-311.pyc
      _ranking.cpython-311.pyc
      _regression.cpython-311.pyc
      _scorer.cpython-311.pyc
      pairwise.cpython-311.pyc
      setup.cpython-311.pyc
    _base.py
    _classification.py
    _dist_metrics.cpython-311-x86_64-linux-gnu.so
    _dist_metrics.pxd
    _pairwise_distances_reduction.cpython-311-x86_64-linux-gnu.so
    _pairwise_fast.cpython-311-x86_64-linux-gnu.so
    _plot
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        base.cpython-311.pyc
        confusion_matrix.cpython-311.pyc
        det_curve.cpython-311.pyc
        precision_recall_curve.cpython-311.pyc

```

```

■ ■ ■ roc_curve.cpython-311.pyc
■ ■ ■ base.py
■ ■ ■ confusion_matrix.py
■ ■ ■ det_curve.py
■ ■ ■ precision_recall_curve.py
■ ■ ■ roc_curve.py
■ ■ ■ tests
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■       ■ ■ ■ __init__.cpython-311.pyc
■       ■ ■ ■ test_base.cpython-311.pyc
■       ■ ■ ■ test_common_curve_display.cpython-311.pyc
■       ■ ■ ■ test_confusion_matrix_display.cpython-311.pyc
■       ■ ■ ■ test_det_curve_display.cpython-311.pyc
■       ■ ■ ■ test_plot_confusion_matrix.cpython-311.pyc
■       ■ ■ ■ test_plot_curve_common.cpython-311.pyc
■       ■ ■ ■ test_plot_det_curve.cpython-311.pyc
■       ■ ■ ■ test_plot_precision_recall.cpython-311.pyc
■       ■ ■ ■ test_plot_roc_curve.cpython-311.pyc
■       ■ ■ ■ test_precision_recall_display.cpython-311.pyc
■       ■ ■ ■ test_roc_curve_display.cpython-311.pyc
■   ■ ■ ■ test_base.py
■   ■ ■ ■ test_common_curve_display.py
■   ■ ■ ■ test_confusion_matrix_display.py
■   ■ ■ ■ test_det_curve_display.py
■   ■ ■ ■ test_plot_confusion_matrix.py
■   ■ ■ ■ test_plot_curve_common.py
■   ■ ■ ■ test_plot_det_curve.py
■   ■ ■ ■ test_plot_precision_recall.py
■   ■ ■ ■ test_plot_roc_curve.py
■   ■ ■ ■ test_precision_recall_display.py
■   ■ ■ ■ test_roc_curve_display.py
■ ■ ■ _ranking.py
■ ■ ■ _regression.py
■ ■ ■ _scorer.py
■ ■ ■ cluster
■   ■ ■ ■ __init__.py
■   ■ ■ ■ __pycache__
■       ■ ■ ■ __init__.cpython-311.pyc
■       ■ ■ ■ _bicluster.cpython-311.pyc
■       ■ ■ ■ _supervised.cpython-311.pyc
■       ■ ■ ■ _unsupervised.cpython-311.pyc
■       ■ ■ ■ setup.cpython-311.pyc
■   ■ ■ ■ _bicluster.py
■   ■ ■ ■ _expected_mutual_info_fast.cpython-311-x86_64-linux-gnu.so
■   ■ ■ ■ _supervised.py
■   ■ ■ ■ _unsupervised.py
■   ■ ■ ■ setup.py
■   ■ ■ ■ tests
■       ■ ■ ■ __init__.py
■       ■ ■ ■ __pycache__
■           ■ ■ ■ __init__.cpython-311.pyc
■           ■ ■ ■ test_bicluster.cpython-311.pyc
■           ■ ■ ■ test_common.cpython-311.pyc
■           ■ ■ ■ test_supervised.cpython-311.pyc
■           ■ ■ ■ test_unsupervised.cpython-311.pyc
■       ■ ■ ■ test_bicluster.py
■       ■ ■ ■ test_common.py
```



```

███ __pycache__
████ __init__.cpython-311.pyc
████ common.cpython-311.pyc
████ test_search.cpython-311.pyc
████ test_split.cpython-311.pyc
████ test_successive_halving.cpython-311.pyc
████ test_validation.cpython-311.pyc
████ common.py
████ test_search.py
████ test_split.py
████ test_successive_halving.py
████ test_validation.py
████ multiclass.py
████ multioutput.py
████ naive_bayes.py
████ neighbors
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _base.cpython-311.pyc
████ _classification.cpython-311.pyc
████ _distance_metric.cpython-311.pyc
████ _graph.cpython-311.pyc
████ _kde.cpython-311.pyc
████ _lof.cpython-311.pyc
████ _nca.cpython-311.pyc
████ _nearest_centroid.cpython-311.pyc
████ _regression.cpython-311.pyc
████ _unsupervised.cpython-311.pyc
████ setup.cpython-311.pyc
████ _ball_tree.cpython-311-x86_64-linux-gnu.so
████ _base.py
████ _classification.py
████ _distance_metric.py
████ _graph.py
████ _kd_tree.cpython-311-x86_64-linux-gnu.so
████ _kde.py
████ _lof.py
████ _nca.py
████ _nearest_centroid.py
████ _partition_nodes.cpython-311-x86_64-linux-gnu.so
████ _partition_nodes.pxd
████ _quad_tree.cpython-311-x86_64-linux-gnu.so
████ _quad_tree.pxd
████ _regression.py
████ _unsupervised.py
████ setup.py
████ tests
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ test_ball_tree.cpython-311.pyc
████ test_graph.cpython-311.pyc
████ test_kd_tree.cpython-311.pyc
████ test_kde.cpython-311.pyc
████ test_lof.cpython-311.pyc
████ test_nca.cpython-311.pyc
████ test_nearest_centroid.cpython-311.pyc
```

```

test_neighbors.cpython-311.pyc
test_neighbors_pipeline.cpython-311.pyc
test_neighbors_tree.cpython-311.pyc
test_quad_tree.cpython-311.pyc
test_ball_tree.py
test_graph.py
test_kd_tree.py
test_kde.py
test_lof.py
test_nca.py
test_nearest_centroid.py
test_neighbors.py
test_neighbors_pipeline.py
test_neighbors_tree.py
test_quad_tree.py
neural_network
__init__.py
__pycache__
__init__.cpython-311.pyc
_base.cpython-311.pyc
_multilayer_perceptron.cpython-311.pyc
_rbm.cpython-311.pyc
_stochastic_optimizers.cpython-311.pyc
_base.py
_multilayer_perceptron.py
_rbm.py
_stochastic_optimizers.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_base.cpython-311.pyc
test_mlp.cpython-311.pyc
test_rbm.cpython-311.pyc
test_stochastic_optimizers.cpython-311.pyc
test_base.py
test_mlp.py
test_rbm.py
test_stochastic_optimizers.py
pipeline.py
preprocessing
__init__.py
__pycache__
__init__.cpython-311.pyc
_data.cpython-311.pyc
_discretization.cpython-311.pyc
_encoders.cpython-311.pyc
_function_transformer.cpython-311.pyc
_label.cpython-311.pyc
_polynomial.cpython-311.pyc
setup.cpython-311.pyc
_csr_polynomial_expansion.cpython-311-x86_64-linux-gnu.so
_data.py
_discretization.py
_encoders.py
_function_transformer.py
_label.py
_polynomial.py

```

```

■■■ setup.py
■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ __init__.cpython-311.pyc
        ■■■ test_common.cpython-311.pyc
        ■■■ test_data.cpython-311.pyc
        ■■■ test_discretization.cpython-311.pyc
        ■■■ test_encoders.cpython-311.pyc
        ■■■ test_function_transformer.cpython-311.pyc
        ■■■ test_label.cpython-311.pyc
        ■■■ test_polynomial.cpython-311.pyc
    ■■■ test_common.py
    ■■■ test_data.py
    ■■■ test_discretization.py
    ■■■ test_encoders.py
    ■■■ test_function_transformer.py
    ■■■ test_label.py
    ■■■ test_polynomial.py
■■■ random_projection.py
■■■ semi_supervised
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ __init__.cpython-311.pyc
        ■■■ _label_propagation.cpython-311.pyc
        ■■■ _self_training.cpython-311.pyc
    ■■■ _label_propagation.py
    ■■■ _self_training.py
    ■■■ tests
        ■■■ __init__.py
        ■■■ __pycache__
            ■■■ __init__.cpython-311.pyc
            ■■■ test_label_propagation.cpython-311.pyc
            ■■■ test_self_training.cpython-311.pyc
        ■■■ test_label_propagation.py
        ■■■ test_self_training.py
■■■ setup.py
■■■ svm
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ __init__.cpython-311.pyc
        ■■■ _base.cpython-311.pyc
        ■■■ _bounds.cpython-311.pyc
        ■■■ _classes.cpython-311.pyc
        ■■■ setup.cpython-311.pyc
    ■■■ _base.py
    ■■■ _bounds.py
    ■■■ _classes.py
    ■■■ _liblinear.cpython-311-x86_64-linux-gnu.so
    ■■■ _libsvm.cpython-311-x86_64-linux-gnu.so
    ■■■ _libsvm_sparse.cpython-311-x86_64-linux-gnu.so
    ■■■ _newrand.cpython-311-x86_64-linux-gnu.so
    ■■■ setup.py
    ■■■ tests
        ■■■ __init__.py
        ■■■ __pycache__
            ■■■ __init__.cpython-311.pyc
            ■■■ test_bounds.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ test_sparse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_svm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_bounds.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_sparse.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_svm.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ random_seed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_build.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_calibration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_check_build.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_discriminant_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_docstring_parameters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_docstrings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_dummy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_init.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_isotonic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_kernel_approximation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_kernel_ridge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_metaestimators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_min_dependencies_readme.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multiclass.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multioutput.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_naive_bayes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_pipeline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_random_projection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ random_seed.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_build.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_calibration.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_check_build.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_common.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_config.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_discriminant_analysis.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_docstring_parameters.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_docstrings.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_dummy.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_init.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_isotonic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_kernel_approximation.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_kernel_ridge.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_metaestimators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_min_dependencies_readme.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multiclass.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multioutput.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_naive_bayes.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_pipeline.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_random_projection.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tree
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _classes.cpython-311.pyc

```


[illegible]

■	■	■	■	■	■	■■■	_encode.py
■	■	■	■	■	■	■■■	_estimator_html_repr.py
■	■	■	■	■	■	■■■	_fast_dict.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_fast_dict.pxd
■	■	■	■	■	■	■■■	_heap.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_heap.pxd
■	■	■	■	■	■	■■■	_joblib.py
■	■	■	■	■	■	■■■	_logistic_sigmoid.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_mask.py
■	■	■	■	■	■	■■■	_mocking.py
■	■	■	■	■	■	■■■	_openmp_helpers.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_openmp_helpers.pxd
■	■	■	■	■	■	■■■	_pprint.py
■	■	■	■	■	■	■■■	_random.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_random.pxd
■	■	■	■	■	■	■■■	_readonly_array_wrapper.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_seq_dataset.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_seq_dataset.pxd
■	■	■	■	■	■	■■■	_show_versions.py
■	■	■	■	■	■	■■■	_sorting.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_sorting.pxd
■	■	■	■	■	■	■■■	_tags.py
■	■	■	■	■	■	■■■	_testing.py
■	■	■	■	■	■	■■■	_typedefs.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_typedefs.pxd
■	■	■	■	■	■	■■■	_vector_sentinel.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_vector_sentinel.pxd
■	■	■	■	■	■	■■■	_weight_vector.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	_weight_vector.pxd
■	■	■	■	■	■	■■■	arrayfuncs.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	class_weight.py
■	■	■	■	■	■	■■■	deprecation.py
■	■	■	■	■	■	■■■	estimator_checks.py
■	■	■	■	■	■	■■■	extmath.py
■	■	■	■	■	■	■■■	fixes.py
■	■	■	■	■	■	■■■	graph.py
■	■	■	■	■	■	■■■	metaestimators.py
■	■	■	■	■	■	■■■	multiclass.py
■	■	■	■	■	■	■■■	murmurhash.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	murmurhash.pxd
■	■	■	■	■	■	■■■	optimize.py
■	■	■	■	■	■	■■■	random.py
■	■	■	■	■	■	■■■	setup.py
■	■	■	■	■	■	■■■	sparsefuncs.py
■	■	■	■	■	■	■■■	sparsefuncs_fast.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	stats.py
■	■	■	■	■	■	■■■	tests
■	■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ conftest.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_arpack.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_arrayfuncs.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_class_weight.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_cython_blas.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_cython_templating.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_deprecation.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_encode.cpython-311.pyc

■	■	■	■	■	■	■	■■■■	test_estimator_checks.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_estimator_html_repr.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_extmath.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_fast_dict.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_fixes.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_metaestimators.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_mocking.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_multiclass.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_murmurhash.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_optimize.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_parallel.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_pprint.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_random.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_readonly_wrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_seq_dataset.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_shortest_path.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_show_versions.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_sparsefuncs.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_stats.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_tags.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_testing.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_validation.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	test_weight_vector.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	conftest.py
■	■	■	■	■	■	■	■■■■	test_arpack.py
■	■	■	■	■	■	■	■■■■	test_arrayfuncs.py
■	■	■	■	■	■	■	■■■■	test_class_weight.py
■	■	■	■	■	■	■	■■■■	test_cython_blas.py
■	■	■	■	■	■	■	■■■■	test_cython_templating.py
■	■	■	■	■	■	■	■■■■	test_deprecation.py
■	■	■	■	■	■	■	■■■■	test_encode.py
■	■	■	■	■	■	■	■■■■	test_estimator_checks.py
■	■	■	■	■	■	■	■■■■	test_estimator_html_repr.py
■	■	■	■	■	■	■	■■■■	test_extmath.py
■	■	■	■	■	■	■	■■■■	test_fast_dict.py
■	■	■	■	■	■	■	■■■■	test_fixes.py
■	■	■	■	■	■	■	■■■■	test_graph.py
■	■	■	■	■	■	■	■■■■	test_metaestimators.py
■	■	■	■	■	■	■	■■■■	test_mocking.py
■	■	■	■	■	■	■	■■■■	test_multiclass.py
■	■	■	■	■	■	■	■■■■	test_murmurhash.py
■	■	■	■	■	■	■	■■■■	test_optimize.py
■	■	■	■	■	■	■	■■■■	test_parallel.py
■	■	■	■	■	■	■	■■■■	test_pprint.py
■	■	■	■	■	■	■	■■■■	test_random.py
■	■	■	■	■	■	■	■■■■	test_readonly_wrapper.py
■	■	■	■	■	■	■	■■■■	test_seq_dataset.py
■	■	■	■	■	■	■	■■■■	test_shortest_path.py
■	■	■	■	■	■	■	■■■■	test_show_versions.py
■	■	■	■	■	■	■	■■■■	test_sparsefuncs.py
■	■	■	■	■	■	■	■■■■	test_stats.py
■	■	■	■	■	■	■	■■■■	test_tags.py
■	■	■	■	■	■	■	■■■■	test_testing.py
■	■	■	■	■	■	■	■■■■	test_utils.py
■	■	■	■	■	■	■	■■■■	test_validation.py
■	■	■	■	■	■	■	■■■■	test_weight_vector.py

```

■ ■ ■ validation.py
■ ■ ■ slicer
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ slicer.cpython-311.pyc
■ ■ ■ slicer_internal.cpython-311.pyc
■ ■ ■ test_slicer.cpython-311.pyc
■ ■ ■ utils_testing.cpython-311.pyc
■ ■ ■ slicer.py
■ ■ ■ slicer_internal.py
■ ■ ■ test_slicer.py
■ ■ ■ utils_testing.py
■ ■ ■ slicer-0.0.7.dist-info
■ ■ ■ INSTALLER
■ ■ ■ LICENSE
■ ■ ■ METADATA
■ ■ ■ RECORD
■ ■ ■ WHEEL
■ ■ ■ top_level.txt
■ ■ ■ smart_open
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ azure.cpython-311.pyc
■ ■ ■ bytearray.cpython-311.pyc
■ ■ ■ compression.cpython-311.pyc
■ ■ ■ concurrency.cpython-311.pyc
■ ■ ■ constants.cpython-311.pyc
■ ■ ■ doctools.cpython-311.pyc
■ ■ ■ ftp.cpython-311.pyc
■ ■ ■ gcs.cpython-311.pyc
■ ■ ■ hdfs.cpython-311.pyc
■ ■ ■ http.cpython-311.pyc
■ ■ ■ local_file.cpython-311.pyc
■ ■ ■ s3.cpython-311.pyc
■ ■ ■ smart_open_lib.cpython-311.pyc
■ ■ ■ ssh.cpython-311.pyc
■ ■ ■ transport.cpython-311.pyc
■ ■ ■ utils.cpython-311.pyc
■ ■ ■ version.cpython-311.pyc
■ ■ ■ webhdfs.cpython-311.pyc
■ ■ ■ azure.py
■ ■ ■ bytearray.py
■ ■ ■ compression.py
■ ■ ■ concurrency.py
■ ■ ■ constants.py
■ ■ ■ doctools.py
■ ■ ■ ftp.py
■ ■ ■ gcs.py
■ ■ ■ hdfs.py
■ ■ ■ http.py
■ ■ ■ local_file.py
■ ■ ■ s3.py
■ ■ ■ smart_open_lib.py
■ ■ ■ ssh.py
■ ■ ■ transport.py
■ ■ ■ utils.py

```

```

    version.py
    webhdfs.py
smart_open-7.0.5.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
top_level.txt
sniffio
__init__.py
__pycache__
__init__.cpython-311.pyc
_impl.cpython-311.pyc
_version.cpython-311.pyc
_impl.py
_tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_sniffio.cpython-311.pyc
test_sniffio.py
_version.py
py.typed
sniffio-1.3.1.dist-info
INSTALLER
LICENSE
LICENSE.APACHE2
LICENSE.MIT
METADATA
RECORD
WHEEL
top_level.txt
snowflake
connector
__init__.py
__pycache__
__init__.cpython-311.pyc
arrow_context.cpython-311.pyc
auth.cpython-311.pyc
auth_by_plugin.cpython-311.pyc
auth_default.cpython-311.pyc
auth_idtoken.cpython-311.pyc
auth_keypair.cpython-311.pyc
auth_oauth.cpython-311.pyc
auth_okta.cpython-311.pyc
auth_usrpwdfma.cpython-311.pyc
auth_webbrowser.cpython-311.pyc
azure_storage_client.cpython-311.pyc
bind_upload_agent.cpython-311.pyc
cache.cpython-311.pyc
compat.cpython-311.pyc
connection.cpython-311.pyc
connection_diagnostic.cpython-311.pyc
constants.cpython-311.pyc
converter.cpython-311.pyc
converter_issue23517.cpython-311.pyc
converter_null.cpython-311.pyc
```

■	■	■	■	■	■	■■■	converter_snowsql.cpython-311.pyc
■	■	■	■	■	■	■■■	cursor.cpython-311.pyc
■	■	■	■	■	■	■■■	dbapi.cpython-311.pyc
■	■	■	■	■	■	■■■	description.cpython-311.pyc
■	■	■	■	■	■	■■■	encryption_util.cpython-311.pyc
■	■	■	■	■	■	■■■	errorcode.cpython-311.pyc
■	■	■	■	■	■	■■■	errors.cpython-311.pyc
■	■	■	■	■	■	■■■	feature.cpython-311.pyc
■	■	■	■	■	■	■■■	file_compression_type.cpython-311.pyc
■	■	■	■	■	■	■■■	file_transfer_agent.cpython-311.pyc
■	■	■	■	■	■	■■■	file_util.cpython-311.pyc
■	■	■	■	■	■	■■■	gcs_storage_client.cpython-311.pyc
■	■	■	■	■	■	■■■	gzip_decoder.cpython-311.pyc
■	■	■	■	■	■	■■■	local_storage_client.cpython-311.pyc
■	■	■	■	■	■	■■■	mixin.cpython-311.pyc
■	■	■	■	■	■	■■■	network.cpython-311.pyc
■	■	■	■	■	■	■■■	ocsp_asn1crypto.cpython-311.pyc
■	■	■	■	■	■	■■■	ocsp_snowflake.cpython-311.pyc
■	■	■	■	■	■	■■■	options.cpython-311.pyc
■	■	■	■	■	■	■■■	pandas_tools.cpython-311.pyc
■	■	■	■	■	■	■■■	proxy.cpython-311.pyc
■	■	■	■	■	■	■■■	result_batch.cpython-311.pyc
■	■	■	■	■	■	■■■	result_set.cpython-311.pyc
■	■	■	■	■	■	■■■	s3_storage_client.cpython-311.pyc
■	■	■	■	■	■	■■■	secret_detector.cpython-311.pyc
■	■	■	■	■	■	■■■	sfbinaryformat.cpython-311.pyc
■	■	■	■	■	■	■■■	sfdatetime.cpython-311.pyc
■	■	■	■	■	■	■■■	snow_logging.cpython-311.pyc
■	■	■	■	■	■	■■■	sqlstate.cpython-311.pyc
■	■	■	■	■	■	■■■	ssd_internal_keys.cpython-311.pyc
■	■	■	■	■	■	■■■	ssl_wrap_socket.cpython-311.pyc
■	■	■	■	■	■	■■■	storage_client.cpython-311.pyc
■	■	■	■	■	■	■■■	telemetry.cpython-311.pyc
■	■	■	■	■	■	■■■	telemetry_oob.cpython-311.pyc
■	■	■	■	■	■	■■■	test_util.cpython-311.pyc
■	■	■	■	■	■	■■■	time_util.cpython-311.pyc
■	■	■	■	■	■	■■■	util_text.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■	■■■	arrow_context.py
■	■	■	■	■	■	■■■	arrow_iterator.pyx
■	■	■	■	■	■	■■■	auth.py
■	■	■	■	■	■	■■■	auth_by_plugin.py
■	■	■	■	■	■	■■■	auth_default.py
■	■	■	■	■	■	■■■	auth_idtoken.py
■	■	■	■	■	■	■■■	auth_keypair.py
■	■	■	■	■	■	■■■	auth_oauth.py
■	■	■	■	■	■	■■■	auth_okta.py
■	■	■	■	■	■	■■■	auth_usrpwdfma.py
■	■	■	■	■	■	■■■	auth_webbrowser.py
■	■	■	■	■	■	■■■	azure_storage_client.py
■	■	■	■	■	■	■■■	bind_upload_agent.py
■	■	■	■	■	■	■■■	cache.py
■	■	■	■	■	■	■■■	compat.py
■	■	■	■	■	■	■■■	connection.py
■	■	■	■	■	■	■■■	connection_diagnostic.py
■	■	■	■	■	■	■■■	constants.py
■	■	■	■	■	■	■■■	converter.py
■	■	■	■	■	■	■■■	converter_issue23517.py

```

■■■■ converter_null.py
■■■■ converter_snowsql.py
■■■■ cpp
■■■■ ArrowIterator
■■■■ BinaryConverter.cpp
■■■■ BinaryConverter.hpp
■■■■ BooleanConverter.cpp
■■■■ BooleanConverter.hpp
■■■■ CArrowChunkIterator.cpp
■■■■ CArrowChunkIterator.hpp
■■■■ CArrowIterator.cpp
■■■■ CArrowIterator.hpp
■■■■ CArrowTableIterator.cpp
■■■■ CArrowTableIterator.hpp
■■■■ DateConverter.cpp
■■■■ DateConverter.hpp
■■■■ DecimalConverter.cpp
■■■■ DecimalConverter.hpp
■■■■ FloatConverter.cpp
■■■■ FloatConverter.hpp
■■■■ IColumnConverter.hpp
■■■■ IntConverter.cpp
■■■■ IntConverter.hpp
■■■■ Python
■■■■ Common.cpp
■■■■ Common.hpp
■■■■ Helpers.cpp
■■■■ Helpers.hpp
■■■■ SnowflakeType.cpp
■■■■ SnowflakeType.hpp
■■■■ StringConverter.cpp
■■■■ StringConverter.hpp
■■■■ TimeConverter.cpp
■■■■ TimeConverter.hpp
■■■■ TimeStampConverter.cpp
■■■■ TimeStampConverter.hpp
■■■■ Util
■■■■ macros.hpp
■■■■ time.cpp
■■■■ time.hpp
■■■■ Logging
■■■■ logging.cpp
■■■■ logging.hpp
■■■■ cursor.py
■■■■ dbapi.py
■■■■ description.py
■■■■ encryption_util.py
■■■■ errorcode.py
■■■■ errors.py
■■■■ feature.py
■■■■ file_compression_type.py
■■■■ file_transfer_agent.py
■■■■ file_util.py
■■■■ gcs_storage_client.py
■■■■ gzip_decoder.py
■■■■ local_storage_client.py
■■■■ mixin.py
■■■■ network.py

```

■	■	■	■	■	■	■■■	ocsp_asn1crypto.py
■	■	■	■	■	■	■■■	ocsp_snowflake.py
■	■	■	■	■	■	■■■	options.py
■	■	■	■	■	■	■■■	pandas_tools.py
■	■	■	■	■	■	■■■	proxy.py
■	■	■	■	■	■	■■■	py.typed
■	■	■	■	■	■	■■■	result_batch.py
■	■	■	■	■	■	■■■	result_set.py
■	■	■	■	■	■	■■■	s3_storage_client.py
■	■	■	■	■	■	■■■	secret_detector.py
■	■	■	■	■	■	■■■	sfbinaryformat.py
■	■	■	■	■	■	■■■	sfdatetime.py
■	■	■	■	■	■	■■■	snow_logging.py
■	■	■	■	■	■	■■■	sqlstate.py
■	■	■	■	■	■	■■■	ssd_internal_keys.py
■	■	■	■	■	■	■■■	ssl_wrap_socket.py
■	■	■	■	■	■	■■■	storage_client.py
■	■	■	■	■	■	■■■	telemetry.py
■	■	■	■	■	■	■■■	telemetry_oob.py
■	■	■	■	■	■	■■■	test_util.py
■	■	■	■	■	■	■■■	time_util.py
■	■	■	■	■	■	■■■	tool
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	dump_certs.cpython-311.pyc
■	■	■	■	■	■	■■■	dump_ocsp_response.cpython-311.pyc
■	■	■	■	■	■	■■■	dump_ocsp_response_cache.cpython-311.pyc
■	■	■	■	■	■	■■■	probe_connection.cpython-311.pyc
■	■	■	■	■	■	■■■	dump_certs.py
■	■	■	■	■	■	■■■	dump_ocsp_response.py
■	■	■	■	■	■	■■■	dump_ocsp_response_cache.py
■	■	■	■	■	■	■■■	probe_connection.py
■	■	■	■	■	■	■■■	util_text.py
■	■	■	■	■	■	■■■	vendored
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	requests
■	■	■	■	■	■	■■■	LICENSE
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	__version__.cpython-311.pyc
■	■	■	■	■	■	■■■	_internal_utils.cpython-311.pyc
■	■	■	■	■	■	■■■	adapters.cpython-311.pyc
■	■	■	■	■	■	■■■	api.cpython-311.pyc
■	■	■	■	■	■	■■■	auth.cpython-311.pyc
■	■	■	■	■	■	■■■	certs.cpython-311.pyc
■	■	■	■	■	■	■■■	compat.cpython-311.pyc
■	■	■	■	■	■	■■■	cookies.cpython-311.pyc
■	■	■	■	■	■	■■■	exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■	help.cpython-311.pyc
■	■	■	■	■	■	■■■	hooks.cpython-311.pyc
■	■	■	■	■	■	■■■	models.cpython-311.pyc
■	■	■	■	■	■	■■■	sessions.cpython-311.pyc
■	■	■	■	■	■	■■■	status_codes.cpython-311.pyc
■	■	■	■	■	■	■■■	structures.cpython-311.pyc

[illegible]

```

■ ■ ■ ■ securetransport.py
■ ■ ■ ■ socks.py
■ ■ ■ ■ exceptions.py
■ ■ ■ ■ fields.py
■ ■ ■ ■ filepost.py
■ ■ ■ ■ packages
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ six.cpython-311.pyc
■ ■ ■ ■ backports
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ makefile.cpython-311.pyc
■ ■ ■ ■ makefile.py
■ ■ ■ ■ six.py
■ ■ ■ ■ poolmanager.py
■ ■ ■ ■ request.py
■ ■ ■ ■ response.py
■ ■ ■ ■ util
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ connection.cpython-311.pyc
■ ■ ■ ■ proxy.cpython-311.pyc
■ ■ ■ ■ queue.cpython-311.pyc
■ ■ ■ ■ request.cpython-311.pyc
■ ■ ■ ■ response.cpython-311.pyc
■ ■ ■ ■ retry.cpython-311.pyc
■ ■ ■ ■ ssl_.cpython-311.pyc
■ ■ ■ ■ ssl_match_hostname.cpython-311.pyc
■ ■ ■ ■ ssltransport.cpython-311.pyc
■ ■ ■ ■ timeout.cpython-311.pyc
■ ■ ■ ■ url.cpython-311.pyc
■ ■ ■ ■ wait.cpython-311.pyc
■ ■ ■ ■ connection.py
■ ■ ■ ■ proxy.py
■ ■ ■ ■ queue.py
■ ■ ■ ■ request.py
■ ■ ■ ■ response.py
■ ■ ■ ■ retry.py
■ ■ ■ ■ ssl_.py
■ ■ ■ ■ ssl_match_hostname.py
■ ■ ■ ■ ssltransport.py
■ ■ ■ ■ timeout.py
■ ■ ■ ■ url.py
■ ■ ■ ■ wait.py
■ ■ ■ ■ version.py
■ ■ ■ ■ snowflake_connector_python-2.7.12.dist-info
■ ■ ■ ■ INSTALLER
■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ METADATA
■ ■ ■ ■ NOTICE
■ ■ ■ ■ RECORD
■ ■ ■ ■ REQUESTED
■ ■ ■ ■ WHEEL
■ ■ ■ ■ entry_points.txt
```

```

■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      snuggs
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      snuggs-1.4.7.dist-info
■      ■      ■      ■      ■      ■      ■      ■      AUTHORS.txt
■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      LICENSE
■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■      ■      ■      ■      soundfile.py
■      ■      ■      ■      ■      ■      ■      ■      soupsieve
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __meta__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      __meta__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      css_match.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      css_parser.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      css_types.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      pretty.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      css_match.py
■      ■      ■      ■      ■      ■      ■      ■      ■      css_parser.py
■      ■      ■      ■      ■      ■      ■      ■      ■      css_types.py
■      ■      ■      ■      ■      ■      ■      ■      ■      pretty.py
■      ■      ■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■      ■      ■      ■      soupsieve-2.6.dist-info
■      ■      ■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      ■      ■      licenses
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      LICENSE.md
■      ■      ■      ■      ■      ■      ■      ■      spacy
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.pxd
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __main__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      about.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      compat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      errors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      git_info.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      glossary.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      language.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      lookups.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      pipe_analysis.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      schemas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      scorer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ty.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      about.py

```

```

    attrsrc.cpython-311-x86_64-linux-gnu.so
    attrsrc.pxd
    attrsrc.pyx
    cli
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _util.cpython-311.pyc
    apply.cpython-311.pyc
    assemble.cpython-311.pyc
    benchmark_speed.cpython-311.pyc
    convert.cpython-311.pyc
    debug_config.cpython-311.pyc
    debug_data.cpython-311.pyc
    debug_diff.cpython-311.pyc
    debug_model.cpython-311.pyc
    download.cpython-311.pyc
    evaluate.cpython-311.pyc
    find_function.cpython-311.pyc
    find_threshold.cpython-311.pyc
    info.cpython-311.pyc
    init_config.cpython-311.pyc
    init_pipeline.cpython-311.pyc
    package.cpython-311.pyc
    pretrain.cpython-311.pyc
    profile.cpython-311.pyc
    train.cpython-311.pyc
    validate.cpython-311.pyc
    _util.py
    apply.py
    assemble.py
    benchmark_speed.py
    convert.py
    debug_config.py
    debug_data.py
    debug_diff.py
    debug_model.py
    download.py
    evaluate.py
    find_function.py
    find_threshold.py
    info.py
    init_config.py
    init_pipeline.py
    package.py
    pretrain.py
    profile.py
    project
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    assets.cpython-311.pyc
    clone.cpython-311.pyc
    document.cpython-311.pyc
    dvc.cpython-311.pyc
    pull.cpython-311.pyc
    push.cpython-311.pyc
    remote_storage.cpython-311.pyc

```

```

    run.cpython-311.pyc
    assets.py
    clone.py
    document.py
    dvc.py
    pull.py
    push.py
    remote_storage.py
    run.py
    templates
    quickstart_training.jinja
    quickstart_training_recommendations.yml
    train.py
    validate.py
    compat.py
    default_config.cfg
    default_config_pretraining.cfg
    displacy
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    render.cpython-311.pyc
    templates.cpython-311.pyc
    render.py
    templates.py
    errors.py
    git_info.py
    glossary.py
    kb
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    candidate.cpython-311-x86_64-linux-gnu.so
    candidate.pxd
    candidate.pyx
    kb.cpython-311-x86_64-linux-gnu.so
    kb.pxd
    kb.pyx
    kb_in_memory.cpython-311-x86_64-linux-gnu.so
    kb_in_memory.pxd
    kb_in_memory.pyx
    lang
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    char_classes.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    norm_exceptions.cpython-311.pyc
    punctuation.cpython-311.pyc
    tokenizer_exceptions.cpython-311.pyc
    af
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    stop_words.cpython-311.pyc
    stop_words.py
    am
    __init__.py

```



```

■ stop_words.py
■ tokenizer_exceptions.py
■ ca
■   __init__.py
■   __pycache__
■     __init__.cpython-311.pyc
■     examples.cpython-311.pyc
■     lemmatizer.cpython-311.pyc
■     lex_attrs.cpython-311.pyc
■     punctuation.cpython-311.pyc
■     stop_words.cpython-311.pyc
■     syntax_iterators.cpython-311.pyc
■     tokenizer_exceptions.cpython-311.pyc
■   examples.py
■   lemmatizer.py
■   lex_attrs.py
■   punctuation.py
■   stop_words.py
■   syntax_iterators.py
■   tokenizer_exceptions.py
■ char_classes.py
■ cs
■   __init__.py
■   __pycache__
■     __init__.cpython-311.pyc
■     examples.cpython-311.pyc
■     lex_attrs.cpython-311.pyc
■     stop_words.cpython-311.pyc
■   examples.py
■   lex_attrs.py
■   stop_words.py
■ da
■   __init__.py
■   __pycache__
■     __init__.cpython-311.pyc
■     examples.cpython-311.pyc
■     lex_attrs.cpython-311.pyc
■     punctuation.cpython-311.pyc
■     stop_words.cpython-311.pyc
■     syntax_iterators.cpython-311.pyc
■     tokenizer_exceptions.cpython-311.pyc
■   examples.py
■   lex_attrs.py
■   punctuation.py
■   stop_words.py
■   syntax_iterators.py
■   tokenizer_exceptions.py
■ de
■   __init__.py
■   __pycache__
■     __init__.cpython-311.pyc
■     examples.cpython-311.pyc
■     punctuation.cpython-311.pyc
■     stop_words.cpython-311.pyc
■     syntax_iterators.cpython-311.pyc
■     tokenizer_exceptions.cpython-311.pyc
■   examples.py
■   punctuation.py

```

[illegible]


```

punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
syntax_iterators.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lemmatizer.py
lex_attrs.py
punctuation.py
stop_words.py
syntax_iterators.py
tokenizer_exceptions.py
et
__init__.py
__pycache__
__init__.cpython-311.pyc
stop_words.cpython-311.pyc
stop_words.py
eu
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
fa
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
generate_verbs_exc.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
syntax_iterators.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
generate_verbs_exc.py
lex_attrs.py
punctuation.py
stop_words.py
syntax_iterators.py
tokenizer_exceptions.py
fi
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
syntax_iterators.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py

```

```

lex_attrs.py
punctuation.py
stop_words.py
syntax_iterators.py
tokenizer_exceptions.py
fo
__init__.py
__pycache__
__init__.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
tokenizer_exceptions.py
fr
__init__.py
__pycache__
__init__.cpython-311.pyc
_tokenizer_exceptions_list.cpython-311.pyc
examples.cpython-311.pyc
lemmatizer.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
syntax_iterators.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
_tokenizer_exceptions_list.py
examples.py
lemmatizer.py
lex_attrs.py
punctuation.py
stop_words.py
syntax_iterators.py
tokenizer_exceptions.py
ga
__init__.py
__pycache__
__init__.cpython-311.pyc
lemmatizer.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
lemmatizer.py
stop_words.py
tokenizer_exceptions.py
grc
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
tokenizer_exceptions.py
gu
__init__.py
__pycache__

```



```

hy
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  lex_attrs.cpython-311.pyc
  stop_words.cpython-311.pyc
  examples.py
  lex_attrs.py
  stop_words.py
id
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _tokenizer_exceptions_list.cpython-311.pyc
  examples.cpython-311.pyc
  lex_attrs.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  syntax_iterators.cpython-311.pyc
  tokenizer_exceptions.cpython-311.pyc
  _tokenizer_exceptions_list.py
  examples.py
  lex_attrs.py
  punctuation.py
  stop_words.py
  syntax_iterators.py
  tokenizer_exceptions.py
is
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  stop_words.cpython-311.pyc
  stop_words.py
it
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  lemmatizer.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  syntax_iterators.cpython-311.pyc
  tokenizer_exceptions.cpython-311.pyc
  examples.py
  lemmatizer.py
  punctuation.py
  stop_words.py
  syntax_iterators.py
  tokenizer_exceptions.py
ja
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  stop_words.cpython-311.pyc
  syntax_iterators.cpython-311.pyc
  tag_bigram_map.cpython-311.pyc

```

■	■	■	■	■	■	■	■	tag_map.cpython-311.pyc
■	■	■	■	■	■	■	■	tag_orth_map.cpython-311.pyc
■	■	■	■	■	■	■	■	examples.py
■	■	■	■	■	■	■	■	stop_words.py
■	■	■	■	■	■	■	■	syntax_iterators.py
■	■	■	■	■	■	■	■	tag_bigram_map.py
■	■	■	■	■	■	■	■	tag_map.py
■	■	■	■	■	■	■	■	tag_orth_map.py
■	■	■	■	■	■	■	■	kn
■	■	■	■	■	■	■	■	__init__.py
■	■	■	■	■	■	■	■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	examples.cpython-311.pyc
■	■	■	■	■	■	■	■	stop_words.cpython-311.pyc
■	■	■	■	■	■	■	■	examples.py
■	■	■	■	■	■	■	■	stop_words.py
■	■	■	■	■	■	■	■	ko
■	■	■	■	■	■	■	■	__init__.py
■	■	■	■	■	■	■	■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	examples.cpython-311.pyc
■	■	■	■	■	■	■	■	lex_attrs.cpython-311.pyc
■	■	■	■	■	■	■	■	punctuation.cpython-311.pyc
■	■	■	■	■	■	■	■	stop_words.cpython-311.pyc
■	■	■	■	■	■	■	■	tag_map.cpython-311.pyc
■	■	■	■	■	■	■	■	examples.py
■	■	■	■	■	■	■	■	lex_attrs.py
■	■	■	■	■	■	■	■	punctuation.py
■	■	■	■	■	■	■	■	stop_words.py
■	■	■	■	■	■	■	■	tag_map.py
■	■	■	■	■	■	■	■	ky
■	■	■	■	■	■	■	■	__init__.py
■	■	■	■	■	■	■	■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	examples.cpython-311.pyc
■	■	■	■	■	■	■	■	lex_attrs.cpython-311.pyc
■	■	■	■	■	■	■	■	punctuation.cpython-311.pyc
■	■	■	■	■	■	■	■	stop_words.cpython-311.pyc
■	■	■	■	■	■	■	■	tokenizer_exceptions.cpython-311.pyc
■	■	■	■	■	■	■	■	examples.py
■	■	■	■	■	■	■	■	lex_attrs.py
■	■	■	■	■	■	■	■	punctuation.py
■	■	■	■	■	■	■	■	stop_words.py
■	■	■	■	■	■	■	■	tokenizer_exceptions.py
■	■	■	■	■	■	■	■	la
■	■	■	■	■	■	■	■	__init__.py
■	■	■	■	■	■	■	■	__pycache__
■	■	■	■	■	■	■	■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	examples.cpython-311.pyc
■	■	■	■	■	■	■	■	lex_attrs.cpython-311.pyc
■	■	■	■	■	■	■	■	stop_words.cpython-311.pyc
■	■	■	■	■	■	■	■	syntax_iterators.cpython-311.pyc
■	■	■	■	■	■	■	■	tokenizer_exceptions.cpython-311.pyc
■	■	■	■	■	■	■	■	examples.py
■	■	■	■	■	■	■	■	lex_attrs.py
■	■	■	■	■	■	■	■	stop_words.py
■	■	■	■	■	■	■	■	syntax_iterators.py
■	■	■	■	■	■	■	■	tokenizer_exceptions.py

```

lb
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  lex_attrs.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  tokenizer_exceptions.cpython-311.pyc
  examples.py
  lex_attrs.py
  punctuation.py
  stop_words.py
  tokenizer_exceptions.py
lex_attrs.py
lg
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  lex_attrs.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  examples.py
  lex_attrs.py
  punctuation.py
  stop_words.py
lij
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  tokenizer_exceptions.cpython-311.pyc
  examples.py
  punctuation.py
  stop_words.py
  tokenizer_exceptions.py
lt
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  examples.cpython-311.pyc
  lex_attrs.cpython-311.pyc
  punctuation.cpython-311.pyc
  stop_words.cpython-311.pyc
  tokenizer_exceptions.cpython-311.pyc
  examples.py
  lex_attrs.py
  punctuation.py
  stop_words.py
  tokenizer_exceptions.py
lv
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  stop_words.cpython-311.pyc

```

[illegible]

[illegible]


```

    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    punctuation.cpython-311.pyc
    stop_words.cpython-311.pyc
    syntax_iterators.cpython-311.pyc
    tokenizer_exceptions.cpython-311.pyc
    examples.py
    lex_attrs.py
    punctuation.py
    stop_words.py
    syntax_iterators.py
    tokenizer_exceptions.py
    punctuation.py
    ro
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    punctuation.cpython-311.pyc
    stop_words.cpython-311.pyc
    tokenizer_exceptions.cpython-311.pyc
    examples.py
    lex_attrs.py
    punctuation.py
    stop_words.py
    tokenizer_exceptions.py
    ru
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    lemmatizer.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    stop_words.cpython-311.pyc
    tokenizer_exceptions.cpython-311.pyc
    examples.py
    lemmatizer.py
    lex_attrs.py
    stop_words.py
    tokenizer_exceptions.py
    sa
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc
    lex_attrs.cpython-311.pyc
    stop_words.cpython-311.pyc
    examples.py
    lex_attrs.py
    stop_words.py
    si
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    examples.cpython-311.pyc

```

```

■■■ lex_attrs.cpython-311.pyc
■■■ stop_words.cpython-311.pyc
■■■ examples.py
■■■ lex_attr.py
■■■ stop_words.py
■■ sk
■■ ■■■ __init__.py
■■ ■■■ __pycache__
■■ ■■■ __init__.cpython-311.pyc
■■ ■■■ examples.cpython-311.pyc
■■ ■■■ lex_attrs.cpython-311.pyc
■■ ■■■ stop_words.cpython-311.pyc
■■ ■■■ examples.py
■■ ■■■ lex_attr.py
■■ ■■■ stop_words.py
■■ sl
■■ ■■■ __init__.py
■■ ■■■ __pycache__
■■ ■■■ __init__.cpython-311.pyc
■■ ■■■ examples.cpython-311.pyc
■■ ■■■ lex_attrs.cpython-311.pyc
■■ ■■■ punctuation.cpython-311.pyc
■■ ■■■ stop_words.cpython-311.pyc
■■ ■■■ tokenizer_exceptions.cpython-311.pyc
■■ ■■■ examples.py
■■ ■■■ lex_attr.py
■■ ■■■ punctuation.py
■■ ■■■ stop_words.py
■■ ■■■ tokenizer_exceptions.py
■■ sq
■■ ■■■ __init__.py
■■ ■■■ __pycache__
■■ ■■■ __init__.cpython-311.pyc
■■ ■■■ examples.cpython-311.pyc
■■ ■■■ stop_words.cpython-311.pyc
■■ ■■■ examples.py
■■ ■■■ stop_words.py
■■ sr
■■ ■■■ __init__.py
■■ ■■■ __pycache__
■■ ■■■ __init__.cpython-311.pyc
■■ ■■■ examples.cpython-311.pyc
■■ ■■■ lex_attrs.cpython-311.pyc
■■ ■■■ punctuation.cpython-311.pyc
■■ ■■■ stop_words.cpython-311.pyc
■■ ■■■ tokenizer_exceptions.cpython-311.pyc
■■ ■■■ examples.py
■■ ■■■ lemma_lookup_licence.txt
■■ ■■■ lex_attr.py
■■ ■■■ punctuation.py
■■ ■■■ stop_words.py
■■ ■■■ tokenizer_exceptions.py
■■ sv
■■ ■■■ __init__.py
■■ ■■■ __pycache__
■■ ■■■ __init__.cpython-311.pyc
■■ ■■■ examples.cpython-311.pyc
■■ ■■■ lex_attr.cpython-311.pyc
```

```

punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
syntax_iterators.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
syntax_iterators.py
tokenizer_exceptions.py
ta
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
te
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
th
__init__.py
__pycache__
__init__.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
lex_attrs.py
stop_words.py
tokenizer_exceptions.py
ti
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
tokenizer_exceptions.py
tl
__init__.py
__pycache__
__init__.cpython-311.pyc

```

```

lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
lex_attrs.py
stop_words.py
tokenizer_exceptions.py
tn
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
tokenizer_exceptions.py
tr
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
syntax_iterators.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
syntax_iterators.py
tokenizer_exceptions.py
tt
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
tokenizer_exceptions.py
uk
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lemmatizer.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
tokenizer_exceptions.cpython-311.pyc
examples.py
lemmatizer.py

```

```

lex_attrs.py
stop_words.py
tokenizer_exceptions.py
ur
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
punctuation.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
punctuation.py
stop_words.py
vi
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
xx
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
examples.py
yo
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
zh
__init__.py
__pycache__
__init__.cpython-311.pyc
examples.cpython-311.pyc
lex_attrs.cpython-311.pyc
stop_words.cpython-311.pyc
examples.py
lex_attrs.py
stop_words.py
language.py
lexeme.cpython-311-x86_64-linux-gnu.so
lexeme.pxd
lexeme.pyi
lexeme.pyx
lookups.py
matcher

```

```

■■■ __init__.py
■■■ __pycache__
■ ■■■ __init__.cpython-311.pyc
■■■ dependencymatcher.cpython-311-x86_64-linux-gnu.so
■■■ dependencymatcher.pyi
■■■ dependencymatcher.pyx
■■■ levenshtein.c
■■■ levenshtein.cpython-311-x86_64-linux-gnu.so
■■■ levenshtein.pyx
■■■ matcher.cpython-311-x86_64-linux-gnu.so
■■■ matcher.pxd
■■■ matcher.pyi
■■■ matcher.pyx
■■■ phrasematcher.cpython-311-x86_64-linux-gnu.so
■■■ phrasematcher.pxd
■■■ phrasematcher.pyi
■■■ phrasematcher.pyx
■■■ polyleven.c
■■■ ml
■■■ __init__.py
■■■ __pycache__
■ ■■■ __init__.cpython-311.pyc
■ ■■■ _character_embed.cpython-311.pyc
■ ■■■ _precomutable_affine.cpython-311.pyc
■ ■■■ callbacks.cpython-311.pyc
■ ■■■ extract_ngrams.cpython-311.pyc
■ ■■■ extract_spans.cpython-311.pyc
■ ■■■ featureextractor.cpython-311.pyc
■ ■■■ staticvectors.cpython-311.pyc
■ ■■■ tb_framework.cpython-311.pyc
■■■ _character_embed.py
■■■ _precomutable_affine.py
■■■ callbacks.py
■■■ extract_ngrams.py
■■■ extract_spans.py
■■■ featureextractor.py
■■■ models
■ ■■■ __init__.py
■ ■■■ __pycache__
■ ■■■ __init__.cpython-311.pyc
■ ■■■ entity_linker.cpython-311.pyc
■ ■■■ multi_task.cpython-311.pyc
■ ■■■ parser.cpython-311.pyc
■ ■■■ span_finder.cpython-311.pyc
■ ■■■ spancat.cpython-311.pyc
■ ■■■ tagger.cpython-311.pyc
■ ■■■ textcat.cpython-311.pyc
■ ■■■ tok2vec.cpython-311.pyc
■■■ entity_linker.py
■■■ multi_task.py
■■■ parser.py
■■■ span_finder.py
■■■ spancat.py
■■■ tagger.py
■■■ textcat.py
■■■ tok2vec.py
■■■ parser_model.cpython-311-x86_64-linux-gnu.so
■■■ parser_model.pxd

```

```

■■■ parser_model.pyx
■■■ staticvectors.py
■■■ tb_framework.py
■■■ morphology.cpython-311-x86_64-linux-gnu.so
■■■ morphology.pxd
■■■ morphology.pyx
■■■ parts_of_speech.cpython-311-x86_64-linux-gnu.so
■■■ parts_of_speech.pxd
■■■ parts_of_speech.pyx
■■■ pipe_analysis.py
■■■ pipeline
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ attributeruler.cpython-311.pyc
■■■ edit_tree_lemmatizer.cpython-311.pyc
■■■ entity_linker.cpython-311.pyc
■■■ entityruler.cpython-311.pyc
■■■ functions.cpython-311.pyc
■■■ lemmatizer.cpython-311.pyc
■■■ span_finder.cpython-311.pyc
■■■ span_ruler.cpython-311.pyc
■■■ spancat.cpython-311.pyc
■■■ textcat.cpython-311.pyc
■■■ textcat_multilabel.cpython-311.pyc
■■■ tok2vec.cpython-311.pyc
■■■ _edit_tree_internals
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ schemas.cpython-311.pyc
■■■ edit_trees.cpython-311-x86_64-linux-gnu.so
■■■ edit_trees.pxd
■■■ edit_trees.pyx
■■■ schemas.py
■■■ _parser_internals
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ _beam_utils.cpython-311-x86_64-linux-gnu.so
■■■ _beam_utils.pxd
■■■ _beam_utils.pyx
■■■ _state.cpython-311-x86_64-linux-gnu.so
■■■ _state.pxd
■■■ _state.pyx
■■■ arc_eager.cpython-311-x86_64-linux-gnu.so
■■■ arc_eager.pxd
■■■ arc_eager.pyx
■■■ ner.cpython-311-x86_64-linux-gnu.so
■■■ ner.pxd
■■■ ner.pyx
■■■ nonproj.cpython-311-x86_64-linux-gnu.so
■■■ nonproj.hh
■■■ nonproj.pxd
■■■ nonproj.pyx
■■■ stateclass.cpython-311-x86_64-linux-gnu.so
■■■ stateclass.pxd

```

```

■ ■ ■ stateclass.pyx
■ ■ ■ transition_system.cpython-311-x86_64-linux-gnu.so
■ ■ ■ transition_system.pxd
■ ■ ■ transition_system.pyx
■ ■ ■ attributeruler.py
■ ■ ■ dep_parser.cpython-311-x86_64-linux-gnu.so
■ ■ ■ dep_parser.pyx
■ ■ ■ edit_tree_lemmatizer.py
■ ■ ■ entity_linker.py
■ ■ ■ entityruler.py
■ ■ ■ functions.py
■ ■ ■ legacy
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■ entity_linker.cpython-311.pyc
■ ■ ■   ■ ■ ■ entity_linker.py
■ ■ ■ lemmatizer.py
■ ■ ■ morphologizer.cpython-311-x86_64-linux-gnu.so
■ ■ ■ morphologizer.pyx
■ ■ ■ multitask.cpython-311-x86_64-linux-gnu.so
■ ■ ■ multitask.pyx
■ ■ ■ ner.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ner.pyx
■ ■ ■ pipe.cpython-311-x86_64-linux-gnu.so
■ ■ ■ pipe.pxd
■ ■ ■ pipe.pyi
■ ■ ■ pipe.pyx
■ ■ ■ sentencizer.cpython-311-x86_64-linux-gnu.so
■ ■ ■ sentencizer.pyx
■ ■ ■ sender.cpython-311-x86_64-linux-gnu.so
■ ■ ■ sender.pyx
■ ■ ■ span_finder.py
■ ■ ■ span_ruler.py
■ ■ ■ spancat.py
■ ■ ■ tagger.cpython-311-x86_64-linux-gnu.so
■ ■ ■ tagger.pyx
■ ■ ■ textcat.py
■ ■ ■ textcat_multilabel.py
■ ■ ■ tok2vec.py
■ ■ ■ trainable_pipe.cpython-311-x86_64-linux-gnu.so
■ ■ ■ trainable_pipe.pxd
■ ■ ■ trainable_pipe.pyx
■ ■ ■ transition_parser.cpython-311-x86_64-linux-gnu.so
■ ■ ■ transition_parser.pxd
■ ■ ■ transition_parser.pyx
■ ■ ■ py.typed
■ ■ ■ schemas.py
■ ■ ■ scorer.py
■ ■ ■ strings.cpython-311-x86_64-linux-gnu.so
■ ■ ■ strings.pxd
■ ■ ■ strings.pyi
■ ■ ■ strings.pyx
■ ■ ■ structs.pxd
■ ■ ■ symbols.cpython-311-x86_64-linux-gnu.so
■ ■ ■ symbols.pxd
■ ■ ■ symbols.pyx
■ ■ ■ tests
```


[illegible]

```

test_lemmatizers.cpython-311.pyc
af
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_text.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_text.py
    test_tokenizer.py
am
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exception.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exception.py
    test_text.py
ar
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exceptions.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exceptions.py
    test_text.py
bn
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_tokenizer.py
ca
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exception.cpython-311.pyc
    test_prefix_suffix_infix.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exception.py
    test_prefix_suffix_infix.py
    test_text.py
cs
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_text.cpython-311.pyc
    test_text.py
da
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exceptions.cpython-311.pyc
    test_noun_chunks.cpython-311.pyc
    test_prefix_suffix_infix.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exceptions.py
    test_noun_chunks.py
    test_prefix_suffix_infix.py

```

```

test_text.py
de
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exceptions.cpython-311.pyc
    test_noun_chunks.cpython-311.pyc
    test_parser.cpython-311.pyc
    test_prefix_suffix_infix.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exceptions.py
    test_noun_chunks.py
    test_parser.py
    test_prefix_suffix_infix.py
    test_text.py
dsb
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_text.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_text.py
    test_tokenizer.py
el
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_exception.cpython-311.pyc
    test_noun_chunks.cpython-311.pyc
    test_text.cpython-311.pyc
    test_exception.py
    test_noun_chunks.py
    test_text.py
en
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_customized_tokenizer.cpython-311.pyc
    test_exceptions.cpython-311.pyc
    test_indices.cpython-311.pyc
    test_noun_chunks.cpython-311.pyc
    test_parser.cpython-311.pyc
    test_prefix_suffix_infix.cpython-311.pyc
    test_punct.cpython-311.pyc
    test_sbd.cpython-311.pyc
    test_text.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_customized_tokenizer.py
    test_exceptions.py
    test_indices.py
    test_noun_chunks.py
    test_parser.py
    test_prefix_suffix_infix.py
    test_punct.py
    test_sbd.py
    test_text.py
    test_tokenizer.py
es

```

```

███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_exception.cpython-311.pyc
███ test_noun_chunks.cpython-311.pyc
███ test_text.cpython-311.pyc
███ test_exception.py
███ test_noun_chunks.py
███ test_text.py
██ et
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_text.cpython-311.pyc
███ test_tokenizer.cpython-311.pyc
███ test_text.py
███ test_tokenizer.py
██ eu
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_text.cpython-311.pyc
███ test_text.py
██ fa
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_noun_chunks.cpython-311.pyc
███ test_noun_chunks.py
██ fi
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_noun_chunks.cpython-311.pyc
███ test_text.cpython-311.pyc
███ test_tokenizer.cpython-311.pyc
███ test_noun_chunks.py
███ test_text.py
███ test_tokenizer.py
██ fo
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_tokenizer.cpython-311.pyc
███ test_tokenizer.py
██ fr
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_exceptions.cpython-311.pyc
███ test_noun_chunks.cpython-311.pyc
███ test_prefix_suffix_infix.cpython-311.pyc
███ test_text.cpython-311.pyc
███ test_exceptions.py
███ test_noun_chunks.py
███ test_prefix_suffix_infix.py
███ test_text.py
██ ga

```

```

__init__.py
__pycache__
__init__.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_tokenizer.py
grc
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
gu
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_text.py
he
__init__.py
__pycache__
__init__.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_tokenizer.py
hi
__init__.py
__pycache__
__init__.cpython-311.pyc
test_lex_attrs.cpython-311.pyc
test_text.cpython-311.pyc
test_lex_attrs.py
test_text.py
hr
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
hsb
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
hu
__init__.py
__pycache__
__init__.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_tokenizer.py
hy
__init__.py
__pycache__

```

[illegible]

[illegible]

```

_ _init_.py
__pycache__
    __init__.cpython-311.pyc
test_noun_chunks.cpython-311.pyc
test_prefix_suffix_infix.cpython-311.pyc
test_text.cpython-311.pyc
test_noun_chunks.py
test_prefix_suffix_infix.py
test_text.py
nb
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_noun_chunks.cpython-311.pyc
        test_tokenizer.cpython-311.pyc
test_noun_chunks.py
test_tokenizer.py
ne
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_text.cpython-311.pyc
test_text.py
nl
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_noun_chunks.cpython-311.pyc
        test_text.cpython-311.pyc
test_noun_chunks.py
test_text.py
nn
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_tokenizer.cpython-311.pyc
test_tokenizer.py
pl
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_text.cpython-311.pyc
        test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
pt
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_noun_chunks.cpython-311.pyc
        test_text.cpython-311.pyc
test_noun_chunks.py
test_text.py
ro
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test tokenizer.cpython-311.pyc

```



```

test_tokenizer.py
ru
__init__.py
__pycache__
__init__.cpython-311.pyc
test_exceptions.cpython-311.pyc
test_lemmatizer.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_exceptions.py
test_lemmatizer.py
test_text.py
test_tokenizer.py
sa
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_text.py
sk
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
sl
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
sq
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
sr
__init__.py
__pycache__
__init__.cpython-311.pyc
test_exceptions.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_exceptions.py
test_tokenizer.py
sv
__init__.py
__pycache__
__init__.cpython-311.pyc
test_exceptions.cpython-311.pyc
test_lex_attrs.cpython-311.pyc
test_noun_chunks.cpython-311.pyc

```

```

test_prefix_suffix_infix.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_exceptions.py
test_lex_attrs.py
test_noun_chunks.py
test_prefix_suffix_infix.py
test_text.py
test_tokenizer.py
ta
__init__.py
__pycache__
__init__.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_text.py
test_tokenizer.py
test_attrs.py
test_initialize.py
test_lemmatizers.py
th
__init__.py
__pycache__
__init__.cpython-311.pyc
test_serialize.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_serialize.py
test_tokenizer.py
ti
__init__.py
__pycache__
__init__.cpython-311.pyc
test_exception.cpython-311.pyc
test_text.cpython-311.pyc
test_exception.py
test_text.py
tl
__init__.py
__pycache__
__init__.cpython-311.pyc
test_indices.cpython-311.pyc
test_punct.cpython-311.pyc
test_text.cpython-311.pyc
test_indices.py
test_punct.py
test_text.py
tr
__init__.py
__pycache__
__init__.cpython-311.pyc
test_noun_chunks.cpython-311.pyc
test_parser.cpython-311.pyc
test_text.cpython-311.pyc
test_tokenizer.cpython-311.pyc
test_noun_chunks.py
test_parser.py
test_text.py
test_tokenizer.py

```

```

tt
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_tokenizer.py
uk
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_lemmatizer.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_tokenizer_exc.cpython-311.pyc
    test_lemmatizer.py
    test_tokenizer.py
    test_tokenizer_exc.py
ur
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_prefix_suffix_infix.cpython-311.pyc
    test_text.cpython-311.pyc
    test_prefix_suffix_infix.py
    test_text.py
vi
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_serialize.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_serialize.py
    test_tokenizer.py
xx
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_text.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_text.py
    test_tokenizer.py
yo
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_text.cpython-311.pyc
    test_text.py
zh
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_serialize.cpython-311.pyc
    test_text.cpython-311.pyc
    test_tokenizer.cpython-311.pyc
    test_serialize.py
    test_text.py
    test_tokenizer.py
matcher
    __init__.py

```

```

    pycache_
    __init__.cpython-311.pyc
    test_dependency_matcher.cpython-311.pyc
    test levenshtein.cpython-311.pyc
    test_matcher_api.cpython-311.pyc
    test_matcher_logic.cpython-311.pyc
    test_pattern_validation.cpython-311.pyc
    test_phrase_matcher.cpython-311.pyc
    test_dependency_matcher.py
    test levenshtein.py
    test_matcher_api.py
    test_matcher_logic.py
    test_pattern_validation.py
    test_phrase_matcher.py
    morphology
    __init__.py
    __pycache_
    __init__.cpython-311.pyc
    test_morph_converters.cpython-311.pyc
    test_morph_features.cpython-311.pyc
    test_morph_pickle.cpython-311.pyc
    test_morph_converters.py
    test_morph_features.py
    test_morph_pickle.py
    package
    __init__.py
    __pycache_
    __init__.cpython-311.pyc
    test_requirements.cpython-311.pyc
    pyproject.toml
    requirements.txt
    setup.cfg
    test_requirements.py
    parser
    __init__.py
    __pycache_
    __init__.cpython-311.pyc
    test_add_label.cpython-311.pyc
    test_arc_eager_oracle.cpython-311.pyc
    test_ner.cpython-311.pyc
    test_neural_parser.cpython-311.pyc
    test_nn_beam.cpython-311.pyc
    test_nonproj.cpython-311.pyc
    test_parse.cpython-311.pyc
    test_parse_navigate.cpython-311.pyc
    test_preset_sbd.cpython-311.pyc
    test_space_attachment.cpython-311.pyc
    test_state.cpython-311.pyc
    test_add_label.py
    test_arc_eager_oracle.py
    test_ner.py
    test_neural_parser.py
    test_nn_beam.py
    test_nonproj.py
    test_parse.py
    test_parse_navigate.py
    test_preset_sbd.py
    test_space_attachment.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_state.py
■ ■ ■ ■ ■ ■ ■■■ pipeline
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_annotates_on_update.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_attributeruler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_edit_tree_lemmatizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_entity_linker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_entity_ruler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_initialize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_lemmatizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_models.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_morphologizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_pipe_factories.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_pipe_methods.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_sentencizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_senter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_span_finder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_span_ruler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_spancat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_tagger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_textcat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_tok2vec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_analysis.py
■ ■ ■ ■ ■ ■ ■■■ test_annotates_on_update.py
■ ■ ■ ■ ■ ■ ■■■ test_attributeruler.py
■ ■ ■ ■ ■ ■ ■■■ test_edit_tree_lemmatizer.py
■ ■ ■ ■ ■ ■ ■■■ test_entity_linker.py
■ ■ ■ ■ ■ ■ ■■■ test_entity_ruler.py
■ ■ ■ ■ ■ ■ ■■■ test_functions.py
■ ■ ■ ■ ■ ■ ■■■ test_initialize.py
■ ■ ■ ■ ■ ■ ■■■ test_lemmatizer.py
■ ■ ■ ■ ■ ■ ■■■ test_models.py
■ ■ ■ ■ ■ ■ ■■■ test_morphologizer.py
■ ■ ■ ■ ■ ■ ■■■ test_pipe_factories.py
■ ■ ■ ■ ■ ■ ■■■ test_pipe_methods.py
■ ■ ■ ■ ■ ■ ■■■ test_sentencizer.py
■ ■ ■ ■ ■ ■ ■■■ test_senter.py
■ ■ ■ ■ ■ ■ ■■■ test_span_finder.py
■ ■ ■ ■ ■ ■ ■■■ test_span_ruler.py
■ ■ ■ ■ ■ ■ ■■■ test_spancat.py
■ ■ ■ ■ ■ ■ ■■■ test_tagger.py
■ ■ ■ ■ ■ ■ ■■■ test_textcat.py
■ ■ ■ ■ ■ ■ ■■■ test_tok2vec.py
■ ■ ■ ■ ■ ■ ■■■ serialize
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_resource_warning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_doc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_docbin.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_extension_attrs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_kb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ test_serialize_language.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_pipeline.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_span_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_tokenizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_vocab_strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_resource_warning.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_config.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_doc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_docbin.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_extension_attrs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_kb.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_language.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_pipeline.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_span_groups.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_tokenizer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_serialize_vocab_strings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_architectures.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cli.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cli_app.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_displacy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_errors.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_language.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_misc.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_models.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pickles.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_scorer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ty.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tok2vec.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tokenizer
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_explain.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_naughty_strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tokenizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_urls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_whitespace.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ sun.txt
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_explain.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_naughty_strings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tokenizer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_urls.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_whitespace.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ training
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_augmenters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_corpus.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_logger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_new_example.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pretraining.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_readers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rehearse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_training.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_augmenters.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_corpus.py
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_logger.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_new_example.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pretraining.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_readers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rehearse.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_training.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ vocab_vectors
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_lexeme.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_lookups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_similarity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_stringstore.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_vectors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_vocab_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_lexeme.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_lookups.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_similarity.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_stringstore.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_vectors.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_vocab_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ tokenizer.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ tokenizer.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ tokenizer.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ tokens
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _dict_proxies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _serialize.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ underscore.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _dict_proxies.py
■ ■ ■ ■ ■ ■ ■ ■■■ _retokenize.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _retokenize.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _retokenize.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ _serialize.py
■ ■ ■ ■ ■ ■ ■ ■■■ doc.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ doc.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ doc.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ doc.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ graph.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ graph.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ graph.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ morphanalysis.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ morphanalysis.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ morphanalysis.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ morphanalysis.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ span.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ span.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ span.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ span.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ span_group.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ span_group.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ span_group.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ span_group.pyx

```

■	■	■	■	■	■	■■■ token.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ token.pxd
■	■	■	■	■	■	■■■ token.pyi
■	■	■	■	■	■	■■■ token.pyx
■	■	■	■	■	■	■■■ underscore.py
■	■	■	■	■	■■■ training	
■	■	■	■	■	■	■■■ __init__.pxd
■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■ alignment.cpython-311.pyc
■	■	■	■	■	■	■■■ augment.cpython-311.pyc
■	■	■	■	■	■	■■■ batchers.cpython-311.pyc
■	■	■	■	■	■	■■■ callbacks.cpython-311.pyc
■	■	■	■	■	■	■■■ corpus.cpython-311.pyc
■	■	■	■	■	■	■■■ initialize.cpython-311.pyc
■	■	■	■	■	■	■■■ iob_utils.cpython-311.pyc
■	■	■	■	■	■	■■■ loggers.cpython-311.pyc
■	■	■	■	■	■	■■■ loop.cpython-311.pyc
■	■	■	■	■	■	■■■ pretrain.cpython-311.pyc
■	■	■	■	■	■	■■■ align.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ align.pyx
■	■	■	■	■	■	■■■ alignment.py
■	■	■	■	■	■	■■■ alignment_array.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ alignment_array.pxd
■	■	■	■	■	■	■■■ alignment_array.pyx
■	■	■	■	■	■	■■■ augment.py
■	■	■	■	■	■	■■■ batchers.py
■	■	■	■	■	■	■■■ callbacks.py
■	■	■	■	■	■	■■■ converters
■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■ conll_ner_to_docs.cpython-311.pyc
■	■	■	■	■	■	■■■ conllu_to_docs.cpython-311.pyc
■	■	■	■	■	■	■■■ iob_to_docs.cpython-311.pyc
■	■	■	■	■	■	■■■ json_to_docs.cpython-311.pyc
■	■	■	■	■	■	■■■ conll_ner_to_docs.py
■	■	■	■	■	■	■■■ conllu_to_docs.py
■	■	■	■	■	■	■■■ iob_to_docs.py
■	■	■	■	■	■	■■■ json_to_docs.py
■	■	■	■	■	■	■■■ corpus.py
■	■	■	■	■	■	■■■ example.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ example.pxd
■	■	■	■	■	■	■■■ example.pyi
■	■	■	■	■	■	■■■ example.pyx
■	■	■	■	■	■	■■■ gold_io.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■ gold_io.pyx
■	■	■	■	■	■	■■■ initialize.py
■	■	■	■	■	■	■■■ iob_utils.py
■	■	■	■	■	■	■■■ loggers.py
■	■	■	■	■	■	■■■ loop.py
■	■	■	■	■	■	■■■ pretrain.py
■	■	■	■	■	■■■ ty.py	
■	■	■	■	■	■■■ typedefs.pxd	
■	■	■	■	■	■■■ typedefs.pyx	
■	■	■	■	■	■■■ util.py	
■	■	■	■	■	■■■ vectors.cpython-311-x86_64-linux-gnu.so	


```

■ ■ ■ ■ ■ ■ ■ ■ vectors.pyx
■ ■ ■ ■ ■ ■ ■ ■ vocab.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ vocab.pxd
■ ■ ■ ■ ■ ■ ■ ■ vocab.pyi
■ ■ ■ ■ ■ ■ ■ ■ vocab.pyx
■ ■ ■ ■ ■ ■ ■ ■ spacy-3.7.5.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ spacy_legacy
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ loggers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ scorers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ architectures
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ entity_linker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tagger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ textcat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tok2vec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ entity_linker.py
■ ■ ■ ■ ■ ■ ■ ■ parser.py
■ ■ ■ ■ ■ ■ ■ ■ tagger.py
■ ■ ■ ■ ■ ■ ■ ■ textcat.py
■ ■ ■ ■ ■ ■ ■ ■ tok2vec.py
■ ■ ■ ■ ■ ■ ■ ■ components
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ entity_linker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ entity_linker.py
■ ■ ■ ■ ■ ■ ■ ■ layers
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ staticvectors_v1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ staticvectors_v1.py
■ ■ ■ ■ ■ ■ ■ ■ loggers.py
■ ■ ■ ■ ■ ■ ■ ■ scorers.py
■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_layer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_legacy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_logger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ test_scorers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parser
■ ■ ■ ■ ■ ■ ■ ■ __init__.py

```

[illegible]

```

util.py
util.py
wandb.py
spacy_loggers-1.0.5.dist-info
INSTALLER
LICENSE
METADATA
RECORD
WHEEL
entry_points.txt
top_level.txt
zip-safe
srsly
__init__.py
__pycache__
__init__.cpython-311.pyc
_json_api.cpython-311.pyc
_msgpack_api.cpython-311.pyc
_pickle_api.cpython-311.pyc
_yaml_api.cpython-311.pyc
about.cpython-311.pyc
util.cpython-311.pyc
_json_api.py
_msgpack_api.py
_pickle_api.py
_yaml_api.py
about.py
cloudpickle
__init__.py
__pycache__
__init__.cpython-311.pyc
cloudpickle.cpython-311.pyc
cloudpickle_fast.cpython-311.pyc
compat.cpython-311.pyc
cloudpickle.py
cloudpickle_fast.py
compat.py
msgpack
__init__.py
__pycache__
__init__.cpython-311.pyc
_msgpack_numpy.cpython-311.pyc
_version.cpython-311.pyc
exceptions.cpython-311.pyc
ext.cpython-311.pyc
fallback.cpython-311.pyc
util.cpython-311.pyc
_epoch.cpp
_epoch.cpython-311-x86_64-linux-gnu.so
_epoch.pyx
_msgpack_numpy.py
_packer.cpp
_packer.cpython-311-x86_64-linux-gnu.so
_packer.pyx
_unpacker.cpp
_unpacker.cpython-311-x86_64-linux-gnu.so
_unpacker.pyx
version.py

```

■	■	■	■	■	■	■■■	exceptions.py
■	■	■	■	■	■	■■■	ext.py
■	■	■	■	■	■	■■■	fallback.py
■	■	■	■	■	■	■■■	pack.h
■	■	■	■	■	■	■■■	pack_template.h
■	■	■	■	■	■	■■■	sysdep.h
■	■	■	■	■	■	■■■	unpack.h
■	■	■	■	■	■	■■■	unpack_container_header.h
■	■	■	■	■	■	■■■	unpack_define.h
■	■	■	■	■	■	■■■	unpack_template.h
■	■	■	■	■	■	■■■	util.py
■	■	■	■	■	■■■	ruamel_yaml	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	anchor.cpython-311.pyc
■	■	■	■	■	■	■■■	comments.cpython-311.pyc
■	■	■	■	■	■	■■■	compat.cpython-311.pyc
■	■	■	■	■	■	■■■	composer.cpython-311.pyc
■	■	■	■	■	■	■■■	configobjwalker.cpython-311.pyc
■	■	■	■	■	■	■■■	constructor.cpython-311.pyc
■	■	■	■	■	■	■■■	cyaml.cpython-311.pyc
■	■	■	■	■	■	■■■	dumper.cpython-311.pyc
■	■	■	■	■	■	■■■	emitter.cpython-311.pyc
■	■	■	■	■	■	■■■	error.cpython-311.pyc
■	■	■	■	■	■	■■■	events.cpython-311.pyc
■	■	■	■	■	■	■■■	loader.cpython-311.pyc
■	■	■	■	■	■	■■■	main.cpython-311.pyc
■	■	■	■	■	■	■■■	nodes.cpython-311.pyc
■	■	■	■	■	■	■■■	parser.cpython-311.pyc
■	■	■	■	■	■	■■■	reader.cpython-311.pyc
■	■	■	■	■	■	■■■	representer.cpython-311.pyc
■	■	■	■	■	■	■■■	resolver.cpython-311.pyc
■	■	■	■	■	■	■■■	scalarbool.cpython-311.pyc
■	■	■	■	■	■	■■■	scalarfloat.cpython-311.pyc
■	■	■	■	■	■	■■■	scalarint.cpython-311.pyc
■	■	■	■	■	■	■■■	scalarstring.cpython-311.pyc
■	■	■	■	■	■	■■■	scanner.cpython-311.pyc
■	■	■	■	■	■	■■■	serializer.cpython-311.pyc
■	■	■	■	■	■	■■■	timestamp.cpython-311.pyc
■	■	■	■	■	■	■■■	tokens.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■■■	anchor.py	
■	■	■	■	■	■■■	comments.py	
■	■	■	■	■	■■■	compat.py	
■	■	■	■	■	■■■	composer.py	
■	■	■	■	■	■■■	configobjwalker.py	
■	■	■	■	■	■■■	constructor.py	
■	■	■	■	■	■■■	cyaml.py	
■	■	■	■	■	■■■	dumper.py	
■	■	■	■	■	■■■	emitter.py	
■	■	■	■	■	■■■	error.py	
■	■	■	■	■	■■■	events.py	
■	■	■	■	■	■■■	loader.py	
■	■	■	■	■	■■■	main.py	
■	■	■	■	■	■■■	nodes.py	
■	■	■	■	■	■■■	parser.py	
■	■	■	■	■	■■■	py.typed	

```

■■■ reader.py
■■■ representer.py
■■■ resolver.py
■■■ scalarbool.py
■■■ scalarfloat.py
■■■ scalarint.py
■■■ scalarstring.py
■■■ scanner.py
■■■ serializer.py
■■■ timestamp.py
■■■ tokens.py
■■■ util.py
■■■ tests
■■■ __init__.py
■■■ __pycache__
■■■   __init__.cpython-311.pyc
■■■   test_json_api.cpython-311.pyc
■■■   test_msgpack_api.cpython-311.pyc
■■■   test_pickle_api.cpython-311.pyc
■■■   test_yaml_api.cpython-311.pyc
■■■   util.cpython-311.pyc
■■■ cloudpickle
■■■   __init__.py
■■■   __pycache__
■■■     __init__.cpython-311.pyc
■■■     cloudpickle_file_test.cpython-311.pyc
■■■     cloudpickle_test.cpython-311.pyc
■■■     testutils.cpython-311.pyc
■■■   cloudpickle_file_test.py
■■■   cloudpickle_test.py
■■■   testutils.py
■■■ msgpack
■■■   __init__.py
■■■   __pycache__
■■■     __init__.cpython-311.pyc
■■■     test_buffer.cpython-311.pyc
■■■     test_case.cpython-311.pyc
■■■     test_except.cpython-311.pyc
■■■     test_extension.cpython-311.pyc
■■■     test_format.cpython-311.pyc
■■■     test_limits.cpython-311.pyc
■■■     test_memoryview.cpython-311.pyc
■■■     test_newspeak.cpython-311.pyc
■■■     test_numpy.cpython-311.pyc
■■■     test_pack.cpython-311.pyc
■■■     test_read_size.cpython-311.pyc
■■■     test_seq.cpython-311.pyc
■■■     test_sequnpack.cpython-311.pyc
■■■     test_stricttype.cpython-311.pyc
■■■     test_subtype.cpython-311.pyc
■■■     test_unpack.cpython-311.pyc
■■■ test_buffer.py
■■■ test_case.py
■■■ test_except.py
■■■ test_extension.py
■■■ test_format.py
■■■ test_limits.py
■■■ test_memoryview.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_newspeak.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pack.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_read_size.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_seq.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_sequnpack.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_stricttype.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_subtype.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_unpack.py
■ ■ ■ ■ ■ ■ ■ ■■■ ruamel_yaml
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ roundtrip.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_a_dedent.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_add_xxx.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_anchor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_api_change.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_appliance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_class_register.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_collections.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_comment_manipulation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_comments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_contextmanager.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_copy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_datetime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_deprecation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_documents.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_fail.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_float.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_flowsequencekey.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_indentation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_int.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_issues.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_json_numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_line_col.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_literal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_none.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_program_config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_spec_examples.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_string.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_yamlfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_yamlobject.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_z_check_debug_leftovers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_z_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ roundtrip.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_a_dedent.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_add_xxx.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_anchor.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_api_change.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_appliance.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_class_register.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_collections.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_comment_manipulation.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_comments.py
```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_contextmanager.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_copy.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_datetime.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_deprecation.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_documents.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_fail.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_float.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_flowsequencekey.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_indentation.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_int.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_issues.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_json_numbers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_line_col.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_literal.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_none.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_program_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_spec_examples.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_string.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tag.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_version.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_yamlfile.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_yamlobject.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_z_check_debug_leftovers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_z_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_json_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_msgpack_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pickle_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_yaml_api.py
■ ■ ■ ■ ■ ■ ■ ■■■ ujson
■ ■ ■ ■ ■ ■ ■ ■■■ 334-reproducer.json
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_ujson.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ test_ujson.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ ujson
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ JSONtoObj.c
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ lib
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ dconv_wrapper.cc
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ ultrajson.h
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ ultrajsondec.c
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ ultrajsonenc.c
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ objToJSON.c
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ py_defines.h
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ ujson.c
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ ujson.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ version.h
■ ■ ■ ■ ■ ■ ■ ■■■   ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ srsly-2.5.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ ■■■ RECORD

```

```

■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ zip-safe
■ ■ ■ ■ ■ ■ ■ ■ stack_data
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ formatting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ serializing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ ■ ■ ■ formatting.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ serializing.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ stack_data-0.6.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ starlette
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _exception_handler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ applications.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ authentication.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ background.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ concurrency.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ convertors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ datastructures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ endpoints.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ formparsers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ requests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ responses.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ routing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ schemas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ staticfiles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ status.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ templating.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ testclient.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ websockets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _compat.py
■ ■ ■ ■ ■ ■ ■ ■ _exception_handler.py
■ ■ ■ ■ ■ ■ ■ ■ _utils.py
■ ■ ■ ■ ■ ■ ■ ■ applications.py
■ ■ ■ ■ ■ ■ ■ ■ authentication.py

```



```

■ ■ ■ ■ ■ ■■■ background.py
■ ■ ■ ■ ■ ■■■ concurrency.py
■ ■ ■ ■ ■ ■■■ config.py
■ ■ ■ ■ ■ ■■■ convertors.py
■ ■ ■ ■ ■ ■■■ datastructures.py
■ ■ ■ ■ ■ ■■■ endpoints.py
■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■■■ formparsers.py
■ ■ ■ ■ ■ ■■■ middleware
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ authentication.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ cors.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ errors.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ gzip.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ httpsredirect.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ sessions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ trustedhost.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ wsgi.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ authentication.py
■ ■ ■ ■ ■ ■■■ base.py
■ ■ ■ ■ ■ ■■■ cors.py
■ ■ ■ ■ ■ ■■■ errors.py
■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■■■ gzip.py
■ ■ ■ ■ ■ ■■■ httpsredirect.py
■ ■ ■ ■ ■ ■■■ sessions.py
■ ■ ■ ■ ■ ■■■ trustedhost.py
■ ■ ■ ■ ■ ■■■ wsgi.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ requests.py
■ ■ ■ ■ ■ ■■■ responses.py
■ ■ ■ ■ ■ ■■■ routing.py
■ ■ ■ ■ ■ ■■■ schemas.py
■ ■ ■ ■ ■ ■■■ staticfiles.py
■ ■ ■ ■ ■ ■■■ status.py
■ ■ ■ ■ ■ ■■■ templating.py
■ ■ ■ ■ ■ ■■■ testclient.py
■ ■ ■ ■ ■ ■■■ types.py
■ ■ ■ ■ ■ ■■■ websockets.py
■ ■ ■ ■ ■ ■■■ starlette-0.37.2.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ licenses
■ ■ ■ ■ ■ ■■■ LICENSE.md
■ ■ ■ ■ ■ ■■■ statmodels
■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ conftest.cpython-311.pyc

```

```

_ version.py
api.py
base
__init__.py
__pycache__
__init__.cpython-311.pyc
_constraints.cpython-311.pyc
_parameter_inference.cpython-311.pyc
_penalized.cpython-311.pyc
_penalties.cpython-311.pyc
_screening.cpython-311.pyc
covtype.cpython-311.pyc
data.cpython-311.pyc
distributed_estimation.cpython-311.pyc
elastic_net.cpython-311.pyc
l1_cvxopt.cpython-311.pyc
l1_slsqp.cpython-311.pyc
l1_solvers_common.cpython-311.pyc
model.cpython-311.pyc
optimizer.cpython-311.pyc
transform.cpython-311.pyc
wrapper.cpython-311.pyc
_constraints.py
_parameter_inference.py
_penalized.py
_penalties.py
_screening.py
covtype.py
data.py
distributed_estimation.py
elastic_net.py
l1_cvxopt.py
l1_slsqp.py
l1_solvers_common.py
model.py
optimizer.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_data.cpython-311.pyc
test_distributed_estimation.cpython-311.pyc
test_generic_methods.cpython-311.pyc
test_optimize.cpython-311.pyc
test_penalized.cpython-311.pyc
test_penalties.cpython-311.pyc
test_predict.cpython-311.pyc
test_screening.cpython-311.pyc
test_shrink_pickle.cpython-311.pyc
test_transform.cpython-311.pyc
test_data.py
test_distributed_estimation.py
test_generic_methods.py
test_optimize.py
test_penalized.py
test_penalties.py
test_predict.py
test_screening.py

```

```

■      ■      ■      ■      ■      ■      ■      test_shrink_pickle.py
■      ■      ■      ■      ■      ■      ■      test_transform.py
■      ■      ■      ■      ■      ■      ■      transform.py
■      ■      ■      ■      ■      ■      ■      wrapper.py
■      ■      ■      ■      ■      ■      ■      compat
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _scipy_multivariate_t.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      numpy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      pandas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      platform.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      pytest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      python.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      scipy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _scipy_multivariate_t.py
■      ■      ■      ■      ■      ■      ■      numpy.py
■      ■      ■      ■      ■      ■      ■      pandas.py
■      ■      ■      ■      ■      ■      ■      platform.py
■      ■      ■      ■      ■      ■      ■      pytest.py
■      ■      ■      ■      ■      ■      ■      python.py
■      ■      ■      ■      ■      ■      ■      scipy.py
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_itercompat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_pandas.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      test_scipy_compat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_itercompat.py
■      ■      ■      ■      ■      ■      ■      ■      test_pandas.py
■      ■      ■      ■      ■      ■      ■      ■      test_scipy_compat.py
■      ■      ■      ■      ■      ■      ■      conftest.py
■      ■      ■      ■      ■      ■      ■      datasets
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      template_data.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      anes96
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      data.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      anes96.csv
■      ■      ■      ■      ■      ■      ■      ■      data.py
■      ■      ■      ■      ■      ■      ■      cancer
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      data.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      cancer.csv
■      ■      ■      ■      ■      ■      ■      ■      data.py
■      ■      ■      ■      ■      ■      ■      ccard
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      data.cpython-311.pyc

```



```

■■■ engel
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ data.cpython-311.pyc
■■■ data.py
■■■ engel.csv
■■■ fair
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ data.cpython-311.pyc
■■■ data.py
■■■ fair.csv
■■■ fair_pt.csv
■■■ fertility
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ data.cpython-311.pyc
■■■ data.py
■■■ fertility.csv
■■■ grunfeld
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ data.cpython-311.pyc
■■■ data.py
■■■ grunfeld.csv
■■■ heart
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ data.cpython-311.pyc
■■■ data.py
■■■ heart.csv
■■■ interest_inflation
■■■ E6.csv
■■■ E6_jmulti.csv
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ data.cpython-311.pyc
■■■ data.py
■■■ longley
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ data.cpython-311.pyc
■■■ data.py
■■■ longley.csv
■■■ macrodata
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ data.cpython-311.pyc
■■■ data.py
■■■ macrodata.csv

```

[illegible]

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ mnlogit_resid.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ nbinom_resids.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ phat_mnlogit.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ poisson_resid.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ predict_prob_poisson.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_count_margins.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_count_robust_cluster.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_discrete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_glm_logit_constrained.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_poisson_constrained.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ships.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ sm3533.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_mnlogit.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_poisson.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_conditional.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_constrained.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_count_model.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_diagnostic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_discrete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_margins.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sandwich_cov.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ distributions
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bernstein.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ discrete.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ edgeworth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ empirical_distribution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mixture_rvs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bernstein.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ copula
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ archimedean.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ copulas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ depfunc_ev.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ elliptical.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ extreme_value.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ other_copulas.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ transforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ archimedean.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ copulas.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ depfunc_ev.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ elliptical.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ extreme_value.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ other_copulas.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ transforms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ discrete.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ edgeworth.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ empirical_distribution.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ mixture_rvs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py

```


[illegible]

```

##### descriptive.cpython-311.pyc
##### elanova.cpython-311.pyc
##### elregress.cpython-311.pyc
##### originregress.cpython-311.pyc
##### aft_el.py
##### api.py
##### descriptive.py
##### elanova.py
##### elregress.py
##### originregress.py
##### tests
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### test_aft.cpython-311.pyc
##### test_anova.cpython-311.pyc
##### test_descriptive.cpython-311.pyc
##### test_origin.cpython-311.pyc
##### test_regression.cpython-311.pyc
##### results
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### el_results.cpython-311.pyc
##### el_results.py
##### test_aft.py
##### test_anova.py
##### test_descriptive.py
##### test_origin.py
##### test_regression.py
##### formula
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### api.cpython-311.pyc
##### formulatools.cpython-311.pyc
##### api.py
##### formulatools.py
##### tests
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### test_formula.cpython-311.pyc
##### test_formula.py
##### gam
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### api.cpython-311.pyc
##### gam_penalties.cpython-311.pyc
##### generalized_additive_model.cpython-311.pyc
##### smooth_basis.cpython-311.pyc
##### api.py
##### gam_cross_validation
##### __init__.py
##### __pycache__
##### __init__.cpython-311.pyc
##### cross_validators.cpython-311.pyc

```

```

■ ■ ■ gam_cross_validation.cpython-311.pyc
■ ■ ■ cross_validators.py
■ ■ ■ gam_cross_validation.py
■ ■ ■ gam_penalties.py
■ ■ ■ generalized_additive_model.py
■ ■ ■ smooth_basis.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_gam.cpython-311.pyc
■ ■ ■ test_penalized.cpython-311.pyc
■ ■ ■ test_smooth_basis.cpython-311.pyc
■ ■ ■ results
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ results_mpg_bs.cpython-311.pyc
■ ■ ■ results_mpg_bs_poisson.cpython-311.pyc
■ ■ ■ results_pls.cpython-311.pyc
■ ■ ■ autos.csv
■ ■ ■ autos_exog.csv
■ ■ ■ autos_predict.csv
■ ■ ■ cubic_cyclic_splines_from_mgcv.csv
■ ■ ■ gam_PIRLS_results.csv
■ ■ ■ logit_gam_mgcv.csv
■ ■ ■ motorcycle.csv
■ ■ ■ prediction_from_mgcv.csv
■ ■ ■ results_mpg_bs.py
■ ■ ■ results_mpg_bs_poisson.py
■ ■ ■ results_pls.py
■ ■ ■ test_gam.py
■ ■ ■ test_penalized.py
■ ■ ■ test_smooth_basis.py
■ ■ ■ genmod
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _prediction.cpython-311.pyc
■ ■ ■ _tweedie_compound_poisson.cpython-311.pyc
■ ■ ■ api.cpython-311.pyc
■ ■ ■ bayes_mixed_glm.cpython-311.pyc
■ ■ ■ cov_struct.cpython-311.pyc
■ ■ ■ generalized_estimating_equations.cpython-311.pyc
■ ■ ■ generalized_linear_model.cpython-311.pyc
■ ■ ■ qif.cpython-311.pyc
■ ■ ■ _prediction.py
■ ■ ■ _tweedie_compound_poisson.py
■ ■ ■ api.py
■ ■ ■ bayes_mixed_glm.py
■ ■ ■ cov_struct.py
■ ■ ■ families
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ family.cpython-311.pyc
■ ■ ■ links.cpython-311.pyc
■ ■ ■ varfuncs.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ family.py
■ ■ ■ ■ ■ ■ ■ ■ ■ links.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_family.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_link.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_family.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_link.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ varfuncs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ generalized_estimating_equations.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ generalized_linear_model.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ qif.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_categorical_simulation_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_gaussian_simulation_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_poisson_simulation_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_simulation_check.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_bayes_mixed_glm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_constrained.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_gee.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_gee_glm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_glm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_glm_weights.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_qif.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_score_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_categorical_simulation_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_gaussian_simulation_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_poisson_simulation_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_simulation_check.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ results
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ elastic_net_generate_tests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_generate_tests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ glm_test_resids.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ glmnet_r_results.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ res_R_var_weight.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ results_glm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ results_glm_poisson_weights.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ elastic_net_generate_tests.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ enet_binomial.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ enet_poisson.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ epil.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_generate_tests.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_linear_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_logistic_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_nested_linear_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_nominal_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_ordinal_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gee_poisson_1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ glm_test_resids.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ glmnet_r_results.py

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_correlation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dotplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_factorplots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_functional.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gofplots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mosaicplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_regressionplots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tsaplots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_agreement.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_boxplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_correlation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dotplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_factorplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_functional.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gofplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mosaicplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_regressionplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tsaplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tsaplots.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tukeyplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ imputation
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bayes_mi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ mice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ros.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bayes_mi.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ mice.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ros.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_bayes_mi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ros.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_bayes_mi.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mice.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ros.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ interface
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ iolib
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ foreign.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ openfile.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ smpickle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ stata_summary_examples.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ summary.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ summary2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ tableformatting.cpython-311.pyc

```

```

■■■ api.py
■■■ foreign.py
■■■ openfile.py
■■■ smpickle.py
■■■ stata_summary_examples.py
■■■ summary.py
■■■ summary2.py
■■■ table.py
■■■ tableformatting.py
■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ __init__.cpython-311.pyc
        ■■■ test_pickle.cpython-311.pyc
        ■■■ test_summary.cpython-311.pyc
        ■■■ test_summary2.cpython-311.pyc
        ■■■ test_summary_old.cpython-311.pyc
        ■■■ test_table.cpython-311.pyc
        ■■■ test_table_econpy.cpython-311.pyc
    ■■■ results
        ■■■ __init__.py
        ■■■ __pycache__
            ■■■ __init__.cpython-311.pyc
            ■■■ macrodata.cpython-311.pyc
        ■■■ data_missing.dta
        ■■■ macrodata.py
        ■■■ time_series_examples.dta
    ■■■ test_pickle.py
    ■■■ test_summary.py
    ■■■ test_summary2.py
    ■■■ test_summary_old.py
    ■■■ test_table.py
    ■■■ test_table_econpy.py
■■■ miscmodels
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ __init__.cpython-311.pyc
        ■■■ api.cpython-311.pyc
        ■■■ count.cpython-311.pyc
        ■■■ nonlinls.cpython-311.pyc
        ■■■ ordinal_model.cpython-311.pyc
        ■■■ tmodel.cpython-311.pyc
        ■■■ try_mlecov.cpython-311.pyc
    ■■■ api.py
    ■■■ count.py
    ■■■ nonlinls.py
    ■■■ ordinal_model.py
    ■■■ tests
        ■■■ __init__.py
        ■■■ __pycache__
            ■■■ __init__.cpython-311.pyc
            ■■■ results_tmodel.cpython-311.pyc
            ■■■ test_generic_mle.cpython-311.pyc
            ■■■ test_ordinal_model.cpython-311.pyc
            ■■■ test_poisson.cpython-311.pyc
            ■■■ test_tarma.cpython-311.pyc
            ■■■ test_tmodel.cpython-311.pyc
        ■■■ results

```

[illegible]


```

results
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  datamlw.cpython-311.pyc
  datamlw.py
  factor_data.csv
  factors_stata.csv
  test_cancorr.py
  test_factor.py
  test_manova.py
  test_ml_factor.py
  test_multivariate_ols.py
  test_pca.py
nonparametric
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _kernel_base.cpython-311.pyc
  api.cpython-311.pyc
  bandwidths.cpython-311.pyc
  kde.cpython-311.pyc
  kdetools.cpython-311.pyc
  kernel_density.cpython-311.pyc
  kernel_regression.cpython-311.pyc
  kernels.cpython-311.pyc
  kernels_asymmetric.cpython-311.pyc
  smoothers_lowess.cpython-311.pyc
  smoothers_lowess_old.cpython-311.pyc
  _kernel_base.py
  _smoothers_lowess.cpython-311-x86_64-linux-gnu.so
  api.py
  bandwidths.py
  kde.py
  kdetools.py
  kernel_density.py
  kernel_regression.py
  kernels.py
  kernels_asymmetric.py
  linbin.cpython-311-x86_64-linux-gnu.so
  smoothers_lowess.py
  smoothers_lowess_old.py
  tests
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  test_asymmetric.cpython-311.pyc
  test_bandwidths.cpython-311.pyc
  test_kde.cpython-311.pyc
  test_kernel_density.cpython-311.pyc
  test_kernel_regression.cpython-311.pyc
  test_kernels.cpython-311.pyc
  test_lowess.cpython-311.pyc
results
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  results_kcde.csv

```

```

■ ■ ■ results_kde_fft.csv
■ ■ ■ results_kde_univ_weights.csv
■ ■ ■ results_kde_weights.csv
■ ■ ■ results_kernel_regression.csv
■ ■ ■ test_lowess_delta.csv
■ ■ ■ test_lowess_frac.csv
■ ■ ■ test_lowess_iter.csv
■ ■ ■ test_lowess_simple.csv
■ ■ ■ test_asymmetric.py
■ ■ ■ test_bandwidths.py
■ ■ ■ test_kde.py
■ ■ ■ test_kernel_density.py
■ ■ ■ test_kernel_regression.py
■ ■ ■ test_kernels.py
■ ■ ■ test_lowess.py
■ ■ ■ othermod
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ api.cpython-311.pyc
■ ■ ■ betareg.cpython-311.pyc
■ ■ ■ api.py
■ ■ ■ betareg.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_beta.cpython-311.pyc
■ ■ ■ results
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ results_betareg.cpython-311.pyc
■ ■ ■ foodexpenditure.csv
■ ■ ■ methylation-test.csv
■ ■ ■ resid_methylation.csv
■ ■ ■ results_betareg.py
■ ■ ■ test_beta.py
■ ■ ■ regression
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _prediction.cpython-311.pyc
■ ■ ■ _tools.cpython-311.pyc
■ ■ ■ dimred.cpython-311.pyc
■ ■ ■ feasible_gls.cpython-311.pyc
■ ■ ■ linear_model.cpython-311.pyc
■ ■ ■ mixed_linear_model.cpython-311.pyc
■ ■ ■ process_regression.cpython-311.pyc
■ ■ ■ quantile_regression.cpython-311.pyc
■ ■ ■ recursive_ls.cpython-311.pyc
■ ■ ■ rolling.cpython-311.pyc
■ ■ ■ _prediction.py
■ ■ ■ _tools.py
■ ■ ■ dimred.py
■ ■ ■ feasible_gls.py
■ ■ ■ linear_model.py

```

```

■■■ mixed_linear_model.py
■■■ process_regression.py
■■■ quantile_regression.py
■■■ recursive_ls.py
■■■ rolling.py
■■■ tests
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ test_cov.cpython-311.pyc
■■■ test_dimred.cpython-311.pyc
■■■ test_glsar_gretl.cpython-311.pyc
■■■ test_glsar_stata.cpython-311.pyc
■■■ test_lme.cpython-311.pyc
■■■ test_predict.cpython-311.pyc
■■■ test_processreg.cpython-311.pyc
■■■ test_quantile_regression.cpython-311.pyc
■■■ test_recursive_ls.cpython-311.pyc
■■■ test_regression.cpython-311.pyc
■■■ test_robustcov.cpython-311.pyc
■■■ test_rolling.cpython-311.pyc
■■■ test_theil.cpython-311.pyc
■■■ test_tools.cpython-311.pyc
■■■ results
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ generate_lasso.cpython-311.pyc
■■■ generate_lme.cpython-311.pyc
■■■ glmnet_r_results.cpython-311.pyc
■■■ lme_r_results.cpython-311.pyc
■■■ macro_gr_corc_stata.cpython-311.pyc
■■■ results_grunfeld_ols_robust_cluster.cpython-311.pyc
■■■ results_macro_ols_robust.cpython-311.pyc
■■■ results_quantile_regression.cpython-311.pyc
■■■ results_regression.cpython-311.pyc
■■■ results_theil_textile.cpython-311.pyc
■■■ dietox.csv
■■■ generate_lasso.py
■■■ generate_lme.py
■■■ glmnet_r_results.py
■■■ lasso_data.csv
■■■ leverage_influence_ols_nostars.txt
■■■ lme00.csv
■■■ lme01.csv
■■■ lme02.csv
■■■ lme03.csv
■■■ lme04.csv
■■■ lme05.csv
■■■ lme06.csv
■■■ lme07.csv
■■■ lme08.csv
■■■ lme09.csv
■■■ lme10.csv
■■■ lme11.csv
■■■ lme_r_results.py
■■■ macro_gr_corc_stata.py
■■■ pastes.csv

```

```

results_grunfeld_ols_robust_cluster.py
results_macro_ols_robust.py
results_quantile_regression.py
results_regression.py
results_rls_R.csv
results_rls_stata.csv
results_theil_textile.py
theil_textile_predict.csv
test_cov.py
test_dimred.py
test_glsar_gretl.py
test_glsar_stata.py
test_lme.py
test_predict.py
test_processreg.py
test_quantile_regression.py
test_recursive_ls.py
test_regression.py
test_robustcov.py
test_rolling.py
test_theil.py
test_tools.py
robust
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  norms.cpython-311.pyc
  robust_linear_model.cpython-311.pyc
  scale.cpython-311.pyc
  _qn.cpython-311-x86_64-linux-gnu.so
  norms.py
  robust_linear_model.py
  scale.py
  tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_rlm.cpython-311.pyc
    test_scale.cpython-311.pyc
    results
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      results_rlm.cpython-311.pyc
      results_rlm.py
    test_rlm.py
    test_scale.py
sandbox
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  bspline.cpython-311.pyc
  descstats.cpython-311.pyc
  gam.cpython-311.pyc
  infotheo.cpython-311.pyc
  mle.cpython-311.pyc
  multilinear.cpython-311.pyc
  pca.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      ■■■ predict_functional.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ rls.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ sysreg.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ archive
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ linalg_covmat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ linalg_decomp_1.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ tsa.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ linalg_covmat.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■ linalg_decomp_1.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■ tsa.py
■      ■      ■      ■      ■      ■      ■■■ bspline.py
■      ■      ■      ■      ■      ■      ■■■ datarich
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ factormodels.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ factormodels.py
■      ■      ■      ■      ■      ■      ■■■ descstats.py
■      ■      ■      ■      ■      ■      ■■■ distributions
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ estimators.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ genpareto.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ gof_new.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ multivariate.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ mv_measures.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ mv_normal.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ otherdist.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ quantize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ sppatch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ transform_functions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ transformed.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ try_max.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ try_pot.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ estimators.py
■      ■      ■      ■      ■      ■      ■■■ examples
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ex_extras.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ex_fitfr.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ex_gof.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ex_mvelliptical.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ ex_transf2.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ matchdist.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ ex_extras.py
■      ■      ■      ■      ■      ■      ■■■ ex_fitfr.py
■      ■      ■      ■      ■      ■      ■■■ ex_gof.py
■      ■      ■      ■      ■      ■      ■■■ ex_mvelliptical.py
■      ■      ■      ■      ■      ■      ■■■ ex_transf2.py
■      ■      ■      ■      ■      ■      ■■■ matchdist.py
■      ■      ■      ■      ■      ■      ■■■ extras.py
■      ■      ■      ■      ■      ■      ■■■ genpareto.py

```

```

gof_new.py
multivariate.py
mv_measures.py
mv_normal.py
otherdist.py
quantize.py
sppatch.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
_est_fit.cpython-311.pyc
check_moments.cpython-311.pyc
distparams.cpython-311.pyc
test_extras.cpython-311.pyc
test_gof_new.cpython-311.pyc
test_multivariate.cpython-311.pyc
test_norm_expan.cpython-311.pyc
test_transf.cpython-311.pyc
_est_fit.py
check_moments.py
distparams.py
test_extras.py
test_gof_new.py
test_multivariate.py
test_norm_expan.py
test_transf.py
transform_functions.py
transformed.py
try_max.py
try_pot.py
gam.py
infotheo.py
mcevaluate
__init__.py
__pycache__
__init__.cpython-311.pyc
arma.cpython-311.pyc
arma.py
mle.py
multilinear.py
nonparametric
__init__.py
__pycache__
__init__.cpython-311.pyc
densityorthopoly.cpython-311.pyc
dgp_examples.cpython-311.pyc
kde2.cpython-311.pyc
kdecovclass.cpython-311.pyc
kernel_extras.cpython-311.pyc
kernels.cpython-311.pyc
smoothers.cpython-311.pyc
testdata.cpython-311.pyc
densityorthopoly.py
dgp_examples.py
kde2.py
kdecovclass.py
kernel_extras.py

```

[illegible]

[illegible]

[illegible]

■	■	■	■	■	■	■■■	diagnostic_gen.py
■	■	■	■	■	■	■■■	dist_dependence_measures.py
■	■	■	■	■	■	■■■	effect_size.py
■	■	■	■	■	■	■■■	gof.py
■	■	■	■	■	■	■■■	inter_rater.py
■	■	■	■	■	■	■■■	knockoff_regeffects.py
■	■	■	■	■	■	■■■	libqsturng
■	■	■	■	■	■	■	■■■ CH.r
■	■	■	■	■	■	■■■	LICENSE.txt
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ make_tbls.cpython-311.pyc
■	■	■	■	■	■	■	■■■ qsturng.cpython-311.pyc
■	■	■	■	■	■	■■■	make_tbls.py
■	■	■	■	■	■	■■■	qsturng.py
■	■	■	■	■	■	■■■	tests
■	■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_qsturng.cpython-311.pyc
■	■	■	■	■	■	■	■■■ bootleg.dat
■	■	■	■	■	■	■	■■■ test_qsturng.py
■	■	■	■	■	■	■■■	mediation.py
■	■	■	■	■	■	■■■	meta_analysis.py
■	■	■	■	■	■	■■■	moment_helpers.py
■	■	■	■	■	■	■■■	multicomp.py
■	■	■	■	■	■	■■■	multitest.py
■	■	■	■	■	■	■■■	multivariate.py
■	■	■	■	■	■	■■■	multivariate_tools.py
■	■	■	■	■	■	■■■	nonparametric.py
■	■	■	■	■	■	■■■	oaxaca.py
■	■	■	■	■	■	■■■	oneway.py
■	■	■	■	■	■	■■■	outliers_influence.py
■	■	■	■	■	■	■■■	power.py
■	■	■	■	■	■	■■■	proportion.py
■	■	■	■	■	■	■■■	rates.py
■	■	■	■	■	■	■■■	regularized_covariance.py
■	■	■	■	■	■	■■■	robust_compare.py
■	■	■	■	■	■	■■■	sandwich_covariance.py
■	■	■	■	■	■	■■■	stattools.py
■	■	■	■	■	■	■■■	tabledist.py
■	■	■	■	■	■	■■■	tests
■	■	■	■	■	■	■	■■■ __init__.py
■	■	■	■	■	■	■	■■■ __pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_anova.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_anova_rm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_base.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_contingency_tables.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_contrast.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_correlation.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_corrpsd.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_descriptivestats.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_diagnostic.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_diagnostic_other.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_dist_dependant_measures.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_effectsize.cpython-311.pyc

```

■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_gof.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_groups_sw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_influence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_inter_rater.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_knockoff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_lilliefors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_mediation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_meta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_moment_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_multi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_multivariate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_nonparametric.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_oaxaca.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_oneway.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_outliers_influence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_pairwise.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_panel_robustcov.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_power.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_proportion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_qsturng.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_rates_poisson.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_regularized_covariance.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_robust_compare.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_sandwich.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_statstools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_tabledist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_tost.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ test_weightstats.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ lilliefors_critical_value_simulation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_meta.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_multinomial_proportions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_panelrobust.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_power.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_proportion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_rates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■■ binary_constrict.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ bootleg.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ contingency_table_r_results.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ data.dat
■ ■ ■ ■ ■ ■ ■ ■ ■■■ framing.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ influence_lsdiag_R.json
■ ■ ■ ■ ■ ■ ■ ■ ■■■ influence_measures_R.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ influence_measures_bool_R.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ lilliefors_critical_value_simulation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_influence_logit.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_meta.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_multinomial_proportions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_panelrobust.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_power.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_proportion.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ results_rates.py
■ ■ ■ ■ ■ ■ ■ ■ ■■■ wspec1.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ wspec2.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■■ wspec3.csv

```

```

■ ■ ■ ■ wspec4.csv
■ ■ ■ test_anova.py
■ ■ ■ test_anova_rm.py
■ ■ ■ test_base.py
■ ■ ■ test_contingency_tables.py
■ ■ ■ test_contrast.py
■ ■ ■ test_correlation.py
■ ■ ■ test_corrpsd.py
■ ■ ■ test_data.txt
■ ■ ■ test_descriptivestats.py
■ ■ ■ test_diagnostic.py
■ ■ ■ test_diagnostic_other.py
■ ■ ■ test_dist_dependant_measures.py
■ ■ ■ test_effectsize.py
■ ■ ■ test_gof.py
■ ■ ■ test_groups_sw.py
■ ■ ■ test_influence.py
■ ■ ■ test_inter_rater.py
■ ■ ■ test_knockoff.py
■ ■ ■ test_lilliefors.py
■ ■ ■ test_mediation.py
■ ■ ■ test_meta.py
■ ■ ■ test_moment_helpers.py
■ ■ ■ test_multi.py
■ ■ ■ test_multivariate.py
■ ■ ■ test_nonparametric.py
■ ■ ■ test_oaxaca.py
■ ■ ■ test_oneway.py
■ ■ ■ test_outliers_influence.py
■ ■ ■ test_pairwise.py
■ ■ ■ test_panel_robustcov.py
■ ■ ■ test_power.py
■ ■ ■ test_proportion.py
■ ■ ■ test_qsturng.py
■ ■ ■ test_rates_poisson.py
■ ■ ■ test_regularized_covariance.py
■ ■ ■ test_robust_compare.py
■ ■ ■ test_sandwich.py
■ ■ ■ test_statstools.py
■ ■ ■ test_tabledist.py
■ ■ ■ test_tost.py
■ ■ ■ test_weightstats.py
■ ■ ■ weightstats.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_package.cpython-311.pyc
■ ■ ■ test_package.py
■ ■ ■ tools
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _testing.cpython-311.pyc
■ ■ ■ catadd.cpython-311.pyc
■ ■ ■ data.cpython-311.pyc
■ ■ ■ decorators.cpython-311.pyc
■ ■ ■ docstring.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ eval_measures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ grouputils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ numdiff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parallel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ print_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rng_qrng.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rootfinding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sequences.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sm_exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ transform_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ web.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ catadd.py
■ ■ ■ ■ ■ ■ ■ ■■■ data.py
■ ■ ■ ■ ■ ■ ■ ■■■ decorators.py
■ ■ ■ ■ ■ ■ ■ ■■■ docstring.py
■ ■ ■ ■ ■ ■ ■ ■■■ eval_measures.py
■ ■ ■ ■ ■ ■ ■ ■■■ grouputils.py
■ ■ ■ ■ ■ ■ ■ ■■■ linalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ numdiff.py
■ ■ ■ ■ ■ ■ ■ ■■■ parallel.py
■ ■ ■ ■ ■ ■ ■ ■■■ print_version.py
■ ■ ■ ■ ■ ■ ■ ■■■ rng_qrng.py
■ ■ ■ ■ ■ ■ ■ ■■■ rootfinding.py
■ ■ ■ ■ ■ ■ ■ ■■■ sequences.py
■ ■ ■ ■ ■ ■ ■ ■■■ sm_exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ testing.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_catadd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_docstring.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_eval_measures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_grouputils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_numdiff.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_parallel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_rootfinding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sequences.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_transform_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_web.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_catadd.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_decorators.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_docstring.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_eval_measures.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_grouputils.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_linalg.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numdiff.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_parallel.py
```

```

test_rootfinding.py
test_sequences.py
test_testing.py
test_tools.py
test_transform_model.py
test_web.py
tools.py
transform_model.py
validation
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    decorators.cpython-311.pyc
    validation.cpython-311.pyc
  decorators.py
  tests
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      test_validation.cpython-311.pyc
    test_validation.py
  validation.py
web.py
tsa
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _bds.cpython-311.pyc
    adfvalues.cpython-311.pyc
    api.cpython-311.pyc
    ar_model.cpython-311.pyc
    arima_model.cpython-311.pyc
    arima_process.cpython-311.pyc
    arma_mle.cpython-311.pyc
    coint_tables.cpython-311.pyc
    descriptivestats.cpython-311.pyc
    deterministic.cpython-311.pyc
    mlemodel.cpython-311.pyc
    seasonal.cpython-311.pyc
    stattools.cpython-311.pyc
    tsatools.cpython-311.pyc
    varma_process.cpython-311.pyc
    x13.cpython-311.pyc
  _bds.py
  _innovations.cpython-311-x86_64-linux-gnu.so
  _stl.cpython-311-x86_64-linux-gnu.so
  adfvalues.py
  api.py
  ar_model.py
  ardl
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      model.cpython-311.pyc
      pss_critical_values.cpython-311.pyc
    _pss_critical_values
      __init__.py
      __pycache__

```

```

    ■■■ __init__.cpython-311.pyc
    ■■■ pss-process.cpython-311.pyc
    ■■■ pss.cpython-311.pyc
    ■■■ pss-process.py
    ■■■ pss.py
    ■■■ model.py
    ■■■ pss_critical_values.py
    ■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ test_ardl.cpython-311.pyc
    ■■■ test_ardl.py
  ■■■ arima
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ api.cpython-311.pyc
    ■■■ model.cpython-311.pyc
    ■■■ params.cpython-311.pyc
    ■■■ specification.cpython-311.pyc
    ■■■ tools.cpython-311.pyc
    ■■■ api.py
    ■■■ datasets
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ brockwell_davis_2002
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ data
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ dowj.cpython-311.pyc
    ■■■ lake.cpython-311.pyc
    ■■■ oshorts.cpython-311.pyc
    ■■■ sbl.cpython-311.pyc
    ■■■ dowj.py
    ■■■ lake.py
    ■■■ oshorts.py
    ■■■ sbl.py
  ■■■ estimators
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ burg.cpython-311.pyc
    ■■■ durbin_levinson.cpython-311.pyc
    ■■■ gls.cpython-311.pyc
    ■■■ hannan_rissanen.cpython-311.pyc
    ■■■ innovations.cpython-311.pyc
    ■■■ statespace.cpython-311.pyc
    ■■■ yule_walker.cpython-311.pyc
    ■■■ burg.py
    ■■■ durbin_levinson.py
    ■■■ gls.py
    ■■■ hannan_rissanen.py

```



```

■ innovations.py
■ statespace.py
■ tests
■   ■ __init__.py
■   ■ __pycache__
■   ■   ■ __init__.cpython-311.pyc
■   ■   ■ test_burg.cpython-311.pyc
■   ■   ■ test_durbin_levinson.cpython-311.pyc
■   ■   ■ test_gls.cpython-311.pyc
■   ■   ■ test_hannan_rissanen.cpython-311.pyc
■   ■   ■ test_innovations.cpython-311.pyc
■   ■   ■ test_statespace.cpython-311.pyc
■   ■   ■ test_yule_walker.cpython-311.pyc
■   ■ test_burg.py
■   ■ test_durbin_levinson.py
■   ■ test_gls.py
■   ■ test_hannan_rissanen.py
■   ■ test_innovations.py
■   ■ test_statespace.py
■   ■ test_yule_walker.py
■   ■ yule_walker.py
■ model.py
■ params.py
■ specification.py
■ tests
■   ■ __init__.py
■   ■ __pycache__
■   ■   ■ __init__.cpython-311.pyc
■   ■   ■ test_model.cpython-311.pyc
■   ■   ■ test_params.cpython-311.pyc
■   ■   ■ test_specification.cpython-311.pyc
■   ■   ■ test_tools.cpython-311.pyc
■   ■ test_model.py
■   ■ test_params.py
■   ■ test_specification.py
■   ■ test_tools.py
■ tools.py
■ arima_model.py
■ arima_process.py
■ arma_mle.py
■ base
■   ■ __init__.py
■   ■ __pycache__
■   ■   ■ __init__.cpython-311.pyc
■   ■   ■ datetools.cpython-311.pyc
■   ■   ■ prediction.cpython-311.pyc
■   ■   ■ tsa_model.cpython-311.pyc
■   ■ datetools.py
■   ■ prediction.py
■   ■ tests
■   ■   ■ __init__.py
■   ■   ■ __pycache__
■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■ test_base.cpython-311.pyc
■   ■   ■   ■ test_datetools.cpython-311.pyc
■   ■   ■   ■ test_prediction.cpython-311.pyc
■   ■   ■   ■ test_tsa_indexes.cpython-311.pyc
■   ■   ■ test_base.py

```

[illegible]

[illegible]


```

■ ■ ■ ■ _univariate_diffuse.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _initialization.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _kalman_filter.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _kalman_smoother.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _pykalman_smoother.py
■ ■ ■ ■ _quarterly_ar1.py
■ ■ ■ ■ _representation.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _simulation_smoother.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _smoothers
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _alternative.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _classical.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _conventional.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _univariate.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _univariate_diffuse.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ _tools.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ api.py
■ ■ ■ ■ cfa_simulation_smoother.py
■ ■ ■ ■ dynamic_factor.py
■ ■ ■ ■ dynamic_factor_mq.py
■ ■ ■ ■ exponential_smoothing.py
■ ■ ■ ■ initialization.py
■ ■ ■ ■ kalman_filter.py
■ ■ ■ ■ kalman_smoother.py
■ ■ ■ ■ mlemodel.py
■ ■ ■ ■ news.py
■ ■ ■ ■ representation.py
■ ■ ■ ■ sarimax.py
■ ■ ■ ■ simulation_smoother.py
■ ■ ■ ■ structural.py
■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ kfas_helpers.cpython-311.pyc
■ ■ ■ ■ test_cfa_simulation_smoothing.cpython-311.pyc
■ ■ ■ ■ test_cfa_tvpvar.cpython-311.pyc
■ ■ ■ ■ test_chandrasekhar.cpython-311.pyc
■ ■ ■ ■ test_collapsed.cpython-311.pyc
■ ■ ■ ■ test_concentrated.cpython-311.pyc
■ ■ ■ ■ test_conserve_memory.cpython-311.pyc
■ ■ ■ ■ test_dynamic_factor.cpython-311.pyc
■ ■ ■ ■ test_dynamic_factor_mq.cpython-311.pyc
■ ■ ■ ■ test_dynamic_factor_mq_frbny_nowcast.cpython-311.pyc
■ ■ ■ ■ test_dynamic_factor_mq_monte_carlo.cpython-311.pyc
■ ■ ■ ■ test_exact_diffuse_filtering.cpython-311.pyc
■ ■ ■ ■ test_exponential_smoothing.cpython-311.pyc
■ ■ ■ ■ test_fixed_params.cpython-311.pyc
■ ■ ■ ■ test_forecasting.cpython-311.pyc
■ ■ ■ ■ test_impulse_responses.cpython-311.pyc
■ ■ ■ ■ test_initialization.cpython-311.pyc
■ ■ ■ ■ test_kalman.cpython-311.pyc
■ ■ ■ ■ test_mlemodel.cpython-311.pyc
■ ■ ■ ■ test_models.cpython-311.pyc
■ ■ ■ ■ test_multivariate_switch_univariate.cpython-311.pyc
■ ■ ■ ■ test_news.cpython-311.pyc
```

```

test_options.cpython-311.pyc
test_pickle.cpython-311.pyc
test_prediction.cpython-311.pyc
test_representation.cpython-311.pyc
test_sarimax.cpython-311.pyc
test_save.cpython-311.pyc
test_simulate.cpython-311.pyc
test_simulation_smoothing.cpython-311.pyc
test_smoothing.cpython-311.pyc
test_structural.cpython-311.pyc
test_tools.cpython-311.pyc
test_univariate.cpython-311.pyc
test_var.cpython-311.pyc
test_varmax.cpython-311.pyc
kfas_helpers.py
results
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    results_dynamic_factor.cpython-311.pyc
    results_kalman_filter.cpython-311.pyc
    results_sarimax.cpython-311.pyc
    results_structural.cpython-311.pyc
    results_var_R.cpython-311.pyc
    results_var_misc.cpython-311.pyc
    results_varmax.cpython-311.pyc
cfa_tvpvar_Omega_11.csv
cfa_tvpvar_Omega_22.csv
cfa_tvpvar_S10.csv
cfa_tvpvar_Si0.csv
cfa_tvpvar_beta.csv
cfa_tvpvar_invP.csv
cfa_tvpvar_posterior_mean.csv
cfa_tvpvar_state_variates.csv
cfa_tvpvar_v10.csv
cfa_tvpvar_vi0.csv
clark1989.csv
exponential_smoothing_params.csv
exponential_smoothing_predict.csv
exponential_smoothing_states.csv
frbny_nowcast
  Nowcasting
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
    data
      US
        2016-06-29.csv
        2016-07-29.csv
        __init__.py
        __pycache__
          __init__.cpython-311.pyc
        functions
          __init__.py
          __pycache__

```



```

■ ■ ■ results_wpi1_missing_ar3_matlab_ssm.csv
■ ■ ■ sm-0.9-sarimax.pkl
■ ■ ■ test_cfa_simulation_smoothing.py
■ ■ ■ test_cfa_tvpvar.py
■ ■ ■ test_chandrasekhar.py
■ ■ ■ test_collapsed.py
■ ■ ■ test_concentrated.py
■ ■ ■ test_conserve_memory.py
■ ■ ■ test_dynamic_factor.py
■ ■ ■ test_dynamic_factor_mq.py
■ ■ ■ test_dynamic_factor_mq_frbny_nowcast.py
■ ■ ■ test_dynamic_factor_mq_monte_carlo.py
■ ■ ■ test_exact_diffuse_filtering.py
■ ■ ■ test_exponential_smoothing.py
■ ■ ■ test_fixed_params.py
■ ■ ■ test_forecasting.py
■ ■ ■ test_impulse_responses.py
■ ■ ■ test_initialization.py
■ ■ ■ test_kalman.py
■ ■ ■ test_mlemodel.py
■ ■ ■ test_models.py
■ ■ ■ test_multivariate_switch_univariate.py
■ ■ ■ test_news.py
■ ■ ■ test_options.py
■ ■ ■ test_pickle.py
■ ■ ■ test_prediction.py
■ ■ ■ test_representation.py
■ ■ ■ test_sarimax.py
■ ■ ■ test_save.py
■ ■ ■ test_simulate.py
■ ■ ■ test_simulation_smoothing.py
■ ■ ■ test_smoothing.py
■ ■ ■ test_structural.py
■ ■ ■ test_tools.py
■ ■ ■ test_univariate.py
■ ■ ■ test_var.py
■ ■ ■ test_varmax.py
■ ■ ■ tools.py
■ ■ ■ varmax.py
■ ■ ■ stattools.py
■ ■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_adfuller_lag.cpython-311.pyc
■ ■ ■ test_ar.cpython-311.pyc
■ ■ ■ test_arima_process.cpython-311.pyc
■ ■ ■ test_bds.cpython-311.pyc
■ ■ ■ test_deterministic.cpython-311.pyc
■ ■ ■ test_exponential_smoothing.cpython-311.pyc
■ ■ ■ test_seasonal.cpython-311.pyc
■ ■ ■ test_stattools.cpython-311.pyc
■ ■ ■ test_stl.cpython-311.pyc
■ ■ ■ test_tsa_tools.cpython-311.pyc
■ ■ ■ test_x13.cpython-311.pyc
■ ■ ■ results
■ ■ ■ ARMLEConstantPredict.csv
■ ■ ■ AROLSConstantPredict.csv
```


■	■	■	■	■	■	■	■	■■■■	AROLSNConstantPredict.csv	
■	■	■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima111_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima111_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima111nc_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima111nc_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima112_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima112_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima112nc_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima112nc_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima211_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima211_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima211nc_css_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	arima211nc_results.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	datamlw_tls.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	make_arma.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	results_ar.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	results_arima.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	results_arma.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	results_arma_acf.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	results_process.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	savedrvs.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	arima111_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima111_forecasts.csv	
■	■	■	■	■	■	■	■	■■■■	arima111_results.py	
■	■	■	■	■	■	■	■	■■■■	arima111nc_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima111nc_results.py	
■	■	■	■	■	■	■	■	■■■■	arima112_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima112_results.py	
■	■	■	■	■	■	■	■	■■■■	arima112nc_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima112nc_results.py	
■	■	■	■	■	■	■	■	■■■■	arima211_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima211_results.py	
■	■	■	■	■	■	■	■	■■■■	arima211nc_css_results.py	
■	■	■	■	■	■	■	■	■■■■	arima211nc_results.py	
■	■	■	■	■	■	■	■	■■■■	arima212_forecast.csv	
■	■	■	■	■	■	■	■	■■■■	bds_data.csv	
■	■	■	■	■	■	■	■	■■■■	bds_results.csv	
■	■	■	■	■	■	■	■	■■■■	datamlw_tls.py	
■	■	■	■	■	■	■	■	■■■■	fit_ets_results.json	
■	■	■	■	■	■	■	■	■■■■	fit_ets_results_nonseasonal.json	
■	■	■	■	■	■	■	■	■■■■	fit_ets_results_seasonal.json	
■	■	■	■	■	■	■	■	■■■■	gnpdef.csv	
■	■	■	■	■	■	■	■	■■■■	lutkepohl2.dta	
■	■	■	■	■	■	■	■	■■■■	make_arma.py	
■	■	■	■	■	■	■	■	■■■■	rand10000.csv	
■	■	■	■	■	■	■	■	■■■■	resids_css_c.csv	
■	■	■	■	■	■	■	■	■■■■	resids_css_nc.csv	
■	■	■	■	■	■	■	■	■■■■	resids_exact_c.csv	
■	■	■	■	■	■	■	■	■■■■	resids_exact_nc.csv	
■	■	■	■	■	■	■	■	■■■■	results_ar.py	
■	■	■	■	■	■	■	■	■■■■	results_ar_forecast_mle_dynamic.csv	
■	■	■	■	■	■	■	■	■■■■	results_arima.py	
■	■	■	■	■	■	■	■	■■■■	results_arima_exog_forecasts_css.csv	
■	■	■	■	■	■	■	■	■■■■	results_arima_exog_forecasts_mle.csv	
■	■	■	■	■	■	■	■	■■■■	results_arima_forecasts.csv	

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_forecasts_all_css.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_forecasts_all_css_diff.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_forecasts_all_mle.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_forecasts_all_mle_diff.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_acf.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_arma_forecasts.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_corrgram.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ results_process.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ rgnp.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ rgnpq.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ savedrvs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ stkprc.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ stl_co2.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ stl_test_results.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ y_arma_data.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_css_c.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_css_nc.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_exact_c.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ yhat_exact_nc.csv
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_adfuller_lag.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ar.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_arma_process.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_bds.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_deterministic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_exponential_smoothing.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_seasonal.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_stattools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_stl.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tsa_tools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_x13.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tsatools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ varma_process.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ vector_ar
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hypothesis_test_results.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ irf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ output.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ plotting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ svar_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ var_model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ vecm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ hypothesis_test_results.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ irf.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ output.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plotting.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ svar_model.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ JMulti_results
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ parse_jmulti_var_output.cpython-311.pyc

```



```

■■■ vecm_e6_jmulti_co_Sigmau.txt
■■■ vecm_e6_jmulti_co_diag.txt
■■■ vecm_e6_jmulti_co_fc5.txt
■■■ vecm_e6_jmulti_co_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_co_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_co_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_co_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_co_ir.txt
■■■ vecm_e6_jmulti_co_lagorder.txt
■■■ vecm_e6_jmulti_colo.txt
■■■ vecm_e6_jmulti_colo_Sigmau.txt
■■■ vecm_e6_jmulti_colo_diag.txt
■■■ vecm_e6_jmulti_colo_fc5.txt
■■■ vecm_e6_jmulti_colo_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_colo_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_colo_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_colo_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_colo_ir.txt
■■■ vecm_e6_jmulti_colo_lagorder.txt
■■■ vecm_e6_jmulti_cos.txt
■■■ vecm_e6_jmulti_cos_Sigmau.txt
■■■ vecm_e6_jmulti_cos_diag.txt
■■■ vecm_e6_jmulti_cos_fc5.txt
■■■ vecm_e6_jmulti_cos_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_cos_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_cos_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_cos_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_cos_ir.txt
■■■ vecm_e6_jmulti_cos_lagorder.txt
■■■ vecm_e6_jmulti_coslo.txt
■■■ vecm_e6_jmulti_coslo_Sigmau.txt
■■■ vecm_e6_jmulti_coslo_diag.txt
■■■ vecm_e6_jmulti_coslo_fc5.txt
■■■ vecm_e6_jmulti_coslo_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_coslo_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_coslo_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_coslo_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_coslo_ir.txt
■■■ vecm_e6_jmulti_coslo_lagorder.txt
■■■ vecm_e6_jmulti_nc.txt
■■■ vecm_e6_jmulti_nc_Sigmau.txt
■■■ vecm_e6_jmulti_nc_diag.txt
■■■ vecm_e6_jmulti_nc_fc5.txt
■■■ vecm_e6_jmulti_nc_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_nc_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_nc_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_nc_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_nc_ir.txt
■■■ vecm_e6_jmulti_nc_lagorder.txt
■■■ vecm_e6_jmulti_ncs.txt
■■■ vecm_e6_jmulti_ncs_Sigmau.txt
■■■ vecm_e6_jmulti_ncs_diag.txt
■■■ vecm_e6_jmulti_ncs_fc5.txt
■■■ vecm_e6_jmulti_ncs_granger_causality_dp_r.txt
■■■ vecm_e6_jmulti_ncs_granger_causality_r_dp.txt
■■■ vecm_e6_jmulti_ncs_inst_causality_dp_r.txt
■■■ vecm_e6_jmulti_ncs_inst_causality_r_dp.txt
■■■ vecm_e6_jmulti_ncs_ir.txt

```

```

    vecm_e6_jmulti_ncs_lagorder.txt
    Matlab_results
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_coint.csv
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    example_svar.cpython-311.pyc
    test_coint.cpython-311.pyc
    test_svar.cpython-311.pyc
    test_var.cpython-311.pyc
    test_var_jmulti.cpython-311.pyc
    test_vecm.cpython-311.pyc
    example_svar.py
    results
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    results_svar.cpython-311.pyc
    results_svar_st.cpython-311.pyc
    results_var.cpython-311.pyc
    results_var_data.cpython-311.pyc
    e1.dat
    e2.dat
    e3.dat
    e4.dat
    e5.dat
    e6.dat
    results_svar.py
    results_svar_st.py
    results_var.py
    results_var_data.py
    vars_results.npz
    test_coint.py
    test_svar.py
    test_var.py
    test_var_jmulti.py
    test_vecm.py
    util.py
    var_model.py
    vecm.py
    x13.py
statsmodels-0.13.5.dist-info
    INSTALLER
    LICENSE.txt
    METADATA
    RECORD
    REQUESTED
    WHEEL
    top_level.txt
    svglib
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    fonts.cpython-311.pyc
    svglib.cpython-311.pyc

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ elementfactory.py
■ ■ ■ ■ ■ ■ ■ ■ etree.py
■ ■ ■ ■ ■ ■ ■ ■ extensions
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ inkscape.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ shapes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ inkscape.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ shapes.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ filters.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ gradients.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ image.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ masking.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ mixins.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ params.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ path.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ pattern.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ shapes.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ solidcolor.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ text.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ validator2.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ svgwrite-1.4.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ LICENSE.TXT
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ swissep.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sympy
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ abc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ conftest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ galgebra.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ release.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ this.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ abc.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ algebras
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ quaternion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ quaternion.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ test_quaternion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ test_quaternion.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ assumptions
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■   ■ ■ ■ ■ __pycache__

```


[illegible]

```

    test_assumptions_2.cpython-311.pyc
    test_context.cpython-311.pyc
    test_matrices.cpython-311.pyc
    test_query.cpython-311.pyc
    test_refine.cpython-311.pyc
    test_satask.cpython-311.pyc
    test_sathandlers.cpython-311.pyc
    test_assumptions_2.py
    test_context.py
    test_matrices.py
    test_query.py
    test_refine.py
    test_satask.py
    test_sathandlers.py
  benchmarks
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    bench_discrete_log.cpython-311.pyc
    bench_meijerint.cpython-311.pyc
    bench_symbench.cpython-311.pyc
    bench_discrete_log.py
    bench_meijerint.py
    bench_symbench.py
  calculus
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    euler.cpython-311.pyc
    finite_diff.cpython-311.pyc
    singularities.cpython-311.pyc
    util.cpython-311.pyc
    euler.py
    finite_diff.py
    singularities.py
    tests
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      test_euler.cpython-311.pyc
      test_finite_diff.cpython-311.pyc
      test_singularities.cpython-311.pyc
      test_util.cpython-311.pyc
      test_euler.py
      test_finite_diff.py
      test_singularities.py
      test_util.py
    util.py
  categories
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    baseclasses.cpython-311.pyc
    diagram_drawing.cpython-311.pyc
    baseclasses.py
    diagram_drawing.py
    tests

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_applications.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_approximations.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ast.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cfunctions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cnodes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_cxxnodes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_fnodes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_numpy_nodes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_pyutils.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_rewriting.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_scipy_nodes.py
■ ■ ■ ■ ■ ■ ■■■■ combinatorics
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coset_table.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fp_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ free_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ generators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ graycode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ group_constructs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ homomorphisms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ named_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ partitions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pc_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ perm_groups.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ permutations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ polyhedron.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ prufer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rewritesystem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rewritesystem_fsm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ schur_number.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ subsets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tensor_can.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ testutil.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coset_table.py
■ ■ ■ ■ ■ ■ ■ ■■■ fp_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ free_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ generators.py
■ ■ ■ ■ ■ ■ ■ ■■■ graycode.py
■ ■ ■ ■ ■ ■ ■ ■■■ group_constructs.py
■ ■ ■ ■ ■ ■ ■ ■■■ homomorphisms.py
■ ■ ■ ■ ■ ■ ■ ■■■ named_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ partitions.py
■ ■ ■ ■ ■ ■ ■ ■■■ pc_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ perm_groups.py
■ ■ ■ ■ ■ ■ ■ ■■■ permutations.py
■ ■ ■ ■ ■ ■ ■ ■■■ polyhedron.py
■ ■ ■ ■ ■ ■ ■ ■■■ prufer.py
■ ■ ■ ■ ■ ■ ■ ■■■ rewritesystem.py
■ ■ ■ ■ ■ ■ ■ ■■■ rewritesystem_fsm.py
■ ■ ■ ■ ■ ■ ■ ■■■ schur_number.py
■ ■ ■ ■ ■ ■ ■ ■■■ subsets.py
■ ■ ■ ■ ■ ■ ■ ■■■ tensor_can.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__

```


■	■	■	■	■	■	■■■	guess.py
■	■	■	■	■	■	■■■	products.py
■	■	■	■	■	■	■■■	summations.py
■	■	■	■	■	■	■■■	tests
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_delta.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_gosper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_guess.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_products.cpython-311.pyc
■	■	■	■	■	■	■	■■■ test_sums_products.cpython-311.pyc
■	■	■	■	■	■	■■■	test_delta.py
■	■	■	■	■	■	■■■	test_gosper.py
■	■	■	■	■	■	■■■	test_guess.py
■	■	■	■	■	■	■■■	test_products.py
■	■	■	■	■	■	■■■	test_sums_products.py
■	■	■	■	■	■■■	conftest.py	
■	■	■	■	■	■■■	core	
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ _print_helpers.cpython-311.pyc
■	■	■	■	■	■	■■■	add.cpython-311.pyc
■	■	■	■	■	■	■■■	alphabets.cpython-311.pyc
■	■	■	■	■	■	■■■	assumptions.cpython-311.pyc
■	■	■	■	■	■	■■■	backend.cpython-311.pyc
■	■	■	■	■	■	■■■	basic.cpython-311.pyc
■	■	■	■	■	■	■■■	cache.cpython-311.pyc
■	■	■	■	■	■	■■■	compatibility.cpython-311.pyc
■	■	■	■	■	■	■■■	containers.cpython-311.pyc
■	■	■	■	■	■	■■■	core.cpython-311.pyc
■	■	■	■	■	■	■■■	coreerrors.cpython-311.pyc
■	■	■	■	■	■	■■■	decorators.cpython-311.pyc
■	■	■	■	■	■	■■■	evalf.cpython-311.pyc
■	■	■	■	■	■	■■■	expr.cpython-311.pyc
■	■	■	■	■	■	■■■	exprtools.cpython-311.pyc
■	■	■	■	■	■	■■■	facts.cpython-311.pyc
■	■	■	■	■	■	■■■	function.cpython-311.pyc
■	■	■	■	■	■	■■■	kind.cpython-311.pyc
■	■	■	■	■	■	■■■	logic.cpython-311.pyc
■	■	■	■	■	■	■■■	mod.cpython-311.pyc
■	■	■	■	■	■	■■■	mul.cpython-311.pyc
■	■	■	■	■	■	■■■	multidimensional.cpython-311.pyc
■	■	■	■	■	■	■■■	numbers.cpython-311.pyc
■	■	■	■	■	■	■■■	operations.cpython-311.pyc
■	■	■	■	■	■	■■■	parameters.cpython-311.pyc
■	■	■	■	■	■	■■■	power.cpython-311.pyc
■	■	■	■	■	■	■■■	relational.cpython-311.pyc
■	■	■	■	■	■	■■■	rules.cpython-311.pyc
■	■	■	■	■	■	■■■	singleton.cpython-311.pyc
■	■	■	■	■	■	■■■	symbol.cpython-311.pyc
■	■	■	■	■	■	■■■	sympify.cpython-311.pyc
■	■	■	■	■	■	■■■	trace.cpython-311.pyc
■	■	■	■	■	■■■	_print_helpers.py	
■	■	■	■	■	■■■	add.py	
■	■	■	■	■	■■■	alphabets.py	
■	■	■	■	■	■■■	assumptions.py	

```

██████ backend.py
██████ basic.py
██████ benchmarks
██████   █████ __init__.py
██████   █████ __pycache__
██████     █████ __init__.cpython-311.pyc
██████     █████ bench_arit.cpython-311.pyc
██████     █████ bench_assumptions.cpython-311.pyc
██████     █████ bench_basic.cpython-311.pyc
██████     █████ bench_expand.cpython-311.pyc
██████     █████ bench_numbers.cpython-311.pyc
██████     █████ bench_sympify.cpython-311.pyc
██████   █████ bench_arit.py
██████   █████ bench_assumptions.py
██████   █████ bench_basic.py
██████   █████ bench_expand.py
██████   █████ bench_numbers.py
██████   █████ bench_sympify.py
██████ cache.py
██████ compatibility.py
██████ containers.py
██████ core.py
██████ coreerrors.py
██████ decorators.py
██████ evalf.py
██████ expr.py
██████ exprtools.py
██████ facts.py
██████ function.py
██████ kind.py
██████ logic.py
██████ mod.py
██████ mul.py
██████ multidimensional.py
██████ numbers.py
██████ operations.py
██████ parameters.py
██████ power.py
██████ relational.py
██████ rules.py
██████ singleton.py
██████ symbol.py
██████ sympify.py
██████ tests
██████   █████ __init__.py
██████   █████ __pycache__
██████     █████ __init__.cpython-311.pyc
██████     █████ test_args.cpython-311.pyc
██████     █████ test_arit.cpython-311.pyc
██████     █████ test_assumptions.cpython-311.pyc
██████     █████ test_basic.cpython-311.pyc
██████     █████ test_cache.cpython-311.pyc
██████     █████ test_compatibility.cpython-311.pyc
██████     █████ test_complex.cpython-311.pyc
██████     █████ test_constructor_postprocessor.cpython-311.pyc
██████     █████ test_containers.cpython-311.pyc
██████     █████ test_count_ops.cpython-311.pyc
██████     █████ test_diff.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_equal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_eval.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_evalf.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_expand.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_expr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_exprtools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_facts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_function.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_kind.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_logic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_match.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multidimensional.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_noncommutative.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_numbers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_operations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_parameters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_power.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_priority.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_relational.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_singleton.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_subs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_symbol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sympify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_trace.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_truediv.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_var.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_args.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_arit.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_assumptions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_basic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cache.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_compatibility.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_complex.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_constructor_postprocessor.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_containers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_count_ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_diff.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_equal.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_eval.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_evalf.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_expand.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_expr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_exprtools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_facts.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_function.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_kind.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_logic.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_match.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_multidimensional.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_noncommutative.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_numbers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_operations.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_parameters.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_power.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_priority.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_relational.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rules.py
```



```

test_singleton.py
test_subs.py
test_symbol.py
test_sympify.py
test_trace.py
test_truediv.py
test_var.py
trace.py
crypto
__init__.py
__pycache__
__init__.cpython-311.pyc
crypto.cpython-311.pyc
crypto.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_crypto.cpython-311.pyc
test_crypto.py
diffgeom
__init__.py
__pycache__
__init__.cpython-311.pyc
diffgeom.cpython-311.pyc
rn.cpython-311.pyc
diffgeom.py
rn.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_class_structure.cpython-311.pyc
test_diffgeom.cpython-311.pyc
test_function_diffgeom_book.cpython-311.pyc
test_hyperbolic_space.cpython-311.pyc
test_class_structure.py
test_diffgeom.py
test_function_diffgeom_book.py
test_hyperbolic_space.py
discrete
__init__.py
__pycache__
__init__.cpython-311.pyc
convolutions.cpython-311.pyc
recurrences.cpython-311.pyc
transforms.cpython-311.pyc
convolutions.py
recurrences.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_convolutions.cpython-311.pyc
test_recurrences.cpython-311.pyc
test_transforms.cpython-311.pyc
test_convolutions.py
test_recurrences.py

```

```

■ test_transforms.py
■ transforms.py
■ external
■   ■ __init__.py
■   ■ __pycache__
■   ■   ■ __init__.cpython-311.pyc
■   ■   ■ importtools.cpython-311.pyc
■   ■ importtools.py
■   ■ tests
■   ■   ■ __init__.py
■   ■   ■ __pycache__
■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■ test_autowrap.cpython-311.pyc
■   ■   ■   ■ test_codegen.cpython-311.pyc
■   ■   ■   ■ test_importtools.cpython-311.pyc
■   ■   ■   ■ test_numpy.cpython-311.pyc
■   ■   ■   ■ test_sage.cpython-311.pyc
■   ■   ■   ■ test_scipy.cpython-311.pyc
■   ■   ■ test_autowrap.py
■   ■   ■ test_codegen.py
■   ■   ■ test_importtools.py
■   ■   ■ test_numpy.py
■   ■   ■ test_sage.py
■   ■   ■ test_scipy.py
■ functions
■   ■ __init__.py
■   ■ __pycache__
■   ■   ■ __init__.cpython-311.pyc
■   ■ combinatorial
■   ■   ■ __init__.py
■   ■   ■ __pycache__
■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■ factorials.cpython-311.pyc
■   ■   ■   ■ numbers.cpython-311.pyc
■   ■   ■ factorials.py
■   ■   ■ numbers.py
■   ■   ■ tests
■   ■   ■   ■ __init__.py
■   ■   ■   ■ __pycache__
■   ■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■   ■ test_comb_factorials.cpython-311.pyc
■   ■   ■   ■   ■ test_comb_numbers.cpython-311.pyc
■   ■   ■   ■ test_comb_factorials.py
■   ■   ■   ■ test_comb_numbers.py
■   ■ elementary
■   ■   ■ __init__.py
■   ■   ■ __pycache__
■   ■   ■   ■ __init__.cpython-311.pyc
■   ■   ■   ■ complexes.cpython-311.pyc
■   ■   ■   ■ exponential.cpython-311.pyc
■   ■   ■   ■ hyperbolic.cpython-311.pyc
■   ■   ■   ■ integers.cpython-311.pyc
■   ■   ■   ■ miscellaneous.cpython-311.pyc
■   ■   ■   ■ piecewise.cpython-311.pyc
■   ■   ■   ■ trigonometric.cpython-311.pyc
■   ■ benchmarks
■   ■   ■ __init__.py
■   ■   ■ __pycache__

```

```

███ __init__.cpython-311.pyc
███ bench_exp.cpython-311.pyc
███ bench_exp.py
███ complexes.py
███ exponential.py
███ hyperbolic.py
███ integers.py
███ miscellaneous.py
███ piecewise.py
███ tests
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ test_complexes.cpython-311.pyc
███ test_exponential.cpython-311.pyc
███ test_hyperbolic.cpython-311.pyc
███ test_integers.cpython-311.pyc
███ test_interface.cpython-311.pyc
███ test_miscellaneous.cpython-311.pyc
███ test_piecewise.cpython-311.pyc
███ test_trigonometric.cpython-311.pyc
███ test_complexes.py
███ test_exponential.py
███ test_hyperbolic.py
███ test_integers.py
███ test_interface.py
███ test_miscellaneous.py
███ test_piecewise.py
███ test_trigonometric.py
███ trigonometric.py
███ special
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ bessell.cpython-311.pyc
███ beta_functions.cpython-311.pyc
███ bsplines.cpython-311.pyc
███ delta_functions.cpython-311.pyc
███ elliptic_integrals.cpython-311.pyc
███ error_functions.cpython-311.pyc
███ gamma_functions.cpython-311.pyc
███ hyper.cpython-311.pyc
███ mathieu_functions.cpython-311.pyc
███ polynomials.cpython-311.pyc
███ singularity_functions.cpython-311.pyc
███ spherical_harmonics.cpython-311.pyc
███ tensor_functions.cpython-311.pyc
███ zeta_functions.cpython-311.pyc
███ benchmarks
███ __init__.py
███ __pycache__
███ __init__.cpython-311.pyc
███ bench_special.cpython-311.pyc
███ bench_special.py
███ bessell.py
███ beta_functions.py
███ bsplines.py
███ delta_functions.py

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ elliptic_integrals.py
■ ■ ■ ■ ■ ■ ■ ■■■ error_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ gamma_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ hyper.py
■ ■ ■ ■ ■ ■ ■ ■■■ mathieu_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ polynomials.py
■ ■ ■ ■ ■ ■ ■ ■■■ singularity_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ spherical_harmonics.py
■ ■ ■ ■ ■ ■ ■ ■■■ tensor_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_bessel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_beta_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_bsplines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_delta_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_elliptic_integrals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_error_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_gamma_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_hyper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mathieu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_singularity_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_spec_polynomials.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_spherical_harmonics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tensor_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_zeta_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_bessel.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_beta_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_bsplines.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_delta_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_elliptic_integrals.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_error_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_gamma_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_hyper.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_mathieu.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_singularity_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_spec_polynomials.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_spherical_harmonics.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tensor_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_zeta_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ zeta_functions.py
■ ■ ■ ■ ■ ■ ■ ■■■ galgebra.py
■ ■ ■ ■ ■ ■ ■ ■■■ geometry
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ curve.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ellipse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ entity.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ line.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parabola.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ plane.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ point.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ polygon.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ curve.py

```

```

■      ■      ■      ■      ■      ■      ■      ■■■ ellipse.py
■      ■      ■      ■      ■      ■      ■      ■■■ entity.py
■      ■      ■      ■      ■      ■      ■      ■■■ exceptions.py
■      ■      ■      ■      ■      ■      ■      ■■■ line.py
■      ■      ■      ■      ■      ■      ■      ■■■ parabola.py
■      ■      ■      ■      ■      ■      ■      ■■■ plane.py
■      ■      ■      ■      ■      ■      ■      ■■■ point.py
■      ■      ■      ■      ■      ■      ■      ■■■ polygon.py
■      ■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_curve.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_ellipse.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_entity.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_geometrysets.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_line.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_parabola.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_plane.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_point.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_polygon.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_curve.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_ellipse.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_entity.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_geometrysets.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_line.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_parabola.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_plane.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_point.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_polygon.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_util.py
■      ■      ■      ■      ■      ■      ■      ■■■ util.py
■      ■      ■      ■      ■      ■      ■■■ holonomic
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ holonomic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ holonomicerrors.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ linearsolver.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ numerical.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ recurrence.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ holonomic.py
■      ■      ■      ■      ■      ■      ■      ■■■ holonomicerrors.py
■      ■      ■      ■      ■      ■      ■      ■■■ linearsolver.py
■      ■      ■      ■      ■      ■      ■      ■■■ numerical.py
■      ■      ■      ■      ■      ■      ■      ■■■ recurrence.py
■      ■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_holonomic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_recurrence.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_holonomic.py
■      ■      ■      ■      ■      ■      ■      ■■■ test_recurrence.py
■      ■      ■      ■      ■      ■      ■■■ integrals
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__

```


[illegible]

```

■■■ secant.cpython-311.pyc
■■■ sine.cpython-311.pyc
■■■ special_functions.cpython-311.pyc
■■■ tangent.cpython-311.pyc
■■■ trinomial_products.cpython-311.pyc
■■■ binomial_products.py
■■■ exponential.py
■■■ hyperbolic.py
■■■ integrand_simplification.py
■■■ inverse_hyperbolic.py
■■■ inverse_trig.py
■■■ linear_products.py
■■■ logarithms.py
■■■ miscellaneous_algebraic.py
■■■ miscellaneous_integration.py
■■■ miscellaneous_trig.py
■■■ piecewise_linear.py
■■■ quadratic_products.py
■■■ secant.py
■■■ sine.py
■■■ special_functions.py
■■■ tangent.py
■■■ trinomial_products.py
■■■ symbol.py
■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ __init__.cpython-311.pyc
        ■■■ test_rubi_integrate.cpython-311.pyc
        ■■■ test_utility_function.cpython-311.pyc
        ■■■ test_rubi_integrate.py
        ■■■ test_utility_function.py
    ■■■ utility_function.py
■■■ singularityfunctions.py
■■■ tests
    ■■■ __init__.py
    ■■■ __pycache__
        ■■■ __init__.cpython-311.pyc
        ■■■ test_deltafunctions.cpython-311.pyc
        ■■■ test_failing_integrals.cpython-311.pyc
        ■■■ test_heurisch.cpython-311.pyc
        ■■■ test_integrals.cpython-311.pyc
        ■■■ test_intpoly.cpython-311.pyc
        ■■■ test_lineintegrals.cpython-311.pyc
        ■■■ test_manual.cpython-311.pyc
        ■■■ test_meijerint.cpython-311.pyc
        ■■■ test_prde.cpython-311.pyc
        ■■■ test_quadrature.cpython-311.pyc
        ■■■ test_rationaltools.cpython-311.pyc
        ■■■ test_rde.cpython-311.pyc
        ■■■ test_risch.cpython-311.pyc
        ■■■ test_singularityfunctions.cpython-311.pyc
        ■■■ test_transforms.cpython-311.pyc
        ■■■ test_trigonometry.cpython-311.pyc
    ■■■ test_deltafunctions.py
    ■■■ test_failing_integrals.py
    ■■■ test_heurisch.py
    ■■■ test_integrals.py
```



```

test_intpoly.py
test_lineintegrals.py
test_manual.py
test_meijerint.py
test_prde.py
test_quadrature.py
test_rationaltools.py
test_rde.py
test_risch.py
test_singularityfunctions.py
test_transforms.py
test_trigonometry.py
transforms.py
trigonometry.py
interactive
__init__.py
__pycache__
__init__.cpython-311.pyc
ipythonprinting.cpython-311.pyc
printing.cpython-311.pyc
session.cpython-311.pyc
ipythonprinting.py
printing.py
session.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_interactive.cpython-311.pyc
test_ipython.cpython-311.pyc
test_ipythonprinting.cpython-311.pyc
test_interactive.py
test_ipython.py
test_ipythonprinting.py
liealgebras
__init__.py
__pycache__
__init__.cpython-311.pyc
cartan_matrix.cpython-311.pyc
cartan_type.cpython-311.pyc
dynkin_diagram.cpython-311.pyc
root_system.cpython-311.pyc
type_a.cpython-311.pyc
type_b.cpython-311.pyc
type_c.cpython-311.pyc
type_d.cpython-311.pyc
type_e.cpython-311.pyc
type_f.cpython-311.pyc
type_g.cpython-311.pyc
weyl_group.cpython-311.pyc
cartan_matrix.py
cartan_type.py
dynkin_diagram.py
root_system.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cartan_matrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cartan_type.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dynkin_diagram.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_root_system.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_A.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_B.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_C.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_D.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_E.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_F.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_G.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_weyl_group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cartan_matrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cartan_type.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dynkin_diagram.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_root_system.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_A.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_B.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_C.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_D.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_E.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_F.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_type_G.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_weyl_group.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_a.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_b.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_c.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_d.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_e.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_f.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ type_g.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ weyl_group.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ logic
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ boolalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ inference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ algorithms
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dpll.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dpll2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ pycosat_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dpll.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dpll2.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pycosat_wrapper.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ boolalg.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ inference.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_boolalg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dimacs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_inference.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_boolalg.py

```

```

test_dimacs.py
test_inference.py
utilities
__init__.py
__pycache__
__init__.cpython-311.pyc
dimacs.cpython-311.pyc
dimacs.py
matrices
__init__.py
__pycache__
__init__.cpython-311.pyc
common.cpython-311.pyc
decompositions.cpython-311.pyc
dense.cpython-311.pyc
densearith.cpython-311.pyc
densesolve.cpython-311.pyc
densetools.cpython-311.pyc
determinant.cpython-311.pyc
eigen.cpython-311.pyc
graph.cpython-311.pyc
immutable.cpython-311.pyc
inverse.cpython-311.pyc
matrices.cpython-311.pyc
normalforms.cpython-311.pyc
reductions.cpython-311.pyc
solvers.cpython-311.pyc
sparse.cpython-311.pyc
sparsetools.cpython-311.pyc
subspaces.cpython-311.pyc
utilities.cpython-311.pyc
benchmarks
__init__.py
__pycache__
__init__.cpython-311.pyc
bench_matrix.cpython-311.pyc
bench_matrix.py
common.py
decompositions.py
dense.py
densearith.py
densesolve.py
densetools.py
determinant.py
eigen.py
expressions
__init__.py
__pycache__
__init__.cpython-311.pyc
adjoint.cpython-311.pyc
applyfunc.cpython-311.pyc
blockmatrix.cpython-311.pyc
companion.cpython-311.pyc
determinant.cpython-311.pyc
diagonal.cpython-311.pyc
dotproduct.cpython-311.pyc
factorizations.cpython-311.pyc
fourier.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■	funcmatrix.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	hadamard.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	inverse.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	kronecker.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	matadd.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	matexpr.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	matmul.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	matpow.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	permutation.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	sets.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	slice.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	special.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	trace.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	transpose.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	adjoint.py	
■	■	■	■	■	■	■	■	■■■	applyfunc.py	
■	■	■	■	■	■	■	■	■■■	blockmatrix.py	
■	■	■	■	■	■	■	■	■■■	companion.py	
■	■	■	■	■	■	■	■	■■■	determinant.py	
■	■	■	■	■	■	■	■	■■■	diagonal.py	
■	■	■	■	■	■	■	■	■■■	dotproduct.py	
■	■	■	■	■	■	■	■	■■■	factorizations.py	
■	■	■	■	■	■	■	■	■■■	fourier.py	
■	■	■	■	■	■	■	■	■■■	funcmatrix.py	
■	■	■	■	■	■	■	■	■■■	hadamard.py	
■	■	■	■	■	■	■	■	■■■	inverse.py	
■	■	■	■	■	■	■	■	■■■	kronecker.py	
■	■	■	■	■	■	■	■	■■■	matadd.py	
■	■	■	■	■	■	■	■	■■■	matexpr.py	
■	■	■	■	■	■	■	■	■■■	matmul.py	
■	■	■	■	■	■	■	■	■■■	matpow.py	
■	■	■	■	■	■	■	■	■■■	permutation.py	
■	■	■	■	■	■	■	■	■■■	sets.py	
■	■	■	■	■	■	■	■	■■■	slice.py	
■	■	■	■	■	■	■	■	■■■	special.py	
■	■	■	■	■	■	■	■	■■■	tests	
■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_adjoint.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_applyfunc.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_blockmatrix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_companion.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_derivatives.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_determinant.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_diagonal.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_dotproduct.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_factorizations.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_fourier.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_funcmatrix.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_hadamard.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_indexing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_inverse.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_kronecker.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_matadd.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_matexpr.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_matmul.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	test_matpow.cpython-311.pyc

```

test_permutation.cpython-311.pyc
test_sets.cpython-311.pyc
test_slice.cpython-311.pyc
test_special.cpython-311.pyc
test_trace.cpython-311.pyc
test_transpose.cpython-311.pyc
test_adjoint.py
test_applyfunc.py
test_blockmatrix.py
test_companion.py
test_derivatives.py
test_determinant.py
test_diagonal.py
test_dotproduct.py
test_factorizations.py
test_fourier.py
test_funcmatrix.py
test_hadamard.py
test_indexing.py
test_inverse.py
test_kronecker.py
test_matadd.py
test_matexpr.py
test_matmul.py
test_matpow.py
test_permutation.py
test_sets.py
test_slice.py
test_special.py
test_trace.py
test_transpose.py
trace.py
transpose.py
graph.py
immutable.py
inverse.py
matrices.py
normalforms.py
reductions.py
solvers.py
sparse.py
sparsetools.py
subspaces.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_commonmatrix.cpython-311.pyc
test_decompositions.cpython-311.pyc
test_densearith.cpython-311.pyc
test_densesolve.cpython-311.pyc
test_densetools.cpython-311.pyc
test_determinant.cpython-311.pyc
test_eigen.cpython-311.pyc
test_graph.cpython-311.pyc
test_immutable.cpython-311.pyc
test_interactions.cpython-311.pyc
test_matrices.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ test_normalforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reductions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_solvers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sparse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sparsetools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_subspaces.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_commonmatrix.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_decompositions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_densearith.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_densesolve.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_densetools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_determinant.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_eigen.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_graph.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_immutable.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_interactions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_matrices.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_normalforms.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_reductions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_solvers.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sparse.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sparsetools.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_subspaces.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utilities.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ multipledispatch
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conflict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ conflict.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ core.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispatcher.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_conflict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dispatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_conflict.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_core.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dispatcher.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ ntheory
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ bbp_pi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ continued_fraction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ digits.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ ecm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ egyptian_fraction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ elliptic_curve.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ factor_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ generate.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ modular.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ multinomial.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ partitions_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ primetest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ qs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ residue_ntheory.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bbp_pi.py
■ ■ ■ ■ ■ ■ ■ ■ ■ continued_fraction.py
■ ■ ■ ■ ■ ■ ■ ■ ■ digits.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ecm.py
■ ■ ■ ■ ■ ■ ■ ■ ■ egyptian_fraction.py
■ ■ ■ ■ ■ ■ ■ ■ ■ elliptic_curve.py
■ ■ ■ ■ ■ ■ ■ ■ ■ factor_.py
■ ■ ■ ■ ■ ■ ■ ■ ■ generate.py
■ ■ ■ ■ ■ ■ ■ ■ ■ modular.py
■ ■ ■ ■ ■ ■ ■ ■ ■ multinomial.py
■ ■ ■ ■ ■ ■ ■ ■ ■ partitions_.py
■ ■ ■ ■ ■ ■ ■ ■ ■ primetest.py
■ ■ ■ ■ ■ ■ ■ ■ ■ qs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ residue_ntheory.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_bbp_pi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_continued_fraction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_digits.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ecm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_egyptian_fraction.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_elliptic_curve.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_factor_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_generate.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_modular.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multinomial.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_partitions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_primetest.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_qs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_residue.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_bbp_pi.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_continued_fraction.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_digits.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_ecm.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_egyptian_fraction.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_elliptic_curve.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_factor_.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_generate.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_modular.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_multinomial.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_partitions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_primetest.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_qs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_residue.py
■ ■ ■ ■ ■ ■ ■ ■ ■ parsing
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ast_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ mathematica.cpython-311.pyc

```

[illegible]


```
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest12.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest12.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest2.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest2.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest3.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest3.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest4.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest4.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest5.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest5.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest6.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest6.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest7.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest7.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest8.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest8.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest9.al
■ ■ ■ ■ ■ ■ ■ ■ ■ ruletest9.py
■ ■ ■ ■ ■ ■ ■ ■ ■ c
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   c_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   c_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ fortran
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   fortran_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   fortran_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■ latex
■ ■ ■ ■ ■ ■ ■ ■ ■   LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ ■   LaTeX.g4
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   _build_latex_antlr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   _parse_latex_antlr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   errors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   _antlr
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   latexlexer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   latexparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   latexlexer.py
■ ■ ■ ■ ■ ■ ■ ■ ■   latexparser.py
■ ■ ■ ■ ■ ■ ■ ■ ■   _build_latex_antlr.py
■ ■ ■ ■ ■ ■ ■ ■ ■   _parse_latex_antlr.py
■ ■ ■ ■ ■ ■ ■ ■ ■   errors.py
■ ■ ■ ■ ■ ■ ■ ■ ■   mathematica.py
■ ■ ■ ■ ■ ■ ■ ■ ■   maxima.py
■ ■ ■ ■ ■ ■ ■ ■ ■   sym_expr.py
■ ■ ■ ■ ■ ■ ■ ■ ■   sympy_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■   tests
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   __init__.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ast_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_autolev.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_c_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fortran_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_implicit_multiplication_application.cpython-311.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_latex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_latex_deps.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mathematica.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_maxima.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sym_expr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sympy_parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_ast_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_autolev.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_c_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fortran_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_implicit_multiplication_application.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_latex.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_latex_deps.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mathematica.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_maxima.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sym_expr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_sympy_parser.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ physics
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ gaussopt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ hydrogen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ matrices.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ paulialgebra.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ pring.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ qho_1d.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ secondquant.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ sho.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ wigner.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ continuum_mechanics
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ beam.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ beam.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_beam.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_beam.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ control
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ lti.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ lti.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lti.cpython-311.pyc
```

```

    test_lti.py
gaussopt.py
hep
__init__.py
__pycache__
__init__.cpython-311.pyc
gamma_matrices.cpython-311.pyc
gamma_matrices.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_gamma_matrices.cpython-311.pyc
test_gamma_matrices.py
hydrogen.py
matrices.py
mechanics
__init__.py
__pycache__
__init__.cpython-311.pyc
body.cpython-311.pyc
functions.cpython-311.pyc
kane.cpython-311.pyc
lagrange.cpython-311.pyc
linearize.cpython-311.pyc
models.cpython-311.pyc
particle.cpython-311.pyc
rigidbody.cpython-311.pyc
system.cpython-311.pyc
body.py
functions.py
kane.py
lagrange.py
linearize.py
models.py
particle.py
rigidbody.py
system.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_body.cpython-311.pyc
test_functions.cpython-311.pyc
test_kane.cpython-311.pyc
test_kane2.cpython-311.pyc
test_kane3.cpython-311.pyc
test_kane4.cpython-311.pyc
test_lagrange.cpython-311.pyc
test_lagrange2.cpython-311.pyc
test_linearize.cpython-311.pyc
test_models.cpython-311.pyc
test_particle.cpython-311.pyc
test_rigidbody.cpython-311.pyc
test_system.cpython-311.pyc
test_body.py
test_functions.py
test_kane.py

```

```

test_kane2.py
test_kane3.py
test_kane4.py
test_lagrange.py
test_lagrange2.py
test_linearize.py
test_models.py
test_particle.py
test_rigidbody.py
test_system.py
optics
__init__.py
__pycache__
__init__.cpython-311.pyc
gaussopt.cpython-311.pyc
medium.cpython-311.pyc
polarization.cpython-311.pyc
utils.cpython-311.pyc
waves.cpython-311.pyc
gaussopt.py
medium.py
polarization.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_gaussopt.cpython-311.pyc
test_medium.cpython-311.pyc
test_polarization.cpython-311.pyc
test_utils.cpython-311.pyc
test_waves.cpython-311.pyc
test_gaussopt.py
test_medium.py
test_polarization.py
test_utils.py
test_waves.py
utils.py
waves.py
paulialgebra.py
pring.py
qho_1d.py
quantum
__init__.py
__pycache__
__init__.cpython-311.pyc
anticommutator.cpython-311.pyc
boson.cpython-311.pyc
cartesian.cpython-311.pyc
cg.cpython-311.pyc
circuitplot.cpython-311.pyc
circuitutils.cpython-311.pyc
commutator.cpython-311.pyc
constants.cpython-311.pyc
dagger.cpython-311.pyc
density.cpython-311.pyc
fermion.cpython-311.pyc
gate.cpython-311.pyc
grover.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■■	hilbert.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	identitysearch.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	innerproduct.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	matrixcache.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	matrixutils.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	operator.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	operatorordering.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	operatorset.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	pauli.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	piab.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	qapply.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	qasm.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	qexpr.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	qft.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	qubit.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	represent.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	sho1d.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	shor.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	spin.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	state.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	tensorproduct.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	anticommutator.py	
■	■	■	■	■	■	■	■■■■	boson.py	
■	■	■	■	■	■	■	■■■■	cartesian.py	
■	■	■	■	■	■	■	■■■■	cg.py	
■	■	■	■	■	■	■	■■■■	circuitplot.py	
■	■	■	■	■	■	■	■■■■	circuitutils.py	
■	■	■	■	■	■	■	■■■■	commutator.py	
■	■	■	■	■	■	■	■■■■	constants.py	
■	■	■	■	■	■	■	■■■■	dagger.py	
■	■	■	■	■	■	■	■■■■	density.py	
■	■	■	■	■	■	■	■■■■	fermion.py	
■	■	■	■	■	■	■	■■■■	gate.py	
■	■	■	■	■	■	■	■■■■	grover.py	
■	■	■	■	■	■	■	■■■■	hilbert.py	
■	■	■	■	■	■	■	■■■■	identitysearch.py	
■	■	■	■	■	■	■	■■■■	innerproduct.py	
■	■	■	■	■	■	■	■■■■	matrixcache.py	
■	■	■	■	■	■	■	■■■■	matrixutils.py	
■	■	■	■	■	■	■	■■■■	operator.py	
■	■	■	■	■	■	■	■■■■	operatorordering.py	
■	■	■	■	■	■	■	■■■■	operatorset.py	
■	■	■	■	■	■	■	■■■■	pauli.py	
■	■	■	■	■	■	■	■■■■	piab.py	
■	■	■	■	■	■	■	■■■■	qapply.py	
■	■	■	■	■	■	■	■■■■	qasm.py	
■	■	■	■	■	■	■	■■■■	qexpr.py	
■	■	■	■	■	■	■	■■■■	qft.py	
■	■	■	■	■	■	■	■■■■	qubit.py	
■	■	■	■	■	■	■	■■■■	represent.py	
■	■	■	■	■	■	■	■■■■	sho1d.py	
■	■	■	■	■	■	■	■■■■	shor.py	
■	■	■	■	■	■	■	■■■■	spin.py	
■	■	■	■	■	■	■	■■■■	state.py	
■	■	■	■	■	■	■	■■■■	tensorproduct.py	
■	■	■	■	■	■	■	■■■■	tests	
■	■	■	■	■	■	■	■	■■■■	__init__.py
■	■	■	■	■	■	■	■	■■■■	__pycache__

■	■	■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_anticommutator.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_boson.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_cartesian.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_cg.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_circuitplot.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_circuitutils.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_commutator.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_constants.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_dagger.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_density.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_fermion.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_gate.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_grover.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_hilbert.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_identitysearch.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_innerproduct.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_matrixutils.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_operator.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_operatorordering.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_operatorset.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_pauli.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_piab.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_printing.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_qapply.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_qasm.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_qexpr.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_qft.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_qubit.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_represent.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_should.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_shor.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_spin.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_state.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■■	test_tensorproduct.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_anticommutator.py	
■	■	■	■	■	■	■	■	■■■■	test_boson.py	
■	■	■	■	■	■	■	■	■■■■	test_cartesian.py	
■	■	■	■	■	■	■	■	■■■■	test_cg.py	
■	■	■	■	■	■	■	■	■■■■	test_circuitplot.py	
■	■	■	■	■	■	■	■	■■■■	test_circuitutils.py	
■	■	■	■	■	■	■	■	■■■■	test_commutator.py	
■	■	■	■	■	■	■	■	■■■■	test_constants.py	
■	■	■	■	■	■	■	■	■■■■	test_dagger.py	
■	■	■	■	■	■	■	■	■■■■	test_density.py	
■	■	■	■	■	■	■	■	■■■■	test_fermion.py	
■	■	■	■	■	■	■	■	■■■■	test_gate.py	
■	■	■	■	■	■	■	■	■■■■	test_grover.py	
■	■	■	■	■	■	■	■	■■■■	test_hilbert.py	
■	■	■	■	■	■	■	■	■■■■	test_identitysearch.py	
■	■	■	■	■	■	■	■	■■■■	test_innerproduct.py	
■	■	■	■	■	■	■	■	■■■■	test_matrixutils.py	
■	■	■	■	■	■	■	■	■■■■	test_operator.py	
■	■	■	■	■	■	■	■	■■■■	test_operatorordering.py	
■	■	■	■	■	■	■	■	■■■■	test_operatorset.py	
■	■	■	■	■	■	■	■	■■■■	test_pauli.py	
■	■	■	■	■	■	■	■	■■■■	test_piab.py	
■	■	■	■	■	■	■	■	■■■■	test_printing.py	

```

test_qapply.py
test_qasm.py
test_qexpr.py
test_qft.py
test_qubit.py
test_represent.py
test_sho1d.py
test_shor.py
test_spin.py
test_state.py
test_tensorproduct.py
secondquant.py
sho.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_clebsch_gordan.cpython-311.pyc
test_hydrogen.cpython-311.pyc
test_paulialgebra.cpython-311.pyc
test_physics_matrices.cpython-311.pyc
test_pring.cpython-311.pyc
test_qho_1d.cpython-311.pyc
test_secondquant.cpython-311.pyc
test_sho.cpython-311.pyc
test_clebsch_gordan.py
test_hydrogen.py
test_paulialgebra.py
test_physics_matrices.py
test_pring.py
test_qho_1d.py
test_secondquant.py
test_sho.py
units
__init__.py
__pycache__
__init__.cpython-311.pyc
dimensions.cpython-311.pyc
prefixes.cpython-311.pyc
quantities.cpython-311.pyc
unitsystem.cpython-311.pyc
util.cpython-311.pyc
definitions
__init__.py
__pycache__
__init__.cpython-311.pyc
dimension_definitions.cpython-311.pyc
unit_definitions.cpython-311.pyc
dimension_definitions.py
unit_definitions.py
dimensions.py
prefixes.py
quantities.py
systems
__init__.py
__pycache__
__init__.cpython-311.pyc
cqs.cpython-311.pyc

```

```

■ ■ ■ ■ ■ length_weight_time.cpython-311.pyc
■ ■ ■ ■ mks.cpython-311.pyc
■ ■ ■ ■ mksa.cpython-311.pyc
■ ■ ■ ■ natural.cpython-311.pyc
■ ■ ■ ■ si.cpython-311.pyc
■ ■ ■ ■ cgs.py
■ ■ ■ ■ length_weight_time.py
■ ■ ■ ■ mks.py
■ ■ ■ ■ mksa.py
■ ■ ■ ■ natural.py
■ ■ ■ ■ si.py
■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_dimensions.cpython-311.pyc
■ ■ ■ ■ test_dimensionssystem.cpython-311.pyc
■ ■ ■ ■ test_prefixes.cpython-311.pyc
■ ■ ■ ■ test_quantities.cpython-311.pyc
■ ■ ■ ■ test_unit_system_cgs_gauss.cpython-311.pyc
■ ■ ■ ■ test_unitsystem.cpython-311.pyc
■ ■ ■ ■ test_util.cpython-311.pyc
■ ■ ■ ■ test_dimensions.py
■ ■ ■ ■ test_dimensionssystem.py
■ ■ ■ ■ test_prefixes.py
■ ■ ■ ■ test_quantities.py
■ ■ ■ ■ test_unit_system_cgs_gauss.py
■ ■ ■ ■ test_unitsystem.py
■ ■ ■ ■ test_util.py
■ ■ ■ unitsystem.py
■ ■ ■ util.py
■ ■ ■ vector
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ dyadic.cpython-311.pyc
■ ■ ■ ■ fieldfunctions.cpython-311.pyc
■ ■ ■ ■ frame.cpython-311.pyc
■ ■ ■ ■ functions.cpython-311.pyc
■ ■ ■ ■ point.cpython-311.pyc
■ ■ ■ ■ printing.cpython-311.pyc
■ ■ ■ ■ vector.cpython-311.pyc
■ ■ ■ dyadic.py
■ ■ ■ fieldfunctions.py
■ ■ ■ frame.py
■ ■ ■ functions.py
■ ■ ■ point.py
■ ■ ■ printing.py
■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_dyadic.cpython-311.pyc
■ ■ ■ ■ test_fieldfunctions.cpython-311.pyc
■ ■ ■ ■ test_frame.cpython-311.pyc
■ ■ ■ ■ test_functions.cpython-311.pyc
■ ■ ■ ■ test_output.cpython-311.pyc
■ ■ ■ ■ test_point.cpython-311.pyc

```


[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_object.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_rotation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_surface.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_window.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ color_scheme.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ managed_window.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_axes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_camera.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_controller.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_curve.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_interval.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_mode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_mode_base.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_modes.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_object.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_rotation.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_surface.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ plot_window.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_plotting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_plotting.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ util.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_experimental_lambdify.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_plot_implicit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_textplot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_experimental_lambdify.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_plot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_plot_implicit.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_region_and.png
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_region_not.png
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_region_or.png
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_region_xor.png
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_textplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ textplot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ polys
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ compatibility.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ constructor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ densearith.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ densebasic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ densetools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ dispersion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ distributedmodules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ domainmatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ euclidtools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ factortools.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ fglmtools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ fields.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ galoistools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ groebnertools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ heuristicgcd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ modulargcd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ monomials.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ multivariate_resultants.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ numberfields.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ orderings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ orthopolys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ partfrac.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyclasses.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyconfig.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyerrors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyfuncs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polymatrix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyoptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyquinticconst.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyroots.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polytools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ polyutils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ rationaltools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ring_series.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ rings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ rootisolation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ rootoftools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ solvers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ specialpolys.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sqfreetools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ subresultants_qq_zz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ agca
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ homomorphisms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ideals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ modules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ extensions.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ homomorphisms.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ideals.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ modules.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_homomorphisms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ideals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_modules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_extensions.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_homomorphisms.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_ideals.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ test_modules.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ benchmarks
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      ■■■ fractionfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ gaussiandomains.py
■      ■      ■      ■      ■      ■      ■      ■■■ gmpyfinitefield.py
■      ■      ■      ■      ■      ■      ■      ■■■ gmpyintegerring.py
■      ■      ■      ■      ■      ■      ■      ■■■ gmpyrationalfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ groundtypes.py
■      ■      ■      ■      ■      ■      ■      ■■■ integerring.py
■      ■      ■      ■      ■      ■      ■      ■■■ modularinteger.py
■      ■      ■      ■      ■      ■      ■      ■■■ mpelements.py
■      ■      ■      ■      ■      ■      ■      ■■■ old_fractionfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ old_polynomialring.py
■      ■      ■      ■      ■      ■      ■      ■■■ polynomialring.py
■      ■      ■      ■      ■      ■      ■      ■■■ pythonfinitefield.py
■      ■      ■      ■      ■      ■      ■      ■■■ pythonintegerring.py
■      ■      ■      ■      ■      ■      ■      ■■■ pythonrational.py
■      ■      ■      ■      ■      ■      ■      ■■■ pythonrationalfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ quotientring.py
■      ■      ■      ■      ■      ■      ■      ■■■ rationalfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ realfield.py
■      ■      ■      ■      ■      ■      ■      ■■■ ring.py
■      ■      ■      ■      ■      ■      ■      ■■■ simplifiedomain.py
■      ■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_domains.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_polynomialring.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_quotientring.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_domains.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_polynomialring.py
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_quotientring.py
■      ■      ■      ■      ■      ■      ■      ■■■ euclidtools.py
■      ■      ■      ■      ■      ■      ■      ■■■ factortools.py
■      ■      ■      ■      ■      ■      ■      ■■■ fglmttools.py
■      ■      ■      ■      ■      ■      ■      ■■■ fields.py
■      ■      ■      ■      ■      ■      ■      ■■■ galoistools.py
■      ■      ■      ■      ■      ■      ■      ■■■ groebnertools.py
■      ■      ■      ■      ■      ■      ■      ■■■ heuristicgcd.py
■      ■      ■      ■      ■      ■      ■      ■■■ matrices
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ ddm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ dense.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ domainmatrix.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ eigen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ linsolve.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      ■■■ sdm.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ ddm.py
■      ■      ■      ■      ■      ■      ■      ■■■ dense.py
■      ■      ■      ■      ■      ■      ■      ■■■ domainmatrix.py
■      ■      ■      ■      ■      ■      ■      ■■■ eigen.py
■      ■      ■      ■      ■      ■      ■      ■■■ exceptions.py
■      ■      ■      ■      ■      ■      ■      ■■■ linsolve.py
■      ■      ■      ■      ■      ■      ■      ■■■ sdm.py
■      ■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	test_monomials.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_multivariate_resultants.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_numberfields.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_orderings.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_orthopolys.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_partfrac.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polyclasses.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polyfuncs.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polymatrix.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polyoptions.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polyroots.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polytools.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_polyutils.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_pythonrational.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_rationaltools.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_ring_series.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_rings.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_rootisolation.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_rootoftools.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_solvers.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_specialpolys.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_sqfreetools.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_subresultants_qq_zz.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■■	test_constructor.py
■	■	■	■	■	■	■	■	■■■■	test_densearith.py
■	■	■	■	■	■	■	■	■■■■	test_densebasic.py
■	■	■	■	■	■	■	■	■■■■	test_densetools.py
■	■	■	■	■	■	■	■	■■■■	test_dispersion.py
■	■	■	■	■	■	■	■	■■■■	test_distributedmodules.py
■	■	■	■	■	■	■	■	■■■■	test_euclidtools.py
■	■	■	■	■	■	■	■	■■■■	test_factortools.py
■	■	■	■	■	■	■	■	■■■■	test_fields.py
■	■	■	■	■	■	■	■	■■■■	test_galoistools.py
■	■	■	■	■	■	■	■	■■■■	test_groebnertools.py
■	■	■	■	■	■	■	■	■■■■	test_heuristicgcd.py
■	■	■	■	■	■	■	■	■■■■	test_injections.py
■	■	■	■	■	■	■	■	■■■■	test_modulargcd.py
■	■	■	■	■	■	■	■	■■■■	test_monomials.py
■	■	■	■	■	■	■	■	■■■■	test_multivariate_resultants.py
■	■	■	■	■	■	■	■	■■■■	test_numberfields.py
■	■	■	■	■	■	■	■	■■■■	test_orderings.py
■	■	■	■	■	■	■	■	■■■■	test_orthopolys.py
■	■	■	■	■	■	■	■	■■■■	test_partfrac.py
■	■	■	■	■	■	■	■	■■■■	test_polyclasses.py
■	■	■	■	■	■	■	■	■■■■	test_polyfuncs.py
■	■	■	■	■	■	■	■	■■■■	test_polymatrix.py
■	■	■	■	■	■	■	■	■■■■	test_polyoptions.py
■	■	■	■	■	■	■	■	■■■■	test_polyroots.py
■	■	■	■	■	■	■	■	■■■■	test_polytools.py
■	■	■	■	■	■	■	■	■■■■	test_polyutils.py
■	■	■	■	■	■	■	■	■■■■	test_pythonrational.py
■	■	■	■	■	■	■	■	■■■■	test_rationaltools.py
■	■	■	■	■	■	■	■	■■■■	test_ring_series.py
■	■	■	■	■	■	■	■	■■■■	test_rings.py
■	■	■	■	■	■	■	■	■■■■	test_rootisolation.py
■	■	■	■	■	■	■	■	■■■■	test_rootoftools.py
■	■	■	■	■	■	■	■	■■■■	test_solvers.py
■	■	■	■	■	■	■	■	■■■■	test_specialpolys.py

```

test_sqfreetools.py
test_subresultants_qq_zz.py
printing
__init__.py
__pycache__
__init__.cpython-311.pyc
aesaracode.cpython-311.pyc
c.cpython-311.pyc
ccode.cpython-311.pyc
codeprinter.cpython-311.pyc
conventions.cpython-311.pyc
cxx.cpython-311.pyc
cxxcode.cpython-311.pyc
defaults.cpython-311.pyc
dot.cpython-311.pyc
fcode.cpython-311.pyc
fortran.cpython-311.pyc
glsl.cpython-311.pyc
gtk.cpython-311.pyc
jscode.cpython-311.pyc
julia.cpython-311.pyc
lambdarepr.cpython-311.pyc
latex.cpython-311.pyc
llvmjitcode.cpython-311.pyc
maple.cpython-311.pyc
mathematica.cpython-311.pyc
mathml.cpython-311.pyc
numpy.cpython-311.pyc
octave.cpython-311.pyc
precedence.cpython-311.pyc
preview.cpython-311.pyc
printer.cpython-311.pyc
pycode.cpython-311.pyc
python.cpython-311.pyc
rcode.cpython-311.pyc
repr.cpython-311.pyc
rust.cpython-311.pyc
str.cpython-311.pyc
tableform.cpython-311.pyc
tensorflow.cpython-311.pyc
theanocode.cpython-311.pyc
tree.cpython-311.pyc
aesaracode.py
c.py
ccode.py
codeprinter.py
conventions.py
cxx.py
cxxcode.py
defaults.py
dot.py
fcode.py
fortran.py
glsl.py
gtk.py
jscode.py
julia.py
lambdarepr.py

```


■	■	■	■	■	■	■■■	latex.py	
■	■	■	■	■	■	■■■	llvmjitcode.py	
■	■	■	■	■	■	■■■	maple.py	
■	■	■	■	■	■	■■■	mathematica.py	
■	■	■	■	■	■	■■■	mathml.py	
■	■	■	■	■	■	■■■	numpy.py	
■	■	■	■	■	■	■■■	octave.py	
■	■	■	■	■	■	■■■	precedence.py	
■	■	■	■	■	■	■■■	pretty	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pretty.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pretty_symbolology.cpython-311.pyc
■	■	■	■	■	■	■	■■■	stringpict.cpython-311.pyc
■	■	■	■	■	■	■■■	pretty.py	
■	■	■	■	■	■	■■■	pretty_symbolology.py	
■	■	■	■	■	■	■■■	stringpict.py	
■	■	■	■	■	■	■■■	tests	
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pretty.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_pretty.py
■	■	■	■	■	■	■■■	preview.py	
■	■	■	■	■	■	■■■	printer.py	
■	■	■	■	■	■	■■■	pycode.py	
■	■	■	■	■	■	■■■	python.py	
■	■	■	■	■	■	■■■	rcode.py	
■	■	■	■	■	■	■■■	repr.py	
■	■	■	■	■	■	■■■	rust.py	
■	■	■	■	■	■	■■■	str.py	
■	■	■	■	■	■	■■■	tableform.py	
■	■	■	■	■	■	■■■	tensorflow.py	
■	■	■	■	■	■	■■■	tests	
■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_aesaracode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_c.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_codeprinter.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_conventions.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cupy.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_cxx.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_dot.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_fortran.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_gls1.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_gtk.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_jscode.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_julia.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_lambdarepr.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_latex.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_llvmjit.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_maple.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mathematica.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_mathml.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_numpy.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_octave.cpython-311.pyc

```
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_precedence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_preview.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pycode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_python.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rcode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_repr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rust.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_str.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tableform.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tensorflow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_theanocode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_aesaracode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_c.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_codeprinter.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_conventions.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cupy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_cxx.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_dot.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_fortran.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gls1.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_gtk.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_jscode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_julia.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_lambdarepr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_latex.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_llvmjit.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_maple.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mathematica.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_mathml.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_numpy.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_octave.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_precedence.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_preview.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_pycode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_python.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rcode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_repr.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_rust.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_str.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tableform.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tensorflow.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_theanocode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_tree.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ theanoode.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tree.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ release.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ sandbox
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ indexed_integrals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ indexed_integrals.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ test_indexed_integrals.cpython-311.pyc
```

```

    test_indexed_integrals.py
series
__init__.py
__pycache__
__init__.cpython-311.pyc
acceleration.cpython-311.pyc
approximants.cpython-311.pyc
aseries.cpython-311.pyc
formal.cpython-311.pyc
fourier.cpython-311.pyc
gruntz.cpython-311.pyc
kauers.cpython-311.pyc
limits.cpython-311.pyc
limitseq.cpython-311.pyc
order.cpython-311.pyc
residues.cpython-311.pyc
sequences.cpython-311.pyc
series.cpython-311.pyc
series_class.cpython-311.pyc
acceleration.py
approximants.py
aseries.py
benchmarks
__init__.py
__pycache__
__init__.cpython-311.pyc
bench_limit.cpython-311.pyc
bench_order.cpython-311.pyc
bench_limit.py
bench_order.py
formal.py
fourier.py
gruntz.py
kauers.py
limits.py
limitseq.py
order.py
residues.py
sequences.py
series.py
series_class.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_approximants.cpython-311.pyc
test_aseries.cpython-311.pyc
test_demidovich.cpython-311.pyc
test_formal.cpython-311.pyc
test_fourier.cpython-311.pyc
test_gruntz.cpython-311.pyc
test_kauers.cpython-311.pyc
test_limits.cpython-311.pyc
test_limitseq.cpython-311.pyc
test_lseries.cpython-311.pyc
test_nseries.cpython-311.pyc
test_order.cpython-311.pyc
test_residues.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ test_sequences.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_series.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_approximants.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_aseries.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_demidovich.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_formal.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_fourier.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_gruntz.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_kauers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_limits.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_limitseq.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_lseries.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_nseries.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_order.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_residues.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_sequences.py
■ ■ ■ ■ ■ ■ ■ ■ ■ test_series.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sets
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ conditionset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ contains.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ fancysets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ordinals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ powerset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ setexpr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ conditionset.py
■ ■ ■ ■ ■ ■ ■ ■ ■ contains.py
■ ■ ■ ■ ■ ■ ■ ■ ■ fancysets.py
■ ■ ■ ■ ■ ■ ■ ■ ■ handlers
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ add.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ comparison.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ intersection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ issubset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ mul.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ power.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ union.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ add.py
■ ■ ■ ■ ■ ■ ■ ■ ■ comparison.py
■ ■ ■ ■ ■ ■ ■ ■ ■ functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ intersection.py
■ ■ ■ ■ ■ ■ ■ ■ ■ issubset.py
■ ■ ■ ■ ■ ■ ■ ■ ■ mul.py
■ ■ ■ ■ ■ ■ ■ ■ ■ power.py
■ ■ ■ ■ ■ ■ ■ ■ ■ union.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ordinals.py
■ ■ ■ ■ ■ ■ ■ ■ ■ powerset.py
■ ■ ■ ■ ■ ■ ■ ■ ■ setexpr.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sets.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__

```

[illegible]

```

■ ■ ■ test_powsimp.cpython-311.pyc
■ ■ ■ test_radsimp.cpython-311.pyc
■ ■ ■ test_ratsimp.cpython-311.pyc
■ ■ ■ test_rewrite.cpython-311.pyc
■ ■ ■ test_simplify.cpython-311.pyc
■ ■ ■ test_sqrtidenest.cpython-311.pyc
■ ■ ■ test_traversaltools.cpython-311.pyc
■ ■ ■ test_trigsimp.cpython-311.pyc
■ ■ ■ test_combsimp.py
■ ■ ■ test_cse.py
■ ■ ■ test_epathhtools.py
■ ■ ■ test_fu.py
■ ■ ■ test_function.py
■ ■ ■ test_gamma simp.py
■ ■ ■ test_hyperexpand.py
■ ■ ■ test_powsimp.py
■ ■ ■ test_radsimp.py
■ ■ ■ test_ratsimp.py
■ ■ ■ test_rewrite.py
■ ■ ■ test_simplify.py
■ ■ ■ test_sqrtidenest.py
■ ■ ■ test_traversaltools.py
■ ■ ■ test_trigsimp.py
■ ■ ■ traversaltools.py
■ ■ ■ trigsimp.py
■ ■ solvers
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ bivariate.cpython-311.pyc
■ ■ ■ decompogen.cpython-311.pyc
■ ■ ■ deutils.cpython-311.pyc
■ ■ ■ inequalities.cpython-311.pyc
■ ■ ■ pde.cpython-311.pyc
■ ■ ■ polysys.cpython-311.pyc
■ ■ ■ recurr.cpython-311.pyc
■ ■ ■ solvers.cpython-311.pyc
■ ■ ■ solveset.cpython-311.pyc
■ ■ benchmarks
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ bench_solvers.cpython-311.pyc
■ ■ ■ bench_solvers.py
■ ■ ■ bivariate.py
■ ■ ■ decompogen.py
■ ■ ■ deutils.py
■ ■ ■ diophantine
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ diophantine.cpython-311.pyc
■ ■ ■ diophantine.py
■ ■ tests
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ test_diophantine.cpython-311.pyc

```

```

test_diophantine.py
inequalities.py
ode
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        ode.cpython-311.pyc
        single.cpython-311.pyc
        subscheck.cpython-311.pyc
        systems.cpython-311.pyc
    ode.py
    single.py
    subscheck.py
    systems.py
    tests
        __init__.py
        __pycache__
            __init__.cpython-311.pyc
            test_lie_group.cpython-311.pyc
            test_ode.cpython-311.pyc
            test_single.cpython-311.pyc
            test_subscheck.cpython-311.pyc
            test_systems.cpython-311.pyc
        test_lie_group.py
        test_ode.py
        test_single.py
        test_subscheck.py
        test_systems.py
pde.py
polysys.py
recurr.py
solvers.py
solveset.py
tests
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        test_constantsimp.cpython-311.pyc
        test_decompogen.cpython-311.pyc
        test_inequalities.cpython-311.pyc
        test_numeric.cpython-311.pyc
        test_pde.cpython-311.pyc
        test_polysys.cpython-311.pyc
        test_recurr.cpython-311.pyc
        test_solvers.cpython-311.pyc
        test_solveset.cpython-311.pyc
    test_constantsimp.py
    test_decompogen.py
    test_inequalities.py
    test_numeric.py
    test_pde.py
    test_polysys.py
    test_recurr.py
    test_solvers.py
    test_solveset.py
stats
    __init__.py
    __pycache__

```



```

    symbolic_probability.py
    tests
    ____init__.py
    ____pycache__
    ____init__.cpython-311.pyc
    test_compound_rv.cpython-311.pyc
    test_continuous_rv.cpython-311.pyc
    test_discrete_rv.cpython-311.pyc
    test_error_prop.cpython-311.pyc
    test_finite_rv.cpython-311.pyc
    test_joint_rv.cpython-311.pyc
    test_matrix_distributions.cpython-311.pyc
    test_mix.cpython-311.pyc
    test_random_matrix.cpython-311.pyc
    test_rv.cpython-311.pyc
    test_stochastic_process.cpython-311.pyc
    test_symbolic_multivariate.cpython-311.pyc
    test_symbolic_probability.cpython-311.pyc
    test_compound_rv.py
    test_continuous_rv.py
    test_discrete_rv.py
    test_error_prop.py
    test_finite_rv.py
    test_joint_rv.py
    test_matrix_distributions.py
    test_mix.py
    test_random_matrix.py
    test_rv.py
    test_stochastic_process.py
    test_symbolic_multivariate.py
    test_symbolic_probability.py
    strategies
    ____init__.py
    ____pycache__
    ____init__.cpython-311.pyc
    core.cpython-311.pyc
    rl.cpython-311.pyc
    tools.cpython-311.pyc
    traverse.cpython-311.pyc
    tree.cpython-311.pyc
    util.cpython-311.pyc
    branch
    ____init__.py
    ____pycache__
    ____init__.cpython-311.pyc
    core.cpython-311.pyc
    tools.cpython-311.pyc
    traverse.cpython-311.pyc
    core.py
    tests
    ____init__.py
    ____pycache__
    ____init__.cpython-311.pyc
    test_core.cpython-311.pyc
    test_tools.cpython-311.pyc
    test_traverse.cpython-311.pyc
    test_core.py
    test_tools.py

```

```

    test_traverse.py
    tools.py
    traverse.py
    core.py
    rl.py
    tests
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    test_core.cpython-311.pyc
    test_rl.cpython-311.pyc
    test_strat.cpython-311.pyc
    test_tools.cpython-311.pyc
    test_traverse.cpython-311.pyc
    test_tree.cpython-311.pyc
    test_core.py
    test_rl.py
    test_strat.py
    test_tools.py
    test_traverse.py
    test_tree.py
    tools.py
    traverse.py
    tree.py
    util.py
    tensor
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    functions.cpython-311.pyc
    index_methods.cpython-311.pyc
    indexed.cpython-311.pyc
    tensor.cpython-311.pyc
    toperators.cpython-311.pyc
    array
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    array_comprehension.cpython-311.pyc
    array_derivatives.cpython-311.pyc
    arrayop.cpython-311.pyc
    dense_ndim_array.cpython-311.pyc
    mutable_ndim_array.cpython-311.pyc
    ndim_array.cpython-311.pyc
    sparse_ndim_array.cpython-311.pyc
    array_comprehension.py
    array_derivatives.py
    arrayop.py
    dense_ndim_array.py
    expressions
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    array_expressions.cpython-311.pyc
    arrayexpr_derivatives.cpython-311.pyc
    conv_array_to_matrix.cpython-311.pyc
    conv_indexed_to_array.cpython-311.pyc
    conv_matrix_to_array.cpython-311.pyc

```

```

    ##### utils.cpython-311.pyc
    ##### array_expressions.py
    ##### arrayexpr_derivatives.py
    ##### conv_array_to_matrix.py
    ##### conv_indexed_to_array.py
    ##### conv_matrix_to_array.py
    ##### tests
    #####   ____init__.py
    #####   ____pycache__
    #####     ##### ____init__.cpython-311.pyc
    #####     ##### test_array_expressions.cpython-311.pyc
    #####     ##### test_arrayexpr_derivatives.cpython-311.pyc
    #####     ##### test_as_explicit.cpython-311.pyc
    #####     ##### test_convert_array_to_matrix.cpython-311.pyc
    #####     ##### test_convert_index_to_array.cpython-311.pyc
    #####     ##### test_convert_matrix_to_array.cpython-311.pyc
    #####     ##### test_array_expressions.py
    #####     ##### test_arrayexpr_derivatives.py
    #####     ##### test_as_explicit.py
    #####     ##### test_convert_array_to_matrix.py
    #####     ##### test_convert_index_to_array.py
    #####     ##### test_convert_matrix_to_array.py
    #####   ##### utils.py
    ##### mutable_ndim_array.py
    ##### ndim_array.py
    ##### sparse_ndim_array.py
    ##### tests
    #####   ____init__.py
    #####   ____pycache__
    #####     ##### ____init__.cpython-311.pyc
    #####     ##### test_array_comprehension.cpython-311.pyc
    #####     ##### test_array_derivatives.cpython-311.pyc
    #####     ##### test_arrayop.cpython-311.pyc
    #####     ##### test_immutable_ndim_array.cpython-311.pyc
    #####     ##### test_mutable_ndim_array.cpython-311.pyc
    #####     ##### test_ndim_array.cpython-311.pyc
    #####     ##### test_ndim_array_conversions.cpython-311.pyc
    #####     ##### test_array_comprehension.py
    #####     ##### test_array_derivatives.py
    #####     ##### test_arrayop.py
    #####     ##### test_immutable_ndim_array.py
    #####     ##### test_mutable_ndim_array.py
    #####     ##### test_ndim_array.py
    #####     ##### test_ndim_array_conversions.py
    ##### functions.py
    ##### index_methods.py
    ##### indexed.py
    ##### tensor.py
    ##### tests
    #####   ____init__.py
    #####   ____pycache__
    #####     ##### ____init__.cpython-311.pyc
    #####     ##### test_functions.cpython-311.pyc
    #####     ##### test_index_methods.cpython-311.pyc
    #####     ##### test_indexed.cpython-311.pyc
    #####     ##### test_tensor.cpython-311.pyc
    #####     ##### test_tensor_element.cpython-311.pyc
    #####     ##### test_tensor_operators.cpython-311.pyc

```

```

test_functions.py
test_index_methods.py
test_indexed.py
test_tensor.py
test_tensor_element.py
test_tensor_operators.py
toperators.py
testing
__init__.py
__pycache__
__init__.cpython-311.pyc
benchmarking.cpython-311.pyc
matrices.cpython-311.pyc
pytest.cpython-311.pyc
quality_unicode.cpython-311.pyc
randtest.cpython-311.pyc
runtests.cpython-311.pyc
tmpfiles.cpython-311.pyc
benchmarking.py
matrices.py
pytest.py
quality_unicode.py
randtest.py
runtests.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
diagnose_imports.cpython-311.pyc
test_code_quality.cpython-311.pyc
test_module_imports.cpython-311.pyc
test_pytest.cpython-311.pyc
diagnose_imports.py
test_code_quality.py
test_module_imports.py
test_pytest.py
tmpfiles.py
this.py
unify
__init__.py
__pycache__
__init__.cpython-311.pyc
core.cpython-311.pyc
rewrite.cpython-311.pyc
usymPy.cpython-311.pyc
core.py
rewrite.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_rewrite.cpython-311.pyc
test_sympy.cpython-311.pyc
test_unify.cpython-311.pyc
test_rewrite.py
test_sympy.py
test_unify.py
usymPy.py

```

```

■      ■      ■      ■      ■      ■■■ utilities
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ autowrap.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ benchmarking.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ codegen.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ decorator.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ enumerative.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ iterables.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ lambdify.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ magic.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ matchpy_connector.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ memoization.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ misc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ pkgdata.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ pytest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ quality_unicode.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ randtest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ runtests.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ source.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ timeutils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ tmpfiles.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _compilation
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ availability.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ compilation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ runners.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ availability.py
■      ■      ■      ■      ■      ■      ■■■ compilation.py
■      ■      ■      ■      ■      ■      ■■■ runners.py
■      ■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_compilation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ test_compilation.py
■      ■      ■      ■      ■      ■      ■■■ util.py
■      ■      ■      ■      ■      ■      ■■■ autowrap.py
■      ■      ■      ■      ■      ■      ■■■ benchmarking.py
■      ■      ■      ■      ■      ■      ■■■ codegen.py
■      ■      ■      ■      ■      ■      ■■■ decorator.py
■      ■      ■      ■      ■      ■      ■■■ enumerative.py
■      ■      ■      ■      ■      ■      ■■■ exceptions.py
■      ■      ■      ■      ■      ■      ■■■ iterables.py
■      ■      ■      ■      ■      ■      ■■■ lambdify.py
■      ■      ■      ■      ■      ■      ■■■ magic.py
■      ■      ■      ■      ■      ■      ■■■ matchpy_connector.py
■      ■      ■      ■      ■      ■      ■■■ mathml
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ data
■      ■      ■      ■      ■      ■      ■      ■      ■■■ mmlctop.xml

```

```

■ ■ ■ ■ mmltex.xsl
■ ■ ■ ■ simple_mmlctop.xsl
■ ■ ■ ■ memoization.py
■ ■ ■ ■ misc.py
■ ■ ■ ■ pkgdata.py
■ ■ ■ ■ pytest.py
■ ■ ■ ■ quality_unicode.py
■ ■ ■ ■ randtest.py
■ ■ ■ ■ runtests.py
■ ■ ■ ■ source.py
■ ■ ■ ■ tests
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ test_autowrap.cpython-311.pyc
■ ■ ■ ■ test_codegen.cpython-311.pyc
■ ■ ■ ■ test_codegen_julia.cpython-311.pyc
■ ■ ■ ■ test_codegen_octave.cpython-311.pyc
■ ■ ■ ■ test_codegen_rust.cpython-311.pyc
■ ■ ■ ■ test_decorator.cpython-311.pyc
■ ■ ■ ■ test_deprecated.cpython-311.pyc
■ ■ ■ ■ test_enumerative.cpython-311.pyc
■ ■ ■ ■ test_iterables.cpython-311.pyc
■ ■ ■ ■ test_lambdify.cpython-311.pyc
■ ■ ■ ■ test_matchpy_connector.cpython-311.pyc
■ ■ ■ ■ test_misc.cpython-311.pyc
■ ■ ■ ■ test_pickling.cpython-311.pyc
■ ■ ■ ■ test_source.cpython-311.pyc
■ ■ ■ ■ test_timeutils.cpython-311.pyc
■ ■ ■ ■ test_wester.cpython-311.pyc
■ ■ ■ ■ test_autowrap.py
■ ■ ■ ■ test_codegen.py
■ ■ ■ ■ test_codegen_julia.py
■ ■ ■ ■ test_codegen_octave.py
■ ■ ■ ■ test_codegen_rust.py
■ ■ ■ ■ test_decorator.py
■ ■ ■ ■ test_deprecated.py
■ ■ ■ ■ test_enumerative.py
■ ■ ■ ■ test_iterables.py
■ ■ ■ ■ test_lambdify.py
■ ■ ■ ■ test_matchpy_connector.py
■ ■ ■ ■ test_misc.py
■ ■ ■ ■ test_pickling.py
■ ■ ■ ■ test_source.py
■ ■ ■ ■ test_timeutils.py
■ ■ ■ ■ test_wester.py
■ ■ ■ ■ timeutils.py
■ ■ ■ ■ tmpfiles.py
■ ■ ■ vector
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ basisdependent.cpython-311.pyc
■ ■ ■ ■ coordsysrect.cpython-311.pyc
■ ■ ■ ■ deloperator.cpython-311.pyc
■ ■ ■ ■ dyadic.cpython-311.pyc
■ ■ ■ ■ functions.cpython-311.pyc
■ ■ ■ ■ implicitregion.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ integrals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ operators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ orienters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ parametricregion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ point.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ scalar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ vector.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ basisdependent.py
■ ■ ■ ■ ■ ■ ■ ■ ■ coordsysrect.py
■ ■ ■ ■ ■ ■ ■ ■ ■ deloperator.py
■ ■ ■ ■ ■ ■ ■ ■ ■ dyadic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ implicitregion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ integrals.py
■ ■ ■ ■ ■ ■ ■ ■ ■ operators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ orienters.py
■ ■ ■ ■ ■ ■ ■ ■ ■ parametricregion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ point.py
■ ■ ■ ■ ■ ■ ■ ■ ■ scalar.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tests
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_coordsysrect.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_dyadic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_field_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_implicitregion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_integrals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_operators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_parametricregion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_printing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_vector.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_coordsysrect.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_dyadic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_field_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_implicitregion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_integrals.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_operators.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_parametricregion.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_printing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ test_vector.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ vector.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sympy-1.8.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ AUTHORS
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ tables
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc

```

■	■	■	■	■	■	■■■	array.cpython-311.pyc
■	■	■	■	■	■	■■■	atom.cpython-311.pyc
■	■	■	■	■	■	■■■	attributeset.cpython-311.pyc
■	■	■	■	■	■	■■■	carray.cpython-311.pyc
■	■	■	■	■	■	■■■	conditions.cpython-311.pyc
■	■	■	■	■	■	■■■	description.cpython-311.pyc
■	■	■	■	■	■	■■■	earray.cpython-311.pyc
■	■	■	■	■	■	■■■	exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■	expression.cpython-311.pyc
■	■	■	■	■	■	■■■	file.cpython-311.pyc
■	■	■	■	■	■	■■■	filters.cpython-311.pyc
■	■	■	■	■	■	■■■	flavor.cpython-311.pyc
■	■	■	■	■	■	■■■	group.cpython-311.pyc
■	■	■	■	■	■	■■■	idxutils.cpython-311.pyc
■	■	■	■	■	■	■■■	index.cpython-311.pyc
■	■	■	■	■	■	■■■	indexes.cpython-311.pyc
■	■	■	■	■	■	■■■	leaf.cpython-311.pyc
■	■	■	■	■	■	■■■	link.cpython-311.pyc
■	■	■	■	■	■	■■■	node.cpython-311.pyc
■	■	■	■	■	■	■■■	parameters.cpython-311.pyc
■	■	■	■	■	■	■■■	path.cpython-311.pyc
■	■	■	■	■	■	■■■	registry.cpython-311.pyc
■	■	■	■	■	■	■■■	req_versions.cpython-311.pyc
■	■	■	■	■	■	■■■	table.cpython-311.pyc
■	■	■	■	■	■	■■■	undoredo.cpython-311.pyc
■	■	■	■	■	■	■■■	unimplemented.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■	vllarray.cpython-311.pyc
■	■	■	■	■	■■■	_comp_bzip2.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	_comp_bzip2.pyx	
■	■	■	■	■	■■■	_comp_lzo.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	_comp_lzo.pyx	
■	■	■	■	■	■■■	array.py	
■	■	■	■	■	■■■	atom.py	
■	■	■	■	■	■■■	attributeset.py	
■	■	■	■	■	■■■	carray.py	
■	■	■	■	■	■■■	conditions.py	
■	■	■	■	■	■■■	definitions.pxd	
■	■	■	■	■	■■■	description.py	
■	■	■	■	■	■■■	earray.py	
■	■	■	■	■	■■■	exceptions.py	
■	■	■	■	■	■■■	expression.py	
■	■	■	■	■	■■■	file.py	
■	■	■	■	■	■■■	filters.py	
■	■	■	■	■	■■■	flavor.py	
■	■	■	■	■	■■■	group.py	
■	■	■	■	■	■■■	hdf5extension.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	hdf5extension.pxd	
■	■	■	■	■	■■■	hdf5extension.pyx	
■	■	■	■	■	■■■	idxutils.py	
■	■	■	■	■	■■■	index.py	
■	■	■	■	■	■■■	indexes.py	
■	■	■	■	■	■■■	indexesextension.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■	indexesextension.pyx	
■	■	■	■	■	■■■	leaf.py	
■	■	■	■	■	■■■	libblosc2.so	
■	■	■	■	■	■■■	link.py	
■	■	■	■	■	■■■	linkextension.cpython-311-x86_64-linux-gnu.so	


```

linkextension.pyx
lru_cacheextension.cpython-311-x86_64-linux-gnu.so
lru_cacheextension.pxd
lru_cacheextension.pyx
misc
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    enum.cpython-311.pyc
    proxydict.cpython-311.pyc
  enum.py
  proxydict.py
node.py
nodes
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    filenode.cpython-311.pyc
  filenode.py
  tests
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      test_filenode.cpython-311.pyc
    test_filenode.dat
    test_filenode.py
    test_filenode.xbm
    test_filenode_v1.h5
parameters.py
path.py
registry.py
req_versions.py
scripts
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    pt2to3.cpython-311.pyc
    ptdump.cpython-311.pyc
    ptrepack.cpython-311.pyc
    pttree.cpython-311.pyc
  pt2to3.py
  ptdump.py
  ptrepack.py
  pttree.py
table.py
tableextension.cpython-311-x86_64-linux-gnu.so
tableextension.pyx
tests
  Table2_1_lzo_nrv2e_shuffle.h5
  Tables_lzo1.h5
  Tables_lzo1_shuffle.h5
  Tables_lzo2.h5
  Tables_lzo2_shuffle.h5
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    check_leaks.cpython-311.pyc
    common.cpython-311.pyc

```

■	■	■	■	■	■	■■■	create_backcompat_indexes.cpython-311.pyc
■	■	■	■	■	■	■■■	test_all.cpython-311.pyc
■	■	■	■	■	■	■■■	test_array.cpython-311.pyc
■	■	■	■	■	■	■■■	test_attributes.cpython-311.pyc
■	■	■	■	■	■	■■■	test_aux.cpython-311.pyc
■	■	■	■	■	■	■■■	test_backcompat.cpython-311.pyc
■	■	■	■	■	■	■■■	test_basics.cpython-311.pyc
■	■	■	■	■	■	■■■	test_carray.cpython-311.pyc
■	■	■	■	■	■	■■■	test_create.cpython-311.pyc
■	■	■	■	■	■	■■■	test_do_undo.cpython-311.pyc
■	■	■	■	■	■	■■■	test_earray.cpython-311.pyc
■	■	■	■	■	■	■■■	test_enum.cpython-311.pyc
■	■	■	■	■	■	■■■	test_expression.cpython-311.pyc
■	■	■	■	■	■	■■■	test_garbage.cpython-311.pyc
■	■	■	■	■	■	■■■	test_hdf5compat.cpython-311.pyc
■	■	■	■	■	■	■■■	test_index_backcompat.cpython-311.pyc
■	■	■	■	■	■	■■■	test_indexes.cpython-311.pyc
■	■	■	■	■	■	■■■	test_indexvalues.cpython-311.pyc
■	■	■	■	■	■	■■■	test_links.cpython-311.pyc
■	■	■	■	■	■	■■■	test_lists.cpython-311.pyc
■	■	■	■	■	■	■■■	test_nestedtypes.cpython-311.pyc
■	■	■	■	■	■	■■■	test_numpy.cpython-311.pyc
■	■	■	■	■	■	■■■	test_queries.cpython-311.pyc
■	■	■	■	■	■	■■■	test_suite.cpython-311.pyc
■	■	■	■	■	■	■■■	test_tables.cpython-311.pyc
■	■	■	■	■	■	■■■	test_tablesMD.cpython-311.pyc
■	■	■	■	■	■	■■■	test_timestamps.cpython-311.pyc
■	■	■	■	■	■	■■■	test_timetype.cpython-311.pyc
■	■	■	■	■	■	■■■	test_tree.cpython-311.pyc
■	■	■	■	■	■	■■■	test_types.cpython-311.pyc
■	■	■	■	■	■	■■■	test_utils.cpython-311.pyc
■	■	■	■	■	■	■■■	test_vlarray.cpython-311.pyc
■	■	■	■	■	■■■	array_mdatom.h5	
■	■	■	■	■	■■■	attr-u16.h5	
■	■	■	■	■	■■■	blosc_bigendian.h5	
■	■	■	■	■	■■■	bug-idx.h5	
■	■	■	■	■	■■■	check_leaks.py	
■	■	■	■	■	■■■	common.py	
■	■	■	■	■	■■■	create_backcompat_indexes.py	
■	■	■	■	■	■■■	elink.h5	
■	■	■	■	■	■■■	elink2.h5	
■	■	■	■	■	■■■	ex-noattr.h5	
■	■	■	■	■	■■■	flavored_vlarrays-format1.6.h5	
■	■	■	■	■	■■■	float.h5	
■	■	■	■	■	■■■	idx-std-1.x.h5	
■	■	■	■	■	■■■	indexes_2_0.h5	
■	■	■	■	■	■■■	indexes_2_1.h5	
■	■	■	■	■	■■■	issue_368.h5	
■	■	■	■	■	■■■	issue_560.h5	
■	■	■	■	■	■■■	itemsizes.h5	
■	■	■	■	■	■■■	matlab_file.mat	
■	■	■	■	■	■■■	nested-type-with-gaps.h5	
■	■	■	■	■	■■■	non-chunked-table.h5	
■	■	■	■	■	■■■	oldflavor_numeric.h5	
■	■	■	■	■	■■■	out_of_order_types.h5	
■	■	■	■	■	■■■	python2.h5	
■	■	■	■	■	■■■	python3.h5	
■	■	■	■	■	■■■	scalar.h5	

■	■	■	■	■	■	■■■■	slink.h5
■	■	■	■	■	■	■■■■	smpl_SDSExtensible.h5
■	■	■	■	■	■	■■■■	smpl_compound_chunked.h5
■	■	■	■	■	■	■■■■	smpl_enum.h5
■	■	■	■	■	■	■■■■	smpl_f64be.h5
■	■	■	■	■	■	■■■■	smpl_f64le.h5
■	■	■	■	■	■	■■■■	smpl_i32be.h5
■	■	■	■	■	■	■■■■	smpl_i32le.h5
■	■	■	■	■	■	■■■■	smpl_i64be.h5
■	■	■	■	■	■	■■■■	smpl_i64le.h5
■	■	■	■	■	■	■■■■	smpl_unsupdtype.h5
■	■	■	■	■	■	■■■■	test_all.py
■	■	■	■	■	■	■■■■	test_array.py
■	■	■	■	■	■	■■■■	test_attributes.py
■	■	■	■	■	■	■■■■	test_aux.py
■	■	■	■	■	■	■■■■	test_backcompat.py
■	■	■	■	■	■	■■■■	test_basics.py
■	■	■	■	■	■	■■■■	test_carray.py
■	■	■	■	■	■	■■■■	test_create.py
■	■	■	■	■	■	■■■■	test_do_undo.py
■	■	■	■	■	■	■■■■	test_earray.py
■	■	■	■	■	■	■■■■	test_enum.py
■	■	■	■	■	■	■■■■	test_expression.py
■	■	■	■	■	■	■■■■	test_garbage.py
■	■	■	■	■	■	■■■■	test_hdf5compat.py
■	■	■	■	■	■	■■■■	test_index_backcompat.py
■	■	■	■	■	■	■■■■	test_indexes.py
■	■	■	■	■	■	■■■■	test_indexvalues.py
■	■	■	■	■	■	■■■■	test_links.py
■	■	■	■	■	■	■■■■	test_lists.py
■	■	■	■	■	■	■■■■	test_nestedtypes.py
■	■	■	■	■	■	■■■■	test_numpy.py
■	■	■	■	■	■	■■■■	test_queries.py
■	■	■	■	■	■	■■■■	test_ref_array1.mat
■	■	■	■	■	■	■■■■	test_ref_array2.mat
■	■	■	■	■	■	■■■■	test_suite.py
■	■	■	■	■	■	■■■■	test_szip.h5
■	■	■	■	■	■	■■■■	test_tables.py
■	■	■	■	■	■	■■■■	test_tablesMD.py
■	■	■	■	■	■	■■■■	test_timestamps.py
■	■	■	■	■	■	■■■■	test_timetype.py
■	■	■	■	■	■	■■■■	test_tree.py
■	■	■	■	■	■	■■■■	test_types.py
■	■	■	■	■	■	■■■■	test_utils.py
■	■	■	■	■	■	■■■■	test_vlarray.py
■	■	■	■	■	■	■■■■	time-table-vlarray-1_x.h5
■	■	■	■	■	■	■■■■	times-nested-be.h5
■	■	■	■	■	■	■■■■	vlstr_attr.h5
■	■	■	■	■	■	■■■■	vlunicode_endian.h5
■	■	■	■	■	■	■■■■	zerodim-attrs-1.3.h5
■	■	■	■	■	■	■■■■	zerodim-attrs-1.4.h5
■	■	■	■	■	■■■■	undoredo.py	
■	■	■	■	■	■■■■	unimplemented.py	
■	■	■	■	■	■■■■	utils.py	
■	■	■	■	■	■■■■	utilsextension.cpython-311-x86_64-linux-gnu.so	
■	■	■	■	■	■■■■	utilsextension.pxd	
■	■	■	■	■	■■■■	utilsextension.pyx	
■	■	■	■	■	■■■■	vlarray.py	

```

■ ■ ■ ■ ■■■ tables-3.8.0.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ tables.libs
■ ■ ■ ■ ■■■ libblosc2-84755600.so.2
■ ■ ■ ■ ■■■ libbz2-a273e504.so.1.0.6
■ ■ ■ ■ ■■■ libhdf5-f789316a.so.200.2.0
■ ■ ■ ■ ■■■ liblz2-7e54a34a.so.2.0.0
■ ■ ■ ■ ■■■ tabula
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ painter.cpython-311.pyc
■ ■ ■ ■ ■■■ table.cpython-311.pyc
■ ■ ■ ■ ■■■ painter.py
■ ■ ■ ■ ■■■ section.py
■ ■ ■ ■ ■■■ table.py
■ ■ ■ ■ ■■■ tabula-1.0.5.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ tabulate
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■■■ tabulate-0.9.0.dist-info
■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■■■ tenacity
■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■■■ _utils.cpython-311.pyc
■ ■ ■ ■ ■■■ after.cpython-311.pyc
■ ■ ■ ■ ■■■ before.cpython-311.pyc
■ ■ ■ ■ ■■■ before_sleep.cpython-311.pyc
■ ■ ■ ■ ■■■ nap.cpython-311.pyc
■ ■ ■ ■ ■■■ retry.cpython-311.pyc
■ ■ ■ ■ ■■■ stop.cpython-311.pyc
■ ■ ■ ■ ■■■ tornadoweb.cpython-311.pyc

```

```

wait.cpython-311.pyc
  _utils.py
  after.py
  asyncio
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    retry.cpython-311.pyc
  retry.py
  before.py
  before_sleep.py
  nap.py
  py.typed
  retry.py
  stop.py
  tornadoweb.py
  wait.py
tenacity-9.0.0.dist-info
  INSTALLER
  LICENSE
  METADATA
  RECORD
  WHEEL
  top_level.txt
terminado
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _version.cpython-311.pyc
    management.cpython-311.pyc
    uimodule.cpython-311.pyc
    websocket.cpython-311.pyc
  _static
  terminado.js
  _version.py
  management.py
  py.typed
  uimod_embed.js
  uimodule.py
  websocket.py
terminado-0.18.1.dist-info
  INSTALLER
  METADATA
  RECORD
  WHEEL
  licenses
  LICENSE
tests
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    test_advanced.cpython-311.pyc
    test_args.cpython-311.pyc
    test_basic.cpython-311.pyc
    test_conversions.cpython-311.pyc
    test_custom_converter.cpython-311.pyc
    test_escaping.cpython-311.pyc
    test_lists.cpython-311.pyc

```

```

■ ■ ■ test_tables.cpython-311.pyc
■ ■ ■ test_advanced.py
■ ■ ■ test_args.py
■ ■ ■ test_basic.py
■ ■ ■ test_conversions.py
■ ■ ■ test_custom_converter.py
■ ■ ■ test_escaping.py
■ ■ ■ test_lists.py
■ ■ ■ test_tables.py
■ ■ ■ text_unidecode
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ data.bin
■ ■ ■ text_unidecode-1.3.dist-info
■ ■ ■ DESCRIPTION.rst
■ ■ ■ INSTALLER
■ ■ ■ LICENSE.txt
■ ■ ■ METADATA
■ ■ ■ RECORD
■ ■ ■ WHEEL
■ ■ ■ metadata.json
■ ■ ■ top_level.txt
■ ■ ■ textblob
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _text.cpython-311.pyc
■ ■ ■ base.cpython-311.pyc
■ ■ ■ blob.cpython-311.pyc
■ ■ ■ classifiers.cpython-311.pyc
■ ■ ■ compat.cpython-311.pyc
■ ■ ■ decorators.cpython-311.pyc
■ ■ ■ download_corpora.cpython-311.pyc
■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ formats.cpython-311.pyc
■ ■ ■ inflect.cpython-311.pyc
■ ■ ■ mixins.cpython-311.pyc
■ ■ ■ np_extractors.cpython-311.pyc
■ ■ ■ parsers.cpython-311.pyc
■ ■ ■ sentiments.cpython-311.pyc
■ ■ ■ taggers.cpython-311.pyc
■ ■ ■ tokenizers.cpython-311.pyc
■ ■ ■ translate.cpython-311.pyc
■ ■ ■ utils.cpython-311.pyc
■ ■ ■ wordnet.cpython-311.pyc
■ ■ ■ _text.py
■ ■ ■ base.py
■ ■ ■ blob.py
■ ■ ■ classifiers.py
■ ■ ■ compat.py
■ ■ ■ decorators.py
■ ■ ■ download_corpora.py
■ ■ ■ en
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ inflect.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ np_extractors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ parsers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sentiments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ taggers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ en-context.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ en-entities.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ en-lexicon.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ en-morphology.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ en-sentiment.xml
■ ■ ■ ■ ■ ■ ■ ■ ■ en-spelling.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ inflect.py
■ ■ ■ ■ ■ ■ ■ ■ ■ np_extractors.py
■ ■ ■ ■ ■ ■ ■ ■ ■ parsers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sentiments.py
■ ■ ■ ■ ■ ■ ■ ■ ■ taggers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ formats.py
■ ■ ■ ■ ■ ■ ■ ■ ■ inflect.py
■ ■ ■ ■ ■ ■ ■ ■ ■ mixins.py
■ ■ ■ ■ ■ ■ ■ ■ ■ np_extractors.py
■ ■ ■ ■ ■ ■ ■ ■ ■ parsers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sentiments.py
■ ■ ■ ■ ■ ■ ■ ■ ■ taggers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ tokenizers.py
■ ■ ■ ■ ■ ■ ■ ■ ■ translate.py
■ ■ ■ ■ ■ ■ ■ ■ ■ unicodecsv
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■ wordnet.py
■ ■ ■ ■ ■ ■ ■ ■ ■ textblob-0.15.3.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ AUTHORS.rst
■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ NOTICE
■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ thinc
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ about.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ initializers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ loss.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ model.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ mypy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ optimizers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ schedules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ util.cpython-311.pyc

```

```

■ ■ ■ ■ about.py
■ ■ ■ ■ api.py
■ ■ ■ ■ backends
■ ■ ■ ■   __init__.pxd
■ ■ ■ ■   __init__.py
■ ■ ■ ■   __pycache__
■ ■ ■ ■     ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ _cupy_allocators.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ _custom_kernels.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ _param_server.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ cupy_ops.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ mps_ops.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ ops.cpython-311.pyc
■ ■ ■ ■   _cupy_allocators.py
■ ■ ■ ■   _custom_kernels.cu
■ ■ ■ ■   _custom_kernels.py
■ ■ ■ ■   _murmur3.cu
■ ■ ■ ■   _param_server.py
■ ■ ■ ■   cblas.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■   cblas.pxd
■ ■ ■ ■   cblas.pyx
■ ■ ■ ■   cpu_kernels.hh
■ ■ ■ ■   cupy_ops.py
■ ■ ■ ■   linalg.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■   linalg.pxd
■ ■ ■ ■   linalg.pyx
■ ■ ■ ■   mps_ops.py
■ ■ ■ ■   numpy_ops.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■   numpy_ops.pxd
■ ■ ■ ■   numpy_ops.pyx
■ ■ ■ ■   ops.py
■ ■ ■ ■ compat.py
■ ■ ■ ■ config.py
■ ■ ■ ■ extra
■ ■ ■ ■   __init__.pxd
■ ■ ■ ■   __init__.py
■ ■ ■ ■   __pycache__
■ ■ ■ ■     ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■   search.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■   search.pxd
■ ■ ■ ■   search.pyx
■ ■ ■ ■   tests
■ ■ ■ ■     ■ ■ ■ ■ __init__.py
■ ■ ■ ■     ■ ■ ■ ■ __pycache__
■ ■ ■ ■       ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ c_test_search.pyx
■ ■ ■ ■ initializers.py
■ ■ ■ ■ layers
■ ■ ■ ■   __init__.py
■ ■ ■ ■   __pycache__
■ ■ ■ ■     ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ add.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ array_getitem.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ bidirectional.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ cauchysimilarity.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ chain.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ clipped_linear.cpython-311.pyc
■ ■ ■ ■     ■ ■ ■ ■ clone.cpython-311.pyc

```


■	■	■	■	■	■	■	■■■ concatenate.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dish.cpython-311.pyc
■	■	■	■	■	■	■	■■■ dropout.cpython-311.pyc
■	■	■	■	■	■	■	■■■ embed.cpython-311.pyc
■	■	■	■	■	■	■	■■■ expand_window.cpython-311.pyc
■	■	■	■	■	■	■	■■■ gelu.cpython-311.pyc
■	■	■	■	■	■	■	■■■ hard_swish.cpython-311.pyc
■	■	■	■	■	■	■	■■■ hard_swish_mobilenet.cpython-311.pyc
■	■	■	■	■	■	■	■■■ hashembed.cpython-311.pyc
■	■	■	■	■	■	■	■■■ layernorm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ linear.cpython-311.pyc
■	■	■	■	■	■	■	■■■ list2array.cpython-311.pyc
■	■	■	■	■	■	■	■■■ list2padded.cpython-311.pyc
■	■	■	■	■	■	■	■■■ list2ragged.cpython-311.pyc
■	■	■	■	■	■	■	■■■ logistic.cpython-311.pyc
■	■	■	■	■	■	■	■■■ lstm.cpython-311.pyc
■	■	■	■	■	■	■	■■■ map_list.cpython-311.pyc
■	■	■	■	■	■	■	■■■ maxout.cpython-311.pyc
■	■	■	■	■	■	■	■■■ mish.cpython-311.pyc
■	■	■	■	■	■	■	■■■ multisoftmax.cpython-311.pyc
■	■	■	■	■	■	■	■■■ mxnetwrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ noop.cpython-311.pyc
■	■	■	■	■	■	■	■■■ padded2list.cpython-311.pyc
■	■	■	■	■	■	■	■■■ parametricattention.cpython-311.pyc
■	■	■	■	■	■	■	■■■ parametricattention_v2.cpython-311.pyc
■	■	■	■	■	■	■	■■■ pytorchwrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ ragged2list.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reduce_first.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reduce_last.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reduce_max.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reduce_mean.cpython-311.pyc
■	■	■	■	■	■	■	■■■ reduce_sum.cpython-311.pyc
■	■	■	■	■	■	■	■■■ relu.cpython-311.pyc
■	■	■	■	■	■	■	■■■ remap_ids.cpython-311.pyc
■	■	■	■	■	■	■	■■■ residual.cpython-311.pyc
■	■	■	■	■	■	■	■■■ resizable.cpython-311.pyc
■	■	■	■	■	■	■	■■■ siamese.cpython-311.pyc
■	■	■	■	■	■	■	■■■ sigmoid.cpython-311.pyc
■	■	■	■	■	■	■	■■■ sigmoid_activation.cpython-311.pyc
■	■	■	■	■	■	■	■■■ softmax.cpython-311.pyc
■	■	■	■	■	■	■	■■■ softmax_activation.cpython-311.pyc
■	■	■	■	■	■	■	■■■ strings2arrays.cpython-311.pyc
■	■	■	■	■	■	■	■■■ swish.cpython-311.pyc
■	■	■	■	■	■	■	■■■ tensorflowwrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ torchscriptwrapper.cpython-311.pyc
■	■	■	■	■	■	■	■■■ tuplify.cpython-311.pyc
■	■	■	■	■	■	■	■■■ uniqued.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_array.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_array2d.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_cpu.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_debug.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_flatten.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_flatten_v2.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_getitem.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_list.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_nvtx_range.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_padded.cpython-311.pyc
■	■	■	■	■	■	■	■■■ with_ragged.cpython-311.pyc

■	■	■	■	■	■	■■■	with_reshape.cpython-311.pyc
■	■	■	■	■	■	■■■	with_signpost_interval.cpython-311.pyc
■	■	■	■	■	■	■■■	add.py
■	■	■	■	■	■	■■■	array_getitem.py
■	■	■	■	■	■	■■■	bidirectional.py
■	■	■	■	■	■	■■■	cauchysimilarity.py
■	■	■	■	■	■	■■■	chain.py
■	■	■	■	■	■	■■■	clipped_linear.py
■	■	■	■	■	■	■■■	clone.py
■	■	■	■	■	■	■■■	concatenate.py
■	■	■	■	■	■	■■■	dish.py
■	■	■	■	■	■	■■■	dropout.py
■	■	■	■	■	■	■■■	embed.py
■	■	■	■	■	■	■■■	expand_window.py
■	■	■	■	■	■	■■■	gelu.py
■	■	■	■	■	■	■■■	hard_swish.py
■	■	■	■	■	■	■■■	hard_swish_mobilenet.py
■	■	■	■	■	■	■■■	hashembed.py
■	■	■	■	■	■	■■■	layernorm.py
■	■	■	■	■	■	■■■	linear.py
■	■	■	■	■	■	■■■	list2array.py
■	■	■	■	■	■	■■■	list2padded.py
■	■	■	■	■	■	■■■	list2ragged.py
■	■	■	■	■	■	■■■	logistic.py
■	■	■	■	■	■	■■■	lstm.py
■	■	■	■	■	■	■■■	map_list.py
■	■	■	■	■	■	■■■	maxout.py
■	■	■	■	■	■	■■■	mish.py
■	■	■	■	■	■	■■■	multisoftmax.py
■	■	■	■	■	■	■■■	mxnetwrapper.py
■	■	■	■	■	■	■■■	noop.py
■	■	■	■	■	■	■■■	padded2list.py
■	■	■	■	■	■	■■■	parametricattention.py
■	■	■	■	■	■	■■■	parametricattention_v2.py
■	■	■	■	■	■	■■■	premap_ids.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	premap_ids.pyx
■	■	■	■	■	■	■■■	pytorchwrapper.py
■	■	■	■	■	■	■■■	ragged2list.py
■	■	■	■	■	■	■■■	reduce_first.py
■	■	■	■	■	■	■■■	reduce_last.py
■	■	■	■	■	■	■■■	reduce_max.py
■	■	■	■	■	■	■■■	reduce_mean.py
■	■	■	■	■	■	■■■	reduce_sum.py
■	■	■	■	■	■	■■■	relu.py
■	■	■	■	■	■	■■■	remap_ids.py
■	■	■	■	■	■	■■■	residual.py
■	■	■	■	■	■	■■■	resizable.py
■	■	■	■	■	■	■■■	siamese.py
■	■	■	■	■	■	■■■	sigmoid.py
■	■	■	■	■	■	■■■	sigmoid_activation.py
■	■	■	■	■	■	■■■	softmax.py
■	■	■	■	■	■	■■■	softmax_activation.py
■	■	■	■	■	■	■■■	sparselinear.cpython-311-x86_64-linux-gnu.so
■	■	■	■	■	■	■■■	sparselinear.pyx
■	■	■	■	■	■	■■■	strings2arrays.py
■	■	■	■	■	■	■■■	swish.py
■	■	■	■	■	■	■■■	tensorflowwrapper.py
■	■	■	■	■	■	■■■	torchscriptwrapper.py

```

■      ■      ■      ■      ■      ■      ■      tupleify.py
■      ■      ■      ■      ■      ■      ■      uniqued.py
■      ■      ■      ■      ■      ■      ■      with_array.py
■      ■      ■      ■      ■      ■      ■      with_array2d.py
■      ■      ■      ■      ■      ■      ■      with_cpu.py
■      ■      ■      ■      ■      ■      ■      with_debug.py
■      ■      ■      ■      ■      ■      ■      with_flatten.py
■      ■      ■      ■      ■      ■      ■      with_flatten_v2.py
■      ■      ■      ■      ■      ■      ■      with_getitem.py
■      ■      ■      ■      ■      ■      ■      with_list.py
■      ■      ■      ■      ■      ■      ■      with_nvtx_range.py
■      ■      ■      ■      ■      ■      ■      with_padded.py
■      ■      ■      ■      ■      ■      ■      with_ragged.py
■      ■      ■      ■      ■      ■      ■      with_reshape.py
■      ■      ■      ■      ■      ■      ■      with_signpost_interval.py
■      ■      ■      ■      ■      ■      ■      loss.py
■      ■      ■      ■      ■      ■      ■      model.py
■      ■      ■      ■      ■      ■      ■      mypy.py
■      ■      ■      ■      ■      ■      ■      optimizers.py
■      ■      ■      ■      ■      ■      ■      py.typed
■      ■      ■      ■      ■      ■      ■      schedules.py
■      ■      ■      ■      ■      ■      ■      shims
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      mxnet.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      pytorch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      pytorch_grad_scaler.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      shim.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      tensorflow.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      torchscript.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      mxnet.py
■      ■      ■      ■      ■      ■      ■      pytorch.py
■      ■      ■      ■      ■      ■      ■      pytorch_grad_scaler.py
■      ■      ■      ■      ■      ■      ■      shim.py
■      ■      ■      ■      ■      ■      ■      tensorflow.py
■      ■      ■      ■      ■      ■      ■      torchscript.py
■      ■      ■      ■      ■      ■      ■      tests
■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      conftest.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      enable_mxnet.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      enable_tensorflow.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      strategies.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_config.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_examples.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_import_all.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_indexing.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_initializers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_loss.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_optimizers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_schedules.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_serialize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_types.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      test_util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      util.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      backends

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mem.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_ops.py
■ ■ ■ ■ ■ ■ ■■■■ conftest.py
■ ■ ■ ■ ■ ■ ■■■■ enable_mxnet.py
■ ■ ■ ■ ■ ■ ■■■■ enable_tensorflow.py
■ ■ ■ ■ ■ ■ ■■■■ extra
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_beam_search.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_beam_search.py
■ ■ ■ ■ ■ ■ ■■■■ layers
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_basic_tagger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_combinators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_feed_forward.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_hash_embed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_layers_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_linear.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_lstm.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mappers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mnist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_mxnet_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_parametric_attention_v2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pytorch_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_reduce.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_resizable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_shim.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_softmax.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_sparse_linear.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tensorflow_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_torchscriptwrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_transforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_uniqued.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_with_debug.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_with_flatten.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_with_transforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■■ test_basic_tagger.py
■ ■ ■ ■ ■ ■ ■■■■ test_combinators.py
■ ■ ■ ■ ■ ■ ■■■■ test_feed_forward.py
■ ■ ■ ■ ■ ■ ■■■■ test_hash_embed.py
■ ■ ■ ■ ■ ■ ■■■■ test_layers_api.py
■ ■ ■ ■ ■ ■ ■■■■ test_linear.py
■ ■ ■ ■ ■ ■ ■■■■ test_lstm.py
■ ■ ■ ■ ■ ■ ■■■■ test_mappers.py
■ ■ ■ ■ ■ ■ ■■■■ test_mnist.py
■ ■ ■ ■ ■ ■ ■■■■ test_mxnet_wrapper.py
■ ■ ■ ■ ■ ■ ■■■■ test_parametric_attention_v2.py
■ ■ ■ ■ ■ ■ ■■■■ test_pytorch_wrapper.py
■ ■ ■ ■ ■ ■ ■■■■ test_reduce.py
■ ■ ■ ■ ■ ■ ■■■■ test_resizable.py
```

```

■      ■      ■      ■      ■      ■      ■      ■■■■ test_shim.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_softmax.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_sparse_linear.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_tensorflow_wrapper.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_torchscriptwrapper.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_transforms.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_uniqued.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_with_debug.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_with_flatten.py
■      ■      ■      ■      ■      ■      ■      ■■■■ test_with_transforms.py
■      ■      ■      ■      ■      ■      ■■■■ model
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_model.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_validation.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_model.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_validation.py
■      ■      ■      ■      ■      ■      ■■■■ mypy
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_mypy.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ configs
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ mypy-default.ini
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ mypy-plugin.ini
■      ■      ■      ■      ■      ■      ■■■■ modules
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail_no_plugin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail_plugin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success_no_plugin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success_plugin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail_no_plugin.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail_plugin.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success_no_plugin.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success_plugin.py
■      ■      ■      ■      ■      ■      ■■■■ outputs
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail-no-plugin.txt
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ fail-plugin.txt
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success-no-plugin.txt
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ success-plugin.txt
■      ■      ■      ■      ■      ■      ■■■■ test_mypy.py
■      ■      ■      ■      ■      ■      ■■■■ regression
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_issue208.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_issue564.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ issue519
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ program.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■■   ■■■■ test_issue519.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ program.py
■      ■      ■      ■      ■      ■      ■■■■ test_issue519.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_issue208.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_issue564.py
■ ■ ■ ■ ■ ■ ■ ■■■ shims
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pytorch_grad_scaler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_pytorch_grad_scaler.py
■ ■ ■ ■ ■ ■ ■ ■■■ strategies.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_config.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_examples.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_import__all__.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_indexing.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_initializers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_loss.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_optimizers.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_schedules.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_serialize.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_types.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_util.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■ ■■■ types.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■■■ thinc-8.2.5.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ threadpoolctl-3.5.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ threadpoolctl.py
■ ■ ■ ■ ■ ■ ■■■ thrift
■ ■ ■ ■ ■ ■ ■■■ TMultiplexedProcessor.py
■ ■ ■ ■ ■ ■ ■■■ TRecursive.py
■ ■ ■ ■ ■ ■ ■■■ TSCons.py
■ ■ ■ ■ ■ ■ ■■■ TSerialization.py
■ ■ ■ ■ ■ ■ ■■■ TTornado.py
■ ■ ■ ■ ■ ■ ■■■ Thrift.py
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■■■ TMultiplexedProcessor.cpython-311.opt-1.pyc
■ ■ ■ ■ ■ ■ ■■■ TMultiplexedProcessor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ TRecursive.cpython-311.opt-1.pyc
■ ■ ■ ■ ■ ■ ■■■ TRecursive.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ TSCons.cpython-311.opt-1.pyc
■ ■ ■ ■ ■ ■ ■■■ TSCons.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ TSerialization.cpython-311.opt-1.pyc
■ ■ ■ ■ ■ ■ ■■■ TSerialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ TTornado.cpython-311.opt-1.pyc
■ ■ ■ ■ ■ ■ ■■■ TTornado.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ Thrift.cpython-311.opt-1.pyc
```

```

Thrift.cpython-311.pyc
__init__.cpython-311.opt-1.pyc
__init__.cpython-311.pyc
compat.cpython-311.opt-1.pyc
compat.cpython-311.pyc
compat.py
protocol
TBase.py
TBinaryProtocol.py
TCompactProtocol.py
THeaderProtocol.py
TJSONProtocol.py
TMultiplexedProtocol.py
TProtocol.py
TProtocolDecorator.py
__init__.py
__pycache__
TBase.cpython-311.opt-1.pyc
TBase.cpython-311.pyc
TBinaryProtocol.cpython-311.opt-1.pyc
TBinaryProtocol.cpython-311.pyc
TCompactProtocol.cpython-311.opt-1.pyc
TCompactProtocol.cpython-311.pyc
THeaderProtocol.cpython-311.opt-1.pyc
THeaderProtocol.cpython-311.pyc
TJSONProtocol.cpython-311.opt-1.pyc
TJSONProtocol.cpython-311.pyc
TMultiplexedProtocol.cpython-311.opt-1.pyc
TMultiplexedProtocol.cpython-311.pyc
TProtocol.cpython-311.opt-1.pyc
TProtocol.cpython-311.pyc
TProtocolDecorator.cpython-311.opt-1.pyc
TProtocolDecorator.cpython-311.pyc
__init__.cpython-311.opt-1.pyc
__init__.cpython-311.pyc
fastbinary.cpython-311-x86_64-linux-gnu.so
server
THttpServer.py
TNonblockingServer.py
TProcessPoolServer.py
TServer.py
__init__.py
__pycache__
THttpServer.cpython-311.opt-1.pyc
THttpServer.cpython-311.pyc
TNonblockingServer.cpython-311.opt-1.pyc
TNonblockingServer.cpython-311.pyc
TProcessPoolServer.cpython-311.opt-1.pyc
TProcessPoolServer.cpython-311.pyc
TServer.cpython-311.opt-1.pyc
TServer.cpython-311.pyc
__init__.cpython-311.opt-1.pyc
__init__.cpython-311.pyc
transport
THeaderTransport.py
THttpClient.py
TSSLocket.py
TSocket.py

```

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ tinycss2
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ast.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ bytes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ color3.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ color4.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ nth.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ parser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ serializer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tokenizer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ast.py
■ ■ ■ ■ ■ ■ ■ ■ bytes.py
■ ■ ■ ■ ■ ■ ■ ■ color3.py
■ ■ ■ ■ ■ ■ ■ ■ color4.py
■ ■ ■ ■ ■ ■ ■ ■ nth.py
■ ■ ■ ■ ■ ■ ■ ■ parser.py
■ ■ ■ ■ ■ ■ ■ ■ serializer.py
■ ■ ■ ■ ■ ■ ■ ■ tokenizer.py
■ ■ ■ ■ ■ ■ ■ ■ tinycss2-1.4.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ tlz
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _build_tlz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _build_tlz.py
■ ■ ■ ■ ■ ■ ■ ■ toml
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ decoder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ encoder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ordered.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ decoder.py
■ ■ ■ ■ ■ ■ ■ ■ encoder.py
■ ■ ■ ■ ■ ■ ■ ■ ordered.py
■ ■ ■ ■ ■ ■ ■ ■ tz.py
■ ■ ■ ■ ■ ■ ■ ■ toml-0.10.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ tomli
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _parser.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      _re.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _types.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _parser.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■■ _parser.py
■      ■      ■      ■      ■      ■      ■■■■ _re.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■■ _re.py
■      ■      ■      ■      ■      ■      ■■■■ _types.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■      ■■■■ _types.py
■      ■      ■      ■      ■      ■      ■■■■ py.typed
■      ■      ■      ■      ■■■■ tomli-2.2.1.dist-info
■      ■      ■      ■      ■      ■■■■ INSTALLER
■      ■      ■      ■      ■      ■■■■ LICENSE
■      ■      ■      ■      ■      ■■■■ LICENSE-HEADER
■      ■      ■      ■      ■      ■■■■ METADATA
■      ■      ■      ■      ■      ■■■■ RECORD
■      ■      ■      ■      ■      ■■■■ WHEEL
■      ■      ■      ■      ■      ■■■■ top_level.txt
■      ■      ■      ■      ■■■■ toolz
■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _signatures.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ _version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ compatibility.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ dicttoolz.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ functoolz.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ itertoolz.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ recipes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ utils.cpython-311.pyc
■      ■      ■      ■      ■■■■ _signatures.py
■      ■      ■      ■      ■■■■ _version.py
■      ■      ■      ■      ■■■■ compatibility.py
■      ■      ■      ■      ■■■■ curried
■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ operator.cpython-311.pyc
■      ■      ■      ■      ■      ■■■■ exceptions.py
■      ■      ■      ■      ■      ■■■■ operator.py
■      ■      ■      ■      ■■■■ dicttoolz.py
■      ■      ■      ■      ■■■■ functoolz.py
■      ■      ■      ■      ■■■■ itertoolz.py
■      ■      ■      ■      ■■■■ recipes.py
■      ■      ■      ■      ■■■■ sandbox
■      ■      ■      ■      ■      ■■■■ __init__.py
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ parallel.cpython-311.pyc
■      ■      ■      ■      ■      ■■■■ core.py
■      ■      ■      ■      ■      ■■■■ parallel.py
■      ■      ■      ■      ■■■■ tests
■      ■      ■      ■      ■      ■■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■■ test_compatibility.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_curried.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_curried_doctests.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■■ test_dicttoolz.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ test_func toolz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_inspect_args.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_itertoolz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_recipes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_signatures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tlz.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_compatibility.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_curried.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_curried_doctests.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_dicttoolz.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_func toolz.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_inspect_args.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_itertoolz.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_recipes.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_serialization.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_signatures.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_tlz.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ toolz-1.0.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ AUTHORS.md
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■■ torch
■ ■ ■ ■ ■ ■ ■ ■■■ _C
■ ■ ■ ■ ■ ■ ■ ■■■ _VariableFunctions.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _autograd.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _cudnn.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _distributed_autograd.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _distributed_c10d.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _distributed_rpc.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _distributed_rpc_testing.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _functions.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _functorch.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _itt.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _lazy.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _lazy_ts_backend.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _monitor.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _nn.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _nvtx.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _onnx.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _profiler.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _verbose.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _C.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _C_flatbuffer
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.pyi
■ ■ ■ ■ ■ ■ ■ ■■■ _C_flatbuffer.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ _VF.py
■ ■ ■ ■ ■ ■ ■ ■■■ __config__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __future__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ _VF.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __config__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __future__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _appdirs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _classes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _deploy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _guards.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _jit_internal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _linalg_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _lobpcg.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _lowrank.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _meta_registrations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _namedtensor_internals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _python_dispatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _sources.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _storage_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _tensor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _tensor_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _tensor_str.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _torch_docs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _utils_internal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _vmap_internals.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _weights_only_unpickler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ functional.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ hub.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ library.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ overrides.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ quasirandom.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ random.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ return_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ serialization.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ storage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ torch_version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _appdirs.py
■ ■ ■ ■ ■ ■ ■ ■ _awaits
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _classes.py
■ ■ ■ ■ ■ ■ ■ ■ _decomp
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decompositions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decompositions_for_jvp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decompositions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ decompositions_for_jvp.py
■ ■ ■ ■ ■ ■ ■ ■ _deploy.py
■ ■ ■ ■ ■ ■ ■ ■ _dispatch
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ python.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ python.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _dynamo
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ allowed_functions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bytecode_analysis.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ bytecode_transformation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ codegen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ comptime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ config_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ convert_frame.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ debug_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ eval_frame.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ exc.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ external_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ guards.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ hooks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ logging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ mutation_guard.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ output_graph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ profiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ replay_record.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ resume_execution.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ side_effects.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ skipfiles.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ source.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_convert.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_case.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ test_minifier_common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ testing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ allowed_functions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ backends
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ cudagraphs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ debugging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ distributed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ inductor.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ipex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ nvfuser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ onnxrt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ registry.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ tensorrt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ torchxla.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ tvml.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ common.py
■ ■ ■ ■ ■ ■ ■ ■ ■ cudagraphs.py
■ ■ ■ ■ ■ ■ ■ ■ ■ debugging.py
■ ■ ■ ■ ■ ■ ■ ■ ■ distributed.py
■ ■ ■ ■ ■ ■ ■ ■ ■ inductor.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ipex.py

```

```

■      ■      ■      ■      ■      ■      ■      ■      nvfuser.py
■      ■      ■      ■      ■      ■      ■      ■      onnxrt.py
■      ■      ■      ■      ■      ■      ■      ■      registry.py
■      ■      ■      ■      ■      ■      ■      ■      tensorrt.py
■      ■      ■      ■      ■      ■      ■      ■      torchxla.py
■      ■      ■      ■      ■      ■      ■      ■      tvml.py
■      ■      ■      ■      ■      ■      ■      ■      bytecode_analysis.py
■      ■      ■      ■      ■      ■      ■      ■      bytecode_transformation.py
■      ■      ■      ■      ■      ■      ■      ■      codegen.py
■      ■      ■      ■      ■      ■      ■      ■      comptime.py
■      ■      ■      ■      ■      ■      ■      ■      config.py
■      ■      ■      ■      ■      ■      ■      ■      config_utils.py
■      ■      ■      ■      ■      ■      ■      ■      convert_frame.py
■      ■      ■      ■      ■      ■      ■      ■      debug_utils.py
■      ■      ■      ■      ■      ■      ■      ■      eval_frame.py
■      ■      ■      ■      ■      ■      ■      ■      exc.py
■      ■      ■      ■      ■      ■      ■      ■      external_utils.py
■      ■      ■      ■      ■      ■      ■      ■      guards.py
■      ■      ■      ■      ■      ■      ■      ■      hooks.py
■      ■      ■      ■      ■      ■      ■      ■      logging.py
■      ■      ■      ■      ■      ■      ■      ■      mutation_guard.py
■      ■      ■      ■      ■      ■      ■      ■      output_graph.py
■      ■      ■      ■      ■      ■      ■      ■      profiler.py
■      ■      ■      ■      ■      ■      ■      ■      replay_record.py
■      ■      ■      ■      ■      ■      ■      ■      resume_execution.py
■      ■      ■      ■      ■      ■      ■      ■      side_effects.py
■      ■      ■      ■      ■      ■      ■      ■      skipfiles.py
■      ■      ■      ■      ■      ■      ■      ■      source.py
■      ■      ■      ■      ■      ■      ■      ■      symbolic_convert.py
■      ■      ■      ■      ■      ■      ■      ■      test_case.py
■      ■      ■      ■      ■      ■      ■      ■      test_minifier_common.py
■      ■      ■      ■      ■      ■      ■      ■      testing.py
■      ■      ■      ■      ■      ■      ■      ■      types.py
■      ■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      ■      variables
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      builder.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      builtin.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      constant.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      dicts.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      functions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      lists.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      misc.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      nn_module.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      tensor.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      torch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      user_defined.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      base.py
■      ■      ■      ■      ■      ■      ■      ■      builder.py
■      ■      ■      ■      ■      ■      ■      ■      builtin.py
■      ■      ■      ■      ■      ■      ■      ■      constant.py
■      ■      ■      ■      ■      ■      ■      ■      dicts.py
■      ■      ■      ■      ■      ■      ■      ■      functions.py
■      ■      ■      ■      ■      ■      ■      ■      lists.py
■      ■      ■      ■      ■      ■      ■      ■      misc.py

```

```

■      ■      ■      ■      ■      ■      ■      nn_module.py
■      ■      ■      ■      ■      ■      ■      tensor.py
■      ■      ■      ■      ■      ■      ■      torch.py
■      ■      ■      ■      ■      ■      ■      user_defined.py
■      ■      ■      ■      ■      ■■■ _export
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      logical_schema.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      logical_schema.py
■      ■      ■      ■      ■      ■■■ _functorch
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      aot_autograd.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      autograd_function.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      batch_norm_replacement.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      benchmark_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      compile_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      compilers.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      config.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      deprecated.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      eager_transforms.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      functional_call.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      fx_minifier.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      make_functional.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      partitioners.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      pyfunctorch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      python_key.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      pytree_hacks.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      top_operators_github_usage.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      vmap.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ aot_autograd.py
■      ■      ■      ■      ■      ■■■ autograd_function.py
■      ■      ■      ■      ■      ■■■ batch_norm_replacement.py
■      ■      ■      ■      ■      ■■■ benchmark_utils.py
■      ■      ■      ■      ■      ■■■ compile_utils.py
■      ■      ■      ■      ■      ■■■ compilers.py
■      ■      ■      ■      ■      ■■■ config.py
■      ■      ■      ■      ■      ■■■ deprecated.py
■      ■      ■      ■      ■      ■■■ eager_transforms.py
■      ■      ■      ■      ■      ■■■ functional_call.py
■      ■      ■      ■      ■      ■■■ fx_minifier.py
■      ■      ■      ■      ■      ■■■ make_functional.py
■      ■      ■      ■      ■      ■■■ partitioners.py
■      ■      ■      ■      ■      ■■■ pyfunctorch.py
■      ■      ■      ■      ■      ■■■ python_key.py
■      ■      ■      ■      ■      ■■■ pytree_hacks.py
■      ■      ■      ■      ■      ■■■ top_operators_github_usage.py
■      ■      ■      ■      ■      ■■■ utils.py
■      ■      ■      ■      ■      ■■■ vmap.py
■      ■      ■      ■      ■      ■■■ _guards.py
■      ■      ■      ■      ■      ■■■ _inductor
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      codecache.cpython-311.pyc

```

■	■	■	■	■	■	■	■■■	compile_fx.cpython-311.pyc
■	■	■	■	■	■	■	■■■	config.cpython-311.pyc
■	■	■	■	■	■	■	■■■	cuda_properties.cpython-311.pyc
■	■	■	■	■	■	■	■■■	debug.cpython-311.pyc
■	■	■	■	■	■	■	■■■	decomposition.cpython-311.pyc
■	■	■	■	■	■	■	■■■	dependencies.cpython-311.pyc
■	■	■	■	■	■	■	■■■	exc.cpython-311.pyc
■	■	■	■	■	■	■	■■■	fx_utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	graph.cpython-311.pyc
■	■	■	■	■	■	■	■■■	ir.cpython-311.pyc
■	■	■	■	■	■	■	■■■	lowering.cpython-311.pyc
■	■	■	■	■	■	■	■■■	metrics.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mkldnn.cpython-311.pyc
■	■	■	■	■	■	■	■■■	optimize_indexing.cpython-311.pyc
■	■	■	■	■	■	■	■■■	overrides.cpython-311.pyc
■	■	■	■	■	■	■	■■■	pattern_matcher.cpython-311.pyc
■	■	■	■	■	■	■	■■■	scheduler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	select_algorithm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	sizevars.cpython-311.pyc
■	■	■	■	■	■	■	■■■	test_operators.cpython-311.pyc
■	■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■	■■■	virtualized.cpython-311.pyc
■	■	■	■	■	■	■■■	codecache.py	
■	■	■	■	■	■	■■■	codegen	
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	autotuner.cpython-311.pyc
■	■	■	■	■	■	■	■■■	common.cpython-311.pyc
■	■	■	■	■	■	■	■■■	cpp.cpython-311.pyc
■	■	■	■	■	■	■	■■■	triton.cpython-311.pyc
■	■	■	■	■	■	■	■■■	wrapper.cpython-311.pyc
■	■	■	■	■	■	■■■	autotuner.py	
■	■	■	■	■	■	■■■	common.py	
■	■	■	■	■	■	■■■	cpp.py	
■	■	■	■	■	■	■■■	cpp_prefix.h	
■	■	■	■	■	■	■■■	triton.py	
■	■	■	■	■	■	■■■	wrapper.py	
■	■	■	■	■	■	■■■	compile_fx.py	
■	■	■	■	■	■	■■■	config.py	
■	■	■	■	■	■	■■■	cuda_properties.py	
■	■	■	■	■	■	■■■	debug.py	
■	■	■	■	■	■	■■■	decomposition.py	
■	■	■	■	■	■	■■■	dependencies.py	
■	■	■	■	■	■	■■■	exc.py	
■	■	■	■	■	■	■■■	fx_utils.py	
■	■	■	■	■	■	■■■	graph.py	
■	■	■	■	■	■	■■■	ir.py	
■	■	■	■	■	■	■■■	kernel	
■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■	bmm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mm.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mm_common.cpython-311.pyc
■	■	■	■	■	■	■	■■■	mm_plus_mm.cpython-311.pyc
■	■	■	■	■	■	■■■	bmm.py	
■	■	■	■	■	■	■■■	mm.py	

[illegible]

```

_ops.py
__prims
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        context.cpython-311.pyc
        executor.cpython-311.pyc
        nvfuser_executor.cpython-311.pyc
        nvfuser_prims.cpython-311.pyc
    context.py
    executor.py
    nvfuser_executor.py
    nvfuser_prims.py
__prims_common
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        wrappers.cpython-311.pyc
    wrappers.py
_python_dispatcher.py
_refs
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        _conversions.cpython-311.pyc
        fft.cpython-311.pyc
    _conversions.py
    fft.py
    linalg
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
nn
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
    functional
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
special
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
_sources.py
_storage_docs.py
_subclasses
    __init__.py
    __pycache__
        __init__.cpython-311.pyc
        fake_tensor.cpython-311.pyc
        fake_utils.cpython-311.pyc
        meta_utils.cpython-311.pyc
    fake_tensor.py
    fake_utils.py
    meta_utils.py
_tensor.py
_tensor_docs.py

```

```

_ tensor_str.py
_ torch_docs.py
_ utils.py
_ utils_internal.py
_ vmap_internals.py
_ weights_only_unpickler.py
amp
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  autocast_mode.cpython-311.pyc
  autocast_mode.py
ao
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
nn
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
intrinsic
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
modules
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  fused.cpython-311.pyc
  fused.py
qat
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
modules
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  conv_fused.cpython-311.pyc
  linear_fused.cpython-311.pyc
  linear_relu.cpython-311.pyc
  conv_fused.py
  linear_fused.py
  linear_relu.py
quantized
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
dynamic
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
modules
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  linear_relu.cpython-311.pyc
  linear_relu.py

```

```

modules
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  bn_relu.cpython-311.pyc
  conv_add.cpython-311.pyc
  conv_relu.cpython-311.pyc
  linear_relu.cpython-311.pyc
  bn_relu.py
  conv_add.py
  conv_relu.py
  linear_relu.py
  qat
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    dynamic
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      modules
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        linear.cpython-311.pyc
        linear.py
      modules
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        conv.cpython-311.pyc
        embedding_ops.cpython-311.pyc
        linear.cpython-311.pyc
        conv.py
        embedding_ops.py
        linear.py
    quantizable
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      modules
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        activation.cpython-311.pyc
        rnn.cpython-311.pyc
        activation.py
        rnn.py
    quantized
      __init__.py
      __pycache__
      __init__.cpython-311.pyc
      functional.cpython-311.pyc
      dynamic
        __init__.py
        __pycache__
        __init__.cpython-311.pyc
        modules

```

```

    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ conv.cpython-311.pyc
    ■■■ linear.cpython-311.pyc
    ■■■ rnn.cpython-311.pyc
    ■■■ conv.py
    ■■■ linear.py
    ■■■ rnn.py
    ■■■ functional.py
    ■■■ modules
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ activation.cpython-311.pyc
    ■■■ batchnorm.cpython-311.pyc
    ■■■ conv.cpython-311.pyc
    ■■■ dropout.cpython-311.pyc
    ■■■ embedding_ops.cpython-311.pyc
    ■■■ functional_modules.cpython-311.pyc
    ■■■ linear.cpython-311.pyc
    ■■■ normalization.cpython-311.pyc
    ■■■ rnn.cpython-311.pyc
    ■■■ utils.cpython-311.pyc
    ■■■ activation.py
    ■■■ batchnorm.py
    ■■■ conv.py
    ■■■ dropout.py
    ■■■ embedding_ops.py
    ■■■ functional_modules.py
    ■■■ linear.py
    ■■■ normalization.py
    ■■■ rnn.py
    ■■■ utils.py
    ■■■ reference
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ modules
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ conv.cpython-311.pyc
    ■■■ linear.cpython-311.pyc
    ■■■ rnn.cpython-311.pyc
    ■■■ sparse.cpython-311.pyc
    ■■■ utils.cpython-311.pyc
    ■■■ conv.py
    ■■■ linear.py
    ■■■ rnn.py
    ■■■ sparse.py
    ■■■ utils.py
    ■■■ sparse
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ quantized
    ■■■ __init__.py

```

[illegible]


```

■ ■ ■ base_sparsifier.cpython-311.pyc
■ ■ ■ nearly_diagonal_sparsifier.cpython-311.pyc
■ ■ ■ utils.cpython-311.pyc
■ ■ ■ weight_norm_sparsifier.cpython-311.pyc
■ ■ ■ base_sparsifier.py
■ ■ ■ nearly_diagonal_sparsifier.py
■ ■ ■ utils.py
■ ■ ■ weight_norm_sparsifier.py
■ ■ quantization
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■   __init__.cpython-311.pyc
■ ■ ■   _correct_bias.cpython-311.pyc
■ ■ ■   _equalize.cpython-311.pyc
■ ■ ■   _learnable_fake_quantize.cpython-311.pyc
■ ■ ■   _quantize_pt2e.cpython-311.pyc
■ ■ ■   fake_quantize.cpython-311.pyc
■ ■ ■   fuse_modules.cpython-311.pyc
■ ■ ■   fuser_method_mappings.cpython-311.pyc
■ ■ ■   observer.cpython-311.pyc
■ ■ ■   qconfig.cpython-311.pyc
■ ■ ■   qconfig_mapping.cpython-311.pyc
■ ■ ■   quant_type.cpython-311.pyc
■ ■ ■   quantization_mappings.cpython-311.pyc
■ ■ ■   quantize.cpython-311.pyc
■ ■ ■   quantize_fx.cpython-311.pyc
■ ■ ■   quantize_jit.cpython-311.pyc
■ ■ ■   stubs.cpython-311.pyc
■ ■ ■   utils.cpython-311.pyc
■ ■ ■ _correct_bias.py
■ ■ ■ _equalize.py
■ ■ ■ _learnable_fake_quantize.py
■ ■ ■ _pt2e
■ ■ ■   __init__.py
■ ■ ■   __pycache__
■ ■ ■     __init__.cpython-311.pyc
■ ■ ■     utils.cpython-311.pyc
■ ■ ■     utils.py
■ ■ ■ _quantize_pt2e.py
■ ■ ■ backend_config
■ ■ ■   __init__.py
■ ■ ■   __pycache__
■ ■ ■     __init__.cpython-311.pyc
■ ■ ■     _common_operator_config_utils.cpython-311.pyc
■ ■ ■     _qnnpack_pt2e.cpython-311.pyc
■ ■ ■     backend_config.cpython-311.pyc
■ ■ ■     executorch.cpython-311.pyc
■ ■ ■     fbgemm.cpython-311.pyc
■ ■ ■     native.cpython-311.pyc
■ ■ ■     observation_type.cpython-311.pyc
■ ■ ■     onednn.cpython-311.pyc
■ ■ ■     qnnpack.cpython-311.pyc
■ ■ ■     tensorrt.cpython-311.pyc
■ ■ ■     utils.cpython-311.pyc
■ ■ ■     x86.cpython-311.pyc
■ ■ ■ _common_operator_config_utils.py
■ ■ ■ _qnnpack_pt2e.py
■ ■ ■ backend_config.py
```



```

##### executorch.py
##### fbgemm.py
##### native.py
##### observation_type.py
##### onednn.py
##### qnnpack.py
##### tensorrt.py
##### utils.py
##### x86.py
##### fake_quantize.py
##### fuse_modules.py
##### fuser_method_mappings.py
##### fx
#####   ____init____.py
#####   ____pycache____
#####     ##### ____init____.cpython-311.pyc
#####     ##### _decomposed.cpython-311.pyc
#####     ##### _equalize.cpython-311.pyc
#####     ##### _lower_to_native_backend.cpython-311.pyc
#####     ##### convert.cpython-311.pyc
#####     ##### custom_config.cpython-311.pyc
#####     ##### fuse.cpython-311.pyc
#####     ##### fuse_handler.cpython-311.pyc
#####     ##### graph_module.cpython-311.pyc
#####     ##### lower_to_fbgemm.cpython-311.pyc
#####     ##### lower_to_qnnpack.cpython-311.pyc
#####     ##### match_utils.cpython-311.pyc
#####     ##### pattern_utils.cpython-311.pyc
#####     ##### prepare.cpython-311.pyc
#####     ##### qconfig_mapping_utils.cpython-311.pyc
#####     ##### quantize_handler.cpython-311.pyc
#####     ##### tracer.cpython-311.pyc
#####     ##### utils.cpython-311.pyc
#####   _decomposed.py
#####   _equalize.py
#####   _lower_to_native_backend.py
#####   _model_report
#####   ##### ____init____.py
#####   ##### ____pycache____
#####     ##### ____init____.cpython-311.pyc
#####     ##### detector.cpython-311.pyc
#####     ##### model_report.cpython-311.pyc
#####     ##### model_report_observer.cpython-311.pyc
#####     ##### model_report_visualizer.cpython-311.pyc
#####   ##### detector.py
#####   ##### model_report.py
#####   ##### model_report_observer.py
#####   ##### model_report_visualizer.py
##### convert.py
##### custom_config.py
##### fuse.py
##### fuse_handler.py
##### graph_module.py
##### lower_to_fbgemm.py
##### lower_to_qnnpack.py
##### match_utils.py
##### pattern_utils.py
##### prepare.py

```

[illegible]

■	■	■	■	■	■	■■■	_nnapi
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ prepare.cpython-311.pyc
■	■	■	■	■	■	■	■■■ serializer.cpython-311.pyc
■	■	■	■	■	■	■■■	prepare.py
■	■	■	■	■	■	■■■	serializer.py
■	■	■	■	■	■	■■■	cuda
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	cudnn
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ rnn.cpython-311.pyc
■	■	■	■	■	■	■■■	rnn.py
■	■	■	■	■	■	■■■	mkl
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	mkldnn
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	mps
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	openmp
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	opt_einsum
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	quantized
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■■■	xeon
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■ run_cpu.cpython-311.pyc
■	■	■	■	■	■	■■■	run_cpu.py
■	■	■	■	■	■	■■■	xnnpack
■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■■■ __init__.cpython-311.pyc
■	■	■	■	■	■■■	bin	
■	■	■	■	■	■■■	nvfuser_tests	
■	■	■	■	■	■■■	protoc	
■	■	■	■	■	■■■	protoc-3.13.0.0	
■	■	■	■	■	■■■	torch_shm_manager	
■	■	■	■	■	■■■	contrib	

[illegible]

[illegible]

```

sharded_tensor
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    api.cpython-311.pyc
    metadata.cpython-311.pyc
    reshard.cpython-311.pyc
    shard.cpython-311.pyc
    utils.cpython-311.pyc
  _ops
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _common.cpython-311.pyc
      binary_cmp.cpython-311.pyc
      chunk.cpython-311.pyc
      elementwise_ops.cpython-311.pyc
      init.cpython-311.pyc
      math_ops.cpython-311.pyc
      matrix_ops.cpython-311.pyc
      misc_ops.cpython-311.pyc
      tensor_ops.cpython-311.pyc
    _common.py
    binary_cmp.py
    chunk.py
    elementwise_ops.py
    init.py
    math_ops.py
    matrix_ops.py
    misc_ops.py
    tensor_ops.py
  api.py
  metadata.py
  reshard.py
  shard.py
  utils.py
sharder.py
sharding_plan
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    api.cpython-311.pyc
  api.py
sharding_spec
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _internals.cpython-311.pyc
    api.cpython-311.pyc
    chunk_sharding_spec.cpython-311.pyc
  _internals.py
  api.py
  chunk_sharding_spec.py
  chunk_sharding_spec_ops
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _common.cpython-311.pyc

```



```

util.py
view_ops.py
placement_types.py
redistribute.py
sharding_prop.py
_tools
__init__.py
__pycache__
__init__.cpython-311.pyc
memory_tracker.cpython-311.pyc
memory_tracker.py
algorithms
__init__.py
__pycache__
__init__.cpython-311.pyc
join.cpython-311.pyc
_checkpoint
__init__.py
__pycache__
__init__.cpython-311.pyc
_checkpoint_wrapper.cpython-311.pyc
_checkpoint_wrapper.py
_comm_hooks
__init__.py
__pycache__
__init__.cpython-311.pyc
default_hooks.cpython-311.pyc
default_hooks.py
_optimizer_overlap
__init__.py
__pycache__
__init__.cpython-311.pyc
optimizer_overlap.cpython-311.pyc
optimizer_overlap.py
_quantization
__init__.py
__pycache__
__init__.cpython-311.pyc
quantization.cpython-311.pyc
quantization.py
ddp_comm_hooks
__init__.py
__pycache__
__init__.cpython-311.pyc
ddp_zero_hook.cpython-311.pyc
debugging_hooks.cpython-311.pyc
default_hooks.cpython-311.pyc
optimizer_overlap_hooks.cpython-311.pyc
post_localSGD_hook.cpython-311.pyc
powerSGD_hook.cpython-311.pyc
quantization_hooks.cpython-311.pyc
ddp_zero_hook.py
debugging_hooks.py
default_hooks.py
optimizer_overlap_hooks.py
post_localSGD_hook.py
powerSGD_hook.py
quantization_hooks.py

```



```

■   ■   ■   ■   ■   ■   ■   ■   ■■■ join.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ model_averaging
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __pycache__
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ averagers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ hierarchical_model_averager.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ utils.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ averagers.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ hierarchical_model_averager.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ utils.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ argparse_util.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ autograd
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __pycache__
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ c10d_error_logger.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ checkpoint
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __pycache__
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __init__.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ _dedup_tensors.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ _nested_dict.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ _sharded_tensor_utils.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ _traverse.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ api.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ default_planner.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ filesystem.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ metadata.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ optimizer.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ planner.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ planner_helpers.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ resharding.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ state_dict_loader.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ state_dict_saver.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ storage.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ utils.cpython-311.pyc
■   ■   ■   ■   ■   ■   ■   ■   ■■■ _dedup_tensors.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ _nested_dict.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ _sharded_tensor_utils.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ _traverse.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ api.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ default_planner.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ filesystem.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ metadata.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ optimizer.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ planner.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ planner_helpers.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ resharding.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ state_dict_loader.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ state_dict_saver.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ storage.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ utils.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ constants.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ distributed_c10d.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ elastic
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __init__.py
■   ■   ■   ■   ■   ■   ■   ■   ■■■ __pycache__

```

```

    ├── __init__.cpython-311.pyc
    ├── agent
    │   ├── __init__.py
    │   ├── __pycache__
    │   │   ├── __init__.cpython-311.pyc
    │   │   ├── server
    │   │   │   ├── __init__.py
    │   │   │   ├── __pycache__
    │   │   │   │   ├── __init__.cpython-311.pyc
    │   │   │   │   ├── api.cpython-311.pyc
    │   │   │   │   ├── local_elastic_agent.cpython-311.pyc
    │   │   │   │   ├── api.py
    │   │   │   │   └── local_elastic_agent.py
    │   │   └── events
    │   │       ├── __init__.py
    │   │       ├── __pycache__
    │   │       │   ├── __init__.cpython-311.pyc
    │   │       │   ├── api.cpython-311.pyc
    │   │       │   ├── handlers.cpython-311.pyc
    │   │       │   ├── api.py
    │   │       │   └── handlers.py
    │   │       ├── metrics
    │   │       │   ├── __init__.py
    │   │       │   ├── __pycache__
    │   │       │   │   ├── __init__.cpython-311.pyc
    │   │       │   │   ├── api.cpython-311.pyc
    │   │       │   │   └── api.py
    │   │       ├── multiprocessing
    │   │       │   ├── __init__.py
    │   │       │   ├── __pycache__
    │   │       │   │   ├── __init__.cpython-311.pyc
    │   │       │   │   ├── api.cpython-311.pyc
    │   │       │   │   ├── redirects.cpython-311.pyc
    │   │       │   │   ├── tail_log.cpython-311.pyc
    │   │       │   │   ├── api.py
    │   │       │   └── errors
    │   │       │       ├── __init__.py
    │   │       │       ├── __pycache__
    │   │       │       │   ├── __init__.cpython-311.pyc
    │   │       │       │   ├── error_handler.cpython-311.pyc
    │   │       │       │   ├── handlers.cpython-311.pyc
    │   │       │       │   ├── error_handler.py
    │   │       │       └── handlers.py
    │   │       ├── redirects.py
    │   │       └── tail_log.py
    │   └── rendezvous
    │       ├── __init__.py
    │       ├── __pycache__
    │       │   ├── __init__.cpython-311.pyc
    │       │   ├── api.cpython-311.pyc
    │       │   ├── c10d_rendezvous_backend.cpython-311.pyc
    │       │   ├── dynamic_rendezvous.cpython-311.pyc
    │       │   ├── etcd_rendezvous.cpython-311.pyc
    │       │   ├── etcd_rendezvous_backend.cpython-311.pyc
    │       │   ├── etcd_server.cpython-311.pyc
    │       │   ├── etcd_store.cpython-311.pyc
    │       │   ├── registry.cpython-311.pyc
    │       │   └── static_tcp_rendezvous.cpython-311.pyc

```

```

    ■■■■ utils.cpython-311.pyc
    ■■■■ api.py
    ■■■■ c10d_rendezvous_backend.py
    ■■■■ dynamic_rendezvous.py
    ■■■■ etcd_rendezvous.py
    ■■■■ etcd_rendezvous_backend.py
    ■■■■ etcd_server.py
    ■■■■ etcd_store.py
    ■■■■ registry.py
    ■■■■ static_tcp_rendezvous.py
    ■■■■ utils.py
    ■■■■ timer
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ api.cpython-311.pyc
    ■■■■ file_based_local_timer.cpython-311.pyc
    ■■■■ local_timer.cpython-311.pyc
    ■■■■ api.py
    ■■■■ file_based_local_timer.py
    ■■■■ local_timer.py
    ■■■■ utils
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ api.cpython-311.pyc
    ■■■■ distributed.cpython-311.pyc
    ■■■■ log_level.cpython-311.pyc
    ■■■■ logging.cpython-311.pyc
    ■■■■ store.cpython-311.pyc
    ■■■■ api.py
    ■■■■ data
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ cycling_iterator.cpython-311.pyc
    ■■■■ elastic_distributed_sampler.cpython-311.pyc
    ■■■■ cycling_iterator.py
    ■■■■ elastic_distributed_sampler.py
    ■■■■ distributed.py
    ■■■■ log_level.py
    ■■■■ logging.py
    ■■■■ store.py
    ■■■■ fsdp
    ■■■■ __init__.py
    ■■■■ __pycache__
    ■■■■ __init__.cpython-311.pyc
    ■■■■ _common_utils.cpython-311.pyc
    ■■■■ _dynamo_utils.cpython-311.pyc
    ■■■■ _exec_order_utils.cpython-311.pyc
    ■■■■ _fsdp_extensions.cpython-311.pyc
    ■■■■ _init_utils.cpython-311.pyc
    ■■■■ _limiter_utils.cpython-311.pyc
    ■■■■ _optim_utils.cpython-311.pyc
    ■■■■ _runtime_utils.cpython-311.pyc
    ■■■■ _shard_utils.cpython-311.pyc
    ■■■■ _state_dict_utils.cpython-311.pyc
    ■■■■ _trace_utils.cpython-311.pyc

```

```

_ traversal_utils.cpython-311.pyc
_ unshard_param_utils.cpython-311.pyc
_ utils.cpython-311.pyc
_ wrap_utils.cpython-311.pyc
api.cpython-311.pyc
flat_param.cpython-311.pyc
fully_sharded_data_parallel.cpython-311.pyc
sharded_grad_scaler.cpython-311.pyc
wrap.cpython-311.pyc
_ common_utils.py
_ dynamo_utils.py
_ exec_order_utils.py
_ fsdp_extensions.py
_ init_utils.py
_ limiter_utils.py
_ optim_utils.py
_ runtime_utils.py
_ shard_utils.py
_ state_dict_utils.py
_ trace_utils.py
_ traversal_utils.py
_ unshard_param_utils.py
_ utils.py
_ wrap_utils.py
api.py
flat_param.py
fully_sharded_data_parallel.py
sharded_grad_scaler.py
wrap.py
launch.py
launcher
_ __init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ api.cpython-311.pyc
_ api.py
logging_handlers.py
nn
_ __init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ functional.cpython-311.pyc
_ api
_ _init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ remote_module.cpython-311.pyc
_ remote_module.py
functional.py
jit
_ __init__.py
_ __pycache__
_ _init__.cpython-311.pyc
_ instantiator.cpython-311.pyc
_ instantiator.py
_ templates
_ _init__.py
_ __pycache__

```

```

    ■■■ __init__.cpython-311.pyc
    ■■■ remote_module_template.cpython-311.pyc
    ■■■ remote_module_template.py
    ■■■ optim
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ apply_optimizer_in_backward.cpython-311.pyc
    ■■■ functional_adadelata.cpython-311.pyc
    ■■■ functional_adagrad.cpython-311.pyc
    ■■■ functional_adam.cpython-311.pyc
    ■■■ functional_adamax.cpython-311.pyc
    ■■■ functional_adamw.cpython-311.pyc
    ■■■ functional_rmsprop.cpython-311.pyc
    ■■■ functional_rprop.cpython-311.pyc
    ■■■ functional_sgd.cpython-311.pyc
    ■■■ named_optimizer.cpython-311.pyc
    ■■■ optimizer.cpython-311.pyc
    ■■■ post_localSGD_optimizer.cpython-311.pyc
    ■■■ utils.cpython-311.pyc
    ■■■ zero_redundancy_optimizer.cpython-311.pyc
    ■■■ apply_optimizer_in_backward.py
    ■■■ functional_adadelata.py
    ■■■ functional_adagrad.py
    ■■■ functional_adam.py
    ■■■ functional_adamax.py
    ■■■ functional_adamw.py
    ■■■ functional_rmsprop.py
    ■■■ functional_rprop.py
    ■■■ functional_sgd.py
    ■■■ named_optimizer.py
    ■■■ optimizer.py
    ■■■ post_localSGD_optimizer.py
    ■■■ utils.py
    ■■■ zero_redundancy_optimizer.py
    ■■■ pipeline
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ sync
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc
    ■■■ batchnorm.cpython-311.pyc
    ■■■ checkpoint.cpython-311.pyc
    ■■■ copy.cpython-311.pyc
    ■■■ dependency.cpython-311.pyc
    ■■■ microbatch.cpython-311.pyc
    ■■■ phony.cpython-311.pyc
    ■■■ pipe.cpython-311.pyc
    ■■■ pipeline.cpython-311.pyc
    ■■■ stream.cpython-311.pyc
    ■■■ utils.cpython-311.pyc
    ■■■ worker.cpython-311.pyc
    ■■■ _balance
    ■■■ __init__.py
    ■■■ __pycache__
    ■■■ __init__.cpython-311.pyc

```



```

server_process_global_profiler.py
run.py
tensor
__init__.py
__pycache__
__init__.cpython-311.pyc
parallel
__init__.py
__pycache__
__init__.cpython-311.pyc
_utils.cpython-311.pyc
_view_with_dim_change.cpython-311.pyc
api.cpython-311.pyc
fsdp.cpython-311.pyc
multihead_attention_tp.cpython-311.pyc
style.cpython-311.pyc
_utils.py
_view_with_dim_change.py
api.py
fsdp.py
multihead_attention_tp.py
style.py
utils.py
distributions
__init__.py
__pycache__
__init__.cpython-311.pyc
bernoulli.cpython-311.pyc
beta.cpython-311.pyc
binomial.cpython-311.pyc
categorical.cpython-311.pyc
cauchy.cpython-311.pyc
chi2.cpython-311.pyc
constraint_registry.cpython-311.pyc
constraints.cpython-311.pyc
continuous_bernoulli.cpython-311.pyc
dirichlet.cpython-311.pyc
distribution.cpython-311.pyc
exp_family.cpython-311.pyc
exponential.cpython-311.pyc
fishersnedecor.cpython-311.pyc
gamma.cpython-311.pyc
geometric.cpython-311.pyc
gumbel.cpython-311.pyc
half_cauchy.cpython-311.pyc
half_normal.cpython-311.pyc
independent.cpython-311.pyc
kl.cpython-311.pyc
kumaraswamy.cpython-311.pyc
laplace.cpython-311.pyc
lkj_cholesky.cpython-311.pyc
log_normal.cpython-311.pyc
logistic_normal.cpython-311.pyc
lowrank_multivariate_normal.cpython-311.pyc
mixture_same_family.cpython-311.pyc
multinomial.cpython-311.pyc
multivariate_normal.cpython-311.pyc
negative_binomial.cpython-311.pyc

```

■	■	■	■	■	■	■■■	normal.cpython-311.pyc
■	■	■	■	■	■	■■■	one_hot_categorical.cpython-311.pyc
■	■	■	■	■	■	■■■	pareto.cpython-311.pyc
■	■	■	■	■	■	■■■	poisson.cpython-311.pyc
■	■	■	■	■	■	■■■	relaxed_bernoulli.cpython-311.pyc
■	■	■	■	■	■	■■■	relaxed_categorical.cpython-311.pyc
■	■	■	■	■	■	■■■	studentT.cpython-311.pyc
■	■	■	■	■	■	■■■	transformed_distribution.cpython-311.pyc
■	■	■	■	■	■	■■■	transforms.cpython-311.pyc
■	■	■	■	■	■	■■■	uniform.cpython-311.pyc
■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■■■	von_mises.cpython-311.pyc
■	■	■	■	■	■	■■■	weibull.cpython-311.pyc
■	■	■	■	■	■	■■■	wishart.cpython-311.pyc
■	■	■	■	■	■■■	bernoulli.py	
■	■	■	■	■	■■■	beta.py	
■	■	■	■	■	■■■	binomial.py	
■	■	■	■	■	■■■	categorical.py	
■	■	■	■	■	■■■	cauchy.py	
■	■	■	■	■	■■■	chi2.py	
■	■	■	■	■	■■■	constraint_registry.py	
■	■	■	■	■	■■■	constraints.py	
■	■	■	■	■	■■■	continuous_bernoulli.py	
■	■	■	■	■	■■■	dirichlet.py	
■	■	■	■	■	■■■	distribution.py	
■	■	■	■	■	■■■	exp_family.py	
■	■	■	■	■	■■■	exponential.py	
■	■	■	■	■	■■■	fishersnedecor.py	
■	■	■	■	■	■■■	gamma.py	
■	■	■	■	■	■■■	geometric.py	
■	■	■	■	■	■■■	gumbel.py	
■	■	■	■	■	■■■	half_cauchy.py	
■	■	■	■	■	■■■	half_normal.py	
■	■	■	■	■	■■■	independent.py	
■	■	■	■	■	■■■	kl.py	
■	■	■	■	■	■■■	kumaraswamy.py	
■	■	■	■	■	■■■	laplace.py	
■	■	■	■	■	■■■	lkj_cholesky.py	
■	■	■	■	■	■■■	log_normal.py	
■	■	■	■	■	■■■	logistic_normal.py	
■	■	■	■	■	■■■	lowrank_multivariate_normal.py	
■	■	■	■	■	■■■	mixture_same_family.py	
■	■	■	■	■	■■■	multinomial.py	
■	■	■	■	■	■■■	multivariate_normal.py	
■	■	■	■	■	■■■	negative_binomial.py	
■	■	■	■	■	■■■	normal.py	
■	■	■	■	■	■■■	one_hot_categorical.py	
■	■	■	■	■	■■■	pareto.py	
■	■	■	■	■	■■■	poisson.py	
■	■	■	■	■	■■■	relaxed_bernoulli.py	
■	■	■	■	■	■■■	relaxed_categorical.py	
■	■	■	■	■	■■■	studentT.py	
■	■	■	■	■	■■■	transformed_distribution.py	
■	■	■	■	■	■■■	transforms.py	
■	■	■	■	■	■■■	uniform.py	
■	■	■	■	■	■■■	utils.py	
■	■	■	■	■	■■■	von_mises.py	
■	■	■	■	■	■■■	weibull.py	


```

wishart.py
fft
__init__.py
__pycache__
__init__.cpython-311.pyc
func
__init__.py
__pycache__
__init__.cpython-311.pyc
functional.py
futures
__init__.py
__pycache__
__init__.cpython-311.pyc
fx
__init__.py
__pycache__
__init__.cpython-311.pyc
_compatibility.cpython-311.pyc
_pytree.cpython-311.pyc
_symbolic_trace.cpython-311.pyc
annotate.cpython-311.pyc
config.cpython-311.pyc
graph.cpython-311.pyc
graph_module.cpython-311.pyc
immutable_collections.cpython-311.pyc
interpreter.cpython-311.pyc
node.cpython-311.pyc
operator_schemas.cpython-311.pyc
proxy.cpython-311.pyc
subgraph_rewriter.cpython-311.pyc
tensor_type.cpython-311.pyc
traceback.cpython-311.pyc
_compatibility.py
_pytree.py
_symbolic_trace.py
annotate.py
config.py
experimental
__init__.py
__pycache__
__init__.cpython-311.pyc
accelerator_partitioner.cpython-311.pyc
const_fold.cpython-311.pyc
debug.cpython-311.pyc
graph_gradual_typechecker.cpython-311.pyc
merge_matmul.cpython-311.pyc
meta_tracer.cpython-311.pyc
normalize.cpython-311.pyc
optimization.cpython-311.pyc
partitioner_utils.cpython-311.pyc
proxy_tensor.cpython-311.pyc
refinement_types.cpython-311.pyc
rewriter.cpython-311.pyc
schema_type_annotation.cpython-311.pyc
symbolic_shapes.cpython-311.pyc
unify_refinements.cpython-311.pyc
accelerator_partitioner.py

```

```

const_fold.py
debug.py
graph_gradual_typechecker.py
merge_matmul.py
meta_tracer.py
migrate_gradual_types
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    constraint.cpython-311.pyc
    constraint_generator.cpython-311.pyc
    constraint_transformation.cpython-311.pyc
    operation.cpython-311.pyc
    transform_to_z3.cpython-311.pyc
    util.cpython-311.pyc
    z3_types.cpython-311.pyc
  constraint.py
  constraint_generator.py
  constraint_transformation.py
  operation.py
  transform_to_z3.py
  util.py
  z3_types.py
normalize.py
optimization.py
partitioner_utils.py
proxy_tensor.py
refinement_types.py
rewriter.py
schema_type_annotation.py
symbolic_shapes.py
unification
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    core.cpython-311.pyc
    dispatch.cpython-311.pyc
    match.cpython-311.pyc
    more.cpython-311.pyc
    unification_tools.cpython-311.pyc
    utils.cpython-311.pyc
    variable.cpython-311.pyc
  core.py
  dispatch.py
  match.py
  more.py
  multipledispatch
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      conflict.cpython-311.pyc
      core.cpython-311.pyc
      dispatcher.cpython-311.pyc
      utils.cpython-311.pyc
      variadic.cpython-311.pyc
    conflict.py
    core.py
    dispatcher.py

```

[illegible]

```

■      ■■■ pass_base.py
■      ■■■ pass_manager.py
■      ■■■ net_min_base.py
■      ■■■ operator_support.py
■      ■■■ param_fetch.py
■      ■■■ pass_manager.py
■      ■■■ reinplace.py
■      ■■■ shape_prop.py
■      ■■■ split_module.py
■      ■■■ split_utils.py
■      ■■■ splitter_base.py
■      ■■■ tests
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■    ■■■ __init__.cpython-311.pyc
■      ■    ■■■ test_pass_manager.cpython-311.pyc
■      ■■■ test_pass_manager.py
■      ■■■ tools_common.py
■      ■■■ utils
■      ■■■ __init__.py
■      ■■■ __pycache__
■      ■    ■■■ __init__.cpython-311.pyc
■      ■    ■■■ common.cpython-311.pyc
■      ■    ■■■ fuser_utils.cpython-311.pyc
■      ■    ■■■ matcher_utils.cpython-311.pyc
■      ■■■ common.py
■      ■■■ fuser_utils.py
■      ■■■ matcher_utils.py
■      ■■■ proxy.py
■      ■■■ subgraph_rewriter.py
■      ■■■ tensor_type.py
■      ■■■ traceback.py
■      ■■■ hub.py
■      ■■■ include
■      ■■■ ATen
■        ■■■ ATen.h
■        ■■■ AccumulateType.h
■        ■■■ ArrayRef.h
■        ■■■ Backend.h
■        ■■■ Backtrace.h
■        ■■■ CPUApplyUtils.h
■        ■■■ CPUFixedAllocator.h
■        ■■■ CPUFunctions.h
■        ■■■ CPUFunctions_inl.h
■        ■■■ CPGeneratorImpl.h
■        ■■■ CUDAFunctions.h
■        ■■■ CUDAFunctions_inl.h
■        ■■■ CollapseDims.h
■        ■■■ CompositeExplicitAutogradFunctions.h
■        ■■■ CompositeExplicitAutogradFunctions_inl.h
■        ■■■ CompositeExplicitAutogradNonFunctionalFunctions.h
■        ■■■ CompositeExplicitAutogradNonFunctionalFunctions_inl.h
■        ■■■ CompositeImplicitAutogradFunctions.h
■        ■■■ CompositeImplicitAutogradFunctions_inl.h
■        ■■■ CompositeImplicitAutogradNestedTensorFunctions.h
■        ■■■ CompositeImplicitAutogradNestedTensorFunctions_inl.h
■        ■■■ Config.h
■        ■■■ Context.h
```

■	■	■	■	■	■	■	■■■	DLConvertor.h
■	■	■	■	■	■	■	■■■	Device.h
■	■	■	■	■	■	■	■■■	DeviceGuard.h
■	■	■	■	■	■	■	■■■	DimVector.h
■	■	■	■	■	■	■	■■■	Dimname.h
■	■	■	■	■	■	■	■■■	Dispatch.h
■	■	■	■	■	■	■	■■■	DynamicLibrary.h
■	■	■	■	■	■	■	■■■	EmptyTensor.h
■	■	■	■	■	■	■	■■■	ExpandBase.h
■	■	■	■	■	■	■	■■■	ExpandUtils.h
■	■	■	■	■	■	■	■■■	Formatting.h
■	■	■	■	■	■	■	■■■	FuncTorchTLS.h
■	■	■	■	■	■	■	■■■	FunctionalStorageImpl.h
■	■	■	■	■	■	■	■■■	FunctionalTensorWrapper.h
■	■	■	■	■	■	■	■■■	Functions.h
■	■	■	■	■	■	■	■■■	Generator.h
■	■	■	■	■	■	■	■■■	InferSize.h
■	■	■	■	■	■	■	■■■	InitialTensorOptions.h
■	■	■	■	■	■	■	■■■	Layout.h
■	■	■	■	■	■	■	■■■	LegacyBatchedFallback.h
■	■	■	■	■	■	■	■■■	LegacyBatchedTensorImpl.h
■	■	■	■	■	■	■	■■■	LegacyVmapMode.h
■	■	■	■	■	■	■	■■■	LegacyVmapTransforms.h
■	■	■	■	■	■	■	■■■	LinalgBackend.h
■	■	■	■	■	■	■	■■■	MapAllocator.h
■	■	■	■	■	■	■	■■■	MatrixRef.h
■	■	■	■	■	■	■	■■■	MemoryOverlap.h
■	■	■	■	■	■	■	■■■	MetaFunctions.h
■	■	■	■	■	■	■	■■■	MetaFunctions_inl.h
■	■	■	■	■	■	■	■■■	MethodOperators.h
■	■	■	■	■	■	■	■■■	NamedTensor.h
■	■	■	■	■	■	■	■■■	NamedTensorUtils.h
■	■	■	■	■	■	■	■■■	NativeFunctions.h
■	■	■	■	■	■	■	■■■	NativeMetaFunctions.h
■	■	■	■	■	■	■	■■■	NestedTensorImpl.h
■	■	■	■	■	■	■	■■■	NumericUtils.h
■	■	■	■	■	■	■	■■■	OpMathType.h
■	■	■	■	■	■	■	■■■	OpaqueTensorImpl.h
■	■	■	■	■	■	■	■■■	Operators.h
■	■	■	■	■	■	■	■■■	PTThreadPool.h
■	■	■	■	■	■	■	■■■	PadNd.h
■	■	■	■	■	■	■	■■■	Parallel-inl.h
■	■	■	■	■	■	■	■■■	Parallel.h
■	■	■	■	■	■	■	■■■	ParallelFuture.h
■	■	■	■	■	■	■	■■■	ParallelNative.h
■	■	■	■	■	■	■	■■■	ParallelNativeTBB.h
■	■	■	■	■	■	■	■■■	ParallelOpenMP.h
■	■	■	■	■	■	■	■■■	PythonTorchFunctionTLS.h
■	■	■	■	■	■	■	■■■	RedispatchFunctions.h
■	■	■	■	■	■	■	■■■	RegistrationDeclarations.h
■	■	■	■	■	■	■	■■■	SavedTensorHooks.h
■	■	■	■	■	■	■	■■■	Scalar.h
■	■	■	■	■	■	■	■■■	ScalarOps.h
■	■	■	■	■	■	■	■■■	ScalarType.h
■	■	■	■	■	■	■	■■■	SequenceNumber.h
■	■	■	■	■	■	■	■■■	SmallVector.h
■	■	■	■	■	■	■	■■■	SparseCsrTensorImpl.h
■	■	■	■	■	■	■	■■■	SparseCsrTensorUtils.h

```

■ ■ ■ ■ SparseTensorImpl.h
■ ■ ■ ■ SparseTensorUtils.h
■ ■ ■ ■ Storage.h
■ ■ ■ ■ Tensor.h
■ ■ ■ ■ TensorAccessor.h
■ ■ ■ ■ TensorGeometry.h
■ ■ ■ ■ TensorIndexing.h
■ ■ ■ ■ TensorIterator.h
■ ■ ■ ■ TensorIteratorInternal.h
■ ■ ■ ■ TensorMeta.h
■ ■ ■ ■ TensorNames.h
■ ■ ■ ■ TensorOperators.h
■ ■ ■ ■ TensorOptions.h
■ ■ ■ ■ TensorSubclassLikeUtils.h
■ ■ ■ ■ TensorUtils.h
■ ■ ■ ■ ThreadLocalPythonObjects.h
■ ■ ■ ■ ThreadLocalState.h
■ ■ ■ ■ TracerMode.h
■ ■ ■ ■ TypeDefault.h
■ ■ ■ ■ Utils.h
■ ■ ■ ■ Version.h
■ ■ ■ ■ VmapGeneratedPlumbing.h
■ ■ ■ ■ WrapDimUtils.h
■ ■ ■ ■ WrapDimUtilsMulti.h
■ ■ ■ ■ autocast_mode.h
■ ■ ■ ■ ceil_div.h
■ ■ ■ ■ code_template.h
■ ■ ■ ■ core
■ ■ ■ ■ ATenGeneral.h
■ ■ ■ ■ ATenOpList.h
■ ■ ■ ■ ATen_fwd.h
■ ■ ■ ■ ATen_pch.h
■ ■ ■ ■ Array.h
■ ■ ■ ■ Backtrace.h
■ ■ ■ ■ CheckMemoryFormat.h
■ ■ ■ ■ DeprecatedTypeProperties.h
■ ■ ■ ■ DeprecatedTypePropertiesRegistry.h
■ ■ ■ ■ Dict.h
■ ■ ■ ■ Dict_inl.h
■ ■ ■ ■ DimVector.h
■ ■ ■ ■ Dimname.h
■ ■ ■ ■ DistributionsHelper.h
■ ■ ■ ■ Formatting.h
■ ■ ■ ■ Generator.h
■ ■ ■ ■ IListRef.h
■ ■ ■ ■ IListRef_inl.h
■ ■ ■ ■ LegacyTypeDispatch.h
■ ■ ■ ■ List.h
■ ■ ■ ■ List_inl.h
■ ■ ■ ■ MT19937RNGEngine.h
■ ■ ■ ■ NamedTensor.h
■ ■ ■ ■ PhiloxRNGEngine.h
■ ■ ■ ■ PythonFallbackKernel.h
■ ■ ■ ■ PythonOpRegistrationTrampoline.h
■ ■ ■ ■ QuantizerBase.h
■ ■ ■ ■ Range.h
■ ■ ■ ■ Reduction.h
■ ■ ■ ■ Scalar.h

```

■	■	■	■	■	■	■	■	■■■	ScalarType.h
■	■	■	■	■	■	■	■	■■■	Tensor.h
■	■	■	■	■	■	■	■	■■■	TensorAccessor.h
■	■	■	■	■	■	■	■	■■■	TensorBase.h
■	■	■	■	■	■	■	■	■■■	TensorBody.h
■	■	■	■	■	■	■	■	■■■	TorchDispatchUtils.h
■	■	■	■	■	■	■	■	■■■	TransformationHelper.h
■	■	■	■	■	■	■	■	■■■	UndefinedTensorImpl.h
■	■	■	■	■	■	■	■	■■■	UnsafeFromTH.h
■	■	■	■	■	■	■	■	■■■	VariableHooksInterface.h
■	■	■	■	■	■	■	■	■■■	Variadic.h
■	■	■	■	■	■	■	■	■■■	Vitals.h
■	■	■	■	■	■	■	■	■■■	alias_info.h
■	■	■	■	■	■	■	■	■■■	aten_interned_strings.h
■	■	■	■	■	■	■	■	■■■	blob.h
■	■	■	■	■	■	■	■	■■■	boxing
■	■	■	■	■	■	■	■	■ ■■■	BoxedKernel.h
■	■	■	■	■	■	■	■	■ ■■■	BoxedKernel_impl.h
■	■	■	■	■	■	■	■	■ ■■■	KernelFunction.h
■	■	■	■	■	■	■	■	■ ■■■	KernelFunction_impl.h
■	■	■	■	■	■	■	■	■ ■■■	OperatorKernel.h
■	■	■	■	■	■	■	■	■ ■■■	impl
■	■	■	■	■	■	■	■	■ ■■■	WrapFunctionIntoFunctor.h
■	■	■	■	■	■	■	■	■ ■■■	WrapFunctionIntoRuntimeFunctor.h
■	■	■	■	■	■	■	■	■ ■■■	boxing.h
■	■	■	■	■	■	■	■	■ ■■■	make_boxed_from_unboxed_functor.h
■	■	■	■	■	■	■	■	■ ■■■	test_helpers.h
■	■	■	■	■	■	■	■	■■■	builtin_function.h
■	■	■	■	■	■	■	■	■■■	class_type.h
■	■	■	■	■	■	■	■	■■■	custom_class.h
■	■	■	■	■	■	■	■	■■■	dispatch
■	■	■	■	■	■	■	■	■ ■■■	CppSignature.h
■	■	■	■	■	■	■	■	■ ■■■	DispatchKeyExtractor.h
■	■	■	■	■	■	■	■	■ ■■■	Dispatcher.h
■	■	■	■	■	■	■	■	■ ■■■	ObservedOperators.h
■	■	■	■	■	■	■	■	■ ■■■	OperatorEntry.h
■	■	■	■	■	■	■	■	■ ■■■	OperatorOptions.h
■	■	■	■	■	■	■	■	■ ■■■	RegistrationHandleRAII.h
■	■	■	■	■	■	■	■	■■■	dynamic_type.h
■	■	■	■	■	■	■	■	■■■	enum_tag.h
■	■	■	■	■	■	■	■	■■■	enum_type.h
■	■	■	■	■	■	■	■	■■■	function.h
■	■	■	■	■	■	■	■	■■■	function_schema.h
■	■	■	■	■	■	■	■	■■■	function_schema_inl.h
■	■	■	■	■	■	■	■	■■■	functional.h
■	■	■	■	■	■	■	■	■■■	grad_mode.h
■	■	■	■	■	■	■	■	■■■	interned_strings.h
■	■	■	■	■	■	■	■	■■■	interned_strings_class.h
■	■	■	■	■	■	■	■	■■■	ivalue.h
■	■	■	■	■	■	■	■	■■■	ivalue_inl.h
■	■	■	■	■	■	■	■	■■■	ivalue_to.h
■	■	■	■	■	■	■	■	■■■	jit_type.h
■	■	■	■	■	■	■	■	■■■	jit_type_base.h
■	■	■	■	■	■	■	■	■■■	op_registration
■	■	■	■	■	■	■	■	■ ■■■	adaption.h
■	■	■	■	■	■	■	■	■ ■■■	infer_schema.h
■	■	■	■	■	■	■	■	■ ■■■	op_allowlist.h
■	■	■	■	■	■	■	■	■ ■■■	op_registration.h

```

operator_name.h
qualified_name.h
rref_interface.h
stack.h
symbol.h
type_factory.h
type_ptr.h
typeid.h
cpp_custom_typeHack.h
cpu
FlushDenormal.h
vec
functional.h
functional_base.h
functional_bfloat16.h
intrinsics.h
vec.h
vec256
missing_vld1_neon.h
missing_vst1_neon.h
vec256.h
vec256_bfloat16.h
vec256_complex_double.h
vec256_complex_float.h
vec256_double.h
vec256_float.h
vec256_float_neon.h
vec256_int.h
vec256_qint.h
vsx
vec256_bfloat16_vsx.h
vec256_common_vsx.h
vec256_complex_double_vsx.h
vec256_complex_float_vsx.h
vec256_double_vsx.h
vec256_float_vsx.h
vec256_int16_vsx.h
vec256_int32_vsx.h
vec256_int64_vsx.h
vec256_qint32_vsx.h
vec256_qint8_vsx.h
vec256_quint8_vsx.h
vsx_helpers.h
vec512
vec512.h
vec512_bfloat16.h
vec512_complex_double.h
vec512_complex_float.h
vec512_double.h
vec512_float.h
vec512_int.h
vec512_qint.h
vec_base.h
vml.h
cuda
ATenCUDAGeneral.h
ApplyGridUtils.cuh
AsmUtils.cuh

```


■	■	■	■	■	■	■	■	■■■■	Atomic.cuh	
■	■	■	■	■	■	■	■	■■■■	CUDAApplyUtils.cuh	
■	■	■	■	■	■	■	■	■■■■	CUDABlas.h	
■	■	■	■	■	■	■	■	■■■■	CUDAConfig.h	
■	■	■	■	■	■	■	■	■■■■	CUDAContext.h	
■	■	■	■	■	■	■	■	■■■■	CUDADataType.h	
■	■	■	■	■	■	■	■	■■■■	CUDADevice.h	
■	■	■	■	■	■	■	■	■■■■	CUDAEvent.h	
■	■	■	■	■	■	■	■	■■■■	CUDAGeneratorImpl.h	
■	■	■	■	■	■	■	■	■■■■	CUDAGraph.h	
■	■	■	■	■	■	■	■	■■■■	CUDAGraphsUtils.cuh	
■	■	■	■	■	■	■	■	■■■■	CUDASparse.h	
■	■	■	■	■	■	■	■	■■■■	CUDASparseBlas.h	
■	■	■	■	■	■	■	■	■■■■	CUDASparseDescriptors.h	
■	■	■	■	■	■	■	■	■■■■	CUDATensorMethods.cuh	
■	■	■	■	■	■	■	■	■■■■	CUDAUtils.h	
■	■	■	■	■	■	■	■	■■■■	CachingHostAllocator.h	
■	■	■	■	■	■	■	■	■■■■	DeviceUtils.cuh	
■	■	■	■	■	■	■	■	■■■■	EmptyTensor.h	
■	■	■	■	■	■	■	■	■■■■	Exceptions.h	
■	■	■	■	■	■	■	■	■■■■	NumericLimits.cuh	
■	■	■	■	■	■	■	■	■■■■	PeerToPeerAccess.h	
■	■	■	■	■	■	■	■	■■■■	PinnedMemoryAllocator.h	
■	■	■	■	■	■	■	■	■■■■	ScanUtils.cuh	
■	■	■	■	■	■	■	■	■■■■	Sleep.h	
■	■	■	■	■	■	■	■	■■■■	ThrustAllocator.h	
■	■	■	■	■	■	■	■	■■■■	cub.cuh	
■	■	■	■	■	■	■	■	■■■■	cub.h	
■	■	■	■	■	■	■	■	■■■■	cub_definitions.cuh	
■	■	■	■	■	■	■	■	■■■■	detail	
■	■	■	■	■	■	■	■	■	■■■■	CUDAHooks.h
■	■	■	■	■	■	■	■	■	■■■■	DeviceThreadHandles.h
■	■	■	■	■	■	■	■	■	■■■■	IndexUtils.cuh
■	■	■	■	■	■	■	■	■	■■■■	IntegerDivider.cuh
■	■	■	■	■	■	■	■	■	■■■■	KernelUtils.h
■	■	■	■	■	■	■	■	■	■■■■	LazyNVRTC.h
■	■	■	■	■	■	■	■	■	■■■■	OffsetCalculator.cuh
■	■	■	■	■	■	■	■	■	■■■■	PhiloxCudaStateRaw.cuh
■	■	■	■	■	■	■	■	■	■■■■	TensorInfo.cuh
■	■	■	■	■	■	■	■	■	■■■■	UnpackRaw.cuh
■	■	■	■	■	■	■	■	■■■■	jiterator.h	
■	■	■	■	■	■	■	■	■■■■	jiterator_impl.h	
■	■	■	■	■	■	■	■	■■■■	llvm_jit_strings.h	
■	■	■	■	■	■	■	■■■■	cuda	nn	
■	■	■	■	■	■	■	■	■■■■	Descriptors.h	
■	■	■	■	■	■	■	■	■■■■	Exceptions.h	
■	■	■	■	■	■	■	■	■■■■	Handle.h	
■	■	■	■	■	■	■	■	■■■■	Handles.h	
■	■	■	■	■	■	■	■	■■■■	Types.h	
■	■	■	■	■	■	■	■	■■■■	Utils.h	
■	■	■	■	■	■	■	■	■■■■	cuda-wrappers.h	
■	■	■	■	■	■	■	■■■■	detail		
■	■	■	■	■	■	■	■	■■■■	CUDAHooksInterface.h	
■	■	■	■	■	■	■	■	■■■■	FunctionTraits.h	
■	■	■	■	■	■	■	■	■■■■	HIPHooksInterface.h	
■	■	■	■	■	■	■	■	■■■■	MPSHooksInterface.h	
■	■	■	■	■	■	■	■	■■■■	ORTHooksInterface.h	
■	■	■	■	■	■	■	■■■■	div_rtn.h		

```

■ ■ ■ ■ ■ ■ ■ ■■■ dlpack.h
■ ■ ■ ■ ■ ■ ■ ■■■ functorch
■ ■ ■ ■ ■ ■ ■ ■■■ ADInterpreters.h
■ ■ ■ ■ ■ ■ ■ ■■■ BatchRulesHelper.h
■ ■ ■ ■ ■ ■ ■ ■■■ BatchedFallback.h
■ ■ ■ ■ ■ ■ ■ ■■■ BatchedTensorImpl.h
■ ■ ■ ■ ■ ■ ■ ■■■ BatchingMetaprogramming.h
■ ■ ■ ■ ■ ■ ■ ■■■ DynamicLayer.h
■ ■ ■ ■ ■ ■ ■ ■■■ FunctionalizeInterpreter.h
■ ■ ■ ■ ■ ■ ■ ■■■ Interpreter.h
■ ■ ■ ■ ■ ■ ■ ■■■ LegacyVmapTransforms.h
■ ■ ■ ■ ■ ■ ■ ■■■ Macros.h
■ ■ ■ ■ ■ ■ ■ ■■■ PlumbingHelper.h
■ ■ ■ ■ ■ ■ ■ ■■■ TensorWrapper.h
■ ■ ■ ■ ■ ■ ■ ■■■ VmapInterpreter.h
■ ■ ■ ■ ■ ■ ■ ■■■ hip
■ ■ ■ ■ ■ ■ ■ ■■■ impl
■ ■ ■ ■ ■ ■ ■ ■■■ HIPAllocatorMasqueradingAsCUDA.h
■ ■ ■ ■ ■ ■ ■ ■■■ HIPCachingAllocatorMasqueradingAsCUDA.h
■ ■ ■ ■ ■ ■ ■ ■■■ HIPGuardImplMasqueradingAsCUDA.h
■ ■ ■ ■ ■ ■ ■ ■■■ HIPStreamMasqueradingAsCUDA.h
■ ■ ■ ■ ■ ■ ■ ■■■ jit_macros.h
■ ■ ■ ■ ■ ■ ■ ■■■ jiterator_macros.h
■ ■ ■ ■ ■ ■ ■ ■■■ miopen
■ ■ ■ ■ ■ ■ ■ ■■■ Descriptors.h
■ ■ ■ ■ ■ ■ ■ ■■■ Exceptions.h
■ ■ ■ ■ ■ ■ ■ ■■■ Handle.h
■ ■ ■ ■ ■ ■ ■ ■■■ Types.h
■ ■ ■ ■ ■ ■ ■ ■■■ Utils.h
■ ■ ■ ■ ■ ■ ■ ■■■ miopen-wrapper.h
■ ■ ■ ■ ■ ■ ■ ■■■ native
■ ■ ■ ■ ■ ■ ■ ■■■ Activation.h
■ ■ ■ ■ ■ ■ ■ ■■■ AdaptivePooling.h
■ ■ ■ ■ ■ ■ ■ ■■■ BatchLinearAlgebra.h
■ ■ ■ ■ ■ ■ ■ ■■■ BinaryOps.h
■ ■ ■ ■ ■ ■ ■ ■■■ BucketizationUtils.h
■ ■ ■ ■ ■ ■ ■ ■■■ CPUBlas.h
■ ■ ■ ■ ■ ■ ■ ■■■ CPUFallback.h
■ ■ ■ ■ ■ ■ ■ ■■■ CanUse32BitIndexMath.h
■ ■ ■ ■ ■ ■ ■ ■■■ ComplexHelper.h
■ ■ ■ ■ ■ ■ ■ ■■■ CompositeRandomAccessor.h
■ ■ ■ ■ ■ ■ ■ ■■■ CompositeRandomAccessorCommon.h
■ ■ ■ ■ ■ ■ ■ ■■■ ConvUtils.h
■ ■ ■ ■ ■ ■ ■ ■■■ ConvolutionMM3d.h
■ ■ ■ ■ ■ ■ ■ ■■■ Copy.h
■ ■ ■ ■ ■ ■ ■ ■■■ Cross.h
■ ■ ■ ■ ■ ■ ■ ■■■ DilatedConvolutionUtils.h
■ ■ ■ ■ ■ ■ ■ ■■■ DispatchStub.h
■ ■ ■ ■ ■ ■ ■ ■■■ Distance.h
■ ■ ■ ■ ■ ■ ■ ■■■ DistributionTemplates.h
■ ■ ■ ■ ■ ■ ■ ■■■ Distributions.h
■ ■ ■ ■ ■ ■ ■ ■■■ EmbeddingBag.h
■ ■ ■ ■ ■ ■ ■ ■■■ Fill.h
■ ■ ■ ■ ■ ■ ■ ■■■ ForeachUtils.h
■ ■ ■ ■ ■ ■ ■ ■■■ FractionalMaxPooling.h
■ ■ ■ ■ ■ ■ ■ ■■■ FunctionOfAMatrixUtils.h
■ ■ ■ ■ ■ ■ ■ ■■■ GridSampler.h
■ ■ ■ ■ ■ ■ ■ ■■■ GridSamplerUtils.h

```

[illegible]

```

■ ■ ■ ChannelShuffleKernel.h
■ ■ ■ CopyKernel.h
■ ■ ■ DepthwiseConvKernel.h
■ ■ ■ DistributionTemplates.h
■ ■ ■ GridSamplerKernel.h
■ ■ ■ IndexKernelUtils.h
■ ■ ■ Intrinsic.h
■ ■ ■ IsContiguous.h
■ ■ ■ Loops.h
■ ■ ■ MaxUnpoolKernel.h
■ ■ ■ PixelShuffleKernel.h
■ ■ ■ Reduce.h
■ ■ ■ ReduceUtils.h
■ ■ ■ SampledAddmmKernel.h
■ ■ ■ SerialStackImpl.h
■ ■ ■ SoftmaxKernel.h
■ ■ ■ SpmmReduceKernel.h
■ ■ ■ StackKernel.h
■ ■ ■ UpSampleKernelAVXAntialias.h
■ ■ ■ WeightNormKernel.h
■ ■ ■ avx_mathfun.h
■ ■ ■ mixed_data_type.h
■ ■ ■ moments_utils.h
■ ■ ■ radix_sort.h
■ ■ ■ utils.h
■ ■ ■ zmath.h
■ ■ ■ cuda
■ ■ ■ Activation.h
■ ■ ■ BinaryInternal.h
■ ■ ■ CUDAJitLoops.cuh
■ ■ ■ CUDALoops.cuh
■ ■ ■ CompositeRandomAccessor.h
■ ■ ■ Copy.h
■ ■ ■ CuFFTPlanCache.h
■ ■ ■ CuFFTUtils.h
■ ■ ■ DeviceSqrt.cuh
■ ■ ■ DistributionTemplates.h
■ ■ ■ Distributions.h
■ ■ ■ EmbeddingBackwardKernel.cuh
■ ■ ■ ForeachFunctors.cuh
■ ■ ■ ForeachMinMaxFunctors.cuh
■ ■ ■ GridSampler.cuh
■ ■ ■ GridSampler.h
■ ■ ■ IndexKernel.h
■ ■ ■ JitLoops.cuh
■ ■ ■ KernelUtils.cuh
■ ■ ■ LaunchUtils.h
■ ■ ■ Loops.cuh
■ ■ ■ Math.cuh
■ ■ ■ MemoryAccess.cuh
■ ■ ■ MiscUtils.h
■ ■ ■ MultiTensorApply.cuh
■ ■ ■ Normalization.cuh
■ ■ ■ PersistentSoftmax.cuh
■ ■ ■ Pow.cuh
■ ■ ■ ROCmLoops.cuh
■ ■ ■ Randperm.cuh
■ ■ ■ Reduce.cuh

```

■	■	■	■	■	■	■	■	■	■■■■	ReduceOps.h
■	■	■	■	■	■	■	■	■	■■■■	Resize.h
■	■	■	■	■	■	■	■	■	■■■■	ScanKernels.h
■	■	■	■	■	■	■	■	■	■■■■	ScanUtils.cuh
■	■	■	■	■	■	■	■	■	■■■■	Sort.h
■	■	■	■	■	■	■	■	■	■■■■	SortStable.h
■	■	■	■	■	■	■	■	■	■■■■	SortUtils.cuh
■	■	■	■	■	■	■	■	■	■■■■	Sorting.h
■	■	■	■	■	■	■	■	■	■■■■	SortingCommon.cuh
■	■	■	■	■	■	■	■	■	■■■■	SortingRadixSelect.cuh
■	■	■	■	■	■	■	■	■	■■■■	TensorModeKernel.cuh
■	■	■	■	■	■	■	■	■	■■■■	TensorModeKernel.h
■	■	■	■	■	■	■	■	■	■■■■	TensorTopK.h
■	■	■	■	■	■	■	■	■	■■■■	UniqueCub.cuh
■	■	■	■	■	■	■	■	■	■■■■	UpSample.cuh
■	■	■	■	■	■	■	■	■	■■■■	block_reduce.cuh
■	■	■	■	■	■	■	■	■	■■■■	fused_adam_amsgrad_impl.cuh
■	■	■	■	■	■	■	■	■	■■■■	fused_adam_impl.cuh
■	■	■	■	■	■	■	■	■	■■■■	fused_adam_utils.cuh
■	■	■	■	■	■	■	■	■	■■■■	fused_adamw_amsgrad_impl.cuh
■	■	■	■	■	■	■	■	■	■■■■	fused_adamw_impl.cuh
■	■	■	■	■	■	■	■	■	■■■■	im2col.cuh
■	■	■	■	■	■	■	■	■	■■■■	jit_utils.h
■	■	■	■	■	■	■	■	■	■■■■	reduction_template.cuh
■	■	■	■	■	■	■	■	■	■■■■	thread_constants.h
■	■	■	■	■	■	■	■	■	■■■■	vol2col.cuh
■	■	■	■	■	■	■	■	■■■■	group_norm.h	
■	■	■	■	■	■	■	■	■■■■	im2col.h	
■	■	■	■	■	■	■	■	■■■■	im2col_shape_check.h	
■	■	■	■	■	■	■	■	■■■■	layer_norm.h	
■	■	■	■	■	■	■	■	■■■■	quantized	
■	■	■	■	■	■	■	■	■	■■■■	AffineQuantizer.h
■	■	■	■	■	■	■	■	■	■■■■	AffineQuantizerBase.h
■	■	■	■	■	■	■	■	■	■■■■	Copy.h
■	■	■	■	■	■	■	■	■	■■■■	FakeQuantAffine.h
■	■	■	■	■	■	■	■	■	■■■■	IndexKernel.h
■	■	■	■	■	■	■	■	■	■■■■	PackedParams.h
■	■	■	■	■	■	■	■	■	■■■■	cpu
■	■	■	■	■	■	■	■	■	■■■■	BinaryOps.h
■	■	■	■	■	■	■	■	■	■■■■	EmbeddingPackedParams.h
■	■	■	■	■	■	■	■	■	■■■■	OnednnUtils.h
■	■	■	■	■	■	■	■	■	■■■■	QnnpackUtils.h
■	■	■	■	■	■	■	■	■	■■■■	QuantUtils.h
■	■	■	■	■	■	■	■	■	■■■■	QuantizedOps.h
■	■	■	■	■	■	■	■	■	■■■■	RuyUtils.h
■	■	■	■	■	■	■	■	■	■■■■	XnnpackUtils.h
■	■	■	■	■	■	■	■	■	■■■■	conv_serialization.h
■	■	■	■	■	■	■	■	■	■■■■	fbgemm_utils.h
■	■	■	■	■	■	■	■	■	■■■■	init_qnnpack.h
■	■	■	■	■	■	■	■	■	■■■■	qembeddingbag.h
■	■	■	■	■	■	■	■	■	■■■■	qembeddingbag_prepack.h
■	■	■	■	■	■	■	■	■■■■	verbose_wrapper.h	
■	■	■	■	■	■	■	■	■■■■	vol2col.h	
■	■	■	■	■	■	■	■■■■	ops		
■	■	■	■	■	■	■	■	■■■■	_adaptive_avg_pool2d.h	
■	■	■	■	■	■	■	■	■■■■	_adaptive_avg_pool2d_backward.h	
■	■	■	■	■	■	■	■	■■■■	_adaptive_avg_pool2d_backward_compositeexplicitautograd	
■	■	■	■	■	■	■	■	■■■■	_adaptive_avg_pool2d_backward_cpu_dispatch.h	

```

_adaptive_avg_pool2d_backward_cuda_dispatch.h
_adaptive_avg_pool2d_backward_native.h
_adaptive_avg_pool2d_backward_ops.h
_adaptive_avg_pool2d_compositeexplicitautograd_dispatch.h
_adaptive_avg_pool2d_cpu_dispatch.h
_adaptive_avg_pool2d_cuda_dispatch.h
_adaptive_avg_pool2d_native.h
_adaptive_avg_pool2d_ops.h
_adaptive_avg_pool3d.h
_adaptive_avg_pool3d_backward.h
_adaptive_avg_pool3d_backward_compositeexplicitautograd_dispatch.h
_adaptive_avg_pool3d_backward_cpu_dispatch.h
_adaptive_avg_pool3d_backward_cuda_dispatch.h
_adaptive_avg_pool3d_backward_native.h
_adaptive_avg_pool3d_backward_ops.h
_adaptive_avg_pool3d_compositeexplicitautograd_dispatch.h
_adaptive_avg_pool3d_cpu_dispatch.h
_adaptive_avg_pool3d_cuda_dispatch.h
_adaptive_avg_pool3d_native.h
_adaptive_avg_pool3d_ops.h
_add_batch_dim.h
_add_batch_dim_compositeimplicitautograd_dispatch.h
_add_batch_dim_native.h
_add_batch_dim_ops.h
_add_relu.h
_add_relu_compositeexplicitautograd_dispatch.h
_add_relu_cpu_dispatch.h
_add_relu_meta_dispatch.h
_add_relu_native.h
_add_relu_ops.h
_addmm_activation.h
_addmm_activation_compositeexplicitautogradnonfunctional_dispatch.h
_addmm_activation_cpu_dispatch.h
_addmm_activation_cuda_dispatch.h
_addmm_activation_meta.h
_addmm_activation_meta_dispatch.h
_addmm_activation_native.h
_addmm_activation_ops.h
_aminmax.h
_aminmax_compositeexplicitautograd_dispatch.h
_aminmax_cpu_dispatch.h
_aminmax_cuda_dispatch.h
_aminmax_native.h
_aminmax_ops.h
_amp_foreach_non_finite_check_and_unscale.h
_amp_foreach_non_finite_check_and_unscale_compositeexplicitautograd_dispatch.h
_amp_foreach_non_finite_check_and_unscale_cuda_dispatch.h
_amp_foreach_non_finite_check_and_unscale_native.h
_amp_foreach_non_finite_check_and_unscale_ops.h
_amp_update_scale.h
_amp_update_scale_compositeexplicitautograd_dispatch.h
_amp_update_scale_cuda_dispatch.h
_amp_update_scale_meta_dispatch.h
_amp_update_scale_native.h
_amp_update_scale_ops.h
_assert_async.h
_assert_async_cpu_dispatch.h
_assert_async_cuda_dispatch.h

```


■	■	■	■	■	■	■	■	■■■■	_cdist_backward.h
■	■	■	■	■	■	■	■	■■■■	_cdist_backward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_backward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_backward_native.h
■	■	■	■	■	■	■	■	■■■■	_cdist_backward_ops.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward_native.h
■	■	■	■	■	■	■	■	■■■■	_cdist_forward_ops.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper_native.h
■	■	■	■	■	■	■	■	■■■■	_cholesky_solve_helper_ops.h
■	■	■	■	■	■	■	■	■■■■	_choose_qparams_per_tensor.h
■	■	■	■	■	■	■	■	■■■■	_choose_qparams_per_tensor_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_choose_qparams_per_tensor_native.h
■	■	■	■	■	■	■	■	■■■■	_choose_qparams_per_tensor_ops.h
■	■	■	■	■	■	■	■	■■■■	_chunk_grad_outputs_efficient_attention.h
■	■	■	■	■	■	■	■	■■■■	_chunk_grad_outputs_efficient_attention_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_chunk_grad_outputs_efficient_attention_native.h
■	■	■	■	■	■	■	■	■■■■	_chunk_grad_outputs_efficient_attention_ops.h
■	■	■	■	■	■	■	■	■■■■	_coalesce.h
■	■	■	■	■	■	■	■	■■■■	_coalesce_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_coalesce_native.h
■	■	■	■	■	■	■	■	■■■■	_coalesce_ops.h
■	■	■	■	■	■	■	■	■■■■	_coalesced.h
■	■	■	■	■	■	■	■	■■■■	_coalesced_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_coalesced_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_coalesced_native.h
■	■	■	■	■	■	■	■	■■■■	_coalesced_ops.h
■	■	■	■	■	■	■	■	■■■■	_compute_linear_combination.h
■	■	■	■	■	■	■	■	■■■■	_compute_linear_combination_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_compute_linear_combination_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_compute_linear_combination_native.h
■	■	■	■	■	■	■	■	■■■■	_compute_linear_combination_ops.h
■	■	■	■	■	■	■	■	■■■■	_conj.h
■	■	■	■	■	■	■	■	■■■■	_conj_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_conj_copy.h
■	■	■	■	■	■	■	■	■■■■	_conj_copy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_conj_copy_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_conj_copy_native.h
■	■	■	■	■	■	■	■	■■■■	_conj_copy_ops.h
■	■	■	■	■	■	■	■	■■■■	_conj_native.h
■	■	■	■	■	■	■	■	■■■■	_conj_ops.h
■	■	■	■	■	■	■	■	■■■■	_conj_physical.h
■	■	■	■	■	■	■	■	■■■■	_conj_physical_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_conj_physical_native.h
■	■	■	■	■	■	■	■	■■■■	_conj_physical_ops.h
■	■	■	■	■	■	■	■	■■■■	_conv_depthwise2d.h
■	■	■	■	■	■	■	■	■■■■	_conv_depthwise2d_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	_conv_depthwise2d_native.h
■	■	■	■	■	■	■	■	■■■■	_conv_depthwise2d_ops.h
■	■	■	■	■	■	■	■	■■■■	_convert_indices_from_coo_to_csr.h

[illegible]

[illegible]

```

_foobar_compositeexplicitautograd_dispatch.h
_foobar_cpu_dispatch.h
_foobar_native.h
_foobar_ops.h
foreach_abs.h
foreach_abs_compositeexplicitautograd_dispatch.h
foreach_abs_cpu_dispatch.h
foreach_abs_cuda_dispatch.h
foreach_abs_native.h
foreach_abs_ops.h
foreach_acos.h
foreach_acos_compositeexplicitautograd_dispatch.h
foreach_acos_cpu_dispatch.h
foreach_acos_cuda_dispatch.h
foreach_acos_native.h
foreach_acos_ops.h
foreach_add.h
foreach_add_compositeexplicitautograd_dispatch.h
foreach_add_cpu_dispatch.h
foreach_add_cuda_dispatch.h
foreach_add_native.h
foreach_add_ops.h
foreach_addcddiv.h
foreach_addcddiv_compositeexplicitautograd_dispatch.h
foreach_addcddiv_cpu_dispatch.h
foreach_addcddiv_cuda_dispatch.h
foreach_addcddiv_native.h
foreach_addcddiv_ops.h
foreach_addcmul.h
foreach_addcmul_compositeexplicitautograd_dispatch.h
foreach_addcmul_cpu_dispatch.h
foreach_addcmul_cuda_dispatch.h
foreach_addcmul_native.h
foreach_addcmul_ops.h
foreach_asin.h
foreach_asin_compositeexplicitautograd_dispatch.h
foreach_asin_cpu_dispatch.h
foreach_asin_cuda_dispatch.h
foreach_asin_native.h
foreach_asin_ops.h
foreach_atan.h
foreach_atan_compositeexplicitautograd_dispatch.h
foreach_atan_cpu_dispatch.h
foreach_atan_cuda_dispatch.h
foreach_atan_native.h
foreach_atan_ops.h
foreach_ceil.h
foreach_ceil_compositeexplicitautograd_dispatch.h
foreach_ceil_cpu_dispatch.h
foreach_ceil_cuda_dispatch.h
foreach_ceil_native.h
foreach_ceil_ops.h
foreach_clamp_max.h
foreach_clamp_max_compositeexplicitautograd_dispatch.h
foreach_clamp_max_cpu_dispatch.h
foreach_clamp_max_cuda_dispatch.h
foreach_clamp_max_native.h
foreach_clamp_max_ops.h

```



```

_foreach_frac_native.h
_foreach_frac_ops.h
_foreach_lerp.h
_foreach_lerp_compositeexplicitautograd_dispatch.h
_foreach_lerp_cpu_dispatch.h
_foreach_lerp_cuda_dispatch.h
_foreach_lerp_native.h
_foreach_lerp_ops.h
_foreach_lgamma.h
_foreach_lgamma_compositeexplicitautograd_dispatch.h
_foreach_lgamma_cpu_dispatch.h
_foreach_lgamma_cuda_dispatch.h
_foreach_lgamma_native.h
_foreach_lgamma_ops.h
_foreach_log.h
_foreach_log10.h
_foreach_log10_compositeexplicitautograd_dispatch.h
_foreach_log10_cpu_dispatch.h
_foreach_log10_cuda_dispatch.h
_foreach_log10_native.h
_foreach_log10_ops.h
_foreach_log1p.h
_foreach_log1p_compositeexplicitautograd_dispatch.h
_foreach_log1p_cpu_dispatch.h
_foreach_log1p_cuda_dispatch.h
_foreach_log1p_native.h
_foreach_log1p_ops.h
_foreach_log2.h
_foreach_log2_compositeexplicitautograd_dispatch.h
_foreach_log2_cpu_dispatch.h
_foreach_log2_cuda_dispatch.h
_foreach_log2_native.h
_foreach_log2_ops.h
_foreach_log_compositeexplicitautograd_dispatch.h
_foreach_log_cpu_dispatch.h
_foreach_log_cuda_dispatch.h
_foreach_log_native.h
_foreach_log_ops.h
_foreach_maximum.h
_foreach_maximum_compositeexplicitautograd_dispatch.h
_foreach_maximum_cpu_dispatch.h
_foreach_maximum_cuda_dispatch.h
_foreach_maximum_native.h
_foreach_maximum_ops.h
_foreach_minimum.h
_foreach_minimum_compositeexplicitautograd_dispatch.h
_foreach_minimum_cpu_dispatch.h
_foreach_minimum_cuda_dispatch.h
_foreach_minimum_native.h
_foreach_minimum_ops.h
_foreach_mul.h
_foreach_mul_compositeexplicitautograd_dispatch.h
_foreach_mul_cpu_dispatch.h
_foreach_mul_cuda_dispatch.h
_foreach_mul_native.h
_foreach_mul_ops.h
_foreach_neg.h
_foreach_neg_compositeexplicitautograd_dispatch.h

```

[illegible]

[illegible]

[illegible]

```

_ linalg_check_errors.h
_ linalg_check_errors_compositeexplicitautograd_dispatch.h
_ linalg_check_errors_native.h
_ linalg_check_errors_ops.h
_ linalg_det.h
_ linalg_det_compositeexplicitautogradnonfunctional_dispatch.h
_ linalg_det_cpu_dispatch.h
_ linalg_det_cuda_dispatch.h
_ linalg_det_meta.h
_ linalg_det_meta_dispatch.h
_ linalg_det_native.h
_ linalg_det_ops.h
_ linalg_eigh.h
_ linalg_eigh_compositeexplicitautogradnonfunctional_dispatch.h
_ linalg_eigh_cpu_dispatch.h
_ linalg_eigh_cuda_dispatch.h
_ linalg_eigh_meta.h
_ linalg_eigh_meta_dispatch.h
_ linalg_eigh_native.h
_ linalg_eigh_ops.h
_ linalg_slogdet.h
_ linalg_slogdet_compositeexplicitautogradnonfunctional_dispatch.h
_ linalg_slogdet_cpu_dispatch.h
_ linalg_slogdet_cuda_dispatch.h
_ linalg_slogdet_meta.h
_ linalg_slogdet_meta_dispatch.h
_ linalg_slogdet_native.h
_ linalg_slogdet_ops.h
_ linalg_solve_ex.h
_ linalg_solve_ex_compositeexplicitautogradnonfunctional_dispatch.h
_ linalg_solve_ex_cpu_dispatch.h
_ linalg_solve_ex_cuda_dispatch.h
_ linalg_solve_ex_meta.h
_ linalg_solve_ex_meta_dispatch.h
_ linalg_solve_ex_native.h
_ linalg_solve_ex_ops.h
_ linalg_svd.h
_ linalg_svd_compositeexplicitautogradnonfunctional_dispatch.h
_ linalg_svd_cpu_dispatch.h
_ linalg_svd_cuda_dispatch.h
_ linalg_svd_meta.h
_ linalg_svd_meta_dispatch.h
_ linalg_svd_native.h
_ linalg_svd_ops.h
_ local_scalar_dense.h
_ local_scalar_dense_cpu_dispatch.h
_ local_scalar_dense_cuda_dispatch.h
_ local_scalar_dense_native.h
_ local_scalar_dense_ops.h
_ log_softmax.h
_ log_softmax_backward_data.h
_ log_softmax_backward_data_compositeexplicitautogradnonfunctional_dispatch.h
_ log_softmax_backward_data_cpu_dispatch.h
_ log_softmax_backward_data_cuda_dispatch.h
_ log_softmax_backward_data_meta.h
_ log_softmax_backward_data_meta_dispatch.h
_ log_softmax_backward_data_native.h
_ log_softmax_backward_data_ops.h

```



```

███ _nested_sum_backward_native.h
███ _nested_sum_backward_ops.h
███ _nested_tensor_from_mask.h
███ _nested_tensor_from_mask_compositeexplicitautograd_dispatch.h
███ _nested_tensor_from_mask_cpu_dispatch.h
███ _nested_tensor_from_mask_cuda_dispatch.h
███ _nested_tensor_from_mask_left_aligned.h
███ _nested_tensor_from_mask_left_aligned_cpu_dispatch.h
███ _nested_tensor_from_mask_left_aligned_cuda_dispatch.h
███ _nested_tensor_from_mask_left_aligned_native.h
███ _nested_tensor_from_mask_left_aligned_ops.h
███ _nested_tensor_from_mask_native.h
███ _nested_tensor_from_mask_ops.h
███ _nested_tensor_from_tensor_list.h
███ _nested_tensor_from_tensor_list_compositeexplicitautograd_dispatch.h
███ _nested_tensor_from_tensor_list_native.h
███ _nested_tensor_from_tensor_list_ops.h
███ _nested_tensor_offsets.h
███ _nested_tensor_offsets_native.h
███ _nested_tensor_offsets_ops.h
███ _nested_tensor_size.h
███ _nested_tensor_size_compositeexplicitautograd_dispatch.h
███ _nested_tensor_size_native.h
███ _nested_tensor_size_ops.h
███ _nested_tensor_softmax_with_shape.h
███ _nested_tensor_softmax_with_shape_native.h
███ _nested_tensor_softmax_with_shape_ops.h
███ _nested_tensor_strides.h
███ _nested_tensor_strides_compositeexplicitautograd_dispatch.h
███ _nested_tensor_strides_native.h
███ _nested_tensor_strides_ops.h
███ _nested_view_from_buffer.h
███ _nested_view_from_buffer_copy.h
███ _nested_view_from_buffer_copy_compositeexplicitautograd_dispatch.h
███ _nested_view_from_buffer_copy_compositeexplicitautograd_dispatch_native.h
███ _nested_view_from_buffer_copy_native.h
███ _nested_view_from_buffer_copy_ops.h
███ _nested_view_from_buffer_cpu_dispatch.h
███ _nested_view_from_buffer_cuda_dispatch.h
███ _nested_view_from_buffer_native.h
███ _nested_view_from_buffer_ops.h
███ _new_zeros_with_same_feature_meta.h
███ _new_zeros_with_same_feature_meta_compositeexplicitautograd_dispatch.h
███ _new_zeros_with_same_feature_meta_native.h
███ _new_zeros_with_same_feature_meta_ops.h
███ _nnpack_available.h
███ _nnpack_available_compositeimplicitautograd_dispatch.h
███ _nnpack_available_native.h
███ _nnpack_available_ops.h
███ _nnpack_spatial_convolution.h
███ _nnpack_spatial_convolution_compositeexplicitautograd_dispatch.h
███ _nnpack_spatial_convolution_native.h
███ _nnpack_spatial_convolution_ops.h
███ _nnz.h
███ _nnz_native.h
███ _nnz_ops.h
███ _pack_padded_sequence.h
███ _pack_padded_sequence_backward.h

```

[illegible]

```

_reshape_alias_native.h
_reshape_alias_ops.h
_reshape_copy.h
_reshape_copy_compositeexplicitautograd_dispatch.h
_reshape_copy_native.h
_reshape_copy_ops.h
_reshape_from_tensor.h
_reshape_from_tensor_compositeimplicitautograd_dispatch.h
_reshape_from_tensor_native.h
_reshape_from_tensor_ops.h
_resize_output.h
_resize_output_compositeexplicitautograd_dispatch.h
_resize_output_meta_dispatch.h
_resize_output_native.h
_resize_output_ops.h
_rowwise_prune.h
_rowwise_prune_compositeimplicitautograd_dispatch.h
_rowwise_prune_native.h
_rowwise_prune_ops.h
_sample_dirichlet.h
_sample_dirichlet_compositeexplicitautograd_dispatch.h
_sample_dirichlet_cpu_dispatch.h
_sample_dirichlet_cuda_dispatch.h
_sample_dirichlet_native.h
_sample_dirichlet_ops.h
_saturate_weight_to_fp16.h
_saturate_weight_to_fp16_compositeimplicitautograd_dispatch.h
_saturate_weight_to_fp16_native.h
_saturate_weight_to_fp16_ops.h
_scaled_dot_product_attention.h
_scaled_dot_product_attention_compositeimplicitautograd_dispatch.h
_scaled_dot_product_attention_math.h
_scaled_dot_product_attention_math_compositeimplicitautograd_dispatch.h
_scaled_dot_product_attention_math_native.h
_scaled_dot_product_attention_math_ops.h
_scaled_dot_product_attention_native.h
_scaled_dot_product_attention_ops.h
_scaled_dot_product_efficient_attention.h
_scaled_dot_product_efficient_attention_backward.h
_scaled_dot_product_efficient_attention_backward_cuda_dispatch.h
_scaled_dot_product_efficient_attention_backward_native.h
_scaled_dot_product_efficient_attention_backward_ops.h
_scaled_dot_product_efficient_attention_cuda_dispatch.h
_scaled_dot_product_efficient_attention_native.h
_scaled_dot_product_efficient_attention_ops.h
_scaled_dot_product_flash_attention.h
_scaled_dot_product_flash_attention_backward.h
_scaled_dot_product_flash_attention_backward_cuda_dispatch.h
_scaled_dot_product_flash_attention_backward_native.h
_scaled_dot_product_flash_attention_backward_ops.h
_scaled_dot_product_flash_attention_cuda_dispatch.h
_scaled_dot_product_flash_attention_native.h
_scaled_dot_product_flash_attention_ops.h
_segment_reduce_backward.h
_segment_reduce_backward_compositeexplicitautograd_dispatch.h
_segment_reduce_backward_cpu_dispatch.h
_segment_reduce_backward_cuda_dispatch.h
_segment_reduce_backward_native.h

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■ _segment_reduce_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _shape_as_tensor.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _shape_as_tensor_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _shape_as_tensor_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _shape_as_tensor_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward_compositeexplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_forward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_forward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_forward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_forward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _slow_conv2d_forward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_draw.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_draw_compositeimplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_draw_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_draw_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_ff.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_ff_compositeimplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_ff_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_ff_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_initialize_state.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_initialize_state_compositeimplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_initialize_state_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_initialize_state_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_scramble.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_scramble_compositeimplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_scramble_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sobol_engine_scramble_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_backward_data_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _softmax_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_addmm.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_addmm_compositeexplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_addmm_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_addmm_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to_copy.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to_copy_compositeexplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to_copy_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to_copy_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ _sparse_broadcast_to_copy_ops.h

```



```

■■■ _weight_norm_ops.h
■■■ abs.h
■■■ abs_compositeexplicitautograd_dispatch.h
■■■ abs_cpu_dispatch.h
■■■ abs_cuda_dispatch.h
■■■ abs_native.h
■■■ abs_ops.h
■■■ absolute.h
■■■ absolute_compositeimplicitautograd_dispatch.h
■■■ absolute_native.h
■■■ absolute_ops.h
■■■ acos.h
■■■ acos_compositeexplicitautogradnonfunctional_dispatch.h
■■■ acos_cpu_dispatch.h
■■■ acos_cuda_dispatch.h
■■■ acos_meta.h
■■■ acos_meta_dispatch.h
■■■ acos_native.h
■■■ acos_ops.h
■■■ acosh.h
■■■ acosh_compositeexplicitautogradnonfunctional_dispatch.h
■■■ acosh_cpu_dispatch.h
■■■ acosh_cuda_dispatch.h
■■■ acosh_meta.h
■■■ acosh_meta_dispatch.h
■■■ acosh_native.h
■■■ acosh_ops.h
■■■ adaptive_avg_pool1d.h
■■■ adaptive_avg_pool1d_compositeimplicitautograd_dispatch.h
■■■ adaptive_avg_pool1d_native.h
■■■ adaptive_avg_pool1d_ops.h
■■■ adaptive_avg_pool2d.h
■■■ adaptive_avg_pool2d_compositeimplicitautograd_dispatch.h
■■■ adaptive_avg_pool2d_cpu_dispatch.h
■■■ adaptive_avg_pool2d_cuda_dispatch.h
■■■ adaptive_avg_pool2d_native.h
■■■ adaptive_avg_pool2d_ops.h
■■■ adaptive_avg_pool3d.h
■■■ adaptive_avg_pool3d_backward.h
■■■ adaptive_avg_pool3d_backward_cpu_dispatch.h
■■■ adaptive_avg_pool3d_backward_cuda_dispatch.h
■■■ adaptive_avg_pool3d_backward_native.h
■■■ adaptive_avg_pool3d_backward_ops.h
■■■ adaptive_avg_pool3d_compositeimplicitautograd_dispatch.h
■■■ adaptive_avg_pool3d_cpu_dispatch.h
■■■ adaptive_avg_pool3d_cuda_dispatch.h
■■■ adaptive_avg_pool3d_native.h
■■■ adaptive_avg_pool3d_ops.h
■■■ adaptive_max_pool1d.h
■■■ adaptive_max_pool1d_compositeimplicitautograd_dispatch.h
■■■ adaptive_max_pool1d_native.h
■■■ adaptive_max_pool1d_ops.h
■■■ adaptive_max_pool2d.h
■■■ adaptive_max_pool2d_backward.h
■■■ adaptive_max_pool2d_backward_compositeexplicitautogradn
■■■ adaptive_max_pool2d_backward_cpu_dispatch.h
■■■ adaptive_max_pool2d_backward_cuda_dispatch.h
■■■ adaptive_max_pool2d_backward_meta.h

```

[illegible]

```

addmm_compositeexplicitautogradnonfunctional_dispatch.h
addmm_cpu_dispatch.h
addmm_cuda_dispatch.h
addmm_meta.h
addmm_meta_dispatch.h
addmm_native.h
addmm_ops.h
addmv.h
addmv_compositeexplicitautogradnonfunctional_dispatch.h
addmv_cpu_dispatch.h
addmv_cuda_dispatch.h
addmv_meta.h
addmv_meta_dispatch.h
addmv_native.h
addmv_ops.h
addr.h
addr_compositeexplicitautograd_dispatch.h
addr_cpu_dispatch.h
addr_cuda_dispatch.h
addr_native.h
addr_ops.h
adjoint.h
adjoint_compositeimplicitautograd_dispatch.h
adjoint_native.h
adjoint_ops.h
affine_grid_generator.h
affine_grid_generator_backward.h
affine_grid_generator_backward_compositeimplicitautogra
affine_grid_generator_backward_native.h
affine_grid_generator_backward_ops.h
affine_grid_generator_compositeexplicitautograd_dispatc
affine_grid_generator_native.h
affine_grid_generator_ops.h
alias.h
alias_compositeexplicitautograd_dispatch.h
alias_copy.h
alias_copy_compositeexplicitautograd_dispatch.h
alias_copy_compositeexplicitautogradnonfunctional_dispa
alias_copy_native.h
alias_copy_ops.h
alias_native.h
alias_ops.h
align_as.h
align_as_compositeimplicitautograd_dispatch.h
align_as_native.h
align_as_ops.h
align_tensors.h
align_tensors_compositeimplicitautograd_dispatch.h
align_tensors_native.h
align_tensors_ops.h
align_to.h
align_to_compositeimplicitautograd_dispatch.h
align_to_native.h
align_to_ops.h
all.h
all_compositeexplicitautogradnonfunctional_dispatch.h
all_compositeimplicitautograd_dispatch.h
all_cpu_dispatch.h

```

■	■	■	■	■	■	■	■	■■■	all_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	all_meta.h
■	■	■	■	■	■	■	■	■■■	all_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	all_native.h
■	■	■	■	■	■	■	■	■■■	all_ops.h
■	■	■	■	■	■	■	■	■■■	allclose.h
■	■	■	■	■	■	■	■	■■■	allclose_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	allclose_native.h
■	■	■	■	■	■	■	■	■■■	allclose_ops.h
■	■	■	■	■	■	■	■	■■■	alpha_dropout.h
■	■	■	■	■	■	■	■	■■■	alpha_dropout_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	alpha_dropout_native.h
■	■	■	■	■	■	■	■	■■■	alpha_dropout_ops.h
■	■	■	■	■	■	■	■	■■■	amax.h
■	■	■	■	■	■	■	■	■■■	amax_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	amax_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	amax_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	amax_meta.h
■	■	■	■	■	■	■	■	■■■	amax_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	amax_native.h
■	■	■	■	■	■	■	■	■■■	amax_ops.h
■	■	■	■	■	■	■	■	■■■	amin.h
■	■	■	■	■	■	■	■	■■■	amin_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	amin_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	amin_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	amin_meta.h
■	■	■	■	■	■	■	■	■■■	amin_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	amin_native.h
■	■	■	■	■	■	■	■	■■■	amin_ops.h
■	■	■	■	■	■	■	■	■■■	aminmax.h
■	■	■	■	■	■	■	■	■■■	aminmax_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	aminmax_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	aminmax_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	aminmax_meta.h
■	■	■	■	■	■	■	■	■■■	aminmax_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	aminmax_native.h
■	■	■	■	■	■	■	■	■■■	aminmax_ops.h
■	■	■	■	■	■	■	■	■■■	and.h
■	■	■	■	■	■	■	■	■■■	and_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	and_native.h
■	■	■	■	■	■	■	■	■■■	and_ops.h
■	■	■	■	■	■	■	■	■■■	angle.h
■	■	■	■	■	■	■	■	■■■	angle_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	angle_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	angle_native.h
■	■	■	■	■	■	■	■	■■■	angle_ops.h
■	■	■	■	■	■	■	■	■■■	any.h
■	■	■	■	■	■	■	■	■■■	any_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	any_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	any_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	any_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	any_meta.h
■	■	■	■	■	■	■	■	■■■	any_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	any_native.h
■	■	■	■	■	■	■	■	■■■	any_ops.h
■	■	■	■	■	■	■	■	■■■	arange.h
■	■	■	■	■	■	■	■	■■■	arange_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	arange_cpu_dispatch.h


```

███ argwhere_ops.h
███ as_strided.h
███ as_strided_compositeexplicitautogradnonfunctional_dispatch.h
███ as_strided_copy.h
███ as_strided_copy_compositeexplicitautograd_dispatch.h
███ as_strided_copy_compositeexplicitautogradnonfunctional_dispatch.h
███ as_strided_copy_native.h
███ as_strided_copy_ops.h
███ as_strided_cpu_dispatch.h
███ as_strided_cuda_dispatch.h
███ as_strided_meta_dispatch.h
███ as_strided_native.h
███ as_strided_ops.h
███ as_strided_scatter.h
███ as_strided_scatter_compositeexplicitautograd_dispatch.h
███ as_strided_scatter_native.h
███ as_strided_scatter_ops.h
███ asin.h
███ asin_compositeexplicitautogradnonfunctional_dispatch.h
███ asin_cpu_dispatch.h
███ asin_cuda_dispatch.h
███ asin_meta.h
███ asin_meta_dispatch.h
███ asin_native.h
███ asin_ops.h
███ asinh.h
███ asinh_compositeexplicitautogradnonfunctional_dispatch.h
███ asinh_cpu_dispatch.h
███ asinh_cuda_dispatch.h
███ asinh_meta.h
███ asinh_meta_dispatch.h
███ asinh_native.h
███ asinh_ops.h
███ atan.h
███ atan2.h
███ atan2_compositeexplicitautogradnonfunctional_dispatch.h
███ atan2_cpu_dispatch.h
███ atan2_cuda_dispatch.h
███ atan2_meta.h
███ atan2_meta_dispatch.h
███ atan2_native.h
███ atan2_ops.h
███ atan_compositeexplicitautogradnonfunctional_dispatch.h
███ atan_cpu_dispatch.h
███ atan_cuda_dispatch.h
███ atan_meta.h
███ atan_meta_dispatch.h
███ atan_native.h
███ atan_ops.h
███ atanh.h
███ atanh_compositeexplicitautogradnonfunctional_dispatch.h
███ atanh_cpu_dispatch.h
███ atanh_cuda_dispatch.h
███ atanh_meta.h
███ atanh_meta_dispatch.h
███ atanh_native.h
███ atanh_ops.h
███ atleast_1d.h

```


[illegible]

■	■	■	■	■	■	■	■■■■	bitwise_right_shift_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_right_shift_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_right_shift_cpu_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_right_shift_cuda_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_right_shift_meta.h
■	■	■	■	■	■	■	■■■■	bitwise_right_shift_meta_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_right_shift_native.h
■	■	■	■	■	■	■	■■■■	bitwise_right_shift_ops.h
■	■	■	■	■	■	■	■■■■	bitwise_xor.h
■	■	■	■	■	■	■	■■■■	bitwise_xor_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_xor_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_xor_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_xor_cpu_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_xor_cuda_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_xor_meta.h
■	■	■	■	■	■	■	■■■■	bitwise_xor_meta_dispatch.h
■	■	■	■	■	■	■	■■■■	bitwise_xor_native.h
■	■	■	■	■	■	■	■■■■	bitwise_xor_ops.h
■	■	■	■	■	■	■	■■■■	blackman_window.h
■	■	■	■	■	■	■	■■■■	blackman_window_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■■■■	blackman_window_native.h
■	■	■	■	■	■	■	■■■■	blackman_window_ops.h
■	■	■	■	■	■	■	■■■■	block_diag.h
■	■	■	■	■	■	■	■■■■	block_diag_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■■■■	block_diag_native.h
■	■	■	■	■	■	■	■■■■	block_diag_ops.h
■	■	■	■	■	■	■	■■■■	bmm.h
■	■	■	■	■	■	■	■■■■	bmm_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■■■■	bmm_cpu_dispatch.h
■	■	■	■	■	■	■	■■■■	bmm_cuda_dispatch.h
■	■	■	■	■	■	■	■■■■	bmm_meta.h
■	■	■	■	■	■	■	■■■■	bmm_meta_dispatch.h
■	■	■	■	■	■	■	■■■■	bmm_native.h
■	■	■	■	■	■	■	■■■■	bmm_ops.h
■	■	■	■	■	■	■	■■■■	broadcast_tensors.h
■	■	■	■	■	■	■	■■■■	broadcast_tensors_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■■■■	broadcast_tensors_native.h
■	■	■	■	■	■	■	■■■■	broadcast_tensors_ops.h
■	■	■	■	■	■	■	■■■■	broadcast_to.h
■	■	■	■	■	■	■	■■■■	broadcast_to_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■■■■	broadcast_to_native.h
■	■	■	■	■	■	■	■■■■	broadcast_to_ops.h
■	■	■	■	■	■	■	■■■■	bucketize.h
■	■	■	■	■	■	■	■■■■	bucketize_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■■■■	bucketize_cpu_dispatch.h
■	■	■	■	■	■	■	■■■■	bucketize_cuda_dispatch.h
■	■	■	■	■	■	■	■■■■	bucketize_native.h
■	■	■	■	■	■	■	■■■■	bucketize_ops.h
■	■	■	■	■	■	■	■■■■	can_cast.h
■	■	■	■	■	■	■	■■■■	can_cast_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■■■■	can_cast_native.h
■	■	■	■	■	■	■	■■■■	can_cast_ops.h
■	■	■	■	■	■	■	■■■■	cartesian_prod.h
■	■	■	■	■	■	■	■■■■	cartesian_prod_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■■■■	cartesian_prod_native.h
■	■	■	■	■	■	■	■■■■	cartesian_prod_ops.h
■	■	■	■	■	■	■	■■■■	cat.h
■	■	■	■	■	■	■	■■■■	cat_compositeexplicitautogradnonfunctional_dispatch.h

■	■	■	■	■	■	■	■	■■■	cat_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cat_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cat_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cat_meta.h
■	■	■	■	■	■	■	■	■■■	cat_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cat_native.h
■	■	■	■	■	■	■	■	■■■	cat_ops.h
■	■	■	■	■	■	■	■	■■■	cauchy.h
■	■	■	■	■	■	■	■	■■■	cauchy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cauchy_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cauchy_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cauchy_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cauchy_native.h
■	■	■	■	■	■	■	■	■■■	cauchy_ops.h
■	■	■	■	■	■	■	■	■■■	ccol_indices.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_copy.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_copy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_copy_native.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_copy_ops.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_native.h
■	■	■	■	■	■	■	■	■■■	ccol_indices_ops.h
■	■	■	■	■	■	■	■	■■■	cdist.h
■	■	■	■	■	■	■	■	■■■	cdist_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cdist_native.h
■	■	■	■	■	■	■	■	■■■	cdist_ops.h
■	■	■	■	■	■	■	■	■■■	ceil.h
■	■	■	■	■	■	■	■	■■■	ceil_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	ceil_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	ceil_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	ceil_meta.h
■	■	■	■	■	■	■	■	■■■	ceil_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	ceil_native.h
■	■	■	■	■	■	■	■	■■■	ceil_ops.h
■	■	■	■	■	■	■	■	■■■	celu.h
■	■	■	■	■	■	■	■	■■■	celu_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	celu_native.h
■	■	■	■	■	■	■	■	■■■	celu_ops.h
■	■	■	■	■	■	■	■	■■■	chain_matmul.h
■	■	■	■	■	■	■	■	■■■	chain_matmul_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	chain_matmul_native.h
■	■	■	■	■	■	■	■	■■■	chain_matmul_ops.h
■	■	■	■	■	■	■	■	■■■	chalf.h
■	■	■	■	■	■	■	■	■■■	chalf_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	chalf_native.h
■	■	■	■	■	■	■	■	■■■	chalf_ops.h
■	■	■	■	■	■	■	■	■■■	channel_shuffle.h
■	■	■	■	■	■	■	■	■■■	channel_shuffle_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	channel_shuffle_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	channel_shuffle_native.h
■	■	■	■	■	■	■	■	■■■	channel_shuffle_ops.h
■	■	■	■	■	■	■	■	■■■	cholesky.h
■	■	■	■	■	■	■	■	■■■	cholesky_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cholesky_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cholesky_inverse.h
■	■	■	■	■	■	■	■	■■■	cholesky_inverse_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cholesky_inverse_cuda_dispatch.h

[illegible]


```

■■■ conv3d_compositeimplicitautograd_dispatch.h
■■■ conv3d_native.h
■■■ conv3d_ops.h
■■■ conv_depthwise3d.h
■■■ conv_depthwise3d_compositeexplicitautograd_dispatch.h
■■■ conv_depthwise3d_cuda_dispatch.h
■■■ conv_depthwise3d_native.h
■■■ conv_depthwise3d_ops.h
■■■ conv_tbc.h
■■■ conv_tbc_backward.h
■■■ conv_tbc_backward_compositeimplicitautograd_dispatch.h
■■■ conv_tbc_backward_native.h
■■■ conv_tbc_backward_ops.h
■■■ conv_tbc_compositeexplicitautograd_dispatch.h
■■■ conv_tbc_native.h
■■■ conv_tbc_ops.h
■■■ conv_transpose1d.h
■■■ conv_transpose1d_compositeimplicitautograd_dispatch.h
■■■ conv_transpose1d_native.h
■■■ conv_transpose1d_ops.h
■■■ conv_transpose2d.h
■■■ conv_transpose2d_compositeimplicitautograd_dispatch.h
■■■ conv_transpose2d_native.h
■■■ conv_transpose2d_ops.h
■■■ conv_transpose3d.h
■■■ conv_transpose3d_compositeimplicitautograd_dispatch.h
■■■ conv_transpose3d_native.h
■■■ conv_transpose3d_ops.h
■■■ convolution.h
■■■ convolution_backward.h
■■■ convolution_backward_compositeexplicitautograd_dispatch.h
■■■ convolution_backward_cuda_dispatch.h
■■■ convolution_backward_native.h
■■■ convolution_backward_ops.h
■■■ convolution_backward_overrideable.h
■■■ convolution_backward_overrideable_compositeexplicitauto
■■■ convolution_backward_overrideable_native.h
■■■ convolution_backward_overrideable_ops.h
■■■ convolution_compositeexplicitautograd_dispatch.h
■■■ convolution_native.h
■■■ convolution_ops.h
■■■ convolution_overrideable.h
■■■ convolution_overrideable_compositeexplicitautograd_disp
■■■ convolution_overrideable_native.h
■■■ convolution_overrideable_ops.h
■■■ copy.h
■■■ copy_compositeexplicitautograd_dispatch.h
■■■ copy_compositeexplicitautogradnonfunctional_dispatch.h
■■■ copy_native.h
■■■ copy_ops.h
■■■ copy_sparse_to_sparse.h
■■■ copy_sparse_to_sparse_compositeexplicitautograd_dispatc
■■■ copy_sparse_to_sparse_meta_dispatch.h
■■■ copy_sparse_to_sparse_native.h
■■■ copy_sparse_to_sparse_ops.h
■■■ copysign.h
■■■ copysign_compositeexplicitautograd_dispatch.h
■■■ copysign_compositeexplicitautogradnonfunctional_dispatc

```

■	■	■	■	■	■	■	■	■■■	copysign_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	copysign_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	copysign_meta.h
■	■	■	■	■	■	■	■	■■■	copysign_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	copysign_native.h
■	■	■	■	■	■	■	■	■■■	copysign_ops.h
■	■	■	■	■	■	■	■	■■■	corrcoef.h
■	■	■	■	■	■	■	■	■■■	corrcoef_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	corrcoef_native.h
■	■	■	■	■	■	■	■	■■■	corrcoef_ops.h
■	■	■	■	■	■	■	■	■■■	cos.h
■	■	■	■	■	■	■	■	■■■	cos_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	cos_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cos_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cos_meta.h
■	■	■	■	■	■	■	■	■■■	cos_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cos_native.h
■	■	■	■	■	■	■	■	■■■	cos_ops.h
■	■	■	■	■	■	■	■	■■■	cosh.h
■	■	■	■	■	■	■	■	■■■	cosh_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosh_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosh_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosh_meta.h
■	■	■	■	■	■	■	■	■■■	cosh_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosh_native.h
■	■	■	■	■	■	■	■	■■■	cosh_ops.h
■	■	■	■	■	■	■	■	■■■	cosine_embedding_loss.h
■	■	■	■	■	■	■	■	■■■	cosine_embedding_loss_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosine_embedding_loss_native.h
■	■	■	■	■	■	■	■	■■■	cosine_embedding_loss_ops.h
■	■	■	■	■	■	■	■	■■■	cosine_similarity.h
■	■	■	■	■	■	■	■	■■■	cosine_similarity_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cosine_similarity_native.h
■	■	■	■	■	■	■	■	■■■	cosine_similarity_ops.h
■	■	■	■	■	■	■	■	■■■	count_nonzero.h
■	■	■	■	■	■	■	■	■■■	count_nonzero_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	count_nonzero_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	count_nonzero_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	count_nonzero_native.h
■	■	■	■	■	■	■	■	■■■	count_nonzero_ops.h
■	■	■	■	■	■	■	■	■■■	cov.h
■	■	■	■	■	■	■	■	■■■	cov_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cov_native.h
■	■	■	■	■	■	■	■	■■■	cov_ops.h
■	■	■	■	■	■	■	■	■■■	cross.h
■	■	■	■	■	■	■	■	■■■	cross_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cross_entropy_loss.h
■	■	■	■	■	■	■	■	■■■	cross_entropy_loss_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cross_entropy_loss_native.h
■	■	■	■	■	■	■	■	■■■	cross_entropy_loss_ops.h
■	■	■	■	■	■	■	■	■■■	cross_native.h
■	■	■	■	■	■	■	■	■■■	cross_ops.h
■	■	■	■	■	■	■	■	■■■	crow_indices.h
■	■	■	■	■	■	■	■	■■■	crow_indices_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	crow_indices_copy.h
■	■	■	■	■	■	■	■	■■■	crow_indices_copy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	crow_indices_copy_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	crow_indices_copy_native.h

[illegible]

■	■	■	■	■	■	■	■	■■■	cudnn_is_acceptable_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cudnn_is_acceptable_native.h
■	■	■	■	■	■	■	■	■■■	cudnn_is_acceptable_ops.h
■	■	■	■	■	■	■	■	■■■	cummax.h
■	■	■	■	■	■	■	■	■■■	cummax_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cummax_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cummax_native.h
■	■	■	■	■	■	■	■	■■■	cummax_ops.h
■	■	■	■	■	■	■	■	■■■	cummaxmin_backward.h
■	■	■	■	■	■	■	■	■■■	cummaxmin_backward_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cummaxmin_backward_native.h
■	■	■	■	■	■	■	■	■■■	cummaxmin_backward_ops.h
■	■	■	■	■	■	■	■	■■■	cummin.h
■	■	■	■	■	■	■	■	■■■	cummin_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cummin_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cummin_native.h
■	■	■	■	■	■	■	■	■■■	cummin_ops.h
■	■	■	■	■	■	■	■	■■■	cumprod.h
■	■	■	■	■	■	■	■	■■■	cumprod_backward.h
■	■	■	■	■	■	■	■	■■■	cumprod_backward_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_backward_native.h
■	■	■	■	■	■	■	■	■■■	cumprod_backward_ops.h
■	■	■	■	■	■	■	■	■■■	cumprod_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_meta.h
■	■	■	■	■	■	■	■	■■■	cumprod_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumprod_native.h
■	■	■	■	■	■	■	■	■■■	cumprod_ops.h
■	■	■	■	■	■	■	■	■■■	cumsum.h
■	■	■	■	■	■	■	■	■■■	cumsum_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumsum_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumsum_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumsum_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumsum_meta.h
■	■	■	■	■	■	■	■	■■■	cumsum_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumsum_native.h
■	■	■	■	■	■	■	■	■■■	cumsum_ops.h
■	■	■	■	■	■	■	■	■■■	cumulative_trapezoid.h
■	■	■	■	■	■	■	■	■■■	cumulative_trapezoid_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	cumulative_trapezoid_native.h
■	■	■	■	■	■	■	■	■■■	cumulative_trapezoid_ops.h
■	■	■	■	■	■	■	■	■■■	data.h
■	■	■	■	■	■	■	■	■■■	data_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	data_native.h
■	■	■	■	■	■	■	■	■■■	data_ops.h
■	■	■	■	■	■	■	■	■■■	deg2rad.h
■	■	■	■	■	■	■	■	■■■	deg2rad_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	deg2rad_native.h
■	■	■	■	■	■	■	■	■■■	deg2rad_ops.h
■	■	■	■	■	■	■	■	■■■	dense_dim.h
■	■	■	■	■	■	■	■	■■■	dense_dim_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	dense_dim_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	dense_dim_native.h
■	■	■	■	■	■	■	■	■■■	dense_dim_ops.h
■	■	■	■	■	■	■	■	■■■	dequantize.h
■	■	■	■	■	■	■	■	■■■	dequantize_compositeexplicitautograd_dispatch.h

[illegible]

```

■■■ digamma_native.h
■■■ digamma_ops.h
■■■ dist.h
■■■ dist_compositeexplicitautograd_dispatch.h
■■■ dist_native.h
■■■ dist_ops.h
■■■ div.h
■■■ div_compositeexplicitautograd_dispatch.h
■■■ div_compositeexplicitautogradnonfunctional_dispatch.h
■■■ div_cpu_dispatch.h
■■■ div_cuda_dispatch.h
■■■ div_meta.h
■■■ div_meta_dispatch.h
■■■ div_native.h
■■■ div_ops.h
■■■ divide.h
■■■ divide_compositeimplicitautograd_dispatch.h
■■■ divide_native.h
■■■ divide_ops.h
■■■ dot.h
■■■ dot_compositeexplicitautograd_dispatch.h
■■■ dot_cpu_dispatch.h
■■■ dot_cuda_dispatch.h
■■■ dot_native.h
■■■ dot_ops.h
■■■ dropout.h
■■■ dropout_compositeimplicitautograd_dispatch.h
■■■ dropout_native.h
■■■ dropout_ops.h
■■■ dsplit.h
■■■ dsplit_compositeimplicitautograd_dispatch.h
■■■ dsplit_native.h
■■■ dsplit_ops.h
■■■ dstack.h
■■■ dstack_compositeimplicitautograd_dispatch.h
■■■ dstack_native.h
■■■ dstack_ops.h
■■■ einsum.h
■■■ einsum_compositeimplicitautograd_dispatch.h
■■■ einsum_native.h
■■■ einsum_ops.h
■■■ elu.h
■■■ elu_backward.h
■■■ elu_backward_compositeexplicitautogradnonfunctional_dis
■■■ elu_backward_cpu_dispatch.h
■■■ elu_backward_cuda_dispatch.h
■■■ elu_backward_meta.h
■■■ elu_backward_meta_dispatch.h
■■■ elu_backward_native.h
■■■ elu_backward_ops.h
■■■ elu_compositeexplicitautogradnonfunctional_dispatch.h
■■■ elu_cpu_dispatch.h
■■■ elu_cuda_dispatch.h
■■■ elu_meta.h
■■■ elu_meta_dispatch.h
■■■ elu_native.h
■■■ elu_ops.h
■■■ embeddingq.h

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ eq_ops.h
■ ■ ■ ■ equal.h
■ ■ ■ ■ equal_cpu_dispatch.h
■ ■ ■ ■ equal_cuda_dispatch.h
■ ■ ■ ■ equal_native.h
■ ■ ■ ■ equal_ops.h
■ ■ ■ ■ erf.h
■ ■ ■ ■ erf_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ erf_cpu_dispatch.h
■ ■ ■ ■ erf_cuda_dispatch.h
■ ■ ■ ■ erf_meta.h
■ ■ ■ ■ erf_meta_dispatch.h
■ ■ ■ ■ erf_native.h
■ ■ ■ ■ erf_ops.h
■ ■ ■ ■ erfc.h
■ ■ ■ ■ erfc_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ erfc_cpu_dispatch.h
■ ■ ■ ■ erfc_cuda_dispatch.h
■ ■ ■ ■ erfc_meta.h
■ ■ ■ ■ erfc_meta_dispatch.h
■ ■ ■ ■ erfc_native.h
■ ■ ■ ■ erfc_ops.h
■ ■ ■ ■ erfinv.h
■ ■ ■ ■ erfinv_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ erfinv_cpu_dispatch.h
■ ■ ■ ■ erfinv_cuda_dispatch.h
■ ■ ■ ■ erfinv_meta.h
■ ■ ■ ■ erfinv_meta_dispatch.h
■ ■ ■ ■ erfinv_native.h
■ ■ ■ ■ erfinv_ops.h
■ ■ ■ ■ exp.h
■ ■ ■ ■ exp2.h
■ ■ ■ ■ exp2_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ exp2_cpu_dispatch.h
■ ■ ■ ■ exp2_cuda_dispatch.h
■ ■ ■ ■ exp2_meta.h
■ ■ ■ ■ exp2_meta_dispatch.h
■ ■ ■ ■ exp2_native.h
■ ■ ■ ■ exp2_ops.h
■ ■ ■ ■ exp_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ exp_cpu_dispatch.h
■ ■ ■ ■ exp_cuda_dispatch.h
■ ■ ■ ■ exp_meta.h
■ ■ ■ ■ exp_meta_dispatch.h
■ ■ ■ ■ exp_native.h
■ ■ ■ ■ exp_ops.h
■ ■ ■ ■ expand.h
■ ■ ■ ■ expand_as.h
■ ■ ■ ■ expand_as_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ expand_as_native.h
■ ■ ■ ■ expand_as_ops.h
■ ■ ■ ■ expand_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ expand_copy.h
■ ■ ■ ■ expand_copy_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ expand_copy_compositeexplicitautogradnonfunctional_disp
■ ■ ■ ■ expand_copy_native.h
■ ■ ■ ■ expand_copy_ops.h
■ ■ ■ ■ expand_native.h

```


[illegible]


```
fmax_compositeexplicitautogradnonfunctional_dispatch.h
fmax_cpu_dispatch.h
fmax_cuda_dispatch.h
fmax_meta.h
fmax_meta_dispatch.h
fmax_native.h
fmax_ops.h
fmin.h
fmin_compositeexplicitautogradnonfunctional_dispatch.h
fmin_cpu_dispatch.h
fmin_cuda_dispatch.h
fmin_meta.h
fmin_meta_dispatch.h
fmin_native.h
fmin_ops.h
fmod.h
fmod_compositeexplicitautograd_dispatch.h
fmod_compositeexplicitautogradnonfunctional_dispatch.h
fmod_cpu_dispatch.h
fmod_cuda_dispatch.h
fmod_meta.h
fmod_meta_dispatch.h
fmod_native.h
fmod_ops.h
frac.h
frac_compositeexplicitautogradnonfunctional_dispatch.h
frac_cpu_dispatch.h
frac_cuda_dispatch.h
frac_meta.h
frac_meta_dispatch.h
frac_native.h
frac_ops.h
fractional_max_pool2d.h
fractional_max_pool2d_backward.h
fractional_max_pool2d_backward_compositeexplicitautogra
fractional_max_pool2d_backward_cpu_dispatch.h
fractional_max_pool2d_backward_cuda_dispatch.h
fractional_max_pool2d_backward_meta.h
fractional_max_pool2d_backward_meta_dispatch.h
fractional_max_pool2d_backward_native.h
fractional_max_pool2d_backward_ops.h
fractional_max_pool2d_compositeexplicitautogradnonfunct
fractional_max_pool2d_cpu_dispatch.h
fractional_max_pool2d_cuda_dispatch.h
fractional_max_pool2d_meta.h
fractional_max_pool2d_meta_dispatch.h
fractional_max_pool2d_native.h
fractional_max_pool2d_ops.h
fractional_max_pool3d.h
fractional_max_pool3d_backward.h
fractional_max_pool3d_backward_cpu_dispatch.h
fractional_max_pool3d_backward_cuda_dispatch.h
fractional_max_pool3d_backward_native.h
fractional_max_pool3d_backward_ops.h
fractional_max_pool3d_compositeexplicitautogradnonfunct
fractional_max_pool3d_cpu_dispatch.h
fractional_max_pool3d_cuda_dispatch.h
fractional_max_pool3d_meta.h
```

■	■	■	■	■	■	■	■	■■■	fractional_max_pool3d_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	fractional_max_pool3d_native.h
■	■	■	■	■	■	■	■	■■■	fractional_max_pool3d_ops.h
■	■	■	■	■	■	■	■	■■■	frexp.h
■	■	■	■	■	■	■	■	■■■	frexp_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	frexp_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	frexp_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	frexp_native.h
■	■	■	■	■	■	■	■	■■■	frexp_ops.h
■	■	■	■	■	■	■	■	■■■	frobenius_norm.h
■	■	■	■	■	■	■	■	■■■	frobenius_norm_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	frobenius_norm_native.h
■	■	■	■	■	■	■	■	■■■	frobenius_norm_ops.h
■	■	■	■	■	■	■	■	■■■	from_blob.h
■	■	■	■	■	■	■	■	■■■	from_file.h
■	■	■	■	■	■	■	■	■■■	from_file_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	from_file_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	from_file_native.h
■	■	■	■	■	■	■	■	■■■	from_file_ops.h
■	■	■	■	■	■	■	■	■■■	full.h
■	■	■	■	■	■	■	■	■■■	full_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	full_like.h
■	■	■	■	■	■	■	■	■■■	full_like_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	full_like_native.h
■	■	■	■	■	■	■	■	■■■	full_like_ops.h
■	■	■	■	■	■	■	■	■■■	full_native.h
■	■	■	■	■	■	■	■	■■■	full_ops.h
■	■	■	■	■	■	■	■	■■■	fused_moving_avg_obs_fake_quant.h
■	■	■	■	■	■	■	■	■■■	fused_moving_avg_obs_fake_quant_compositeimplicitautogr
■	■	■	■	■	■	■	■	■■■	fused_moving_avg_obs_fake_quant_native.h
■	■	■	■	■	■	■	■	■■■	fused_moving_avg_obs_fake_quant_ops.h
■	■	■	■	■	■	■	■	■■■	gather.h
■	■	■	■	■	■	■	■	■■■	gather_backward.h
■	■	■	■	■	■	■	■	■■■	gather_backward_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_backward_native.h
■	■	■	■	■	■	■	■	■■■	gather_backward_ops.h
■	■	■	■	■	■	■	■	■■■	gather_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_meta.h
■	■	■	■	■	■	■	■	■■■	gather_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	gather_native.h
■	■	■	■	■	■	■	■	■■■	gather_ops.h
■	■	■	■	■	■	■	■	■■■	gcd.h
■	■	■	■	■	■	■	■	■■■	gcd_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	gcd_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	gcd_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	gcd_meta.h
■	■	■	■	■	■	■	■	■■■	gcd_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	gcd_native.h
■	■	■	■	■	■	■	■	■■■	gcd_ops.h
■	■	■	■	■	■	■	■	■■■	ge.h
■	■	■	■	■	■	■	■	■■■	ge_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	ge_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	ge_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	ge_meta.h
■	■	■	■	■	■	■	■	■■■	ge_meta_dispatch.h

```

■ ■ ■ ■ ■ ■ ■ ge_native.h
■ ■ ■ ■ ■ ■ ■ ge_ops.h
■ ■ ■ ■ ■ ■ ■ gelu.h
■ ■ ■ ■ ■ ■ ■ gelu_backward.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_meta.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_native.h
■ ■ ■ ■ ■ ■ ■ gelu_backward_ops.h
■ ■ ■ ■ ■ ■ ■ gelu_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_meta.h
■ ■ ■ ■ ■ ■ ■ gelu_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ gelu_native.h
■ ■ ■ ■ ■ ■ ■ gelu_ops.h
■ ■ ■ ■ ■ ■ ■ geometric.h
■ ■ ■ ■ ■ ■ ■ geometric_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ geometric_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ geometric_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ geometric_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ geometric_native.h
■ ■ ■ ■ ■ ■ ■ geometric_ops.h
■ ■ ■ ■ ■ ■ ■ geqrf.h
■ ■ ■ ■ ■ ■ ■ geqrf_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ geqrf_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ geqrf_native.h
■ ■ ■ ■ ■ ■ ■ geqrf_ops.h
■ ■ ■ ■ ■ ■ ■ ger.h
■ ■ ■ ■ ■ ■ ■ ger_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ger_native.h
■ ■ ■ ■ ■ ■ ■ ger_ops.h
■ ■ ■ ■ ■ ■ ■ glu.h
■ ■ ■ ■ ■ ■ ■ glu_backward.h
■ ■ ■ ■ ■ ■ ■ glu_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp_native.h
■ ■ ■ ■ ■ ■ ■ glu_backward_jvp_ops.h
■ ■ ■ ■ ■ ■ ■ glu_backward_native.h
■ ■ ■ ■ ■ ■ ■ glu_backward_ops.h
■ ■ ■ ■ ■ ■ ■ glu_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_jvp.h
■ ■ ■ ■ ■ ■ ■ glu_jvp_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_jvp_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_jvp_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_jvp_native.h
■ ■ ■ ■ ■ ■ ■ glu_jvp_ops.h
■ ■ ■ ■ ■ ■ ■ glu_meta.h
■ ■ ■ ■ ■ ■ ■ glu_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ glu_native.h

```

```

█ █ █ █ █ █ █ █ █ glu_ops.h
█ █ █ █ █ █ █ █ █ gradient.h
█ █ █ █ █ █ █ █ █ gradient_compositeimplicitautograd_dispatch.h
█ █ █ █ █ █ █ █ █ gradient_native.h
█ █ █ █ █ █ █ █ █ gradient_ops.h
█ █ █ █ █ █ █ █ █ greater.h
█ █ █ █ █ █ █ █ █ greater_compositeimplicitautograd_dispatch.h
█ █ █ █ █ █ █ █ █ greater_equal.h
█ █ █ █ █ █ █ █ █ greater_equal_compositeimplicitautograd_dispatch.h
█ █ █ █ █ █ █ █ █ greater_equal_native.h
█ █ █ █ █ █ █ █ █ greater_equal_ops.h
█ █ █ █ █ █ █ █ █ greater_native.h
█ █ █ █ █ █ █ █ █ greater_ops.h
█ █ █ █ █ █ █ █ █ grid_sampler.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward_compositeexplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward_cpu_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward_cuda_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward_native.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_backward_ops.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_compositeexplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_cpu_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_cuda_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_native.h
█ █ █ █ █ █ █ █ █ grid_sampler_2d_ops.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward_compositeexplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward_cpu_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward_cuda_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward_native.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_backward_ops.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_compositeexplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_cpu_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_cuda_dispatch.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_native.h
█ █ █ █ █ █ █ █ █ grid_sampler_3d_ops.h
█ █ █ █ █ █ █ █ █ grid_sampler_compositeimplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ grid_sampler_native.h
█ █ █ █ █ █ █ █ █ grid_sampler_ops.h
█ █ █ █ █ █ █ █ █ group_norm.h
█ █ █ █ █ █ █ █ █ group_norm_compositeimplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ group_norm_native.h
█ █ █ █ █ █ █ █ █ group_norm_ops.h
█ █ █ █ █ █ █ █ █ gru.h
█ █ █ █ █ █ █ █ █ gru_cell.h
█ █ █ █ █ █ █ █ █ gru_cell_compositeimplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ gru_cell_native.h
█ █ █ █ █ █ █ █ █ gru_cell_ops.h
█ █ █ █ █ █ █ █ █ gru_compositeimplicitautograd_dispatcher.h
█ █ █ █ █ █ █ █ █ gru_native.h
█ █ █ █ █ █ █ █ █ gru_ops.h
█ █ █ █ █ █ █ █ █ gt.h
█ █ █ █ █ █ █ █ █ gt_compositeexplicitautogradnonfunctional_dispatcher.h
█ █ █ █ █ █ █ █ █ gt_cpu_dispatch.h
█ █ █ █ █ █ █ █ █ gt_cuda_dispatch.h
█ █ █ █ █ █ █ █ █ gt_meta.h

```

[illegible]

■	■	■	■	■	■	■	■	■■■■	hardtanh_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_backward_native.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_backward_ops.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_native.h
■	■	■	■	■	■	■	■	■■■■	hardtanh_ops.h
■	■	■	■	■	■	■	■	■■■■	heaviside.h
■	■	■	■	■	■	■	■	■■■■	heaviside_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	heaviside_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	heaviside_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	heaviside_meta.h
■	■	■	■	■	■	■	■	■■■■	heaviside_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	heaviside_native.h
■	■	■	■	■	■	■	■	■■■■	heaviside_ops.h
■	■	■	■	■	■	■	■	■■■■	hinge_embedding_loss.h
■	■	■	■	■	■	■	■	■■■■	hinge_embedding_loss_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hinge_embedding_loss_native.h
■	■	■	■	■	■	■	■	■■■■	hinge_embedding_loss_ops.h
■	■	■	■	■	■	■	■	■■■■	histc.h
■	■	■	■	■	■	■	■	■■■■	histc_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	histc_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	histc_native.h
■	■	■	■	■	■	■	■	■■■■	histc_ops.h
■	■	■	■	■	■	■	■	■■■■	histogram.h
■	■	■	■	■	■	■	■	■■■■	histogram_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	histogram_native.h
■	■	■	■	■	■	■	■	■■■■	histogram_ops.h
■	■	■	■	■	■	■	■	■■■■	histogramdd.h
■	■	■	■	■	■	■	■	■■■■	histogramdd_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	histogramdd_native.h
■	■	■	■	■	■	■	■	■■■■	histogramdd_ops.h
■	■	■	■	■	■	■	■	■■■■	hsplit.h
■	■	■	■	■	■	■	■	■■■■	hsplit_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hsplit_native.h
■	■	■	■	■	■	■	■	■■■■	hsplit_ops.h
■	■	■	■	■	■	■	■	■■■■	hspmm.h
■	■	■	■	■	■	■	■	■■■■	hspmm_native.h
■	■	■	■	■	■	■	■	■■■■	hspmm_ops.h
■	■	■	■	■	■	■	■	■■■■	hstack.h
■	■	■	■	■	■	■	■	■■■■	hstack_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hstack_native.h
■	■	■	■	■	■	■	■	■■■■	hstack_ops.h
■	■	■	■	■	■	■	■	■■■■	huber_loss.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward_native.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_backward_ops.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_native.h
■	■	■	■	■	■	■	■	■■■■	huber_loss_ops.h
■	■	■	■	■	■	■	■	■■■■	hypot.h
■	■	■	■	■	■	■	■	■■■■	hypot_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	hypot_cpu_dispatch.h

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hypot_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hypot_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hypot_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hypot_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ hypot_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ i0.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ i0_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ i0_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ i0_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ i0_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ i0_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ i0_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ i0_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igamma.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igamma_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igamma_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igamma_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igamma_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igamma_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igamma_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igamma_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igammac.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igammac_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igammac_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igammac_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igammac_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igammac_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igammac_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ igammac_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ im2col.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ im2col_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ im2col_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ im2col_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ im2col_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ imag.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ imag_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ imag_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ imag_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_add.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_add_compositeexplicitautogradnonfunctional_dispatcher
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_add_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_add_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_add_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_add_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_add_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_add_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_add_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_copy.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_copy_compositeexplicitautogradnonfunctional_dispatcher
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_copy_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_copy_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_copy_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_copy_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_copy_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_copy_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_copy_ops.h

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_fill.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_fill_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_fill_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_fill_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_fill_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_fill_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_fill_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_fill_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_put.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_put_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_put_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_put_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_reduce.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_reduce_compositeexplicitautogradnonfunctional_dis
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_reduce_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_reduce_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_reduce_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_reduce_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_reduce_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_reduce_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_select.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_select_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_select_backward_compositeimplicitautograd_dispatc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_select_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_select_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_select_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_select_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_select_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_select_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ index_select_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indices.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indices_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indices_copy.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indices_copy_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indices_copy_compositeexplicitautogradnonfunctional_dis
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indices_copy_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indices_copy_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indices_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ indices_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ infinitely_differentiable_gelu_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ infinitely_differentiable_gelu_backward_compositeimplic
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ infinitely_differentiable_gelu_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ infinitely_differentiable_gelu_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ inner.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ inner_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ inner_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ inner_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ instance_norm.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ instance_norm_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ instance_norm_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ instance_norm_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ int_repr.h

```

```

int_repr_compositeexplicitautograd_dispatch.h
int_repr_native.h
int_repr_ops.h
inverse.h
inverse_compositeimplicitautograd_dispatch.h
inverse_native.h
inverse_ops.h
is_coalesced.h
is_coalesced_compositeexplicitautograd_dispatch.h
is_coalesced_native.h
is_coalesced_ops.h
is_complex.h
is_complex_compositeimplicitautograd_dispatch.h
is_complex_native.h
is_complex_ops.h
is_conj.h
is_conj_compositeimplicitautograd_dispatch.h
is_conj_native.h
is_conj_ops.h
is_distributed.h
is_distributed_compositeimplicitautograd_dispatch.h
is_distributed_native.h
is_distributed_ops.h
is_floating_point.h
is_floating_point_compositeimplicitautograd_dispatch.h
is_floating_point_native.h
is_floating_point_ops.h
is_inference.h
is_inference_compositeimplicitautograd_dispatch.h
is_inference_native.h
is_inference_ops.h
is_leaf.h
is_leaf_compositeimplicitautograd_dispatch.h
is_leaf_native.h
is_leaf_ops.h
is_neg.h
is_neg_compositeimplicitautograd_dispatch.h
is_neg_native.h
is_neg_ops.h
is_nonzero.h
is_nonzero_compositeimplicitautograd_dispatch.h
is_nonzero_native.h
is_nonzero_ops.h
is_pinned.h
is_pinned_compositeexplicitautograd_dispatch.h
is_pinned_cuda_dispatch.h
is_pinned_native.h
is_pinned_ops.h
is_same_size.h
is_same_size_compositeexplicitautograd_dispatch.h
is_same_size_native.h
is_same_size_ops.h
is_set_to.h
is_set_to_cpu_dispatch.h
is_set_to_cuda_dispatch.h
is_set_to_native.h
is_set_to_ops.h
is_signed.h

```


■	■	■	■	■	■	■	■	■■■■	item_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	item_native.h
■	■	■	■	■	■	■	■	■■■■	item_ops.h
■	■	■	■	■	■	■	■	■■■■	kaiser_window.h
■	■	■	■	■	■	■	■	■■■■	kaiser_window_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	kaiser_window_native.h
■	■	■	■	■	■	■	■	■■■■	kaiser_window_ops.h
■	■	■	■	■	■	■	■	■■■■	kl_div.h
■	■	■	■	■	■	■	■	■■■■	kl_div_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	kl_div_native.h
■	■	■	■	■	■	■	■	■■■■	kl_div_ops.h
■	■	■	■	■	■	■	■	■■■■	kron.h
■	■	■	■	■	■	■	■	■■■■	kron_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	kron_native.h
■	■	■	■	■	■	■	■	■■■■	kron_ops.h
■	■	■	■	■	■	■	■	■■■■	kthvalue.h
■	■	■	■	■	■	■	■	■■■■	kthvalue_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	kthvalue_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	kthvalue_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	kthvalue_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	kthvalue_native.h
■	■	■	■	■	■	■	■	■■■■	kthvalue_ops.h
■	■	■	■	■	■	■	■	■■■■	l1_loss.h
■	■	■	■	■	■	■	■	■■■■	l1_loss_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	l1_loss_native.h
■	■	■	■	■	■	■	■	■■■■	l1_loss_ops.h
■	■	■	■	■	■	■	■	■■■■	layer_norm.h
■	■	■	■	■	■	■	■	■■■■	layer_norm_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	layer_norm_native.h
■	■	■	■	■	■	■	■	■■■■	layer_norm_ops.h
■	■	■	■	■	■	■	■	■■■■	lcm.h
■	■	■	■	■	■	■	■	■■■■	lcm_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lcm_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lcm_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lcm_meta.h
■	■	■	■	■	■	■	■	■■■■	lcm_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lcm_native.h
■	■	■	■	■	■	■	■	■■■■	lcm_ops.h
■	■	■	■	■	■	■	■	■■■■	ldexp.h
■	■	■	■	■	■	■	■	■■■■	ldexp_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	ldexp_native.h
■	■	■	■	■	■	■	■	■■■■	ldexp_ops.h
■	■	■	■	■	■	■	■	■■■■	le.h
■	■	■	■	■	■	■	■	■■■■	le_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	le_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	le_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	le_meta.h
■	■	■	■	■	■	■	■	■■■■	le_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	le_native.h
■	■	■	■	■	■	■	■	■■■■	le_ops.h
■	■	■	■	■	■	■	■	■■■■	leaky_relu.h
■	■	■	■	■	■	■	■	■■■■	leaky_relu_backward.h
■	■	■	■	■	■	■	■	■■■■	leaky_relu_backward_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	leaky_relu_backward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	leaky_relu_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	leaky_relu_backward_meta.h
■	■	■	■	■	■	■	■	■■■■	leaky_relu_backward_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	leaky_relu_backward_native.h

```

leaky_relu_backward_ops.h
leaky_relu_compositeexplicitautogradnonfunctional_dispatch.h
leaky_relu_cpu_dispatch.h
leaky_relu_cuda_dispatch.h
leaky_relu_meta.h
leaky_relu_meta_dispatch.h
leaky_relu_native.h
leaky_relu_ops.h
lerp.h
lerp_compositeexplicitautogradnonfunctional_dispatch.h
lerp_cpu_dispatch.h
lerp_cuda_dispatch.h
lerp_meta.h
lerp_meta_dispatch.h
lerp_native.h
lerp_ops.h
less.h
less_compositeimplicitautograd_dispatch.h
less_equal.h
less_equal_compositeimplicitautograd_dispatch.h
less_equal_native.h
less_equal_ops.h
less_native.h
less_ops.h
lgamma.h
lgamma_compositeexplicitautogradnonfunctional_dispatch.h
lgamma_cpu_dispatch.h
lgamma_cuda_dispatch.h
lgamma_meta.h
lgamma_meta_dispatch.h
lgamma_native.h
lgamma_ops.h
lift.h
lift_compositeexplicitautograd_dispatch.h
lift_fresh.h
lift_fresh_compositeexplicitautograd_dispatch.h
lift_fresh_copy.h
lift_fresh_copy_compositeexplicitautograd_dispatch.h
lift_fresh_copy_compositeexplicitautogradnonfunctional_dispatch.h
lift_fresh_copy_native.h
lift_fresh_copy_ops.h
lift_fresh_native.h
lift_fresh_ops.h
lift_native.h
lift_ops.h
linalg_cholesky.h
linalg_cholesky_compositeimplicitautograd_dispatch.h
linalg_cholesky_ex.h
linalg_cholesky_ex_compositeexplicitautogradnonfunctional_dispatch.h
linalg_cholesky_ex_cpu_dispatch.h
linalg_cholesky_ex_cuda_dispatch.h
linalg_cholesky_ex_meta.h
linalg_cholesky_ex_meta_dispatch.h
linalg_cholesky_ex_native.h
linalg_cholesky_ex_ops.h
linalg_cholesky_native.h
linalg_cholesky_ops.h
linalg_cond.h

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ex_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_factor_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_compositeexplicitautogradnonfunctional
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_ldl_solve_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lstsq_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_compositeexplicitautogradnonfunctional_dispat
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_compositeexplicitautogradnonfunctio
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ex_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_factor_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_compositeexplicitautogradnonfunctional_
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_lu_solve_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matmul.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matmul_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matmul_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matmul_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp_native.h

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_exp_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_norm.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_norm_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_norm_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_norm_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_power.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_power_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_power_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_power_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_rank.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_rank_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_rank_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_matrix_rank_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_multi_dot.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_multi_dot_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_multi_dot_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_multi_dot_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_norm.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_norm_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_norm_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_norm_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_pinv_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_qr_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_slogdet.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_slogdet_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_slogdet_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_slogdet_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_ex.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_ex_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_ex_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_ex_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_triangular.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_triangular_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_triangular_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_triangular_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_solve_triangular_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svd.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svd_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svd_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svd_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svdvals.h
■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svdvals_compositeimplicitautograd_dispatcher.h

```



```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svdvals_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_svdvals_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorinv.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorinv_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorinv_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorinv_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorsolve.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorsolve_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorsolve_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_tensorsolve_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vander.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vander_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vander_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vander_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vecdot.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vecdot_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vecdot_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vecdot_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linalg_vector_norm_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_backward_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linear_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ linspace_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log10_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ log1p_native.h

```

```

log1p_ops.h
log2.h
log2_compositeexplicitautogradnonfunctional_dispatch.h
log2_cpu_dispatch.h
log2_cuda_dispatch.h
log2_meta.h
log2_meta_dispatch.h
log2_native.h
log2_ops.h
log_compositeexplicitautogradnonfunctional_dispatch.h
log_cpu_dispatch.h
log_cuda_dispatch.h
log_meta.h
log_meta_dispatch.h
log_native.h
log_normal.h
log_normal_compositeexplicitautograd_dispatch.h
log_normal_cpu_dispatch.h
log_normal_cuda_dispatch.h
log_normal_meta_dispatch.h
log_normal_native.h
log_normal_ops.h
log_ops.h
log_sigmoid.h
log_sigmoid_backward.h
log_sigmoid_backward_cpu_dispatch.h
log_sigmoid_backward_cuda_dispatch.h
log_sigmoid_backward_native.h
log_sigmoid_backward_ops.h
log_sigmoid_compositeimplicitautograd_dispatch.h
log_sigmoid_forward.h
log_sigmoid_forward_cpu_dispatch.h
log_sigmoid_forward_cuda_dispatch.h
log_sigmoid_forward_native.h
log_sigmoid_forward_ops.h
log_sigmoid_native.h
log_sigmoid_ops.h
log_softmax.h
log_softmax_compositeexplicitautograd_dispatch.h
log_softmax_compositeimplicitautograd_dispatch.h
log_softmax_native.h
log_softmax_ops.h
logaddexp.h
logaddexp2.h
logaddexp2_compositeexplicitautogradnonfunctional_dispa
logaddexp2_cpu_dispatch.h
logaddexp2_cuda_dispatch.h
logaddexp2_meta.h
logaddexp2_meta_dispatch.h
logaddexp2_native.h
logaddexp2_ops.h
logaddexp_compositeexplicitautogradnonfunctional_dispat
logaddexp_cpu_dispatch.h
logaddexp_cuda_dispatch.h
logaddexp_meta.h
logaddexp_meta_dispatch.h
logaddexp_native.h
logaddexp_ops.h

```


■	■	■	■	■	■	■	■	■■■■	logsumexp_native.h
■	■	■	■	■	■	■	■	■■■■	logsumexp_ops.h
■	■	■	■	■	■	■	■	■■■■	lshift.h
■	■	■	■	■	■	■	■	■■■■	lshift_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lshift_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lshift_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lshift_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lshift_native.h
■	■	■	■	■	■	■	■	■■■■	lshift_ops.h
■	■	■	■	■	■	■	■	■■■■	lstm.h
■	■	■	■	■	■	■	■	■■■■	lstm_cell.h
■	■	■	■	■	■	■	■	■■■■	lstm_cell_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lstm_cell_native.h
■	■	■	■	■	■	■	■	■■■■	lstm_cell_ops.h
■	■	■	■	■	■	■	■	■■■■	lstm_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lstm_mps_backward.h
■	■	■	■	■	■	■	■	■■■■	lstm_mps_backward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lstm_mps_backward_native.h
■	■	■	■	■	■	■	■	■■■■	lstm_mps_backward_ops.h
■	■	■	■	■	■	■	■	■■■■	lstm_native.h
■	■	■	■	■	■	■	■	■■■■	lstm_ops.h
■	■	■	■	■	■	■	■	■■■■	lt.h
■	■	■	■	■	■	■	■	■■■■	lt_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lt_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lt_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lt_meta.h
■	■	■	■	■	■	■	■	■■■■	lt_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lt_native.h
■	■	■	■	■	■	■	■	■■■■	lt_ops.h
■	■	■	■	■	■	■	■	■■■■	lu_solve.h
■	■	■	■	■	■	■	■	■■■■	lu_solve_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lu_solve_native.h
■	■	■	■	■	■	■	■	■■■■	lu_solve_ops.h
■	■	■	■	■	■	■	■	■■■■	lu_unpack.h
■	■	■	■	■	■	■	■	■■■■	lu_unpack_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lu_unpack_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lu_unpack_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lu_unpack_meta.h
■	■	■	■	■	■	■	■	■■■■	lu_unpack_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	lu_unpack_native.h
■	■	■	■	■	■	■	■	■■■■	lu_unpack_ops.h
■	■	■	■	■	■	■	■	■■■■	mH.h
■	■	■	■	■	■	■	■	■■■■	mH_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	mH_native.h
■	■	■	■	■	■	■	■	■■■■	mH_ops.h
■	■	■	■	■	■	■	■	■■■■	mT.h
■	■	■	■	■	■	■	■	■■■■	mT_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	mT_native.h
■	■	■	■	■	■	■	■	■■■■	mT_ops.h
■	■	■	■	■	■	■	■	■■■■	margin_ranking_loss.h
■	■	■	■	■	■	■	■	■■■■	margin_ranking_loss_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	margin_ranking_loss_native.h
■	■	■	■	■	■	■	■	■■■■	margin_ranking_loss_ops.h
■	■	■	■	■	■	■	■	■■■■	masked_fill.h
■	■	■	■	■	■	■	■	■■■■	masked_fill_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	masked_fill_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	masked_fill_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	masked_fill_meta_dispatch.h

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_fill_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_fill_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_scatter_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_backward_compositeimplicitautograd_dispat
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ masked_select_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_backward_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matmul_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_H.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_H_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_H_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_H_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_backward_compositeimplicitautograd_dispatch.
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_exp_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_power.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_power_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_power_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ matrix_power_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_with_indices.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_with_indices_compositeimplicitautograd_dispa
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ max_pool1d_with_indices_native.h

```

[illegible]

■	■	■	■	■	■	■	■	mean_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	mean_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	mean_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	mean_cpu_dispatch.h
■	■	■	■	■	■	■	■	mean_cuda_dispatch.h
■	■	■	■	■	■	■	■	mean_meta.h
■	■	■	■	■	■	■	■	mean_meta_dispatch.h
■	■	■	■	■	■	■	■	mean_native.h
■	■	■	■	■	■	■	■	mean_ops.h
■	■	■	■	■	■	■	■	median.h
■	■	■	■	■	■	■	■	median_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	median_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	median_cpu_dispatch.h
■	■	■	■	■	■	■	■	median_cuda_dispatch.h
■	■	■	■	■	■	■	■	median_native.h
■	■	■	■	■	■	■	■	median_ops.h
■	■	■	■	■	■	■	■	meshgrid.h
■	■	■	■	■	■	■	■	meshgrid_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	meshgrid_native.h
■	■	■	■	■	■	■	■	meshgrid_ops.h
■	■	■	■	■	■	■	■	min.h
■	■	■	■	■	■	■	■	min_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	min_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	min_cpu_dispatch.h
■	■	■	■	■	■	■	■	min_cuda_dispatch.h
■	■	■	■	■	■	■	■	min_meta.h
■	■	■	■	■	■	■	■	min_meta_dispatch.h
■	■	■	■	■	■	■	■	min_native.h
■	■	■	■	■	■	■	■	min_ops.h
■	■	■	■	■	■	■	■	minimum.h
■	■	■	■	■	■	■	■	minimum_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	minimum_cpu_dispatch.h
■	■	■	■	■	■	■	■	minimum_cuda_dispatch.h
■	■	■	■	■	■	■	■	minimum_meta.h
■	■	■	■	■	■	■	■	minimum_meta_dispatch.h
■	■	■	■	■	■	■	■	minimum_native.h
■	■	■	■	■	■	■	■	minimum_ops.h
■	■	■	■	■	■	■	■	miopen_batch_norm.h
■	■	■	■	■	■	■	■	miopen_batch_norm_backward.h
■	■	■	■	■	■	■	■	miopen_batch_norm_backward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	miopen_batch_norm_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	miopen_batch_norm_backward_native.h
■	■	■	■	■	■	■	■	miopen_batch_norm_backward_ops.h
■	■	■	■	■	■	■	■	miopen_batch_norm_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	miopen_batch_norm_cuda_dispatch.h
■	■	■	■	■	■	■	■	miopen_batch_norm_native.h
■	■	■	■	■	■	■	■	miopen_batch_norm_ops.h
■	■	■	■	■	■	■	■	miopen_convolution.h
■	■	■	■	■	■	■	■	miopen_convolution_add_relu.h
■	■	■	■	■	■	■	■	miopen_convolution_add_relu_cuda_dispatch.h
■	■	■	■	■	■	■	■	miopen_convolution_add_relu_native.h
■	■	■	■	■	■	■	■	miopen_convolution_add_relu_ops.h
■	■	■	■	■	■	■	■	miopen_convolution_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	miopen_convolution_cuda_dispatch.h
■	■	■	■	■	■	■	■	miopen_convolution_native.h
■	■	■	■	■	■	■	■	miopen_convolution_ops.h
■	■	■	■	■	■	■	■	miopen_convolution_relu.h
■	■	■	■	■	■	■	■	miopen_convolution_relu_cuda_dispatch.h

[illegible]


```

■ ■ ■ ■ ■ ■ ■ ■ ■ movedim.h
■ ■ ■ ■ ■ ■ ■ ■ ■ movedim_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ movedim_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ movedim_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mps_convolution_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mps_convolution_backward_compositeexplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mps_convolution_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mps_convolution_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mps_convolution_transpose_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mps_convolution_transpose_backward_compositeexplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mps_convolution_transpose_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mps_convolution_transpose_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mse_loss_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ msort.h
■ ■ ■ ■ ■ ■ ■ ■ ■ msort_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ msort_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ msort_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mul.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mul_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mul_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mul_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mul_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mul_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mul_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mul_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ mul_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_margin_loss.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_margin_loss_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_margin_loss_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_margin_loss_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_margin_loss_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_margin_loss_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_margin_loss_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_margin_loss_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_margin_loss_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multi_margin_loss_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multilabel_margin_loss.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multilabel_margin_loss_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multilabel_margin_loss_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multilabel_margin_loss_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multilabel_margin_loss_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multilabel_margin_loss_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multilabel_margin_loss_compositeimplicitautograd_dispatcher.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multilabel_margin_loss_forward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multilabel_margin_loss_forward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ multilabel_margin_loss_forward_cuda_dispatch.h

```


[illegible]

■	■	■	■	■	■	■	■	■■■■	ne_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	ne_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	ne_meta.h
■	■	■	■	■	■	■	■	■■■■	ne_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	ne_native.h
■	■	■	■	■	■	■	■	■■■■	ne_ops.h
■	■	■	■	■	■	■	■	■■■■	neg.h
■	■	■	■	■	■	■	■	■■■■	neg_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	neg_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	neg_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	neg_meta.h
■	■	■	■	■	■	■	■	■■■■	neg_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	neg_native.h
■	■	■	■	■	■	■	■	■■■■	neg_ops.h
■	■	■	■	■	■	■	■	■■■■	negative.h
■	■	■	■	■	■	■	■	■■■■	negative_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	negative_native.h
■	■	■	■	■	■	■	■	■■■■	negative_ops.h
■	■	■	■	■	■	■	■	■■■■	nested_to_padded_tensor.h
■	■	■	■	■	■	■	■	■■■■	nested_to_padded_tensor_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nested_to_padded_tensor_native.h
■	■	■	■	■	■	■	■	■■■■	nested_to_padded_tensor_ops.h
■	■	■	■	■	■	■	■	■■■■	new_empty.h
■	■	■	■	■	■	■	■	■■■■	new_empty_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_empty_native.h
■	■	■	■	■	■	■	■	■■■■	new_empty_ops.h
■	■	■	■	■	■	■	■	■■■■	new_empty_strided.h
■	■	■	■	■	■	■	■	■■■■	new_empty_strided_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_empty_strided_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_empty_strided_native.h
■	■	■	■	■	■	■	■	■■■■	new_empty_strided_ops.h
■	■	■	■	■	■	■	■	■■■■	new_full.h
■	■	■	■	■	■	■	■	■■■■	new_full_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_full_native.h
■	■	■	■	■	■	■	■	■■■■	new_full_ops.h
■	■	■	■	■	■	■	■	■■■■	new_ones.h
■	■	■	■	■	■	■	■	■■■■	new_ones_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_ones_native.h
■	■	■	■	■	■	■	■	■■■■	new_ones_ops.h
■	■	■	■	■	■	■	■	■■■■	new_zeros.h
■	■	■	■	■	■	■	■	■■■■	new_zeros_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	new_zeros_native.h
■	■	■	■	■	■	■	■	■■■■	new_zeros_ops.h
■	■	■	■	■	■	■	■	■■■■	nextafter.h
■	■	■	■	■	■	■	■	■■■■	nextafter_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nextafter_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nextafter_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nextafter_meta.h
■	■	■	■	■	■	■	■	■■■■	nextafter_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nextafter_native.h
■	■	■	■	■	■	■	■	■■■■	nextafter_ops.h
■	■	■	■	■	■	■	■	■■■■	nll_loss.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d_backward.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d_backward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d_backward_native.h
■	■	■	■	■	■	■	■	■■■■	nll_loss2d_backward_ops.h

```

■■■■ nll_loss2d_compositeimplicitautograd_dispatch.h
■■■■ nll_loss2d_forward.h
■■■■ nll_loss2d_forward_cpu_dispatch.h
■■■■ nll_loss2d_forward_cuda_dispatch.h
■■■■ nll_loss2d_forward_native.h
■■■■ nll_loss2d_forward_ops.h
■■■■ nll_loss2d_native.h
■■■■ nll_loss2d_ops.h
■■■■ nll_loss_backward.h
■■■■ nll_loss_backward_compositeexplicitautogradnonfunctional_dispatch.h
■■■■ nll_loss_backward_cpu_dispatch.h
■■■■ nll_loss_backward_cuda_dispatch.h
■■■■ nll_loss_backward_meta.h
■■■■ nll_loss_backward_meta_dispatch.h
■■■■ nll_loss_backward_native.h
■■■■ nll_loss_backward_ops.h
■■■■ nll_loss_compositeimplicitautograd_dispatch.h
■■■■ nll_loss_forward.h
■■■■ nll_loss_forward_compositeexplicitautogradnonfunctional_dispatch.h
■■■■ nll_loss_forward_cpu_dispatch.h
■■■■ nll_loss_forward_cuda_dispatch.h
■■■■ nll_loss_forward_meta.h
■■■■ nll_loss_forward_meta_dispatch.h
■■■■ nll_loss_forward_native.h
■■■■ nll_loss_forward_ops.h
■■■■ nll_loss_native.h
■■■■ nll_loss_nd.h
■■■■ nll_loss_nd_compositeimplicitautograd_dispatch.h
■■■■ nll_loss_nd_native.h
■■■■ nll_loss_nd_ops.h
■■■■ nll_loss_ops.h
■■■■ nonzero.h
■■■■ nonzero_cpu_dispatch.h
■■■■ nonzero_cuda_dispatch.h
■■■■ nonzero_native.h
■■■■ nonzero_numpy.h
■■■■ nonzero_numpy_compositeimplicitautograd_dispatch.h
■■■■ nonzero_numpy_native.h
■■■■ nonzero_numpy_ops.h
■■■■ nonzero_ops.h
■■■■ norm.h
■■■■ norm_compositeexplicitautograd_dispatch.h
■■■■ norm_compositeexplicitautogradnonfunctional_dispatch.h
■■■■ norm_compositeimplicitautograd_dispatch.h
■■■■ norm_cpu_dispatch.h
■■■■ norm_cuda_dispatch.h
■■■■ norm_except_dim.h
■■■■ norm_except_dim_compositeimplicitautograd_dispatch.h
■■■■ norm_except_dim_native.h
■■■■ norm_except_dim_ops.h
■■■■ norm_meta.h
■■■■ norm_meta_dispatch.h
■■■■ norm_native.h
■■■■ norm_ops.h
■■■■ normal.h
■■■■ normal_compositeexplicitautograd_dispatch.h
■■■■ normal_cpu_dispatch.h
■■■■ normal_cuda_dispatch.h

```

```

■■■ normal_meta_dispatch.h
■■■ normal_native.h
■■■ normal_ops.h
■■■ not_equal.h
■■■ not_equal_compositeimplicitautograd_dispatch.h
■■■ not_equal_native.h
■■■ not_equal_ops.h
■■■ nuclear_norm.h
■■■ nuclear_norm_compositeimplicitautograd_dispatch.h
■■■ nuclear_norm_native.h
■■■ nuclear_norm_ops.h
■■■ numpy_T.h
■■■ numpy_T_compositeimplicitautograd_dispatch.h
■■■ numpy_T_native.h
■■■ numpy_T_ops.h
■■■ one_hot.h
■■■ one_hot_compositeimplicitautograd_dispatch.h
■■■ one_hot_native.h
■■■ one_hot_ops.h
■■■ ones.h
■■■ ones_compositeexplicitautograd_dispatch.h
■■■ ones_like.h
■■■ ones_like_compositeexplicitautograd_dispatch.h
■■■ ones_like_native.h
■■■ ones_like_ops.h
■■■ ones_native.h
■■■ ones_ops.h
■■■ or.h
■■■ or_compositeimplicitautograd_dispatch.h
■■■ or_native.h
■■■ or_ops.h
■■■ orgqr.h
■■■ orgqr_compositeimplicitautograd_dispatch.h
■■■ orgqr_native.h
■■■ orgqr_ops.h
■■■ ormqr.h
■■■ ormqr_cpu_dispatch.h
■■■ ormqr_cuda_dispatch.h
■■■ ormqr_native.h
■■■ ormqr_ops.h
■■■ outer.h
■■■ outer_compositeimplicitautograd_dispatch.h
■■■ outer_native.h
■■■ outer_ops.h
■■■ output_nr.h
■■■ output_nr_compositeimplicitautograd_dispatch.h
■■■ output_nr_native.h
■■■ output_nr_ops.h
■■■ pad.h
■■■ pad_compositeimplicitautograd_dispatch.h
■■■ pad_native.h
■■■ pad_ops.h
■■■ pad_sequence.h
■■■ pad_sequence_compositeimplicitautograd_dispatch.h
■■■ pad_sequence_native.h
■■■ pad_sequence_ops.h
■■■ pairwise_distance.h
■■■ pairwise_distance_compositeimplicitautograd_dispatch.h

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ pairwise_distance_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pairwise_distance_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pdist.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pdist_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pdist_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pdist_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_copy.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_copy_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_copy_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_copy_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_copy_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ permute_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pin_memory.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pin_memory_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pin_memory_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pin_memory_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pinverse.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pinverse_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pinverse_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pinverse_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_shuffle_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ pixel_unshuffle_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_nll_loss.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_nll_loss_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_nll_loss_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_nll_loss_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ poisson_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polar_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ polygamma_meta_dispatch.h

```


■	■	■	■	■	■	■	■	■■■■	polygamma_native.h
■	■	■	■	■	■	■	■	■■■■	polygamma_ops.h
■	■	■	■	■	■	■	■	■■■■	positive.h
■	■	■	■	■	■	■	■	■■■■	positive_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	positive_native.h
■	■	■	■	■	■	■	■	■■■■	positive_ops.h
■	■	■	■	■	■	■	■	■■■■	pow.h
■	■	■	■	■	■	■	■	■■■■	pow_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	pow_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	pow_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	pow_meta.h
■	■	■	■	■	■	■	■	■■■■	pow_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	pow_native.h
■	■	■	■	■	■	■	■	■■■■	pow_ops.h
■	■	■	■	■	■	■	■	■■■■	prelu.h
■	■	■	■	■	■	■	■	■■■■	prelu_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prelu_native.h
■	■	■	■	■	■	■	■	■■■■	prelu_ops.h
■	■	■	■	■	■	■	■	■■■■	prod.h
■	■	■	■	■	■	■	■	■■■■	prod_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_meta.h
■	■	■	■	■	■	■	■	■■■■	prod_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	prod_native.h
■	■	■	■	■	■	■	■	■■■■	prod_ops.h
■	■	■	■	■	■	■	■	■■■■	promote_types.h
■	■	■	■	■	■	■	■	■■■■	promote_types_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	promote_types_native.h
■	■	■	■	■	■	■	■	■■■■	promote_types_ops.h
■	■	■	■	■	■	■	■	■■■■	put.h
■	■	■	■	■	■	■	■	■■■■	put_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	put_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	put_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	put_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	put_native.h
■	■	■	■	■	■	■	■	■■■■	put_ops.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_axis.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_axis_native.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_axis_ops.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_scales.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_scales_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_scales_native.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_scales_ops.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_zero_points.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_zero_points_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_zero_points_native.h
■	■	■	■	■	■	■	■	■■■■	q_per_channel_zero_points_ops.h
■	■	■	■	■	■	■	■	■■■■	q_scale.h
■	■	■	■	■	■	■	■	■■■■	q_scale_native.h
■	■	■	■	■	■	■	■	■■■■	q_scale_ops.h
■	■	■	■	■	■	■	■	■■■■	q_zero_point.h
■	■	■	■	■	■	■	■	■■■■	q_zero_point_native.h
■	■	■	■	■	■	■	■	■■■■	q_zero_point_ops.h
■	■	■	■	■	■	■	■	■■■■	qr.h
■	■	■	■	■	■	■	■	■■■■	qr_compositeimplicitautograd_dispatch.h

```

■ ■ ■ ■ ■ ■ ■ qr_native.h
■ ■ ■ ■ ■ ■ ■ qr_ops.h
■ ■ ■ ■ ■ ■ ■ qscheme.h
■ ■ ■ ■ ■ ■ ■ qscheme_native.h
■ ■ ■ ■ ■ ■ ■ qscheme_ops.h
■ ■ ■ ■ ■ ■ ■ quantile.h
■ ■ ■ ■ ■ ■ ■ quantile_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantile_native.h
■ ■ ■ ■ ■ ■ ■ quantile_ops.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel_native.h
■ ■ ■ ■ ■ ■ ■ quantize_per_channel_ops.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic_compositeexplicitautograd_d
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic_native.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_dynamic_ops.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_native.h
■ ■ ■ ■ ■ ■ ■ quantize_per_tensor_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_batch_norm.h
■ ■ ■ ■ ■ ■ ■ quantized_batch_norm_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantized_batch_norm_native.h
■ ■ ■ ■ ■ ■ ■ quantized_batch_norm_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_gru_cell.h
■ ■ ■ ■ ■ ■ ■ quantized_gru_cell_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantized_gru_cell_native.h
■ ■ ■ ■ ■ ■ ■ quantized_gru_cell_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_lstm_cell.h
■ ■ ■ ■ ■ ■ ■ quantized_lstm_cell_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantized_lstm_cell_native.h
■ ■ ■ ■ ■ ■ ■ quantized_lstm_cell_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool1d.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool1d_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool1d_native.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool1d_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool2d.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool2d_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool2d_native.h
■ ■ ■ ■ ■ ■ ■ quantized_max_pool2d_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_relu_cell.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_relu_cell_compositeimplicitautograd_dispa
■ ■ ■ ■ ■ ■ ■ quantized_rnn_relu_cell_native.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_relu_cell_ops.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_tanh_cell.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_tanh_cell_compositeimplicitautograd_dispa
■ ■ ■ ■ ■ ■ ■ quantized_rnn_tanh_cell_native.h
■ ■ ■ ■ ■ ■ ■ quantized_rnn_tanh_cell_ops.h
■ ■ ■ ■ ■ ■ ■ rad2deg.h
■ ■ ■ ■ ■ ■ ■ rad2deg_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rad2deg_native.h

```

[illegible]

[illegible]

```

███ relu6_native.h
███ relu6_ops.h
███ relu_compositeexplicitautograd_dispatch.h
███ relu_cpu_dispatch.h
███ relu_cuda_dispatch.h
███ relu_meta_dispatch.h
███ relu_native.h
███ relu_ops.h
███ remainder.h
███ remainder_compositeexplicitautograd_dispatch.h
███ remainder_compositeexplicitautogradnonfunctional_dispatch.h
███ remainder_cpu_dispatch.h
███ remainder_cuda_dispatch.h
███ remainder_meta.h
███ remainder_meta_dispatch.h
███ remainder_native.h
███ remainder_ops.h
███ rename.h
███ rename_compositeimplicitautograd_dispatch.h
███ rename_native.h
███ rename_ops.h
███ renorm.h
███ renorm_compositeexplicitautogradnonfunctional_dispatch.h
███ renorm_cpu_dispatch.h
███ renorm_cuda_dispatch.h
███ renorm_meta.h
███ renorm_meta_dispatch.h
███ renorm_native.h
███ renorm_ops.h
███ repeat.h
███ repeat_compositeexplicitautograd_dispatch.h
███ repeat_interleave.h
███ repeat_interleave_compositeexplicitautograd_dispatch.h
███ repeat_interleave_compositeimplicitautograd_dispatch.h
███ repeat_interleave_cpu_dispatch.h
███ repeat_interleave_cuda_dispatch.h
███ repeat_interleave_native.h
███ repeat_interleave_ops.h
███ repeat_native.h
███ repeat_ops.h
███ replication_pad1d.h
███ replication_pad1d_backward.h
███ replication_pad1d_backward_compositeexplicitautogradnonfunctional_dispatch.h
███ replication_pad1d_backward_cpu_dispatch.h
███ replication_pad1d_backward_cuda_dispatch.h
███ replication_pad1d_backward_meta.h
███ replication_pad1d_backward_meta_dispatch.h
███ replication_pad1d_backward_native.h
███ replication_pad1d_backward_ops.h
███ replication_pad1d_compositeexplicitautogradnonfunctional_dispatch.h
███ replication_pad1d_cpu_dispatch.h
███ replication_pad1d_cuda_dispatch.h
███ replication_pad1d_meta.h
███ replication_pad1d_meta_dispatch.h
███ replication_pad1d_native.h
███ replication_pad1d_ops.h
███ replication_pad2d.h
███ replication_pad2d_backward.h

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_compositeexplicitautogradnonfunctional.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad2d_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_backward.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_backward_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_backward_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_backward_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_backward_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_compositeexplicitautogradnonfunctional.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_meta.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ replication_pad3d_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ requires_grad.h
■ ■ ■ ■ ■ ■ ■ ■ ■ requires_grad_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ requires_grad_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ requires_grad_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ reshape.h
■ ■ ■ ■ ■ ■ ■ ■ ■ reshape_as.h
■ ■ ■ ■ ■ ■ ■ ■ ■ reshape_as_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ reshape_as_compositeimplicitautogradnestedtensor_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ reshape_as_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ reshape_as_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ reshape_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ reshape_compositeimplicitautogradnestedtensor_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ reshape_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ reshape_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_as.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_as_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_as_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_as_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_as_sparse.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_as_sparse_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_as_sparse_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_as_sparse_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_as_sparse_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resize_ops.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resolve_conj.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resolve_conj_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resolve_conj_native.h
■ ■ ■ ■ ■ ■ ■ ■ ■ resolve_conj_ops.h

```

```

■ ■ ■ ■ ■ ■ ■ resolve_neg.h
■ ■ ■ ■ ■ ■ ■ resolve_neg_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ resolve_neg_native.h
■ ■ ■ ■ ■ ■ ■ resolve_neg_ops.h
■ ■ ■ ■ ■ ■ ■ result_type.h
■ ■ ■ ■ ■ ■ ■ result_type_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ result_type_native.h
■ ■ ■ ■ ■ ■ ■ result_type_ops.h
■ ■ ■ ■ ■ ■ ■ retain_grad.h
■ ■ ■ ■ ■ ■ ■ retain_grad_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ retain_grad_native.h
■ ■ ■ ■ ■ ■ ■ retain_grad_ops.h
■ ■ ■ ■ ■ ■ ■ retains_grad.h
■ ■ ■ ■ ■ ■ ■ retains_grad_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ retains_grad_native.h
■ ■ ■ ■ ■ ■ ■ retains_grad_ops.h
■ ■ ■ ■ ■ ■ ■ rnn_relu.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_cell.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_cell_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_cell_native.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_cell_ops.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_native.h
■ ■ ■ ■ ■ ■ ■ rnn_relu_ops.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_cell.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_cell_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_cell_native.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_cell_ops.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_compositeimplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_native.h
■ ■ ■ ■ ■ ■ ■ rnn_tanh_ops.h
■ ■ ■ ■ ■ ■ ■ roll.h
■ ■ ■ ■ ■ ■ ■ roll_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ roll_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ roll_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ roll_native.h
■ ■ ■ ■ ■ ■ ■ roll_ops.h
■ ■ ■ ■ ■ ■ ■ rot90.h
■ ■ ■ ■ ■ ■ ■ rot90_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ rot90_native.h
■ ■ ■ ■ ■ ■ ■ rot90_ops.h
■ ■ ■ ■ ■ ■ ■ round.h
■ ■ ■ ■ ■ ■ ■ round_compositeexplicitautogradnonfunctional_dispatch.h
■ ■ ■ ■ ■ ■ ■ round_cpu_dispatch.h
■ ■ ■ ■ ■ ■ ■ round_cuda_dispatch.h
■ ■ ■ ■ ■ ■ ■ round_meta.h
■ ■ ■ ■ ■ ■ ■ round_meta_dispatch.h
■ ■ ■ ■ ■ ■ ■ round_native.h
■ ■ ■ ■ ■ ■ ■ round_ops.h
■ ■ ■ ■ ■ ■ ■ row_indices.h
■ ■ ■ ■ ■ ■ ■ row_indices_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ row_indices_copy.h
■ ■ ■ ■ ■ ■ ■ row_indices_copy_compositeexplicitautograd_dispatch.h
■ ■ ■ ■ ■ ■ ■ row_indices_copy_compositeexplicitautogradnonfunctional
■ ■ ■ ■ ■ ■ ■ row_indices_copy_native.h
■ ■ ■ ■ ■ ■ ■ row_indices_copy_ops.h
■ ■ ■ ■ ■ ■ ■ row_indices_native.h

```

■	■	■	■	■	■	■	■	■■■■	row_indices_ops.h
■	■	■	■	■	■	■	■	■■■■	row_stack.h
■	■	■	■	■	■	■	■	■■■■	row_stack_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	row_stack_native.h
■	■	■	■	■	■	■	■	■■■■	row_stack_ops.h
■	■	■	■	■	■	■	■	■■■■	rrelu.h
■	■	■	■	■	■	■	■	■■■■	rrelu_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rrelu_native.h
■	■	■	■	■	■	■	■	■■■■	rrelu_ops.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_backward.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_backward_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_backward_native.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_backward_ops.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_native.h
■	■	■	■	■	■	■	■	■■■■	rrelu_with_noise_ops.h
■	■	■	■	■	■	■	■	■■■■	rshift.h
■	■	■	■	■	■	■	■	■■■■	rshift_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rshift_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rshift_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rshift_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rshift_native.h
■	■	■	■	■	■	■	■	■■■■	rshift_ops.h
■	■	■	■	■	■	■	■	■■■■	rsqrt.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_meta.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_native.h
■	■	■	■	■	■	■	■	■■■■	rsqrt_ops.h
■	■	■	■	■	■	■	■	■■■■	rsub.h
■	■	■	■	■	■	■	■	■■■■	rsub_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsub_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsub_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	rsub_native.h
■	■	■	■	■	■	■	■	■■■■	rsub_ops.h
■	■	■	■	■	■	■	■	■■■■	scalar_tensor.h
■	■	■	■	■	■	■	■	■■■■	scalar_tensor_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scalar_tensor_native.h
■	■	■	■	■	■	■	■	■■■■	scalar_tensor_ops.h
■	■	■	■	■	■	■	■	■■■■	scaled_dot_product_attention.h
■	■	■	■	■	■	■	■	■■■■	scaled_dot_product_attention_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scaled_dot_product_attention_native.h
■	■	■	■	■	■	■	■	■■■■	scaled_dot_product_attention_ops.h
■	■	■	■	■	■	■	■	■■■■	scatter.h
■	■	■	■	■	■	■	■	■■■■	scatter_add.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_meta.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_native.h
■	■	■	■	■	■	■	■	■■■■	scatter_add_ops.h

[illegible]

[illegible]

```

■■■ silu_meta.h
■■■ silu_meta_dispatch.h
■■■ silu_native.h
■■■ silu_ops.h
■■■ sin.h
■■■ sin_compositeexplicitautogradnonfunctional_dispatch.h
■■■ sin_cpu_dispatch.h
■■■ sin_cuda_dispatch.h
■■■ sin_meta.h
■■■ sin_meta_dispatch.h
■■■ sin_native.h
■■■ sin_ops.h
■■■ sinc.h
■■■ sinc_compositeexplicitautogradnonfunctional_dispatch.h
■■■ sinc_cpu_dispatch.h
■■■ sinc_cuda_dispatch.h
■■■ sinc_meta.h
■■■ sinc_meta_dispatch.h
■■■ sinc_native.h
■■■ sinc_ops.h
■■■ sinh.h
■■■ sinh_compositeexplicitautogradnonfunctional_dispatch.h
■■■ sinh_cpu_dispatch.h
■■■ sinh_cuda_dispatch.h
■■■ sinh_meta.h
■■■ sinh_meta_dispatch.h
■■■ sinh_native.h
■■■ sinh_ops.h
■■■ size.h
■■■ size_compositeimplicitautograd_dispatch.h
■■■ size_native.h
■■■ size_ops.h
■■■ slice.h
■■■ slice_backward.h
■■■ slice_backward_compositeexplicitautograd_dispatch.h
■■■ slice_backward_native.h
■■■ slice_backward_ops.h
■■■ slice_compositeexplicitautograd_dispatch.h
■■■ slice_copy.h
■■■ slice_copy_compositeexplicitautograd_dispatch.h
■■■ slice_copy_compositeexplicitautogradnonfunctional_dispa
■■■ slice_copy_native.h
■■■ slice_copy_ops.h
■■■ slice_native.h
■■■ slice_ops.h
■■■ slice_scatter.h
■■■ slice_scatter_compositeexplicitautograd_dispatch.h
■■■ slice_scatter_native.h
■■■ slice_scatter_ops.h
■■■ slogdet.h
■■■ slogdet_compositeimplicitautograd_dispatch.h
■■■ slogdet_native.h
■■■ slogdet_ops.h
■■■ slow_conv3d.h
■■■ slow_conv3d_compositeimplicitautograd_dispatch.h
■■■ slow_conv3d_forward.h
■■■ slow_conv3d_forward_cpu_dispatch.h
■■■ slow_conv3d_forward_native.h

```

```

■■■ slow_conv3d_forward_ops.h
■■■ slow_conv3d_native.h
■■■ slow_conv3d_ops.h
■■■ slow_conv_dilated2d.h
■■■ slow_conv_dilated2d_compositeexplicitautograd_dispatch.h
■■■ slow_conv_dilated2d_cpu_dispatch.h
■■■ slow_conv_dilated2d_cuda_dispatch.h
■■■ slow_conv_dilated2d_native.h
■■■ slow_conv_dilated2d_ops.h
■■■ slow_conv_dilated3d.h
■■■ slow_conv_dilated3d_compositeexplicitautograd_dispatch.h
■■■ slow_conv_dilated3d_cpu_dispatch.h
■■■ slow_conv_dilated3d_cuda_dispatch.h
■■■ slow_conv_dilated3d_native.h
■■■ slow_conv_dilated3d_ops.h
■■■ slow_conv_transpose2d.h
■■■ slow_conv_transpose2d_compositeexplicitautogradnonfunctional_dispatch.h
■■■ slow_conv_transpose2d_cpu_dispatch.h
■■■ slow_conv_transpose2d_cuda_dispatch.h
■■■ slow_conv_transpose2d_meta.h
■■■ slow_conv_transpose2d_meta_dispatch.h
■■■ slow_conv_transpose2d_native.h
■■■ slow_conv_transpose2d_ops.h
■■■ slow_conv_transpose3d.h
■■■ slow_conv_transpose3d_cpu_dispatch.h
■■■ slow_conv_transpose3d_cuda_dispatch.h
■■■ slow_conv_transpose3d_native.h
■■■ slow_conv_transpose3d_ops.h
■■■ smm.h
■■■ smm_compositeimplicitautograd_dispatch.h
■■■ smm_native.h
■■■ smm_ops.h
■■■ smooth_l1_loss.h
■■■ smooth_l1_loss_backward.h
■■■ smooth_l1_loss_backward_compositeexplicitautograd_dispatch.h
■■■ smooth_l1_loss_backward_cpu_dispatch.h
■■■ smooth_l1_loss_backward_cuda_dispatch.h
■■■ smooth_l1_loss_backward_native.h
■■■ smooth_l1_loss_backward_ops.h
■■■ smooth_l1_loss_compositeexplicitautogradnonfunctional_dispatch.h
■■■ smooth_l1_loss_cpu_dispatch.h
■■■ smooth_l1_loss_cuda_dispatch.h
■■■ smooth_l1_loss_meta.h
■■■ smooth_l1_loss_meta_dispatch.h
■■■ smooth_l1_loss_native.h
■■■ smooth_l1_loss_ops.h
■■■ soft_margin_loss.h
■■■ soft_margin_loss_backward.h
■■■ soft_margin_loss_backward_compositeexplicitautograd_dispatch.h
■■■ soft_margin_loss_backward_native.h
■■■ soft_margin_loss_backward_ops.h
■■■ soft_margin_loss_compositeexplicitautograd_dispatch.h
■■■ soft_margin_loss_native.h
■■■ soft_margin_loss_ops.h
■■■ softmax.h
■■■ softmax_compositeexplicitautograd_dispatch.h
■■■ softmax_compositeimplicitautograd_dispatch.h
■■■ softmax_native.h

```

[illegible]

```

■ ■ ■ sparse_coo_tensor_native.h
■ ■ ■ sparse_coo_tensor_ops.h
■ ■ ■ sparse_csc_tensor.h
■ ■ ■ sparse_csc_tensor_compositeimplicitautograd_dispatch.h
■ ■ ■ sparse_csc_tensor_native.h
■ ■ ■ sparse_csc_tensor_ops.h
■ ■ ■ sparse_csr_tensor.h
■ ■ ■ sparse_csr_tensor_compositeimplicitautograd_dispatch.h
■ ■ ■ sparse_csr_tensor_native.h
■ ■ ■ sparse_csr_tensor_ops.h
■ ■ ■ sparse_dim.h
■ ■ ■ sparse_dim_cpu_dispatch.h
■ ■ ■ sparse_dim_cuda_dispatch.h
■ ■ ■ sparse_dim_native.h
■ ■ ■ sparse_dim_ops.h
■ ■ ■ sparse_mask.h
■ ■ ■ sparse_mask_compositeexplicitautograd_dispatch.h
■ ■ ■ sparse_mask_native.h
■ ■ ■ sparse_mask_ops.h
■ ■ ■ sparse_resize.h
■ ■ ■ sparse_resize_and_clear.h
■ ■ ■ sparse_resize_and_clear_compositeexplicitautograd_dispatcher.h
■ ■ ■ sparse_resize_and_clear_meta_dispatch.h
■ ■ ■ sparse_resize_and_clear_native.h
■ ■ ■ sparse_resize_and_clear_ops.h
■ ■ ■ sparse_resize_compositeexplicitautograd_dispatch.h
■ ■ ■ sparse_resize_meta_dispatch.h
■ ■ ■ sparse_resize_native.h
■ ■ ■ sparse_resize_ops.h
■ ■ ■ sparse_sampled_addmm.h
■ ■ ■ sparse_sampled_addmm_native.h
■ ■ ■ sparse_sampled_addmm_ops.h
■ ■ ■ special_airy_ai.h
■ ■ ■ special_airy_ai_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ special_airy_ai_cpu_dispatch.h
■ ■ ■ special_airy_ai_cuda_dispatch.h
■ ■ ■ special_airy_ai_meta.h
■ ■ ■ special_airy_ai_meta_dispatch.h
■ ■ ■ special_airy_ai_native.h
■ ■ ■ special_airy_ai_ops.h
■ ■ ■ special_bessel_j0.h
■ ■ ■ special_bessel_j0_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ special_bessel_j0_cpu_dispatch.h
■ ■ ■ special_bessel_j0_cuda_dispatch.h
■ ■ ■ special_bessel_j0_meta.h
■ ■ ■ special_bessel_j0_meta_dispatch.h
■ ■ ■ special_bessel_j0_native.h
■ ■ ■ special_bessel_j0_ops.h
■ ■ ■ special_bessel_j1.h
■ ■ ■ special_bessel_j1_compositeexplicitautogradnonfunctional_dispatcher.h
■ ■ ■ special_bessel_j1_cpu_dispatch.h
■ ■ ■ special_bessel_j1_cuda_dispatch.h
■ ■ ■ special_bessel_j1_meta.h
■ ■ ■ special_bessel_j1_meta_dispatch.h
■ ■ ■ special_bessel_j1_native.h
■ ■ ■ special_bessel_j1_ops.h
■ ■ ■ special_bessel_y0.h
■ ■ ■ special_bessel_y0_compositeexplicitautogradnonfunctional_dispatcher.h

```

[illegible]

```

■■■ special_entr.h
■■■ special_entr_compositeexplicitautogradnonfunctional_dispatch.h
■■■ special_entr_cpu_dispatch.h
■■■ special_entr_cuda_dispatch.h
■■■ special_entr_meta.h
■■■ special_entr_meta_dispatch.h
■■■ special_entr_native.h
■■■ special_entr_ops.h
■■■ special_erf.h
■■■ special_erf_compositeimplicitautograd_dispatch.h
■■■ special_erf_native.h
■■■ special_erf_ops.h
■■■ special_erfc.h
■■■ special_erfc_compositeimplicitautograd_dispatch.h
■■■ special_erfc_native.h
■■■ special_erfc_ops.h
■■■ special_erfcx.h
■■■ special_erfcx_compositeexplicitautogradnonfunctional_dispatch.h
■■■ special_erfcx_cpu_dispatch.h
■■■ special_erfcx_cuda_dispatch.h
■■■ special_erfcx_meta.h
■■■ special_erfcx_meta_dispatch.h
■■■ special_erfcx_native.h
■■■ special_erfcx_ops.h
■■■ special_erfinv.h
■■■ special_erfinv_compositeimplicitautograd_dispatch.h
■■■ special_erfinv_native.h
■■■ special_erfinv_ops.h
■■■ special_exp2.h
■■■ special_exp2_compositeimplicitautograd_dispatch.h
■■■ special_exp2_native.h
■■■ special_exp2_ops.h
■■■ special_expit.h
■■■ special_expit_compositeimplicitautograd_dispatch.h
■■■ special_expit_native.h
■■■ special_expit_ops.h
■■■ special_expm1.h
■■■ special_expm1_compositeimplicitautograd_dispatch.h
■■■ special_expm1_native.h
■■■ special_expm1_ops.h
■■■ special_gammainc.h
■■■ special_gammainc_compositeimplicitautograd_dispatch.h
■■■ special_gammainc_native.h
■■■ special_gammainc_ops.h
■■■ special_gammaincc.h
■■■ special_gammaincc_compositeimplicitautograd_dispatch.h
■■■ special_gammaincc_native.h
■■■ special_gammaincc_ops.h
■■■ special_gammaLn.h
■■■ special_gammaLn_compositeimplicitautograd_dispatch.h
■■■ special_gammaLn_native.h
■■■ special_gammaLn_ops.h
■■■ special_hermite_polynomial_h.h
■■■ special_hermite_polynomial_h_compositeexplicitautograd_dispatch.h
■■■ special_hermite_polynomial_h_compositeexplicitautogradnative.h
■■■ special_hermite_polynomial_h_compositeimplicitautograd_dispatch.h
■■■ special_hermite_polynomial_h_cpu_dispatch.h
■■■ special_hermite_polynomial_h_cuda_dispatch.h

```


[illegible]


```

■■■ stack_ops.h
■■■ std.h
■■■ std_compositeimplicitautograd_dispatch.h
■■■ std_cpu_dispatch.h
■■■ std_cuda_dispatch.h
■■■ std_mean.h
■■■ std_mean_compositeexplicitautograd_dispatch.h
■■■ std_mean_compositeimplicitautograd_dispatch.h
■■■ std_mean_cpu_dispatch.h
■■■ std_mean_cuda_dispatch.h
■■■ std_mean_native.h
■■■ std_mean_ops.h
■■■ std_native.h
■■■ std_ops.h
■■■ stft.h
■■■ stft_compositeimplicitautograd_dispatch.h
■■■ stft_native.h
■■■ stft_ops.h
■■■ stride.h
■■■ stride_compositeimplicitautograd_dispatch.h
■■■ stride_native.h
■■■ stride_ops.h
■■■ sub.h
■■■ sub_compositeexplicitautograd_dispatch.h
■■■ sub_compositeexplicitautogradnonfunctional_dispatch.h
■■■ sub_cpu_dispatch.h
■■■ sub_cuda_dispatch.h
■■■ sub_meta.h
■■■ sub_meta_dispatch.h
■■■ sub_native.h
■■■ sub_ops.h
■■■ subtract.h
■■■ subtract_compositeimplicitautograd_dispatch.h
■■■ subtract_native.h
■■■ subtract_ops.h
■■■ sum.h
■■■ sum_compositeexplicitautograd_dispatch.h
■■■ sum_compositeexplicitautogradnonfunctional_dispatch.h
■■■ sum_compositeimplicitautograd_dispatch.h
■■■ sum_cpu_dispatch.h
■■■ sum_cuda_dispatch.h
■■■ sum_meta.h
■■■ sum_meta_dispatch.h
■■■ sum_native.h
■■■ sum_ops.h
■■■ sum_to_size.h
■■■ sum_to_size_compositeimplicitautograd_dispatch.h
■■■ sum_to_size_native.h
■■■ sum_to_size_ops.h
■■■ svd.h
■■■ svd_compositeimplicitautograd_dispatch.h
■■■ svd_native.h
■■■ svd_ops.h
■■■ swapaxes.h
■■■ swapaxes_compositeimplicitautograd_dispatch.h
■■■ swapaxes_native.h
■■■ swapaxes_ops.h
■■■ swapdims.h

```

■	■	■	■	■	■	■	■	■■■	swapdims_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	swapdims_native.h
■	■	■	■	■	■	■	■	■■■	swapdims_ops.h
■	■	■	■	■	■	■	■	■■■	t.h
■	■	■	■	■	■	■	■	■■■	t_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	t_copy.h
■	■	■	■	■	■	■	■	■■■	t_copy_compositeexplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	t_copy_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	t_copy_native.h
■	■	■	■	■	■	■	■	■■■	t_copy_ops.h
■	■	■	■	■	■	■	■	■■■	t_native.h
■	■	■	■	■	■	■	■	■■■	t_ops.h
■	■	■	■	■	■	■	■	■■■	take.h
■	■	■	■	■	■	■	■	■■■	take_along_dim.h
■	■	■	■	■	■	■	■	■■■	take_along_dim_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	take_along_dim_native.h
■	■	■	■	■	■	■	■	■■■	take_along_dim_ops.h
■	■	■	■	■	■	■	■	■■■	take_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	take_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	take_native.h
■	■	■	■	■	■	■	■	■■■	take_ops.h
■	■	■	■	■	■	■	■	■■■	tan.h
■	■	■	■	■	■	■	■	■■■	tan_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	tan_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	tan_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	tan_meta.h
■	■	■	■	■	■	■	■	■■■	tan_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	tan_native.h
■	■	■	■	■	■	■	■	■■■	tan_ops.h
■	■	■	■	■	■	■	■	■■■	tanh.h
■	■	■	■	■	■	■	■	■■■	tanh_backward.h
■	■	■	■	■	■	■	■	■■■	tanh_backward_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	tanh_backward_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	tanh_backward_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	tanh_backward_meta.h
■	■	■	■	■	■	■	■	■■■	tanh_backward_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	tanh_backward_native.h
■	■	■	■	■	■	■	■	■■■	tanh_backward_ops.h
■	■	■	■	■	■	■	■	■■■	tanh_compositeexplicitautogradnonfunctional_dispatch.h
■	■	■	■	■	■	■	■	■■■	tanh_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	tanh_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	tanh_meta.h
■	■	■	■	■	■	■	■	■■■	tanh_meta_dispatch.h
■	■	■	■	■	■	■	■	■■■	tanh_native.h
■	■	■	■	■	■	■	■	■■■	tanh_ops.h
■	■	■	■	■	■	■	■	■■■	tensor.h
■	■	■	■	■	■	■	■	■■■	tensor_split.h
■	■	■	■	■	■	■	■	■■■	tensor_split_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	tensor_split_native.h
■	■	■	■	■	■	■	■	■■■	tensor_split_ops.h
■	■	■	■	■	■	■	■	■■■	tensordot.h
■	■	■	■	■	■	■	■	■■■	tensordot_compositeimplicitautograd_dispatch.h
■	■	■	■	■	■	■	■	■■■	tensordot_cpu_dispatch.h
■	■	■	■	■	■	■	■	■■■	tensordot_cuda_dispatch.h
■	■	■	■	■	■	■	■	■■■	tensordot_native.h
■	■	■	■	■	■	■	■	■■■	tensordot_ops.h
■	■	■	■	■	■	■	■	■■■	thnn_conv2d.h
■	■	■	■	■	■	■	■	■■■	thnn_conv2d_compositeimplicitautograd_dispatch.h

[illegible]

[illegible]

[illegible]

[illegible]


```

view.h
view_as.h
view_as_complex.h
view_as_complex_copy.h
view_as_complex_copy_compositeexplicitautograd_dispatch.h
view_as_complex_copy_compositeexplicitautogradnonfunctional_dispatch.h
view_as_complex_copy_native.h
view_as_complex_copy_ops.h
view_as_complex_cpu_dispatch.h
view_as_complex_cuda_dispatch.h
view_as_complex_meta_dispatch.h
view_as_complex_native.h
view_as_complex_ops.h
view_as_compositeimplicitautograd_dispatch.h
view_as_native.h
view_as_ops.h
view_as_real.h
view_as_real_copy.h
view_as_real_copy_compositeexplicitautograd_dispatch.h
view_as_real_copy_compositeexplicitautogradnonfunctional_dispatch.h
view_as_real_copy_native.h
view_as_real_copy_ops.h
view_as_real_cpu_dispatch.h
view_as_real_cuda_dispatch.h
view_as_real_meta_dispatch.h
view_as_real_native.h
view_as_real_ops.h
view_compositeexplicitautograd_dispatch.h
view_copy.h
view_copy_compositeexplicitautograd_dispatch.h
view_copy_compositeexplicitautogradnonfunctional_dispatch.h
view_copy_native.h
view_copy_ops.h
view_cpu_dispatch.h
view_cuda_dispatch.h
view_meta_dispatch.h
view_native.h
view_ops.h
vsplit.h
vsplit_compositeimplicitautograd_dispatch.h
vsplit_native.h
vsplit_ops.h
vstack.h
vstack_compositeimplicitautograd_dispatch.h
vstack_native.h
vstack_ops.h
where.h
where_compositeimplicitautograd_dispatch.h
where_cpu_dispatch.h
where_cuda_dispatch.h
where_native.h
where_ops.h
xlogy.h
xlogy_compositeexplicitautograd_dispatch.h
xlogy_compositeexplicitautogradnonfunctional_dispatch.h
xlogy_cpu_dispatch.h
xlogy_cuda_dispatch.h
xlogy_meta.h

```

```

xlogy_meta_dispatch.h
xlogy_native.h
xlogy_ops.h
xor.h
xor_compositeimplicitautograd_dispatch.h
xor_native.h
xor_ops.h
zero.h
zero_compositeexplicitautograd_dispatch.h
zero_cpu_dispatch.h
zero_cuda_dispatch.h
zero_meta_dispatch.h
zero_native.h
zero_ops.h
zeros.h
zeros_compositeexplicitautograd_dispatch.h
zeros_like.h
zeros_like_compositeexplicitautograd_dispatch.h
zeros_like_native.h
zeros_like_ops.h
zeros_native.h
zeros_ops.h
quantized
QTensorImpl.h
Quantizer.h
record_function.h
THC
THCAtomics.cuh
THCDeviceUtils.cuh
c10
core
Allocator.h
AutogradState.h
Backend.h
CPUAllocator.h
CompileTimeFunctionPointer.h
CopyBytes.h
DefaultDtype.h
DefaultTensorOptions.h
Device.h
DeviceArray.h
DeviceGuard.h
DeviceType.h
DispatchKey.h
DispatchKeySet.h
DynamicCast.h
Event.h
GeneratorImpl.h
GradMode.h
InferenceMode.h
Layout.h
MemoryFormat.h
OptionalRef.h
PyHandleCache.h
QEngine.h
QScheme.h
SafePyObject.h
Scalar.h

```


■	■	■	■	■	■	■	■	■■■	BFloat16-inl.h
■	■	■	■	■	■	■	■	■■■	BFloat16-math.h
■	■	■	■	■	■	■	■	■■■	BFloat16.h
■	■	■	■	■	■	■	■	■■■	Backtrace.h
■	■	■	■	■	■	■	■	■■■	Bitset.h
■	■	■	■	■	■	■	■	■■■	C++17.h
■	■	■	■	■	■	■	■	■■■	CallOnce.h
■	■	■	■	■	■	■	■	■■■	ConstexprCrc.h
■	■	■	■	■	■	■	■	■■■	DeadlockDetection.h
■	■	■	■	■	■	■	■	■■■	Deprecated.h
■	■	■	■	■	■	■	■	■■■	DimVector.h
■	■	■	■	■	■	■	■	■■■	Exception.h
■	■	■	■	■	■	■	■	■■■	ExclusivelyOwned.h
■	■	■	■	■	■	■	■	■■■	ExclusivelyOwnedTensorTraits.h
■	■	■	■	■	■	■	■	■■■	Flags.h
■	■	■	■	■	■	■	■	■■■	FunctionRef.h
■	■	■	■	■	■	■	■	■■■	Half-inl.h
■	■	■	■	■	■	■	■	■■■	Half.h
■	■	■	■	■	■	■	■	■■■	IdWrapper.h
■	■	■	■	■	■	■	■	■■■	LeftRight.h
■	■	■	■	■	■	■	■	■■■	Load.h
■	■	■	■	■	■	■	■	■■■	Logging.h
■	■	■	■	■	■	■	■	■■■	MathConstants.h
■	■	■	■	■	■	■	■	■■■	MaybeOwned.h
■	■	■	■	■	■	■	■	■■■	Metaprogramming.h
■	■	■	■	■	■	■	■	■■■	Optional.h
■	■	■	■	■	■	■	■	■■■	OptionalArrayRef.h
■	■	■	■	■	■	■	■	■■■	Registry.h
■	■	■	■	■	■	■	■	■■■	ScopeExit.h
■	■	■	■	■	■	■	■	■■■	SmallBuffer.h
■	■	■	■	■	■	■	■	■■■	SmallVector.h
■	■	■	■	■	■	■	■	■■■	StringUtil.h
■	■	■	■	■	■	■	■	■■■	Synchronized.h
■	■	■	■	■	■	■	■	■■■	ThreadLocal.h
■	■	■	■	■	■	■	■	■■■	ThreadLocalDebugInfo.h
■	■	■	■	■	■	■	■	■■■	Type.h
■	■	■	■	■	■	■	■	■■■	TypeCast.h
■	■	■	■	■	■	■	■	■■■	TypeIndex.h
■	■	■	■	■	■	■	■	■■■	TypeList.h
■	■	■	■	■	■	■	■	■■■	TypeSafeSignMath.h
■	■	■	■	■	■	■	■	■■■	TypeTraits.h
■	■	■	■	■	■	■	■	■■■	Unicode.h
■	■	■	■	■	■	■	■	■■■	UniqueVoidPtr.h
■	■	■	■	■	■	■	■	■■■	Unroll.h
■	■	■	■	■	■	■	■	■■■	accumulate.h
■	■	■	■	■	■	■	■	■■■	complex.h
■	■	■	■	■	■	■	■	■■■	complex_math.h
■	■	■	■	■	■	■	■	■■■	complex_utils.h
■	■	■	■	■	■	■	■	■■■	copysign.h
■	■	■	■	■	■	■	■	■■■	either.h
■	■	■	■	■	■	■	■	■■■	env.h
■	■	■	■	■	■	■	■	■■■	flat_hash_map.h
■	■	■	■	■	■	■	■	■■■	hash.h
■	■	■	■	■	■	■	■	■■■	in_place.h
■	■	■	■	■	■	■	■	■■■	int128.h
■	■	■	■	■	■	■	■	■■■	intrusive_ptr.h
■	■	■	■	■	■	■	■	■■■	irange.h
■	■	■	■	■	■	■	■	■■■	llvmMathExtras.h

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ logging_is_google_glog.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ logging_is_not_google_glog.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ math_compat.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ numa.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ order_preserving_flat_hash_map.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ overloaded.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ python_stub.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ qint32.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ qint8.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ quint2x4.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ quint4x2.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ quint8.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ reverse_iterator.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ safe_numerics.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ signal_handler.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ sparse_bitset.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ strides.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ string_utils.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ string_view.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ strong_type.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ tempfile.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ thread_name.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ typeid.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ variant.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ win32-headers.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ caffe2
■ ■ ■ ■ ■ ■ ■ ■ ■■ serialize
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■ ■■ crc_alt.h
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■ ■■ file_adapter.h
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■ ■■ in_memory_adapter.h
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■ ■■ inline_container.h
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■ ■■ istream_adapter.h
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■ ■■ read_adapter_interface.h
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■ ■■ versions.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ clog.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ cpuinfo.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ dnnl.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ dnnl_config.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ dnnl_debug.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ dnnl_ocl.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ dnnl_sycl.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ dnnl_sycl_types.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ dnnl_threadpool.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ dnnl_types.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ dnnl_version.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ fp16.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ fxdiv.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ libshm.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ npack.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ psimd.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ pthreadpool.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ pybind11
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ attr.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ buffer_info.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ cast.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ chrono.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ common.h
■ ■ ■ ■ ■ ■ ■ ■ ■■ ■■ ■■ complex.h

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ ■ detail
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ class.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ common.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ descr.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ init.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ internals.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ type_caster_base.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ typeid.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ eigen.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ embed.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ eval.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ functional.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ gil.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ iostream.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ numpy.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ operators.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ options.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pybind11.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pytypes.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ stl.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ stl_bind.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ qnnpack.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ qnnpack_func.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sleef.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ torch
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ csrc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ CudaIPCTypes.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ DataLoader.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Device.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Dtype.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ DynamicTypes.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Exceptions.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Export.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Generator.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Layout.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ MemoryFormat.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Module.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ PyInterpreter.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ PythonTypes.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ QScheme.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Size.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Storage.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ StorageMethods.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ StorageSharing.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Stream.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ THConcat.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ THP.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ TypeInfo.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ Types.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ include
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ torch
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ all.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ arg.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ autograd.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cuda.h
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ data
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ dataloader

```

```

base.h
stateful.h
stateless.h
dataloader.h
dataloader_options.h
datasets
base.h
chunk.h
map.h
mnist.h
shared.h
stateful.h
tensor.h
datasets.h
detail
data_shuttle.h
queue.h
sequencers.h
example.h
iterator.h
samplers
base.h
custom_batch_request.h
distributed.h
random.h
sequential.h
serialize.h
stream.h
samplers.h
transforms
base.h
collate.h
lambda.h
stack.h
tensor.h
transforms.h
worker_exception.h
data.h
detail
TensorDataContainer.h
static.h
enum.h
expanding_array.h
fft.h
imethod.h
jit.h
linalg.h
nested.h
nn
cloneable.h
functional
activation.h
batchnorm.h
conv.h
distance.h
dropout.h
embedding.h
fold.h

```

```

██████████ instancenorm.h
██████████ linear.h
██████████ loss.h
██████████ normalization.h
██████████ padding.h
██████████ pixelshuffle.h
██████████ pooling.h
██████████ upsampling.h
██████████ vision.h
██████████ functional.h
██████████ init.h
██████████ module.h
██████████ modules
██████████     _functions.h
██████████     activation.h
██████████     adaptive.h
██████████     batchnorm.h
██████████     common.h
██████████     container
██████████     any.h
██████████     any_module_holder.h
██████████     any_value.h
██████████     functional.h
██████████     moduledict.h
██████████     modulelist.h
██████████     named_any.h
██████████     parameterdict.h
██████████     parameterlist.h
██████████     sequential.h
██████████ conv.h
██████████ distance.h
██████████ dropout.h
██████████ embedding.h
██████████ fold.h
██████████ instancenorm.h
██████████ linear.h
██████████ loss.h
██████████ normalization.h
██████████ padding.h
██████████ pixelshuffle.h
██████████ pooling.h
██████████ rnn.h
██████████ transformer.h
██████████ transformercoder.h
██████████ transformerlayer.h
██████████ upsampling.h
██████████ utils.h
██████████ modules.h
██████████ options
██████████     activation.h
██████████     adaptive.h
██████████     batchnorm.h
██████████     conv.h
██████████     distance.h
██████████     dropout.h
██████████     embedding.h
██████████     fold.h
██████████     instancenorm.h

```

■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	linear.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	loss.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	normalization.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	padding.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	pixelshuffle.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	pooling.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	rnn.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	transformer.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	transformercoder.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	transformerlayer.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	upsampling.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	vision.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	options.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	parallel
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	data_parallel.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	pimpl-inl.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	pimpl.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	utils
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	clip_grad.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	convert_parameters.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	rnn.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	utils.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	nn.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	optim
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	adagrad.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	adam.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	adamw.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	lbfgs.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	optimizer.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	rmsprop.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	schedulers
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	lr_scheduler.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	step_lr.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	serialize.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	sgd.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	optim.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	ordered_dict.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	python.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	serialize
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	archive.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	input-archive.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	output-archive.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	tensor.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	serialize.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	sparse.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	special.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	torch.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	types.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	utils.h
■	■	■	■	■	■	■	■	■	■	■	■	■	■■■	version.h
■	■	■	■	■	■	■	■	■■■	autograd					
■	■	■	■	■	■	■	■	■	■■■	FunctionsManual.h				
■	■	■	■	■	■	■	■	■	■■■	InferenceMode.h				
■	■	■	■	■	■	■	■	■	■■■	VariableTypeUtils.h				
■	■	■	■	■	■	■	■	■	■■■	anomaly_mode.h				
■	■	■	■	■	■	■	■	■	■■■	autograd.h				
■	■	■	■	■	■	■	■	■	■■■	autograd_not_implemented_fallback.h				
■	■	■	■	■	■	■	■	■	■■■	cpp_hook.h				


```

■ ■ ■ ■ copy_utils.h
■ ■ ■ ■ cuda
■ ■ ■ ■ CUDAPluggableAllocator.h
■ ■ ■ ■ Event.h
■ ■ ■ ■ Module.h
■ ■ ■ ■ Stream.h
■ ■ ■ ■ THCP.h
■ ■ ■ ■ comm.h
■ ■ ■ ■ device_set.h
■ ■ ■ ■ memory_snapshot.h
■ ■ ■ ■ nccl.h
■ ■ ■ ■ python_comm.h
■ ■ ■ ■ python_nccl.h
■ ■ ■ ■ distributed
■ ■ ■ ■ c10d
■ ■ ■ ■ Backend.hpp
■ ■ ■ ■ FileStore.hpp
■ ■ ■ ■ GlooDeviceFactory.hpp
■ ■ ■ ■ HashStore.hpp
■ ■ ■ ■ NCCLUtils.hpp
■ ■ ■ ■ ParamCommsUtils.hpp
■ ■ ■ ■ PrefixStore.hpp
■ ■ ■ ■ ProcessGroup.hpp
■ ■ ■ ■ ProcessGroupGloo.hpp
■ ■ ■ ■ ProcessGroupMPI.hpp
■ ■ ■ ■ ProcessGroupNCCL.hpp
■ ■ ■ ■ ProcessGroupRoundRobin.hpp
■ ■ ■ ■ ProcessGroupUCC.hpp
■ ■ ■ ■ ProcessGroupWrapper.hpp
■ ■ ■ ■ PyProcessGroup.hpp
■ ■ ■ ■ Store.hpp
■ ■ ■ ■ TCPStore.hpp
■ ■ ■ ■ TraceUtils.h
■ ■ ■ ■ Types.hpp
■ ■ ■ ■ UCCForNCCL.hpp
■ ■ ■ ■ UCCTracing.hpp
■ ■ ■ ■ UCCUtils.hpp
■ ■ ■ ■ UnixSockUtils.hpp
■ ■ ■ ■ Utils.hpp
■ ■ ■ ■ WinSockUtils.hpp
■ ■ ■ ■ Work.hpp
■ ■ ■ ■ c10d.h
■ ■ ■ ■ comm.hpp
■ ■ ■ ■ debug.h
■ ■ ■ ■ default_comm_hooks.hpp
■ ■ ■ ■ error.h
■ ■ ■ ■ exception.h
■ ■ ■ ■ logger.hpp
■ ■ ■ ■ logging.h
■ ■ ■ ■ python_comm_hook.h
■ ■ ■ ■ reducer.hpp
■ ■ ■ ■ reducer_timer.hpp
■ ■ ■ ■ sequence_num.hpp
■ ■ ■ ■ socket.h
■ ■ ■ ■ rpc
■ ■ ■ ■ agent_utils.h
■ ■ ■ ■ message.h
■ ■ ■ ■ py_rref.h

```

■	■	■	■	■	■	■	■	■	■	■■■	python_call.h
■	■	■	■	■	■	■	■	■	■	■■■	python_functions.h
■	■	■	■	■	■	■	■	■	■	■■■	python_remote_call.h
■	■	■	■	■	■	■	■	■	■	■■■	python_resp.h
■	■	■	■	■	■	■	■	■	■	■■■	python_rpc_handler.h
■	■	■	■	■	■	■	■	■	■	■■■	request_callback.h
■	■	■	■	■	■	■	■	■	■	■■■	request_callback_impl.h
■	■	■	■	■	■	■	■	■	■	■■■	request_callback_no_python.h
■	■	■	■	■	■	■	■	■	■	■■■	rpc.h
■	■	■	■	■	■	■	■	■	■	■■■	rpc_agent.h
■	■	■	■	■	■	■	■	■	■	■■■	rpc_command_base.h
■	■	■	■	■	■	■	■	■	■	■■■	rref_context.h
■	■	■	■	■	■	■	■	■	■	■■■	rref_impl.h
■	■	■	■	■	■	■	■	■	■	■■■	rref_proto.h
■	■	■	■	■	■	■	■	■	■	■■■	script_call.h
■	■	■	■	■	■	■	■	■	■	■■■	script_remote_call.h
■	■	■	■	■	■	■	■	■	■	■■■	script_resp.h
■	■	■	■	■	■	■	■	■	■	■■■	tensorpipe_agent.h
■	■	■	■	■	■	■	■	■	■	■■■	tensorpipe_utils.h
■	■	■	■	■	■	■	■	■	■	■■■	torchscript_functions.h
■	■	■	■	■	■	■	■	■	■	■■■	types.h
■	■	■	■	■	■	■	■	■	■	■■■	unpickled_python_call.h
■	■	■	■	■	■	■	■	■	■	■■■	unpickled_python_remote_call.h
■	■	■	■	■	■	■	■	■	■	■■■	utils.h
■	■	■	■	■	■	■	■	■■■	itt_wrapper.h		
■	■	■	■	■	■	■	■	■■■	jit		
■	■	■	■	■	■	■	■	■	■■■	api	
■	■	■	■	■	■	■	■	■	■	■■■	compilation_unit.h
■	■	■	■	■	■	■	■	■	■	■■■	function_impl.h
■	■	■	■	■	■	■	■	■	■	■■■	method.h
■	■	■	■	■	■	■	■	■	■	■■■	module.h
■	■	■	■	■	■	■	■	■	■	■■■	object.h
■	■	■	■	■	■	■	■	■	■■■	backends	
■	■	■	■	■	■	■	■	■	■	■■■	backend.h
■	■	■	■	■	■	■	■	■	■	■■■	backend_debug_handler.h
■	■	■	■	■	■	■	■	■	■	■■■	backend_debug_info.h
■	■	■	■	■	■	■	■	■	■	■■■	backend_detail.h
■	■	■	■	■	■	■	■	■	■	■■■	backend_exception.h
■	■	■	■	■	■	■	■	■	■	■■■	backend_init.h
■	■	■	■	■	■	■	■	■	■	■■■	backend_interface.h
■	■	■	■	■	■	■	■	■	■	■■■	backend_preprocess.h
■	■	■	■	■	■	■	■	■	■	■■■	backend_resolver.h
■	■	■	■	■	■	■	■	■	■■■	codegen	
■	■	■	■	■	■	■	■	■	■■■	cuda	
■	■	■	■	■	■	■	■	■	■	■■■	interface.h
■	■	■	■	■	■	■	■	■	■■■	frontend	
■	■	■	■	■	■	■	■	■	■	■■■	builtin_functions.h
■	■	■	■	■	■	■	■	■	■	■■■	canonicalize_modified_loop.h
■	■	■	■	■	■	■	■	■	■	■■■	concrete_module_type.h
■	■	■	■	■	■	■	■	■	■	■■■	convert_to_ssa.h
■	■	■	■	■	■	■	■	■	■	■■■	edit_distance.h
■	■	■	■	■	■	■	■	■	■	■■■	error_report.h
■	■	■	■	■	■	■	■	■	■	■■■	exit_transforms.h
■	■	■	■	■	■	■	■	■	■	■■■	function_schema_parser.h
■	■	■	■	■	■	■	■	■	■	■■■	inline_loop_condition.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_emitter.h
■	■	■	■	■	■	■	■	■	■	■■■	lexer.h
■	■	■	■	■	■	■	■	■	■	■■■	mini_environment.h

■	■	■	■	■	■	■	■	■	■	■■■	name_mangler.h
■	■	■	■	■	■	■	■	■	■	■■■	parse_string_literal.h
■	■	■	■	■	■	■	■	■	■	■■■	parser.h
■	■	■	■	■	■	■	■	■	■	■■■	parser_constants.h
■	■	■	■	■	■	■	■	■	■	■■■	resolver.h
■	■	■	■	■	■	■	■	■	■	■■■	schema_matching.h
■	■	■	■	■	■	■	■	■	■	■■■	schema_type_parser.h
■	■	■	■	■	■	■	■	■	■	■■■	script_type_parser.h
■	■	■	■	■	■	■	■	■	■	■■■	source_range.h
■	■	■	■	■	■	■	■	■	■	■■■	source_ref.h
■	■	■	■	■	■	■	■	■	■	■■■	strtod.h
■	■	■	■	■	■	■	■	■	■	■■■	sugared_value.h
■	■	■	■	■	■	■	■	■	■	■■■	tracer.h
■	■	■	■	■	■	■	■	■	■	■■■	tree.h
■	■	■	■	■	■	■	■	■	■	■■■	tree_views.h
■	■	■	■	■	■	■	■	■	■	■■■	versioned_symbols.h
■	■	■	■	■	■	■	■	■	■■■	ir	
■	■	■	■	■	■	■	■	■	■	■■■	alias_analysis.h
■	■	■	■	■	■	■	■	■	■	■■■	attributes.h
■	■	■	■	■	■	■	■	■	■	■■■	constants.h
■	■	■	■	■	■	■	■	■	■	■■■	graph_node_list.h
■	■	■	■	■	■	■	■	■	■	■■■	graph_utils.h
■	■	■	■	■	■	■	■	■	■	■■■	ir.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_views.h
■	■	■	■	■	■	■	■	■	■	■■■	irparser.h
■	■	■	■	■	■	■	■	■	■	■■■	named_value.h
■	■	■	■	■	■	■	■	■	■	■■■	node_hashing.h
■	■	■	■	■	■	■	■	■	■	■■■	scope.h
■	■	■	■	■	■	■	■	■	■	■■■	subgraph_matcher.h
■	■	■	■	■	■	■	■	■	■	■■■	type_hashing.h
■	■	■	■	■	■	■	■	■	■■■	jit_log.h	
■	■	■	■	■	■	■	■	■	■■■	jit_opt_limit.h	
■	■	■	■	■	■	■	■	■	■■■	mobile	
■	■	■	■	■	■	■	■	■	■	■■■	code.h
■	■	■	■	■	■	■	■	■	■	■■■	debug_info.h
■	■	■	■	■	■	■	■	■	■	■■■	file_format.h
■	■	■	■	■	■	■	■	■	■	■■■	flatbuffer_loader.h
■	■	■	■	■	■	■	■	■	■	■■■	frame.h
■	■	■	■	■	■	■	■	■	■	■■■	function.h
■	■	■	■	■	■	■	■	■	■	■■■	import.h
■	■	■	■	■	■	■	■	■	■	■■■	import_data.h
■	■	■	■	■	■	■	■	■	■	■■■	import_export_common.h
■	■	■	■	■	■	■	■	■	■	■■■	interpreter.h
■	■	■	■	■	■	■	■	■	■	■■■	method.h
■	■	■	■	■	■	■	■	■	■	■■■	module.h
■	■	■	■	■	■	■	■	■	■	■■■	observer.h
■	■	■	■	■	■	■	■	■	■	■■■	parse_bytecode.h
■	■	■	■	■	■	■	■	■	■	■■■	parse_operators.h
■	■	■	■	■	■	■	■	■	■	■■■	prim_ops_registry.h
■	■	■	■	■	■	■	■	■	■	■■■	profiler_edge.h
■	■	■	■	■	■	■	■	■	■	■■■	promoted_prim_ops.h
■	■	■	■	■	■	■	■	■	■	■■■	quantization.h
■	■	■	■	■	■	■	■	■	■	■■■	register_ops_common_utils.h
■	■	■	■	■	■	■	■	■	■	■■■	type_parser.h
■	■	■	■	■	■	■	■	■	■	■■■	upgrader_mobile.h
■	■	■	■	■	■	■	■	■	■■■	passes	
■	■	■	■	■	■	■	■	■	■	■■■	add_if_then_else.h
■	■	■	■	■	■	■	■	■	■	■■■	annotate_warns.h

```

■ ■ ■ autocast.h
■ ■ ■ bailout_graph.h
■ ■ ■ batch_mm.h
■ ■ ■ canonicalize.h
■ ■ ■ canonicalize_graph_fuser_ops.h
■ ■ ■ check_strict_fusion.h
■ ■ ■ clear_profiling.h
■ ■ ■ clear_undefinedness.h
■ ■ ■ common_subexpression_elimination.h
■ ■ ■ concat_opt.h
■ ■ ■ constant_pooling.h
■ ■ ■ constant_propagation.h
■ ■ ■ create_autodiff_subgraphs.h
■ ■ ■ create_functional_graphs.h
■ ■ ■ cuda_graph_fuser.h
■ ■ ■ dead_code_elimination.h
■ ■ ■ decompose_ops.h
■ ■ ■ device_type_analysis.h
■ ■ ■ dtype_analysis.h
■ ■ ■ eliminate_no_ops.h
■ ■ ■ erase_number_types.h
■ ■ ■ fixup_trace_scope_blocks.h
■ ■ ■ fold_conv_bn.h
■ ■ ■ fold_linear_bn.h
■ ■ ■ freeze_module.h
■ ■ ■ frozen_concat_linear.h
■ ■ ■ frozen_conv_add_relu_fusion.h
■ ■ ■ frozen_conv_folding.h
■ ■ ■ frozen_graph_optimizations.h
■ ■ ■ frozen_linear_folding.h
■ ■ ■ frozen_linear_transpose.h
■ ■ ■ frozen_ops_to_mkldnn.h
■ ■ ■ fuse_linear.h
■ ■ ■ fuse_relu.h
■ ■ ■ graph_fuser.h
■ ■ ■ graph_rewrite_helper.h
■ ■ ■ guard_elimination.h
■ ■ ■ hoist_conv_packed_params.h
■ ■ ■ inline_autodiff_subgraphs.h
■ ■ ■ inline_fork_wait.h
■ ■ ■ inline_forked_closures.h
■ ■ ■ inliner.h
■ ■ ■ inplace_check.h
■ ■ ■ insert_guards.h
■ ■ ■ integer_value_refinement.h
■ ■ ■ lift_closures.h
■ ■ ■ liveness.h
■ ■ ■ loop_unrolling.h
■ ■ ■ lower_grad_of.h
■ ■ ■ lower_graph.h
■ ■ ■ lower_tuples.h
■ ■ ■ metal_rewrite.h
■ ■ ■ mkldnn_rewrite.h
■ ■ ■ mobile_optimizer_type.h
■ ■ ■ normalize_ops.h
■ ■ ■ onednn_graph_fuser.h
■ ■ ■ onnx.h
■ ■ ■ pass_manager.h

```

■	■	■	■	■	■	■	■	■	■	■■■	peephole.h	
■	■	■	■	■	■	■	■	■	■	■■■	peephole_alias_sensitive.h	
■	■	■	■	■	■	■	■	■	■	■■■	peephole_dict_idioms.h	
■	■	■	■	■	■	■	■	■	■	■■■	peephole_list_idioms.h	
■	■	■	■	■	■	■	■	■	■	■■■	peephole_non_tensor.h	
■	■	■	■	■	■	■	■	■	■	■■■	prepack_folding.h	
■	■	■	■	■	■	■	■	■	■	■■■	quantization	
■	■	■	■	■	■	■	■	■	■	■	■■■	dedup_module_uses.h
■	■	■	■	■	■	■	■	■	■	■	■■■	finalize.h
■	■	■	■	■	■	■	■	■	■	■	■■■	fusion_passes.h
■	■	■	■	■	■	■	■	■	■	■	■■■	helper.h
■	■	■	■	■	■	■	■	■	■	■	■■■	insert_observers.h
■	■	■	■	■	■	■	■	■	■	■	■■■	insert_quant_dequant.h
■	■	■	■	■	■	■	■	■	■	■	■■■	quantization_patterns.h
■	■	■	■	■	■	■	■	■	■	■	■■■	quantization_type.h
■	■	■	■	■	■	■	■	■	■	■	■■■	register_packed_params.h
■	■	■	■	■	■	■	■	■	■	■■■	refine_tuple_types.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_dropout.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_exceptions.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_expands.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_inplace_ops.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_mutation.h	
■	■	■	■	■	■	■	■	■	■	■■■	remove_redundant_profiles.h	
■	■	■	■	■	■	■	■	■	■	■■■	replacement_of_old_operators.h	
■	■	■	■	■	■	■	■	■	■	■■■	requires_grad_analysis.h	
■	■	■	■	■	■	■	■	■	■	■■■	restore_mutation.h	
■	■	■	■	■	■	■	■	■	■	■■■	shape_analysis.h	
■	■	■	■	■	■	■	■	■	■	■■■	specialize_autogradzero.h	
■	■	■	■	■	■	■	■	■	■	■■■	subgraph_rewrite.h	
■	■	■	■	■	■	■	■	■	■	■■■	symbolic_shape_analysis.h	
■	■	■	■	■	■	■	■	■	■	■■■	symbolic_shape_cache.h	
■	■	■	■	■	■	■	■	■	■	■■■	symbolic_shape_runtime_fusion.h	
■	■	■	■	■	■	■	■	■	■	■■■	tensoexpr_fuser.h	
■	■	■	■	■	■	■	■	■	■	■■■	update_differentiable_graph_requires_grad.h	
■	■	■	■	■	■	■	■	■	■	■■■	utils	
■	■	■	■	■	■	■	■	■	■	■	■■■	check_alias_annotation.h
■	■	■	■	■	■	■	■	■	■	■	■■■	memory_dag.h
■	■	■	■	■	■	■	■	■	■	■	■■■	op_registry.h
■	■	■	■	■	■	■	■	■	■	■	■■■	optimization_utils.h
■	■	■	■	■	■	■	■	■	■	■	■■■	subgraph_utils.h
■	■	■	■	■	■	■	■	■	■	■■■	value_refinement_utils.h	
■	■	■	■	■	■	■	■	■	■	■■■	variadic_ops.h	
■	■	■	■	■	■	■	■	■	■	■■■	vulkan_rewrite.h	
■	■	■	■	■	■	■	■	■	■	■■■	xnnpack_rewrite.h	
■	■	■	■	■	■	■	■	■	■	■■■	python	
■	■	■	■	■	■	■	■	■	■	■	■■■	init.h
■	■	■	■	■	■	■	■	■	■	■	■■■	module_python.h
■	■	■	■	■	■	■	■	■	■	■	■■■	pybind.h
■	■	■	■	■	■	■	■	■	■	■	■■■	pybind_utils.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_arg_flatten.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_custom_class.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_dict.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_ir.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_ivalue.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_list.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_sugared_value.h
■	■	■	■	■	■	■	■	■	■	■	■■■	python_tracer.h
■	■	■	■	■	■	■	■	■	■	■■■	python_tree_views.h	

```

■ ■ ■ ■ script_init.h
■ ■ ■ ■ update_graph_executor_opt.h
■ ■ ■ ■ resource_guard.h
■ ■ ■ ■ runtime
■ ■ ■ ■ argument_spec.h
■ ■ ■ ■ autodiff.h
■ ■ ■ ■ calculate_necessary_args.h
■ ■ ■ ■ custom_operator.h
■ ■ ■ ■ decomposition_registry.h
■ ■ ■ ■ decomposition_registry_util.h
■ ■ ■ ■ exception_message.h
■ ■ ■ ■ graph_executor.h
■ ■ ■ ■ graph_executor_impl.h
■ ■ ■ ■ graph_iterator.h
■ ■ ■ ■ instruction.h
■ ■ ■ ■ interpreter.h
■ ■ ■ ■ jit_exception.h
■ ■ ■ ■ jit_trace.h
■ ■ ■ ■ logging.h
■ ■ ■ ■ operator.h
■ ■ ■ ■ operator_options.h
■ ■ ■ ■ print_handler.h
■ ■ ■ ■ profiling_graph_executor_impl.h
■ ■ ■ ■ profiling_record.h
■ ■ ■ ■ register_ops_utils.h
■ ■ ■ ■ script_profile.h
■ ■ ■ ■ serialized_shape_function_registry.h
■ ■ ■ ■ shape_function_registry.h
■ ■ ■ ■ simple_graph_executor_impl.h
■ ■ ■ ■ slice_indices_adjust.h
■ ■ ■ ■ symbolic_script.h
■ ■ ■ ■ symbolic_shape_registry.h
■ ■ ■ ■ symbolic_shape_registry_util.h
■ ■ ■ ■ vararg_functions.h
■ ■ ■ ■ variable_tensor_list.h
■ ■ ■ ■ serialization
■ ■ ■ ■ callstack_debug_info_serialization.h
■ ■ ■ ■ export.h
■ ■ ■ ■ export_bytecode.h
■ ■ ■ ■ flatbuffer_serializer.h
■ ■ ■ ■ flatbuffer_serializer_jit.h
■ ■ ■ ■ import.h
■ ■ ■ ■ import_export_constants.h
■ ■ ■ ■ import_export_functions.h
■ ■ ■ ■ import_export_helpers.h
■ ■ ■ ■ import_legacy.h
■ ■ ■ ■ import_read.h
■ ■ ■ ■ import_source.h
■ ■ ■ ■ mobile_bytecode_generated.h
■ ■ ■ ■ onnx.h
■ ■ ■ ■ pickle.h
■ ■ ■ ■ pickler.h
■ ■ ■ ■ python_print.h
■ ■ ■ ■ source_range_serialization.h
■ ■ ■ ■ source_range_serialization_impl.h
■ ■ ■ ■ storage_context.h
■ ■ ■ ■ type_name_uniquer.h
■ ■ ■ ■ unpickler.h

```

```

    tensorexpr
    analysis.h
    block_codegen.h
    bounds_inference.h
    bounds_overlap.h
    codegen.h
    cpp_codegen.h
    cpp_intrinsics.h
    cuda_codegen.h
    cuda_random.h
    eval.h
    exceptions.h
    expr.h
    external_functions.h
    external_functions_core.h
    external_functions_registry.h
    fwd_decls.h
    graph_opt.h
    half_support.h
    hash_provider.h
    intrinsic_symbols.h
    ir.h
    ir_cloner.h
    ir_mutator.h
    ir_printer.h
    ir_simplifier.h
    ir_verifier.h
    ir_visitor.h
    kernel.h
    llvm_codegen.h
    llvm_jit.h
    loopnest.h
    loopnest_randomization.h
    lowerings.h
    mem_dependency_checker.h
    operators
    conv2d.h
    matmul.h
    misc.h
    norm.h
    operators.h
    pointwise.h
    quantization.h
    reduction.h
    softmax.h
    reduction.h
    registerizer.h
    stmt.h
    tensor.h
    tensorexpr_init.h
    types.h
    unique_name_manager.h
    var_substitutor.h
    testing
    file_check.h
    hooks_for_testing.h
    lazy
    backend

```

■	■	■	■	■	■	■	■	■	■	■■■	backend_data.h
■	■	■	■	■	■	■	■	■	■	■	backend_device.h
■	■	■	■	■	■	■	■	■	■	■	backend_interface.h
■	■	■	■	■	■	■	■	■	■	■	lowering_context.h
■	■	■	■	■	■	■	■	■	■■■	core	
■	■	■	■	■	■	■	■	■	■	■■■	cache.h
■	■	■	■	■	■	■	■	■	■	■■■	config.h
■	■	■	■	■	■	■	■	■	■	■■■	debug_util.h
■	■	■	■	■	■	■	■	■	■	■■■	dynamic_ir.h
■	■	■	■	■	■	■	■	■	■	■■■	hash.h
■	■	■	■	■	■	■	■	■	■	■■■	helpers.h
■	■	■	■	■	■	■	■	■	■	■■■	internal_ops
■	■	■	■	■	■	■	■	■	■	■	■■■ ltc_ops.h
■	■	■	■	■	■	■	■	■	■	■■■	ir.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_builder.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_dump_util.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_metadata.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_util.h
■	■	■	■	■	■	■	■	■	■	■■■	lazy_graph_executor.h
■	■	■	■	■	■	■	■	■	■	■■■	metrics.h
■	■	■	■	■	■	■	■	■	■	■■■	multi_wait.h
■	■	■	■	■	■	■	■	■	■	■■■	ops
■	■	■	■	■	■	■	■	■	■	■	■■■ arithmetic_ir_ops.h
■	■	■	■	■	■	■	■	■	■	■	■■■ utils.h
■	■	■	■	■	■	■	■	■	■	■■■	permutation_util.h
■	■	■	■	■	■	■	■	■	■	■■■	shape.h
■	■	■	■	■	■	■	■	■	■	■■■	shape_inference.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_impl.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_util.h
■	■	■	■	■	■	■	■	■	■	■■■	thread_pool.h
■	■	■	■	■	■	■	■	■	■	■■■	trie.h
■	■	■	■	■	■	■	■	■	■	■■■	unique.h
■	■	■	■	■	■	■	■	■	■	■■■	util.h
■	■	■	■	■	■	■	■	■	■■■	ts_backend	
■	■	■	■	■	■	■	■	■	■	■■■	config.h
■	■	■	■	■	■	■	■	■	■	■■■	dynamic_ir.h
■	■	■	■	■	■	■	■	■	■	■■■	ir_builder.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_aten_ops.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_autograd_functions.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_backend_impl.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_eager_fallback.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_lowering_context.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_node.h
■	■	■	■	■	■	■	■	■	■	■■■	ts_node_lowering.h
■	■	■	■	■	■	■	■	■■■	onnx		
■	■	■	■	■	■	■	■	■	■	■■■	init.h
■	■	■	■	■	■	■	■	■	■	■■■	onnx.h
■	■	■	■	■	■	■	■	■■■	profiler		
■	■	■	■	■	■	■	■	■	■■■	api.h	
■	■	■	■	■	■	■	■	■	■■■	collection.h	
■	■	■	■	■	■	■	■	■	■■■	containers.h	
■	■	■	■	■	■	■	■	■	■■■	data_flow.h	
■	■	■	■	■	■	■	■	■	■■■	events.h	
■	■	■	■	■	■	■	■	■	■■■	kineto_shim.h	
■	■	■	■	■	■	■	■	■	■■■	orchestration	
■	■	■	■	■	■	■	■	■	■	■■■	observer.h
■	■	■	■	■	■	■	■	■	■	■■■	python_tracer.h

■	■	■	■	■	■	■	■	■	■	■■■	vulkan.h
■	■	■	■	■	■	■	■	■	■	■■■	perf-inl.h
■	■	■	■	■	■	■	■	■	■	■■■	perf.h
■	■	■	■	■	■	■	■	■	■	■■■	stubs
■	■	■	■	■	■	■	■	■	■	■■■	base.h
■	■	■	■	■	■	■	■	■	■	■■■	util.h
■	■	■	■	■	■	■	■	■	■■■	python_dimname.h	
■	■	■	■	■	■	■	■	■	■■■	python_headers.h	
■	■	■	■	■	■	■	■	■	■■■	serialization.h	
■	■	■	■	■	■	■	■	■	■■■	tensor	
■	■	■	■	■	■	■	■	■	■	■■■	python_tensor.h
■	■	■	■	■	■	■	■	■	■■■	utils	
■	■	■	■	■	■	■	■	■	■	■■■	auto_gil.h
■	■	■	■	■	■	■	■	■	■	■■■	byte_order.h
■	■	■	■	■	■	■	■	■	■	■■■	cpp_stacktraces.h
■	■	■	■	■	■	■	■	■	■	■■■	cuda_enabled.h
■	■	■	■	■	■	■	■	■	■	■■■	cuda_lazy_init.h
■	■	■	■	■	■	■	■	■	■	■■■	disable_torch_function.h
■	■	■	■	■	■	■	■	■	■	■■■	init.h
■	■	■	■	■	■	■	■	■	■	■■■	invalid_arguments.h
■	■	■	■	■	■	■	■	■	■	■■■	memory.h
■	■	■	■	■	■	■	■	■	■	■■■	nested.h
■	■	■	■	■	■	■	■	■	■	■■■	numpy_stub.h
■	■	■	■	■	■	■	■	■	■	■■■	object_ptr.h
■	■	■	■	■	■	■	■	■	■	■■■	out_types.h
■	■	■	■	■	■	■	■	■	■	■■■	pybind.h
■	■	■	■	■	■	■	■	■	■	■■■	pycfunction_helpers.h
■	■	■	■	■	■	■	■	■	■	■■■	python_arg_parser.h
■	■	■	■	■	■	■	■	■	■	■■■	python_compat.h
■	■	■	■	■	■	■	■	■	■	■■■	python_dispatch.h
■	■	■	■	■	■	■	■	■	■	■■■	python_numbers.h
■	■	■	■	■	■	■	■	■	■	■■■	python_scalars.h
■	■	■	■	■	■	■	■	■	■	■■■	python_strings.h
■	■	■	■	■	■	■	■	■	■	■■■	python_stub.h
■	■	■	■	■	■	■	■	■	■	■■■	python_symnode.h
■	■	■	■	■	■	■	■	■	■	■■■	python_torch_function_mode.h
■	■	■	■	■	■	■	■	■	■	■■■	python_tuples.h
■	■	■	■	■	■	■	■	■	■	■■■	pythoncapi_compat.h
■	■	■	■	■	■	■	■	■	■	■■■	schema_info.h
■	■	■	■	■	■	■	■	■	■	■■■	six.h
■	■	■	■	■	■	■	■	■	■	■■■	structseq.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_apply.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_dtypes.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_flatten.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_layouts.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_list.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_memoryformats.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_new.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_numpy.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_qschemes.h
■	■	■	■	■	■	■	■	■	■	■■■	tensor_types.h
■	■	■	■	■	■	■	■	■	■	■■■	throughput_benchmark-inl.h
■	■	■	■	■	■	■	■	■	■	■■■	throughput_benchmark.h
■	■	■	■	■	■	■	■	■	■	■■■	torch_dispatch_mode.h
■	■	■	■	■	■	■	■	■	■	■■■	variadic.h
■	■	■	■	■	■	■	■	■	■■■	utils.h	
■	■	■	■	■	■	■	■	■■■	custom_class.h		
■	■	■	■	■	■	■	■■■	custom_class_detail.h			

```

■ ■ ■ extension.h
■ ■ ■ library.h
■ ■ ■ script.h
■ ■ ■ xnnpack.h
■ ■ ■ jit
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _async.cpython-311.pyc
■ ■ ■ _await.cpython-311.pyc
■ ■ ■ _builtins.cpython-311.pyc
■ ■ ■ _check.cpython-311.pyc
■ ■ ■ _dataclass_impls.cpython-311.pyc
■ ■ ■ _decomposition_utils.cpython-311.pyc
■ ■ ■ _decompositions.cpython-311.pyc
■ ■ ■ _freeze.cpython-311.pyc
■ ■ ■ _fuser.cpython-311.pyc
■ ■ ■ _ir_utils.cpython-311.pyc
■ ■ ■ _logging.cpython-311.pyc
■ ■ ■ _monkeytype_config.cpython-311.pyc
■ ■ ■ _pickle.cpython-311.pyc
■ ■ ■ _recursive.cpython-311.pyc
■ ■ ■ _script.cpython-311.pyc
■ ■ ■ _serialization.cpython-311.pyc
■ ■ ■ _shape_functions.cpython-311.pyc
■ ■ ■ _state.cpython-311.pyc
■ ■ ■ _trace.cpython-311.pyc
■ ■ ■ annotations.cpython-311.pyc
■ ■ ■ frontend.cpython-311.pyc
■ ■ ■ generate_bytecode.cpython-311.pyc
■ ■ ■ quantized.cpython-311.pyc
■ ■ ■ supported_ops.cpython-311.pyc
■ ■ ■ unsupported_tensor_ops.cpython-311.pyc
■ ■ ■ _async.py
■ ■ ■ _await.py
■ ■ ■ _builtins.py
■ ■ ■ _check.py
■ ■ ■ _dataclass_impls.py
■ ■ ■ _decomposition_utils.py
■ ■ ■ _decompositions.py
■ ■ ■ _freeze.py
■ ■ ■ _fuser.py
■ ■ ■ _ir_utils.py
■ ■ ■ _logging.py
■ ■ ■ _monkeytype_config.py
■ ■ ■ _passes
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _property_propagation.cpython-311.pyc
■ ■ ■ _property_propagation.py
■ ■ ■ _pickle.py
■ ■ ■ _recursive.py
■ ■ ■ _script.py
■ ■ ■ _serialization.py
■ ■ ■ _shape_functions.py
■ ■ ■ _state.py
■ ■ ■ _trace.py

```

[illegible]

```

■      ■      ■      ■      ■      ■      ■      mps
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      multiprocessing
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _atfork.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      pool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      queue.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      reductions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      spawn.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _atfork.py
■      ■      ■      ■      ■      ■      ■      ■      ■      pool.py
■      ■      ■      ■      ■      ■      ■      ■      ■      queue.py
■      ■      ■      ■      ■      ■      ■      ■      ■      reductions.py
■      ■      ■      ■      ■      ■      ■      ■      ■      spawn.py
■      ■      ■      ■      ■      ■      ■      ■      nested
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      nn
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _reduction.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      common_types.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      cpp.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      functional.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      grad.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      init.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      parameter.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _reduction.py
■      ■      ■      ■      ■      ■      ■      ■      backends
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      thnn.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      thnn.py
■      ■      ■      ■      ■      ■      ■      ■      common_types.py
■      ■      ■      ■      ■      ■      ■      ■      cpp.py
■      ■      ■      ■      ■      ■      ■      ■      functional.py
■      ■      ■      ■      ■      ■      ■      ■      functional.pyi
■      ■      ■      ■      ■      ■      ■      ■      grad.py
■      ■      ■      ■      ■      ■      ■      ■      init.py
■      ■      ■      ■      ■      ■      ■      ■      intrinsic
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      modules
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      fused.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      fused.py
■      ■      ■      ■      ■      ■      ■      ■      qat
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py

```

```

    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ modules
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ conv_fused.cpython-311.pyc
    ████ linear_fused.cpython-311.pyc
    ████ linear_relu.cpython-311.pyc
    ████ conv_fused.py
    ████ linear_fused.py
    ████ linear_relu.py
    ████ quantized
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ dynamic
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ modules
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ linear_relu.cpython-311.pyc
    ████ linear_relu.py
    ████ modules
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ bn_relu.cpython-311.pyc
    ████ conv_relu.cpython-311.pyc
    ████ linear_relu.cpython-311.pyc
    ████ bn_relu.py
    ████ conv_relu.py
    ████ linear_relu.py
    ████ modules
    ████ __init__.py
    ████ __pycache__
    ████ __init__.cpython-311.pyc
    ████ _functions.cpython-311.pyc
    ████ activation.cpython-311.pyc
    ████ adaptive.cpython-311.pyc
    ████ batchnorm.cpython-311.pyc
    ████ channelshuffle.cpython-311.pyc
    ████ container.cpython-311.pyc
    ████ conv.cpython-311.pyc
    ████ distance.cpython-311.pyc
    ████ dropout.cpython-311.pyc
    ████ flatten.cpython-311.pyc
    ████ fold.cpython-311.pyc
    ████ instancenorm.cpython-311.pyc
    ████ lazy.cpython-311.pyc
    ████ linear.cpython-311.pyc
    ████ loss.cpython-311.pyc
    ████ module.cpython-311.pyc
    ████ normalization.cpython-311.pyc
    ████ padding.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■ pixelshuffle.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ pooling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ rnn.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ sparse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ transformer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ upsampling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ _functions.py
■ ■ ■ ■ activation.py
■ ■ ■ ■ adaptive.py
■ ■ ■ ■ batchnorm.py
■ ■ ■ ■ channelshuffle.py
■ ■ ■ ■ container.py
■ ■ ■ ■ conv.py
■ ■ ■ ■ distance.py
■ ■ ■ ■ dropout.py
■ ■ ■ ■ flatten.py
■ ■ ■ ■ fold.py
■ ■ ■ ■ instancenorm.py
■ ■ ■ ■ lazy.py
■ ■ ■ ■ linear.py
■ ■ ■ ■ loss.py
■ ■ ■ ■ module.py
■ ■ ■ ■ normalization.py
■ ■ ■ ■ padding.py
■ ■ ■ ■ pixelshuffle.py
■ ■ ■ ■ pooling.py
■ ■ ■ ■ rnn.py
■ ■ ■ ■ sparse.py
■ ■ ■ ■ transformer.py
■ ■ ■ ■ upsampling.py
■ ■ ■ ■ utils.py
■ ■ ■ ■ parallel
■ ■ ■ ■ __init__.py
■ ■ ■ ■ __init__.pyi
■ ■ ■ ■ __pycache__
■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ _functions.cpython-311.pyc
■ ■ ■ ■ _replicated_tensor_ddp_interop.cpython-311.pyc
■ ■ ■ ■ _replicated_tensor_ddp_utils.cpython-311.pyc
■ ■ ■ ■ comm.cpython-311.pyc
■ ■ ■ ■ data_parallel.cpython-311.pyc
■ ■ ■ ■ distributed.cpython-311.pyc
■ ■ ■ ■ parallel_apply.cpython-311.pyc
■ ■ ■ ■ replicate.cpython-311.pyc
■ ■ ■ ■ scatter_gather.cpython-311.pyc
■ ■ ■ ■ _functions.py
■ ■ ■ ■ _replicated_tensor_ddp_interop.py
■ ■ ■ ■ _replicated_tensor_ddp_utils.py
■ ■ ■ ■ comm.py
■ ■ ■ ■ common_types.pyi
■ ■ ■ ■ data_parallel.py
■ ■ ■ ■ data_parallel.pyi
■ ■ ■ ■ distributed.py
■ ■ ■ ■ parallel_apply.py
■ ■ ■ ■ parallel_apply.pyi
■ ■ ■ ■ replicate.py
■ ■ ■ ■ replicate.pyi

```

```

    scatter_gather.py
    scatter_gather.pyc
    parameter.py
    parameter.pyc
    qat
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    dynamic
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    linear.cpython-311.pyc
    linear.py
    modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    conv.cpython-311.pyc
    embedding_ops.cpython-311.pyc
    linear.cpython-311.pyc
    conv.py
    embedding_ops.py
    linear.py
    quantizable
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    activation.cpython-311.pyc
    rnn.cpython-311.pyc
    activation.py
    rnn.py
    quantized
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    functional.cpython-311.pyc
    _reference
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    conv.cpython-311.pyc
    linear.cpython-311.pyc
    rnn.cpython-311.pyc
    sparse.cpython-311.pyc
    utils.cpython-311.pyc

```

```

    conv.py
    linear.py
    rnn.py
    sparse.py
    utils.py
  dynamic
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    conv.cpython-311.pyc
    linear.cpython-311.pyc
    rnn.cpython-311.pyc
    conv.py
    linear.py
    rnn.py
  functional.py
  modules
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    activation.cpython-311.pyc
    batchnorm.cpython-311.pyc
    conv.cpython-311.pyc
    dropout.cpython-311.pyc
    embedding_ops.cpython-311.pyc
    functional_modules.cpython-311.pyc
    linear.cpython-311.pyc
    normalization.cpython-311.pyc
    rnn.cpython-311.pyc
    utils.cpython-311.pyc
    activation.py
    batchnorm.py
    conv.py
    dropout.py
    embedding_ops.py
    functional_modules.py
    linear.py
    normalization.py
    rnn.py
    utils.py
  utils
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _deprecation_utils.cpython-311.pyc
    _named_member_accessor.cpython-311.pyc
    _per_sample_grad.cpython-311.pyc
    clip_grad.cpython-311.pyc
    convert_parameters.cpython-311.pyc
    fusion.cpython-311.pyc
    init.cpython-311.pyc
    memory_format.cpython-311.pyc
    parametrizations.cpython-311.pyc
    parametrize.cpython-311.pyc

```



```

■ ■ ■ prune.cpython-311.pyc
■ ■ ■ rnn.cpython-311.pyc
■ ■ ■ spectral_norm.cpython-311.pyc
■ ■ ■ stateless.cpython-311.pyc
■ ■ ■ weight_norm.cpython-311.pyc
■ ■ ■ _deprecation_utils.py
■ ■ ■ _expanded_weights
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ conv_expanded_weights.cpython-311.pyc
■ ■ ■ conv_utils.cpython-311.pyc
■ ■ ■ embedding_expanded_weights.cpython-311.pyc
■ ■ ■ expanded_weights_impl.cpython-311.pyc
■ ■ ■ expanded_weights_utils.cpython-311.pyc
■ ■ ■ group_norm_expanded_weights.cpython-311.pyc
■ ■ ■ instance_norm_expanded_weights.cpython-311.pyc
■ ■ ■ layer_norm_expanded_weights.cpython-311.pyc
■ ■ ■ linear_expanded_weights.cpython-311.pyc
■ ■ ■ conv_expanded_weights.py
■ ■ ■ conv_utils.py
■ ■ ■ embedding_expanded_weights.py
■ ■ ■ expanded_weights_impl.py
■ ■ ■ expanded_weights_utils.py
■ ■ ■ group_norm_expanded_weights.py
■ ■ ■ instance_norm_expanded_weights.py
■ ■ ■ layer_norm_expanded_weights.py
■ ■ ■ linear_expanded_weights.py
■ ■ ■ _named_member_accessor.py
■ ■ ■ _per_sample_grad.py
■ ■ ■ clip_grad.py
■ ■ ■ convert_parameters.py
■ ■ ■ fusion.py
■ ■ ■ init.py
■ ■ ■ memory_format.py
■ ■ ■ parametrizations.py
■ ■ ■ parametrize.py
■ ■ ■ prune.py
■ ■ ■ rnn.py
■ ■ ■ spectral_norm.py
■ ■ ■ stateless.py
■ ■ ■ weight_norm.py
■ ■ ■ onnx
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ _constants.cpython-311.pyc
■ ■ ■ _deprecation.cpython-311.pyc
■ ■ ■ _experimental.cpython-311.pyc
■ ■ ■ _exporter_states.cpython-311.pyc
■ ■ ■ _globals.cpython-311.pyc
■ ■ ■ _onnx_supported_ops.cpython-311.pyc
■ ■ ■ _type_utils.cpython-311.pyc
■ ■ ■ errors.cpython-311.pyc
■ ■ ■ operators.cpython-311.pyc
■ ■ ■ symbolic_caffe2.cpython-311.pyc
■ ■ ■ symbolic_helper.cpython-311.pyc
■ ■ ■ symbolic_opset10.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset11.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset12.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset13.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset14.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset15.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset16.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset17.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset18.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset7.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset8.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ symbolic_opset9.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ verification.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _constants.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _deprecation.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _experimental.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _exporter_states.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _globals.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _internal
■ ■ ■ ■ ■ ■ ■ ■ ■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _beartype.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ jit_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ onnx_proto_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ registration.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _beartype.py
■ ■ ■ ■ ■ ■ ■ ■ ■ diagnostics
■ ■ ■ ■ ■ ■ ■ ■ ■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _diagnostic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _rules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _diagnostic.py
■ ■ ■ ■ ■ ■ ■ ■ ■ _rules.py
■ ■ ■ ■ ■ ■ ■ ■ ■ infra
■ ■ ■ ■ ■ ■ ■ ■ ■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _infra.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ decorator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ engine.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ formatter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _infra.py
■ ■ ■ ■ ■ ■ ■ ■ ■ decorator.py
■ ■ ■ ■ ■ ■ ■ ■ ■ engine.py
■ ■ ■ ■ ■ ■ ■ ■ ■ formatter.py
■ ■ ■ ■ ■ ■ ■ ■ ■ sarif
■ ■ ■ ■ ■ ■ ■ ■ ■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _address.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _artifact.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _artifact_change.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _artifact_content.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _artifact_location.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ _attachment.cpython-311.pyc
```

[illegible]

■	■	■	■	■	■	■	■	■	■	■■■	_edge_traversal.py
■	■	■	■	■	■	■	■	■	■	■■■	_exception.py
■	■	■	■	■	■	■	■	■	■	■■■	_external_properties.py
■	■	■	■	■	■	■	■	■	■	■■■	_external_property_file_reference.py
■	■	■	■	■	■	■	■	■	■	■■■	_external_property_file_references.py
■	■	■	■	■	■	■	■	■	■	■■■	_fix.py
■	■	■	■	■	■	■	■	■	■	■■■	_graph.py
■	■	■	■	■	■	■	■	■	■	■■■	_graph_traversal.py
■	■	■	■	■	■	■	■	■	■	■■■	_invocation.py
■	■	■	■	■	■	■	■	■	■	■■■	_location.py
■	■	■	■	■	■	■	■	■	■	■■■	_location_relationship.py
■	■	■	■	■	■	■	■	■	■	■■■	_logical_location.py
■	■	■	■	■	■	■	■	■	■	■■■	_message.py
■	■	■	■	■	■	■	■	■	■	■■■	_multiformat_message_string.py
■	■	■	■	■	■	■	■	■	■	■■■	_node.py
■	■	■	■	■	■	■	■	■	■	■■■	_notification.py
■	■	■	■	■	■	■	■	■	■	■■■	_physical_location.py
■	■	■	■	■	■	■	■	■	■	■■■	_property_bag.py
■	■	■	■	■	■	■	■	■	■	■■■	_rectangle.py
■	■	■	■	■	■	■	■	■	■	■■■	_region.py
■	■	■	■	■	■	■	■	■	■	■■■	_replacement.py
■	■	■	■	■	■	■	■	■	■	■■■	_reporting_configuration.py
■	■	■	■	■	■	■	■	■	■	■■■	_reporting_descriptor.py
■	■	■	■	■	■	■	■	■	■	■■■	_reporting_descriptor_reference.py
■	■	■	■	■	■	■	■	■	■	■■■	_reporting_descriptor_relationship.py
■	■	■	■	■	■	■	■	■	■	■■■	_result.py
■	■	■	■	■	■	■	■	■	■	■■■	_result_provenance.py
■	■	■	■	■	■	■	■	■	■	■■■	_run.py
■	■	■	■	■	■	■	■	■	■	■■■	_run_automation_details.py
■	■	■	■	■	■	■	■	■	■	■■■	_sarif_log.py
■	■	■	■	■	■	■	■	■	■	■■■	_special_locations.py
■	■	■	■	■	■	■	■	■	■	■■■	_stack.py
■	■	■	■	■	■	■	■	■	■	■■■	_stack_frame.py
■	■	■	■	■	■	■	■	■	■	■■■	_suppression.py
■	■	■	■	■	■	■	■	■	■	■■■	_thread_flow.py
■	■	■	■	■	■	■	■	■	■	■■■	_thread_flow_location.py
■	■	■	■	■	■	■	■	■	■	■■■	_tool.py
■	■	■	■	■	■	■	■	■	■	■■■	_tool_component.py
■	■	■	■	■	■	■	■	■	■	■■■	_tool_component_reference.py
■	■	■	■	■	■	■	■	■	■	■■■	_translation_metadata.py
■	■	■	■	■	■	■	■	■	■	■■■	_version_control_details.py
■	■	■	■	■	■	■	■	■	■	■■■	_web_request.py
■	■	■	■	■	■	■	■	■	■	■■■	_web_response.py
■	■	■	■	■	■	■	■	■	■	■■■	version.py
■	■	■	■	■	■	■	■	■	■	■■■	utils.py
■	■	■	■	■	■	■	■	■	■	■■■	fx
■	■	■	■	■	■	■	■	■	■	■■■	__init__.py
■	■	■	■	■	■	■	■	■	■	■■■	__pycache__
■	■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	context.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	diagnostics.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	exporter.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	function_dispatcher.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	options.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■	■■■	context.py
■	■	■	■	■	■	■	■	■	■	■■■	diagnostics.py
■	■	■	■	■	■	■	■	■	■	■■■	exporter.py
■	■	■	■	■	■	■	■	■	■	■■■	function_dispatcher.py

```

■      ■      ■      ■      ■      ■      ■      ■      ■      options.py
■      ■      ■      ■      ■      ■      ■      ■      ■      jit_utils.py
■      ■      ■      ■      ■      ■      ■      ■      ■      onnx_proto_utils.py
■      ■      ■      ■      ■      ■      ■      ■      ■      registration.py
■      ■      ■      ■      ■      ■      ■      ■      ■      _onnx_supported_ops.py
■      ■      ■      ■      ■      ■      ■      ■      ■      _type_utils.py
■      ■      ■      ■      ■      ■      ■      ■      ■      errors.py
■      ■      ■      ■      ■      ■      ■      ■      ■      operators.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_caffe2.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_helper.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset10.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset11.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset12.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset13.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset14.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset15.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset16.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset17.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset18.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset7.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset8.py
■      ■      ■      ■      ■      ■      ■      ■      ■      symbolic_opset9.py
■      ■      ■      ■      ■      ■      ■      ■      ■      utils.py
■      ■      ■      ■      ■      ■      ■      ■      ■      verification.py
■      ■      ■      ■      ■      ■      ■      ■      ■      optim
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.pyi
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _functional.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adadelta.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adagrad.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adam.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adamax.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adamw.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      asgd.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      lbfgs.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      lr_scheduler.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      nadam.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      optimizer.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      radam.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      rmsprop.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      rprop.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      sgd.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      sparse_adam.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      swa_utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _functional.py
■      ■      ■      ■      ■      ■      ■      ■      ■      _multi_tensor
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      adadelta.py
■      ■      ■      ■      ■      ■      ■      ■      ■      adadelta.pyi
■      ■      ■      ■      ■      ■      ■      ■      ■      adagrad.py
■      ■      ■      ■      ■      ■      ■      ■      ■      adagrad.pyi
■      ■      ■      ■      ■      ■      ■      ■      ■      adam.py
■      ■      ■      ■      ■      ■      ■      ■      ■      adam.pyi
■      ■      ■      ■      ■      ■      ■      ■      ■      adamax.py

```

```

■ ■ ■ ■ ■ ■ ■ adamax.pyi
■ ■ ■ ■ ■ ■ ■ adamw.py
■ ■ ■ ■ ■ ■ ■ adamw.pyi
■ ■ ■ ■ ■ ■ ■ asgd.py
■ ■ ■ ■ ■ ■ ■ asgd.pyi
■ ■ ■ ■ ■ ■ ■ lbfgs.py
■ ■ ■ ■ ■ ■ ■ lbfgs.pyi
■ ■ ■ ■ ■ ■ ■ lr_scheduler.py
■ ■ ■ ■ ■ ■ ■ lr_scheduler.pyi
■ ■ ■ ■ ■ ■ ■ nadam.py
■ ■ ■ ■ ■ ■ ■ nadam.pyi
■ ■ ■ ■ ■ ■ ■ optimizer.py
■ ■ ■ ■ ■ ■ ■ optimizer.pyi
■ ■ ■ ■ ■ ■ ■ radam.py
■ ■ ■ ■ ■ ■ ■ radam.pyi
■ ■ ■ ■ ■ ■ ■ rmsprop.py
■ ■ ■ ■ ■ ■ ■ rmsprop.pyi
■ ■ ■ ■ ■ ■ ■ rprop.py
■ ■ ■ ■ ■ ■ ■ rprop.pyi
■ ■ ■ ■ ■ ■ ■ sgd.py
■ ■ ■ ■ ■ ■ ■ sgd.pyi
■ ■ ■ ■ ■ ■ ■ sparse_adam.py
■ ■ ■ ■ ■ ■ ■ sparse_adam.pyi
■ ■ ■ ■ ■ ■ ■ swa_utils.py
■ ■ ■ ■ ■ ■ ■ swa_utils.pyi
■ ■ ■ ■ ■ ■ ■ overrides.py
■ ■ ■ ■ ■ ■ ■ package
■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _init_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _digraph.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _directory_reader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _importlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _mangling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _mock.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _package_pickler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _package_unpickler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _stdlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ file_structure_representation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ find_file_dependencies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ glob_group.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ importer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ package_exporter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ package_importer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ _digraph.py
■ ■ ■ ■ ■ ■ ■ _directory_reader.py
■ ■ ■ ■ ■ ■ ■ _importlib.py
■ ■ ■ ■ ■ ■ ■ _mangling.py
■ ■ ■ ■ ■ ■ ■ _mock.py
■ ■ ■ ■ ■ ■ ■ _package_pickler.py
■ ■ ■ ■ ■ ■ ■ _package_unpickler.py
■ ■ ■ ■ ■ ■ ■ _stdlib.py
■ ■ ■ ■ ■ ■ ■ analyze
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _init_.py
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ _init_.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ find_first_use_of_broken_modules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ is_from_package.cpython-311.pyc

```

```

■      ■■■ trace_dependencies.cpython-311.pyc
■      ■■■ find_first_use_of_broken_modules.py
■      ■■■ is_from_package.py
■      ■■■ trace_dependencies.py
■      ■■■ file_structure_representation.py
■      ■■■ find_file_dependencies.py
■      ■■■ glob_group.py
■      ■■■ importer.py
■      ■■■ package_exporter.py
■      ■■■ package_importer.py
■      ■■■ profiler
■      ■■■ __init__.py
■      ■■■ __pycache__
■          ■■■ __init__.cpython-311.pyc
■          ■■■ _memory_profiler.cpython-311.pyc
■          ■■■ _pattern_matcher.cpython-311.pyc
■          ■■■ _utils.cpython-311.pyc
■          ■■■ itt.cpython-311.pyc
■          ■■■ profiler.cpython-311.pyc
■          ■■■ python_tracer.cpython-311.pyc
■      ■■■ _memory_profiler.py
■      ■■■ _pattern_matcher.py
■      ■■■ _utils.py
■      ■■■ itt.py
■      ■■■ profiler.py
■      ■■■ python_tracer.py
■      ■■■ py.typed
■      ■■■ quantization
■      ■■■ __init__.py
■      ■■■ __pycache__
■          ■■■ __init__.cpython-311.pyc
■          ■■■ _numeric_suite.cpython-311.pyc
■          ■■■ _numeric_suite_fx.cpython-311.pyc
■          ■■■ fake_quantize.cpython-311.pyc
■          ■■■ fuse_modules.cpython-311.pyc
■          ■■■ fuser_method_mappings.cpython-311.pyc
■          ■■■ observer.cpython-311.pyc
■          ■■■ qconfig.cpython-311.pyc
■          ■■■ quant_type.cpython-311.pyc
■          ■■■ quantization_mappings.cpython-311.pyc
■          ■■■ quantize.cpython-311.pyc
■          ■■■ quantize_fx.cpython-311.pyc
■          ■■■ quantize_jit.cpython-311.pyc
■          ■■■ stubs.cpython-311.pyc
■          ■■■ utils.cpython-311.pyc
■      ■■■ _numeric_suite.py
■      ■■■ _numeric_suite_fx.py
■      ■■■ fake_quantize.py
■      ■■■ fuse_modules.py
■      ■■■ fuser_method_mappings.py
■      ■■■ fx
■          ■■■ __init__.py
■          ■■■ __pycache__
■              ■■■ __init__.cpython-311.pyc
■              ■■■ _equalize.cpython-311.pyc
■              ■■■ convert.cpython-311.pyc
■              ■■■ fuse.cpython-311.pyc
■              ■■■ fusion_patterns.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■ ■■ graph_module.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ match_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ pattern_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ prepare.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantization_patterns.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantization_types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■■ _equalize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ convert.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ fuse.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ fusion_patterns.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ graph_module.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ match_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ pattern_utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ prepare.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantization_patterns.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantization_types.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ observer.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ qconfig.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quant_type.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantization_mappings.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantize.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantize_fx.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quantize_jit.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ stubs.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ quasirandom.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ random.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ return_types.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ serialization.py
■ ■ ■ ■ ■ ■ ■ ■ ■■ share
■ ■ ■ ■ ■ ■ ■ ■ ■■ cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ ATen
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ ATenConfig.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ Caffe2
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ Caffe2Config.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ Caffe2ConfigVersion.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ Caffe2Targets-release.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ Caffe2Targets.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ Modules_CUDA_fix
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ FindCUDA.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ FindCUDNN.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ upstream
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ CMakeInitializeConfigs.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ FindCUDA
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ make2cmake.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ parse_cubin.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ run_nvcc.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ select_compute_arch.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ FindCUDA.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ FindPackageHandleStandardArgs.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ FindPackageMessage.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ public
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■ ■■■■ LoadHIP.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ cuda.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ gflags.cmake
■ ■ ■ ■ ■ ■ ■ ■ ■■   ■■■■ glog.cmake

```


[illegible]

```

■ ■ ■ common_utils.cpython-311.pyc
■ ■ ■ composite_compliance.cpython-311.pyc
■ ■ ■ dist_utils.cpython-311.pyc
■ ■ ■ hypothesis_utils.cpython-311.pyc
■ ■ ■ inductor_utils.cpython-311.pyc
■ ■ ■ jit_metaprogramming_utils.cpython-311.pyc
■ ■ ■ jit_utils.cpython-311.pyc
■ ■ ■ logging_tensor.cpython-311.pyc
■ ■ ■ quantization_torch_package_models.cpython-311.pyc
■ ■ ■ schema_check_mode.cpython-311.pyc
■ ■ ■ autocast_test_lists.py
■ ■ ■ autograd_function_db.py
■ ■ ■ check_kernel_launches.py
■ ■ ■ codegen
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ random_topo_test.cpython-311.pyc
■ ■ ■ random_topo_test.py
■ ■ ■ common_cuda.py
■ ■ ■ common_device_type.py
■ ■ ■ common_dist_composable.py
■ ■ ■ common_distributed.py
■ ■ ■ common_dtype.py
■ ■ ■ common_fsdp.py
■ ■ ■ common_jit.py
■ ■ ■ common_methods_invocations.py
■ ■ ■ common_modules.py
■ ■ ■ common_nn.py
■ ■ ■ common_pruning.py
■ ■ ■ common_quantization.py
■ ■ ■ common_quantized.py
■ ■ ■ common_subclass.py
■ ■ ■ common_utils.py
■ ■ ■ composite_compliance.py
■ ■ ■ data
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ network1.cpython-311.pyc
■ ■ ■ network2.cpython-311.pyc
■ ■ ■ network1.py
■ ■ ■ network2.py
■ ■ ■ dist_utils.py
■ ■ ■ distributed
■ ■ ■ __init__.py
■ ■ ■ __pycache__
■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ checkpoint_utils.cpython-311.pyc
■ ■ ■ ddp_under_dist_autograd_test.cpython-311.pyc
■ ■ ■ distributed_test.cpython-311.pyc
■ ■ ■ distributed_utils.cpython-311.pyc
■ ■ ■ multi_threaded_pg.cpython-311.pyc
■ ■ ■ pipe_with_ddp_test.cpython-311.pyc
■ ■ ■ rpc_utils.cpython-311.pyc
■ ■ ■ _shard
■ ■ ■ __init__.py
■ ■ ■ __pycache__

```

[illegible]

```

faulty_rpc_agent_rpc_test.py
faulty_rpc_agent_test_fixture.py
jit
__init__.py
__pycache__
__init__.cpython-311.pyc
dist_autograd_test.cpython-311.pyc
dist_autograd_test.py
rpc_test.cpython-311.pyc
rpc_test.py
rpc_test_faulty.cpython-311.pyc
rpc_test_faulty.py
rpc_agent_test_fixture.py
rpc_test.py
tensorpipe_rpc_agent_test_fixture.py
rpc_utils.py
generated
__init__.py
__pycache__
__init__.cpython-311.pyc
annotated_fn_args.cpython-311.pyc
annotated_fn_args.py
hypothesis_utils.py
inductor_utils.py
jit_metaprogramming_utils.py
jit_utils.py
logging_tensor.py
opinfo
__init__.py
__pycache__
__init__.cpython-311.pyc
core.cpython-311.pyc
core.py
refs.cpython-311.pyc
refs.py
utils.cpython-311.pyc
utils.py
definitions
__init__.py
__pycache__
__init__.cpython-311.pyc
_masked.cpython-311.pyc
_masked.py
fft.cpython-311.pyc
fft.py
linalg.cpython-311.pyc
linalg.py
signal.cpython-311.pyc
signal.py
special.cpython-311.pyc
special.py
quantization_torch_package_models.py
schema_check_mode.py
test_module
__init__.py
__pycache__
__init__.cpython-311.pyc
future_div.cpython-311.pyc

```

```

■ ■ ■ ■ ■ no_future_div.cpython-311.pyc
■ ■ ■ ■ ■ future_div.py
■ ■ ■ ■ ■ no_future_div.py
■ ■ ■ ■ ■ torch_version.py
■ ■ ■ ■ ■ types.py
■ ■ ■ ■ ■ utils
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ _contextlib.cpython-311.pyc
■ ■ ■ ■ ■ _cpp_extension_versioner.cpython-311.pyc
■ ■ ■ ■ ■ _crash_handler.cpython-311.pyc
■ ■ ■ ■ ■ _cuda_trace.cpython-311.pyc
■ ■ ■ ■ ■ _device.cpython-311.pyc
■ ■ ■ ■ ■ _foreach_utils.cpython-311.pyc
■ ■ ■ ■ ■ _freeze.cpython-311.pyc
■ ■ ■ ■ ■ _mode_utils.cpython-311.pyc
■ ■ ■ ■ ■ _python_dispatch.cpython-311.pyc
■ ■ ■ ■ ■ _pytree.cpython-311.pyc
■ ■ ■ ■ ■ _stats.cpython-311.pyc
■ ■ ■ ■ ■ _traceback.cpython-311.pyc
■ ■ ■ ■ ■ _zip.cpython-311.pyc
■ ■ ■ ■ ■ backend_registration.cpython-311.pyc
■ ■ ■ ■ ■ bundled_inputs.cpython-311.pyc
■ ■ ■ ■ ■ checkpoint.cpython-311.pyc
■ ■ ■ ■ ■ collect_env.cpython-311.pyc
■ ■ ■ ■ ■ cpp_backtrace.cpython-311.pyc
■ ■ ■ ■ ■ cpp_extension.cpython-311.pyc
■ ■ ■ ■ ■ dlpack.cpython-311.pyc
■ ■ ■ ■ ■ file_baton.cpython-311.pyc
■ ■ ■ ■ ■ hooks.cpython-311.pyc
■ ■ ■ ■ ■ mkldnn.cpython-311.pyc
■ ■ ■ ■ ■ mobile_optimizer.cpython-311.pyc
■ ■ ■ ■ ■ model_zoo.cpython-311.pyc
■ ■ ■ ■ ■ show_pickle.cpython-311.pyc
■ ■ ■ ■ ■ throughput_benchmark.cpython-311.pyc
■ ■ ■ ■ ■ weak.cpython-311.pyc
■ ■ ■ ■ ■ _contextlib.py
■ ■ ■ ■ ■ _cpp_extension_versioner.py
■ ■ ■ ■ ■ _crash_handler.py
■ ■ ■ ■ ■ _cuda_trace.py
■ ■ ■ ■ ■ _device.py
■ ■ ■ ■ ■ _foreach_utils.py
■ ■ ■ ■ ■ _freeze.py
■ ■ ■ ■ ■ _mode_utils.py
■ ■ ■ ■ ■ _python_dispatch.py
■ ■ ■ ■ ■ _pytree.py
■ ■ ■ ■ ■ _stats.py
■ ■ ■ ■ ■ _sympy
■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ value_ranges.cpython-311.pyc
■ ■ ■ ■ ■ value_ranges.py
■ ■ ■ ■ ■ _traceback.py
■ ■ ■ ■ ■ _zip.py
■ ■ ■ ■ ■ backcompat
■ ■ ■ ■ ■ __init__.py

```



```

timeit_template.cpp
timer.py
valgrind_wrapper
__init__.py
__pycache__
__init__.cpython-311.pyc
timer_interface.cpython-311.pyc
callgrind.h
compat_bindings.cpp
timer_callgrind_template.cpp
timer_interface.py
valgrind.h
bottleneck
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
bundled_inputs.py
checkpoint.py
collect_env.py
cpp_backtrace.py
cpp_extension.py
data
__init__.py
__pycache__
__init__.cpython-311.pyc
backward_compatibility.cpython-311.pyc
dataloader.cpython-311.pyc
dataset.cpython-311.pyc
distributed.cpython-311.pyc
graph.cpython-311.pyc
graph_settings.cpython-311.pyc
sampler.cpython-311.pyc
_utils
__init__.py
__pycache__
__init__.cpython-311.pyc
collate.cpython-311.pyc
fetch.cpython-311.pyc
pin_memory.cpython-311.pyc
serialization.cpython-311.pyc
signal_handling.cpython-311.pyc
worker.cpython-311.pyc
collate.py
fetch.py
pin_memory.py
serialization.py
signal_handling.py
worker.py
backward_compatibility.py
dataloader.py
datapipes
__init__.py
__pycache__
__init__.cpython-311.pyc
_decorator.cpython-311.pyc
_hook_iterator.cpython-311.pyc

```

```

■■■ _typing.cpython-311.pyc
■■■ datapipe.cpython-311.pyc
■■■ gen_pyi.cpython-311.pyc
■■■ _decorator.py
■■■ _hook_iterator.py
■■■ _typing.py
■■■ dataframe
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ dataframe_wrapper.cpython-311.pyc
■■■ dataframes.cpython-311.pyc
■■■ datapipes.cpython-311.pyc
■■■ structures.cpython-311.pyc
■■■ dataframe_wrapper.py
■■■ dataframes.py
■■■ datapipes.py
■■■ structures.py
■■■ datapipe.py
■■■ datapipe.pyi
■■■ gen_pyi.py
■■■ iter
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ callable.cpython-311.pyc
■■■ combinatorics.cpython-311.pyc
■■■ combining.cpython-311.pyc
■■■ filelister.cpython-311.pyc
■■■ fileopener.cpython-311.pyc
■■■ grouping.cpython-311.pyc
■■■ routeddecoder.cpython-311.pyc
■■■ selecting.cpython-311.pyc
■■■ sharding.cpython-311.pyc
■■■ streamreader.cpython-311.pyc
■■■ utils.cpython-311.pyc
■■■ callable.py
■■■ combinatorics.py
■■■ combining.py
■■■ filelister.py
■■■ fileopener.py
■■■ grouping.py
■■■ routeddecoder.py
■■■ selecting.py
■■■ sharding.py
■■■ streamreader.py
■■■ utils.py
■■■ map
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ callable.cpython-311.pyc
■■■ combinatorics.cpython-311.pyc
■■■ combining.cpython-311.pyc
■■■ grouping.cpython-311.pyc
■■■ utils.cpython-311.pyc
■■■ callable.py
■■■ combinatorics.py

```


[illegible]

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ no_backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ soundfile_backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sox_io_backend.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.py
■ ■ ■ ■ ■ ■ ■ ■■■ no_backend.py
■ ■ ■ ■ ■ ■ ■ ■■■ soundfile_backend.py
■ ■ ■ ■ ■ ■ ■ ■■■ sox_io_backend.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ compliance
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kaldi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kaldi.py
■ ■ ■ ■ ■ ■ ■ ■■■ datasets
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cmuarctic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cmudict.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ commonvoice.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dr_vctk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fluentcommands.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gtzan.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ iemocap.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ librilight_limited.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ librimix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ librispeech.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ libritts.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ljspeech.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ musdb_hq.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ quesst14.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ snips.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ speechcommands.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tedlium.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ vctk.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ voxceleb1.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ yesno.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cmuarctic.py
■ ■ ■ ■ ■ ■ ■ ■■■ cmudict.py
■ ■ ■ ■ ■ ■ ■ ■■■ commonvoice.py
■ ■ ■ ■ ■ ■ ■ ■■■ dr_vctk.py
■ ■ ■ ■ ■ ■ ■ ■■■ fluentcommands.py
■ ■ ■ ■ ■ ■ ■ ■■■ gtzan.py
■ ■ ■ ■ ■ ■ ■ ■■■ iemocap.py
■ ■ ■ ■ ■ ■ ■ ■■■ librilight_limited.py
■ ■ ■ ■ ■ ■ ■ ■■■ librimix.py
■ ■ ■ ■ ■ ■ ■ ■■■ librispeech.py
■ ■ ■ ■ ■ ■ ■ ■■■ libritts.py
■ ■ ■ ■ ■ ■ ■ ■■■ ljspeech.py
■ ■ ■ ■ ■ ■ ■ ■■■ musdb_hq.py
■ ■ ■ ■ ■ ■ ■ ■■■ quesst14.py
■ ■ ■ ■ ■ ■ ■ ■■■ snips.py
■ ■ ■ ■ ■ ■ ■ ■■■ speechcommands.py
```

```

tedlium.py
utils.py
vctk.py
voxceleb1.py
yesno.py
functional
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    filtering.cpython-311.pyc
    functional.cpython-311.pyc
  filtering.py
  functional.py
io
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _compat.cpython-311.pyc
    _playback.cpython-311.pyc
    _stream_reader.cpython-311.pyc
    _stream_writer.cpython-311.pyc
  _compat.py
  _playback.py
  _stream_reader.py
  _stream_writer.py
kaldi_io.py
lib
  _torchaudio.so
  _torchaudio_ffmpeg.so
  _torchaudio_sox.so
  flashlight_lib_text_decoder.so
  flashlight_lib_text_dictionary.so
  libflashlight-text.so
  libtorchaudio.so
  libtorchaudio_ffmpeg.so
  libtorchaudio_sox.so
models
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _hdemucs.cpython-311.pyc
    conformer.cpython-311.pyc
    conv_tasnet.cpython-311.pyc
    deepspeech.cpython-311.pyc
    emformer.cpython-311.pyc
    rnnt.cpython-311.pyc
    rnnt_decoder.cpython-311.pyc
    tacotron2.cpython-311.pyc
    wav2letter.cpython-311.pyc
    wavernn.cpython-311.pyc
  _hdemucs.py
  conformer.py
  conv_tasnet.py
  decoder
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      _ctc_decoder.cpython-311.pyc

```

[illegible]

```

transformers
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  _multi_channel.cpython-311.pyc
  _transforms.cpython-311.pyc
  _multi_channel.py
  _transforms.py
  utils
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    download.cpython-311.pyc
    ffmpeg_utils.cpython-311.pyc
    sox_utils.cpython-311.pyc
    download.py
    ffmpeg_utils.py
    sox_utils.py
  version.py
torchaudio-2.0.2.dist-info
  INSTALLER
  LICENSE
  METADATA
  RECORD
  REQUESTED
  WHEEL
  top_level.txt
torchgen
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  code_template.cpython-311.pyc
  context.cpython-311.pyc
  gen.cpython-311.pyc
  gen_backend_stubs.cpython-311.pyc
  gen_executorch.cpython-311.pyc
  gen_functionalization_type.cpython-311.pyc
  gen_lazy_tensor.cpython-311.pyc
  gen_vmap_plumbing.cpython-311.pyc
  local.cpython-311.pyc
  model.cpython-311.pyc
  native_function_generation.cpython-311.pyc
  utils.cpython-311.pyc
  api
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    autograd.cpython-311.pyc
    cpp.cpython-311.pyc
    dispatcher.cpython-311.pyc
    functionalization.cpython-311.pyc
    lazy.cpython-311.pyc
    meta.cpython-311.pyc
    native.cpython-311.pyc
    python.cpython-311.pyc
    structured.cpython-311.pyc
    translate.cpython-311.pyc
    ufunc.cpython-311.pyc

```

```

    unboxing.cpython-311.pyc
    autograd.py
    cpp.py
    dispatcher.py
    functionalization.py
    lazy.py
    meta.py
    native.py
    python.py
    structured.py
    translate.py
    types
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    signatures.cpython-311.pyc
    types.cpython-311.pyc
    types_base.cpython-311.pyc
    signatures.py
    types.py
    types_base.py
    ufunc.py
    unboxing.py
code_template.py
context.py
dest
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    lazy_ir.cpython-311.pyc
    lazy_ts_lowering.cpython-311.pyc
    native_functions.cpython-311.pyc
    register_dispatch_key.cpython-311.pyc
    ufunc.cpython-311.pyc
    lazy_ir.py
    lazy_ts_lowering.py
    native_functions.py
    register_dispatch_key.py
    ufunc.py
executortorch
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    api
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    custom_ops.cpython-311.pyc
    et_cpp.cpython-311.pyc
    unboxing.cpython-311.pyc
    custom_ops.py
    et_cpp.py
    types
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    signatures.cpython-311.pyc
    types.cpython-311.pyc

```

```
■ ■ ■ ■ signatures.py  
■ ■ ■ types.py  
■ ■ unboxing.py  
■ gen.py  
■ gen_backend_stubs.py  
■ gen_executorch.py  
■ gen_functionalization_type.py  
■ gen_lazy_tensor.py  
■ gen_vmap_plumbing.py  
■ local.py  
■ model.py  
■ native_function_generation.py  
■ operator_versions  
■ __init__.py  
■ __pycache__  
■   ■ __init__.cpython-311.pyc  
■   ■ gen_mobile_upgraders.cpython-311.pyc  
■   ■ gen_mobile_upgraders_constant.cpython-311.pyc  
■   ■ gen_mobile_upgraders.py  
■   ■ gen_mobile_upgraders_constant.py  
■ packaged  
■ ATen  
■   ■ native  
■     ■ native_functions.yaml  
■     ■ tags.yaml  
■     templates  
■       ■ AtenOpList.cpp  
■       ■ CompositeViewCopyKernels.cpp  
■       ■ DispatchKeyFunction.h  
■       ■ DispatchKeyFunctions.h  
■       ■ DispatchKeyFunctions_inl.h  
■       ■ DispatchKeyNativeFunctions.cpp  
■       ■ DispatchKeyNativeFunctions.h  
■       ■ Function.h  
■       ■ FunctionalInverses.h  
■       ■ Functions.cpp  
■       ■ Functions.h  
■       ■ LazyIr.h  
■       ■ LazyNonNativeIr.h  
■       ■ MethodOperators.h  
■       ■ NativeFunction.h  
■       ■ NativeFunctions.h  
■       ■ NativeMetaFunction.h  
■       ■ NativeMetaFunctions.h  
■       ■ Operator.h  
■       ■ Operators.cpp  
■       ■ Operators.h  
■       RedispatchFunctions.cpp  
■       RedispatchFunctions.h  
■       RegisterBackendSelect.cpp  
■       RegisterCodegenUnboxedKernels.cpp  
■       RegisterDispatchDefinitions.ini  
■       RegisterDispatchKey.cpp  
■       RegisterFunctionalization.cpp  
■       RegisterSchema.cpp  
■       RegistrationDeclarations.h  
■       TensorBody.h  
■       TensorMethods.cpp
```



```

    UfuncCPU.cpp
    UfuncCUDA.cu
    UnboxingFunctions.cpp
    UnboxingFunctions.h
    aten_interned_strings.h
    enum_tag.h
  selective_build
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    operator.cpython-311.pyc
    selector.cpython-311.pyc
    operator.py
    selector.py
  static_runtime
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    config.cpython-311.pyc
    gen_static_runtime_ops.cpython-311.pyc
    generator.cpython-311.pyc
    config.py
    gen_static_runtime_ops.py
    generator.py
  utils.py
  torchtext
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    utils.cpython-311.pyc
    vocab.cpython-311.pyc
  data
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    batch.cpython-311.pyc
    dataset.cpython-311.pyc
    example.cpython-311.pyc
    field.cpython-311.pyc
    functional.cpython-311.pyc
    iterator.cpython-311.pyc
    metrics.cpython-311.pyc
    pipeline.cpython-311.pyc
    utils.cpython-311.pyc
    batch.py
    dataset.py
    example.py
    field.py
    functional.py
    iterator.py
    metrics.py
    pipeline.py
    utils.py
  datasets
    __init__.py
    __pycache__
    __init__.cpython-311.pyc

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ babi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ imdb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ language_modeling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nli.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sequence_tagging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sst.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text_classification.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ translation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ trec.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ unsupervised_learning.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ babi.py
■ ■ ■ ■ ■ ■ ■ ■■■ imdb.py
■ ■ ■ ■ ■ ■ ■ ■■■ language_modeling.py
■ ■ ■ ■ ■ ■ ■ ■■■ nli.py
■ ■ ■ ■ ■ ■ ■ ■■■ sequence_tagging.py
■ ■ ■ ■ ■ ■ ■ ■■■ sst.py
■ ■ ■ ■ ■ ■ ■ ■■■ text_classification.py
■ ■ ■ ■ ■ ■ ■ ■■■ translation.py
■ ■ ■ ■ ■ ■ ■ ■■■ trec.py
■ ■ ■ ■ ■ ■ ■ ■■■ unsupervised_learning.py
■ ■ ■ ■ ■ ■ ■ ■■■ experimental
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ datasets
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ language_modeling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ text_classification.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ language_modeling.py
■ ■ ■ ■ ■ ■ ■ ■■■ text_classification.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ vocab.py
■ ■ ■ ■ ■ ■ ■■■ torchtext-0.6.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ zip-safe
■ ■ ■ ■ ■ ■ ■■■ torchvision
■ ■ ■ ■ ■ ■ ■■■ _C.so
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _internally_replaced_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extension.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _internally_replaced_utils.py
■ ■ ■ ■ ■ ■ ■■■ _utils.py
■ ■ ■ ■ ■ ■ ■■■ datapoints
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bounding_box.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _datapoint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _dataset_wrapper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _mask.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _video.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _bounding_box.py
■ ■ ■ ■ ■ ■ ■ ■■■ _datapoint.py
■ ■ ■ ■ ■ ■ ■ ■■■ _dataset_wrapper.py
■ ■ ■ ■ ■ ■ ■ ■■■ _image.py
■ ■ ■ ■ ■ ■ ■ ■■■ _mask.py
■ ■ ■ ■ ■ ■ ■ ■■■ _video.py
■ ■ ■ ■ ■ ■ ■ ■■■ datasets
■ ■ ■ ■ ■ ■ ■ ■■■ _init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ _init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _optical_flow.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _stereo_matching.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ caltech.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ celeba.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cifar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cityscapes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ clevr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coco.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ country211.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dtd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ eurosat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fakedata.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fer2013.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ fgvc_aircraft.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ flickr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ flowers102.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ folder.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ food101.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ gtsrb.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hmdb51.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ imagenet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ inaturalist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kinetics.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ kitti.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lfw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lsun.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mnist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ moving_mnist.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ omniglot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ oxford_iiit_pet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pcam.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ phototour.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ places365.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rendered_sst2.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sbd.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sbu.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ semeion.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stanford_cars.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stl10.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ sun397.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ svhn.cpython-311.pyc
```

■	■	■	■	■	■	■	■■■	ucf101.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	usps.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	utils.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	video_utils.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	vision.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	voc.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	widerface.cpython-311.pyc	
■	■	■	■	■	■	■	■■■	_optical_flow.py	
■	■	■	■	■	■	■	■■■	_stereo_matching.py	
■	■	■	■	■	■	■	■■■	caltech.py	
■	■	■	■	■	■	■	■■■	celeba.py	
■	■	■	■	■	■	■	■■■	cifar.py	
■	■	■	■	■	■	■	■■■	cityscapes.py	
■	■	■	■	■	■	■	■■■	clevr.py	
■	■	■	■	■	■	■	■■■	coco.py	
■	■	■	■	■	■	■	■■■	country211.py	
■	■	■	■	■	■	■	■■■	dtd.py	
■	■	■	■	■	■	■	■■■	eurosat.py	
■	■	■	■	■	■	■	■■■	fakedata.py	
■	■	■	■	■	■	■	■■■	fer2013.py	
■	■	■	■	■	■	■	■■■	fgvc_aircraft.py	
■	■	■	■	■	■	■	■■■	flickr.py	
■	■	■	■	■	■	■	■■■	flowers102.py	
■	■	■	■	■	■	■	■■■	folder.py	
■	■	■	■	■	■	■	■■■	food101.py	
■	■	■	■	■	■	■	■■■	gtsrb.py	
■	■	■	■	■	■	■	■■■	hmdb51.py	
■	■	■	■	■	■	■	■■■	imagenet.py	
■	■	■	■	■	■	■	■■■	inaturalist.py	
■	■	■	■	■	■	■	■■■	kinetics.py	
■	■	■	■	■	■	■	■■■	kitti.py	
■	■	■	■	■	■	■	■■■	lfw.py	
■	■	■	■	■	■	■	■■■	lsun.py	
■	■	■	■	■	■	■	■■■	mnist.py	
■	■	■	■	■	■	■	■■■	moving_mnist.py	
■	■	■	■	■	■	■	■■■	omniglot.py	
■	■	■	■	■	■	■	■■■	oxford_iiit_pet.py	
■	■	■	■	■	■	■	■■■	pcam.py	
■	■	■	■	■	■	■	■■■	phototour.py	
■	■	■	■	■	■	■	■■■	places365.py	
■	■	■	■	■	■	■	■■■	rendered_sst2.py	
■	■	■	■	■	■	■	■■■	samplers	
■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	clip_sampler.cpython-311.pyc
■	■	■	■	■	■	■	■■■	clip_sampler.py	
■	■	■	■	■	■	■	■■■	sbd.py	
■	■	■	■	■	■	■	■■■	sbu.py	
■	■	■	■	■	■	■	■■■	semeion.py	
■	■	■	■	■	■	■	■■■	stanford_cars.py	
■	■	■	■	■	■	■	■■■	stl10.py	
■	■	■	■	■	■	■	■■■	sun397.py	
■	■	■	■	■	■	■	■■■	svhn.py	
■	■	■	■	■	■	■	■■■	ucf101.py	
■	■	■	■	■	■	■	■■■	usps.py	
■	■	■	■	■	■	■	■■■	utils.py	
■	■	■	■	■	■	■	■■■	video_utils.py	

```

vision.py
voc.py
widerface.py
extension.py
image.so
io
__init__.py
__pycache__
__init__.cpython-311.pyc
_load_gpu_decoder.cpython-311.pyc
_video_opt.cpython-311.pyc
image.cpython-311.pyc
video.cpython-311.pyc
video_reader.cpython-311.pyc
_load_gpu_decoder.py
_video_opt.py
image.py
video.py
video_reader.py
models
__init__.py
__pycache__
__init__.cpython-311.pyc
_api.cpython-311.pyc
_meta.cpython-311.pyc
_utils.cpython-311.pyc
alexnet.cpython-311.pyc
convnext.cpython-311.pyc
densenet.cpython-311.pyc
efficientnet.cpython-311.pyc
feature_extraction.cpython-311.pyc
googlenet.cpython-311.pyc
inception.cpython-311.pyc
maxvit.cpython-311.pyc
mnasnet.cpython-311.pyc
mobilenet.cpython-311.pyc
mobilenetv2.cpython-311.pyc
mobilenetv3.cpython-311.pyc
regnet.cpython-311.pyc
resnet.cpython-311.pyc
shufflenetv2.cpython-311.pyc
squeezenet.cpython-311.pyc
swin_transformer.cpython-311.pyc
vgg.cpython-311.pyc
vision_transformer.cpython-311.pyc
_api.py
_meta.py
_utils.py
alexnet.py
convnext.py
densenet.py
detection
__init__.py
__pycache__
__init__.cpython-311.pyc
_utils.cpython-311.pyc
anchor_utils.cpython-311.pyc
backbone_utils.cpython-311.pyc

```

■	■	■	■	■	■	■	■	■■■	faster_rcnn.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	fcos.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	generalized_rcnn.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	image_list.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	keypoint_rcnn.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	mask_rcnn.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	retinanet.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	roi_heads.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	rpn.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	ssd.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	ssdlite.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	transform.cpython-311.pyc	
■	■	■	■	■	■	■	■	■■■	_utils.py	
■	■	■	■	■	■	■	■	■■■	anchor_utils.py	
■	■	■	■	■	■	■	■	■■■	backbone_utils.py	
■	■	■	■	■	■	■	■	■■■	faster_rcnn.py	
■	■	■	■	■	■	■	■	■■■	fcos.py	
■	■	■	■	■	■	■	■	■■■	generalized_rcnn.py	
■	■	■	■	■	■	■	■	■■■	image_list.py	
■	■	■	■	■	■	■	■	■■■	keypoint_rcnn.py	
■	■	■	■	■	■	■	■	■■■	mask_rcnn.py	
■	■	■	■	■	■	■	■	■■■	retinanet.py	
■	■	■	■	■	■	■	■	■■■	roi_heads.py	
■	■	■	■	■	■	■	■	■■■	rpn.py	
■	■	■	■	■	■	■	■	■■■	ssd.py	
■	■	■	■	■	■	■	■	■■■	ssdlite.py	
■	■	■	■	■	■	■	■	■■■	transform.py	
■	■	■	■	■	■	■	■	■■■	efficientnet.py	
■	■	■	■	■	■	■	■	■■■	feature_extraction.py	
■	■	■	■	■	■	■	■	■■■	googlenet.py	
■	■	■	■	■	■	■	■	■■■	inception.py	
■	■	■	■	■	■	■	■	■■■	maxvit.py	
■	■	■	■	■	■	■	■	■■■	mnasnet.py	
■	■	■	■	■	■	■	■	■■■	mobilenet.py	
■	■	■	■	■	■	■	■	■■■	mobilenetv2.py	
■	■	■	■	■	■	■	■	■■■	mobilenetv3.py	
■	■	■	■	■	■	■	■	■■■	optical_flow	
■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	_utils.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	raft.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	_utils.py	
■	■	■	■	■	■	■	■	■■■	raft.py	
■	■	■	■	■	■	■	■	■■■	quantization	
■	■	■	■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	googlenet.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	inception.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	mobilenet.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	mobilenetv2.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	mobilenetv3.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	resnet.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	shufflenetv2.cpython-311.pyc
■	■	■	■	■	■	■	■	■	■■■	utils.cpython-311.pyc
■	■	■	■	■	■	■	■	■■■	googlenet.py	
■	■	■	■	■	■	■	■	■■■	inception.py	

```

mobilenet.py
mobilenetv2.py
mobilenetv3.py
resnet.py
shufflenetv2.py
utils.py
regnet.py
resnet.py
segmentation
__init__.py
__pycache__
__init__.cpython-311.pyc
_utils.cpython-311.pyc
deeplabv3.cpython-311.pyc
fcn.cpython-311.pyc
lraspp.cpython-311.pyc
_utils.py
deeplabv3.py
fcn.py
lraspp.py
shufflenetv2.py
squeezenet.py
swin_transformer.py
vgg.py
video
__init__.py
__pycache__
__init__.cpython-311.pyc
mvit.cpython-311.pyc
resnet.cpython-311.pyc
s3d.cpython-311.pyc
swin_transformer.cpython-311.pyc
mvit.py
resnet.py
s3d.py
swin_transformer.py
vision_transformer.py
ops
__init__.py
__pycache__
__init__.cpython-311.pyc
_box_convert.cpython-311.pyc
_register_onnx_ops.cpython-311.pyc
_utils.cpython-311.pyc
boxes.cpython-311.pyc
ciou_loss.cpython-311.pyc
deform_conv.cpython-311.pyc
diou_loss.cpython-311.pyc
drop_block.cpython-311.pyc
feature_pyramid_network.cpython-311.pyc
focal_loss.cpython-311.pyc
giou_loss.cpython-311.pyc
misc.cpython-311.pyc
poolers.cpython-311.pyc
ps_roi_align.cpython-311.pyc
ps_roi_pool.cpython-311.pyc
roi_align.cpython-311.pyc
roi_pool.cpython-311.pyc

```

```

██████████ stochastic_depth.cpython-311.pyc
██████████ _box_convert.py
██████████ _register_onnx_ops.py
██████████ _utils.py
██████████ boxes.py
██████████ ciou_loss.py
██████████ deform_conv.py
██████████ diou_loss.py
██████████ drop_block.py
██████████ feature_pyramid_network.py
██████████ focal_loss.py
██████████ giou_loss.py
██████████ misc.py
██████████ poolers.py
██████████ ps_roi_align.py
██████████ ps_roi_pool.py
██████████ roi_align.py
██████████ roi_pool.py
██████████ stochastic_depth.py
██████████ transforms
██████████   __init__.py
██████████   __pycache__
██████████     ██████████ __init__.cpython-311.pyc
██████████     ██████████ _functional_pil.cpython-311.pyc
██████████     ██████████ _functional_tensor.cpython-311.pyc
██████████     ██████████ _functional_video.cpython-311.pyc
██████████     ██████████ _presets.cpython-311.pyc
██████████     ██████████ _transforms_video.cpython-311.pyc
██████████     ██████████ autoaugment.cpython-311.pyc
██████████     ██████████ functional.cpython-311.pyc
██████████     ██████████ functional_pil.cpython-311.pyc
██████████     ██████████ functional_tensor.cpython-311.pyc
██████████     ██████████ transforms.cpython-311.pyc
██████████   ██████████ _functional_pil.py
██████████   ██████████ _functional_tensor.py
██████████   ██████████ _functional_video.py
██████████   ██████████ _presets.py
██████████   ██████████ _transforms_video.py
██████████   ██████████ autoaugment.py
██████████   ██████████ functional.py
██████████   ██████████ functional_pil.py
██████████   ██████████ functional_tensor.py
██████████   ██████████ transforms.py
██████████   ██████████ v2
██████████     ██████████ __init__.py
██████████     ██████████ __pycache__
██████████       ██████████ __init__.cpython-311.pyc
██████████       ██████████ _augment.cpython-311.pyc
██████████       ██████████ _auto_augment.cpython-311.pyc
██████████       ██████████ _color.cpython-311.pyc
██████████       ██████████ _container.cpython-311.pyc
██████████       ██████████ _deprecated.cpython-311.pyc
██████████       ██████████ _geometry.cpython-311.pyc
██████████       ██████████ _meta.cpython-311.pyc
██████████       ██████████ _misc.cpython-311.pyc
██████████       ██████████ _temporal.cpython-311.pyc
██████████       ██████████ _transform.cpython-311.pyc
██████████       ██████████ _type_conversion.cpython-311.pyc

```



```

████ _utils.cpython-311.pyc
████ _utils.cpython-311.pyc
████ _augment.py
████ _auto_augment.py
████ _color.py
████ _container.py
████ _deprecated.py
████ _geometry.py
████ _meta.py
████ _misc.py
████ _temporal.py
████ _transform.py
████ _type_conversion.py
████ _utils.py
████ functional
████ __init__.py
████ __pycache__
████ __init__.cpython-311.pyc
████ _augment.cpython-311.pyc
████ _color.cpython-311.pyc
████ _deprecated.cpython-311.pyc
████ _geometry.cpython-311.pyc
████ _meta.cpython-311.pyc
████ _misc.cpython-311.pyc
████ _temporal.cpython-311.pyc
████ _type_conversion.cpython-311.pyc
████ _utils.cpython-311.pyc
████ _augment.py
████ _color.py
████ _deprecated.py
████ _geometry.py
████ _meta.py
████ _misc.py
████ _temporal.py
████ _type_conversion.py
████ _utils.py
████ utils.py
████ utils.py
████ version.py
████ torchvision-0.15.2.dist-info
████ INSTALLER
████ LICENSE
████ METADATA
████ RECORD
████ REQUESTED
████ WHEEL
████ top_level.txt
████ torchvision.libs
████ libcudart.782fcab0.so.11.0
████ libjpeg.cee7512.so.62
████ libnvjpeg.9b083ad7.so.11
████ libpng16.7f72a3c5.so.16
████ libz.e3d3156c.so.1
████ tornado
████ __init__.py
████ __init__.pyi
████ __pycache__
████ __init__.cpython-311.pyc

```

■	■	■	■	■	■	■■■■	_locale_data.cpython-311.pyc	
■	■	■	■	■	■	■■■■	auth.cpython-311.pyc	
■	■	■	■	■	■	■■■■	autoreload.cpython-311.pyc	
■	■	■	■	■	■	■■■■	concurrent.cpython-311.pyc	
■	■	■	■	■	■	■■■■	curl_httpclient.cpython-311.pyc	
■	■	■	■	■	■	■■■■	escape.cpython-311.pyc	
■	■	■	■	■	■	■■■■	gen.cpython-311.pyc	
■	■	■	■	■	■	■■■■	http1connection.cpython-311.pyc	
■	■	■	■	■	■	■■■■	httpclient.cpython-311.pyc	
■	■	■	■	■	■	■■■■	httpserver.cpython-311.pyc	
■	■	■	■	■	■	■■■■	httputil.cpython-311.pyc	
■	■	■	■	■	■	■■■■	ioloop.cpython-311.pyc	
■	■	■	■	■	■	■■■■	iostream.cpython-311.pyc	
■	■	■	■	■	■	■■■■	locale.cpython-311.pyc	
■	■	■	■	■	■	■■■■	locks.cpython-311.pyc	
■	■	■	■	■	■	■■■■	log.cpython-311.pyc	
■	■	■	■	■	■	■■■■	netutil.cpython-311.pyc	
■	■	■	■	■	■	■■■■	options.cpython-311.pyc	
■	■	■	■	■	■	■■■■	process.cpython-311.pyc	
■	■	■	■	■	■	■■■■	queues.cpython-311.pyc	
■	■	■	■	■	■	■■■■	routing.cpython-311.pyc	
■	■	■	■	■	■	■■■■	simple_httpclient.cpython-311.pyc	
■	■	■	■	■	■	■■■■	tcpclient.cpython-311.pyc	
■	■	■	■	■	■	■■■■	tcpserver.cpython-311.pyc	
■	■	■	■	■	■	■■■■	template.cpython-311.pyc	
■	■	■	■	■	■	■■■■	testing.cpython-311.pyc	
■	■	■	■	■	■	■■■■	util.cpython-311.pyc	
■	■	■	■	■	■	■■■■	web.cpython-311.pyc	
■	■	■	■	■	■	■■■■	websocket.cpython-311.pyc	
■	■	■	■	■	■	■■■■	wsgi.cpython-311.pyc	
■	■	■	■	■	■	■■■■	_locale_data.py	
■	■	■	■	■	■	■■■■	auth.py	
■	■	■	■	■	■	■■■■	autoreload.py	
■	■	■	■	■	■	■■■■	concurrent.py	
■	■	■	■	■	■	■■■■	curl_httpclient.py	
■	■	■	■	■	■	■■■■	escape.py	
■	■	■	■	■	■	■■■■	gen.py	
■	■	■	■	■	■	■■■■	http1connection.py	
■	■	■	■	■	■	■■■■	httpclient.py	
■	■	■	■	■	■	■■■■	httpserver.py	
■	■	■	■	■	■	■■■■	httputil.py	
■	■	■	■	■	■	■■■■	ioloop.py	
■	■	■	■	■	■	■■■■	iostream.py	
■	■	■	■	■	■	■■■■	locale.py	
■	■	■	■	■	■	■■■■	locks.py	
■	■	■	■	■	■	■■■■	log.py	
■	■	■	■	■	■	■■■■	netutil.py	
■	■	■	■	■	■	■■■■	options.py	
■	■	■	■	■	■	■■■■	platform	
■	■	■	■	■	■	■■■■	__init__.py	
■	■	■	■	■	■	■■■■	__pycache__	
■	■	■	■	■	■	■	■■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	asyncio.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	caresresolver.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	twisted.cpython-311.pyc
■	■	■	■	■	■	■■■■	asyncio.py	
■	■	■	■	■	■	■■■■	caresresolver.py	
■	■	■	■	■	■	■■■■	twisted.py	

```

■ ■ ■ ■ ■ ■ ■ ■ process.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ queues.py
■ ■ ■ ■ ■ ■ ■ ■ routing.py
■ ■ ■ ■ ■ ■ ■ ■ simple_httpclient.py
■ ■ ■ ■ ■ ■ ■ ■ speedups.abi3.so
■ ■ ■ ■ ■ ■ ■ ■ speedups.pyi
■ ■ ■ ■ ■ ■ ■ ■ tcpclient.py
■ ■ ■ ■ ■ ■ ■ ■ tcpserver.py
■ ■ ■ ■ ■ ■ ■ ■ template.py
■ ■ ■ ■ ■ ■ ■ ■ test
■ ■ ■ ■ ■ ■ ■ ■   __init__.py
■ ■ ■ ■ ■ ■ ■ ■   __main__.py
■ ■ ■ ■ ■ ■ ■ ■   __pycache__
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ asyncio_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ auth_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ autoreload_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ circlerefs_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ concurrent_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ curl_httpclient_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ escape_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ gen_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ http1connection_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ httpclient_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ httpserver_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ httputil_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ import_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ ioloop_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ iostream_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ locale_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ locks_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ log_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ netutil_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ options_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ process_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ queues_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ resolve_test_helper.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ routing_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ runtests.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ simple_httpclient_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tcpclient_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ tcpserver_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ template_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ testing_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ twisted_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ util_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ web_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ websocket_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ wsgi_test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ asyncio_test.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ auth_test.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ autoreload_test.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ circlerefs_test.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ concurrent_test.py
■ ■ ■ ■ ■ ■ ■ ■   ■ ■ ■ ■ csv_translations

```

```

fr_FR.csv
curl_httpclient_test.py
escape_test.py
gen_test.py
gettext_translations
fr_FR
LC_MESSAGES
tornado_test.mo
tornado_test.po
http1connection_test.py
httpclient_test.py
httpserver_test.py
httputil_test.py
import_test.py
ioloop_test.py
iostream_test.py
locale_test.py
locks_test.py
log_test.py
netutil_test.py
options_test.cfg
options_test.py
options_test_types.cfg
options_test_types_str.cfg
process_test.py
queues_test.py
resolve_test_helper.py
routing_test.py
runtests.py
simple_httpclient_test.py
static
dir
index.html
robots.txt
sample.xml
sample.xml.bz2
sample.xml.gz
static_foo.txt
tcpclient_test.py
tcpserver_test.py
template_test.py
templates
utf8.html
test.crt
test.key
testing_test.py
twisted_test.py
util.py
util_test.py
web_test.py
websocket_test.py
wsgi_test.py
testing.py
util.py
web.py
websocket.py
wsgi.py
tornado-6.4.2.dist-info
```

```

■■■ INSTALLER
■■■ LICENSE
■■■ METADATA
■■■ RECORD
■■■ WHEEL
■■■ top_level.txt
■■■ tqdm
■■■ __init__.py
■■■ __main__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ __main__.cpython-311.pyc
■■■ _dist_ver.cpython-311.pyc
■■■ _main.cpython-311.pyc
■■■ _monitor.cpython-311.pyc
■■■ _tqdm.cpython-311.pyc
■■■ _tqdm_gui.cpython-311.pyc
■■■ _tqdm_notebook.cpython-311.pyc
■■■ _tqdm_pandas.cpython-311.pyc
■■■ _utils.cpython-311.pyc
■■■ asyncio.cpython-311.pyc
■■■ auto.cpython-311.pyc
■■■ autonotebook.cpython-311.pyc
■■■ cli.cpython-311.pyc
■■■ dask.cpython-311.pyc
■■■ gui.cpython-311.pyc
■■■ keras.cpython-311.pyc
■■■ notebook.cpython-311.pyc
■■■ rich.cpython-311.pyc
■■■ std.cpython-311.pyc
■■■ tk.cpython-311.pyc
■■■ utils.cpython-311.pyc
■■■ version.cpython-311.pyc
■■■ _dist_ver.py
■■■ _main.py
■■■ _monitor.py
■■■ _tqdm.py
■■■ _tqdm_gui.py
■■■ _tqdm_notebook.py
■■■ _tqdm_pandas.py
■■■ _utils.py
■■■ asyncio.py
■■■ auto.py
■■■ autonotebook.py
■■■ cli.py
■■■ completion.sh
■■■ contrib
■■■ __init__.py
■■■ __pycache__
■■■ __init__.cpython-311.pyc
■■■ bells.cpython-311.pyc
■■■ concurrent.cpython-311.pyc
■■■ discord.cpython-311.pyc
■■■ itertools.cpython-311.pyc
■■■ logging.cpython-311.pyc
■■■ slack.cpython-311.pyc
■■■ telegram.cpython-311.pyc
■■■ utils_worker.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■■■■ bells.py
■ ■ ■ ■ ■ ■ ■■■■ concurrent.py
■ ■ ■ ■ ■ ■ ■■■■ discord.py
■ ■ ■ ■ ■ ■ ■■■■ itertools.py
■ ■ ■ ■ ■ ■ ■■■■ logging.py
■ ■ ■ ■ ■ ■ ■■■■ slack.py
■ ■ ■ ■ ■ ■ ■■■■ telegram.py
■ ■ ■ ■ ■ ■ ■■■■ utils_worker.py
■ ■ ■ ■ ■ ■ ■■■■ dask.py
■ ■ ■ ■ ■ ■ ■■■■ gui.py
■ ■ ■ ■ ■ ■ ■■■■ keras.py
■ ■ ■ ■ ■ ■ ■■■■ notebook.py
■ ■ ■ ■ ■ ■ ■■■■ rich.py
■ ■ ■ ■ ■ ■ ■■■■ std.py
■ ■ ■ ■ ■ ■ ■■■■ tk.py
■ ■ ■ ■ ■ ■ ■■■■ tqdm.1
■ ■ ■ ■ ■ ■ ■■■■ utils.py
■ ■ ■ ■ ■ ■ ■■■■ version.py
■ ■ ■ ■ ■ ■■■■ tqdm-4.64.0.dist-info
■ ■ ■ ■ ■ ■■■■ INSTALLER
■ ■ ■ ■ ■ ■■■■ LICENCE
■ ■ ■ ■ ■ ■■■■ METADATA
■ ■ ■ ■ ■ ■■■■ RECORD
■ ■ ■ ■ ■ ■■■■ REQUESTED
■ ■ ■ ■ ■ ■■■■ WHEEL
■ ■ ■ ■ ■ ■■■■ entry_points.txt
■ ■ ■ ■ ■ ■■■■ top_level.txt
■ ■ ■ ■ ■ ■■■■ traitlets
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ log.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ traitlets.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ _version.py
■ ■ ■ ■ ■ ■■■■ config
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ application.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ argcomplete_config.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ configurable.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ loader.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ manager.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ sphinxdoc.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ application.py
■ ■ ■ ■ ■ ■■■■ argcomplete_config.py
■ ■ ■ ■ ■ ■■■■ configurable.py
■ ■ ■ ■ ■ ■■■■ loader.py
■ ■ ■ ■ ■ ■■■■ manager.py
■ ■ ■ ■ ■ ■■■■ sphinxdoc.py
■ ■ ■ ■ ■ ■■■■ log.py
■ ■ ■ ■ ■ ■■■■ py.typed
■ ■ ■ ■ ■ ■■■■ tests
■ ■ ■ ■ ■ ■■■■ __init__.py
■ ■ ■ ■ ■ ■■■■ __pycache__
■ ■ ■ ■ ■ ■■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■■ test_traitlets.cpython-311.pyc

```

[illegible]

■	■	■	■	■	■	■■■	permutate.cpython-311.pyc
■	■	■	■	■	■	■■■	points.cpython-311.pyc
■	■	■	■	■	■	■■■	poses.cpython-311.pyc
■	■	■	■	■	■	■■■	primitives.cpython-311.pyc
■	■	■	■	■	■	■■■	proximity.cpython-311.pyc
■	■	■	■	■	■	■■■	registration.cpython-311.pyc
■	■	■	■	■	■	■■■	remesh.cpython-311.pyc
■	■	■	■	■	■	■■■	rendering.cpython-311.pyc
■	■	■	■	■	■	■■■	repair.cpython-311.pyc
■	■	■	■	■	■	■■■	resolvers.cpython-311.pyc
■	■	■	■	■	■	■■■	sample.cpython-311.pyc
■	■	■	■	■	■	■■■	schemas.cpython-311.pyc
■	■	■	■	■	■	■■■	smoothing.cpython-311.pyc
■	■	■	■	■	■	■■■	transformations.cpython-311.pyc
■	■	■	■	■	■	■■■	triangles.cpython-311.pyc
■	■	■	■	■	■	■■■	units.cpython-311.pyc
■	■	■	■	■	■	■■■	util.cpython-311.pyc
■	■	■	■	■	■	■■■	version.cpython-311.pyc
■	■	■	■	■	■■■	base.py	
■	■	■	■	■	■■■	boolean.py	
■	■	■	■	■	■■■	bounds.py	
■	■	■	■	■	■■■	caching.py	
■	■	■	■	■	■■■	collision.py	
■	■	■	■	■	■■■	comparison.py	
■	■	■	■	■	■■■	constants.py	
■	■	■	■	■	■■■	convex.py	
■	■	■	■	■	■■■	creation.py	
■	■	■	■	■	■■■	curvature.py	
■	■	■	■	■	■■■	decomposition.py	
■	■	■	■	■	■■■	exceptions.py	
■	■	■	■	■	■■■	exchange	
■	■	■	■	■	■■■	__init__.py	
■	■	■	■	■	■■■	__pycache__	
■	■	■	■	■	■	■■■	__init__.cpython-311.pyc
■	■	■	■	■	■	■■■	assimp.cpython-311.pyc
■	■	■	■	■	■	■■■	binvox.cpython-311.pyc
■	■	■	■	■	■	■■■	dae.cpython-311.pyc
■	■	■	■	■	■	■■■	export.cpython-311.pyc
■	■	■	■	■	■	■■■	gltf.cpython-311.pyc
■	■	■	■	■	■	■■■	load.cpython-311.pyc
■	■	■	■	■	■	■■■	misc.cpython-311.pyc
■	■	■	■	■	■	■■■	obj.cpython-311.pyc
■	■	■	■	■	■	■■■	off.cpython-311.pyc
■	■	■	■	■	■	■■■	openctm.cpython-311.pyc
■	■	■	■	■	■	■■■	ply.cpython-311.pyc
■	■	■	■	■	■	■■■	stl.cpython-311.pyc
■	■	■	■	■	■	■■■	threedxml.cpython-311.pyc
■	■	■	■	■	■	■■■	threemf.cpython-311.pyc
■	■	■	■	■	■	■■■	urdf.cpython-311.pyc
■	■	■	■	■	■	■■■	xaml.cpython-311.pyc
■	■	■	■	■	■	■■■	xyz.cpython-311.pyc
■	■	■	■	■	■■■	assimp.py	
■	■	■	■	■	■■■	binvox.py	
■	■	■	■	■	■■■	dae.py	
■	■	■	■	■	■■■	export.py	
■	■	■	■	■	■■■	gltf.py	
■	■	■	■	■	■■■	load.py	
■	■	■	■	■	■■■	misc.py	


```

obj.py
off.py
openctm.py
ply.py
stl.py
threedxml.py
threemf.py
urdf.py
xaml.py
xyz.py
geometry.py
graph.py
grouping.py
inertia.py
integrate.py
interfaces
__init__.py
__pycache__
__init__.cpython-311.pyc
blender.cpython-311.pyc
generic.cpython-311.pyc
gmsh.cpython-311.pyc
scad.cpython-311.pyc
vhacd.cpython-311.pyc
blender.py
generic.py
gmsh.py
scad.py
vhacd.py
intersections.py
interval.py
nsphere.py
parent.py
path
__init__.py
__pycache__
__init__.cpython-311.pyc
arc.cpython-311.pyc
creation.cpython-311.pyc
curve.cpython-311.pyc
entities.cpython-311.pyc
intersections.cpython-311.pyc
packing.cpython-311.pyc
path.cpython-311.pyc
polygons.cpython-311.pyc
raster.cpython-311.pyc
repair.cpython-311.pyc
segments.cpython-311.pyc
simplify.cpython-311.pyc
traversal.cpython-311.pyc
util.cpython-311.pyc
arc.py
creation.py
curve.py
entities.py
exchange
__init__.py
__pycache__

```

[illegible]

```
■ ■ ■ ■ ■ ■ ■ ■ ■ cameras.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ lighting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ scene.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ transforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ cameras.py
■ ■ ■ ■ ■ ■ ■ ■ ■ lighting.py
■ ■ ■ ■ ■ ■ ■ ■ ■ scene.py
■ ■ ■ ■ ■ ■ ■ ■ ■ transforms.py
■ ■ ■ ■ ■ ■ ■ ■ ■ schemas.py
■ ■ ■ ■ ■ ■ ■ ■ ■ smoothing.py
■ ■ ■ ■ ■ ■ ■ ■ ■ transformations.py
■ ■ ■ ■ ■ ■ ■ ■ ■ triangles.py
■ ■ ■ ■ ■ ■ ■ ■ ■ units.py
■ ■ ■ ■ ■ ■ ■ ■ ■ util.py
■ ■ ■ ■ ■ ■ ■ ■ ■ version.py
■ ■ ■ ■ ■ ■ ■ ■ ■ viewer
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ notebook.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ trackball.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ widget.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ windowed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ notebook.py
■ ■ ■ ■ ■ ■ ■ ■ ■ trackball.py
■ ■ ■ ■ ■ ■ ■ ■ ■ widget.py
■ ■ ■ ■ ■ ■ ■ ■ ■ windowed.py
■ ■ ■ ■ ■ ■ ■ ■ ■ visual
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ material.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ objects.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ texture.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ color.py
■ ■ ■ ■ ■ ■ ■ ■ ■ material.py
■ ■ ■ ■ ■ ■ ■ ■ ■ objects.py
■ ■ ■ ■ ■ ■ ■ ■ ■ texture.py
■ ■ ■ ■ ■ ■ ■ ■ ■ voxel
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ base.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ creation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ encoding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ morphology.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ runlength.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ transforms.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ base.py
■ ■ ■ ■ ■ ■ ■ ■ ■ creation.py
■ ■ ■ ■ ■ ■ ■ ■ ■ encoding.py
■ ■ ■ ■ ■ ■ ■ ■ ■ morphology.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ops.py
■ ■ ■ ■ ■ ■ ■ ■ ■ runlength.py
```

[illegible]

```

matmul_perf_model.py
runtime
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    autotuner.cpython-311.pyc
    jit.cpython-311.pyc
    autotuner.py
    jit.py
  testing.py
  third_party
    cuda
      bin
        ptxas
      include
        cuda.h
      lib
        libdevice.10.bc
    tools
      __init__.py
      __pycache__
        __init__.cpython-311.pyc
        aot.cpython-311.pyc
        build_extern.cpython-311.pyc
        disasm.cpython-311.pyc
      aot.py
      build_extern.py
      disasm.py
    utils.py
triton-2.0.0.dist-info
  INSTALLER
  METADATA
  RECORD
  WHEEL
  top_level.txt
typer
  __init__.py
  __main__.py
  __pycache__
    __init__.cpython-311.pyc
    __main__.cpython-311.pyc
    _completion_classes.cpython-311.pyc
    _completion_shared.cpython-311.pyc
    _typing.cpython-311.pyc
    cli.cpython-311.pyc
    colors.cpython-311.pyc
    completion.cpython-311.pyc
    core.cpython-311.pyc
    main.cpython-311.pyc
    models.cpython-311.pyc
    params.cpython-311.pyc
    rich_utils.cpython-311.pyc
    testing.cpython-311.pyc
    utils.cpython-311.pyc
  _completion_classes.py
  _completion_shared.py
  _typing.py
  cli.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ colors.py
■ ■ ■ ■ ■ ■ ■ ■ completion.py
■ ■ ■ ■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ ■ ■ ■ main.py
■ ■ ■ ■ ■ ■ ■ ■ models.py
■ ■ ■ ■ ■ ■ ■ ■ params.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ rich_utils.py
■ ■ ■ ■ ■ ■ ■ ■ testing.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ typer-0.15.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ licenses
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ typing_extensions-4.10.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ typing_extensions.py
■ ■ ■ ■ ■ ■ ■ ■ ujson-5.10.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE.txt
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ujson.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ unification
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dispatch.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ match.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ more.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ variable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ ■ ■ ■ dispatch.py
■ ■ ■ ■ ■ ■ ■ ■ match.py
■ ■ ■ ■ ■ ■ ■ ■ more.py
■ ■ ■ ■ ■ ■ ■ ■ utils.py
■ ■ ■ ■ ■ ■ ■ ■ variable.py
■ ■ ■ ■ ■ ■ ■ ■ urllib3
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _collections.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      ■      connection.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      connectionpool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      fields.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      filepost.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      poolmanager.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      request.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      response.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      _collections.py
■      ■      ■      ■      ■      ■      ■      _version.py
■      ■      ■      ■      ■      ■      ■      connection.py
■      ■      ■      ■      ■      ■      ■      connectionpool.py
■      ■      ■      ■      ■      ■      ■      contrib
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      _appengine_environ.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      appengine.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ntlmpool.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      pyopenssl.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      securetransport.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      socks.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      _appengine_environ.py
■      ■      ■      ■      ■      ■      ■      ■      _securetransport
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      bindings.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■      low_level.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      bindings.py
■      ■      ■      ■      ■      ■      ■      ■      low_level.py
■      ■      ■      ■      ■      ■      ■      appengine.py
■      ■      ■      ■      ■      ■      ■      ntlmpool.py
■      ■      ■      ■      ■      ■      ■      pyopenssl.py
■      ■      ■      ■      ■      ■      ■      securetransport.py
■      ■      ■      ■      ■      ■      ■      socks.py
■      ■      ■      ■      ■      ■      ■      exceptions.py
■      ■      ■      ■      ■      ■      ■      fields.py
■      ■      ■      ■      ■      ■      ■      filepost.py
■      ■      ■      ■      ■      ■      ■      packages
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      six.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      backports
■      ■      ■      ■      ■      ■      ■      ■      __init__.py
■      ■      ■      ■      ■      ■      ■      ■      __pycache__
■      ■      ■      ■      ■      ■      ■      ■      ■      __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      makefile.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      weakref_finalize.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      makefile.py
■      ■      ■      ■      ■      ■      ■      weakref_finalize.py
■      ■      ■      ■      ■      ■      ■      six.py
■      ■      ■      ■      ■      ■      ■      poolmanager.py
■      ■      ■      ■      ■      ■      ■      request.py
■      ■      ■      ■      ■      ■      ■      response.py
■      ■      ■      ■      ■      ■      ■      util
■      ■      ■      ■      ■      ■      ■      ■      __init__.py

```

[illegible]


```

on.py
logging.py
loops
__init__.py
__pycache__
__init__.cpython-311.pyc
asyncio.cpython-311.pyc
auto.cpython-311.pyc
uvloop.cpython-311.pyc
asyncio.py
auto.py
uvloop.py
main.py
middleware
__init__.py
__pycache__
__init__.cpython-311.pyc
asgi2.cpython-311.pyc
message_logger.cpython-311.pyc
proxy_headers.cpython-311.pyc
wsgi.cpython-311.pyc
asgi2.py
message_logger.py
proxy_headers.py
wsgi.py
protocols
__init__.py
__pycache__
__init__.cpython-311.pyc
utils.cpython-311.pyc
http
__init__.py
__pycache__
__init__.cpython-311.pyc
auto.cpython-311.pyc
flow_control.cpython-311.pyc
h11_impl.cpython-311.pyc
httptools_impl.cpython-311.pyc
auto.py
flow_control.py
h11_impl.py
httptools_impl.py
utils.py
websockets
__init__.py
__pycache__
__init__.cpython-311.pyc
auto.cpython-311.pyc
websockets_impl.cpython-311.pyc
wsproto_impl.cpython-311.pyc
auto.py
websockets_impl.py
wsproto_impl.py
py.typed
server.py
supervisors
__init__.py
__pycache__

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basereload.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ multiprocessing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ statreload.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ watchfilesreload.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ watchgodreload.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ basereload.py
■ ■ ■ ■ ■ ■ ■ ■■■ multiprocessing.py
■ ■ ■ ■ ■ ■ ■ ■■■ statreload.py
■ ■ ■ ■ ■ ■ ■ ■■■ watchfilesreload.py
■ ■ ■ ■ ■ ■ ■ ■■■ watchgodreload.py
■ ■ ■ ■ ■ ■ ■ ■■■ workers.py
■ ■ ■ ■ ■ ■ ■■■ uvicorn-0.19.0.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■■■ licenses
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE.md
■ ■ ■ ■ ■ ■ ■■■ uvloop
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _noop.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _testbase.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _noop.py
■ ■ ■ ■ ■ ■ ■■■ _testbase.py
■ ■ ■ ■ ■ ■ ■■■ _version.py
■ ■ ■ ■ ■ ■ ■■■ cbhandles.pxd
■ ■ ■ ■ ■ ■ ■■■ cbhandles.pyx
■ ■ ■ ■ ■ ■ ■■■ dns.pyx
■ ■ ■ ■ ■ ■ ■■■ errors.pyx
■ ■ ■ ■ ■ ■ ■■■ handles
■ ■ ■ ■ ■ ■ ■ ■■■ async_.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ async_.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ basetransport.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ basetransport.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ check.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ check.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ fsevent.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ fsevent.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ handle.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ handle.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ idle.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ idle.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ pipe.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ pipe.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ poll.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ poll.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ process.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ process.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ stream.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ stream.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ streamserver.pxd
■ ■ ■ ■ ■ ■ ■ ■■■ streamserver.pyx
■ ■ ■ ■ ■ ■ ■ ■■■ tcp.pxd

```

```

■ ■ ■ ■ ■ ■ ■ ■ tcp.pyx
■ ■ ■ ■ ■ ■ ■ ■ timer.pxd
■ ■ ■ ■ ■ ■ ■ ■ timer.pyx
■ ■ ■ ■ ■ ■ ■ ■ udp.pxd
■ ■ ■ ■ ■ ■ ■ ■ udp.pyx
■ ■ ■ ■ ■ ■ ■ ■ includes
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ consts.pxi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ debug.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ flowcontrol.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ python.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ stdlib.pxi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ system.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ uv.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loop.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loop.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loop.pyi
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ loop.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ lru.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ pseudosock.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ request.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ request.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ server.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sslproto.pxd
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sslproto.pyx
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ uvloop-0.21.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE-APACHE
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ LICENSE-MIT
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ wand
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ assertions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ color.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ display.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ drawing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ font.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ resource.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ sequence.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ version.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ api.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ assertions.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ cdefs
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ __pycache__

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ drawing_wand.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ magick_image.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ magick_property.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ magick_wand.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pixel_iterator.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pixel_wand.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ wandtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ core.py
■ ■ ■ ■ ■ ■ ■ ■■■ drawing_wand.py
■ ■ ■ ■ ■ ■ ■ ■■■ magick_image.py
■ ■ ■ ■ ■ ■ ■ ■■■ magick_property.py
■ ■ ■ ■ ■ ■ ■ ■■■ magick_wand.py
■ ■ ■ ■ ■ ■ ■ ■■■ pixel_iterator.py
■ ■ ■ ■ ■ ■ ■ ■■■ pixel_wand.py
■ ■ ■ ■ ■ ■ ■ ■■■ structures.py
■ ■ ■ ■ ■ ■ ■ ■■■ wandtypes.py
■ ■ ■ ■ ■ ■ ■ ■■■ color.py
■ ■ ■ ■ ■ ■ ■ ■■■ compat.py
■ ■ ■ ■ ■ ■ ■ ■■■ display.py
■ ■ ■ ■ ■ ■ ■ ■■■ drawing.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ font.py
■ ■ ■ ■ ■ ■ ■ ■■■ image.py
■ ■ ■ ■ ■ ■ ■ ■■■ resource.py
■ ■ ■ ■ ■ ■ ■ ■■■ sequence.py
■ ■ ■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■ ■ ■■■ wasabi
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ markdown.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ printer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ traceback_printer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compat.py
■ ■ ■ ■ ■ ■ ■ ■■■ markdown.py
■ ■ ■ ■ ■ ■ ■ ■■■ printer.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ tables.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_jupyter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_markdown.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_printer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_tables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_traceback.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test_util.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test-data
■ ■ ■ ■ ■ ■ ■ ■■■ wasabi-test-notebook.ipynb
■ ■ ■ ■ ■ ■ ■ ■■■ test_jupyter.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_markdown.py

```

```

■      ■      ■      ■      ■      ■      test_printer.py
■      ■      ■      ■      ■      ■      test_tables.py
■      ■      ■      ■      ■      ■      test_traceback.py
■      ■      ■      ■      ■      ■      test_util.py
■      ■      ■      ■      ■      ■      traceback_printer.py
■      ■      ■      ■      ■      ■      util.py
■      ■      ■      ■      ■■■ wasabi-1.1.3.dist-info
■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■■■ LICENSE
■      ■      ■      ■      ■      ■■■ METADATA
■      ■      ■      ■      ■      ■■■ RECORD
■      ■      ■      ■      ■      ■■■ WHEEL
■      ■      ■      ■      ■      ■■■ top_level.txt
■      ■      ■      ■      ■      ■■■ zip-safe
■      ■      ■      ■      ■■■ watchfiles
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __main__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ __main__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ cli.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ filters.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ main.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ run.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ version.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _rust_notify.cpython-311-x86_64-linux-gnu.so
■      ■      ■      ■      ■      ■■■ _rust_notify.pyi
■      ■      ■      ■      ■      ■■■ cli.py
■      ■      ■      ■      ■      ■■■ filters.py
■      ■      ■      ■      ■      ■■■ main.py
■      ■      ■      ■      ■      ■■■ py.typed
■      ■      ■      ■      ■      ■■■ run.py
■      ■      ■      ■      ■      ■■■ version.py
■      ■      ■      ■      ■■■ watchfiles-1.0.3.dist-info
■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■■■ METADATA
■      ■      ■      ■      ■      ■■■ RECORD
■      ■      ■      ■      ■      ■■■ WHEEL
■      ■      ■      ■      ■      ■■■ entry_points.txt
■      ■      ■      ■      ■      ■■■ licenses
■      ■      ■      ■      ■      ■      ■■■ LICENSE
■      ■      ■      ■      ■■■ wcwidth
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ table_vs16.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ table_wide.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ table_zero.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ unicode_versions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ wcwidth.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ table_vs16.py
■      ■      ■      ■      ■      ■■■ table_wide.py
■      ■      ■      ■      ■      ■■■ table_zero.py
■      ■      ■      ■      ■      ■■■ unicode_versions.py
■      ■      ■      ■      ■      ■■■ wcwidth.py
■      ■      ■      ■      ■■■ wcwidth-0.2.13.dist-info
■      ■      ■      ■      ■      ■■■ INSTALLER
■      ■      ■      ■      ■      ■■■ LICENSE

```

```

METADATA
RECORD
WHEEL
top_level.txt
zip-safe
weasel
__init__.py
__main__.py
__pycache__
__init__.cpython-311.pyc
__main__.cpython-311.pyc
about.cpython-311.pyc
compat.cpython-311.pyc
errors.cpython-311.pyc
schemas.cpython-311.pyc
about.py
cli
__init__.py
__pycache__
__init__.cpython-311.pyc
assets.cpython-311.pyc
clone.cpython-311.pyc
document.cpython-311.pyc
dvc.cpython-311.pyc
main.cpython-311.pyc
pull.cpython-311.pyc
push.cpython-311.pyc
remote_storage.cpython-311.pyc
run.cpython-311.pyc
assets.py
clone.py
document.py
dvc.py
main.py
pull.py
push.py
remote_storage.py
run.py
compat.py
errors.py
schemas.py
tests
__init__.py
__pycache__
__init__.cpython-311.pyc
test_schemas.cpython-311.pyc
test_validation.cpython-311.pyc
util.cpython-311.pyc
cli
__init__.py
__pycache__
__init__.cpython-311.pyc
test_cli.cpython-311.pyc
test_cli_app.cpython-311.pyc
test_document.cpython-311.pyc
test_remote.cpython-311.pyc
test_cli.py
test_cli_app.py

```

```
■ ■ ■ ■ ■ ■ ■ ■■■ test_document.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_remote.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_schemas.py
■ ■ ■ ■ ■ ■ ■ ■■■ test_validation.py
■ ■ ■ ■ ■ ■ ■ ■■■ util.py
■ ■ ■ ■ ■ ■ ■■■ util
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ commands.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ environment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ filesystem.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ frozen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ git.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ hashing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ logging.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ modules.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ remote.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ validation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ commands.py
■ ■ ■ ■ ■ ■ ■ ■■■ config.py
■ ■ ■ ■ ■ ■ ■ ■■■ environment.py
■ ■ ■ ■ ■ ■ ■ ■■■ filesystem.py
■ ■ ■ ■ ■ ■ ■ ■■■ frozen.py
■ ■ ■ ■ ■ ■ ■ ■■■ git.py
■ ■ ■ ■ ■ ■ ■ ■■■ hashing.py
■ ■ ■ ■ ■ ■ ■ ■■■ logging.py
■ ■ ■ ■ ■ ■ ■ ■■■ modules.py
■ ■ ■ ■ ■ ■ ■ ■■■ remote.py
■ ■ ■ ■ ■ ■ ■ ■■■ validation.py
■ ■ ■ ■ ■ ■ ■ ■■■ versions.py
■ ■ ■ ■ ■ ■ ■■■ weasel-0.4.1.dist-info
■ ■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ weasyprint
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ __main__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ document.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ draw.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ html.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ images.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ logger.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ stacking.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ urls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ css
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
```

```
■ ■ ■ ■ ■ ■ ■ ■■■ computed_values.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ counters.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ media_queries.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ properties.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ targets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ computed_values.py
■ ■ ■ ■ ■ ■ ■ ■■■ counters.py
■ ■ ■ ■ ■ ■ ■ ■■■ html5_ph.css
■ ■ ■ ■ ■ ■ ■ ■■■ html5_ua.css
■ ■ ■ ■ ■ ■ ■ ■■■ media_queries.py
■ ■ ■ ■ ■ ■ ■ ■■■ properties.py
■ ■ ■ ■ ■ ■ ■ ■■■ targets.py
■ ■ ■ ■ ■ ■ ■ ■■■ tests_ua.css
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ validation
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ descriptors.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ expanders.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ properties.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ descriptors.py
■ ■ ■ ■ ■ ■ ■ ■■■ expanders.py
■ ■ ■ ■ ■ ■ ■ ■■■ properties.py
■ ■ ■ ■ ■ ■ ■ ■■■ document.py
■ ■ ■ ■ ■ ■ ■ ■■■ draw.py
■ ■ ■ ■ ■ ■ ■ ■■■ formatting_structure
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ boxes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ build.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ boxes.py
■ ■ ■ ■ ■ ■ ■ ■■■ build.py
■ ■ ■ ■ ■ ■ ■ ■■■ html.py
■ ■ ■ ■ ■ ■ ■ ■■■ images.py
■ ■ ■ ■ ■ ■ ■ ■■■ layout
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ absolute.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ backgrounds.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ blocks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ columns.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ flex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ float.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ inlines.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ min_max.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pages.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ percentages.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ preferred.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ replaced.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ absolute.py
■ ■ ■ ■ ■ ■ ■ ■■■ backgrounds.py
■ ■ ■ ■ ■ ■ ■ ■■■ blocks.py
■ ■ ■ ■ ■ ■ ■ ■■■ columns.py
■ ■ ■ ■ ■ ■ ■ ■■■ flex.py
■ ■ ■ ■ ■ ■ ■ ■■■ float.py
```



```

inlines.py
min_max.py
pages.py
percentages.py
preferred.py
replaced.py
tables.py
logger.py
stacking.py
svg
__init__.py
__pycache__
__init__.cpython-311.pyc
bounding_box.cpython-311.pyc
css.cpython-311.pyc
defs.cpython-311.pyc
images.cpython-311.pyc
path.cpython-311.pyc
shapes.cpython-311.pyc
text.cpython-311.pyc
utils.cpython-311.pyc
bounding_box.py
css.py
defs.py
images.py
path.py
shapes.py
text.py
utils.py
text
__pycache__
constants.cpython-311.pyc
ffi.cpython-311.pyc
fonts.cpython-311.pyc
line_break.cpython-311.pyc
constants.py
ffi.py
fonts.py
line_break.py
urls.py
weasyprint-53.3.dist-info
INSTALLER
LICENSE
METADATA
RECORD
REQUESTED
WHEEL
entry_points.txt
webencodings
__init__.py
__pycache__
__init__.cpython-311.pyc
labels.cpython-311.pyc
mklables.cpython-311.pyc
tests.cpython-311.pyc
x_user_defined.cpython-311.pyc
labels.py
mklables.py

```

```

■      ■      ■      ■      ■      ■      ■      tests.py
■      ■      ■      ■      ■      ■      ■      x_user_defined.py
■      ■      ■      ■      ■      ■      ■■■ webencodings-0.5.1.dist-info
■      ■      ■      ■      ■      ■      ■      DESCRIPTION.rst
■      ■      ■      ■      ■      ■      ■      INSTALLER
■      ■      ■      ■      ■      ■      ■      METADATA
■      ■      ■      ■      ■      ■      ■      RECORD
■      ■      ■      ■      ■      ■      ■      WHEEL
■      ■      ■      ■      ■      ■      ■      metadata.json
■      ■      ■      ■      ■      ■      ■      top_level.txt
■      ■      ■      ■      ■■■ websocket
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _abnf.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _app.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _cookiejar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _core.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _exceptions.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _handshake.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _http.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _logging.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _socket.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _ssl_compat.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _url.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _utils.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _wsdump.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ _abnf.py
■      ■      ■      ■      ■      ■■■ _app.py
■      ■      ■      ■      ■      ■■■ _cookiejar.py
■      ■      ■      ■      ■      ■■■ _core.py
■      ■      ■      ■      ■      ■■■ _exceptions.py
■      ■      ■      ■      ■      ■■■ _handshake.py
■      ■      ■      ■      ■      ■■■ _http.py
■      ■      ■      ■      ■      ■■■ _logging.py
■      ■      ■      ■      ■      ■■■ _socket.py
■      ■      ■      ■      ■      ■■■ _ssl_compat.py
■      ■      ■      ■      ■      ■■■ _url.py
■      ■      ■      ■      ■      ■■■ _utils.py
■      ■      ■      ■      ■      ■■■ _wsdump.py
■      ■      ■      ■      ■      ■■■ py.typed
■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ echo-server.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_abnf.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_app.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_cookiejar.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_http.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_url.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ test_websocket.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ data
■      ■      ■      ■      ■      ■      ■■■ header01.txt
■      ■      ■      ■      ■      ■      ■■■ header02.txt
■      ■      ■      ■      ■      ■      ■■■ header03.txt
■      ■      ■      ■      ■      ■■■ echo-server.py
■      ■      ■      ■      ■      ■■■ test_abnf.py

```

```

test_app.py
test_cookiejar.py
test_http.py
test_url.py
test_websocket.py
websocket_client-1.8.0.dist-info
  INSTALLER
  LICENSE
  METADATA
  RECORD
  WHEEL
  entry_points.txt
  top_level.txt
websockets
  __init__.py
  __main__.py
  __pycache__
  __init__.cpython-311.pyc
  __main__.cpython-311.pyc
  auth.cpython-311.pyc
  client.cpython-311.pyc
  connection.cpython-311.pyc
  datastructures.cpython-311.pyc
  exceptions.cpython-311.pyc
  frames.cpython-311.pyc
  headers.cpython-311.pyc
  http.cpython-311.pyc
  http11.cpython-311.pyc
  imports.cpython-311.pyc
  server.cpython-311.pyc
  streams.cpython-311.pyc
  typing.cpython-311.pyc
  uri.cpython-311.pyc
  utils.cpython-311.pyc
  version.cpython-311.pyc
  auth.py
  client.py
  connection.py
  datastructures.py
  exceptions.py
  extensions
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  base.cpython-311.pyc
  permessage_deflate.cpython-311.pyc
  base.py
  permessage_deflate.py
  frames.py
  headers.py
  http.py
  http11.py
  imports.py
  legacy
  __init__.py
  __pycache__
  __init__.cpython-311.pyc
  auth.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ client.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ compatibility.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ framing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ handshake.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ http.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ protocol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ server.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ auth.py
■ ■ ■ ■ ■ ■ ■ ■■■ client.py
■ ■ ■ ■ ■ ■ ■ ■■■ compatibility.py
■ ■ ■ ■ ■ ■ ■ ■■■ framing.py
■ ■ ■ ■ ■ ■ ■ ■■■ handshake.py
■ ■ ■ ■ ■ ■ ■ ■■■ http.py
■ ■ ■ ■ ■ ■ ■ ■■■ protocol.py
■ ■ ■ ■ ■ ■ ■ ■■■ server.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ server.py
■ ■ ■ ■ ■ ■ ■ ■■■ speedups.c
■ ■ ■ ■ ■ ■ ■ ■■■ speedups.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■■■ streams.py
■ ■ ■ ■ ■ ■ ■ ■■■ typing.py
■ ■ ■ ■ ■ ■ ■ ■■■ uri.py
■ ■ ■ ■ ■ ■ ■ ■■■ utils.py
■ ■ ■ ■ ■ ■ ■ ■■■ version.py
■ ■ ■ ■ ■ ■ ■■■ websockets-10.3.dist-info
■ ■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■ ■■■ REQUESTED
■ ■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■■ werkzeug
■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _internal.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _reloader.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ formparser.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ http.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ local.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ security.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ serving.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ test.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ testapp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ urls.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ user_agent.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ wsgi.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■■ _internal.py
■ ■ ■ ■ ■ ■ ■■■ _reloader.py
■ ■ ■ ■ ■ ■ ■■■ datastructures
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ accept.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ auth.cpython-311.pyc

```

```

■ ■ ■ ■ ■ ■ ■ ■■■ cache_control.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ csp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ etag.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ file_storage.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ headers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ mixins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ range.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ structures.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ accept.py
■ ■ ■ ■ ■ ■ ■ ■■■ auth.py
■ ■ ■ ■ ■ ■ ■ ■■■ cache_control.py
■ ■ ■ ■ ■ ■ ■ ■■■ csp.py
■ ■ ■ ■ ■ ■ ■ ■■■ etag.py
■ ■ ■ ■ ■ ■ ■ ■■■ file_storage.py
■ ■ ■ ■ ■ ■ ■ ■■■ headers.py
■ ■ ■ ■ ■ ■ ■ ■■■ mixins.py
■ ■ ■ ■ ■ ■ ■ ■■■ range.py
■ ■ ■ ■ ■ ■ ■ ■■■ structures.py
■ ■ ■ ■ ■ ■ ■ ■■■ debug
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ console.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ repr.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ tbtools.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ console.py
■ ■ ■ ■ ■ ■ ■ ■■■ repr.py
■ ■ ■ ■ ■ ■ ■ ■■■ shared
■ ■ ■ ■ ■ ■ ■ ■■■ ICON_LICENSE.md
■ ■ ■ ■ ■ ■ ■ ■■■ console.png
■ ■ ■ ■ ■ ■ ■ ■■■ debugger.js
■ ■ ■ ■ ■ ■ ■ ■■■ less.png
■ ■ ■ ■ ■ ■ ■ ■■■ more.png
■ ■ ■ ■ ■ ■ ■ ■■■ style.css
■ ■ ■ ■ ■ ■ ■ ■■■ tbtools.py
■ ■ ■ ■ ■ ■ ■ ■■■ exceptions.py
■ ■ ■ ■ ■ ■ ■ ■■■ formparser.py
■ ■ ■ ■ ■ ■ ■ ■■■ http.py
■ ■ ■ ■ ■ ■ ■ ■■■ local.py
■ ■ ■ ■ ■ ■ ■ ■■■ middleware
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dispatcher.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ http_proxy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ lint.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ profiler.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ proxy_fix.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ shared_data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dispatcher.py
■ ■ ■ ■ ■ ■ ■ ■■■ http_proxy.py
■ ■ ■ ■ ■ ■ ■ ■■■ lint.py
■ ■ ■ ■ ■ ■ ■ ■■■ profiler.py
■ ■ ■ ■ ■ ■ ■ ■■■ proxy_fix.py
■ ■ ■ ■ ■ ■ ■ ■■■ shared_data.py
■ ■ ■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■ ■ ■■■ routing
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py

```

[illegible]

```

■ ■ ■ ■ ■ ■ ■ ■ wordcloud.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ wordcloud_cli.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ _version.py
■ ■ ■ ■ ■ ■ ■ ■ color_from_image.py
■ ■ ■ ■ ■ ■ ■ ■ query_integral_image.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ stopwords
■ ■ ■ ■ ■ ■ ■ ■ tokenization.py
■ ■ ■ ■ ■ ■ ■ ■ wordcloud.py
■ ■ ■ ■ ■ ■ ■ ■ wordcloud_cli.py
■ ■ ■ ■ ■ ■ ■ ■ wordcloud-1.9.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ entry_points.txt
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ wrapt
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __wrapt__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ arguments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ decorators.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ importer.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ patches.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ weakrefs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ wrappers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ __wrapt__.py
■ ■ ■ ■ ■ ■ ■ ■ _wrappers.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■ ■ ■ arguments.py
■ ■ ■ ■ ■ ■ ■ ■ decorators.py
■ ■ ■ ■ ■ ■ ■ ■ importer.py
■ ■ ■ ■ ■ ■ ■ ■ patches.py
■ ■ ■ ■ ■ ■ ■ ■ weakrefs.py
■ ■ ■ ■ ■ ■ ■ ■ wrappers.py
■ ■ ■ ■ ■ ■ ■ ■ wrapt-1.17.0.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ LICENSE
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ wsproto
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ connection.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ events.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ frame_protocol.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ handshake.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ typing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ utilities.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ connection.py
■ ■ ■ ■ ■ ■ ■ ■ events.py
■ ■ ■ ■ ■ ■ ■ ■ extensions.py

```

```

    frame_protocol.py
    handshake.py
    py.typed
    typing.py
    utilities.py
  wsproto-1.2.0.dist-info
    INSTALLER
    LICENSE
    METADATA
    RECORD
    WHEEL
    top_level.txt
  xarray
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    conventions.cpython-311.pyc
    convert.cpython-311.pyc
    tutorial.cpython-311.pyc
  backends
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    api.cpython-311.pyc
    common.cpython-311.pyc
    file_manager.cpython-311.pyc
    h5netcdf_.cpython-311.pyc
    locks.cpython-311.pyc
    lru_cache.cpython-311.pyc
    memory.cpython-311.pyc
    netCDF4_.cpython-311.pyc
    netcdf3.cpython-311.pyc
    plugins.cpython-311.pyc
    pydap_.cpython-311.pyc
    pynio_.cpython-311.pyc
    scipy_.cpython-311.pyc
    store.cpython-311.pyc
    zarr.cpython-311.pyc
  api.py
  common.py
  file_manager.py
  h5netcdf_.py
  locks.py
  lru_cache.py
  memory.py
  netCDF4_.py
  netcdf3.py
  plugins.py
  pydap_.py
  pynio_.py
  scipy_.py
  store.py
  zarr.py
  coding
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    calendar_ops.cpython-311.pyc

```



```
■ ■ ■ ■ ■ ■ ■ ■■■ cftime_offsets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ cftimeindex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ frequencies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ times.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ variables.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ calendar_ops.py
■ ■ ■ ■ ■ ■ ■ ■■■ cftime_offsets.py
■ ■ ■ ■ ■ ■ ■ ■■■ cftimeindex.py
■ ■ ■ ■ ■ ■ ■ ■■■ frequencies.py
■ ■ ■ ■ ■ ■ ■ ■■■ strings.py
■ ■ ■ ■ ■ ■ ■ ■■■ times.py
■ ■ ■ ■ ■ ■ ■ ■■■ variables.py
■ ■ ■ ■ ■ ■ ■ ■■■ conventions.py
■ ■ ■ ■ ■ ■ ■ ■■■ convert.py
■ ■ ■ ■ ■ ■ ■ ■■■ core
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _aggregations.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ _typed_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ accessor_dt.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ accessor_str.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ alignment.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ arithmetic.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ combine.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ computation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ concat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ coordinates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dask_array_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataarray.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dataset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ datatree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ dtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ duck_array_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ formatting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ formatting_html.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ groupby.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ indexes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ merge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ missing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nanops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ npcompat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ nputils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ parallel.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ pdcompat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ resample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ resample_cftime.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rolling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ rolling_exp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ treenode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ types.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■■■ utils.cpython-311.pyc
```

■	■	■	■	■	■	■	■■■■	variable.cpython-311.pyc
■	■	■	■	■	■	■	■■■■	weighted.cpython-311.pyc
■	■	■	■	■	■	■■■■		_aggregations.py
■	■	■	■	■	■	■■■■		_typed_ops.py
■	■	■	■	■	■	■■■■		accessor_dt.py
■	■	■	■	■	■	■■■■		accessor_str.py
■	■	■	■	■	■	■■■■		alignment.py
■	■	■	■	■	■	■■■■		arithmetic.py
■	■	■	■	■	■	■■■■		combine.py
■	■	■	■	■	■	■■■■		common.py
■	■	■	■	■	■	■■■■		computation.py
■	■	■	■	■	■	■■■■		concat.py
■	■	■	■	■	■	■■■■		coordinates.py
■	■	■	■	■	■	■■■■		dask_array_ops.py
■	■	■	■	■	■	■■■■		dataarray.py
■	■	■	■	■	■	■■■■		dataset.py
■	■	■	■	■	■	■■■■		datatree.py
■	■	■	■	■	■	■■■■		dtypes.py
■	■	■	■	■	■	■■■■		duck_array_ops.py
■	■	■	■	■	■	■■■■		extensions.py
■	■	■	■	■	■	■■■■		formatting.py
■	■	■	■	■	■	■■■■		formatting_html.py
■	■	■	■	■	■	■■■■		groupby.py
■	■	■	■	■	■	■■■■		indexes.py
■	■	■	■	■	■	■■■■		indexing.py
■	■	■	■	■	■	■■■■		merge.py
■	■	■	■	■	■	■■■■		missing.py
■	■	■	■	■	■	■■■■		nanops.py
■	■	■	■	■	■	■■■■		npcompat.py
■	■	■	■	■	■	■■■■		nputils.py
■	■	■	■	■	■	■■■■		ops.py
■	■	■	■	■	■	■■■■		options.py
■	■	■	■	■	■	■■■■		parallel.py
■	■	■	■	■	■	■■■■		pdcompat.py
■	■	■	■	■	■	■■■■		resample.py
■	■	■	■	■	■	■■■■		resample_cftime.py
■	■	■	■	■	■	■■■■		rolling.py
■	■	■	■	■	■	■■■■		rolling_exp.py
■	■	■	■	■	■	■■■■		treenode.py
■	■	■	■	■	■	■■■■		types.py
■	■	■	■	■	■	■■■■		utils.py
■	■	■	■	■	■	■■■■		variable.py
■	■	■	■	■	■	■■■■		weighted.py
■	■	■	■	■	■■■■		indexes	
■	■	■	■	■	■	■■■■		__init__.py
■	■	■	■	■	■	■■■■		__pycache__
■	■	■	■	■	■	■■■■		__init__.cpython-311.pyc
■	■	■	■	■	■■■■		namedarray	
■	■	■	■	■	■	■■■■		__init__.py
■	■	■	■	■	■	■■■■		__pycache__
■	■	■	■	■	■	■■■■		__init__.cpython-311.pyc
■	■	■	■	■	■	■■■■		_aggregations.cpython-311.pyc
■	■	■	■	■	■	■■■■		_array_api.cpython-311.pyc
■	■	■	■	■	■	■■■■		_typing.cpython-311.pyc
■	■	■	■	■	■	■■■■		core.cpython-311.pyc
■	■	■	■	■	■	■■■■		daskmanager.cpython-311.pyc
■	■	■	■	■	■	■■■■		dtypes.cpython-311.pyc
■	■	■	■	■	■	■■■■		parallelcompat.cpython-311.pyc


```

■ ■ ■ ■ ■ ■ ■ test_backends_api.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_backends_common.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_backends_datatree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_backends_file_manager.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_backends_locks.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_backends_lru_cache.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_calendar_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_cftime_offsets.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_cftimeindex.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_cftimeindex_resample.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_coarsen.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_coding.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_coding_strings.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_coding_times.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_combine.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_computation.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_concat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_conventions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_coordinates.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_cupy.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_dask.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_dataarray.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_dataset.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_datatree.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_deprecation_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_distributed.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_dtypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_duck_array_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_error_messages.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_extensions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_formatting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_formatting_html.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_groupby.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_hashable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_indexes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_indexing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_interp.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_merge.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_missing.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_namedarray.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_nputils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_options.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_parallelcompat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_plot.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_plugins.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_print_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_rolling.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_sparse.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_strategies.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_treenode.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_tutorial.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_typed_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_ufuncs.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_units.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_utils.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_variable.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ test_weighted.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ conftest.py

```

■	■	■	■	■	■	■■■	data
■	■	■	■	■	■	■	■■■ bears.nc
■	■	■	■	■	■	■	■■■ example.grib
■	■	■	■	■	■	■	■■■ example.ict
■	■	■	■	■	■	■	■■■ example.uamiv
■	■	■	■	■	■	■	■■■ example_1.nc
■	■	■	■	■	■	■	■■■ example_1.nc.gz
■	■	■	■	■	■	■■■	test_accessor_dt.py
■	■	■	■	■	■	■■■	test_accessor_str.py
■	■	■	■	■	■	■■■	test_array_api.py
■	■	■	■	■	■	■■■	test_assertions.py
■	■	■	■	■	■	■■■	test_backends.py
■	■	■	■	■	■	■■■	test_backends_api.py
■	■	■	■	■	■	■■■	test_backends_common.py
■	■	■	■	■	■	■■■	test_backends_datatree.py
■	■	■	■	■	■	■■■	test_backends_file_manager.py
■	■	■	■	■	■	■■■	test_backends_locks.py
■	■	■	■	■	■	■■■	test_backends_lru_cache.py
■	■	■	■	■	■	■■■	test_calendar_ops.py
■	■	■	■	■	■	■■■	test_cftime_offsets.py
■	■	■	■	■	■	■■■	test_cftimeindex.py
■	■	■	■	■	■	■■■	test_cftimeindex_resample.py
■	■	■	■	■	■	■■■	test_coarsen.py
■	■	■	■	■	■	■■■	test_coding.py
■	■	■	■	■	■	■■■	test_coding_strings.py
■	■	■	■	■	■	■■■	test_coding_times.py
■	■	■	■	■	■	■■■	test_combine.py
■	■	■	■	■	■	■■■	test_computation.py
■	■	■	■	■	■	■■■	test_concat.py
■	■	■	■	■	■	■■■	test_conventions.py
■	■	■	■	■	■	■■■	test_coordinates.py
■	■	■	■	■	■	■■■	test_cupy.py
■	■	■	■	■	■	■■■	test_dask.py
■	■	■	■	■	■	■■■	test_dataarray.py
■	■	■	■	■	■	■■■	test_dataset.py
■	■	■	■	■	■	■■■	test_datatree.py
■	■	■	■	■	■	■■■	test_deprecation_helpers.py
■	■	■	■	■	■	■■■	test_distributed.py
■	■	■	■	■	■	■■■	test_dtypes.py
■	■	■	■	■	■	■■■	test_duck_array_ops.py
■	■	■	■	■	■	■■■	test_error_messages.py
■	■	■	■	■	■	■■■	test_extensions.py
■	■	■	■	■	■	■■■	test_formatting.py
■	■	■	■	■	■	■■■	test_formatting_html.py
■	■	■	■	■	■	■■■	test_groupby.py
■	■	■	■	■	■	■■■	test_hashable.py
■	■	■	■	■	■	■■■	test_indexes.py
■	■	■	■	■	■	■■■	test_indexing.py
■	■	■	■	■	■	■■■	test_interp.py
■	■	■	■	■	■	■■■	test_merge.py
■	■	■	■	■	■	■■■	test_missing.py
■	■	■	■	■	■	■■■	test_namedarray.py
■	■	■	■	■	■	■■■	test_nputils.py
■	■	■	■	■	■	■■■	test_options.py
■	■	■	■	■	■	■■■	test_parallelcompat.py
■	■	■	■	■	■	■■■	test_plot.py
■	■	■	■	■	■	■■■	test_plugins.py
■	■	■	■	■	■	■■■	test_print_versions.py

```

■ ■ ■ ■ ■ ■ ■■ test_rolling.py
■ ■ ■ ■ ■ ■ ■■ test_sparse.py
■ ■ ■ ■ ■ ■ ■■ test_strategies.py
■ ■ ■ ■ ■ ■ ■■ test_treenode.py
■ ■ ■ ■ ■ ■ ■■ test_tutorial.py
■ ■ ■ ■ ■ ■ ■■ test_typed_ops.py
■ ■ ■ ■ ■ ■ ■■ test_ufuncs.py
■ ■ ■ ■ ■ ■ ■■ test_units.py
■ ■ ■ ■ ■ ■ ■■ test_utils.py
■ ■ ■ ■ ■ ■ ■■ test_variable.py
■ ■ ■ ■ ■ ■ ■■ test_weighted.py
■ ■ ■ ■ ■ ■■■ tutorial.py
■ ■ ■ ■ ■ ■■■ util
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ deprecation_helpers.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ generate_aggregations.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ generate_ops.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ print_versions.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ deprecation_helpers.py
■ ■ ■ ■ ■ ■■■ generate_aggregations.py
■ ■ ■ ■ ■ ■■■ generate_ops.py
■ ■ ■ ■ ■ ■■■ print_versions.py
■ ■ ■ ■ ■ ■■■ xarray-2024.3.0.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ entry_points.txt
■ ■ ■ ■ ■ ■■■ top_level.txt
■ ■ ■ ■ ■ ■■■ xarray_einstats
■ ■ ■ ■ ■ ■■■ __init__.py
■ ■ ■ ■ ■ ■■■ __pycache__
■ ■ ■ ■ ■ ■■■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ accessors.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ einops.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ linalg.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ numba.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ stats.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ tutorial.cpython-311.pyc
■ ■ ■ ■ ■ ■■■ accessors.py
■ ■ ■ ■ ■ ■■■ einops.py
■ ■ ■ ■ ■ ■■■ linalg.py
■ ■ ■ ■ ■ ■■■ numba.py
■ ■ ■ ■ ■ ■■■ py.typed
■ ■ ■ ■ ■ ■■■ stats.py
■ ■ ■ ■ ■ ■■■ tutorial.py
■ ■ ■ ■ ■ ■■■ xarray_einstats-0.8.0.dist-info
■ ■ ■ ■ ■ ■■■ INSTALLER
■ ■ ■ ■ ■ ■■■ LICENSE
■ ■ ■ ■ ■ ■■■ METADATA
■ ■ ■ ■ ■ ■■■ RECORD
■ ■ ■ ■ ■ ■■■ WHEEL
■ ■ ■ ■ ■ ■■■ xgboost
■ ■ ■ ■ ■ ■■■ VERSION
■ ■ ■ ■ ■ ■■■ __init__.py

```

```

■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ callback.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ compat.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ config.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ dask.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ data.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ libpath.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ plotting.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ rabbit.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ sklearn.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ tracker.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ training.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ callback.py
■ ■ ■ ■ ■ ■ ■ ■ compat.py
■ ■ ■ ■ ■ ■ ■ ■ config.py
■ ■ ■ ■ ■ ■ ■ ■ core.py
■ ■ ■ ■ ■ ■ ■ ■ dask.py
■ ■ ■ ■ ■ ■ ■ ■ data.py
■ ■ ■ ■ ■ ■ ■ ■ lib
■ ■ ■ ■ ■ ■ ■ ■ libxgboost.so
■ ■ ■ ■ ■ ■ ■ ■ libpath.py
■ ■ ■ ■ ■ ■ ■ ■ plotting.py
■ ■ ■ ■ ■ ■ ■ ■ py.typed
■ ■ ■ ■ ■ ■ ■ ■ rabbit.py
■ ■ ■ ■ ■ ■ ■ ■ sklearn.py
■ ■ ■ ■ ■ ■ ■ ■ tracker.py
■ ■ ■ ■ ■ ■ ■ ■ training.py
■ ■ ■ ■ ■ ■ ■ ■ xgboost-1.4.2.dist-info
■ ■ ■ ■ ■ ■ ■ ■ INSTALLER
■ ■ ■ ■ ■ ■ ■ ■ METADATA
■ ■ ■ ■ ■ ■ ■ ■ RECORD
■ ■ ■ ■ ■ ■ ■ ■ REQUESTED
■ ■ ■ ■ ■ ■ ■ ■ WHEEL
■ ■ ■ ■ ■ ■ ■ ■ top_level.txt
■ ■ ■ ■ ■ ■ ■ ■ xgboost.libs
■ ■ ■ ■ ■ ■ ■ ■ libgomp-f7e03b3e.so.1.0.0
■ ■ ■ ■ ■ ■ ■ ■ xlswriter
■ ■ ■ ■ ■ ■ ■ ■ __init__.py
■ ■ ■ ■ ■ ■ ■ ■ __pycache__
■ ■ ■ ■ ■ ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ app.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_area.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_bar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_column.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_doughnut.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_line.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_pie.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_radar.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_scatter.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chart_stock.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ chartsheet.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ comments.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ contenttypes.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ core.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■ ■ custom.cpython-311.pyc

```

■	■	■	■	■	■	■■■ drawing.cpython-311.pyc
■	■	■	■	■	■	■■■ exceptions.cpython-311.pyc
■	■	■	■	■	■	■■■ format.cpython-311.pyc
■	■	■	■	■	■	■■■ metadata.cpython-311.pyc
■	■	■	■	■	■	■■■ packager.cpython-311.pyc
■	■	■	■	■	■	■■■ relationships.cpython-311.pyc
■	■	■	■	■	■	■■■ rich_value.cpython-311.pyc
■	■	■	■	■	■	■■■ rich_value_rel.cpython-311.pyc
■	■	■	■	■	■	■■■ rich_value_structure.cpython-311.pyc
■	■	■	■	■	■	■■■ rich_value_types.cpython-311.pyc
■	■	■	■	■	■	■■■ shape.cpython-311.pyc
■	■	■	■	■	■	■■■ sharedstrings.cpython-311.pyc
■	■	■	■	■	■	■■■ styles.cpython-311.pyc
■	■	■	■	■	■	■■■ table.cpython-311.pyc
■	■	■	■	■	■	■■■ theme.cpython-311.pyc
■	■	■	■	■	■	■■■ utility.cpython-311.pyc
■	■	■	■	■	■	■■■ vml.cpython-311.pyc
■	■	■	■	■	■	■■■ workbook.cpython-311.pyc
■	■	■	■	■	■	■■■ worksheet.cpython-311.pyc
■	■	■	■	■	■	■■■ xmlwriter.cpython-311.pyc
■	■	■	■	■	■■■	app.py
■	■	■	■	■	■■■	chart.py
■	■	■	■	■	■■■	chart_area.py
■	■	■	■	■	■■■	chart_bar.py
■	■	■	■	■	■■■	chart_column.py
■	■	■	■	■	■■■	chart_doughnut.py
■	■	■	■	■	■■■	chart_line.py
■	■	■	■	■	■■■	chart_pie.py
■	■	■	■	■	■■■	chart_radar.py
■	■	■	■	■	■■■	chart_scatter.py
■	■	■	■	■	■■■	chart_stock.py
■	■	■	■	■	■■■	chartsheet.py
■	■	■	■	■	■■■	comments.py
■	■	■	■	■	■■■	contenttypes.py
■	■	■	■	■	■■■	core.py
■	■	■	■	■	■■■	custom.py
■	■	■	■	■	■■■	drawing.py
■	■	■	■	■	■■■	exceptions.py
■	■	■	■	■	■■■	format.py
■	■	■	■	■	■■■	metadata.py
■	■	■	■	■	■■■	packager.py
■	■	■	■	■	■■■	relationships.py
■	■	■	■	■	■■■	rich_value.py
■	■	■	■	■	■■■	rich_value_rel.py
■	■	■	■	■	■■■	rich_value_structure.py
■	■	■	■	■	■■■	rich_value_types.py
■	■	■	■	■	■■■	shape.py
■	■	■	■	■	■■■	sharedstrings.py
■	■	■	■	■	■■■	styles.py
■	■	■	■	■	■■■	table.py
■	■	■	■	■	■■■	theme.py
■	■	■	■	■	■■■	utility.py
■	■	■	■	■	■■■	vml.py
■	■	■	■	■	■■■	workbook.py
■	■	■	■	■	■■■	worksheet.py
■	■	■	■	■	■■■	xmlwriter.py
■	■	■	■	■■■	■■■	xml_python
■	■	■	■	■	■■■	__init__.py


```

    pycache
    __init__.cpython-311.pyc
xml_python-0.4.3.dist-info
    AUTHORS
    INSTALLER
    LICENSE
    METADATA
    RECORD
    REQUESTED
    WHEEL
    pbr.json
    top_level.txt
    yaml
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    composer.cpython-311.pyc
    constructor.cpython-311.pyc
    cyaml.cpython-311.pyc
    dumper.cpython-311.pyc
    emitter.cpython-311.pyc
    error.cpython-311.pyc
    events.cpython-311.pyc
    loader.cpython-311.pyc
    nodes.cpython-311.pyc
    parser.cpython-311.pyc
    reader.cpython-311.pyc
    representer.cpython-311.pyc
    resolver.cpython-311.pyc
    scanner.cpython-311.pyc
    serializer.cpython-311.pyc
    tokens.cpython-311.pyc
    _yaml.cpython-311-x86_64-linux-gnu.so
    composer.py
    constructor.py
    cyaml.py
    dumper.py
    emitter.py
    error.py
    events.py
    loader.py
    nodes.py
    parser.py
    reader.py
    representer.py
    resolver.py
    scanner.py
    serializer.py
    tokens.py
    yarl
    __init__.py
    __pycache__
    __init__.cpython-311.pyc
    _parse.cpython-311.pyc
    _path.cpython-311.pyc
    _query.cpython-311.pyc
    _quoters.cpython-311.pyc
    _quoting.cpython-311.pyc

```

```

    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _quoting_py.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _url.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _parse.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _path.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _query.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _quoters.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _quoting.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _quoting_c.cpython-311-x86_64-linux-gnu.so
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _quoting_c.pyi
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _quoting_c.pyx
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _quoting_py.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _url.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] py.typed
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] yarl-1.18.3.dist-info
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] INSTALLER
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] LICENSE
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] METADATA
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] NOTICE
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] RECORD
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] WHEEL
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] top_level.txt
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] zipp
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __pycache__
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _functools.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] glob.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _functools.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] compat
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __pycache__
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] overlay.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] py310.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] overlay.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] py310.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] glob.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] zipp-3.21.0.dist-info
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] INSTALLER
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] LICENSE
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] METADATA
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] RECORD
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] WHEEL
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] top_level.txt
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] zmq
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.pxd
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.pyi
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __pycache__
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] __init__.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _future.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _typing.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] asyncio.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] constants.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] decorators.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] error.cpython-311.pyc
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _future.py
    [ ] [ ] [ ] [ ] [ ] [ ] [ ] _typing.py

```

```

■ ■ ■ asyncio.py
■ ■ ■ auth
■ ■ ■   ■ ■ ■ __init__.py
■ ■ ■   ■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ asyncio.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ base.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ certs.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ ioloop.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ thread.cpython-311.pyc
■ ■ ■   ■ ■ ■ asyncio.py
■ ■ ■   ■ ■ ■ base.py
■ ■ ■   ■ ■ ■ certs.py
■ ■ ■   ■ ■ ■ ioloop.py
■ ■ ■   ■ ■ ■ thread.py
■ ■ ■ backend
■ ■ ■   ■ ■ ■ __init__.py
■ ■ ■   ■ ■ ■ __init__.pyi
■ ■ ■   ■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ select.cpython-311.pyc
■ ■ ■   ■ ■ ■ cffi
■ ■ ■   ■ ■ ■   ■ ■ ■ README.md
■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.py
■ ■ ■   ■ ■ ■   ■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ _poll.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ context.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ devices.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ error.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ message.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ socket.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ utils.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■ _cdefs.h
■ ■ ■   ■ ■ ■   ■ ■ ■ _cffi_src.c
■ ■ ■   ■ ■ ■   ■ ■ ■ _poll.py
■ ■ ■   ■ ■ ■   ■ ■ ■ context.py
■ ■ ■   ■ ■ ■   ■ ■ ■ devices.py
■ ■ ■   ■ ■ ■   ■ ■ ■ error.py
■ ■ ■   ■ ■ ■   ■ ■ ■ message.py
■ ■ ■   ■ ■ ■   ■ ■ ■ socket.py
■ ■ ■   ■ ■ ■   ■ ■ ■ utils.py
■ ■ ■   ■ ■ ■ cython
■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.pxd
■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.py
■ ■ ■   ■ ■ ■   ■ ■ ■ __pycache__
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ __init__.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ _zmq.cpython-311.pyc
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ _externs.pxd
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ _zmq.cpython-311-x86_64-linux-gnu.so
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ _zmq.pxd
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ _zmq.py
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ constant_enums.pxi
■ ■ ■   ■ ■ ■   ■ ■ ■   ■ ■ ■ libzmq.pxd
■ ■ ■   ■ ■ ■ select.py
■ ■ ■ constants.py
■ ■ ■ decorators.py
■ ■ ■ devices

```

```

__init__.py
__pycache__
  __init__.cpython-311.pyc
  basedevice.cpython-311.pyc
  monitoredqueue.cpython-311.pyc
  monitoredqueuedevice.cpython-311.pyc
  proxydevice.cpython-311.pyc
  proxysteerabledevice.cpython-311.pyc
  basedevice.py
  monitoredqueue.py
  monitoredqueuedevice.py
  proxydevice.py
  proxysteerabledevice.py
error.py
eventloop
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    _deprecated.cpython-311.pyc
    future.cpython-311.pyc
    ioloop.cpython-311.pyc
    zmqstream.cpython-311.pyc
  _deprecated.py
  future.py
  ioloop.py
  zmqstream.py
green
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    core.cpython-311.pyc
    device.cpython-311.pyc
    poll.cpython-311.pyc
  core.py
  device.py
  eventloop
    __init__.py
    __pycache__
      __init__.cpython-311.pyc
      ioloop.cpython-311.pyc
      zmqstream.cpython-311.pyc
    ioloop.py
    zmqstream.py
  poll.py
log
  __init__.py
  __main__.py
  __pycache__
    __init__.cpython-311.pyc
    __main__.cpython-311.pyc
    handlers.cpython-311.pyc
  handlers.py
py.typed
ssh
  __init__.py
  __pycache__
    __init__.cpython-311.pyc
    forward.cpython-311.pyc

```

```

■      ■      ■      ■      ■      ■      tunnel.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ forward.py
■      ■      ■      ■      ■      ■      ■■■ tunnel.py
■      ■      ■      ■      ■      ■■■ sugar
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __init__.pyi
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ attrsetter.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ context.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ frame.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ poll.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ socket.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ stopwatch.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ tracker.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■      ■■■ version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ attrsetter.py
■      ■      ■      ■      ■      ■      ■      ■■■ context.py
■      ■      ■      ■      ■      ■      ■      ■■■ frame.py
■      ■      ■      ■      ■      ■      ■      ■■■ poll.py
■      ■      ■      ■      ■      ■      ■      ■■■ socket.py
■      ■      ■      ■      ■      ■      ■      ■■■ stopwatch.py
■      ■      ■      ■      ■      ■      ■      ■■■ tracker.py
■      ■      ■      ■      ■      ■      ■      ■■■ version.py
■      ■      ■      ■      ■      ■■■ tests
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ utils
■      ■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ garbage.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ interop.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ jsonapi.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ monitor.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ strtypes.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ win32.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■      ■■■ z85.cpython-311.pyc
■      ■      ■      ■      ■      ■■■ buffers.pxd
■      ■      ■      ■      ■      ■■■ garbage.py
■      ■      ■      ■      ■      ■■■ getpid_compat.h
■      ■      ■      ■      ■      ■■■ interop.py
■      ■      ■      ■      ■      ■■■ ipcmaxlen.h
■      ■      ■      ■      ■      ■■■ jsonapi.py
■      ■      ■      ■      ■      ■■■ monitor.py
■      ■      ■      ■      ■      ■■■ mutex.h
■      ■      ■      ■      ■      ■■■ pyversion_compat.h
■      ■      ■      ■      ■      ■■■ strtypes.py
■      ■      ■      ■      ■      ■■■ win32.py
■      ■      ■      ■      ■      ■■■ z85.py
■      ■      ■      ■      ■      ■■■ zmq_compat.h
■      ■      ■      ■      ■■■ zopfli
■      ■      ■      ■      ■      ■■■ __init__.py
■      ■      ■      ■      ■      ■■■ __pycache__
■      ■      ■      ■      ■      ■      ■■■ __init__.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ _version.cpython-311.pyc
■      ■      ■      ■      ■      ■      ■■■ qzip.cpython-311.pyc
```

```

■ ■ ■ ■ ■ ■ ■■ png.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ zlib.cpython-311.pyc
■ ■ ■ ■ ■ ■ ■■ _version.py
■ ■ ■ ■ ■ ■ ■■ gzip.py
■ ■ ■ ■ ■ ■ ■■ png.py
■ ■ ■ ■ ■ ■ ■■ zlib.py
■ ■ ■ ■ ■ ■ ■■ zopfli.cpython-311-x86_64-linux-gnu.so
■ ■ ■ ■ ■ ■■ zopfli-0.2.3.post1.dist-info
■ ■ ■ ■ ■ ■ ■■ COPYING
■ ■ ■ ■ ■ ■ ■■ INSTALLER
■ ■ ■ ■ ■ ■ ■■ METADATA
■ ■ ■ ■ ■ ■ ■■ RECORD
■ ■ ■ ■ ■ ■ ■■ WHEEL
■ ■ ■ ■ ■ ■ ■■ top_level.txt
■ ■ ■ ■ ■ ■ ■■ zip-safe
■ ■■ lib64
■ ■ ■■ libblosc2.a
■ ■ ■■ libblosc2.so
■ ■ ■■ libblosc2.so.2
■ ■ ■■ libblosc2.so.2.6.1
■ ■ ■■ pkgconfig
■ ■ ■■ blosc2.pc
■ ■■ share
■ ■ ■■ applications
■ ■ ■■ jupyter-nbclassic.desktop
■ ■ ■■ jupyter-notebook.desktop
■ ■ ■■ doc
■ ■ ■■ networkx-2.8.8
■ ■ ■■ LICENSE.txt
■ ■ ■■ examples
■ ■ ■■ 3d_drawing
■ ■ ■■ README.txt
■ ■ ■■ __pycache__
■ ■ ■■ mayavi2_spring.cpython-311.pyc
■ ■ ■■ plot_basic.cpython-311.pyc
■ ■ ■■ mayavi2_spring.py
■ ■ ■■ plot_basic.py
■ ■ ■■ README.txt
■ ■ ■■ algorithms
■ ■ ■■ README.txt
■ ■ ■■ WormNet.v3.benchmark.txt
■ ■ ■■ __pycache__
■ ■ ■■ plot_beam_search.cpython-311.pyc
■ ■ ■■ plot_betweenness centrality.cpython-311.pyc
■ ■ ■■ plot_blockmodel.cpython-311.pyc
■ ■ ■■ plot_circuits.cpython-311.pyc
■ ■ ■■ plot_davis_club.cpython-311.pyc
■ ■ ■■ plot_dedensification.cpython-311.pyc
■ ■ ■■ plot_iterated_dynamical_systems.cpython-311.pyc
■ ■ ■■ plot_krackhardt centrality.cpython-311.pyc
■ ■ ■■ plot_parallel_betweenness.cpython-311.pyc
■ ■ ■■ plot_rcm.cpython-311.pyc
■ ■ ■■ plot_snap.cpython-311.pyc
■ ■ ■■ plot_subgraphs.cpython-311.pyc
■ ■ ■■ hartford_drug.edgelist
■ ■ ■■ plot_beam_search.py
■ ■ ■■ plot_betweenness centrality.py
■ ■ ■■ plot_blockmodel.py

```

```

■ ■ ■ ■ ■ ■ ■ plot_circuits.py
■ ■ ■ ■ ■ ■ ■ plot_davis_club.py
■ ■ ■ ■ ■ ■ ■ plot_dedensification.py
■ ■ ■ ■ ■ ■ ■ plot_iterated_dynamical_systems.py
■ ■ ■ ■ ■ ■ ■ plot_krackhardt_centrality.py
■ ■ ■ ■ ■ ■ ■ plot_parallel_betweenness.py
■ ■ ■ ■ ■ ■ ■ plot_rcm.py
■ ■ ■ ■ ■ ■ ■ plot_snap.py
■ ■ ■ ■ ■ ■ ■ plot_subgraphs.py
■ ■ ■ basic
■ ■ ■ README.txt
■ ■ ■ __pycache__
■ ■ ■ ■ ■ plot_properties.cpython-311.pyc
■ ■ ■ ■ ■ plot_read_write.cpython-311.pyc
■ ■ ■ ■ ■ plot_simple_graph.cpython-311.pyc
■ ■ ■ plot_properties.py
■ ■ ■ plot_read_write.py
■ ■ ■ plot_simple_graph.py
■ ■ ■ drawing
■ ■ ■ README.txt
■ ■ ■ __pycache__
■ ■ ■ ■ ■ plot_chess_masters.cpython-311.pyc
■ ■ ■ ■ ■ plot_custom_node_icons.cpython-311.pyc
■ ■ ■ ■ ■ plot_degree.cpython-311.pyc
■ ■ ■ ■ ■ plot_directed.cpython-311.pyc
■ ■ ■ ■ ■ plot_edge_colormap.cpython-311.pyc
■ ■ ■ ■ ■ plot_ego_graph.cpython-311.pyc
■ ■ ■ ■ ■ plot_eigenvalues.cpython-311.pyc
■ ■ ■ ■ ■ plot_four_grids.cpython-311.pyc
■ ■ ■ ■ ■ plot_house_with_colors.cpython-311.pyc
■ ■ ■ ■ ■ plot_knuth_miles.cpython-311.pyc
■ ■ ■ ■ ■ plot_labels_and_colors.cpython-311.pyc
■ ■ ■ ■ ■ plot multipartite_graph.cpython-311.pyc
■ ■ ■ ■ ■ plot_node_colormap.cpython-311.pyc
■ ■ ■ ■ ■ plot_rainbow_coloring.cpython-311.pyc
■ ■ ■ ■ ■ plot_random_geometric_graph.cpython-311.pyc
■ ■ ■ ■ ■ plot_sampson.cpython-311.pyc
■ ■ ■ ■ ■ plot_selfloops.cpython-311.pyc
■ ■ ■ ■ ■ plot_simple_path.cpython-311.pyc
■ ■ ■ ■ ■ plot_spectral_grid.cpython-311.pyc
■ ■ ■ ■ ■ plot_tsp.cpython-311.pyc
■ ■ ■ ■ ■ plot_unix_email.cpython-311.pyc
■ ■ ■ ■ ■ plot_weighted_graph.cpython-311.pyc
■ ■ ■ chess_masters_WCC.pgn.bz2
■ ■ ■ knuth_miles.txt.gz
■ ■ ■ plot_chess_masters.py
■ ■ ■ plot_custom_node_icons.py
■ ■ ■ plot_degree.py
■ ■ ■ plot_directed.py
■ ■ ■ plot_edge_colormap.py
■ ■ ■ plot_ego_graph.py
■ ■ ■ plot_eigenvalues.py
■ ■ ■ plot_four_grids.py
■ ■ ■ plot_house_with_colors.py
■ ■ ■ plot_knuth_miles.py
■ ■ ■ plot_labels_and_colors.py
■ ■ ■ plot multipartite_graph.py
■ ■ ■ plot_node_colormap.py

```

```

plot_rainbow_coloring.py
plot_random_geometric_graph.py
plot_sampson.py
plot_selfloops.py
plot_simple_path.py
plot_spectral_grid.py
plot_tsp.py
plot_unix_email.py
plot_weighted_graph.py
unix_email.mbox
graph
  README.txt
  __pycache__
    plot_degree_sequence.cpython-311.pyc
    plot_erdos_renyi.cpython-311.pyc
    plot_expected_degree_sequence.cpython-311.pyc
    plot_football.cpython-311.pyc
    plot_karate_club.cpython-311.pyc
    plot_morse_trie.cpython-311.pyc
    plot_napoleon_russian_campaign.cpython-311.pyc
    plot_roget.cpython-311.pyc
    plot_words.cpython-311.pyc
    plot_degree_sequence.py
    plot_erdos_renyi.py
    plot_expected_degree_sequence.py
    plot_football.py
    plot_karate_club.py
    plot_morse_trie.py
    plot_napoleon_russian_campaign.py
    plot_roget.py
    plot_words.py
    roget_dat.txt.gz
    words_dat.txt.gz
  subclass
    README.txt
    __pycache__
      plot_antigraph.cpython-311.pyc
      plot_printgraph.cpython-311.pyc
      plot_antigraph.py
      plot_printgraph.py
pygraphviz-1.7
  INSTALL.txt
  examples
    __pycache__
      plot_attributes.cpython-311.pyc
      plot_miles.cpython-311.pyc
      plot_simple.cpython-311.pyc
      plot_star.cpython-311.pyc
      plot_subgraph.cpython-311.pyc
      skip_django_simple.cpython-311.pyc
      skip_utf8_encoding.cpython-311.pyc
      plot_attributes.py
      plot_miles.py
      plot_simple.py
      plot_star.py
      plot_subgraph.py
      skip_django_simple.py
      skip_utf8_encoding.py

```



```
■ ■ ■■■ icons
■ ■ ■■■ hicolor
■ ■ ■■■ scalable
■ ■ ■■■ apps
■ ■ ■■■ nbclassic.svg
■ ■ ■■■ notebook.svg
■ ■ ■■■ jupyter
■ ■ ■■■ kernels
■ ■ ■■■ python3
■ ■ ■■■ kernel.json
■ ■ ■■■ logo-32x32.png
■ ■ ■■■ logo-64x64.png
■ ■ ■■■ logo-svg.svg
■ ■ ■■■ lab
■ ■ ■■■ schemas
■ ■ ■■■ @jupyterlab
■ ■ ■■■ application-extension
■ ■ ■■■ commands.json
■ ■ ■■■ context-menu.json
■ ■ ■■■ package.json.orig
■ ■ ■■■ shell.json
■ ■ ■■■ sidebar.json
■ ■ ■■■ apputils-extension
■ ■ ■■■ package.json.orig
■ ■ ■■■ palette.json
■ ■ ■■■ print.json
■ ■ ■■■ themes.json
■ ■ ■■■ workspaces.json
■ ■ ■■■ cell-toolbar-extension
■ ■ ■■■ package.json.orig
■ ■ ■■■ plugin.json
■ ■ ■■■ codemirror-extension
■ ■ ■■■ commands.json
■ ■ ■■■ package.json.orig
■ ■ ■■■ completer-extension
■ ■ ■■■ consoles.json
■ ■ ■■■ files.json
■ ■ ■■■ notebooks.json
■ ■ ■■■ package.json.orig
■ ■ ■■■ console-extension
■ ■ ■■■ foreign.json
■ ■ ■■■ package.json.orig
■ ■ ■■■ tracker.json
■ ■ ■■■ csvviewer-extension
■ ■ ■■■ csv.json
■ ■ ■■■ package.json.orig
■ ■ ■■■ tsv.json
■ ■ ■■■ debugger-extension
■ ■ ■■■ main.json
■ ■ ■■■ package.json.orig
■ ■ ■■■ docmanager-extension
■ ■ ■■■ download.json
■ ■ ■■■ package.json.orig
■ ■ ■■■ plugin.json
■ ■ ■■■ documentsearch-extension
■ ■ ■■■ package.json.orig
■ ■ ■■■ plugin.json
■ ■ ■■■ extensionmanager-extension
```

							package.json.orig
							plugin.json
							filebrowser-extension
							browser.json
							download.json
							open-browser-tab.json
							open-with.json
							package.json.orig
							widget.json
							fileeditor-extension
							package.json.orig
							plugin.json
							help-extension
							about.json
							jupyter-forum.json
							launch-classic.json
							package.json.orig
							htmlviewer-extension
							package.json.orig
							plugin.json
							hub-extension
							package.json.orig
							plugin.json
							imageviewer-extension
							package.json.orig
							plugin.json
							inspector-extension
							consoles.json
							inspector.json
							notebooks.json
							package.json.orig
							launcher-extension
							package.json.orig
							plugin.json
							logconsole-extension
							package.json.orig
							plugin.json
							mainmenu-extension
							package.json.orig
							plugin.json
							markdownviewer-extension
							package.json.orig
							plugin.json
							notebook-extension
							export.json
							package.json.orig
							panel.json
							tracker.json
							settingeditor-extension
							form-ui.json
							package.json.orig
							plugin.json
							shortcuts-extension
							package.json.orig
							shortcuts.json
							statusbar-extension
							package.json.orig
							plugin.json

```

    ■■■ terminal-extension
    ■■■ package.json.orig
    ■■■ plugin.json
    ■■■ toc-extension
    ■■■ package.json.orig
    ■■■ plugin.json
    ■■■ tooltip-extension
    ■■■ consoles.json
    ■■■ files.json
    ■■■ notebooks.json
    ■■■ package.json.orig
    ■■■ translation-extension
    ■■■ package.json.orig
    ■■■ plugin.json
    ■■■ static
    ■■■ 06f4d00923ea24697df5df0b92984175991d8bd25776a02d531bb401e393ec42.ttf
    ■■■ 1033.890eeae47460e241b1e9.js
    ■■■ 1036.b407e23ec5843f2b574d.js
    ■■■ 1036.b407e23ec5843f2b574d.js.LICENSE.txt
    ■■■ 1044.4e54e3e338cfaccdfb46.js
    ■■■ 1057.a0608544097dd22a589e.js
    ■■■ 1142.074d125bb59f5a332666.js
    ■■■ 1249.047c76b5ea96a41605db.js
    ■■■ 126.1e2fb998804b27c72a3e.js
    ■■■ 1358.9ab4f57e8227ce75f427.js
    ■■■ 1397.4b53e533e7ca4d3f06fe.js
    ■■■ 14c9db4ff87fde08f67b0a69dd594bab6d87174812a0dbd34c59833bfed8cc0e.worker.mjs
    ■■■ 1842.1846f224482b066652bf.js
    ■■■ 1944.9bb345a40325c23313e9.js
    ■■■ 1944.9bb345a40325c23313e9.js.LICENSE.txt
    ■■■ 198.ebf955f77b5c9807f163.js
    ■■■ 2040.6489997c35a5d7b0b100.js
    ■■■ 2249.0cc057d5b7da618aa4e0.js
    ■■■ 2326849b6c3dfa217a0e9ecaec9553c910a4e2987c87315c85073d2b95a484f3.svg
    ■■■ 2349.91555cd2ef72c84e9253.js
    ■■■ 2353.baeba73a2e9f3d9e75d2.js
    ■■■ 2356.f97dd8093f97f156efe4.js
    ■■■ 2585.4d374708a4df1d35065d.js
    ■■■ 2719.3fe9e6fa24f270d8b8d1.js
    ■■■ 3029.8636761a48c8422ce37f.js
    ■■■ 3087.06efd084edba2bea6ea1.js
    ■■■ 3122.b1fda55c421da97a00a3.js
    ■■■ 3219.8a3701725aaa457179f6.js
    ■■■ 3236.4fabf963498dae9b9624.js
    ■■■ 3308.3a94151c0d57440646ab.js
    ■■■ 3387.bb8976de803b341fe7a3.js
    ■■■ 3443.868b4f89289beb97adec.js
    ■■■ 3496.ecb0e7fcc54191234ae6.js
    ■■■ 3502.c915d993b864739407e3.js
    ■■■ 3531.0bacde3facdc0c46766c.js
    ■■■ 3532.5dff37bee3e7bf1673b8.js
    ■■■ 3664.cfb68e6cb3654849310c.js
    ■■■ 3791.6adeeachb6143a6599115.js
    ■■■ 3935.4159b022aa6d82e44127.js
    ■■■ 3935.4159b022aa6d82e44127.js.LICENSE.txt
    ■■■ 3992.6587b8bb22d3b162ccb6.js
    ■■■ 3d06af1f31cd83ace7a265a014b8fb5dee15770ecac8f7a55555190e627e03c2.ttf
    ■■■ 406.6f87c9a21bbaa5f39fc4.js
```

■	■	■	■	■	■■■■	407a9723fc717c94e287496080d773e18e29c3cac49e2630172343c65c0864a8.eot
■	■	■	■	■	■■■■	4151.f7ca59b64f0adc97032.js
■	■	■	■	■	■■■■	4155.784ca1752696680bf373.js
■	■	■	■	■	■■■■	43c072c16c9ee6d67acd6a6c6d6685ff1e74eb4237b7cc3c1348ab1c108b26af.woff
■	■	■	■	■	■■■■	4402.d24b4a44244e256d0126.js
■	■	■	■	■	■■■■	4429.c4f083ef6b6e29345fd4.js
■	■	■	■	■	■■■■	45.91c59b0e1dca32f01373.js
■	■	■	■	■	■■■■	4570.53adcb6f69939da383ff.js
■	■	■	■	■	■■■■	4631.96a143e70f005fef7b59.js
■	■	■	■	■	■■■■	466.239a0c009f33f1cb7cab.js
■	■	■	■	■	■■■■	4894.f5e3a48d18905b75d07f.js
■	■	■	■	■	■■■■	501.d77919e38ba77753c7f8.js
■	■	■	■	■	■■■■	5065.49dd76cb64fd444f785f.js
■	■	■	■	■	■■■■	5096.96faf5ddac346a9ad9c3.js
■	■	■	■	■	■■■■	5096.96faf5ddac346a9ad9c3.js.LICENSE.txt
■	■	■	■	■	■■■■	5223.0006e6e211b7c197b9f1.js
■	■	■	■	■	■■■■	5289.6c67522c6a1c32fc2ea2.js
■	■	■	■	■	■■■■	5383.d630abf49f5cb82bb76f.js
■	■	■	■	■	■■■■	5493.237858aad53c9392fbd4.js
■	■	■	■	■	■■■■	5493.237858aad53c9392fbd4.js.LICENSE.txt
■	■	■	■	■	■■■■	5505.d108d38d683afca0e4ed.js
■	■	■	■	■	■■■■	5557.625f5943a166b494ee38.js
■	■	■	■	■	■■■■	5619.b1928648a190b38e627a.js
■	■	■	■	■	■■■■	6005.cda1ecd972909c2a0250.js
■	■	■	■	■	■■■■	6064.1a4a55a09511d4907870.js
■	■	■	■	■	■■■■	6064.1a4a55a09511d4907870.js.LICENSE.txt
■	■	■	■	■	■■■■	6080.39703b8cc7bd284ce1bd.js
■	■	■	■	■	■■■■	6218.63b338a58c855634089e.js
■	■	■	■	■	■■■■	6504.f578fea4ca18a937babd.js
■	■	■	■	■	■■■■	6550.f5dbb748ddae3ef4b27e.js
■	■	■	■	■	■■■■	6598.e2d4d064ef6bca780c2c.js
■	■	■	■	■	■■■■	6700.3c95b4eec62b695c6f74.js
■	■	■	■	■	■■■■	6777.1b7dcbf5a42c2daf11b8.js
■	■	■	■	■	■■■■	679b5a5216bbdf913cc22d6ae44778c1ef975ee387a6c4c5de87e75d19a22232.svg
■	■	■	■	■	■■■■	6952.1bd5bcfeb0d87e61efcb.js
■	■	■	■	■	■■■■	6962.6d7125f759d926dcf34f.js
■	■	■	■	■	■■■■	6975.e0560614fd629195c9bf.js
■	■	■	■	■	■■■■	6989.75bf0da94e660a6c26f8.js
■	■	■	■	■	■■■■	7034.fce307da76771c0ef0c8.js
■	■	■	■	■	■■■■	7050.fc2b565767a93966c20e.js
■	■	■	■	■	■■■■	714.ffa3007d0b781b5538482.js
■	■	■	■	■	■■■■	7289.c749cf355edec3e37aa8.js
■	■	■	■	■	■■■■	7294.f71c2889fedcd71bd1ee.js
■	■	■	■	■	■■■■	7294.f71c2889fedcd71bd1ee.js.LICENSE.txt
■	■	■	■	■	■■■■	7300.26360c57b8bd81344bd5.js
■	■	■	■	■	■■■■	7454.5859b3e9803de4da9c05.js
■	■	■	■	■	■■■■	7463.c34847707aeb55f90a82.js
■	■	■	■	■	■■■■	74edc18b67c487e32f181719fdb347e2e77020744651f446e9acd7bd6821e2e7.woff
■	■	■	■	■	■■■■	75a761159ae266c5332a4f266e07a5543712ffb76ee0260b07782195c04dc364.eot
■	■	■	■	■	■■■■	7717.2a6e6bb4e5f6b92e9798.js
■	■	■	■	■	■■■■	7730.7e3a9fb140d2d55a51fc.js
■	■	■	■	■	■■■■	7755.d506a1d9dadf30b1e490.js
■	■	■	■	■	■■■■	7788.5e16fdcc197e245776fd.js
■	■	■	■	■	■■■■	7796.098f091848a062457e84.js
■	■	■	■	■	■■■■	7900.86dcbbbfb1a3d4f98375.js
■	■	■	■	■	■■■■	8012.e4c8f67dc497d26c16fc.js
■	■	■	■	■	■■■■	8059.6011120485fc3c4868d4.js
■	■	■	■	■	■■■■	807.96166378e2efe232d81e.js

```

■ ■ ■ ■ ■ ■■■ 807.96166378e2efe232d81e.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ 8102.7f1644c3be420fb40db9.js
■ ■ ■ ■ ■ ■■■ 8428.dd5a93f02f55af0d3d8c.js
■ ■ ■ ■ ■ ■■■ 8523.9b232c15e4eb5bc08a37.js
■ ■ ■ ■ ■ ■■■ 8580.974138f8b6ddb72035f9.js
■ ■ ■ ■ ■ ■■■ 8657.bf693afb7646976b9a51.js
■ ■ ■ ■ ■ ■■■ 870.e515a8a325f5ddb19079.js
■ ■ ■ ■ ■ ■■■ 8708.35479b2d01be1e86804a.js
■ ■ ■ ■ ■ ■■■ 8819.743ff7148bbdf35c7bbb.js
■ ■ ■ ■ ■ ■■■ 8834.7621cb792c80bfa66e05.js
■ ■ ■ ■ ■ ■■■ 8843.35ec0f0b1f61c25e0401.js
■ ■ ■ ■ ■ ■■■ 8afc6e5e842baab16010c2ce6fcf48ec4ded8e1579a37c1f1bc027e120d04951.wo
■ ■ ■ ■ ■ ■■■ 900.6a1241c0269d5df615c8.js
■ ■ ■ ■ ■ ■■■ 901.2ec3367a81663f96cc4b.js
■ ■ ■ ■ ■ ■■■ 9039.5f28fec36b1eba3e4a52.js
■ ■ ■ ■ ■ ■■■ 9109.1b114e9c83e36c6560df.js
■ ■ ■ ■ ■ ■■■ 911.0c08f040896753efc653.js
■ ■ ■ ■ ■ ■■■ 911.0c08f040896753efc653.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ 9316.c4abfd78d98bb182cd2f.js
■ ■ ■ ■ ■ ■■■ 9473.098fe5e3f0187b3dc1fe.js
■ ■ ■ ■ ■ ■■■ 9473.098fe5e3f0187b3dc1fe.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ 96.c281b119ab350d7dd3de.js
■ ■ ■ ■ ■ ■■■ 9845.8b6c837a5ff754554b39.js
■ ■ ■ ■ ■ ■■■ 9866.5db2f5cd62fb6e231305.js
■ ■ ■ ■ ■ ■■■ aff76e5c986f295d4bc6f8142a78e2a31888b101c2d025db89f79c75f64fd90b.wo
■ ■ ■ ■ ■ ■■■ bootstrap.js
■ ■ ■ ■ ■ ■■■ build_log.json
■ ■ ■ ■ ■ ■■■ c651b8a67d3193206f622c3c3b0fbca4a2f2727108c4212b52c1e2a2e84c9b31.ttf
■ ■ ■ ■ ■ ■■■ cf83ffb8cf0023bd439dfdd5d02f1954b6ee027e85897d6cfc5f90bbca9ec1d2.eot
■ ■ ■ ■ ■ ■■■ d0b4256abed72481585662971262eabee345c19f837af00d7ce24239d3b40eef.wo
■ ■ ■ ■ ■ ■■■ fa498fb2596a5235c5c86d7b68a7fbe76e9855c01af4b0e5ab41c41047c648e0.svg
■ ■ ■ ■ ■ ■■■ index.html
■ ■ ■ ■ ■ ■■■ index.out.js
■ ■ ■ ■ ■ ■■■ jlab_core.716b79be8019e5bdc801.js
■ ■ ■ ■ ■ ■■■ jlab_core.716b79be8019e5bdc801.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ main.191f751bb4b62e169926.js
■ ■ ■ ■ ■ ■■■ package.json
■ ■ ■ ■ ■ ■■■ style.js
■ ■ ■ ■ ■ ■■■ third-party-licenses.json
■ ■ ■ ■ ■ ■■■ themes
■ ■ ■ ■ ■ ■■■ @jupyterlab
■ ■ ■ ■ ■ ■■■ ■■■ theme-dark-extension
■ ■ ■ ■ ■ ■■■ ■■■ index.css
■ ■ ■ ■ ■ ■■■ ■■■ index.js
■ ■ ■ ■ ■ ■■■ ■■■ theme-light-extension
■ ■ ■ ■ ■ ■■■ ■■■ index.css
■ ■ ■ ■ ■ ■■■ ■■■ index.js
■ ■ ■ ■ ■ ■■■ labextensions
■ ■ ■ ■ ■ ■■■ jupyterlab-plotly
■ ■ ■ ■ ■ ■■■ package.json
■ ■ ■ ■ ■ ■■■ static
■ ■ ■ ■ ■ ■■■ ■■■ 133.30001697c17cb586ec3b.js
■ ■ ■ ■ ■ ■■■ ■■■ 423.8409ad662b0daea3de31.js
■ ■ ■ ■ ■ ■■■ ■■■ 478.648ae8f1d1447aef2787.js
■ ■ ■ ■ ■ ■■■ ■■■ 478.648ae8f1d1447aef2787.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ ■■■ 486.52aa9063b291ec574154.js
■ ■ ■ ■ ■ ■■■ ■■■ 486.52aa9063b291ec574154.js.LICENSE.txt
■ ■ ■ ■ ■ ■■■ ■■■ 657.ec010038fbb3c3a5dedf.js

```

```

■ ■ ■ ■ ■ ■ ■ ■ 879.b55d82ff9b3516e96fb0.js
■ ■ ■ ■ ■ ■ ■ ■ remoteEntry.b8c677d4b23d37f46d1d.js
■ ■ ■ ■ ■ ■ ■ ■ style.js
■ ■ ■ ■ ■ ■ ■ ■ jupyterlab_pygments
■ ■ ■ ■ ■ ■ ■ ■ install.json
■ ■ ■ ■ ■ ■ ■ ■ package.json
■ ■ ■ ■ ■ ■ ■ ■ static
■ ■ ■ ■ ■ ■ ■ ■ 568.1e2faa2ba0bbe59c4780.js
■ ■ ■ ■ ■ ■ ■ ■ 747.8eb3ddccc7ec4987bff9.js
■ ■ ■ ■ ■ ■ ■ ■ remoteEntry.aa1060b2d1221f8e5688.js
■ ■ ■ ■ ■ ■ ■ ■ style.js
■ ■ ■ ■ ■ ■ ■ ■ third-party-licenses.json
■ ■ ■ ■ ■ ■ ■ ■ nbconvert
■ ■ ■ ■ ■ ■ ■ ■ templates
■ ■ ■ ■ ■ ■ ■ ■ asciidoc
■ ■ ■ ■ ■ ■ ■ ■ conf.json
■ ■ ■ ■ ■ ■ ■ ■ index.asciidoc.j2
■ ■ ■ ■ ■ ■ ■ ■ base
■ ■ ■ ■ ■ ■ ■ ■ cell_id_anchor.j2
■ ■ ■ ■ ■ ■ ■ ■ celltags.j2
■ ■ ■ ■ ■ ■ ■ ■ display_priority.j2
■ ■ ■ ■ ■ ■ ■ ■ jupyter_widgets.html.j2
■ ■ ■ ■ ■ ■ ■ ■ mathjax.html.j2
■ ■ ■ ■ ■ ■ ■ ■ null.j2
■ ■ ■ ■ ■ ■ ■ ■ basic
■ ■ ■ ■ ■ ■ ■ ■ conf.json
■ ■ ■ ■ ■ ■ ■ ■ index.html.j2
■ ■ ■ ■ ■ ■ ■ ■ classic
■ ■ ■ ■ ■ ■ ■ ■ base.html.j2
■ ■ ■ ■ ■ ■ ■ ■ conf.json
■ ■ ■ ■ ■ ■ ■ ■ index.html.j2
■ ■ ■ ■ ■ ■ ■ ■ static
■ ■ ■ ■ ■ ■ ■ ■ style.css
■ ■ ■ ■ ■ ■ ■ ■ compatibility
■ ■ ■ ■ ■ ■ ■ ■ display_priority.tpl
■ ■ ■ ■ ■ ■ ■ ■ full.tpl
■ ■ ■ ■ ■ ■ ■ ■ lab
■ ■ ■ ■ ■ ■ ■ ■ base.html.j2
■ ■ ■ ■ ■ ■ ■ ■ conf.json
■ ■ ■ ■ ■ ■ ■ ■ index.html.j2
■ ■ ■ ■ ■ ■ ■ ■ mermaidjs.html.j2
■ ■ ■ ■ ■ ■ ■ ■ static
■ ■ ■ ■ ■ ■ ■ ■ index.css
■ ■ ■ ■ ■ ■ ■ ■ theme-dark.css
■ ■ ■ ■ ■ ■ ■ ■ theme-light.css
■ ■ ■ ■ ■ ■ ■ ■ latex
■ ■ ■ ■ ■ ■ ■ ■ base.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ conf.json
■ ■ ■ ■ ■ ■ ■ ■ display_priority.j2
■ ■ ■ ■ ■ ■ ■ ■ document_contents.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ index.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ null.j2
■ ■ ■ ■ ■ ■ ■ ■ report.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ style_bw_ipython.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ style_bw_python.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ style_ipython.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ style_jupyter.tex.j2
■ ■ ■ ■ ■ ■ ■ ■ style_python.tex.j2

```

[illegible]

```
■ ■ ■ ■■■ SOURCES.txt
■ ■ ■ ■■■ dependency_links.txt
■ ■ ■ ■■■ requires.txt
■ ■ ■ ■■■ top_level.txt
■ ■ ■■■ build
■ ■ ■ ■■■ bdist.linux-x86_64
■ ■ ■ ■■■ lib
■ ■ ■ ■■■ ace_tools
■ ■ ■ ■■■ __init__.py
■ ■ ■■■ pyproject.toml
■ ■ ■■■ setup.py
■ ■■■ ace_common
■ ■ ■■■ __init__.py
■ ■ ■■■ ace_exception.py
■ ■ ■■■ jupyter_message.py
■ ■■■ applied_ace_client
■ ■ ■■■ ace_types
■ ■ ■ ■■■ user_machine_types.py
■ ■■■ applied_ace_common
■ ■ ■■■ __init__.py
■ ■ ■■■ logger_utils.py
■ ■■■ user_machine
■ ■ ■■■ __init__.py
■ ■ ■■■ app.py
■ ■ ■■■ health_check.py
■ ■ ■■■ logger_utils.py
■ ■ ■■■ routes.py
■ ■ ■■■ run-server.sh
■ ■ ■■■ run_jupyter.py
■■■ .profile
■■■ README
■■■ kernel-167fc3fa-5650-4733-aefc-93d2254ad6c7.json
■■■ kernel-72580013-cd48-4720-8848-94ff6a87801d.json
■■■ kernel-86274ff9-e2a7-4833-9a0c-1c17c6f97e77.json
```