MLD – Base GLPI Multi-Sites

Projet TAD – CY Tech

Notation

Ce MLD decrit le modele relationnel final. Les cles primaires sont notees `PK`, les cles etrangeres `FK`.

1 Organisation

```
sites(
  id PK,
  name,
  parent_site_id FK -> sites.id,
  full_name,
  site_code,
  created_at,
  updated_at
)

locations(
  id PK,
  site_id FK -> sites.id,
  name,
  parent_location_id FK -> locations.id,
  full_name,
  building,
  room,
  created_at,
  updated_at
)
```

2 Referentiels

```
manufacturers(
  id PK,
  name UNIQUE
)

states(
  id PK,
  name UNIQUE
)

ticket_categories(
  id PK,
  name UNIQUE,
  description
)
```

3 Utilisateurs et droits

```
users(
  id PK,
  login UNIQUE,
  last_name,
  first_name,
  email,
  phone,
  site_id FK -> sites.id,
  location_id FK -> locations.id,
  supervisor_user_id FK -> users.id,
  is_active,
  created_at,
  updated_at
)

profiles(
  id PK,
  name UNIQUE,
  interface,
  is_default
)

profiles_users(
  id PK,
  user_id FK -> users.id,
  profile_id FK -> profiles.id,
  site_id FK -> sites.id,
  is_recursive,
  UNIQUE(user_id, profile_id, site_id)
)

groups(
  id PK,
  site_id FK -> sites.id,
  name,
  parent_group_id FK -> groups.id,
  full_name,
  created_at,
  updated_at
)

groups_users(
  id PK,
  user_id FK -> users.id,
  group_id FK -> groups.id,
  is_manager,
  UNIQUE(user_id, group_id)
)
```

4 Inventaire

```
assets(
  id PK,
  site_id FK -> sites.id,
  asset_type,
  name,
  serial_number,
```

```
  owner_user_id FK -> users.id,
  technician_user_id FK -> users.id,
  location_id FK -> locations.id,
  manufacturer_id FK -> manufacturers.id,
  state_id FK -> states.id,
  created_at,
  updated_at,
  UNIQUE(site_id, serial_number)
)
```

5 Support

```
tickets(
  id PK,
  site_id FK -> sites.id,
  asset_id FK -> assets.id ON DELETE CASCADE,
  title,
  description,
  status,
  priority,
  requester_user_id FK -> users.id,
  assigned_group_id FK -> groups.id,
  category_id FK -> ticket_categories.id,
  resolution,
  created_at,
  updated_at,
  assigned_at,
  resolved_at,
  closed_at
)

ticket_users(
  id PK,
  ticket_id FK -> tickets.id ON DELETE CASCADE,
  user_id FK -> users.id,
  assigned_by_user_id FK -> users.id,
  assigned_at,
  UNIQUE(ticket_id, user_id)
)

ticket_followups(
  id PK,
  ticket_id FK -> tickets.id ON DELETE CASCADE,
  user_id FK -> users.id,
  content,
  created_at
)
```

6 Reseau

```
network_ports(
  id PK,
  site_id FK -> sites.id,
  asset_id FK -> assets.id ON DELETE CASCADE,
  port_name,
  mac_address,
  port_type,
  created_at,
```

```
  updated_at
)

ip_networks(
  id PK,
  site_id FK -> sites.id,
  network_name,
  network_address,
  subnet_mask,
  gateway_address,
  vlan_name,
  vlan_tag,
  created_at,
  updated_at,
  UNIQUE(site_id, network_address, subnet_mask)
)

ip_addresses(
  id PK,
  site_id FK -> sites.id,
  network_port_id FK -> network_ports.id ON DELETE SET NULL,
  ip_network_id FK -> ip_networks.id,
  ip_address,
  created_at,
  updated_at
)
```

7 Systeme

```
audit_log(
  id PK,
  table_name,
  row_id,
  action,
  old_data,
  new_data,
  changed_by,
  changed_at
)

archives_materiel(
  id PK,
  original_table,
  original_id,
  archived_data,
  archived_by,
  archived_at
)
```

8 Cardinalites principales

Relation	**Cardinalite**
`sites -> locations`	1,N
`sites -> users`	1,N
`sites -> groups`	1,N
`sites -> assets`	1,N

sites -> tickets	1,N
users -> profiles_users	1,N
profiles -> profiles_users	1,N
users -> groups_users	1,N
groups -> groups_users	1,N
assets -> tickets	1,N
tickets -> ticket_users	1,N
tickets -> ticket_followups	1,N
assets -> network_ports	1,N
network_ports -> ip_addresses	1,N
ip_networks -> ip_addresses	1,N