

REPORT

Obbiettivo di oggi è scansionare l'indirizzo ip trovare le porte aperte e cercare le vulnerabilità.

Apro Virtualbox accendo la macchina virtuale di Metasploitable2 e con il comando ifconfig vedo il suo indirizzo ip, 192.168.1.46. Ora accendo Kali Linux e tramite il prompt dei comandi scansiono se l'host è attivo digitando Nmap -sn -Pn saltando direttamente la scansione delle porte, scansiono tutto e rilevo se c'è un firewall dietro che blocca.

```
(kali@kali)-[~]  
$ nmap -sn -Pn 192.168.1.46  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-07 12:53 EDT  
Nmap scan report for 192.168.1.46  
Host is up.  
Nmap done: 1 IP address (1 host up) scanned in 0.00 seconds
```

Passiamo alla scansione delle porte:

```
(kali@kali)-[~]  
$ nmap -sT 192.168.1.46  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-07 12:59 EDT  
Nmap scan report for 192.168.1.46  
Host is up (0.0064s latency).  
Not shown: 977 closed tcp ports (conn-refused)  
PORT      STATE SERVICE  
21/tcp    open  ftp  
22/tcp    open  ssh  
23/tcp    open  telnet  
25/tcp    open  smtp  
53/tcp    open  domain  
80/tcp    open  http  
111/tcp   open  rpcbind  
139/tcp   open  netbios-ssn  
445/tcp   open  microsoft-ds  
512/tcp   open  exec  
513/tcp   open  login  
514/tcp   open  shell  
1099/tcp  open  rmiregistry  
1524/tcp  open  ingreslock  
2049/tcp  open  nfs  
2121/tcp  open  ccproxy-ftp  
3306/tcp  open  mysql  
5432/tcp  open  postgresql  
5900/tcp  open  vnc  
6000/tcp  open  X11  
6667/tcp  open  irc  
8009/tcp  open  ajp13  
8180/tcp  open  unknown  
MAC Address: 08:00:27:0A:6E:E9 (Oracle VirtualBox virtual NIC)  
Qui notiamo in questa scansione che molte porte sono aperte in vari protocolli.
```

Passiamo alla fase del rilevamento della versione dei servizi digito nmap -sV
192.168.1.46

```
(kali@kali)-[~]  
$ nmap -sV 192.168.1.46  
Starting Nmap 7.94SVN ( https://nmap.org ) at 2026-05-07 13:09 EDT  
Nmap scan report for 192.168.1.46  
Host is up (0.0012s latency).  
Not shown: 977 closed tcp ports (reset)  
PORT      STATE SERVICE      VERSION  
21/tcp    open  ftp          vsftpd 2.3.4  
22/tcp    open  ssh          OpenSSH 4.7p1 Debian 8ubuntu1 (protocol 2.0)  
23/tcp    open  telnet       Linux telnetd  
25/tcp    open  smtp         Postfix smtpd  
53/tcp    open  domain       ISC BIND 9.4.2  
80/tcp    open  http         Apache httpd 2.2.8 ((Ubuntu) DAV/2)  
111/tcp   open  rpcbind      2 (RPC #100000)  
139/tcp   open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)  
445/tcp   open  netbios-ssn Samba smbd 3.X - 4.X (workgroup: WORKGROUP)  
512/tcp   open  exec?  
513/tcp   open  login  
514/tcp   open  tcpwrapped  
1099/tcp  open  java-rmi     GNU Classpath grmiregistry  
1524/tcp  open  bindshell    Metasploitable root shell  
2049/tcp  open  nfs          2-4 (RPC #100003)  
2121/tcp  open  ftp          ProFTPD 1.3.1  
3306/tcp  open  mysql        MySQL 5.0.51a-3ubuntu5  
5432/tcp  open  postgresql   PostgreSQL DB 8.3.0 - 8.3.7  
5900/tcp  open  vnc          VNC (protocol 3.3)  
6000/tcp  open  X11          (access denied)  
6667/tcp  open  irc          UnrealIRCd  
8009/tcp  open  ajp13        Apache Jserv (Protocol v1.3)  
8180/tcp  open  http         Apache Tomcat/Coyote JSP engine 1.1  
MAC Address: 08:00:27:0A:6E:E9 (Oracle VirtualBox virtual NIC)  
Service Info: Hosts: metasploitable.localdomain, irc.Metasploitable.LAN; OSs: Unix,  
Linux; CPE: cpe:/o:linux:linux_kernel
```

Service detection performed. Please report any incorrect results at
<https://nmap.org/submit/> .

Nmap done: 1 IP address (1 host up) scanned in 65.11 seconds

Secondo questo risultato abbiamo trovato 2 anomalie evidenziate in verde il primo
ha un possibile backdoor nel secondo abbiamo una versione vecchia quindi
vulnerabile agli attacchi.

Ultimo passaggio rileviamo il sistema operativo con sudo nmap -O --osscan-limit
192.168.1.46 sudo perchè devo accedere ai privilegi. --osscan-limit per velocizzare

```
(kali@kali)-[~]  
$ nmap -O --osscan-limit 192.168.1.46/24
```

Starting Nmap 7.94SVN (https://nmap.org) at 2026-05-07 13:35 EDT

Nmap scan report for home (192.168.1.1)

Host is up (0.0015s latency).

Not shown: 988 closed tcp ports (reset)

PORT	STATE	SERVICE
-------------	--------------	----------------

21/tcp	open	ftp
22/tcp	filtered	ssh
23/tcp	open	telnet
53/tcp	open	domain
80/tcp	open	http
139/tcp	open	netbios-ssn
443/tcp	open	https
445/tcp	open	microsoft-ds
2601/tcp	open	zebra
3517/tcp	open	802-11-iapp
49152/tcp	open	unknown
49153/tcp	open	unknown

MAC Address: 64:DD:68:3F:DD:80 (Unknown)

Aggressive OS guesses: Linux 3.18 (96%), Linux 3.2 - 4.9 (96%), DD-WRT v3.0 (Linux 4.4.2) (96%), Linux 4.4 (96%), Linux 3.16 (95%), DD-WRT (Linux 3.18) (95%), ASUS RT-N56U WAP (Linux 3.4) (95%), Android 4.1.1 (94%), Android 4.2.2 (Linux 3.4) (93%), Android 4.1.2 (93%)

No exact OS matches for host (test conditions non-ideal).

Network Distance: 1 hop

Nmap scan report for 192.168.1.46

Host is up (0.0012s latency).

Not shown: 977 closed tcp ports (reset)

PORT	STATE	SERVICE
-------------	--------------	----------------

21/tcp	open	ftp
22/tcp	open	ssh
23/tcp	open	telnet
25/tcp	open	smtp
53/tcp	open	domain
80/tcp	open	http
111/tcp	open	rpcbind
139/tcp	open	netbios-ssn
445/tcp	open	microsoft-ds
512/tcp	open	exec
513/tcp	open	login
514/tcp	open	shell
1099/tcp	open	rmiregistry
1524/tcp	open	ingreslock
2049/tcp	open	nfs
2121/tcp	open	ccproxy-ftp
3306/tcp	open	mysql
5432/tcp	open	postgresql
5900/tcp	open	vnc
6000/tcp	open	X11
6667/tcp	open	irc
8009/tcp	open	ajp13
8180/tcp	open	unknown

MAC Address: 08:00:27:0A:6E:E9 (Oracle VirtualBox virtual NIC)

Device type: general purpose
Running: Linux 2.6.X
OS CPE: cpe:/o:linux:linux_kernel:2.6
OS details: Linux 2.6.9 - 2.6.33
Network Distance: 1 hop

Nmap scan report for DESKTOP-OK6L5I5.home (192.168.1.82)
Host is up (0.00033s latency).
Not shown: 999 filtered tcp ports (no-response)
PORT STATE SERVICE
5357/tcp open wsdapi
MAC Address: A0:48:1C:93:1F:EB (Hewlett Packard)

Nmap scan report for A15-di-Nicholas.home (192.168.1.167)
Host is up (0.023s latency).
Not shown: 999 closed tcp ports (reset)
PORT STATE SERVICE
6100/tcp open synchronet-db
MAC Address: E6:2E:82:6A:D9:EE (Unknown)
Aggressive OS guesses: Linux 3.1 (95%), Linux 3.2 (95%), AXIS 210A or 211 Network Camera (Linux 2.6.17) (95%), Sony X75CH-series Android TV (Android 5.0) (94%), Linux 3.8 (94%), ASUS RT-N56U WAP (Linux 3.4) (93%), Linux 3.16 (93%), Android 4.1 - 6.0 (Linux 3.4 - 3.14) (93%), Android 5.0 - 6.0.1 (Linux 3.4) (93%), Android 5.0 - 7.0 (Linux 3.4 - 3.10) (93%)
No exact OS matches for host (test conditions non-ideal).
Network Distance: 1 hop

Nmap scan report for 192.168.1.200
Host is up (0.0027s latency).
All 1000 scanned ports on 192.168.1.200 are in ignored states.
Not shown: 1000 closed tcp ports (reset)
MAC Address: E6:4C:EA:13:5C:7B (Unknown)

Nmap scan report for LGwebOSTV.home (192.168.1.214)
Host is up (0.0030s latency).
Not shown: 990 closed tcp ports (reset)
PORT STATE SERVICE
515/tcp open printer
1029/tcp open ms-lsa
1082/tcp open amt-esd-prot
1141/tcp open mxomss
3000/tcp open ppp
3001/tcp open nessus
7000/tcp open afs3-fileserver
8008/tcp open http
8009/tcp open ajp13
8443/tcp open https-alt
MAC Address: 20:28:BC:F1:56:10 (Visionscape)
Device type: general purpose
Running: Linux 4.X|5.X
OS CPE: cpe:/o:linux:linux_kernel:4 cpe:/o:linux:linux_kernel:5
OS details: Linux 4.15 - 5.8

Network Distance: 1 hop

Nmap scan report for kali.home (192.168.1.201)

Host is up (0.0000070s latency).

All 1000 scanned ports on kali.home (192.168.1.201) are in ignored states.

Not shown: 1000 closed tcp ports (reset)

OS detection performed. Please report any incorrect results at

<https://nmap.org/submit/> .

Nmap done: 256 IP addresses (7 hosts up) scanned in 19.89 seconds

Secondo i risultati ci sono 256 IP tra cui 7 hosts sono attivi.