

Attempt to read property "name" on null

<div>Expand vendor frames</div>	resources / views / pdf / <b>PDF_medical_record2.blade.php</b> : 54
Illuminate \ Foundation \ Bootstrap \ HandleExceptions : 54 <b>handleError</b>	39           text-align: justify; 40           line-height: 1.4; 41        } 42 43   </style> 44   @push('scripts') 45 46   @endpush 47   @section('content') 48       <div> 49           <div class="container-fluid" style="width: 32%; font-size: 12px"> 50               <div class="row" style="margin-top: 6%;"> 51                   <div class="row"> 52                       <div class="col-md-12" style="display: flex; flex-direction: colu 53                           <strong style="font-size: 15px;"> Dr. 54                           <span class="text-capitalize" style="font-size: 15px;">{{ Aut 55                           <span class="text-capitalize" style="font-size: 13px;">{{ Aut 56                           <span class="text-capitalize" style="font-size: 13px;">C.I: { 57                       {{-- </div> 58                       <div class="col-md-6" style="display: flex; flex-directio 59                        
1 vendor frame	
resources / views / pdf / <b>PDF_medical_record2.blade.php</b> : 54 <b>require</b>	
15 vendor frames	
App \ Http \ Middleware \ Multilanguaje : 24 <b>handle</b>	
41 vendor frames	

```
61 <span>{{ ($MedicalRecord->get_doctor->type_plane == "7") ? $M
62 <span>Piso {{($MedicalRecord->get_doctor->type_plane == "7")
63 <span>{{($MedicalRecord->get_doctor->type_plane == "7") ? $M
64 <br>
65 <br>
66 </div>
67 <div class="col-md-12">
68 <strong style="font-size: 15px;">Fecha:</strong>
```

REQUEST

- Browser
- Headers
- Body
- APP
- Routing
- Views

CONTEXT

- Git
- Versions

REQUEST

https://system.sqlapio.com/prueba GET

```
curl "https://system.sqlapio.com/prueba" \
-X GET \
-H 'host: system.sqlapio.com' \
-H 'connection: keep-alive' \
-H 'upgrade-insecure-requests: 1' \
-H 'user-agent: Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChr
```

Browser

Mozilla/5.0 (X11; Linux x86\_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessChrome/125.0.0.0 Safari

Headers

host	system.sqlapio.com
connection	keep-alive
upgrade-inse...	1
user-agent	Mozilla/5.0 (X11; Linux x86_64) AppleWebKit/537.36 (KHTML, like Gecko) HeadlessCh
sec-ch-ua	"Chromium";v="125", "Not.A/Brand";v="24"

sec-ch-ua-pla...	"Linux"
accept	text/html,application/xhtml+xml,application/xml;q=0.9,image/avif,image/webp,image
sec-fetch-site	none
sec-fetch-mode	navigate
sec-fetch-user	?1
sec-fetch-dest	document
accept-encod...	gzip, deflate, br, zstd
accept-langu...	en-US,en;q=0.9

Body `</>`

[]

APP

Routing `↔`

Controller	Closure
Middleware	web

Views `🔗`

View	resources / views / pdf / <b>PDF_medical_record2.blade.php</b>
Data	

CONTEXT

Git 🔗

Merge pull request #1132  
from Sqlapio/cambios/pdf

99af5e1d3cc8e46ea4201bbde76d9846a017389e

🔗 View commit 99af5e1

⚠️ Last commit is dirty. (Un)staged changes have been made since this commit.

Versions 📋

Php Version	8.2.14
Laravel Version	10.22.0
Laravel Locale	es
Laravel Confi...	✖ false
App Debug	✓ true
App Env	prod

3 QUERIES

7:19:17 PM 🕒 1.55MS 🗄️ MYSQL

```
SELECT * FROM `sessions` WHERE `id` = H4E13NvN8zJKvi2W5tOvdyp1T0t9Z6gbWYj1FWKN limit 1
```

> 1 QUERY PARAMETER

7:19:17 PM 🕒 0.55MS 🗄️ MYSQL

```
SELECT * FROM `medical_records` WHERE `id` = 54 limit 1
```

> 1 QUERY PARAMETER

```
SELECT * FROM `doctor_centers` WHERE `user_id` = 42 AND `center_id` = 392 limit 1
```

› 2 QUERY PARAMETERS