

Git & GitHub

1.) INSTALLATION

GitHub for Window <https://windows.github.com>

GitHub for Mac <https://mac.github.com>

Git for All Platforms <https://git-scm.com>

2.) SETUP (Configuring user information)

Set a name that is identifiable for credit when review version history

`git config --global user.name "your github username"`

set an email address that will be associated with each history marker

`git config --global user.email "your github gmail"`

SSH (Secure Socket Shell) key generation command

`ssh-keygen -t ed25519 -C "your_email@example.com"`

3.) Basics commands

`git status`

List which files are staged, unstaged, and untracked.

`git init`

Create empty Git repo in specified directory(folder)

4.) HOW UPLOAD FOLDER TO GITHUB

Staged single file :-

git add [file_Name]

UnStaged already (stage) file :-

git reset [file_Name]

Staged all files :-

git add .

Unstage all files :-

git reset

Add Message/Comment to staged files :-

git commit -m "Your message"

Add to gitHub

git push

Display the entire commit history using the default format.

For customization see additional options :-

git log

5.) GIT BRANCHES Command

List all of the branches in your repo

`git branch`

Create a new branch at the current commit

`git branch [branch_name]`

Switch to another branch

`git checkout [branch_name]`

Merge the specified branch's history into the current branch

`git merge [branch_name]`

Delete the specified branch's from computer

`git branch -d [branch_name]`

Delete the specified branch's from computer if not merged

`git branch -D [branch_name]`

Delete the specified branch's from computer

`git push origin --delete [branch_name]`

6.) Addition GIT Commands

Retrieve an entire repository from a hosted location via URL
git clone [url]

Fetch and merge any commits from the tracking remote branch
git pull

Reset any commit using hash_code
git reset [commit_hash_code]



Web Dev Mastery