

<b>POLICY NAME</b>	Wellness Coverage for Statin Medications (HMG)	<b>POLICY #</b>	2612P
--------------------	--	-----------------	-------

## Criteria

### Exclusion Criteria – Any of the following prevents coverage

- ☐ **2.1** The following statins will not be eligible for coverage under the Wellness benefit even though they have strengths available that are low-to-moderate intensity due to cost and the availability of the above alternatives
  - Fluvastatin
  - Pitavastatin (Livalo)
  - Rosuvastatin Statement of the Policy References
- ☐ **2.2** Any combination product containing a statin because the individual statin is only eligible for wellness coverage
- ☐ **2.3** Any request for coverage of a statin therapy for secondary prevention of a cardiovascular event
- ☐ **2.4** Use of high-intensity stain therapy is not included in the USPSTF requirements for coverage of statin therapy for preventive medication use
  - Atorvastatin: 40–80mg daily

### Atorvastatin, lovastatin, pravastatin, and simvastatin

- ☐ **1.1** Provider or member document on prior authorization form that they are seeking coverage of a statin under the Wellness benefit
- ☐ **1.2** Member is 40 to 75 years old and is using the statin for primary prevention of cardiovascular events
  - The USPTF guidelines do not require statins to be covered under Wellness for patients who have previously had cardiovascular events, secondary prevention
- ☐ **1.3** The statin therapy that will be covered under wellness are low-to-moderate intensity as defined by the

**American College of Cardiology/American Heart Association guidelines on the treatment of cholesterol to reduce buildup of cholesterol plaque in arteries risk in adults Atorvastatin: 10–20mg daily (select strengths) Lovastatin: 20–40mg daily (all strengths) Pravastatin: 10–80mg daily (all strengths) Simvastatin: 10–40mg daily (all strengths)**

- ☐ **1.4** Documentation that member has one or more heart disease risk factors:
- Member is a current smoker
  - Age: ☐ Males: 45 years and older ☐ Females: 55 years and older
  - Family history of premature coronary disease ☐ Myocardial infarction or sudden death before 55 years old in first-degree male relative or before

**in first-degree female relative Hypertension ☐ Untreated blood pressure > 140/90 mmHg or ☐ Taking antihypertensive medications for the treatment of hypertension Diagnosis of Diabetes (considered a coronary heart disease risk equivalent) HDL cholesterol <40mg/dL**

- ☐ **1.5** Documentation that member has a 10-year risk of a cardiovascular event of 10% or greater