POLICY NAME Zilbrysq (zilucoplan) POLICY # 3259P

Criteria

Coverage Criteria	
	Diagnosis of generalized myasthenia gravis (gMG) as supported by both of the following:
	Myasthenia Gravis Foundation of America (MGFA) clinical classification of II to IV
	 Myasthenia Gravis-Activities of Daily Living Score (MG-ADL) score ≥6
	Documented positive serological test for anti-acetylcholine (AchR) antibodies
	Age 18 years or older
	Prescribed by or in consultation with a neurologist (nervous system doctor) or physician that specializes in treatment of generalized myasthenia gravis
	Documentation of meningococcal vaccine series OR will receive vaccine at least 2 weeks prior to first dose (unless treatment cannot be delayed)
	Lab cultures rule out any unresolved serious Nesseria meningitidis infection, if patient was diagnosed with N. meningitidis infection recently
	Documented trial and failure, intolerance or contraindication to conventional therapies (i.e. pyridostigmine, immunosuppressant therapies)
	Documented trial and failure, intolerance, or contraindication to Ultomiris, or documented barriers to Ultomiris access that impede treatment (such as unmanageable distance from treatment location or inability to schedule treatments, etc)
	Review of chart notes documenting diagnosis and confirming that the patient has met all of the above requirements for treatment with Zilbrysq by both a pharmacist and medical director
Exclusion Criteria – Any of the following prevents coverage	
	Zilbrysq will not be covered in addition to any other biologics indicated for myasthenia gravis
	Patients with unresolved Neisseria meningitidis infection or who are not vaccinated against Neisseria meningitidis