

Pharmacy Drug Policy Checklist

POLICY NAME Immune Globulin Products POLICY # 1815P

Criteria

Bone marrow transplantation

Coverage Criteria for Immunodeficiency Disorders		
	Common Variable Immunodeficiency (CVID), Hypogammaglobulinemia (excluding IgA deficiency), or X-linked immunodeficiency Statement of the Policy Criteria • Documented serum IgG level below the lower limits of normal of the laboratory's reported	
	value	
	Immunosuppression related to B-cell chronic lymphocytic leukemia (CLL) • Documentation to support hypogammaglobulinemia or recurrent bacterial infections	
	Immunosuppression related to multiple myeloma • Documentation to support diagnosis of multiple myeloma and hypogammaglobulinemia or recurrent infections	
	Selective IgG subclass deficiencies • Documented serum immune globulin (Ex IgG, IgM, etc) level below the lower limits of normal of the laboratory's reported value • Documented history of recurrent infections causing extended antibiotic use	
	erage Criteria for Infection related conditions (Cutaquig, Cuvitru, nmagard, Gamunex, Hizentra, Hyqvia, Octagam, Panzyga, Privigen Only)	
	HIV	
	 Children: diagnosis of HIV in children who either have been exposed to measles or who live in a high-prevalence measles area, HIV-related immune thrombocytopenic purpura Adults: diagnosis of HIV-ITP who have severe bleeding 	
	Chronic enteroviral meningoencephalitis	
	Staphylococcal or streptococcal toxic shock syndrome	
Cov	erage Criteria for transplant related conditions	
	Cytomegalovirus (CMV) viremia in solid organ transplants or cancer	

• Confirmed allogeneic bone marrow transplant within the last 100 days

• Documented hypogammaglobulinemia with intent to prevent GVHD or infection

	Coverage Criteria for blood related conditions (Flebogamma, Gammaplex, Gammaked, Gamunex, Octagam, Panzyga, Privigen Only)	
	Autoimmune hemolytic anemia with hemoglobin < 7 or hepatomegaly	
	Hemolytic disease of newborn (Erythroblastosis Fetalis)	
	Idiopathic thrombocytopenic purpura (ITP) • Diagnosis of ITP in patients with bleeding complications, unsafe platelet counts, or requiring invasive interventions	
	Post-transfusion purpura	
	Rasmussen syndrome • Diagnosis of Rasmussen syndrome with persistent disease symptoms despite surgical treatment (or not a candidate for surgery)	
	Thrombocytopenia secondary to chronic condition • Thrombocytopenia related to hepatitis C infection, HIV or pregnancy • Documentation of unsafe platelet level	
Cov	erage Criteria for nervous system related conditions	
	Acute disseminated encephalomyelitis • Documented trial and failure of intravenous corticosteroids	
	Guillain-Barre syndrome • Diagnosis of Guillain-Barre Syndrome with severe disease requiring aid to walk • Prescribed by or in consultation with a neurologist (nervous system doctor)	
	 Chronic inflammatory demyelinating polyneuropathy (CIDP) Diagnosis of chronic inflammatory demyelinating polyneuropathy as confirmed by progressive or relapsing motor or sensory impairment of more than one limb for more than 2 months Prescribed by or in consultation with a neurologist (nervous system doctor) Documented trial and failure, intolerance or contraindication to corticosteroids (such as prednisone) 	
	IgM antimyelin-associated glycoprotein paraprotein-associated peripheral neuropathy	
	 Lambert-Eaton myasthenic syndrome (LEMS) Diagnosis of Lambert-Eaton myasthenic syndrome (LEMS) Prescribed by or in consultation with a neurologist (nervous system doctor) Documented trial and failure with immunomodulator therapy (azathioprine, corticosteroids, etc) 	

Prevention or treatment of acute humoral rejection in renal transplants

	 Diagnosis of Lennox Gastaut seizures Prescribed by or in consultation with a neurologist (nervous system doctor) Documented trial and failure with traditional anti-epileptics (lamotrigine, phenytoin, etc) 	
	Moersch-Woltmann (Stiff-person) syndrome • Diagnosis of stiff-person syndrome • Prescribed by or in consultation with a neurologist (nervous system doctor) • Documented trial and failure to benzodiazepines and/or baclofen, tizanidine, etc	
	Multifocal motor neuropathy (Gammagard only) Diagnosis of multifocal motor neuropathy as supported by weakness with continued progression over at least one month Prescribed by or in consultation with a neurologist (nervous system doctor)	
	Myasthenia gravis (chronic or exacerbation) • Diagnosis of generalized myasthenia gravis • Documentation to support exacerbation in symptoms over the last month • Prescribed by or in consultation with a neurologist (nervous system doctor)	
Cov	erage Criteria for musculoskeletal related conditions	
	Dermatomyositis or polymyositis (Octagam only) • Diagnosis of dermatomyositis or polymyositis • Documented trial and failure to immunosuppressive therapy (azathioprine, corticosteroids, etc)	
	Kawasaki disease (Gammagard only) • Acute treatment only when given in conjunction with aspirin within 10 days of symptom onset	
	Severe rheumatoid arthritis refractory to conventional treatments (methotrexate, etc)	
Coverage Criteria for skin related conditions		
	Autoimmune bullous disease such as pemphigus vulgaris, pemphigus foliaceus, bullous pemphigoid, mucous membrane pemphigoid, and epidermolysis bullosa acquisita • Diagnosis of a supported autoimmune bullous disease that is extensive and debilitating • Documented trial and failure of corticosteroids with immunosuppressives	
Cov	erage Criteria for eye related conditions	
	Birdshot retinochoroidopathy	
	Autoimmune uveitis • Diagnosis of refractory autoimmune uveitis • Documented trial and failure with corticosteroids in addition to immunosuppressants	

	Graves' ophthalmopathy
Cov	erage Criteria for lung related conditions
	Churg-Strauss syndrome • Documented trial with corticosteroids in addition to cyclophosphamide