

Review Results

Assessment MYSQL-482102-BENCHMARK

Thinkific User ID: 51211691

Full Name: Akoma, Livingston

Email Address: tyronesnetflix@gmail.com

Respondent ID: 3130

Date Started: 09/12/2021 3:55:26 PM

Date Completed: 09/12/2021 4:04:45 PM

Attempt: 1

Question Topic

Num	Question	
	Respondent's Answer	Correct Answer

Single Table Analysis

Earned 12 of 14 points (86%).

1. Which of the following always follows the SELECT clause when pulling data from a table in your database?

- | | |
|--|--|
| <input type="radio"/> HAVING | <input type="radio"/> HAVING |
| <input type="radio"/> WHERE | <input type="radio"/> WHERE |
| <input type="radio"/> ORDER BY | <input type="radio"/> ORDER BY |
| <input checked="" type="radio"/> FROM | <input checked="" type="radio"/> FROM |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: Every SELECT statement must be paired with a FROM clause. All others in the "Big 6" are optional.

Related Lecture: The FROM Clause

2. The HAVING clause cannot be used without which one of the following?

- | | |
|---|---|
| <input checked="" type="radio"/> GROUP BY | <input checked="" type="radio"/> GROUP BY |
| <input type="radio"/> ORDER BY | <input type="radio"/> ORDER BY |
| <input type="radio"/> WHERE | <input type="radio"/> WHERE |
| <input type="radio"/> None of the above | <input type="radio"/> None of the above |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: HAVING operates on groups, so you cannot use HAVING without including GROUP BY.

Related Lecture: The HAVING Clause

3. How many columns can you include in your GROUP BY?

- | | |
|---|---|
| <input type="radio"/> None. You should not include columns in GROUP BY | <input type="radio"/> None. You should not include columns in GROUP BY |
| <input type="radio"/> Only one column can be used with GROUP BY | <input type="radio"/> Only one column can be used with GROUP BY |
| <input checked="" type="radio"/> One or more columns may be used with GROUP BY | <input checked="" type="radio"/> One or more columns may be used with GROUP BY |
| <input type="radio"/> You must always include multiple columns in your GROUP BY | <input type="radio"/> You must always include multiple columns in your GROUP BY |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: GROUP BY can be used with just one column, or multiple columns at once.

Related Lecture: The GROUP BY Clause

4. Which of the following would appear last in a SQL SELECT statement?

- | | |
|---|---|
| <input type="radio"/> GROUP BY | <input type="radio"/> GROUP BY |
| <input checked="" type="radio"/> ORDER BY | <input checked="" type="radio"/> ORDER BY |
| <input type="radio"/> HAVING | <input type="radio"/> HAVING |
| <input type="radio"/> FROM | <input type="radio"/> FROM |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: ORDER BY is always the last of the Big 6 to be written, after any applicable SELECT, FROM, WHERE, GROUP BY, or HAVING.

Related Lecture: The "Big 6"

5. Which of the following statements/clauses is in the incorrect sequence? SELECT > FROM > HAVING > WHERE > GROUP BY > ORDER BY

- | | |
|---|---|
| <input checked="" type="radio"/> HAVING | <input checked="" type="radio"/> HAVING |
| <input type="radio"/> FROM | <input type="radio"/> FROM |
| <input type="radio"/> WHERE | <input type="radio"/> WHERE |
| <input type="radio"/> ORDER BY | <input type="radio"/> ORDER BY |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: HAVING comes after GROUP BY and before ORDER BY if present.

Related Lecture: The "Big 6"

6. How many records from the table above would be returned based on the following condition? WHERE first_name LIKE '%Jo%'

- | | |
|--|--|
| <input type="radio"/> 0 | <input type="radio"/> 0 |
| <input type="radio"/> 1 | <input type="radio"/> 1 |
| <input checked="" type="radio"/> 5 | <input checked="" type="radio"/> 5 |
| <input type="radio"/> 8 | <input type="radio"/> 8 |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: The % wildcards on both sides of 'Jo' mean the pattern can be found anywhere, returning Joe, Billy-Joe, Johnny, Jo, and Joseph.

Related Lecture: The LIKE Operator

7. To return records sorted by purchase_date, with the oldest date first, what could we include at the end of our SQL query?

- | | |
|---|---|
| <input checked="" type="radio"/> ORDER BY purchase_date | <input checked="" type="radio"/> ORDER BY purchase_date |
| <input type="radio"/> ORDER BY purchase_date DESC | <input type="radio"/> ORDER BY purchase_date DESC |
| <input type="radio"/> SORT BY purchase_date DESC | <input type="radio"/> SORT BY purchase_date DESC |
| <input type="radio"/> SORT BY purchase_date | <input type="radio"/> SORT BY purchase_date |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: ORDER BY is the correct clause. SORT BY is not a valid clause. You want the results in ascending order, which is the default for ORDER BY

Related Lecture: The ORDER BY Clause

8. Which of the following is NOT an aggregate function in SQL?

- | | |
|--|--|
| <input type="radio"/> COUNT DISTINCT | <input type="radio"/> COUNT DISTINCT |
| <input type="radio"/> SUM | <input type="radio"/> SUM |
| <input type="radio"/> AVG | <input type="radio"/> AVG |
| <input checked="" type="radio"/> PRODUCT | <input checked="" type="radio"/> PRODUCT |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: PRODUCT is not a valid function, while each of the others are.

Related Lecture: Aggregate Functions

9. Which course in the table above would appear at the top of the result set, if you were to evaluate the given query?

- | | |
|--|--|
| <input type="radio"/> None of the above | <input type="radio"/> None of the above |
| <input type="radio"/> Query Debugging | <input checked="" type="radio"/> Query Debugging |
| <input checked="" type="radio"/> Advanced Analysis | <input type="radio"/> Advanced Analysis |
| <input type="radio"/> Intro SQL | <input type="radio"/> Intro SQL |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: Query Debugging has the lowest star rating avg, at 4 stars.

Related Lecture: Aggregate Functions

10. If you want to include 4 specific columns in a SELECT statement, how many commas will that SELECT statement contain?

- | | |
|--|--|
| <input checked="" type="radio"/> 3 | <input checked="" type="radio"/> 3 |
| <input type="radio"/> 5 | <input type="radio"/> 5 |
| <input type="radio"/> 0 | <input type="radio"/> 0 |
| <input type="radio"/> 1 | <input type="radio"/> 1 |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: You'll need a comma after the first, second, and third columns to separate the columns with valid syntax.

Related Lecture: Selecting Specific Columns

11. Which of the following is often found within SQL error messages shown in the Action Output pane?

- | | |
|---|---|
| <input type="radio"/> Line number | <input type="radio"/> Line number |
| <input type="radio"/> Error code | <input type="radio"/> Error code |
| <input type="radio"/> Error description | <input type="radio"/> Error description |
| <input checked="" type="radio"/> All of the above | <input checked="" type="radio"/> All of the above |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: You will often find each of these in your error messages, and you should use each of them to guide your troubleshooting!

Related Lecture: Selecting Specific Columns

12. How many records from the table above would be returned if you were to evaluate the given query?

- | | |
|--|--|
| <input type="radio"/> 0 | <input type="radio"/> 0 |
| <input checked="" type="radio"/> 2 | <input checked="" type="radio"/> 2 |
| <input type="radio"/> 4 | <input type="radio"/> 4 |
| <input type="radio"/> 8 | <input type="radio"/> 8 |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: Only rows 1 and 6 have both completion percentage higher than 80 and star ratings equal to 5.

Related Lecture: Combining WHERE & AND

13. What would you type in a SQL query to create a single line comment?

- | | |
|--|--|
| <input type="radio"/> ** | <input type="radio"/> ** |
| <input type="radio"/> /* | <input type="radio"/> /* |
| <input type="radio"/> -- | <input type="radio"/> <> |
| <input type="radio"/> I don't know yet | <input checked="" type="radio"/> -- |
| | <input type="radio"/> I don't know yet |

Explanation: Two dashes create the single line comment in SQL. To open a multi-line comment, you'll use the slash and asterisk.

Related Lecture: PRO TIP: Using Comments & Aliases

14. Given the CASE statement above, how would snack_status be defined for a vegetable that costs \$2.50?

- | | |
|--|--|
| <input type="radio"/> too expensive | <input checked="" type="radio"/> too expensive |
| <input type="radio"/> uh oh...check logic | <input type="radio"/> uh oh...check logic |
| <input type="radio"/> probably gross | <input type="radio"/> probably gross |
| <input checked="" type="radio"/> too healthy | <input type="radio"/> too healthy |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: The \$2.50 price would evaluate to true for the first WHEN THEN pair, returning 'too expensive' and ending the CASE.

Related Lecture: The CASE Statement

Analyzing Multiple Tables with Joins

Earned 5 of 6 points (83%).

15. If you were to use an INNER JOIN to combine the two tables above on student_id, how many rows would your result set contain?

- | | |
|--|--|
| <input type="radio"/> 0 | <input type="radio"/> 0 |
| <input type="radio"/> 1 | <input type="radio"/> 1 |
| <input type="radio"/> 4 | <input type="radio"/> 4 |
| <input checked="" type="radio"/> 5 | <input checked="" type="radio"/> 5 |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: 5 of the records have overlapping student_id values, and those will be the records that are returned.

Related Lecture: INNER JOIN

16. Which of the following is NOT a benefit of normalizing a database schema?

- | | |
|--|--|
| <input type="radio"/> Improving processing speed | <input type="radio"/> Improving processing speed |
| <input type="radio"/> Eliminating duplicate values | <input type="radio"/> Eliminating duplicate values |
| <input type="radio"/> Reducing the risk of human error | <input type="radio"/> Reducing the risk of human error |
| <input checked="" type="radio"/> Consolidating records into a single table | <input checked="" type="radio"/> Consolidating records into a single table |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: Each of the other 3 is a legitimate benefit of normalizing a database.

Related Lecture: Normalization & Cardinality

17. Which JOIN type could be used to return only the matching records from two or more tables?

- | | |
|--|--|
| <input type="radio"/> LEFT | <input type="radio"/> LEFT |
| <input type="radio"/> RIGHT | <input type="radio"/> RIGHT |
| <input type="radio"/> FULL OUTER | <input type="radio"/> FULL OUTER |
| <input checked="" type="radio"/> INNER | <input checked="" type="radio"/> INNER |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: INNER JOIN will return only values from matched records. LEFT, RIGHT, and FULL OUTER JOIN will all include additional values.

Related Lecture: Common JOIN Types

18. Compared to INNER JOIN, will a LEFT JOIN return more rows, fewer rows, or the same number of rows?

- | | |
|---|---|
| <input type="radio"/> The same number of rows | <input type="radio"/> The same number of rows |
| <input checked="" type="radio"/> More rows | <input type="radio"/> More rows |
| <input type="radio"/> It depends | <input checked="" type="radio"/> It depends |
| <input type="radio"/> Fewer rows | <input type="radio"/> Fewer rows |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: If values in the JOIN ON columns are identical in the 2 tables, then the JOIN type won't matter. However, if the values are not perfectly matched, then different JOINS will return different numbers of results

Related Lecture: Common JOIN Types

19. UNION is used to do which of the following?

- | | |
|---|---|
| <input type="radio"/> Find the intersection between two select statements | <input type="radio"/> Find the intersection between two select statements |
| <input checked="" type="radio"/> Combine results from two SELECT statements | <input checked="" type="radio"/> Combine results from two SELECT statements |
| <input type="radio"/> Commit the results of one select statement | <input type="radio"/> Commit the results of one select statement |
| <input type="radio"/> Add columns to the right of your output | <input type="radio"/> Add columns to the right of your output |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: UNION combines the results from two SELECT statements.

Related Lecture: The UNION Operator

20. When you use the UNION operator, your two SELECT statements must contain which of the following?

- | | |
|---|---|
| <input type="radio"/> At least 10 columns | <input type="radio"/> At least 10 columns |
| <input type="radio"/> No columns at all | <input type="radio"/> No columns at all |
| <input checked="" type="radio"/> The same number of columns | <input checked="" type="radio"/> The same number of columns |
| <input type="radio"/> Columns with exclusively integer values | <input type="radio"/> Columns with exclusively integer values |
| <input type="radio"/> I don't know yet | <input type="radio"/> I don't know yet |

Explanation: A UNION will fail if the two select statements do not have the same number of columns.

Related Lecture: The UNION Operator

Time Used: 00:09:19

Final Score: **85%**