

BLACKRIDGE	START_HERE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CONTROL_PANEL	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	MASTER_INDEX	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ENTITY_SEARCH	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	TABLE_CATALOG	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	DATA_DICTIONARY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	QUERY_LIBRARY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	BUILD_MANIFEST	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	VALIDATION_STATUS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	RECONCILIATIONS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CANON_REFERENCES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	DECISION_REGISTER	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	FIN_DASHBOARD	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	INCOME_STATEMENT	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
2015-01	NET_INCOME	6735000
2015-01	OPERATING_COST	-2.7E+07
2015-01	REVENUE	35190000
2015-02	NET_INCOME	6770000
2015-02	OPERATING_COST	-2.7E+07
2015-02	REVENUE	35380000
2015-03	NET_INCOME	6805000
2015-03	OPERATING_COST	-2.7E+07
2015-03	REVENUE	35570000
2015-04	NET_INCOME	6840000
2015-04	OPERATING_COST	-2.7E+07
2015-04	REVENUE	35760000
2015-05	NET_INCOME	6875000
2015-05	OPERATING_COST	-2.7E+07
2015-05	REVENUE	35950000
2015-06	NET_INCOME	6910000
2015-06	OPERATING_COST	-2.7E+07
2015-06	REVENUE	36140000
2015-07	NET_INCOME	5970000
2015-07	OPERATING_COST	-2.9E+07
2015-07	REVENUE	36330000
2015-08	NET_INCOME	3880000
2015-08	OPERATING_COST	-3E+07
2015-08	REVENUE	35370000
2015-09	NET_INCOME	1790000
2015-09	OPERATING_COST	-3.1E+07
2015-09	REVENUE	34410000
2015-10	NET_INCOME	-300000
2015-10	OPERATING_COST	-3.2E+07
2015-10	REVENUE	33450000
2015-11	NET_INCOME	-2390000
2015-11	OPERATING_COST	-3.3E+07
2015-11	REVENUE	32490000
2015-12	NET_INCOME	-4480000
2015-12	OPERATING_COST	-3.4E+07
2015-12	REVENUE	31530000

BLACKRIDGE	BALANCE_SHEET	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
2015-01	ASSETS	7.01E+08
2015-01	EQUITY	4.23E+08
2015-01	LIABILITIES	2.78E+08
2015-02	ASSETS	7.09E+08
2015-02	EQUITY	4.31E+08
2015-02	LIABILITIES	2.78E+08
2015-03	ASSETS	7.18E+08
2015-03	EQUITY	4.4E+08
2015-03	LIABILITIES	2.78E+08
2015-04	ASSETS	7.26E+08
2015-04	EQUITY	4.48E+08
2015-04	LIABILITIES	2.78E+08
2015-05	ASSETS	7.35E+08
2015-05	EQUITY	4.57E+08
2015-05	LIABILITIES	2.78E+08
2015-06	ASSETS	7.44E+08
2015-06	EQUITY	4.66E+08
2015-06	LIABILITIES	2.78E+08
2015-07	ASSETS	7.52E+08
2015-07	EQUITY	4.74E+08
2015-07	LIABILITIES	2.78E+08
2015-08	ASSETS	7.57E+08
2015-08	EQUITY	4.79E+08
2015-08	LIABILITIES	2.78E+08
2015-09	ASSETS	7.61E+08
2015-09	EQUITY	4.83E+08
2015-09	LIABILITIES	2.78E+08
2015-10	ASSETS	7.62E+08
2015-10	EQUITY	4.84E+08
2015-10	LIABILITIES	2.78E+08
2015-11	ASSETS	7.62E+08
2015-11	EQUITY	4.84E+08
2015-11	LIABILITIES	2.78E+08
2015-12	ASSETS	7.59E+08
2015-12	EQUITY	4.81E+08
2015-12	LIABILITIES	2.78E+08

BLACKRIDGE	CASH_FLOW	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
2015-01	ENDING_CASH	90535000
2015-02	ENDING_CASH	99105000
2015-03	ENDING_CASH	1.08E+08
2015-04	ENDING_CASH	1.16E+08
2015-05	ENDING_CASH	1.25E+08
2015-06	ENDING_CASH	1.34E+08
2015-07	ENDING_CASH	1.42E+08
2015-08	ENDING_CASH	1.47E+08
2015-09	ENDING_CASH	1.51E+08
2015-10	ENDING_CASH	1.52E+08
2015-11	ENDING_CASH	1.52E+08
2015-12	ENDING_CASH	1.49E+08

BLACKRIDGE	EQUITY_STATEMENT	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
2015-01	ENDING_EQUITY	4.23E+08
2015-02	ENDING_EQUITY	4.31E+08
2015-03	ENDING_EQUITY	4.4E+08
2015-04	ENDING_EQUITY	4.48E+08
2015-05	ENDING_EQUITY	4.57E+08
2015-06	ENDING_EQUITY	4.66E+08
2015-07	ENDING_EQUITY	4.74E+08
2015-08	ENDING_EQUITY	4.79E+08
2015-09	ENDING_EQUITY	4.83E+08
2015-10	ENDING_EQUITY	4.84E+08
2015-11	ENDING_EQUITY	4.84E+08
2015-12	ENDING_EQUITY	4.81E+08

BLACKRIDGE	TRIAL_BALANCE_MONTHLY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	GENERAL_LEDGER_EXTRACT	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CHART_OF_ACCOUNTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	BUDGET_VS_ACTUAL	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	FORECAST_VS_ACTUAL	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	SITE_COST_REPORT	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	UNIT_COSTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	WORKING_CAPITAL	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	AP_AGING	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	AR_AGING	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CASH_RECON	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	FIXED_ASSET_ROLLFORWARD	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CIP_ROLLFORWARD	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	DEPRECIATION	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ARO_ROLLFORWARD	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	DEBT_ROLLFORWARD	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	INVENTORY_VALUATION	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ORE_WIP_CONC_VALUATION	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CAPEX_WBS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	PHASE4_DCF	Source: SQClassificati				
Dataset version	0.1.0	Schema v0.1.0				
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed	20150112			
Valuation date	Case	NPV	IRR	Carrying	Recoverabl	Impairmen
2015-12-31	revised_correlated_downside	1.33E+08	10.9	3.12E+08	2.6E+08	52050000

BLACKRIDGE	PHASE4_SENSITIVITY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	IMPAIRMENT_CALC	Source: SQClassificati				
Dataset version	0.1.0	Schema v0.1.0				
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed	20150112			
Valuation date	Case	NPV	IRR	Carrying	Recoverabl	Impairmen
2015-12-31	revised_correlated_downside	1.33E+08	10.9	3.12E+08	2.6E+08	52050000

BLACKRIDGE	MONTHLY_CLOSE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	EMPLOYEE_MASTER	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CONTRACTOR_MASTER	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	POSITION_MASTER	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ORG_ASSIGNMENTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CREWS_AND_SHIFTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	SCHEDULED_VS_ACTUAL	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	TIMESHEETS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	PAYROLL_SUMMARY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	LABOR_DISTRIBUTION	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	TRAINING_AND_CERTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	SYSTEM_ACCESS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	WORKFORCE_METRICS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	FACILITY_MASTER	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	BUILDINGS_AND_AREAS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	SITE_LOCATION_TREE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	MOBILE_FLEET	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	FIXED_ASSET_MASTER	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ASSET_HIERARCHY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	SERIALIZED_COMPONENTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	INSTALLATION_HISTORY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CRITICAL_EQUIPMENT	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ASSET_CRITICALITY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	METERS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ASSET_STATUS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	WORK_ORDERS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	MAINTENANCE_BACKLOG	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	DOWNTIME_EVENTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	PM_COMPLIANCE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	BAD_ACTORS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CONDITION_MONITORING	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	REPAIRABLE_POOL	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	BAY_AND_CRANE_CAPACITY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	MAINT_LABOR	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	MAINT_PARTS_USAGE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	HT004_GOLDEN_TRACE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ITEM_MASTER	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	WAREHOUSES_AND_BINS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	INVENTORY_BALANCES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	INVENTORY_TRANSACTIONS_EXTRACT	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CRITICAL_SPARES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	STOCKOUTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CYCLE_COUNTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	QUARANTINE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	VENDOR_MASTER	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CONTRACT_MASTER	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	PURCHASE_ORDERS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	OPEN_COMMITMENTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	GOODS_RECEIPTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	SUPPLIER_INVOICES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	THREE_WAY_MATCH	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	EXPEDITES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	VENDOR_PERFORMANCE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	MINE_PLAN	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	PITS_PHASES_BENCHES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ROAD_GRAPH	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	SHIFT_PLANS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	MATERIAL_MOVEMENT	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	HAUL_CYCLES_EXTRACT	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	FLEET_AVAILABILITY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ORE_EXPOSURE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	STOCKPILES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	BLEND_OPTIONALITY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	PLANT_DAILY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	PLANT_HOURLY_EXTRACT	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	METALLURGY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	LAB_ASSAYS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	RECOVERY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CONCENTRATE_LOTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	MASS_BALANCE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CONTAINED_METAL	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	OFFTAKE_CONTRACTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	SHIPMENTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	PROVISIONAL_INVOICES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	FINAL_SETTLEMENTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	PRICING_ADJUSTMENTS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ROYALTIES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	COMMERCIAL_RECON	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	MEETING_CALENDAR	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	MEETING_ATTENDEES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	DECISIONS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	ACTION_ITEMS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CAPITAL_APPROVALS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	KPI_DEFINITIONS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	KPI_HISTORY	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	VARIANCE_EXPLANATIONS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	SYSTEM_CATALOG	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	INTERFACES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	IDENTIFIER_MAP	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	DATA_LINEAGE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	SHADOW_IT_REGISTER	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	TRACKER_CHAIN	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	STATUS_DEFINITIONS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	PARALLEL_REPRESENTATIONS	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817fa	Seed 20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	DATA_QUALITY_ISSUES	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		

BLACKRIDGE	CASE_TIMELINE	Source: SQClassificati
Dataset version	0.1.0	Schema v0.1.0
Database SHA-256	f555e82108c4cbb5eaf1cc74c692abb21d28e8d8655817faSeed	20150112
This view is generated from the Use TABLE_CATALOG and query cookbook for complete high-volume records.		