

```
.git/MERGE_MSG [unix] (11:32 25/07/2026) 6,3 A
```

1	2	3	4	5	6
7	8	9	10	11	12
13	14	15	16	17	18
19	20	21	22	23	24
25	26	27	28	29	30

PASAJERO

Sell Ticket

Cancel Ticket

Search Passenger

VUELO

Print Passengers

View Income

Dispatch

PASAJERO

Sell Ticket

Cancel Ticket



Search Passenger

VUELO

Print Passengers

View Income

Dispatch



```
srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git pull
Updating e93480c..1e097b2
error: Your local changes to the following files would be overwritten by merge:
       src/PalindromoAir.java
Please commit your changes or stash them before you merge.
Aborting
```

```
$ git pull
Updating e93480c..1e097b2
error: Your local changes to the following files would be overwritten by merge:
       src/PalindromoAir.java
Please commit your changes or stash them before you merge.
Aborting

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
```

Commits on Jul 25, 2026

hice el codigo de search passenger
doufy209-stack committed 2 minutes ago

Showing 4 changed files with 28 additions and 4 deletions.

nbproject/private/private.xml

```
@@ -0,0 +1,4 @@
1 + <?xml version="1.0" encoding="UTF-8"?>
2 + <project-private xmlns="http://www.netbeans.org/ns/project-private/1">
3 +   <editor-bookmarks xmlns="http://www.netbeans.org/ns/editor-bookmarks/2" lastBookmarkId="0"/>
4 + </project-private>
```

src/PalindromoAir.java

```
@@ -8,8 +8,22 @@ public int firstAvailable(int index) {
8     }
9
10    public int searchPassenger(String name, int index) {
11 -        return 0;
11 +        if (index >= seats.length) {
12 +            return -1;
13 +        }
14 +        if (seats[index] != null) {
15 +            String nombrePasajero = seats[index].getName();
16 +            if (nombrePasajero.equalsIgnoreCase(name)) {
17 +                return index;
18 +            }
19 +        }
20 +    }
21
22 +    int siguientePosicion = searchPassenger(name, index + 1);
23 +    return siguientePosicion;
24 + }
25 + }
```

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more about diff comparisons](#).

base: e93480c08ee8fd236ca91fdcd3... ← compare: 07f3cd82aba1158f83986b6fbl...

→ 1 commit 1 file changed 1 contributor

Commits on Jul 25, 2026

trabaje en el metodo de firstAvailable
David Estrada authored and David Estrada committed 24 minutes ago

Showing 1 changed file with 1 addition and 1 deletion.

nbproject/private/private.properties

```
@@ -1,2 +1,2 @@
1     compile.on.save=true
2 - user.properties.file=C:\\Users\\srjul\\AppData\\Roaming\\NetBeans\\29\\build.properties
2 + user.properties.file=/Users/david/Library/Application Support/NetBeans/30/build.properties
```

Comparing changes

Choose two branches to see what's changed or to start a new pull request. If you need to, you can also [compare across forks](#) or [learn more](#).

 base: e93480c08ee8fd236ca91fdcd3... < compare: 07f3cd82aba1158f83986b6f1b1...

1 commit

1 file changed

Commits on Jul 25, 2026

trabaje en el metodo de firstAvailable

 David Estrada authored and David Estrada committed 24 minutes ago

Showing 1 changed file with 1 addition and 1 deletion.

2 nbproject/private/private.properties

... @@ -1,2 +1,2 @@

```
srjul@SrJulio MINGW64 ~ (master)
$ cd Desktop

srjul@SrJulio MINGW64 ~/Desktop (master)
$ cd Lab2_1_Tickets



srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ |
```

```
srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git add .

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git commit -m "PalindromoAir.java"
[main e93480c] PalindromoAir.java
5 files changed, 51 insertions(+), 25 deletions(-)
create mode 100644 src/Main.java
create mode 100644 src/PalindromoAir.java
rename src/{lab2_1_tickets => }/Ticket.java (98%)
delete mode 100644 src/lab2_1_tickets/Lab2_1_Tickets.java

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git push
Enumerating objects: 12, done.
Counting objects: 100% (12/12), done.
Delta compression using up to 14 threads
Compressing objects: 100% (8/8), done.
Writing objects: 100% (8/8), 1.22 KiB | 1.22 MiB/s, done.
Total 8 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/SrJooer/Lab2_1_Ticket.git
893d23b..e93480c main -> main

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ |
```




~/Desktop/Lab2_1_Ticket

```
srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git add .

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git commit -m "Clase Ticket.java"
[main 893d23b] Clase Ticket.java
1 file changed, 44 insertions(+)
create mode 100644 src/lab2_1_tickets/Ticket.java

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git push
Enumerating objects: 8, done.
Counting objects: 100% (8/8), done.
Delta compression using up to 14 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (5/5), 727 bytes | 727.00 KiB/s, done.
Total 5 (delta 1), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (1/1), completed with 1 local object.
To https://github.com/SrJooer/Lab2_1_Ticket.git
b0aea0a..893d23b main -> main

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ |
```




```
srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git add .

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git commit -m "Commit inicial"
[main (root-commit) b0aea0a] Commit inicial
8 files changed, 1987 insertions(+)
create mode 100644 build.xml
create mode 100644 manifest.mf
create mode 100644 nbproject/build-impl.xml
create mode 100644 nbproject/genfiles.properties
create mode 100644 nbproject/private/private.properties
create mode 100644 nbproject/project.properties
create mode 100644 nbproject/project.xml
create mode 100644 src/lab2_1_tickets/Lab2_1_Tickets.java

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git push -u origin main
Enumerating objects: 14, done.
Counting objects: 100% (14/14), done.
Delta compression using up to 14 threads
Compressing objects: 100% (11/11), done.
Writing objects: 100% (14/14), 15.70 KiB | 7.85 MiB/s, done.
Total 14 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/SrJooer/Lab2_1_Ticket.git
 * [new branch]      main -> main
branch 'main' set up to track 'origin/main'.

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ |
```

```
srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (master)
$ git remote add origin https://github.com/SrJooer/Lab2_1_Ticket.git

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (master)
$ git branch -M main

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ git push -u origin main
error: src refspec main does not match any
error: failed to push some refs to 'https://github.com/SrJooer/Lab2_1_Ticket.git'

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (main)
$ |
```

```

$ git init
Initialized empty Git repository in C:/Users/srjul/Desktop/Lab2_1_Tickets/.git/

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (master)
$ git status
On branch master

No commits yet

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    build.xml
    manifest.mf
    nbproject/
    src/

nothing added to commit but untracked files present (use "git add" to track)

srjul@SrJulio MINGW64 ~/Desktop/Lab2_1_Tickets (master)
$ |
compgpt [-o|+o option] [-DEI] [name .> set [-abefhkmnptuvxBCEHPT] [-o optio>
continue [n] shift [n]
coproc [NAME] command [redirections] shopt [-pqsu] [-o] [optname ...]
declare [-aAfFgiIlNrtux] [name[=value] source filename [arguments]
dirs [-clpv] [+N] [-N] suspend [-f]
disown [-h] [-ar] [jobspec ... | pid > test [expr]
echo [-neE] [arg ...] time [-p] pipeline
enable [-a] [-dnps] [-f filename] [na> times
eval [arg ...] trap [-lp] [[arg] signal_spec ...]
exec [-cl] [-a name] [command [argume> true
exit [n] type [-afptP] name [name ...]
export [-fn] [name[=value] ...] or ex> typeset [-aAfFgiIlNrtux] name[=value>
false ulimit [-SHabcdefiklmnpqrstuvxPRT] [>
fc [-e ename] [-lnr] [first] [last] o> umask [-p] [-S] [mode]
fg [job_spec] unalias [-a] name [name ...]
for NAME [in WORDS ... ] ; do COMMAND> unset [-f] [-v] [-n] [name ...]
for (( exp1; exp2; exp3 )); do COMMAN> until COMMANDS; do COMMANDS-2; done
function name { COMMANDS ; } or name > variables - Names and meanings of so>
getopts optstring name [arg ...] wait [-fn] [-p var] [id ...]
hash [-lr] [-p pathname] [-dt] [name > while COMMANDS; do COMMANDS-2; done
help [-dms] [pattern ...] { COMMANDS ; }

srjul@SrJulio MINGW64 ~
$ cd "C:\Users\srjul\Desktop\Lab2_1_Tickets"

```