

Daily Schedule

Two morning variants based on workout type. The rest of the day (work, study, wind-down) stays the same every day.

Schedule A — Strength days		Schedule B — Yoga / walk days	
Mon · Wed · Fri — light snack → workout → full meal		Tue · Thu · Sat · Sun — full meal → rest → light movement	
9:00	- Wake up + lemon water - Sunlight, light stretch	9:00	- Wake up + lemon water - Sunlight, light stretch
9:20	- Light snack - Overnight oats (½ portion) + 1 boiled egg - Or: 1 ragi laddoo + soaked almonds · ~150–200 kcal	9:20	- Full breakfast - Overnight oats (full) + eggs / pesarattu + sambar ~350–450 kcal · iron-rich · satisfying · no rush
10:00	- Strength training 45–50 min - Lower / upper / full body 40 min gap after light snack is safe for lifting	9:20–10:30	- Eat, rest, digest - Read your novel, journal, or just sit — 60–70 min gap needed
10:55	- Cool shower + dry off fully - Lukewarm water — helps hyperhidrosis	10:30	- Yoga / walk / dance 30–40 min - Restorative or low-impact movement - Low intensity = safe after full meal · yoga better on fed stomach
11:20	- Full breakfast (post-workout) - Ragi dosa / pesarattu / oats upma + eggs - Main meal — protein + complex carbs for muscle recovery	11:15	- Light freshen up - No intense sweating expected
12:00	- Study / job prep - Fed + post-exercise = peak focus window	11:30	- Study / job prep 30 min earlier than Schedule A — bonus focus time

Rest of every day — same regardless of schedule

1:30 pm	- Lunch — biggest meal of the day - Millet/brown rice + dal + iron-rich sabzi + 1 tsp ghee tadka + yogurt · No tea/coffee for 1 hr after
2:15 pm	- Hobby time or short walk - Painting, reading, or 15-min walk — buffer before work, lowers pre-work anxiety
2:45 pm	- Get ready for work - Pack dinner, freshen up · 4-7-8 breathing (4 in, 7 hold, 8 out) to settle anxiety
3:00 pm	- Work begins - Cold water bottle at desk — 2–3L through the day · helps hyperhidrosis and energy

- | | |
|----------|--|
| 5:30 pm | <ul style="list-style-type: none">● Mid-work snack
Roasted chana + 1–2 dates + almonds · or pumpkin/sunflower seeds · keeps blood sugar stable |
| 7:30 pm | <ul style="list-style-type: none">● Dinner break (1 hour)
Millet roti + dal + sabzi + yogurt · step outside briefly if possible · tulsi/chamomile tea after |
| 8:30 pm | <ul style="list-style-type: none">● Back to work
No caffeine from here — herbal tea only |
| 12:00 am | <ul style="list-style-type: none">● Work ends |
| 12:15 am | <ul style="list-style-type: none">● Late snack if needed
Small handful of pumpkin/sunflower seeds · magnesium for sleep + anxiety |
| 12:30 am | <ul style="list-style-type: none">● Wind-down — novel or painting
No screens · dim lights · signals sleep to your body |
| 1:15 am | <ul style="list-style-type: none">● Diary writing
Brain dump the day — relieves anxiety, clears mental load |
| 1:45 am | <ul style="list-style-type: none">● Sleep — target 7–8 hours
Cooler room temperature helps hyperhidrosis and deeper sleep |

Workout Plan

Strength 3x/week is the primary intervention for PCOS insulin resistance. Yoga/breathwork manages anxiety and hyperhidrosis triggers. Avoid high-intensity cardio that spikes cortisol. All sessions at 10:00am (Schedule A) or 10:30am (Schedule B).

● Strength · A ● Yoga · B ● Walk · B ● Rest · B

MONDAY	TUESDAY	WEDNESDAY	THURSDAY	FRIDAY	SATURDAY	SUNDAY
Strength · A	Yoga · B	Strength · A	Walk · B	Strength · A	Dance · B	Rest · B
Lower body Squats · Deadlifts · Lunges · Glute bridges 45 min · moderate weight	Restorative Pranayama (4-7-8) · Yin yoga · Hip openers 30 min · low intensity	Upper + core Push-ups · Rows · Shoulder press · Planks 45 min · moderate weight	Active recovery 30 min brisk walk outdoors + 10 min full-body stretch	Full body Squats + push-ups + rows + RDL circuit 45 min · 3 rounds	Low-impact cardio Dance or vinyasa yoga 30–40 min · joyful movement	Complete rest Gentle walk only if desired · Painting or reading

Exercise notes

- Schedule A — always eat light snack 40 min before lifting. Never train fully fasted (worsens insulin resistance)
- Schedule B — full breakfast 60–70 min before low-intensity movement is safe and preferred
- Avoid hot/humid environment — prefer AC or early morning outdoor to manage hyperhidrosis
- Carry cold water bottle + small cotton towel to every session
- Strength training improves insulin sensitivity within 4–6 weeks — prioritise it over cardio

Weekly Diet

Low-GI Telugu diet built around your overnight oats base. Millets replace white rice. Eggs + lentils + dark leafy greens for anemia. 5g jaggery in daily oats. 1–2 dates as occasional snack with nuts. 1 tsp ghee in tadka for lunch/dinner. High-GI fruits (banana, mango) only when paired with protein + fat — guava, apple, amla preferred daily. No tea/coffee within 1 hr of any meal.

	BREAKFAST	LUNCH · 1:30 PM	WORK DINNER · 7:30 PM	SNACK · 5:30 PM
Mon Sch A	Pre: ½ oats + 1 boiled egg Post-workout: ragi dosa + tomato chutney Iron: ragi · Vit C: tomato	Brown rice + palak pappu + drumstick sambar + yogurt + 1 tsp ghee tadka Iron: palak, dal · Probiotic: yogurt	Jowar roti + methi dal + cucumber raita Low-GI · Iron: methi	Roasted chana + almonds Protein · slow carbs
	BREAKFAST	LUNCH	WORK DINNER	SNACK
Tue Sch B	Full overnight oats (ragi + jaggery 5g + sesame + flaxseed) + 2 eggs scrambled Iron: ragi, sesame · Low-GI	Ragi sangati + gongura pappu + roasted brinjal + yogurt + ghee Signature Telugu · Iron: gongura	Veg egg fried rice (brown) + dal soup Protein: egg · Easy to pack	Pumpkin + sunflower seeds + guava Magnesium · Vit C
	BREAKFAST	LUNCH	WORK DINNER	SNACK
Wed Sch A	Pre: 1 ragi ladoo + soaked almonds Post: pesarattu (green moong) + ginger chutney Iron: moong · Protein-rich	Jowar roti + rajma curry + spinach stir-fry + yogurt + ghee Iron: rajma + spinach	Egg curry + 2 small rotis + tomato onion salad Protein: egg · Vit C: tomato	1–2 dates + walnuts Occasional date day
	BREAKFAST	LUNCH	WORK DINNER	SNACK
Thu Sch B	Full oats (amla powder + pumpkin seeds + yogurt stirred in) + 2 boiled eggs Vit C: amla → iron absorption ↑↑	Brown rice + sambar + beans palya + yogurt + ghee Iron: beans · Probiotic: yogurt	Bajra/samai khichdi + roasted papad + lemon squeeze Low-GI · Vit C: lemon	Roasted groundnuts + apple Iron + Vit C pairing

	BREAKFAST	LUNCH	WORK DINNER	SNACK
Fri Sch A	Pre: ½ oats + 1 egg Post: idli × 3 (ragi) + sambar + coconut chutney Fermented = gut health · Iron: ragi	Ragi sangati + nuvvula pachadi + egg curry + yogurt + ghee Iron: sesame, ragi · Protein: egg	Tomato rice (brown) + boiled egg + cucumber salad Vit C: tomato · Protein: egg	Roasted chana + amla juice Iron boost day
	BREAKFAST	LUNCH	HOME DINNER	SNACK
Sat Sch B	Full oats (jaggery 5g + sesame) + 2-egg omelette + amla juice Vit C: amla · Iron: sesame	Pesarattu + upma + gongura chutney + yogurt + ghee Weekend special · Iron: gongura	Light dal rice + methi stir-fry + yogurt Home dinner · Iron: methi	Mixed seeds + 1–2 dates + almonds Magnesium · weekend treat
	BREAKFAST	LUNCH	HOME DINNER	SNACK
Sun Sch B	Full oats (flaxseed + pumpkin seeds) + 2 boiled eggs + guava/apple Easy rest day · iron-rich	Full Telugu meal: brown rice + rasam + koora + pappu + yogurt + ghee Comfort + nourishing	Jowar roti + palak dal + small yogurt Iron: palak · Light close	Roasted groundnuts + apple or pear Low-GI fruit day

Overnight oats base (every day)

- ½ cup rolled oats + 1 tbsp ragi powder
- 5g jaggery (small piece, not full spoon)
- 1 tbsp sesame or pumpkin seeds
- Soak in water or diluted yogurt overnight
- Add amla powder or fresh amla in the morning
- Rotate toppings daily — see variations below

Festival days (no eggs)

- Pesarattu — best direct egg swap · high protein
- Sprouted moong on the side of oats
- 2 tbsp roasted chana powder stirred into oats
- Tofu scramble (turmeric + cumin) alongside
- 1 tbsp nutritional yeast in oats — covers B12 gap
- Rajma / black chickpeas for lunch protein

Fruits — daily vs occasional

- Daily (low-GI): guava, apple, pear, amla
- Occasional (paired only): ½ banana, small mango slice
- Always pair high-GI fruits with protein + fat
- Never eat high-GI fruit alone or on empty stomach
- Morning only for any higher-GI fruits
- Slightly underripe = lower GI than very ripe

Health Tips

PCOS + insulin resistance

- Eat within 30 min of waking — prevents cortisol spike
- Never skip breakfast — biggest insulin risk for PCOS
- Protein at every meal — eggs, dal, legumes, sprouted moong
- Strength train consistently — improves insulin sensitivity within 4–6 weeks
- 1 tsp ghee in tadka is safe and aids fat-soluble vitamin absorption
- 5g jaggery in oats is fine when embedded in a fiber-rich meal
- Keep a 10–12 hr eating window (9am–9pm) — mild IF helps PCOS
- Sleep 7–8 hrs — poor sleep directly worsens insulin resistance

Anemia (iron deficiency)

- Pair every iron source with Vitamin C — amla, lemon, tomato, guava
- Daily ragi — highest plant-based iron in Telugu cuisine
- Gongura, methi, palak, curry leaves — your iron powerhouses
- 5g jaggery daily in oats — ~1mg iron passively every morning
- 1–2 dates occasionally with nuts — not daily, not alone
- Ghee does NOT block iron — unlike milk/calcium which competes
- Sesame seeds (nurvulu) — sprinkle on meals daily
- Cast iron cookware for cooking — passively adds iron
- No tea/coffee within 1 hr before or after any meal
- Festival days: nutritional yeast covers the B12 gap from no eggs
- Check ferritin (not just hemoglobin) every 3 months

Palmoplantar hyperhidrosis

- Cool environment always — AC at work, cool room at home
- Avoid spicy foods, hot drinks, caffeine — all trigger sweating
- Dry hands frequently — small cotton towel at desk
- Aluminium chloride antiperspirant on palms at night
- Anxiety is a major trigger — yoga + breathing exercises directly help
- Stay well hydrated — reduces compensatory sweating
- Cotton socks only · open footwear at home
- Cool/lukewarm shower after every workout — not hot water

Anxiety management

- 4-7-8 breathing before work every day — non-negotiable
- Magnesium-rich foods daily: pumpkin seeds, spinach, almonds
- Diary writing at night — reduces next-day anxiety measurably
- Painting = flow state — cortisol drops during creative absorption
- No doom-scrolling after 11pm — novel reading only
- Consistent wake time even on weekends — anchors nervous system
- Tulsi/chamomile tea at work instead of caffeinated drinks
- Hyperhidrosis and anxiety are linked — treating one helps the other

Supplements to discuss with your doctor

- Iron + Vitamin C — dose based on your ferritin report, not just hemoglobin
- Myo-inositol + D-chiro-inositol (40:1 ratio) — clinically proven for PCOS insulin resistance
- Vitamin D3 — deficiency extremely common in PCOS; also reduces anxiety
- Magnesium glycinate — anxiety, sleep quality, and PCOS hormone balance
- B12 — especially if you have frequent festival days with no eggs
- Omega-3 (flaxseed oil) — reduces PCOS inflammation

Tests to get done (if not done recently)

- Ferritin + serum iron + TIBC — full iron panel, not just hemoglobin
- Fasting insulin + HbA1c — actual insulin resistance picture
- Vitamin D3 + B12 levels
- Thyroid panel (TSH, T3, T4) — frequently co-occurs with PCOS
- AMH + Day 2/3 hormonal panel — PCOS baseline once a year