

# **BOOK TAP**

*A*

*Mini Project Report*

*Submitted in the partial fulfilment of the*

*Requirements for the Degree of*

**BACHELOR OF ENGINEERING**

IN

**INFORMATION TECHNOLOGY**

BY

NIKITHA MARAMRAJU – 1602-19-737-145

GUGGILLA SHRI PALLAVI – 1602-19-737-171

SRAVYA REDDY ARROLLA – 1602-19-737-175

SRILEKHYA TURLAPATI – 1602-19-737-181



**Department of Information Technology**

**Vasavi College of Engineering (Autonomous)**

**(Affiliated to Osmania University)**

**Ibrahim Bagh, Hyderabad-31**

**2021**

**Department of Information Technology**

**Vasavi College of Engineering (Autonomous)**

**(Affiliated to Osmania University)**

**Ibrahim Bagh, Hyderabad-31**

**2021**



**DECLARATION BY CANDIDATE**

We, NIKITHA MARAMRAJU, GUGGILLA SHRI PALLAVI, SRAVYA REDDY ARROLLA, SRILEKHYA TURLAPATI bearing hall ticker numbers, 1602-19-737-145, 1602-19-737-171, 1602-19-737-175, 1601-19-737-181, hereby declare that the project report titled for the award of the degree of Bachelor of Engineering in Information Technology.

This is a record of bonafide work carried out by me and the results embodied in this project report have not been submitted to any other university or institute for the award of any other degree or diploma.

NIKITHA MARAMRAJU

1601-19-737-145

GUGGILLA SHRI PALLAVI

1601-19-737-171

SRAVYA REDDY ARROLLA

1602-19-737-175

SRILEKHYA TURLAPATI

1601-19-737-181

## **ACKNOWLEDGEMENTS**

We are overwhelmed in all humbleness and gratefulness to acknowledge our debt to all those who have helped us put these ideas, well above the level of simplicity and into something concrete. We are extremely thankful to our college, Vasavi College of Engineering, Hyderabad for providing the opportunity to implement our project, "BookTap" which helped us in learning many new things.

We would like to express our gratitude to Ms. Sidam Aruna, Associate Professor, Vasavi College of Engineering, for the esteemed guidance, moral support and invaluable advice provided by her for the success of the project.

We are also thankful for our friends and peers for their help and encouragement throughout the project.

NIKITHA MARAMRAJU

1601-19-737-145

GUGGILLA SHRI PALLAVI

1601-19-737-171

SRAVYA REDDY ARROLLA

1602-19-737-175

SRILEKHYA TURLAPATI

1601-19-737-181

## **ABSTRACT**

In this fast-paced world, many people don't have the time to go to a bookstore and choose a book. Keeping in mind the current pandemic, we have developed an application to bring the traditional bookstore to your device.

The intention behind this project is to design and implement a platform where multiple users can view different books of various genres, including the book's summary, author and rating. Users can post their opinions on books they've read and give a rating out of 5. They can also like and comment on other users' posts and can view the top trending books based on the genre.

Essentially, this application will simplify the exhausting process of selecting a book to read and help connect bibliophiles.

# TABLE OF CONTENTS

1. Requirement analysis	1-2
1.1. List of tables	1
1.2. List of attributes with their domain types	1
1.2.1. Users table	1
1.2.2. Liked genres table	1
1.2.3. Genres table	1
1.2.4. Books table	1
1.2.5. Posts table	2
1.2.6. Trending table	2
2. Architecture	3
2.1. Java swings	3
2.2. SQL	3
3. Technology	4
3.1. Software requirements	4
3.2. Hardware requirements	4
4. ER Diagram	5
5. Cardinality	6
6. Tables used in database	7-10
6.1. Users table	7
6.2. Liked genres table	7
6.3. Genres table	8
6.4. Books table	9
6.5. Posts table	9
6.6. Trending table	10
7. Implementation	11-214
7.1. Front end programming and connectivity	11
7.2. Code	12
7.2.1. WelcomeSplashScreen.java	12
7.2.2. MainOptionsScreen.java	15
7.2.3. Login.java	25
7.2.4. Register.java	32
7.2.5. Interests.java	44
7.2.6. HomePage.java	63
7.2.7. BooksPage.java	89
7.2.8. Posts.java	110
7.2.9. AddPost.java	128
7.2.10. Trending.java	141
7.2.11. TrendList.java	161
7.2.12. Profile.java	168
7.2.13. Settings.java	197
8. Github link and Folder structure	215
9. Testing	216-271
9.1. Screens	216-225

9.1.1. WelcomeSplashScreen.java	216
9.1.2. MainOptionsScreen.java	216
9.1.3. Login.java	217
9.1.4. Register.java	217
9.1.5. Interests.java	218
9.1.6. HomePage.java	219
9.1.7. BooksPage.java	221
9.1.8. Posts.java	222
9.1.9. AddPost.java	222
9.1.10. Trending.java	223
9.1.11. TrendList.java	224
9.1.12. Profile.java	224
9.1.13. Settings.java	225
9.2. Output testcases	226-271
9.2.1. MainOptionsScreen.java	226
9.2.2. Login.java	227
9.2.3. Register.java	228
9.2.4. Interests.java	230
9.2.5. HomePage.java	232
9.2.6. BooksPage.java	233
9.2.7. Posts.java	254
9.2.8. AddPost.java	260
9.2.9. Trending.java	262
9.2.10. TrendList.java	262
9.2.11. Profile.java	267
9.2.12. Settings.java	270
10. Conclusion	272
11. Future scope of project	273
12. References	274

# **1. REQUIREMENT ANALYSIS**

## **1.1. LIST OF TABLES**

- Users
- Liked genres
- Genres
- Books
- Posts
- Trending

## **1.2. LIST OF ATTRIBUTES WITH THEIR DOMAIN TYPES**

### **1.2.1. USERS TABLE**

- USERNAME VARCHAR2(100)
- FIRSTNAME VARCHAR2(100)
- LASTNAME VARCHAR2(100)
- EMAIL VARCHAR2(200)
- PASSWORD VARCHAR2(100)

### **1.2.2. LIKED GENRES**

- USERNAME VARCHAR2(100)
- INTERESTS VARCHAR2(50)

### **1.2.3. GENRES**

- BOOKID NUMBER(4)
- GENRENAME VARCHAR2(50)

### **1.2.4. BOOKS**

- BOOKID NUMBER(4)
- BOOKNAME VARCHAR2(200)
- AUTHORNAME VARCHAR2(200)
- BOOKSUMMARY CLOB
- RATING NUMBER(3,2)

- PUBLISHER VARCHAR2(100)
- IMAGE BLOB

### **1.2.5. POSTS**

- NAME VARCHAR2(200)
- AUTHOR VARCHAR2(200)
- GENRE VARCHAR2(30)
- REVIEW VARCHAR2(255)
- RATING NUMBER(2,1)
- IMAGE BLOB
- USERNAME VARCHAR2(100)
- TIME TIMESTAMP(6)

### **1.2.6. TRENDING**

- NAME VARCHAR2(200)
- AUTHOR VARCHAR2(100)
- GENRE VARCHAR2(50)
- RATING VARCHAR2(10)
- IMAGE BLOB

## **2. ARCHITECTURE**

### **2.1. JAVA SWINGS**

Java swing tutorial is a part of Java Foundation Classes (JFC) that is used to create window-based applications. It is built on the top of AWT (Abstract Windowing Toolkit) API and entirely written in java. Java swing provides platform independent and lightweight components. The javax.swing package provides classes for Java swing API such as JButton, JTextField, JTextArea, JCheckbox, JOptionPane etc. which we have used to perform various functions in our project

### **2.2. SQL**

Structured Query Language (SQL) is a database query language used for storing and managing data in Relational DBMS. SQL was the first commercial language introduced for E.F Codd's Relational model of database. Today almost all RDBMS (MySQL, Oracle, Infomix, Sybase, MS Access) use SQL as the standard database query language. SQL is used to perform all types of data operations in RDBMS. We have used Oracle database to implement our project.

### **3. TECHNOLOGY**

#### **3.1. SOFTWARE REQUIREMENTS**

The following are the software used in our project –


- Java SE version 15.0.2
- Oracle 11g database – SQLPLUS 11.2.0.2.0

#### **3.2. HARDWARE REQUIREMENTS**

The hardware interface requirements ensure the software executes all requests given by the user efficiently. They are –

- Processor – Intel core i5 and above
- RAM – Minimum 2GB/4GB and above

## 4. ER DIAGRAM



## **5. CARDINALITY**

- A Booktap application can have many users, hence it is a one- to -many relationship (1-N).
- A Booktap application can have many genre related books in it. Hence it is one-to-many relationship (1-N).
- All the users registered in the booktap can view a specific trendlist common to all. Hence it is a many to one relationship(N-1).
- All the users registered in booktap can post about any number of books. Hence it is a many- to- many relationship (N-N).
- All the users registered in booktap can view many number of specific genre related books. Hence it is a many-to-many relationship (N-N).

## 6. TABLES USED IN DATABASE

### 6.1. USERS TABLE

SQL> DESC USERS		Null?	Type
Name			
USERNAME			VARCHAR2(100)
FIRSTNAME			VARCHAR2(100)
LASTNAME			VARCHAR2(100)
EMAIL			VARCHAR2(200)
PASSWORD			VARCHAR2(100)

#	USERNAME	FIRSTNAME	LASTNAME	EMAIL	PASSWORD
1	pallavi	Guggilla	Shri Pallavi	pallavi@gmail.com	pallavi
2	srilekhya	Srilekhya	Turlapati	srilekhya@gmail.com	booktap21
3	shriya	Shriya	Sharma	shriya@gmail.com	shriya20
4	sravya	Sravya	Reddy	sravya@gmail.com	pass@21
5	nikitha	Nikitha	Maramraj	nikitha@gmail.com	nik8502

### 6.2. LIKED GENRES TABLE

SQL> DESC LIKEDGENRES		Null?	Type
Name			
USERNAME			VARCHAR2(100)
INTERESTS			VARCHAR2(50)

#	USERNAME	INTERESTS
1	sravya	Romance
2	sravya	Mystery
3	sravya	Fiction
4	nikitha	Mystery
5	nikitha	Adventure
6	nikitha	Horror
7	nikitha	Fiction
8	pallavi	Poetry
9	pallavi	Poetry
10	pallavi	Fantasy
11	srilekhya	Fantasy
12	srilekhya	Fiction
13	shriya	Non-Fiction
14	shriya	Horror

### 6.3. GENRES TABLE

SQL> DESC GENRES		
Name	Null?	Type
BOOKID		NUMBER(4)
GENRENAME		VARCHAR2(50)

#	BOOKID	GENRENAME
1	1	Adventure
2	1	Fiction
3	2	Fantasy
4	2	Children
5	3	Fantasy
6	3	Children
7	4	Fantasy
8	4	Children
9	5	Adventure
10	6	Classics
11	6	Romance
12	7	Adventure
13	7	Fantasy
14	7	Fantasy
15	7	Mystery
16	8	Adventure
17	8	Fantasy
18	8	Fiction
19	8	Mystery
20	9	Adventure
21	9	Fiction
22	10	Adventure
23	11	Adventure
24	11	Mystery
25	11	Fantasy
26	11	Fiction
27	12	Children
28	12	Fiction
29	12	Classics
30	13	Children
31	13	Adventure
32	14	Children
33	14	Fantasy
34	14	Fiction
35	15	Classics
36	15	Romance
37	16	Classics
38	17	Classics
39	18	Classics
40	19	Fiction
41	19	Fantasy
42	19	Adventure
43	20	Adventure
44	20	Fiction
45	20	Children
46	21	Mystery
47	21	Horror
48	21	Fiction

## 6.4. BOOKS TABLE

SQL> DESC BOOKS			
Name	Null?	Type	
BOOKID		NUMBER(4)	
BOOKNAME		VARCHAR2(200)	
AUTHORNAME		VARCHAR2(200)	
BOOKSUMMARY		CLOB	
RATING		NUMBER(3,2)	
PUBLISHER		VARCHAR2(100)	
IMAGE		BLOB	

1	29 Alexander Hamilton	Ron Chernow	It is a 2004 biography of American statesm...	5 Penguin Press	<BLOB 14 kB>
2	30 The Rumi Collection	Jalal ad-Din Muhammad Rumi	Jalal ad-Din Muhammad Rumi was a 13th-...	5 OneWorld Publications	<BLOB 9 kB>
3	31 The Complete Sonnets and Poems by William Shakespeare		This book combines his sonnets and unfor...	5 Oxford University Press	<BLOB 19 kB>
4	32 The Poetry of Robert Frost	Robert Frost	Appropriately, Robert Frost's Poems contai...	5 Vintage	<BLOB 15 kB>
5	33 Jane Eyre	Charlotte Bronte	This 1847 classic tells the tale of courageo...	5 Smith, Elder and Co.	<BLOB 15 kB>
6	34 The Notebook	Nicholas Sparks	The Notebook is a contemporary love story ...	5 Warner Books	<BLOB 17 kB>
7	35 Gone With The Wind	Margaret Mitchell	The story is set in Clayton County and Atl...	4.5 Macmillan Publishers	<BLOB 18 kB>
8	36 The Proposal	Jasmine Gullory	Freelance writer Nik's boyfriend proposes a...	3.7 Hachet UK	<BLOB 14 kB>
9	19 The Hobbit	J.R.R. Tolkien	One day while grading essays, JRR Tolkien ...	5 George Allen and Unwin	<BLOB 13 kB>
10	20 Gulliver's Travels	Jonathan Swift	Humorist Jonathan Swift chronicles the tra...	4.3 Benjamin Motte	<BLOB 18 kB>
11	21 Invisible Man	H.G. Wells	Published in 1897, this story concerns the li...	3.8 C. Arthur Pearson	<BLOB 8 kB>
12	22 The Haunting of Hill House	Shirley Jackson	The Haunting of Hill House is simply the be...	3.9 Viking	<BLOB 19 kB>
13	23 Dracula	Bram Stoker	This novel is told by multiple narrators in a ...	4.3 Archibald Constable and Company	<BLOB 18 kB>
14	24 The Shining	Stephen King	Published in 1977, this famous novel center...	5 Doubleday	<BLOB 12 kB>
15	25 The Exorcist	William Peter Blatty	Based on true events, The Exorcist is a 197...	5 Harper and Row	<BLOB 10 kB>
16	26 IT	Stephen King	The story follows the experiences of seven ...	5 Viking	<BLOB 13 kB>
17	27 A Brief History of Time	Stephen Hawking	It is a book on theoretical cosmology by En...	5 Bantam Dell Publishing Group	<BLOB 19 kB>
18	28 The Diary of a Young Girl	Anne Frank	It is a book of the writings from the Dutch-l...	5 Contact Publishing	<BLOB 16 kB>
19	9 Life of Pi	Yann Martel	Piscine Patel, nicknamed Pi, relates the sto...	5 Knopf Canada	<BLOB 16 kB>
20	10 Around the World in 80 Days	Jules Verne	If you had a spare 80 days, what would you...	4.8 Pierre-Jules Hetzel	<BLOB 18 kB>
21	11 The Mysterious Island	Jules Verne	Another adventure story by Jules Verne, T...	4 Pierre-Jules Hetzel	<BLOB 14 kB>
22	12 Jungle Book	Rudyard Kipling	Rudyard Kipling published this book in 189...	4 Macmillan	<BLOB 24 kB>
23	13 The Adventures of Tom Sawyer	Mark Twain	The Adventures of Tom Sawyer is an 1876 ...	4.2 American Publishing Company	<BLOB 21 kB>
24	14 The Tale of Despereaux	Kate DiCamillo	You've probably never met a hero like Desp...	3.9 Candlewick Press	<BLOB 15 kB>
25	15 Little Women	Louisa May Alcott	In Little Women, Louisa May Alcott set out ...	5 Robert Brothers	<BLOB 17 kB>
26	16 A Tale of Two Cities	Charles Dickens	After 18 years in the Bastille, Dr Manette is...	4.7 London: Chapman and Hall	<BLOB 19 kB>
27	17 To Kill a Mockingbird	Harper Lee	A novel before its time, Harper Lee's Pult...	4.5 J.B. Lippincott and Co.	<BLOB 19 kB>
28	18 Oliver Twist	Charles Dickens	The story centres on orphan Oliver Twist, b...	4.8 Richard Bentley	<BLOB 19 kB>
29	1 Treasure Island	Robert Louis Stevenson	Treasure Island is an adventure novel by Sc...	3.38 Kingfisher	<BLOB 21 kB>
30	2 Harry Potter and the Sorcerer's Stone	J.K. Rowling	Harry Potter and the Sorcerer's Stone bring...	4.59 Scholastic Inc.	<BLOB 19 kB>
31	3 Alice's Adventures in Wonderland	Lewis Carroll	In this quintessential novel, seven-year-old...	4 Macmillan Publishers	<BLOB 21 kB>
32	4 The Lion, the Witch, and the Wardrobe	C.S. Lewis	As the first of seven novels in the series Th...	4.79 Geoffrey Bles	<BLOB 20 kB>
33	5 Twenty Thousand Leagues Under the Seas	Jules Verne	In this tale, the Atlantic Ocean is plagued b...	5 Pierre-Jules Hetzel	<BLOB 18 kB>
34	6 Pride and Prejudice	Jane Austen	Pride and Prejudice follows the character d...	4.3 Thomas Egerton	<BLOB 20 kB>
35	7 Moby Dick	Herman Melville	Call me Ishmael, begins this epic story. Acc...	5 Richard Bentley, Harper and Brothers	<BLOB 14 kB>
36	8 Journey to the Center of the Earth	Jules Verne	Journey to the Center of the Earth is exact!...	4 Pierre-Jules Hetzel	<BLOB 14 kB>

## 6.5. POSTS TABLE

SQL> DESC POSTS			
Name	Null?	Type	
NAME		VARCHAR2(200)	
AUTHOR		VARCHAR2(200)	
GENRE		VARCHAR2(30)	
REVIEW		VARCHAR2(255)	
RATING		NUMBER(2,1)	
IMAGE		BLOB	
USERNAME		VARCHAR2(100)	
TIME		TIMESTAMP(6)	

#	NAME	AUTHOR	GENRE	REVIEW	RATING	IMAGE
1	A walk to remember	Nicholas Sparks	Romance	A Walk to Remember truly is a beautiful bo...	4.3	<BL0B 51 kB>
2	The Woman who saved my life	Himanshu Goel	Poetry	This is a collection of beautiful poetry writ...	4.3	<BL0B 20 kB>
3	Where the crawdads sing	Delia Owens	Fiction	This wonderful novel has a bit of everythin...	4.4	<BL0B 36 kB>
4	Alice's adventures in wonderland	Lewis Carroll	Classics	The book is brilliant for children, but with e...	4.3	<BL0B 38 kB>
5	These violent delights	Chloe Gong	Fantasy	This is a strong, epic debut novel from pro...	4.2	<BL0B 31 kB>
6	Near the bone	Christina Henry	Horror	A woman trapped on a mountain attempts ...	4.2	<BL0B 19 kB>
7	Becoming	Michelle Obama	Non-fiction	Becoming Is the deeply personal reckoning ...	4.7	<BL0B 21 kB>
8	Life of Pi	Yann Martel	Adventure	"Life of Pi" is a beautiful, emotionally reson...	4.8	<BL0B 32 kB>
9	The Guest List	Lucy Foley	Mystery	Clever!	4.3	<BL0B 34 kB>

## 6.6. TRENDING TABLE

SQL> DESC TRENDING		
Name	Null?	Type
NAME		VARCHAR2(200)
AUTHOR		VARCHAR2(100)
GENRE		VARCHAR2(50)
RATING		VARCHAR2(10)
IMAGE		BLOB

#	NAME	AUTHOR	GENRE	RATING	IMAGE
1	Little Women	Louisa May Alcott	Classics	4.6	<BL0B 47 kB>
2	Six of Crows	Leigh Bardugo	Fantasy	4.6	<BL0B 34 kB>
3	Angels and Demons	Dan Brown	Adventure	4.6	<BL0B 24 kB>
4	The Night Circus	Erin Morgenstern	Fantasy	4.7	<BL0B 27 kB>
5	Serpent and Dove	Shelby Mahurin	Fantasy	4.4	<BL0B 34 kB>
6	Where the moon sets	Eden V. Smith	Poetry	4.5	<BL0B 9 kB>
7	Leaves of Grass	Walt Whitman	Poetry	4.3	<BL0B 32 kB>
8	All this wild hope	Sabina Laura	Poetry	4.6	<BL0B 15 kB>
9	Such Pretty Things	Lisa Heathfield	Horror	4.2	<BL0B 21 kB>
10	The Midnight Library	Matt Haig	Fiction	4.7	<BL0B 28 kB>
11	The Hating Game	Sally Thorne	Fiction	4.4	<BL0B 31 kB>
12	Beach Read	Emily Henry	Romance	4.6	<BL0B 26 kB>
13	Love the way you lie	Lisa Unger	Horror	4.3	<BL0B 38 kB>
14	Paradox Lake	Vincent Zandri	Horror	4.5	<BL0B 30 kB>
15	Truly Devious	Maureen Johnson	Mystery	4.5	<BL0B 36 kB>
16	Sharp Objects	Gillyan Flynn	Mystery	4.6	<BL0B 18 kB>
17	The Woman in the Window	A. J. Finn	Mystery	4.8	<BL0B 43 kB>
18	Homo Deus	Yuval Noah Harari	Non-fiction	4.8	<BL0B 23 kB>
19	Tuesdays with Morrie	Mitch Albom	Non-fiction	4.6	<BL0B 20 kB>
20	The Diary of a Young Girl	Anne Frank	Non-fiction	4.8	<BL0B 29 kB>
21	Anxious People	Fredrik Backman	Fiction	4.5	<BL0B 35 kB>
22	It ends with us	Colleen Hoover	Romance	4.4	<BL0B 38 kB>
23	Eleanor and Park	Rainbow Rowell	Romance	4.8	<BL0B 28 kB>
24	Treasure Island	Robert Louis Stevenson	Adventure	4.2	<BL0B 31 kB>
25	Life of Pi	Yann Martel	Adventure	4.6	<BL0B 32 kB>
26	Heidi	Johanna Spyri	Classics	4.5	<BL0B 44 kB>
27	Macbeth	William Shakespeare	Classics	4.3	<BL0B 16 kB>

## 7. IMPLEMENTATION

### 7.1. FRONT END PROGRAMMING AND CONNECTIVITY

Java Database Connectivity (JDBC) is an application programming interface (API) for the programming language Java, which defines how a client may access a database. It is a Java-based data access technology used for Java database connectivity. It is a part of the Java Edition platform, from Oracle Corporation. It provides methods to query and update data in a database and is oriented towards relational databases.

The connection to the database can be performed using Java programming (JDBC API) as –

```
import java.sql.*;
public class Connection {
    public static void main (String[] args) {
        try {
            //step1 load the driver class
            Class.forName("oracle.jdbc.driver.OracleDriver");

            //step2 create the connection object
            Connection con = DriverManager.getConnection("jdbc:oracle:thin:@
                localhost:1521:xe", "it175", "sravya");

            //step3 create the statement object
            Statement stmt = con.createStatement();

            Statement.executeUpdate("COMMIT");

            //close the connection
            con.close();
        }
        catch (Exception e){
            JOptionPane.showMessageDialog(null, e);
        }
    }
}
```

Connection to Oracle database through Java frontend has now been done. Now you can update your tables directly in your database through Java.

## 7.2. CODE

### 7.2.1. WelcomeSplashScreen.java

```
package booktap;

public class WelcomeSplashScreen extends javax.swing.JFrame {

    public WelcomeSplashScreen() {
        initComponents();
    }

    private void initComponents() {

        jPanel_Background = new javax.swing.JPanel();
        jProgressBar_LoadingBar = new javax.swing.JProgressBar();
        jLabel_Percent = new javax.swing.JLabel();
        jPanel_Heading = new javax.swing.JPanel();
        BookTapHeadingLabel = new javax.swing.JLabel();
        jLabel_BackgroundImage = new javax.swing.JLabel();

        setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
        setTitle("WELCOME SPLASH SCREEN");
        setSize(new java.awt.Dimension(998, 570));

        jPanel_Background.setBackground(new
java.awt.Color(255, 255, 255));
        jPanel_Background.setMinimumSize(new
java.awt.Dimension(998, 570));
        jPanel_Background.setPreferredSize(new
java.awt.Dimension(998, 570));
        jPanel_Background.setLayout(new
org.netbeans.lib.awtextra.AbsoluteLayout());

        jProgressBar_LoadingBar.setForeground(new
java.awt.Color(139, 69, 19));
        jPanel_Background.add(jProgressBar_LoadingBar, new
org.netbeans.lib.awtextra.AbsoluteConstraints(70, 470, 880, 20));

        jLabel_Percent.setBackground(new java.awt.Color(255,
102, 153));
```

```
jLabel_Percent.setFont(new java.awt.Font("Century Gothic", 1, 24)); // NOI18N
jLabel_Percent.setForeground(new java.awt.Color(255, 102, 0));
jLabel_Percent.setText("%");
jPanel_Background.add(jLabel_Percent, new org.netbeans.lib.awtextra.AbsoluteConstraints(480, 390, 200, 90));

jPanel_Heading.setBackground(new java.awt.Color(139, 69, 19));
jPanel_Heading.setPreferredSize(new java.awt.Dimension(640, 180));

BookTapHeadingLabel.setBackground(new java.awt.Color(0, 0, 0));
BookTapHeadingLabel.setFont(new java.awt.Font("Malgun Gothic", 0, 100)); // NOI18N
BookTapHeadingLabel.setText("BookTap");

javax.swing.GroupLayout jPanel_HeadingLayout = new javax.swing.GroupLayout(jPanel_Heading);
jPanel_Heading.setLayout(jPanel_HeadingLayout);
jPanel_HeadingLayout.setHorizontalGroup(
    jPanel_HeadingLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel_HeadingLayout.createSequentialGroup()
            .addGap(123, 123, 123)
            .addComponent(BookTapHeadingLabel)
            .addGap(103, 103, 103))
);

jPanel_HeadingLayout.setVerticalGroup(
    jPanel_HeadingLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel_HeadingLayout.createSequentialGroup()
            .addGap(27, 27, 27)
            .addComponent(BookTapHeadingLabel, javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(32, 32, 32))
);

.addGroup(jPanel_HeadingLayout.createSequentialGroup()
    .addGap(27, 27, 27)
    .addComponent(BookTapHeadingLabel, javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(32, 32, 32))
);
```

```

        jPanel_Background.add(jPanel_Heading,           new
org.netbeans.lib.awtextra.AbsoluteConstraints(190, 60, 620, -1));

        jLabel_BackgroundImage.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/BookFlip.gif"))); // NOI18N
        jPanel_Background.add(jLabel_BackgroundImage,   new
org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0, 998, 570));

        javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
            layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(layout.createSequentialGroup()
                    .addContainerGap()
                    .addComponent(jPanel_Background,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.DEFAULT_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(0, 0, Short.MAX_VALUE))
            .addGroup(layout.createSequentialGroup()
                .addContainerGap()
                .addComponent(jLabel_BackgroundImage,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(0, 0, Short.MAX_VALUE))
        );
        layout.setVerticalGroup(
            layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(layout.createSequentialGroup()
                    .addContainerGap()
                    .addComponent(jPanel_Background,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.DEFAULT_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE))
                .addGroup(layout.createSequentialGroup()
                    .addContainerGap()
                    .addComponent(jLabel_BackgroundImage,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.DEFAULT_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE))
        );

        pack();
        setLocationRelativeTo(null);
    }

    public static void main(String args[]) {
        WelcomeSplashScreen mysplash=new
WelcomeSplashScreen();
        mysplash.setVisible(true);
        try
        {

```

```

        for(int i=0;i<=100;i++)
        {
            Thread.sleep(40);

mysplash.jProgressBar_LoadingBar.setValue(i);

            mysplash.jLabel_Percent.setText(Integer.t
oString(i)+"%");
        }
    }
    catch(Exception e)
    {
    }
    new MainOptionsScreen().setVisible(true);
    mysplash.dispose();
}

private javax.swing.JLabel BookTapHeadingLabel;
private javax.swing.JLabel jLabel_BackgroundImage;
private javax.swing.JLabel jLabel_Percent;
private javax.swing.JPanel jPanel_Background;
private javax.swing.JPanel jPanel_Heading;
private javax.swing.JProgressBar jProgressBar_LoadingBar;
}

```

## 7.2.2. MainOptionsScreen.java

```

package booktap;

public class MainOptionsScreen extends javax.swing.JFrame {

    public MainOptionsScreen() {
        initComponents();
    }

    private void initComponents() {

        Outerpane = new javax.swing.JLayeredPane();
        Outerpanel = new javax.swing.JPanel();
        jLayeredPane_InnerPane          =
new
        javax.swing.JLayeredPane();
        JPanel_InnerPanel = new javax.swing.JPanel();

```

```

jLabel_BookTap = new javax.swing.JLabel();
jLabel_Login = new javax.swing.JButton();
jButton_Register = new javax.swing.JButton();
jButton_Exit = new javax.swing.JButton();
jLabel_Logo = new javax.swing.JLabel();

setDefaultCloseOperation(javax.swing.WindowConstants.
EXIT_ON_CLOSE);
setTitle("MAIN OPTIONS");
setSize(new java.awt.Dimension(1000, 600));

Outerpane.setPreferredSize(new
java.awt.Dimension(1000, 600));

Outerpanel.setBackground(new java.awt.Color(43, 37,
56));
Outerpanel.setPreferredSize(new
java.awt.Dimension(1000, 600));

javax.swing.GroupLayout
jLayeredPane_InnerPaneLayout = new
javax.swing.GroupLayout(jLayeredPane_InnerPane);
jLayeredPane_InnerPane.setLayout(jLayeredPane_
InnerPaneLayout);
jLayeredPane_InnerPaneLayout.setHorizontalGroup(
jLayeredPane_InnerPaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGap(0, 921, Short.MAX_VALUE)
);
jLayeredPane_InnerPaneLayout.setVerticalGroup(
jLayeredPane_InnerPaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGap(0, 529, Short.MAX_VALUE)
);

jPanel_InnerPanel.setBackground(new java.awt.Color(17,
94, 111));

jLabel_BookTap.setBackground(new java.awt.Color(255,
102, 153));
jLabel_BookTap.setFont(new java.awt.Font("Malgun
Gothic", 0, 90)); // NOI18N
jLabel_BookTap.setForeground(new java.awt.Color(255,
255, 255));

```

```

        jLabel_BookTap.setText("BookTap");

        jLabel_Login.setBackground(new java.awt.Color(255, 182, 28));
        jLabel_Login.setFont(new java.awt.Font("Malgun Gothic", 1, 18)); // NOI18N
        jLabel_Login.setForeground(new java.awt.Color(43, 37, 56));
        jLabel_Login.setText("LOGIN");
        jLabel_Login.setBorder(null);
        jLabel_Login.setFocusPainted(false);

        jLabel_Login.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                jLabel_LoginActionPerformed(evt);
            }
        });

        jButton_Exit.setBackground(new java.awt.Color(255, 182, 28));
        jButton_Exit.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
        jButton_Exit.setForeground(new java.awt.Color(43, 37, 56));
        jButton_Exit.setText("Exit");
        jButton_Exit.setBorder(null);
        jButton_Exit.setFocusPainted(false);
        jButton_Exit.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                jButton_ExitActionPerformed(evt);
            }
        });

        jLabel_Logo.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/LOGO.PNG"))); // NOI18N
        jLabel_Logo.setPreferredSize(new
java.awt.Dimension(87, 87));

        javax.swing.GroupLayout jPanel_InnerPanelLayout = new
javax.swing.GroupLayout(jPanel_InnerPanel);

```

```

jPanel_InnerPanel.setLayout(jPanel_InnerPanelLayout);
jPanel_InnerPanelLayout.setHorizontalGroup (
jPanel_InnerPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel_InnerPanelLayout.createSequentialGroup()
.addContainerGap(229, Short.MAX_VALUE)

.addGroup(jPanel_InnerPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel_InnerPanelLayout.createSequentialGroup()
.addGroup(jPanel_InnerPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_InnerPanelLayout.createSequentialGroup()
.addGroup(jPanel_InnerPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
.addGroup(jPanel_InnerPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
.addComponent(jButton_Register,
javax.swing.GroupLayout.PREFERRED_SIZE, 218,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addComponent(jLabel_Login,
javax.swing.GroupLayout.PREFERRED_SIZE, 218,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGap(337, 337, 337))

.addGroup(jPanel_InnerPanelLayout.createSequentialGroup()
.addGroup(jPanel_InnerPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_InnerPanelLayout.createSequentialGroup()
.addComponent(jLabel_Logo,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(30, 30, 30)

.addComponent(jLabel_BookTap)
.addGap(214, 214, 214))

.addGroup(jPanel_InnerPanelLayout.createSequentialGroup()
.addGroup(jPanel_InnerPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_InnerPanelLayout.createSequentialGroup()
.addComponent(jButton_Exit,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(59, 59, 59)))
);

```

```

        jPanel_InnerPanelLayout.setVerticalGroup(
jPanel_InnerPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(jPanel_InnerPanelLayout.createSequentialGroup()

.addGroup(jPanel_InnerPanelLayout.createParallelGroup(
javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(jPanel_InnerPanelLayout.createSequentialGroup()

.addGap(43, 43, 43)

.addComponent(jLabel_BookTap))

.addGroup(jPanel_InnerPanelLayout.createSequentialGroup()
up()

.addGap(61, 61, 61)

.addComponent(jLabel_Logo,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))

.addGap(76, 76, 76)

.addComponent(jLabel_Login,
javax.swing.GroupLayout.PREFERRED_SIZE,           52,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addGap(46, 46, 46)

.addComponent(jButton_Register,
javax.swing.GroupLayout.PREFERRED_SIZE,           52,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
60, Short.MAX_VALUE)

.addComponent(jButton_Exit,
javax.swing.GroupLayout.PREFERRED_SIZE,           38,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addGap(36, 36, 36))

});

javax.swing.GroupLayout OuterpanelLayout = new
javax.swing.GroupLayout(Outerpanel);

```

```

        Outerpanel.setLayout(OuterpanelLayout);
        OuterpanelLayout.setHorizontalGroup(
OuterpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(OuterpanelLayout.createSequentialGroup()
        .addGap(44, 44, 44)
        .addComponent(jPanel_InnerPanel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(jLayeredPane_InnerPane,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
);

        OuterpanelLayout.setVerticalGroup(
OuterpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(OuterpanelLayout.createSequentialGroup()
        .addGap(47, 47, 47)
        .addComponent(jLayeredPane_InnerPane,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
OuterpanelLayout.createSequentialGroup()
        .addContainerGap(39, Short.MAX_VALUE)

```

```

        .addComponent(jPanel_InnerPanel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addContainerGap(38, Short.MAX_VALUE))

);

Outerpane.setLayer(Outerpanel,
javax.swing.JLayeredPane.DEFAULT_LAYER);

Outerpane.setLayout(OuterpaneLayout);
OuterpaneLayout.setHorizontalGroup(
OuterpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
OuterpaneLayout.createSequentialGroup()

.addComponent(Outerpanel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addGap(0, 0, Short.MAX_VALUE))

);

OuterpaneLayout.setVerticalGroup(
OuterpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
OuterpaneLayout.createSequentialGroup()
.addComponent(Outerpanel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addGap(0, 0, Short.MAX_VALUE))

```

```

);

        javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(Outerpane,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
);
        layout.setVerticalGroup(
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(Outerpane,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
);
        pack();
        setLocationRelativeTo(null);
    }

    private void jButton_RegisterActionPerformed(java.awt.event.ActionEvent evt) {
        Register r=new Register();
        r.show();
        dispose();
    }

    private void jLabel_LoginActionPerformed(java.awt.event.ActionEvent evt) {
        Login l = new Login();

```

```

        l.show();
        dispose();
    }

    private void
jButton_ExitActionPerformed(java.awt.event.ActionEvent evt) {
    System.exit(0);
}

public static void main(String args[]) {
    try {
        for(javax.swing.UIManager.LookAndFeelInfo info
: javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Metal".equals(info.getName())) {
                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {
        java.util.logging.Logger.getLogger(MainOptionsS
creen.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    }
    catch (InstantiationException ex) {
        java.util.logging.Logger.getLogger(MainOptionsS
creen.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    }
    catch (IllegalAccessException ex) {

```

```

        java.util.logging.Logger.getLogger(MainOptionsS
creen.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    }
    catch (javax.swing.UnsupportedLookAndFeelException
ex) {
        java.util.logging.Logger.getLogger(MainOptionsS
creen.class.getName()).log(java.util.logging.Level.
SEVERE, null, ex);
    }

    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new MainOptionsScreen().setVisible(true);
        }
    });
}

private javax.swing.JLayeredPane Outerpane;
private javax.swing.JPanel Outerpanel;
private javax.swing.JButton jButton_Exit;
private javax.swing.JButton jButton_Register;
private javax.swing.JLabel jLabel_BookTap;
private javax.swing.JButton jLabel_Login;
private javax.swing.JLabel jLabel_Logo;
private javax.swing.JLayeredPane jLayeredPane_InnerPane;
private javax.swing.JPanel jPanel_InnerPanel;
}

```

### 7.2.3. Login.java

```
package booktap;

import java.sql.*;
import javax.swing.JOptionPane;

public class Login extends javax.swing.JFrame {

    public Login() {
        Connection con = null;
        PreparedStatement pstmt = null;
        ResultSet rs = null;
        initComponents();
    }

    private void initComponents() {

        jPanel_Login = new javax.swing.JPanel();
        jLabel_Login = new javax.swing.JLabel();
        jLabel_Username = new javax.swing.JLabel();
        jLabel_Password = new javax.swing.JLabel();
        jTextField_Username = new javax.swing.JTextField();
        jPasswordField_Password = new javax.swing.JPasswordField();
        jButton_Login = new javax.swing.JButton();
        jButton_GoBack = new javax.swing.JButton();
        jLabel_Background = new javax.swing.JLabel();

        setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
        setTitle("LOGIN");
        setSize(new java.awt.Dimension(1000, 600));
        getContentPane().setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

        jPanel_Login.setBackground(new java.awt.Color(0, 0, 200));
        jPanel_Login.setForeground(new java.awt.Color(255, 255, 255));
        jPanel_Login.setOpaque(true);

        jLabel_Login.setBackground(new java.awt.Color(255, 200, 90));
        jLabel_Login.setOpaque(true);

        org.jdesktop.layout.GroupLayout jPanel_LoginLayout = new org.jdesktop.layout.GroupLayout(jPanel_Login);
        jPanel_Login.setLayout(jPanel_LoginLayout);
        jPanel_LoginLayout.setHorizontalGroup(
            jPanel_LoginLayout.createParallelGroup(org.jdesktop.layout.GroupLayout.LEADING)
            .add(jPanel_LoginLayout.createSequentialGroup()
                .addContainerGap()
                .add(jLabel_Login, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE, 150, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE)
                .addContainerGap())
        );
        jPanel_LoginLayout.setVerticalGroup(
            jPanel_LoginLayout.createParallelGroup(org.jdesktop.layout.GroupLayout.LEADING)
            .add(jPanel_LoginLayout.createSequentialGroup()
                .addContainerGap()
                .add(jLabel_Login, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE, 150, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE)
                .addContainerGap())
        );

        org.jdesktop.layout.GroupLayout layout = new org.jdesktop.layout.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
            layout.createParallelGroup(org.jdesktop.layout.GroupLayout.LEADING)
            .add(layout.createSequentialGroup()
                .addContainerGap()
                .add(jPanel_Login, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE, 350, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(org.jdesktop.layout.LayoutStyle.RELATED)
                .add(jButton_Login, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE, 100, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(org.jdesktop.layout.LayoutStyle.RELATED)
                .add(jButton_GoBack, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE, 100, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE)
                .addContainerGap())
            .add(layout.createSequentialGroup()
                .addContainerGap()
                .add(jLabel_Background, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE, 600, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE)
                .addContainerGap())
        );
        layout.setVerticalGroup(
            layout.createParallelGroup(org.jdesktop.layout.GroupLayout.LEADING)
            .add(layout.createSequentialGroup()
                .addContainerGap()
                .add(jPanel_Login, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE, 350, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(org.jdesktop.layout.LayoutStyle.RELATED)
                .add(jButton_Login, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE, 40, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(org.jdesktop.layout.LayoutStyle.RELATED)
                .add(jButton_GoBack, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE, 40, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE)
                .addContainerGap())
            .add(layout.createSequentialGroup()
                .addContainerGap()
                .add(jLabel_Background, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE, 600, org.jdesktop.layout.GroupLayout.PREFERRED_SIZE)
                .addContainerGap())
        );
    }
}
```

```

        jLabel_Login.setFont(new java.awt.Font("Malgun
Gothic", 1, 45)); // NOI18N
        jLabel_Login.setForeground(new java.awt.Color(255,
200, 90));
        jLabel_Login.setText(" LOGIN");

        jLabel_Username.setBackground(new
java.awt.Color(255, 200, 90));
        jLabel_Username.setFont(new java.awt.Font("Malgun
Gothic", 1, 20)); // NOI18N
        jLabel_Username.setForeground(new java.awt.Color(255,
200, 90));
        jLabel_Username.setText("Username ");

        jLabel_Password.setBackground(new java.awt.Color(255,
200, 90));
        jLabel_Password.setFont(new java.awt.Font("Malgun
Gothic", 1, 20)); // NOI18N
        jLabel_Password.setForeground(new java.awt.Color(255,
200, 90));
        jLabel_Password.setText("Password ");

        jTextField_Username.setBackground(new
java.awt.Color(255, 200, 90));
        jTextField_Username.setFont(new java.awt.Font("Malgun
Gothic", 1, 14)); // NOI18N

        jTextField_Username.setBorder(javax.swing.BorderFactory.createEmptyBorder(1, 5, 1, 1));

        jPasswordField_Password.setBackground(new
java.awt.Color(255, 200, 90));
        jPasswordField_Password.setFont(new
java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N

        jPasswordField_Password.setBorder(javax.swing.BorderFactory.createEmptyBorder(1, 5, 1, 1));
        jPasswordField_Password.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                jPasswordField_PasswordActionPerformed(evt);
            }
        });
    });

```



```
.addGap(63, 63, 63)
.addGroup(jPanel_LoginLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING))
.addComponent(jLabel_Username)
.addComponent(jLabel_Password)
.addGap(15, 15, 15)
.addGroup(jPanel_LoginLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false))
.addComponent(jTextField_Username,
javax.swing.GroupLayout.DEFAULT_SIZE, 215, Short.MAX_VALUE)
.addComponent(jPasswordField_Password)))
.addGroup(jPanel_LoginLayout.createSequentialGroup()
.addGap(199, 199, 199)
.addComponent(jButton_Login,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
.addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_LoginLayout.createSequentialGroup()
.addContainerGap(168, Short.MAX_VALUE)
.addGroup(jPanel_LoginLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING))

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_LoginLayout.createSequentialGroup()
.addComponent(jLabel_Login,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGap(166, 166, 166)))

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_LoginLayout.createSequentialGroup()
.addComponent(jButton_GoBack,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(25, 25, 25)))
);
jPanel_LoginLayout.setVerticalGroup(
jPanel_LoginLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel_LoginLayout.createSequentialGroup()
.addGap(28, 28, 28)
```

```

.addComponent(jLabel_Login)
.addGap(48, 48, 48)

.addGroup(jPanel_LoginLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(jLabel_Username)
.addComponent(jTextField_Username,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGap(29, 29, 29) 27,

.addGroup(jPanel_LoginLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(jLabel_Password)
.addComponent(jPasswordField_Password,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)) 27,

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 54, Short.MAX_VALUE)
.addComponent(jButton_Login,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 35,

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
.addComponent(jButton_GoBack,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(25, 25, 25)) 35,
);

getContentPane().add(jPanel_Login, new
org.netbeans.lib.awtextra.AbsoluteConstraints(260, 120, 500, 380)); new

jLabel_Background.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/LoginCoverImage.jpg"))); // NOI18N new
getContentPane().add(jLabel_Background,
org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0, -1, -1)); new

setSize(new java.awt.Dimension(1011, 632));
 setLocationRelativeTo(null);
}

```

```

        private void
jPasswordField_PasswordActionPerformed(java.awt.event.ActionEvent evt) {

}

        private void
jButton_LoginActionPerformed(java.awt.event.ActionEvent evt) {
    try{
        Class.forName("oracle.jdbc.driver.OracleDriver");
        Connection con =
DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:XE","it
175","sravya");
        String Username=jTextField_Username.getText();
        String
Password=jPasswordField_Password.getText();
        Statement stmt = con.createStatement();
        ResultSet rs=stmt.executeQuery("SELECT
USERNAME,PASSWORD FROM USERS WHERE USERNAME = "
+Username+ " AND PASSWORD = " +Password+ "'");
        int flag=0,temp=0;
        if(Username == "" || Password.equals(""))
        {
            temp=1;
        }

        while(rs.next())
        {
            flag=1;
            break;
        }

        if(temp==1)
        {

JOptionPane.showMessageDialog(this,"Please enter all details.");
        }
        else if(flag==0)
        {
            JOptionPane.showMessageDialog(this,"Incorrect
username or password!");
        }
    }

}

```

```

        HomePage h = new HomePage(Username);
        h.show();
        dispose();
    }
    con.close();
}
catch(Exception e)
{
    JOptionPane.showMessageDialog(null, e);
}

}

private void jButton_GoBackActionPerformed(java.awt.event.ActionEvent evt) {

    MainOptionsScreen var=new MainOptionsScreen();
    var.show();
    dispose();
}

public static void main(String args[]) {

    try {
        for (javax.swing.UIManager.LookAndFeelInfo info : javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Metal".equals(info.getName())) {

                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

        java.util.logging.Logger.getLogger(Login.class.get
tName()).log(java.util.logging.Level.SEVERE,
null, ex);
    }
    catch (InstantiationException ex) {

        java.util.logging.Logger.getLogger(Login.class.get
tName()).log(java.util.logging.Level.SEVERE,
null, ex);
    }
}

```

```

        }
        catch (IllegalAccessException ex) {

            java.util.logging.Logger.getLogger(Login.class.get
tName()).log(java.util.logging.Level.SEVERE,
null, ex);
        }
        catch (javax.swing.UnsupportedLookAndFeel
ex) {

            java.util.logging.Logger.getLogger(Login.class.get
tName()).log(java.util.logging.Level.SEVERE,
null, ex);
        }

        java.awt.EventQueue.invokeLater(new Runnable() {
            public void run() {
                new Login().setVisible(true);
            }
        });
    }
}

private javax.swing.JButton jButton_GoBack;
private javax.swing.JButton jButton_Login;
private javax.swing.JLabel jLabel_Background;
private javax.swing.JLabel jLabel_Login;
private javax.swing.JLabel jLabel_Password;
private javax.swing.JLabel jLabel_Username;
private javax.swing.JPanel jPanel_Login;
private javax.swing.JPasswordField jPasswordField_Password;
private javax.swing.JTextField jTextField_Username;

}

```

#### 7.2.4. Register.java

```

package booktap;

import java.sql.*;
import javax.swing.JOptionPane;

public class Register extends javax.swing.JFrame {
    Connection con = null;

```

```

PreparedStatement pstmt = null;
ResultSet rs = null;
String username;

public Register() {
    this.username = username;
    initComponents();
}

RegisterPanel = new javax.swing.JPanel();
Registerlabel = new javax.swing.JLabel();
UsernameLabel = new javax.swing.JLabel();
PasswordLabel = new javax.swing.JLabel();
UsernameTextField = new javax.swing.JTextField();
PasswordField = new javax.swing.JPasswordField();
jButton_GoBack = new javax.swing.JButton();
firstnameLabel = new javax.swing.JLabel();
lastnameLabel = new javax.swing.JLabel();
emaillabel = new javax.swing.JLabel();
LastNameTextField = new javax.swing.JTextField();
FirstNameTextField = new javax.swing.JTextField();
EmailTextField = new javax.swing.JTextField();
ReenterPassLabel = new javax.swing.JLabel();
ReenterPassTextField = new javax.swing.JPasswordField();
jButton_Confirm = new javax.swing.JButton();
BackgoundImageLabel = new javax.swing.JLabel();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setTitle("REGISTER");
setSize(new java.awt.Dimension(1000, 600));
getContentPane().setLayout(new org.netbeans.lib.awtextra.AbsoluteLayout());

RegisterPanel.setBackground(new java.awt.Color(0,0,0,200));

Registerlabel.setBackground(new java.awt.Color(255, 200, 90));
Registerlabel.setFont(new java.awt.Font("Malgun Gothic", 1, 45)); // NOI18N
Registerlabel.setForeground(new java.awt.Color(255, 200, 90));
Registerlabel.setText("REGISTER");

UsernameLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 18)); // NOI18N

```

```

        UsernameLabel.setForeground(new java.awt.Color(255, 200,
90));
        UsernameLabel.setText("Username ");

        PasswordLabel.setFont(new java.awt.Font("Malgun Gothic", 1,
18)); // NOI18N
        PasswordLabel.setForeground(new java.awt.Color(255, 200, 90));
        PasswordLabel.setText("Password ");

        UsernameTextField.setBackground(new java.awt.Color(255, 200,
90));
        UsernameTextField.setFont(new java.awt.Font("Malgun Gothic",
1, 14)); // NOI18N

        UsernameTextField.setBorder(javax.swing.BorderFactory.create
EmptyBorder(1, 5, 1, 1));
        UsernameTextField.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                UsernameTextFieldActionPerformed(evt);
            }
        });
    });

    PasswordTextField.setBackground(new java.awt.Color(255, 200,
90));
    PasswordTextField.setFont(new java.awt.Font("Malgun Gothic",
1, 14)); // NOI18N

    PasswordTextField.setBorder(javax.swing.BorderFactory.createE
mptyBorder(1, 5, 1, 1));
    PasswordTextField.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                PasswordTextFieldActionPerformed(evt);
            }
        });
    });

    jButton_GoBack.setBackground(new java.awt.Color(255, 182,
28));
    jButton_GoBack.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
    jButton_GoBack.setText("Go Back");
    jButton_GoBack.setBorder(null);

```

```

        jButton_GoBack.setFocusPainted(false);
        jButton_GoBack.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_GoBackActionPerformed(evt);
            }
        });
    });

    firstnameLabel.setFont(new java.awt.Font("Malgun Gothic", 1,
18)); // NOI18N
    firstnameLabel.setForeground(new java.awt.Color(255, 200, 90));
    firstnameLabel.setText("First Name ");

    lastnameLabel.setFont(new java.awt.Font("Malgun Gothic", 1,
18)); // NOI18N
    lastnameLabel.setForeground(new java.awt.Color(255, 200, 90));
    lastnameLabel.setText("Last Name ");

    emaillabel.setFont(new java.awt.Font("Malgun Gothic", 1, 18)); // NOI18N
    emaillabel.setForeground(new java.awt.Color(255, 200, 90));
    emaillabel.setText("Email Address ");

    LastNameTextField.setBackground(new java.awt.Color(255, 200,
90));
    LastNameTextField.setFont(new java.awt.Font("Malgun Gothic",
1, 14)); // NOI18N

    LastNameTextField.setBorder(javax.swing.BorderFactory.create
EmptyBorder(1, 5, 1, 1));

    FirstNameTextField.setBackground(new java.awt.Color(255,
200, 90));
    FirstNameTextField.setFont(new java.awt.Font("Malgun Gothic",
1, 14)); // NOI18N

    FirstNameTextField.setBorder(javax.swing.BorderFactory.create
EmptyBorder(1, 5, 1, 1));
    FirstNameTextField.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            FirstNameTextFieldActionPerformed(evt);
        }
    });
}

```

```

    });

    EmailTextField.setBackground(new java.awt.Color(255, 200,
90));
    EmailTextField.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N

    EmailTextField.setBorder(javax.swing.BorderFactory.createEmpt
yBorder(1, 5, 1, 1));

    ReenterPassLabel.setFont(new java.awt.Font("Malgun Gothic", 1,
18)); // NOI18N
    ReenterPassLabel.setForeground(new java.awt.Color(255, 200,
90));
    ReenterPassLabel.setText("Re-Enter Password ");

    ReenterPassTextField.setBackground(new java.awt.Color(255,
200, 90));
    ReenterPassTextField.setFont(new java.awt.Font("Malgun
Gothic", 1, 13)); // NOI18N

    ReenterPassTextField.setBorder(javax.swing.BorderFactory.creat
eEmptyBorder(1, 5, 1, 1));
    ReenterPassTextField.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            ReenterPassTextFieldActionPerformed(evt);
        }
    });
}

jButton_Confirm.setBackground(new java.awt.Color(255, 182,
28));
jButton_Confirm.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
jButton_Confirm.setForeground(new java.awt.Color(43, 37, 56));
jButton_Confirm.setText("Confirm");
jButton_Confirm.setBorder(null);
jButton_Confirm.setFocusPainted(false);
jButton_Confirm.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            jButton_ConfirmActionPerformed(evt);
        }
    });
}

```

```

    });

    javax.swing.GroupLayout RegisterPanelLayout = new
    javax.swing.GroupLayout(RegisterPanel);
    RegisterPanel.setLayout(RegisterPanelLayout);
    RegisterPanelLayout.setHorizontalGroup(
        RegisterPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
        RegisterPanelLayout.createSequentialGroup()
            .addGroup(0, 0, Short.MAX_VALUE)
            .addComponent(Registerlabel)
            .addGroup(232, 232, 232))
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
        RegisterPanelLayout.createSequentialGroup()
            .addGroup(131, 131, 131)
            .addGroup(RegisterPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addComponent(UsernameLabel)
                .addComponent(lastnameLabel)
                .addComponent(PasswordLabel)
                .addComponent(ReenterPassLabel)
                .addComponent(emaiilabel)
                .addComponent(firstnameLabel))

            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 63, Short.MAX_VALUE)
            .addGroup(RegisterPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addComponent(FirstNameTextField,
        javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(UsernameTextField,
        javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(LastNameTextField,
        javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(EmailTextField,
        javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(PasswordField,
        javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
            .addComponent(Registerlabel,
        javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
        )
    )
}

```

```

        .addComponent(ReenterPassTextField,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(125, 125, 125))
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
RegisterPanelLayout.createSequentialGroup()
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jButton_Confirm,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 93,
        .addGap(160, 160, 160)
        .addComponent(jButton_GoBack,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 105,
        .addGap(36, 36, 36))
);
RegisterPanelLayout.setVerticalGroup(

```

202,

```

RegisterPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(RegisterPanelLayout.createSequentialGroup()
.addGap(32, 32, 32)
.addComponent(Registerlabel,
javax.swing.GroupLayout.PREFERRED_SIZE, 45,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(36, 36, 36) 36)
.addGroup(RegisterPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(UsernameLabel)
.addComponent(UsernameTextField,
javax.swing.GroupLayout.PREFERRED_SIZE, 25,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGap(20, 20, 20)

```

25,

```

.addGroup(RegisterPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(FirstNameTextField,
javax.swing.GroupLayout.PREFERRED_SIZE, 25,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(firstnameLabel))

```

25,

```

.addGroup(RegisterPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(RegisterPanelLayout.createSequentialGroup()

```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
        .RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
        Short.MAX_VALUE)
        .addComponent(jButton_GoBack,
javax.swing.GroupLayout.PREFERRED_SIZE, 33,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(30, 30, 30))
        .addGroup(RegisterPanelLayout.createSequentialGroup()
        .addGap(20, 20, 20)

        .addGroup(RegisterPanelLayout.createParallelGroup(javax.swing
        .GroupLayout.Alignment.BASELINE)
        .addComponent(lastnameLabel,
javax.swing.GroupLayout.PREFERRED_SIZE, 20,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(LastNameTextField,
javax.swing.GroupLayout.PREFERRED_SIZE, 25,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(20, 20, 20)

        .addGroup(RegisterPanelLayout.createParallelGroup(javax.swing
        .GroupLayout.Alignment.LEADING)
        .addComponent(emaiilabel,
javax.swing.GroupLayout.PREFERRED_SIZE, 30,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(EmailTextField,
javax.swing.GroupLayout.PREFERRED_SIZE, 25,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(20, 20, 20)

        .addGroup(RegisterPanelLayout.createParallelGroup(javax.swing
        .GroupLayout.Alignment.LEADING, false)
        .addComponent(PasswordLabel)
        .addGroup(RegisterPanelLayout.createSequentialGroup()
        .addComponent(PasswordField,
javax.swing.GroupLayout.DEFAULT_SIZE, 25, Short.MAX_VALUE)
        .addGap(1, 1, 1)))
        .addGap(20, 20, 20)

        .addGroup(RegisterPanelLayout.createParallelGroup(javax.swing
        .GroupLayout.Alignment.LEADING, false)
        .addComponent(ReenterPassLabel)
        .addGroup(RegisterPanelLayout.createSequentialGroup()

```

```

        .addComponent(ReenterPassTextField,
javax.swing.GroupLayout.DEFAULT_SIZE, 25, Short.MAX_VALUE)
        .addGap(1, 1, 1)))
        .addGap(31, 31, 31)
        .addComponent(jButton_Confirm,
javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(62, Short.MAX_VALUE))))
);
}

getContentPane().add(RegisterPanel, new
org.netbeans.lib.awtextra.AbsoluteConstraints(160, 50, 690, 500));

BackgroundImageLabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/LoginCoverImage.jpg"))); // NOI18N
getContentPane().add(BackgroundImageLabel, new
org.netbeans.lib.awtextra.AbsoluteConstraints(0, 0, -1, -1));

setSize(new java.awt.Dimension(1014, 637));
setLocationRelativeTo(null);
}

private void
PasswordTextFieldActionPerformed(java.awt.event.ActionEvent evt) {

}

private void
jButton_GoBackActionPerformed(java.awt.event.ActionEvent evt) {

    MainOptionsScreen var=new MainOptionsScreen();
    var.show();
    dispose();
}

private void
FirstNameTextFieldActionPerformed(java.awt.event.ActionEvent evt) {

}

private void
ReenterPassTextFieldActionPerformed(java.awt.event.ActionEvent evt) {

}

```



```

        if(flag == 1){
            JOptionPane.showMessageDialog(this,"Username
already exists. Please enter details again.");
            UsernameTextField.setText("");
            FirstNameTextField.setText("");
            LastNameTextField.setText("");
            EmailTextField.setText("");
            PasswordTextField.setText("");
            ReenterPassTextField.setText("");
        }

    else{
        pstmt.setString(1, username);
        pstmt.setString(2, firstname);
        pstmt.setString(3, lastname);
        pstmt.setString(4, email);
        pstmt.setString(5, password);
        ResultSet rs1 =
        pstmt.executeQuery();

        JOptionPane.showMessageDialog(this, "Successfully registered!");
    }

}

catch(Exception e){
    JOptionPane.showMessageDialog(null,e);
}

else{
    JOptionPane.showMessageDialog(this,
"Passwords do not match. Please enter details again.");
}

}

public static void main(String args[]) {
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info :
        javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Metal".equals(info.getName())) {

                javax.swing.UIManager.setLookAndFeel(info.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {

```

```

        java.util.logging.Logger.getLogger(Login.class.get
tName()).log(java.util.logging.Level.SEVERE,
null, ex);
    } catch (InstantiationException ex) {

        java.util.logging.Logger.getLogger(Login.class.get
tName()).log(java.util.logging.Level.SEVERE,
null, ex);
    } catch (IllegalAccessException ex) {

        java.util.logging.Logger.getLogger(Login.class.get
tName()).log(java.util.logging.Level.SEVERE,
null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException
ex) {

        java.util.logging.Logger.getLogger(Login.class.get
tName()).log(java.util.logging.Level.SEVERE,
null, ex);
    }

    java.awt.EventQueue.invokeLater(new Runnable() {
        public void run() {
            new Register().setVisible(true);
        }
    });
}

private javax.swing.JLabel BackgoundImageLabel;
private javax.swing.JTextField EmailTextField;
private javax.swing.JTextField FirstNameTextField;
private javax.swing.JTextField LastNameTextField;
private javax.swing.JLabel PasswordLabel;
private javax.swing.JPasswordField PasswordTextField;
private javax.swing.JLabel ReenterPassLabel;
private javax.swing.JPasswordField ReenterPassTextField;
private javax.swing.JPanel RegisterPanel;
private javax.swing.JLabel Registerlabel;
private javax.swing.JLabel UsernameLabel;
private javax.swing.JTextField UsernameTextField;
private javax.swing.JLabel emaillabel;
private javax.swing.JLabel firstnameLabel;
private javax.swing.JButton jButton_Confirm;
private javax.swing.JButton jButton_GoBack;

```

```
    private javax.swing.JLabel lastnameLabel;  
}
```

### 7.2.5. Interests.java

```
package booktap;  
import java.sql.*;  
  
public class Interests extends javax.swing.JFrame {  
  
    public Interests(String Username) {  
        initComponents();  
        this.uname = Username;  
    }  
  
    private void initComponents() {  
  
        jLabel15 = new javax.swing.JLabel();  
        jCheckBox2 = new javax.swing.JCheckBox();  
        scrollpane = new javax.swing.JScrollPane();  
        outerlayeredpane = new javax.swing.JLayeredPane();  
        outerpanel = new javax.swing.JPanel();  
        innerlayeredpane = new javax.swing.JLayeredPane();  
        innerpanel = new javax.swing.JPanel();  
        Headinglabel = new javax.swing.JLabel();  
        Captionlabel = new javax.swing.JLabel();  
        saveandnextbutton = new javax.swing.JButton();  
        mysteryImagelabel = new javax.swing.JLabel();  
        mysterycb = new javax.swing.JCheckBox();  
        mysterylabel = new javax.swing.JLabel();  
        romanceimagelabel = new javax.swing.JLabel();  
        romancecb = new javax.swing.JCheckBox();  
        romancelabel = new javax.swing.JLabel();  
        nonfictioncb = new javax.swing.JCheckBox();  
        nonfictionimagelabel = new javax.swing.JLabel();  
        nonfictionlabel = new javax.swing.JLabel();  
        Adventurecb = new javax.swing.JCheckBox();  
        Adventureimagelabel = new javax.swing.JLabel();  
        poetryimagelabel = new javax.swing.JLabel();  
        horrorcb = new javax.swing.JCheckBox();  
        horrorlabel = new javax.swing.JLabel();  
        horrorimagelabel = new javax.swing.JLabel();  
        Adventurelabel = new javax.swing.JLabel();  
        fictionlabel = new javax.swing.JLabel();
```

```

fictioncb = new javax.swing.JCheckBox();
fictionimagelabel = new javax.swing.JLabel();
poetrylabel = new javax.swing.JLabel();
poetrycb = new javax.swing.JCheckBox();
childrencb = new javax.swing.JCheckBox();
childrenlabel = new javax.swing.JLabel();
classicsimagelabel = new javax.swing.JLabel();
fantasycb = new javax.swing.JCheckBox();
fantasylabel = new javax.swing.JLabel();
fantasyimagelabel = new javax.swing.JLabel();
classicscb = new javax.swing.JCheckBox();
classicslabel = new javax.swing.JLabel();
childrenimagelabel = new javax.swing.JLabel();

jLabel15.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
jLabel15.setForeground(new java.awt.Color(255, 255, 255));
jLabel15.setText("Adventure");

jCheckBox2.setBackground(new java.awt.Color(43, 37, 56));
jCheckBox2.setForeground(new java.awt.Color(43, 37, 56));

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setTitle("INTERESTS");
setPreferredSize(new java.awt.Dimension(1000, 600));
setSize(new java.awt.Dimension(1000, 600));

scrollpane.setPreferredSize(new java.awt.Dimension(1300, 1158));

outerlayeredpane.setPreferredSize(new
java.awt.Dimension(1290, 1156));

outerpanel.setBackground(new java.awt.Color(43, 37, 56));

innerpanel.setBackground(new java.awt.Color(17, 94, 111));
innerpanel.setPreferredSize(new java.awt.Dimension(884, 496));

Headinglabel.setFont(new java.awt.Font("Malgun Gothic", 0, 58)); // NOI18N
Headinglabel.setForeground(new java.awt.Color(255, 255, 255));
Headinglabel.setText("Choose Interests");

```

```

        Captionlabel.setFont(new java.awt.Font("Malgun Gothic", 1, 18));
// NOI18N
        Captionlabel.setForeground(new java.awt.Color(255, 255, 255));
        Captionlabel.setText("Select all the genres that you like");

        saveandnextbutton.setBackground(new java.awt.Color(255, 182,
28));
        saveandnextbutton.setFont(new java.awt.Font("Malgun Gothic",
1, 16)); // NOI18N
        saveandnextbutton.setForeground(new java.awt.Color(43, 37,
56));
        saveandnextbutton.setText("Save and Next");
        saveandnextbutton.setBorder(null);
        saveandnextbutton.setFocusPainted(false);
        saveandnextbutton.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                saveandnextbuttonActionPerformed(evt);
            }
        });
    });

    mysteryImagelabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/Mystery.PNG"))); // NOI18N

    mysterycb.setBackground(new java.awt.Color(43, 37, 56));
    mysterycb.setForeground(new java.awt.Color(43, 37, 56));

    mysterylabel.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
    mysterylabel.setForeground(new java.awt.Color(255, 255, 255));
    mysterylabel.setText("Mystery");

    romanceimagelabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/Romance.jpg"))); // NOI18N

    romanceccb.setBackground(new java.awt.Color(43, 37, 56));
    romanceccb.setForeground(new java.awt.Color(43, 37, 56));

    romancelabel.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
    romancelabel.setForeground(new java.awt.Color(255, 255, 255));
    romancelabel.setText("Romance");

```

```

nonfictioncb.setBackground(new java.awt.Color(43, 37, 56));
nonfictioncb.setForeground(new java.awt.Color(43, 37, 56));

nonfictionimagelabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/Non-fiction.jpg"))); // NOI18N

nonfictionlabel.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
nonfictionlabel.setForeground(new java.awt.Color(255, 255,
255));
nonfictionlabel.setText("Non-fiction");

Adventurecb.setBackground(new java.awt.Color(43, 37, 56));
Adventurecb.setForeground(new java.awt.Color(43, 37, 56));

Adventureimagelabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/Adventure.jpg"))); // NOI18N
Adventureimagelabel.setToolTipText("");

poetryimagelabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/Poetry.jpg"))); // NOI18N

horrorcb.setBackground(new java.awt.Color(43, 37, 56));
horrorcb.setForeground(new java.awt.Color(43, 37, 56));

horrorlabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
horrorlabel.setForeground(new java.awt.Color(255, 255, 255));
horrorlabel.setText("Horror");

horrorimagelabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/Horror.PNG"))); // NOI18N

Adventurelabel.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
Adventurelabel.setForeground(new java.awt.Color(255, 255,
255));
Adventurelabel.setText("Adventure");

```

```

fictionlabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
fictionlabel.setForeground(new java.awt.Color(255, 255, 255));

fictionlabel.setHorizontalAlignment(javax.swing.SwingConstants.LEFT);
fictionlabel.setText("Fiction");

fictioncb.setBackground(new java.awt.Color(43, 37, 56));
fictioncb.setForeground(new java.awt.Color(43, 37, 56));

fictionimagelabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/Fiction.jpg"))); // NOI18N

poetrylabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
poetrylabel.setForeground(new java.awt.Color(255, 255, 255));
poetrylabel.setText("Poetry");

poetrycb.setBackground(new java.awt.Color(43, 37, 56));
poetrycb.setForeground(new java.awt.Color(43, 37, 56));

childrencb.setBackground(new java.awt.Color(43, 37, 56));
childrencb.setForeground(new java.awt.Color(43, 37, 56));

childrenlabel.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
childrenlabel.setForeground(new java.awt.Color(255, 255, 255));
childrenlabel.setText("Children");

classicsimagelabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/Classics.jpg"))); // NOI18N

fantasycb.setBackground(new java.awt.Color(43, 37, 56));
fantasycb.setForeground(new java.awt.Color(43, 37, 56));

fantasylabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
fantasylabel.setForeground(new java.awt.Color(255, 255, 255));
fantasylabel.setText("Fantasy");

fantasyimagelabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/Fantasy.jpg"))); // NOI18N

```

```

classicscb.setBackground(new java.awt.Color(43, 37, 56));
classicscb.setForeground(new java.awt.Color(43, 37, 56));

classicslabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
classicslabel.setForeground(new java.awt.Color(255, 255, 255));
classicslabel.setText("Classics");

childrenimagelabel.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Login_Interests
images/Children.jpg"))); // NOI18N

javax.swing.GroupLayout innerpanelLayout = new
javax.swing.GroupLayout(innerpanel);
innerpanel.setLayout(innerpanelLayout);
innerpanelLayout.setHorizontalGroup(
innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.
Alignment.LEADING)
.addGroup(innerpanelLayout.createSequentialGroup()
.addContainerGap()

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
.addGroup(innerpanelLayout.createSequentialGroup()

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.TRAILING)
.addGroup(innerpanelLayout.createSequentialGroup()

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.LEADING)
.addComponent(mysteryImagelabel)
.addGroup(innerpanelLayout.createSequentialGroup()
.addGap(107, 107, 107)
.addComponent(mysterycb)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.UNRELATED)
.addComponent(mysterylabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGroup(innerpanelLayout.createSequentialGroup()
.addGap(116, 116, 116)

```

71,

```

.addComponent(nonfictioncb)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.UNRELATED)
.addComponent(nonfictionlabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)) 102,
.addComponent(nonfictionimagelabel,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)) 350,
.addGap(6, 6, 6)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(innerpanelLayout.createSequentialGroup()
.addGap(1, 1, 1)
.addComponent(fictionimagelabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 253,
.addComponent(childrenimagelabel))
.addGroup(innerpanelLayout.createSequentialGroup()

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(innerpanelLayout.createSequentialGroup()
.addGap(69, 69, 69)
.addComponent(Adventurecb)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
.addComponent(Adventurelabel))
.addComponent(horrorimagelabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 266,
.addComponent(Adventureimagelabel))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
                  .addComponent(classicsimagelabel,
                               javax.swing.GroupLayout.DEFAULT_SIZE,
                               javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                  .addComponent(poetryimagelabel,
                               javax.swing.GroupLayout.DEFAULT_SIZE,
                               javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                  .addComponent(fantasyimagelabel,
                               javax.swing.GroupLayout.DEFAULT_SIZE,
                               javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
    }

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
              innerpanelLayout.createSequentialGroup()
              .addComponent(poetrycb)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(poetrylabel,
                     javax.swing.GroupLayout.PREFERRED_SIZE,
                     javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(97, 97, 97))))))
    .addGroup(innerpanelLayout.createSequentialGroup()
              .addComponent(Captionlabel)
              .addGap(293, 293, 293)))
}

    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
                    Short.MAX_VALUE)
    .addGroup(innerpanelLayout.createSequentialGroup()

        .addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                  .addComponent(romanceimagelabel,
                               javax.swing.GroupLayout.PREFERRED_SIZE,
                               javax.swing.GroupLayout.PREFERRED_SIZE)
                  .addGroup(innerpanelLayout.createSequentialGroup()
                          .addComponent(romanceccb)
                          .addGap(120, 120, 120)
                          .addComponent(romanceccb)
      }

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(romancelabel,
                     javax.swing.GroupLayout.PREFERRED_SIZE,
                     javax.swing.GroupLayout.PREFERRED_SIZE)))

```

59, 363, 93,

```

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
innerpanelLayout.createSequentialGroup()

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
innerpanelLayout.createSequentialGroup()
.addComponent(classicscb)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.UNRELATED)
.addComponent(classicslabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(92, 92, 92))

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
innerpanelLayout.createSequentialGroup()
.addComponent(fantasycb)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.UNRELATED)
.addComponent(fantasylabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(93, 93, 93))

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
innerpanelLayout.createSequentialGroup()
.addComponent(childrencb)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.UNRELATED)
.addComponent(childrenlabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(93, 93, 93))

```

73,

67,

73,

```

.addGap(94, 94, 94)))
.addGroup(innerpanelLayout.createSequentialGroup()

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(innerpanelLayout.createSequentialGroup()
.addGap(81, 81, 81)
.addComponent(fictioncb)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
.addComponent(fictionlabel))

.addGroup(innerpanelLayout.createSequentialGroup()
.addGap(72, 72, 72)
.addComponent(horrorcb)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
.addComponent(horrorlabel,
javax.swing.GroupLayout.PREFERRED_SIZE, 99,
javax.swing.GroupLayout.PREFERRED_SIZE)))
.addContainerGap()))
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
innerpanelLayout.createSequentialGroup()
.addGap(0, 0, Short.MAX_VALUE)
.addComponent(Headinglabel)
.addGap(221, 221, 221)))
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
innerpanelLayout.createSequentialGroup()
.addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
.addComponent(saveandnextbutton,
javax.swing.GroupLayout.PREFERRED_SIZE, 154,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(360, 360, 360))
);
innerpanelLayout.setVerticalGroup(
innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(innerpanelLayout.createSequentialGroup()

```

```

.addComponent(Headinglabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 90,

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.RELATED)
.addComponent(Captionlabel,
javax.swing.GroupLayout.PREFERRED_SIZE, 25,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(innerpanelLayout.createSequentialGroup()
.addGap(62, 62, 62)
.addComponent(mysteryImagelabel,
javax.swing.GroupLayout.PREFERRED_SIZE, 164,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.RELATED)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(mysterylabel)
.addComponent(mysterycb))
.addGap(18, 18, 18)
.addComponent(nonfictionimagelabel)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.UNRELATED)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(nonfictionlabel)
.addComponent(nonfictioncb))
.addGap(18, 18, 18)
.addComponent(romanceimagelabel,
javax.swing.GroupLayout.PREFERRED_SIZE, 294,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.UNRELATED)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```
.addComponent(romancecb)
.addComponent(romancelabel)))
.addGroup(innerpanelLayout.createSequentialGroup()

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(innerpanelLayout.createSequentialGroup()
.addGap(66, 66, 66)
.addComponent(poetryimagelabel)
.addGap(7, 7, 7)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(poetrycb)
.addComponent(poetrylabel))
.addGap(18, 18, 18)
.addComponent(fantasyimagelabel)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(fantasylabel)
.addComponent(fantasycb))
.addGap(17, 17, 17)
.addComponent(classicsimagelabel)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(classicslabel)
.addComponent(classicscb))
.addGap(29, 29, 29)
.addComponent(childrenimagelabel))
.addGroup(innerpanelLayout.createSequentialGroup()
.addGap(49, 49, 49)
.addComponent(Adventureimagelabel)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
.addComponent(Adventurecb)
.addComponent(Adventurelabel))
.addGap(20, 20, 20)
.addComponent(horrorimagelabel)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
.addComponent(horrorcb)
.addComponent(horrorlabel))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
.addComponent(fictionimagelabel)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(fictionlabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(fictioncb)))))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

.addGroup(innerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
.addComponent(childrenlabel)
.addComponent(childrencb)))))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
.addComponent(saveandnextbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(65, 65, 65))

```

23,

47,

```

);

innerlayeredpane.setLayer(innerpanel,
javax.swing.JLayeredPane.DEFAULT_LAYER);

javax.swing.GroupLayout innerlayeredpaneLayout = new
javax.swing.GroupLayout(innerlayeredpane);
innerlayeredpane.setLayout(innerlayeredpaneLayout);
innerlayeredpaneLayout.setHorizontalGroup(
innerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(innerlayeredpaneLayout.createSequentialGroup()
.addComponent(innerpanel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(0, 148, Short.MAX_VALUE))
);
innerlayeredpaneLayout.setVerticalGroup(
innerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
innerlayeredpaneLayout.createSequentialGroup()
.addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
.addComponent(innerpanel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addContainerGap())
);
935,
```

```

innerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
innerlayeredpaneLayout.createSequentialGroup()
.addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
.addComponent(innerpanel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addContainerGap())
);
1105,
```

```

javax.swing.GroupLayout outerpanelLayout = new
javax.swing.GroupLayout(outerpanel);
outerpanel.setLayout(outerpanelLayout);
outerpanelLayout.setHorizontalGroup(
outerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(outerpanelLayout.createSequentialGroup()
.addGap(15, 15, 15)
.addComponent(innerlayeredpane,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
);
outerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(outerpanelLayout.createSequentialGroup()
.addGap(15, 15, 15)
.addComponent(innerlayeredpane,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
);
);
935,
```

```

    .addContainerGap(192, Short.MAX_VALUE))
);
outerpanelLayout.setVerticalGroup(
    outerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(outerpanelLayout.createSequentialGroup()
        .addGap(30, 30, 30)
        .addComponent(innerlayeredpane,
            javax.swing.GroupLayout.PREFERRED_SIZE, 1100,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(26, Short.MAX_VALUE))
);
outerlayeredpane.setLayer(outerpanel,
    javax.swing.JLayeredPane.DEFAULT_LAYER);

javax.swing.GroupLayout outerlayeredpaneLayout = new
    javax.swing.GroupLayout(outerlayeredpane);
    outerlayeredpane.setLayout(outerlayeredpaneLayout);
    outerlayeredpaneLayout.setHorizontalGroup(
        outerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(outerpanel,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    outerlayeredpaneLayout.setVerticalGroup(
        outerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(outerpanel,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    scrollpane.setViewportView(outerlayeredpane);

    javax.swing.GroupLayout layout = new
        javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(

```

```

        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
.addComponent(scrollpane,
javax.swing.GroupLayout.DEFAULT_SIZE, 1006, Short.MAX_VALUE)
);
layout.setVerticalGroup(
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
.addComponent(scrollpane,
javax.swing.GroupLayout.DEFAULT_SIZE, 1175, Short.MAX_VALUE)
);

pack();
 setLocationRelativeTo(null);
}

private void
saveandnextbuttonActionPerformed(java.awt.event.ActionEvent evt) {

String array[];
array=new String[10];

if(mysterycb.isSelected())
{
    array[0]="Mystery";
}
else
{
    array[0]=";";
}

if(Adventurecb.isSelected())
{
    array[1]="Adventure";
}
else
{
    array[1]=";";
}

if(poetrycb.isSelected())
{
    array[2]="Poetry";
}
}

```

```

        }
    else
    {
        array[2] = ",";
    }

    if(nonfictioncb.isSelected())
    {
        array[3] = "Non-Fiction";
    }
    else
    {
        array[3] = ",";
    }

    if(horrorcb.isSelected())
    {
        array[4] = "Horror";
    }
    else
    {
        array[4] = ",";
    }

    if(poetrycb.isSelected())
    {
        array[5] = "Poetry";
    }
    else
    {
        array[5] = ",";
    }

    if(fantasycb.isSelected())
    {
        array[6] = "Fantasy";
    }
    else
    {
        array[6] = ",";
    }

    if(romancecb.isSelected())
    {
        array[7] = "Romance";
    }

```

```

        }
    else
    {
        array[7] = ",";
    }

    if(fictioncb.isSelected())
    {
        array[8] = "Fiction";
    }
    else
    {
        array[8] = ",";
    }

    if(childrencb.isSelected())
    {
        array[9] = "Children";
    }
    else
    {
        array[9] = ",";
    }

    try {
        Class.forName("oracle.jdbc.driver.OracleDriver");
        Connection con =
        DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe","it1
75","sravya");
        for (int j = 0; j < 10; j++) {
            if (array[j] != ",") {

                String query = "INSERT INTO
LIKEDGENRES (USERNAME,INTERESTS) " + " values (?, ?)";
                PreparedStatement pst =
con.prepareStatement(query);
                pst.setString(1, this.uname);
                pst.setString(2, array[j]);
                pst.execute();

            }
        }
        con.close();
    }
    catch (Exception exc) {

```

```

        System.out.println(exc);
    }

    HomePage hp=new HomePage(this.uname);
    hp.show();
    dispose();
}

public static void main(String args[]) {
    try {
        for (javax.swing.UIManager.LookAndFeelInfo info : javax.swing.UIManager.getInstalledLookAndFeels()) {
            if ("Metal".equals(info.getName())) {

                javax.swing.UIManager.setLookAndFeel(i
                    nfo.getClassName());
                break;
            }
        }
    } catch (ClassNotFoundException ex) {
        java.util.logging.Logger.getLogger(Interests.class.getNam
            e()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (InstantiationException ex) {

        java.util.logging.Logger.getLogger(Interests.class.getNam
            e()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (IllegalAccessException ex) {

        java.util.logging.Logger.getLogger(Interests.class.getNam
            e()).log(java.util.logging.Level.SEVERE, null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {

        java.util.logging.Logger.getLogger(Interests.class.getNam
            e()).log(java.util.logging.Level.SEVERE, null, ex);
    }
}

private javax.swing.JCheckBox Adventurecb;
private javax.swing.JLabel Adventureimagelabel;
private javax.swing.JLabel Adventurelabel;
private javax.swing.JLabel Captionlabel;
private javax.swing.JLabel Headinglabel;

```

```

private javax.swing.JCheckBox childrencb;
private javax.swing.JLabel childrenimageLabel;
private javax.swing.JLabel childrenlabel;
private javax.swing.JCheckBox classicscb;
private javax.swing.JLabel classicsimageLabel;
private javax.swing.JLabel classicslabel;
private javax.swing.JCheckBox fantasycb;
private javax.swing.JLabel fantasyimageLabel;
private javax.swing.JLabel fantasylabel;
private javax.swing.JCheckBox fictioncb;
private javax.swing.JLabel fictionimageLabel;
private javax.swing.JLabel fictionlabel;
private javax.swing.JCheckBox horrorcb;
private javax.swing.JLabel horrorimageLabel;
private javax.swing.JLabel horrorlabel;
private javax.swing.JLayeredPane innerlayeredpane;
private javax.swing.JPanel innerpanel;
private javax.swing.JCheckBox jCheckBox2;
private javax.swing.JLabel jLabel15;
private javax.swing.JLabel mysteryImageLabel;
private javax.swing.JCheckBox mysterycb;
private javax.swing.JLabel mysterylabel;
private javax.swing.JCheckBox nonfictioncb;
private javax.swing.JLabel nonfictionimageLabel;
private javax.swing.JLabel nonfictionlabel;
private javax.swing.JLayeredPane outerlayeredpane;
private javax.swing.JPanel outerpanel;
private javax.swing.JCheckBox poetrycb;
private javax.swing.JLabel poetryimageLabel;
private javax.swing.JLabel poetrylabel;
private javax.swing.JCheckBox romancecb;
private javax.swing.JLabel romanceimageLabel;
private javax.swing.JLabel romancelabel;
private javax.swing.JButton saveandnextbutton;
private javax.swing.JScrollPane scrollpane;
}

```

### **7.2.6.     HomePage.java**

```

package booktap;

public class HomePage extends javax.swing.JFrame {

    String username;
    public HomePage(String u) {

```

```

        this.username = u;
        initComponents();
    }

private void initComponents() {

    jPanel_Main = new javax.swing.JPanel();
    jPanel_Sub = new javax.swing.JPanel();
    jScrollPane_Main = new javax.swing.JScrollPane();
    jPanel_Information = new javax.swing.JPanel();
    jScrollPane_TA = new javax.swing.JScrollPane();
    jTextArea_Introduction = new javax.swing.JTextArea();
    jLabel_Image = new javax.swing.JLabel();
    jLabel_Genres = new javax.swing.JLabel();
    jPanel_Genres = new javax.swing.JPanel();
    jPanel_Adventure = new javax.swing.JPanel();
    advLabel = new javax.swing.JLabel();
    advImage = new javax.swing.JLabel();
    jPanel_Children = new javax.swing.JPanel();
    childrenLabel = new javax.swing.JLabel();
    childrenImage = new javax.swing.JLabel();
    jPanel_Classics = new javax.swing.JPanel();
    classicsLabel = new javax.swing.JLabel();
    classicsImage = new javax.swing.JLabel();
    jPanel_NonFiction = new javax.swing.JPanel();
    nfLabel = new javax.swing.JLabel();
    nfImage = new javax.swing.JLabel();
    jPanel_Fantasy = new javax.swing.JPanel();
    fantasyLabel = new javax.swing.JLabel();
    fantasyImage = new javax.swing.JLabel();
    jPanel_Fiction = new javax.swing.JPanel();
    fictionLabel = new javax.swing.JLabel();
    fictionImage = new javax.swing.JLabel();
    jPanel_Horror = new javax.swing.JPanel();
    horrorLabel = new javax.swing.JLabel();
    horrorImage = new javax.swing.JLabel();
    jPanel_Romance = new javax.swing.JPanel();
    romLabel = new javax.swing.JLabel();
    romImage = new javax.swing.JLabel();
    jPanel_Mystery = new javax.swing.JPanel();
    mysLabel = new javax.swing.JLabel();
    mysImage = new javax.swing.JLabel();
    jPanel_Poetry = new javax.swing.JPanel();
    poetryLabel = new javax.swing.JLabel();
    poetryImage = new javax.swing.JLabel();
}

```

```

TopNav = new javax.swing.JPanel();
jButton_Home = new javax.swing.JButton();
jButton_Books = new javax.swing.JButton();
jButton_Posts = new javax.swing.JButton();
jButton_Trending = new javax.swing.JButton();
jLabel_Welcome = new javax.swing.JLabel();
jButton_Settings = new javax.swing.JButton();
jButton_Profile = new javax.swing.JButton();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setTitle("HOME");
setSize(new java.awt.Dimension(1000, 600));

jPanel_Main.setPreferredSize(new java.awt.Dimension(1000, 600));

jScrollPane_Main.setPreferredSize(new java.awt.Dimension(1000, 600));

jPanel_Information.setBackground(new java.awt.Color(43, 37, 56));

jTextArea_Introduction.setEditable(false);
jTextArea_Introduction.setBackground(new java.awt.Color(43, 37, 56));
jTextArea_Introduction.setColumns(20);
jTextArea_Introduction.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
jTextArea_Introduction.setForeground(new java.awt.Color(255, 255, 255));
jTextArea_Introduction.setLineWrap(true);
jTextArea_Introduction.setRows(5);
jTextArea_Introduction.setText("BookTap is a community for book lovers to come together and share their ideas and thoughts. It is THE application for bibliophiles. You have thousands of books at touch of your finger and can see what the rest of the community is thinking about a book. Some awesome features you can explore are: Posting: You can post about your favorite books and check out other posts as well! Books: If you want to view information regarding a book, head on over to the Books tab! Trending: Just like songs, we have compiled the top trending books in every genre.");
jTextArea_Introduction.setWrapStyleWord(true);
jTextArea_Introduction.setBorder(null);

```

```

jScrollPane_TA.setViewportView(jTextArea_Introduction);

jLabel_Image.setHorizontalAlignment(javax.swing.SwingConstants_CONSTANTS.CENTER);
jLabel_Image.setIcon(new javax.swing.ImageIcon(getClass().getResource("/Homepage_images/HomePageMainImage.PNG"))); // NOI18N

jLabel_Genres.setFont(new java.awt.Font("Malgun Gothic", 1, 24)); // NOI18N
jLabel_Genres.setForeground(new java.awt.Color(255, 255, 255));
jLabel_Genres.setText("Available Genres...");

jPanel_Genres.setBackground(new java.awt.Color(17, 94, 111));

jPanel_Adventure.setBackground(new java.awt.Color(255, 255, 255));

jPanel_Adventure.setBorder(javax.swing.BorderFactory.createLineBorder(new java.awt.Color(0, 0, 0)));

advLabel.setBackground(new java.awt.Color(255, 255, 255));
advLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
advLabel.setForeground(new java.awt.Color(43, 37, 56));

advLabel.setHorizontalAlignment(javax.swing.SwingConstants_CONSTANTS.CENTER);
advLabel.setText("Adventure");
advLabel.setOpaque(true);

advImage.setIcon(new javax.swing.ImageIcon(getClass().getResource("/Homepage_images/Adventure.PNG"))); // NOI18N

javax.swing.GroupLayout jPanel_AdventureLayout = new javax.swing.GroupLayout(jPanel_Adventure);
jPanel_Adventure.setLayout(jPanel_AdventureLayout);
jPanel_AdventureLayout.setHorizontalGroup(
    jPanel_AdventureLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
)

```

```

        .addComponent(advLabel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(advImage)
);
jPanel_AdventureLayout.setVerticalGroup(
jPanel_AdventureLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_AdventureLayout.createSequentialGroup()
.addComponent(advImage,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 107,
.addComponent(advLabel,
javax.swing.GroupLayout.PREFERRED_SIZE, 30,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
);

jPanel_Children.setBackground(new java.awt.Color(255, 255, 255));

jPanel_Children.setBorder(javax.swing.BorderFactory.createLine
Border(new java.awt.Color(0, 0, 0)));
childrenLabel.setBackground(new java.awt.Color(255, 255, 255));
childrenLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
childrenLabel.setForeground(new java.awt.Color(43, 37, 56));

childrenLabel.setHorizontalAlignment(javax.swing.SwingConstantsConsta
nts.CENTER);
childrenLabel.setText("Children");

childrenImage.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Homepage_images/Chil
dren.PNG"))); // NOI18N

```

```

        javax.swing.GroupLayout jPanel_ChildrenLayout = new
        javax.swing.GroupLayout(jPanel_Children);
        jPanel_Children.setLayout(jPanel_ChildrenLayout);
        jPanel_ChildrenLayout.setHorizontalGroup(
            jPanel_ChildrenLayout.createParallelGroup(javax.swing.GroupLayout.
ayout.Alignment.LEADING)
            .addComponent(childrenLabel,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(childrenImage,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        );
        jPanel_ChildrenLayout.setVerticalGroup(
            jPanel_ChildrenLayout.createParallelGroup(javax.swing.GroupLayout.
ayout.Alignment.LEADING)
            .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_ChildrenLayout.createSequentialGroup()
            .addComponent(childrenImage,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE, Short.MAX_VALUE)

            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.RELATED)
            .addComponent(childrenLabel,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE))
        );
    }

    jPanel_Classics.setBackground(new java.awt.Color(255, 255,
255));
    jPanel_Classics.setBorder(javax.swing.BorderFactory.createLine
Border(new java.awt.Color(0, 0, 0)));
    classicsLabel.setBackground(new java.awt.Color(255, 255, 255));
    classicsLabel.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
    classicsLabel.setForeground(new java.awt.Color(43, 37, 56));

    classicsLabel.setHorizontalAlignment(javax.swing.SwingConstantsConsta
nts.CENTER);
    classicsLabel.setText("Classics");

```



```

        nfLabel.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
        nfLabel.setText("Non-Fiction");

        nfImage.setIcon(new
            javax.swing.ImageIcon(getClass().getResource("/Homepage_images/Non
-Fiction.PNG"))); // NOI18N

        javax.swing.GroupLayout jPanel_NonFictionLayout = new
        javax.swing.GroupLayout(jPanel_NonFiction);
        jPanel_NonFiction.setLayout(jPanel_NonFictionLayout);
        jPanel_NonFictionLayout.setHorizontalGroup(
            jPanel_NonFictionLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel_NonFictionLayout.createSequentialGroup()
                    .addComponent(nfLabel,
                        javax.swing.GroupLayout.DEFAULT_SIZE,
                        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                    .addComponent(nfImage,
                        javax.swing.GroupLayout.DEFAULT_SIZE,
                        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
            );
        jPanel_NonFictionLayout.setVerticalGroup(
            jPanel_NonFictionLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel_NonFictionLayout.createSequentialGroup()
                    .addGroup(jPanel_NonFictionLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                        .addComponent(nfImage,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE))
                    .addGap(105, 105, 105)
                    .addGroup(jPanel_NonFictionLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                        .addComponent(nfLabel,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)))
                .addGap(30, 30, 30)
                .addGroup(jPanel_NonFictionLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jPanel_Fantasy.getBackground(new java.awt.Color(255, 255, 255)));
                    .addComponent(jPanel_Fantasy.setBorder(javax.swing.BorderFactory.createLineBorder(new java.awt.Color(0, 0, 0))));)
            );
    
```

```

        fantasyLabel.setBackground(new java.awt.Color(255, 255, 255));
        fantasyLabel.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
        fantasyLabel.setForeground(new java.awt.Color(43, 37, 56));

        fantasyLabel.setHorizontalAlignment(javax.swing.SwingConstantsConstan
ts.CENTER);
        fantasyLabel.setText("Fantasy");

        fantasyImage.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Homepage_images/Fant
asy.PNG"))); // NOI18N

        javax.swing.GroupLayout jPanel_FantasyLayout = new
javax.swing.GroupLayout(jPanel_Fantasy);
        jPanel_Fantasy.setLayout(jPanel_FantasyLayout);
        jPanel_FantasyLayout.setHorizontalGroup(
            jPanel_FantasyLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel_FantasyLayout.createSequentialGroup()
                    .addGap(107, 107, 107)
                    .addComponent(fantasyLabel, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(30, 30, 30)
                    .addComponent(fantasyImage, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
                .addGroup(jPanel_FantasyLayout.createSequentialGroup()
                    .addGap(107, 107, 107)
                    .addComponent(fantasyLabel, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(30, 30, 30)
                    .addComponent(fantasyImage, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
            )
        );
        jPanel_FantasyLayout.setVerticalGroup(
            jPanel_FantasyLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel_FantasyLayout.createSequentialGroup()
                    .addGap(107, 107, 107)
                    .addGroup(jPanel_FantasyLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                        .addComponent(fantasyLabel, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addComponent(fantasyImage, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
                    .addGap(30, 30, 30)
                    .addGroup(jPanel_FantasyLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                        .addComponent(fantasyLabel, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addComponent(fantasyImage, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
                )
        );
    }
}

```

```

        jPanel_Fiction.setBackground(new java.awt.Color(255, 255,
255));

        jPanel_Fiction.setBorder(javax.swing.BorderFactory.createLineB
order(new java.awt.Color(0, 0, 0)));

        fictionLabel.setBackground(new java.awt.Color(255, 255, 255));
        fictionLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
        fictionLabel.setForeground(new java.awt.Color(43, 37, 56));

        fictionLabel.setHorizontalAlignment(javax.swing.SwingConstantsConstant
s.CENTER);
        fictionLabel.setText("Fiction");

        fictionImage.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Homepage_images/Ficti
on.PNG"))); // NOI18N

        javax.swing.GroupLayout jPanel_FictionLayout = new
javax.swing.GroupLayout(jPanel_Fiction);
        jPanel_Fiction.setLayout(jPanel_FictionLayout);
        jPanel_FictionLayout.setHorizontalGroup(
        jPanel_FictionLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel_FictionLayout.createSequentialGroup()
                .addComponent(fictionLabel,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
                .addComponent(fictionImage,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            );
        jPanel_FictionLayout.setVerticalGroup(
        jPanel_FictionLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel_FictionLayout.createSequentialGroup()
                .addComponent(fictionLabel)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(fictionImage))
        );
    }

    jPanel_FictionLayout.setVerticalGroup(

```

(continued)

```

        .addComponent(fictionLabel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
);

jPanel_Horror.setBackground(new java.awt.Color(255, 255,
255));

jPanel_Horror.setBorder(javax.swing.BorderFactory.createLineBorder(new java.awt.Color(0, 0, 0)));

horrorLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
horrorLabel.setForeground(new java.awt.Color(43, 37, 56));

horrorLabel.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
horrorLabel.setText("Horror");

horrorImage.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Homepage_images/Horr
or.PNG"))); // NOI18N

javax.swing.GroupLayout jPanel_HorrorLayout = new
javax.swing.GroupLayout(jPanel_Horror);
jPanel_Horror.setLayout(jPanel_HorrorLayout);
jPanel_HorrorLayout.setHorizontalGroup(
jPanel_HorrorLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(horrorLabel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
.addComponent(horrorImage,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);
jPanel_HorrorLayout.setVerticalGroup(
jPanel_HorrorLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(horrorImage,
javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
);

```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
        .RELATED)
        .addComponent(horrorLabel,
        javax.swing.GroupLayout.PREFERRED_SIZE, 30,
        javax.swing.GroupLayout.PREFERRED_SIZE))
    );

jPanel_Romance.setBackground(new java.awt.Color(255, 255,
255));

jPanel_Romance.setBorder(javax.swing.BorderFactory.createLin
eBorder(new java.awt.Color(0, 0, 0)));

romLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
romLabel.setForeground(new java.awt.Color(43, 37, 56));

romLabel.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
romLabel.setText("Romance");

romImage.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Homepage_images/Ro
mance.PNG"))); // NOI18N

javax.swing.GroupLayout jPanel_RomanceLayout = new
javax.swing.GroupLayout(jPanel_Romance);
jPanel_Romance.setLayout(jPanel_RomanceLayout);
jPanel_RomanceLayout.setHorizontalGroup(
jPanel_RomanceLayout.createParallelGroup(javax.swing.GroupLayout
ayout.Alignment.LEADING)
.addComponent(romLabel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
.addComponent(romImage,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);
jPanel_RomanceLayout.setVerticalGroup(
jPanel_RomanceLayout.createParallelGroup(javax.swing.GroupLayout
ayout.Alignment.LEADING)

```

```

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_RomanceLayout.createSequentialGroup()
.addComponent(romImage,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.RELATED)
.addComponent(romLabel,
javax.swing.GroupLayout.PREFERRED_SIZE, 30,
javax.swing.GroupLayout.PREFERRED_SIZE))
);

jPanel_Mystery.setBackground(new java.awt.Color(255, 255,
255));

jPanel_Mystery.setBorder(javax.swing.BorderFactory.createLine
Border(new java.awt.Color(0, 0, 0)));

mysLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
mysLabel.setForeground(new java.awt.Color(43, 37, 56));

mysLabel.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
mysLabel.setText("Mystery");

mysImage.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Homepage_images/Mys
tery.PNG"))); // NOI18N

javax.swing.GroupLayout jPanel_MysteryLayout = new
javax.swing.GroupLayout(jPanel_Mystery);
jPanel_Mystery.setLayout(jPanel_MysteryLayout);
jPanel_MysteryLayout.setHorizontalGroup(
jPanel_MysteryLayout.createParallelGroup(javax.swing.GroupLayout
.Alignment.LEADING)
.addComponent(mysLabel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
.addComponent(mysImage,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);

```

```

jPanel_MysteryLayout.setVerticalGroup(
    jPanel_MysteryLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel_MysteryLayout.createSequentialGroup()
        .addComponent(mysImage,
            javax.swing.GroupLayout.PREFERRED_SIZE,           112,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(jPanel_MysteryLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(mysLabel,
                javax.swing.GroupLayout.PREFERRED_SIZE,           30,
                javax.swing.GroupLayout.PREFERRED_SIZE))
    );
);

jPanel_Poetry.setBackground(new java.awt.Color(255, 255, 255));
jPanel_Poetry.setBorder(javax.swing.BorderFactory.createLineBorder(new java.awt.Color(0, 0, 0)));
poetryLabel.setBackground(new java.awt.Color(255, 255, 255));
poetryLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
poetryLabel.setForeground(new java.awt.Color(43, 37, 56));
poetryLabel.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
poetryLabel.setText("Poetry");

poetryImage.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/Homepage_images/Poetry.PNG"))); // NOI18N

javax.swing.GroupLayout jPanel_PoetryLayout = new
javax.swing.GroupLayout(jPanel_Poetry);
jPanel_Poetry.setLayout(jPanel_PoetryLayout);
jPanel_PoetryLayout.setHorizontalGroup(
    jPanel_PoetryLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel_PoetryLayout.createSequentialGroup()
            .addGap(10, 10, 10)
            .addComponent(poetryImage)
            .addGap(10, 10, 10)
            .addComponent(poetryLabel)
            .addGap(10, 10, 10)
        )
);
jPanel_PoetryLayout.setVerticalGroup(
    jPanel_PoetryLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel_PoetryLayout.createSequentialGroup()
            .addGap(10, 10, 10)
            .addComponent(poetryImage)
            .addGap(10, 10, 10)
            .addComponent(poetryLabel)
            .addGap(10, 10, 10)
        )
);

```

```
.addComponent(poetryLabel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
.addComponent(poetryImage,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);
jPanel_PoetryLayout.setVerticalGroup(
jPanel_PoetryLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_PoetryLayout.createSequentialGroup()
.addComponent(poetryImage,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE, Short.MAX_VALUE)
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
.addComponent(poetryLabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
);
30,
javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
);
javax.swing.GroupLayout jPanel_GenresLayout = new
javax.swing.GroupLayout(jPanel_Genres);
jPanel_Genres.setLayout(jPanel_GenresLayout);
jPanel_GenresLayout.setHorizontalGroup(
jPanel_Genres.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel_Genres.createSequentialGroup()
.addGap(65, 65, 65)
.addGroup(jPanel_Genres.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
.addComponent(jPanel_Adventure,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
.addComponent(jPanel_Fiction,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
.addGap(65, 65, 65)
```

```

        .addGroup(jPanel_GenresLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jPanel_Children,
                javax.swing.GroupLayout.Alignment.TRAILING,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_Horror,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_Poetry,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(65, 65, 65)

        .addGroup(jPanel_GenresLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jPanel_Mystery,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_Classics,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_Romance,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(65, 65, 65)

        .addGroup(jPanel_GenresLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jPanel_Fantasy,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_NonFiction,
                javax.swing.GroupLayout.Alignment.TRAILING,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addContainerGap(65, Short.MAX_VALUE))
    );
    jPanel_GenresLayout.setVerticalGroup(
        jPanel_GenresLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel_GenresLayout.createSequentialGroup()
        .addGap(24, 24, 24)

```

```

        .addGroup(jPanel_GenresLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jPanel_Classics,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_Children,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_Adventure,
                javax.swing.GroupLayout.PREFERRED_SIZE, 0, Short.MAX_VALUE)
            .addComponent(jPanel_Fantasy,
                javax.swing.GroupLayout.Alignment.TRAILING,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(36, 36, 36)

        .addGroup(jPanel_GenresLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING, false)
            .addComponent(jPanel_NonFiction,
                javax.swing.GroupLayout.Alignment.LEADING,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_Fiction,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_Horror,
                javax.swing.GroupLayout.Alignment.LEADING,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_Mystery,
                javax.swing.GroupLayout.Alignment.LEADING,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(35, 35, 35)

        .addGroup(jPanel_GenresLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jPanel_Poetry,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jPanel_Romance,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addContainerGap(43, Short.MAX_VALUE))

```

);

```
javax.swing.GroupLayout jPanel_InformationLayout = new
javax.swing.GroupLayout(jPanel_Information);
jPanel_Information.setLayout(jPanel_InformationLayout);
jPanel_InformationLayout.setHorizontalGroup(
jPanel_InformationLayout.createParallelGroup(javax.swing.Grou
pLayout.Alignment.LEADING)
.addGroup(jPanel_InformationLayout.createSequentialGroup()
.addGap(32, 32, 32)

.addGroup(jPanel_InformationLayout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
.addComponent(jLabel_Genres,
javax.swing.GroupLayout.PREFERRED_SIZE, 270,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addGroup(jPanel_InformationLayout.createSequentialGroup()
.addComponent(jScrollPane_TA,
javax.swing.GroupLayout.PREFERRED_SIZE, 491,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(28, 28, 28)
.addComponent(jLabel_Image,
javax.swing.GroupLayout.PREFERRED_SIZE, 409,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addComponent(jPanel_Genres,
javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addContainerGap(248, Short.MAX_VALUE))
);
jPanel_InformationLayout.setVerticalGroup(
jPanel_InformationLayout.createParallelGroup(javax.swing.Grou
pLayout.Alignment.LEADING)
.addGroup(jPanel_InformationLayout.createSequentialGroup()
.addGroup(jPanel_InformationLayout.createParallelGroup(javax.
swing.GroupLayout.Alignment.LEADING)
.addComponent(jPanel_Genres,
javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addContainerGap()
)
```

```

        .addComponent(jLabel_Image,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)) 450,

        .addGroup(jPanel_InformationLayout.createSequentialGroup()
        .addGap(58, 58, 58)
        .addComponent(jScrollPane_TA,
javax.swing.GroupLayout.PREFERRED_SIZE, 357,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGap(60, 60, 60)
        .addComponent(jLabel_Genres,
javax.swing.GroupLayout.PREFERRED_SIZE, 51,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jPanel_Genres,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addGap(33, 33, 33))
);

jScrollPane_TA.setBorder(null);

jScrollPane_Main.setViewportView(jPanel_Information);

javax.swing.GroupLayout jPanel_SubLayout = new
javax.swing.GroupLayout(jPanel_Sub);
jPanel_Sub.setLayout(jPanel_SubLayout);
jPanel_SubLayout.setHorizontalGroup(
jPanel_SubLayout.createParallelGroup(javax.swing.GroupLayout
.Alignment.LEADING)
.addComponent(jScrollPane_Main,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);
jPanel_SubLayout.setVerticalGroup(
jPanel_SubLayout.createParallelGroup(javax.swing.GroupLayout
.Alignment.LEADING)
.addComponent(jScrollPane_Main,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE, 418, Short.MAX_VALUE)
);

TopNav.setBackground(new java.awt.Color(43, 37, 56));

```

```

        jButton_Home.setBackground(new java.awt.Color(255, 182,
28));
        jButton_Home.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
        jButton_Home.setText("Home");
        jButton_Home.setBorder(null);
        jButton_Home.setBorderPainted(false);
        jButton_Home.setFocusPainted(false);
        jButton_Home.setPreferredSize(new java.awt.Dimension(80,
35));
        jButton_Home.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_HomeActionPerformed(evt);
            }
        });
    });

    jButton_Books.setBackground(new java.awt.Color(255, 182,
28));
    jButton_Books.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
    jButton_Books.setText("Books");
    jButton_Books.setBorder(null);
    jButton_Books.setBorderPainted(false);
    jButton_Books.setFocusPainted(false);
    jButton_Books.setPreferredSize(new java.awt.Dimension(80,
35));
    jButton_Books.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_BooksActionPerformed(evt);
            }
        });
    });

    jButton_Posts.setBackground(new java.awt.Color(255, 182, 28));
    jButton_Posts.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
    jButton_Posts.setText("Posts");
    jButton_Posts.setBorder(null);
    jButton_Posts.setBorderPainted(false);
    jButton_Posts.setFocusPainted(false);

```

```

        jButton_Posts.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_PostsActionPerformed(evt);
            }
        });
    });

    jButton_Trending.setBackground(new java.awt.Color(255, 182,
28));
    jButton_Trending.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
    jButton_Trending.setText("Trending");
    jButton_Trending.setBorder(null);
    jButton_Trending.setBorderPainted(false);
    jButton_Trending.setFocusPainted(false);
    jButton_Trending.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            jButton_TrendingActionPerformed(evt);
        }
    });
}

jLabel_Welcome.setBackground(new java.awt.Color(17, 94,
111));
jLabel_Welcome.setFont(new java.awt.Font("Malgun Gothic", 1,
28)); // NOI18N
jLabel_Welcome.setForeground(new java.awt.Color(255, 255,
255));

jLabel_Welcome.setHorizontalAlignment(javax.swing.SwingConstantsCon
stants.CENTER);
);
jLabel_Welcome.setText("Welcome to BookTap!");
jLabel_Welcome.setOpaque(true);

jButton_Settings.setBackground(new java.awt.Color(255, 182,
28));
jButton_Settings.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
jButton_Settings.setForeground(new java.awt.Color(43, 37, 56));
jButton_Settings.setText("Settings");
jButton_Settings.setBorder(null);
jButton_Settings.setFocusPainted(false)

```

```

        jButton_Settings.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_SettingsActionPerformed(evt);
            }
        });
    });

    jButton_Profile.setBackground(new java.awt.Color(255, 182,
28));
    jButton_Profile.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
    jButton_Profile.setForeground(new java.awt.Color(43, 37, 56));
    jButton_Profile.setText("Profile");
    jButton_Profile.setBorder(null);
    jButton_Profile.setFocusPainted(false);
    jButton_Profile.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton_ProfileActionPerformed(evt);
        }
    });
}

javax.swing.GroupLayout TopNavLayout = new
javax.swing.GroupLayout(TopNav);
TopNav.setLayout(TopNavLayout);
TopNavLayout.setHorizontalGroup(
    TopNavLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(TopNavLayout.createSequentialGroup()
        .addComponent(jButton_Home,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(34, 34, 34)
        .addComponent(jButton_Books,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(34, 34, 34)
        .addComponent(jButton_Posts,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    )
);

TopNavLayout.setHorizontalGroup(
    TopNavLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(TopNavLayout.createSequentialGroup()
        .addComponent(jButton_Home,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton_Books,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton_Posts,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    )
);

```

```

        .addComponent(jButton_Trending,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 95,

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jButton_Profile,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 84,
        .addGap(18, 18, 18)
        .addComponent(jButton_Settings,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 94,
        .addGap(40, 40, 40))
        .addComponent(jLabel_Welcome,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
TopNavBar.setVerticalGroup(
    TopNavBar.createParallelGroup(javax.swing.GroupLayout
Layout.Alignment.LEADING)
    .addGroup(TopNavBar.createSequentialGroup()
    .addGap(25, 25, 25)

    .addGroup(TopNavBar.createParallelGroup(javax.swi
ng.GroupLayout.Alignment.LEADING, false)
    .addComponent(jButton_Posts,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 36,
    javax.swing.GroupLayout.PREFERRED_SIZE)

    .addGroup(TopNavBar.createParallelGroup(javax.swi
ng.GroupLayout.Alignment.BASELINE)
    .addComponent(jButton_Home,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 35,
    javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jButton_Books,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 35,
    javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jButton_Trending,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)) 36,
    javax.swing.GroupLayout.PREFERRED_SIZE))

```

```

        .addComponent(jButton_Settings,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton_Profile,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(25, 25, 25)
        .addComponent(jLabel_Welcome,
javax.swing.GroupLayout.DEFAULT_SIZE, 85, Short.MAX_VALUE)
        .addContainerGap()
);

javax.swing.GroupLayout jPanel_MainLayout = new
javax.swing.GroupLayout(jPanel_Main);
jPanel_Main.setLayout(jPanel_MainLayout);
jPanel_MainLayout.setHorizontalGroup(
jPanel_MainLayout.createParallelGroup(javax.swing.Gro
upLayout.Alignment.LEADING)
.addComponent(jPanel_Sub,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
.addComponent(TopNav,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);
jPanel_MainLayout.setVerticalGroup(
jPanel_MainLayout.createParallelGroup(javax.swing.Gro
upLayout.Alignment.LEADING)
.addGroup(jPanel_MainLayout.createSequentialGroup()
.addComponent(TopNav,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(0, 0, 0)
.addComponent(jPanel_Sub,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
);

```

javix.swing.GroupLayout layout = new  
 javax.swing.GroupLayout(getContentPane());  
 getContentPane().setLayout(layout);  
 layout.setHorizontalGroup(

```

        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jPanel_Main,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    layout.setVerticalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jPanel_Main,
        javax.swing.GroupLayout.Alignment.TRAILING,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
    pack();
    setLocationRelativeTo(null);
}

private void jButton_BooksActionPerformed(java.awt.event.ActionEvent evt) {
    BooksPage b = new BooksPage(this.username);
    b.show();
    dispose();
}

private void jButton_HomeActionPerformed(java.awt.event.ActionEvent evt) {
}

private void jButton_PostsActionPerformed(java.awt.event.ActionEvent evt) {
    Posts p = new Posts(this.username);
    p.show();
    dispose();
}

private void jButton_TrendingActionPerformed(java.awt.event.ActionEvent evt) {
}

```

```

        Trending t = new Trending(this.username);
        t.show();
        dispose();
    }

    private void jButton_ProfileActionPerformed(java.awt.event.ActionEvent evt) {

        Profile p = new Profile(this.username);
        p.show();
        dispose();
    }

    private void jButton_SettingsActionPerformed(java.awt.event.ActionEvent evt) {

        Settings s = new Settings(this.username);
        s.show();
        dispose();
    }

private javax.swing.JPanel TopNav;
private javax.swing.JLabel advImage;
private javax.swing.JLabel advLabel;
private javax.swing.JLabel childrenImage;
private javax.swing.JLabel childrenLabel;
private javax.swing.JLabel classicsImage;
private javax.swing.JLabel classicsLabel;
private javax.swing.JLabel fantasyImage;
private javax.swing.JLabel fantasyLabel;
private javax.swing.JLabel fictionImage;
private javax.swing.JLabel fictionLabel;
private javax.swing.JLabel horrorImage;
private javax.swing.JLabel horrorLabel;
private javax.swing.JButton jButton_Books;
private javax.swing.JButton jButton_Home;
private javax.swing.JButton jButton_Posts;
private javax.swing.JButton jButton_Profile;
private javax.swing.JButton jButton_Settings;
private javax.swing.JButton jButton_Trending;
private javax.swing.JLabel jLabel_Genres;
private javax.swing.JLabel jLabel_Image;
private javax.swing.JLabel jLabel_Welcome;
private javax.swing.JPanel jPanel_Adventure;
private javax.swing.JPanel jPanel_Children;

```

```

private javax.swing.JPanel jPanel_Classics;
private javax.swing.JPanel jPanel_Fantasy;
private javax.swing.JPanel jPanel_Fiction;
private javax.swing.JPanel jPanel_Genres;
private javax.swing.JPanel jPanel_Horror;
private javax.swing.JPanel jPanel_Information;
private javax.swing.JPanel jPanel_Main;
private javax.swing.JPanel jPanel_Mystery;
private javax.swing.JPanel jPanel_NonFiction;
private javax.swing.JPanel jPanel_Poetry;
private javax.swing.JPanel jPanel_Romance;
private javax.swing.JPanel jPanel_Sub;
private javax.swing.JScrollPane jScrollPane_Main;
private javax.swing.JScrollPane jScrollPane_TA;
private javax.swing.JTextArea jTextArea_Introduction;
private javax.swing.JLabel myImage;
private javax.swing.JLabel myLabel;
private javax.swing.JLabel nfImage;
private javax.swing.JLabel nfLabel;
private javax.swing.JLabel poetryImage;
private javax.swing.JLabel poetryLabel;
private javax.swing.JLabel romImage;
private javax.swing.JLabel romLabel;

}

}

```

### 7.2.7. BooksPage.java

```

package booktap;

import java.awt.Color;
import java.awt.Font;
import java.sql.*;

import javax.swing.BorderFactory;
import javax.swing.ImageIcon;

public class BooksPage extends javax.swing.JFrame {

    String username;

    public BooksPage(String u) {
        this.username = u;
        initComponents();
    }
}

```

```

private void initComponents() {

    OuterPanel = new javax.swing.JPanel();
    jScrollPane_Main = new javax.swing.JScrollPane();
    jPanel_Inner = new javax.swing.JPanel();
    genresList = new javax.swing.JComboBox<>();
    filter = new javax.swing.JButton();
    BooksHolder = new javax.swing.JScrollPane();
    BooksHolderPanel = new javax.swing.JPanel();
    BookInfoHolder = new javax.swing.JPanel();
    bookNameLabel = new javax.swing.JLabel();
    authorNameLabel = new javax.swing.JLabel();
    genreLabel = new javax.swing.JLabel();
    publisherLabel = new javax.swing.JLabel();
    bookSummaryLabel = new javax.swing.JLabel();
    bookNameTF = new javax.swing.JTextField();
    authorNameTF = new javax.swing.JTextField();
    genreTF = new javax.swing.JTextField();
    publisherTF = new javax.swing.JTextField();
    bookSummaryHolder = new javax.swing.JScrollPane();
    bookSummaryTA = new javax.swing.JTextArea();
    jLabel_Image = new javax.swing.JLabel();
    TopNav = new javax.swing.JPanel();
    jButton_Books = new javax.swing.JButton();
    jButton_Posts = new javax.swing.JButton();
    jButton_Trending = new javax.swing.JButton();
    jButton_Profile = new javax.swing.JButton();
    jButton1 = new javax.swing.JButton();
    jButton_Home = new javax.swing.JButton();

    setDefaultCloseOperation(javax.swing.WindowConstants.
EXIT_ON_CLOSE);
    setTitle("BOOKS ");
    setPreferredSize(new java.awt.Dimension(1000, 600));

    OuterPanel.setPreferredSize(new
java.awt.Dimension(1000, 600));

    jPanel_Inner.setBackground(new java.awt.Color(43, 37,
56));
    jPanel_Inner.setPreferredSize(new
java.awt.Dimension(1000, 1261));

```

```

        genresList.setBackground(new java.awt.Color(17, 94,
111));
        genresList.setEditable(true);
        genresList.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
        genresList.setForeground(new java.awt.Color(255, 255,
255));
        genresList.setModel(new
javax.swing.DefaultComboBoxModel<>(new String[] { "Select a
Genre...", "Adventure", "Children", "Classics", "Fantasy", "Fiction",
"Horror", "Mystery", "Non-Fiction", "Poetry", "Romance" }));
        genresList.setBorder(javax.swing.BorderFactory.createLi
neBorder(new java.awt.Color(0, 0, 0)));
        filter.setBackground(new java.awt.Color(17, 94, 111));
        filter.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
        filter.setForeground(new java.awt.Color(255, 255, 255));
        filter.setText("Apply Filter");
        filter.setBorderPainted(false);
        filter.setFocusPainted(false);
        filter.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                filterActionPerformed(evt);
            }
        });
        displayAllBooks();
        BooksHolderPAnel.setBackground(new
java.awt.Color(43,37,56));
        BooksHolderPanel.setLayout(new java.awt.GridLayout(0,
2));
        BooksHolder.setViewportView(BooksHolderPanel);
        BookInfoHolder.setBackground(new java.awt.Color(17,
94, 111));
        BookInfoHolder.setToolTipText("");
        bookNameLabel.setFont(new java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
        bookNameLabel.setForeground(new java.awt.Color(255,
255, 255));

```

```

        bookNameLabel.setText("Book Name:");

        authorNameLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
        authorNameLabel.setForeground(new java.awt.Color(255, 255, 255));
        authorNameLabel.setText("Author Name:");

        genreLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
        genreLabel.setForeground(new java.awt.Color(255, 255, 255));
        genreLabel.setText("Genre:");

        publisherLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
        publisherLabel.setForeground(new java.awt.Color(255, 255, 255));
        publisherLabel.setText("Publisher:");

        bookSummaryLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
        bookSummaryLabel.setForeground(new java.awt.Color(255, 255, 255));
        bookSummaryLabel.setText("Book Summary:");

        bookNameTF.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
        bookNameTF.setForeground(new java.awt.Color(0, 51, 102));
        bookNameTF.setToolTipText("");

        bookNameTF.setBorder(javax.swing.BorderFactory.createEmptyBorder(1, 5, 1, 1));
        bookNameTF.setMargin(new java.awt.Insets(5, 5, 5, 5));
        bookNameTF.addActionListener(new java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                bookNameTFActionPerformed(evt);
            }
        });

        authorNameTF.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N

```

```

        authorNameTF.setForeground(new java.awt.Color(0, 51,
102));

        authorNameTF.setBorder(javax.swing.BorderFactory.createEmptyBorder(1, 5, 1, 1));
        authorNameTF.setMargin(new java.awt.Insets(5, 5, 5, 5));
        authorNameTF.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                authorNameTFActionPerformed(evt);
            }
        });
    }

    genreTF.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
    genreTF.setForeground(new java.awt.Color(0, 51, 102));

    genreTF.setBorder(javax.swing.BorderFactory.createEmp
tyBorder(1, 5, 1, 1));
    genreTF.setMargin(new java.awt.Insets(5, 5, 5, 5));
    genreTF.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                genreTFActionPerformed(evt);
            }
        });
    }

    publisherTF.setFont(new java.awt.Font("Malgun Gothic",
1, 14)); // NOI18N
    publisherTF.setForeground(new java.awt.Color(0, 51,
102));

    publisherTF.setBorder(javax.swing.BorderFactory.create
EmptyBorder(1, 5, 1, 1));
    publisherTF.setMargin(new java.awt.Insets(5, 5, 5, 5));
    publisherTF.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                publisherTFActionPerformed(evt);
            }
        });
    }
}

```



```

        .addComponent(genreLabel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(authorNameLabel,
javax.swing.GroupLayout.DEFAULT_SIZE, 117, Short.MAX_VALUE))
        .addGap(56, 56, 56)

        .addGroup(BookInfoHolderLayout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.LEADING)
.addComponent(authorNameTF)
.addComponent(genreTF)))
        .addGroup(javax.swing.GroupLayout.Alignment.LEADING,
BookInfoHolderLayout.createSequentialGroup()

        .addGroup(BookInfoHolderLayout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.TRAILING, false)
.addComponent(bookNameLabel,
javax.swing.GroupLayout.DEFAULT_SIZE, 135, Short.MAX_VALUE)
.addComponent(publisherLabel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(38, 38, 38)

        .addGroup(BookInfoHolderLayout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.LEADING)
.addComponent(publisherTF)
.addComponent(bookNameTF)))
        .addGap(71, 71, 71)
.addComponent(jLabel_Image,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(56, 56, 56))
);

BookInfoHolderLayout.setVerticalGroup(
    BookInfoHolderLayout.createParallelGroup(javax.swing.
    GroupLayout.Alignment.LEADING)
    .addGroup(BookInfoHolderLayout.createSequentialGroup()
        .addGap(28, 28, 28)

        .addGroup(BookInfoHolderLayout.createParallelGroup(ja
vax.swing.GroupLayout.Alignment.BASELINE)

```

```
.addComponent(bookNameLabel,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
.addComponent(bookNameTF))  
.addGap(18, 18, 18)  
  
.addGroup(BookInfoHolderLayout.createParallelGroup(ja  
vax.swing.GroupLayout.Alignment.LEADING)  
  
.addGroup(BookInfoHolderLayout.createSequentialGroup())  
.addComponent(jLabel_Image,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.DEFAULT_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
  
.addContainerGap(javax.swing.GroupLayout.DEFAULT_  
SIZE, Short.MAX_VALUE))  
.addGroup(BookInfoHolderLayout.createSequentialGroup())  
  
.addGroup(BookInfoHolderLayout.createParallelGroup(ja  
vax.swing.GroupLayout.Alignment.BASELINE)  
.addComponent(authorNameLabel,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
.addComponent(authorNameTF))  
.addGap(18, 18, 18)  
  
.addGroup(BookInfoHolderLayout.createParallelGroup(ja  
vax.swing.GroupLayout.Alignment.BASELINE)  
.addComponent(genreLabel,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
.addComponent(genreTF))  
.addGap(18, 18, 18)  
  
.addGroup(BookInfoHolderLayout.createParallelGroup(ja  
vax.swing.GroupLayout.Alignment.BASELINE)  
.addComponent(publisherLabel,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
.addComponent(publisherTF))  
.addGap(28, 28, 28)  
.addComponent(bookSummaryLabel,  
javax.swing.GroupLayout.PREFERRED_SIZE,  
javax.swing.GroupLayout.PREFERRED_SIZE)  
32,  
32,  
32,  
32,
```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
        .addComponent(bookSummaryHolder,
        javax.swing.GroupLayout.PREFERRED_SIZE, 170,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(255, 255, 255)))
    );
}

javax.swing.GroupLayout jPanel_Layout = new
javax.swing.GroupLayout(jPanel);
jPanel.setLayout(jPanel_Layout);
jPanel.setLayout(jPanel_Layout);
jPanel.setLayout(jPanel_Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel_Layout.createSequentialGroup()
.addGap(67, 67, 67)

.addGroup(jPanel_Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
.addComponent(BookInfoHolder,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
.addComponent(BooksHolder,
javax.swing.GroupLayout.DEFAULT_SIZE, 857, Short.MAX_VALUE)
.addGroup(jPanel_Layout.createSequentialGroup()
.addComponent(genresList,
javax.swing.GroupLayout.PREFERRED_SIZE, 255,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(filter,
javax.swing.GroupLayout.PREFERRED_SIZE, 136,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addContainerGap(76, Short.MAX_VALUE))
);

jPanel.setLayout(jPanel_Layout.setVerticalGroup(
jPanel_Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel_Layout.createSequentialGroup()
.addGap(34, 34, 34)

.addGroup(jPanel_Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)

```

```

        .addComponent(genresList,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(filter,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE))
                .addGap(42, 42, 42)
                .addComponent(BooksHolder,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(64, 64, 64)
                    .addComponent(BookInfoHolder,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addContainerGap(203, Short.MAX_VALUE))
    );
}

jScrollPane_Main.setViewportView(jPanel_Inner);

TopNav.setBackground(new java.awt.Color(43, 37, 56));

jButton_Books.setBackground(new java.awt.Color(255,
182, 28));
jButton_Books.setFont(new java.awt.Font("Malgun
Gothic", 1, 14)); // NOI18N
jButton_Books.setText("Books");
jButton_Books.setBorder(null);
jButton_Books.setBorderPainted(false);
jButton_Books.setFocusPainted(false);
jButton_Books.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        jButton_BooksActionPerformed(evt);
    }
});

jButton_Posts.setBackground(new java.awt.Color(255,
182, 28));
jButton_Posts.setFont(new java.awt.Font("Malgun
Gothic", 1, 14)); // NOI18N
jButton_Posts.setText("Posts");
jButton_Posts.setBorder(null);
jButton_Posts.setBorderPainted(false);
jButton_Posts.setFocusPainted(false);

```

```

        jButton_Posts.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                jButton_PostsActionPerformed(evt);
            }
        });

        jButton_Trending.setBackground(new
java.awt.Color(255, 182, 28));
        jButton_Trending.setFont(new java.awt.Font("Malgun
Gothic", 1, 14)); // NOI18N
        jButton_Trending.setText("Trending");
        jButton_Trending.setBorder(null);
        jButton_Trending.setBorderPainted(false);
        jButton_Trending.setFocusPainted(false);
        jButton_Trending.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                jButton_TrendingActionPerformed(evt);
            }
        });

        jButton_Profile.setBackground(new java.awt.Color(255,
182, 28));
        jButton_Profile.setFont(new java.awt.Font("Malgun
Gothic", 1, 14)); // NOI18N
        jButton_Profile.setForeground(new java.awt.Color(43,
37, 56));
        jButton_Profile.setText("Profile");
        jButton_Profile.setBorder(null);
        jButton_Profile.setFocusPainted(false);
        jButton_Profile.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                jButton_ProfileActionPerformed(evt);
            }
        });

        jButton1.setBackground(new java.awt.Color(255, 182,
28));
        jButton1.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N

```

```

        jButton1.setForeground(new java.awt.Color(43, 37, 56));
        jButton1.setText("Settings");
        jButton1.setBorder(null);
        jButton1.setFocusPainted(false);
        jButton1.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                jButton1ActionPerformed(evt);
            }
        });

        jButton_Home.setBackground(new java.awt.Color(255,
182, 28));
        jButton_Home.setFont(new java.awt.Font("Malgun
Gothic", 1, 14)); // NOI18N
        jButton_Home.setForeground(new java.awt.Color(43, 37,
56));
        jButton_Home.setText("Home");
        jButton_Home.setBorder(null);
        jButton_Home.setFocusPainted(false);
        jButton_Home.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                jButton_HomeActionPerformed(evt);
            }
        });

        javax.swing.GroupLayout TopNavLayout = new
javax.swing.GroupLayout(TopNav);
        TopNav.setLayout(TopNavLayout);
        TopNavLayout.setHorizontalGroup(
            TopNavLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(TopNavLayout.createSequentialGroup()
                .addGap(62, 62, 62)
                .addComponent(jButton_Home,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
                .addGap(18, 18, 18)
                .addComponent(jButton_Books,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE))
        );
    }

}

```

```

        .addGap(18, 18, 18)
        .addComponent(jButton_Posts,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 88,
        .addGap(18, 18, 18)
        .addComponent(jButton_Trending,
javax.swing.GroupLayout.PREFERRED_SIZE, 86,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jButton_Profile,
javax.swing.GroupLayout.PREFERRED_SIZE, 85,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 85,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(73, 73, 73))
);

TopNavLayout.setVerticalGroup(
    TopNavLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(TopNavLayout.createSequentialGroup()
    .addGap(25, 25, 25)

    .addGroup(TopNavLayout.createParallelGroup(javax.swi
ng.GroupLayout.Alignment.BASELINE)
    .addComponent(jButton_Books,
javax.swing.GroupLayout.PREFERRED_SIZE, 35,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jButton_Posts,
javax.swing.GroupLayout.PREFERRED_SIZE, 35,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jButton_Trending,
javax.swing.GroupLayout.PREFERRED_SIZE, 35,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jButton_Profile,
javax.swing.GroupLayout.PREFERRED_SIZE, 35,
javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton_Home,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addContainerGap(25, Short.MAX_VALUE))
    );

        javax.swing.GroupLayout OuterPanelLayout = new
javax.swing.GroupLayout(OuterPanel);
        OuterPanel.setLayout(OuterPanelLayout);
        OuterPanelLayout.setHorizontalGroup(
OuterPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jScrollPane_Main,
javax.swing.GroupLayout.DEFAULT_SIZE, 1000, Short.MAX_VALUE)
        .addComponent(TopNav,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
        OuterPanelLayout.setVerticalGroup(
OuterPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
OuterPanelLayout.createSequentialGroup()
        .addComponent(TopNav,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGroup(
            .addGap(0, 0, 0)
            .addComponent(jScrollPane_Main,
javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
    );

```

1366,

```

        javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addComponent(OuterPanel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);
layout.setVerticalGroup(
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(OuterPanel,
javax.swing.GroupLayout.DEFAULT_SIZE, 1451, Short.MAX_VALUE)
);

pack();
setLocationRelativeTo(null);
}

private void jButton_PostsActionPerformed(java.awt.event.ActionEvent evt) {

    Posts p = new Posts(this.username);
    p.show();
    dispose();
}

private void jButton_TrendingActionPerformed(java.awt.event.ActionEvent evt) {

    Trending t = new Trending(this.username);
    t.show();
    dispose();
}

private void jButton_ProfileActionPerformed(java.awt.event.ActionEvent evt) {

    Profile p = new Profile(this.username);
    p.show();
    dispose();
}

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt) {

    Settings s = new Settings(this.username);
    s.show();
}

```

```

        dispose();
    }

    private void jButton_BooksActionPerformed(java.awt.event.ActionEvent evt) {
        }

    private void jButton_HomeActionPerformed(java.awt.event.ActionEvent evt) {
        HomePage h = new HomePage(this.username);
        h.show();
        dispose();
    }

    private void bookNameTFActionPerformed(java.awt.event.ActionEvent evt) {
        }

    private void authorNameTFActionPerformed(java.awt.event.ActionEvent evt) {
        }

    private void genreTFActionPerformed(java.awt.event.ActionEvent evt) {
        }

    private void publisherTFActionPerformed(java.awt.event.ActionEvent evt) {
        }

    private void filterActionPerformed(java.awt.event.ActionEvent evt) {
        BooksHolderPanel.removeAll();
        revalidate();
        repaint();
        int index = genresList.getSelectedIndex();
        String genres[] = { "None Selected", "Adventure",
        "Children", "Classics", "Fantasy", "Fiction", "Horror",
        "Mystery", "Non-Fiction", "Poetry", "Romance" };
    }
}

```

```

        javax.swing.JButton[] buttons = new
        javax.swing.JButton[100];
        int i = 0;

        if (index != 0) {
            try {
                Class.forName("oracle.jdbc.driver.OracleDriver");

                Connection con =
DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe",
"it175",
"sravya");

                Statement stmt = con.createStatement();
                ResultSet rs = stmt.executeQuery(
                    "SELECT * FROM Books INNER JOIN GENRES ON
Books.BOOKID=GENRES.BOOKID WHERE
GENRES.GENRENAME="" +
genres[index] + """);

                String books[] = new String[100];

                while (rs.next()) {
                    books[i] = rs.getString(2);
                    i++;
                }
                if (i == 0) {
                    BooksHolderPanel.setLayout(new
java.awt.FlowLayout(java.awt.FlowLayout.CENTER));
                    javax.swing.JLabel message = new
javax.swing.JLabel("NO BOOKS IN THIS GENRE!");

                    message.setAlignmentX(java.awt.Component.CENTER_ALIGNMENT);

                    message.setAlignmentY(java.awt.Component.CENTER_ALIGNMENT);
                    BooksHolderPanel.add(message);
                    pack();
                    setVisible(true);
                }
                else {
                    BooksHolderPanel.setLayout(new
java.awt.GridLayout(0, 2));
                    for (int j = 0; j < i; j++) {


```

```

        javax.swing.JButton temp =
new javax.swing.JButton(books[j]);
temp.setBackground(new
Color(17, 94, 111));
temp.setForeground(java.awt.Color.WHITE);
temp.setFocusPainted(false);
temp.setFont(new
java.awt.Font("Malgun Gothic", 1, 14));
temp.setVisible(true);

temp.addActionListener(new java.awt.event.ActionListener() {
    @Override
    public void
actionPerformed(java.awt.event.ActionEvent e) {
    displaySelectedBook(e,
genres[index]);
}

});
buttons[j] = temp;

BooksHolderPanel.add(buttons[j]);
}
pack();
setVisible(true);
}
con.close();
} catch (Exception exc) {
System.out.println(exc);
}
} else {
displayAllBooks();
pack();
setVisible(true);
}

}

private void HomeActionPerformed(java.awt.event.ActionEvent evt) {

HomePage h = new HomePage(this.username);
h.show();
dispose();
}

```

```

    private void displaySelectedBook(java.awt.event.ActionEvent evt,
String genre) {

    try {
        Class.forName("oracle.jdbc.driver.OracleDriver");

        Connection con =
DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe",
"it175",
"sravya");

        String temp = evt.getActionCommand();
        String bname = temp.replaceAll("'", "");

        Statement stmt = con.createStatement();
        ResultSet rs = stmt.executeQuery("SELECT * FROM
BOOKS WHERE BOOKNAME='" + bname + "'");

        int bid = 1;
        String fname = "", lname = "", bsummary = "";
        while (rs.next()) {
            bid = rs.getInt(1);
            fname = rs.getString(3);
            lname = rs.getString(6);
            bsummary = rs.getString(4);
            Blob b = rs.getBlob(7);
            byte barr[] = b.getBytes(1,(int)b.length());
            ImageIcon icon = new ImageIcon(barr);
            java.awt.Image img = icon.getImage();
            java.awt.Image scale =
img.getScaledInstance(jLabel_Image.getWidth(),
jLabel_Image.getHeight(),java.awt.Image.SCALE_SMOOTH);
            ImageIcon scaled = new ImageIcon(scale);
            jLabel_Image.setIcon(scaled);
        }

        genre = getGenre(bid);

        bookNameTF.setText(bname);
        authorNameTF.setText(fname);
        genreTF.setText(genre);
        publisherTF.setText(lname);
        bookSummaryTA.setText(bsummary);

        con.close();
    }
}

```

```

        } catch (Exception e) {
            System.out.println(e.getStackTrace());
        }
    }

    public void displayAllBooks() {
        BooksHolderPanel.setLayout(new java.awt.GridLayout(0, 2));
        try {
            Class.forName("oracle.jdbc.driver.OracleDriver");

            Connection con =
DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe",
"it175",
"sraavya");
            Statement stmt = con.createStatement();
            ResultSet rs = stmt.executeQuery("SELECT * FROM
Books");

            while (rs.next()) {
                String bname = rs.getString(2);
                String genre = rs.getString(6);

                if ("".equals(bname) || "".equals(genre)) {
                    break;
                }

                javax.swing.JButton b = new
javax.swing.JButton(bname);
                b.setFont(new java.awt.Font("Malgun Gothic",
Font.PLAIN, 13));
                b.setForeground(java.awt.Color.WHITE);
                b.setBackground(new Color(17, 94, 111));
                b.setFocusPainted(false);

                b.setBorder(BorderFactory.createLineBorder(Colo
r.black));
                b.addActionListener(new
java.awt.event.ActionListener() {
                    public void
actionPerformed(java.awt.event.ActionEvent e) {
                        displaySelectedBook(e, genre);
                    }
                });
                BooksHolderPanel.add(b);
            }
        }
    }
}

```

```

        }
        con.close();
    } catch (Exception exc) {
        System.out.println(exc);
    }
}

public String getGenre(int bookID) {
    String genre = "";
    try {
        Class.forName("oracle.jdbc.driver.OracleDriver");

        Connection con =
DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:xe",
"it175",
"sravya");
        Statement stmt = con.createStatement();
        ResultSet rs = stmt.executeQuery("SELECT * FROM
Genres WHERE BOOKID=" + bookID);

        while (rs.next()) {
            genre += rs.getString(2) + " ";

        } catch (Exception e) {
            System.out.println(e.getStackTrace());
        }
        return genre;
    }

private javax.swing.JPanel BookInfoHolder;
private javax.swing.JScrollPane BooksHolder;
private javax.swing.JPanel BooksHolderPanel;
private javax.swing.JPanel OuterPanel;
private javax.swing.JPanel TopNav;
private javax.swing.JLabel authorNameLabel;
private javax.swing.JTextField authorNameTF;
private javax.swing.JLabel bookNameLabel;
private javax.swing.JTextField bookNameTF;
private javax.swing.JScrollPane bookSummaryHolder;
private javax.swing.JLabel bookSummaryLabel;
private javax.swing.JTextArea bookSummaryTA;
private javax.swing.JButton filter;
private javax.swing.JLabel genreLabel;
private javax.swing.JTextField genreTF;
private javax.swing.JComboBox<String> genresList;

```

```

private javax.swing.JButton jButton1;
private javax.swing.JButton jButton_Books;
private javax.swing.JButton jButton_Home;
private javax.swing.JButton jButton_Posts;
private javax.swing.JButton jButton_Profile;
private javax.swing.JButton jButton_Trending;
private javax.swing.JLabel jLabel_Image;
private javax.swing.JPanel jPanel_Inner;
private javax.swing.JScrollPane jScrollPane_Main;
private javax.swing.JLabel publisherLabel;
private javax.swing.JTextField publisherTF;

}

```

### 7.2.8. Posts.java

```

package booktap;

import java.io.FileInputStream;
import java.sql.*;
import javax.swing.*;
import java.awt.*;
import javax.swing.border.EmptyBorder;
public class Posts extends javax.swing.JFrame {

    String username;
    public Posts(String u) {
        this.username = u;
        initComponents();
    }

    private void initComponents() {

        jLayeredPane_PostsMain = new javax.swing.JLayeredPane();
        jPanel_Tabs = new javax.swing.JPanel();
        jLayeredPane_PostsSub = new javax.swing.JLayeredPane();
        jPanel_Posts = new javax.swing.JPanel();
        jButton_Home = new javax.swing.JButton();
        jButton_Books = new javax.swing.JButton();
        jButton_Posts = new javax.swing.JButton();
        jButton_Trending = new javax.swing.JButton();
        jButton_Settings = new javax.swing.JButton();
        jButton_AddPost = new javax.swing.JButton();

```

```

jButton_Profile = new javax.swing.JButton();
jScrollPane_Posts = new javax.swing.JScrollPane();
jPanel_Post = new javax.swing.JPanel();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setTitle("POSTS");
setPreferredSize(new java.awt.Dimension(1000, 600));
setSize(new java.awt.Dimension(1000, 600));

jPanel_Tabs.setBackground(new java.awt.Color(43, 37, 56));

jLayeredPane_PostsSub.setBackground(new java.awt.Color(17, 94, 111));

jPanel_Posts.setBackground(new java.awt.Color(17, 94, 111));
jPanel_Posts.setPreferredSize(new java.awt.Dimension(925, 508));

jButton_Home.setBackground(new java.awt.Color(255, 182, 28));
jButton_Home.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
jButton_Home.setForeground(new java.awt.Color(43, 37, 56));
jButton_Home.setText("Home");
jButton_Home.setBorder(null);
jButton_Home.setFocusPainted(false);
jButton_Home.addActionListener(new
java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton_HomeActionPerformed(evt);
    }
});

jButton_Books.setBackground(new java.awt.Color(255, 182, 28));
jButton_Books.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
jButton_Books.setForeground(new java.awt.Color(43, 37, 56));
jButton_Books.setText("Books");
jButton_Books.setBorder(null);
jButton_Books.setFocusPainted(false);
jButton_Books.addActionListener(new
java.awt.event.ActionListener() {

```

```

        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            jButton_BooksActionPerformed(evt);
        }
    });

    jButton_Posts.setBackground(new java.awt.Color(255, 182, 28));
    jButton_Posts.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
    jButton_Posts.setForeground(new java.awt.Color(43, 37, 56));
    jButton_Posts.setText("Posts");
    jButton_Posts.setBorder(null);
    jButton_Posts.setFocusPainted(false);
    jButton_Posts.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            jButton_PostsActionPerformed(evt);
        }
    });

    jButton_Trending.setBackground(new java.awt.Color(255, 182,
28));
    jButton_Trending.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
    jButton_Trending.setForeground(new java.awt.Color(43, 37,
56));
    jButton_Trending.setText("Trending");
    jButton_Trending.setBorder(null);
    jButton_Trending.setFocusPainted(false);
    jButton_Trending.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            jButton_TrendingActionPerformed(evt);
        }
    });

    jButton_Settings.setBackground(new java.awt.Color(255, 182,
28));
    jButton_Settings.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
    jButton_Settings.setForeground(new java.awt.Color(43, 37, 56));
    jButton_Settings.setText("Settings");
    jButton_Settings.setBorder(null);

```

```

        jButton_Settings.setFocusPainted(false);
        jButton_Settings.setPreferredSize(new java.awt.Dimension(80,
35));
        jButton_Settings.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_SettingsActionPerformed(evt);
            }
        });
    });

    jButton_AddPost.setBackground(new java.awt.Color(255, 182,
28));
    jButton_AddPost.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
    jButton_AddPost.setText("+ Add Post");
    jButton_AddPost.setBorder(null);
    jButton_AddPost.setFocusPainted(false);
    jButton_AddPost.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            jButton_AddPostActionPerformed(evt);
        }
    });
}

jButton_Profile.setBackground(new java.awt.Color(255, 182,
28));
jButton_Profile.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
jButton_Profile.setForeground(new java.awt.Color(43, 37, 56));
jButton_Profile.setText("Profile");
jButton_Profile.setBorder(null);
jButton_Profile.setFocusPainted(false);
jButton_Profile.setPreferredSize(new java.awt.Dimension(85,
35));
jButton_Profile.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            jButton_ProfileActionPerformed(evt);
        }
    });
}

```

```

        javax.swing.GroupLayout jPanel_PostsLayout = new
        javax.swing.GroupLayout(jPanel_Posts);
        jPanel_Posts.setLayout(jPanel_PostsLayout);
        jPanel_PostsLayout.setHorizontalGroup(
            jPanel_PostsLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel_PostsLayout.Alignment.TRAILING,
                    jPanel_PostsLayout.createSequentialGroup()
                        .addGap(40, 40, 40)
                        .addComponent(jButton_Home,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                        .addComponent(jButton_Books,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                        .addComponent(jButton_Posts,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                        .addComponent(jButton_Trending,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED, 208, Short.MAX_VALUE)
                        .addComponent(jButton_Profile,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(18, 18, 18)
                        .addComponent(jButton_Settings,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(40, 40, 40))
                .addGroup(jPanel_PostsLayout.Alignment.TRAILING,
                    jPanel_PostsLayout.createSequentialGroup()
                        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
                            Short.MAX_VALUE)
                        .addComponent(jButton_AddPost,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addGap(83, 83, 83)))
        );

```

```

jPanel_PostsLayout.setVerticalGroup(
    jPanel_PostsLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel_PostsLayout.createSequentialGroup()
            .addGap(25, 25, 25)

        .addGroup(jPanel_PostsLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jButton_Profile,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jButton_Settings,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

        .addGroup(jPanel_PostsLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
            .addComponent(jButton_Home,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jButton_Books,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jButton_Posts,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addComponent(jButton_Trending,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
            .addComponent(jButton_AddPost,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addContainerGap())
        );
);

jLayeredPane_PostsSub.setLayer(jPanel_Posts,
    javax.swing.JLayeredPane.DEFAULT_LAYER);

javax.swing.GroupLayout jLayeredPane_PostsSubLayout = new
javax.swing.GroupLayout(jLayeredPane_PostsSub);
jLayeredPane_PostsSub.setLayout(jLayeredPane_PostsSubLayout);

```

```

jLayeredPane_PostsSubLayout.setHorizontalGroup(
    jLayeredPane_PostsSubLayout.createParallelGroup(javax.swing.
        GroupLayout.Alignment.LEADING)
    .addGroup(jLayeredPane_PostsSubLayout.createSequentialGrou
        p()
        .addComponent(jPanel_Posts,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE) 870,
            .addGap(0, 45, Short.MAX_VALUE))
    );
    jLayeredPane_PostsSubLayout.setVerticalGroup(
        jLayeredPane_PostsSubLayout.createParallelGroup(javax.swing.
            GroupLayout.Alignment.LEADING)
        .addGroup(jLayeredPane_PostsSubLayout.createSequentialGrou
            p()
            .addComponent(jPanel_Posts,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE) 112,
                .addGap(0, 20, Short.MAX_VALUE))
        );
    jPanel_Post.setBackground(new java.awt.Color(43, 37, 56));
    jPanel_Post.setLayout(new java.awt.GridLayout(1, 0));
    jScrollPane_Posts.setViewportView(jPanel_Post);

    javax.swing.GroupLayout jPanel_TabsLayout = new
    javax.swing.GroupLayout(jPanel_Tabs);
    jPanel_Tabs.setLayout(jPanel_TabsLayout);
    jPanel_TabsLayout.setHorizontalGroup(
        jPanel_TabsLayout.createParallelGroup(javax.swing.GroupLayout.Align
            ment.LEADING)
            .addComponent(jScrollPane_Posts,
                javax.swing.GroupLayout.Alignment.TRAILING,
                javax.swing.GroupLayout.DEFAULT_SIZE, 1125, Short.MAX_VALUE)
            .addGroup(jPanel_TabsLayout.createSequentialGroup()
                .addGap(60, 60, 60)
                .addComponent(jLayeredPane_PostsSub,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.DEFAULT_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
            )

```

```

        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
);
jPanel_TabsLayout.setVerticalGroup(
jPanel_TabsLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel_TabsLayout.createSequentialGroup()
.addGap(20, 20, 20)
.addComponent(jLayeredPane_PostsSub,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.RELATED)
.addComponent(jScrollPane_Posts,
javax.swing.GroupLayout.DEFAULT_SIZE, 461, Short.MAX_VALUE))
);

jLayeredPane_PostsMain.setLayer(jPanel_Tabs,
javax.swing.JLayeredPane.DEFAULT_LAYER);

javax.swing.GroupLayout jLayeredPane_PostsMainLayout = new
javax.swing.GroupLayout(jLayeredPane_PostsMain);

jLayeredPane_PostsMain.setLayout(jLayeredPane_PostsMainLa
yout);
jLayeredPane_PostsMainLayout.setHorizontalGroup(
jLayeredPane_PostsMainLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(jPanel_Tabs,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);
jLayeredPane_PostsMainLayout.setVerticalGroup(
jLayeredPane_PostsMainLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(jPanel_Tabs,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);

```

```

        javax.swing.GroupLayout layout = new
        javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
            layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(layout.createSequentialGroup()
                    .addContainerGap()
                    .addComponent(jLayeredPane_PostsMain)
                )
            ).addContainerGap()
        );
        layout.setVerticalGroup(
            layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(layout.createSequentialGroup()
                    .addContainerGap()
                    .addComponent(jLayeredPane_PostsMain)
                )
            ).addContainerGap()
        );
        pack();
        setLocationRelativeTo(null);
    }

    private void jButton_HomeActionPerformed(java.awt.event.ActionEvent evt) {

        HomePage h = new HomePage(this.username);
        h.show();
        dispose();
    }

    private void jButton_AddPostActionPerformed(java.awt.event.ActionEvent evt) {

        AddPost a = new AddPost(this.username);
        a.show();
        dispose();
    }

    private void jButton_TrendingActionPerformed(java.awt.event.ActionEvent evt) {

        Trending t = new Trending(this.username);
        t.show();
        dispose();
    }

```

```

    private void
jButton_SettingsActionPerformed(java.awt.event.ActionEvent evt) {

    Settings s = new Settings(this.username);
    s.show();
    dispose();
}

    private void
jButton_ProfileActionPerformed(java.awt.event.ActionEvent evt) {

    Profile p = new Profile(this.username);
    p.show();
    dispose();
}

    private void
jButton_BooksActionPerformed(java.awt.event.ActionEvent evt) {

    BooksPage b = new BooksPage(this.username);
    b.show();
    dispose();
}

    private void
jButton_PostsActionPerformed(java.awt.event.ActionEvent evt) {

}

public void displayPosts() {
    jPanel_Post.removeAll();

    validate();
    repaint();
    jScrollPane_Posts.validate();

    try {
        Class.forName("oracle.jdbc.driver.OracleDriver");

        Connection con=DriverManager.getConnection(
        "jdbc:oracle:thin:@localhost:1521:xe","it175","sravya");

        Statement stmt=con.createStatement();
        ResultSet rs = stmt.executeQuery("SELECT * FROM
POSTS ORDER BY TIME DESC");

```

```

        while(rs.next()) {
            JLabel BookLabel = new JLabel();
            String bookname = rs.getString(1);
            String authorName = rs.getString(2);
            String genre = rs.getString(3);
            String review = rs.getString(4);
            Float rating = rs.getFloat(5);
            String username = rs.getString(7);

            Blob b = rs.getBlob(6);
            byte barr[] = b.getBytes(1,(int)b.length());
            ImageIcon icon = new ImageIcon(barr);
            java.awt.Image img = icon.getImage();
            java.awt.Image scale = img.getScaledInstance(200,
300,java.awt.Image.SCALE_SMOOTH);
            ImageIcon scaled = new ImageIcon(scale);
            BookLabel.setIcon(scaled);

            JPanel mainPanel = new JPanel();
            mainPanel.setBackground(new
java.awt.Color(43,37,56));
            JPanel PostsPanel = new javax.swing.JPanel();

            JScrollPane SummaryScrollPane = new
javax.swing.JScrollPane();
            JTextArea SummaryTextArea = new
javax.swing.JTextArea();
            JLabel bookNameLabel = new
javax.swing.JLabel();
            JLabel authorNameLabel = new
javax.swing.JLabel();
            JLabel genreLabel = new javax.swing.JLabel();
            JLabel RatingLabel = new javax.swing.JLabel();
            JLabel ReviewLabel = new javax.swing.JLabel();
            JTextField BookTextField = new
javax.swing.JTextField();
            JTextField AuthorTextField = new
javax.swing.JTextField();
            JTextField GenreTextField = new
javax.swing.JTextField();
            JTextField jTextField1 = new
javax.swing.JTextField();
            JLabel UsernameLabel = new javax.swing.JLabel();

```

```

        JTextField usernametextfield = new
        javax.swing.JTextField();

        usernametextfield.setDefaultCloseOperation(WindowConstants.EXIT_ON_CLOSE);
        usernametextfield.setPreferredSize(new java.awt.Dimension(886,
        345));

        usernametextfield.setDefaultCloseOperation(WindowConstants.EXIT_ON_CLOSE);
        usernametextfield.setPreferredSize(new java.awt.Dimension(886,
        345));

        PostsPanel.setBackground(new java.awt.Color(17,
        94, 111));

        SummaryTextArea.setBackground(new
        java.awt.Color(43, 37, 56));
        SummaryTextArea.setColumns(20);
        SummaryTextArea.setFont(new
        java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
        SummaryTextArea.setText(review);
        SummaryTextArea.setBorder(new EmptyBorder(5,
        5, 5, 5));
        SummaryTextArea.setForeground(new
        java.awt.Color(255, 255, 255));
        SummaryTextArea.setLineWrap(true);
        SummaryTextArea.setRows(5);
        SummaryTextArea.setWrapStyleWord(true);

        SummaryScrollPane.setViewportView(SummaryTextArea);
        SummaryScrollPane.setBorder(null);

        bookNameLabel.setFont(new
        java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
        bookNameLabel.setForeground(new
        java.awt.Color(255, 255, 255));
        bookNameLabel.setText("Book");

```

```

        authorNameLabel.setFont(new
java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
        authorNameLabel.setForeground(new
java.awt.Color(255, 255, 255));
        authorNameLabel.setText("Author");

        genreLabel.setFont(new java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
        genreLabel.setForeground(new
java.awt.Color(255, 255, 255));
        genreLabel.setText("Genre");

        RatingLabel.setFont(new java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
        RatingLabel.setForeground(new
java.awt.Color(255, 255, 255));
        RatingLabel.setText("Rating");

        ReviewLabel.setFont(new java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
        ReviewLabel.setForeground(new
java.awt.Color(255, 255, 255));
        ReviewLabel.setText("Review");

        BookTextField.setFont(new
java.awt.Font("Malgun Gothic", 1, 11)); // NOI18N
        BookTextField.setForeground(Color.WHITE);
        BookTextField.setBackground(new
java.awt.Color(43, 37, 56));
        BookTextField.setText(bookname);
        BookTextField.setBorder(new EmptyBorder(5, 5,
5, 5));

        AuthorTextField.setFont(new
java.awt.Font("Malgun Gothic", 1, 11)); // NOI18N
        AuthorTextField.setForeground(Color.WHITE);
        AuthorTextField.setBackground(new
java.awt.Color(43, 37, 56));
        AuthorTextField.setText(authorName);
        AuthorTextField.setBorder(new EmptyBorder(5,
5, 5, 5));

        GenreTextField.setFont(new
java.awt.Font("Malgun Gothic", 1, 11)); // NOI18N
        GenreTextField.setForeground(Color.WHITE);

```

```

        GenreTextField.setBackground(new
java.awt.Color(43, 37, 56));
        GenreTextField.setText(genre);
        GenreTextField.setBorder(new EmptyBorder(5, 5,
5, 5));

        jTextField1.setFont(new java.awt.Font("Malgun
Gothic", 1, 37)); // NOI18N
        jTextField1.setHorizontalAlignment(JTextField.CENTER);
        jTextField1.setForeground(Color.WHITE);
        jTextField1.setBackground(new
java.awt.Color(43, 37, 56));
        jTextField1.setText(rating.toString());
        jTextField1.setBorder(new EmptyBorder(5, 5, 5,
5));
        jTextField1.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                }
            });
        });

        Usernamelabel.setFont(new
java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
        Usernamelabel.setForeground(new
java.awt.Color(255, 255, 255));
        Usernamelabel.setText("Username");

        usernametextField.setBackground(new
java.awt.Color(43, 37, 56));
        usernametextField.setBorder(new EmptyBorder(0,
5, 0, 0));
        usernametextField.setFont(new
java.awt.Font("Malgun Gothic", 1, 11)); // NOI18N
        usernametextField.setForeground(new
java.awt.Color(255, 255, 255));
        usernametextField.setPreferredSize(new
Dimension(285,21));
        usernametextField.setText(username);

        javax.swing.GroupLayout PostsPanelLayout = new
javax.swing.GroupLayout(PostsPanel);
        PostsPanel.setLayout(PostsPanelLayout);
        PostsPanelLayout.setHorizontalGroup(

```

```

        PostsPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(PostsPanelLayout.createSequentialGroup()
            .addGap(52, 52, 52)
            .addComponent(BookLabel,
                javax.swing.GroupLayout.PREFERRED_SIZE, 200,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(60, 60, 60)

            .addGroup(PostsPanelLayout.createParallelGroup(
                javax.swing.GroupLayout.Alignment.LEADING,
                false)
                .addComponent(ReviewLabel)
            .addGroup(PostsPanelLayout.createSequentialGroup()

                .addGroup(PostsPanelLayout.createParallelGroup(
                    javax.swing.GroupLayout.Alignment.LEADING)
                    .addComponent(bookNameLabel,
                        javax.swing.GroupLayout.PREFERRED_SIZE, 46,
                        javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(authorNameLabel)
                .addComponent(genreLabel)
                .addComponent(Usernamelabel))
                .addGap(30, 30, 30)

                .addGroup(PostsPanelLayout.createParallelGroup(
                    javax.swing.GroupLayout.Alignment.LEADING,
                    false)
                    .addGroup(PostsPanelLayout.createSequentialGroup()
                        .addComponent(AuthorTextField,
                            javax.swing.GroupLayout.PREFERRED_SIZE, 285,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addComponent(GenreTextField,
                            javax.swing.GroupLayout.PREFERRED_SIZE, 285,
                            javax.swing.GroupLayout.PREFERRED_SIZE))
                    .addGroup(PostsPanelLayout.createSequentialGroup()
                        .addGap(65, 65, 65)
                        .addComponent(jTextField1,
                            javax.swing.GroupLayout.PREFERRED_SIZE, 74,
                            javax.swing.GroupLayout.PREFERRED_SIZE)))
            )
        )
    )

```

```

        .addComponent(usernametextfield,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 285,

        .addGroup(PostsPanelLayout.createSequentialGro
up())
        .addComponent(BookTextField,
javax.swing.GroupLayout.PREFERRED_SIZE, 285,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addPreferredGap(javax.swing.LayoutStyle.Comp
onentPlacement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(RatingLabel)
        .addGap(11, 11, 11)))
        .addComponent(SummaryScrollPane))
        .addContainerGap(44, Short.MAX_VALUE))
);

PostsPanelLayout.setVerticalGroup(
PostsPanelLayout.createParallelGroup(javax.swin
g.GroupLayout.Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
PostsPanelLayout.createSequentialGroup()
.addContainerGap(83, Short.MAX_VALUE)

        .addGroup(PostsPanelLayout.createParallelGroup(
javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
PostsPanelLayout.createSequentialGroup()

        .addGroup(PostsPanelLayout.createParallelGroup(
javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(PostsPanelLayout.createSequentialGroup()
up()

        .addGroup(PostsPanelLayout.createParallelGroup(
javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(Usernamelabel)
.addComponent(usernametextfield,
javax.swing.GroupLayout.PREFERRED_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

.addGroup(PostsPanelLayout.createParallelGroup(
javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(bookNameLabel)
.addComponent(BookTextField,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

.addGroup(PostsPanelLayout.createParallelGroup(
javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(authorNameLabel)
.addComponent(AuthorTextField,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

.addGroup(PostsPanelLayout.createParallelGroup(
javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(genreLabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(GenreTextField,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))

.addGroup(PostsPanelLayout.createSequentialGroup()
.addGap(39, 39, 39)
.addComponent(RatingLabel)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

```

```

        .addComponent(jTextField1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))) 55,

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(ReviewLabel)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(SummaryScrollPane,
javax.swing.GroupLayout.PREFERRED_SIZE, 125,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addComponent(BookLabel,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 300,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(28, 28, 28))
);

mainPanel.add(PostsPanel);
JLabel gap = new JLabel();
gap.setBackground(Color.WHITE);
mainPanel.add(gap);
jPanel_Post.add(mainPanel);

}

} catch (Exception e) {
    System.out.println(e);
}

pack();
setPreferredSize(new Dimension(1000, 600));
jPanel_Post.setBackground(new
java.awt.Color(43,37,56));
setVisible(true);
}

private javax.swing.JButton jButton_AddPost;
private javax.swing.JButton jButton_Books;
private javax.swing.JButton jButton_Home;
private javax.swing.JButton jButton_Posts;
private javax.swing.JButton jButton_Profile;
private javax.swing.JButton jButton_Settings;
private javax.swing.JButton jButton_Trending;
private javax.swing.JLayeredPane jLayeredPane_PostsMain;
private javax.swing.JLayeredPane jLayeredPane_PostsSub;

```

```

        private javax.swing.JPanel jPanel_Post;
        private javax.swing.JPanel jPanel_Posts;
        private javax.swing.JPanel jPanel_Tabs;
        private javax.swing.JScrollPane jScrollPane_Posts;
    }

}

```

### 7.2.9. AddPost.java

```

package booktap;

import java.awt.Image;
import java.io.File;
import java.io.InputStream;
import java.sql.*;
import javax.swing.ImageIcon;
import javax.swing.JFileChooser;
import javax.swing.JOptionPane;
import javax.swing.border.EmptyBorder;
import javax.swing.filechooser.FileNameExtensionFilter;

public class AddPost extends javax.swing.JFrame {

    String image_path = null;
    String username;
    public AddPost(String u) {
        this.username = u;
        initComponents();
    }

    private void initComponents() {

        jPanel_AddPost = new javax.swing.JPanel();
        jPanel_Inner = new javax.swing.JPanel();
        jLabel_Author = new javax.swing.JLabel();
        jLabel_Name = new javax.swing.JLabel();
        jLabel_Review = new javax.swing.JLabel();
        jLabel_Genre = new javax.swing.JLabel();
        jLabel_Rating = new javax.swing.JLabel();
        jLabel_Image = new javax.swing.JLabel();
        jButton_Upload = new javax.swing.JButton();
        jLabelImagePath = new javax.swing.JLabel();
        jButton_Submit = new javax.swing.JButton();
        jTextField_Author = new javax.swing.JTextField();

```

```

jTextField_Rating = new javax.swing.JTextField();
jTextField_Genre = new javax.swing.JTextField();
jScrollPane1 = new javax.swing.JScrollPane();
jTextArea_Summary = new javax.swing.JTextArea();
jTextField_BookName = new javax.swing.JTextField();
jButton_GoBack = new javax.swing.JButton();
jLabel_UploadedImage = new javax.swing.JLabel();
jLabel_Title = new javax.swing.JLabel();

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setTitle("NEW POST");
setPreferredSize(new java.awt.Dimension(1000, 600));
setSize(new java.awt.Dimension(1000, 600));

jPanel_AddPost.setBackground(new java.awt.Color(43, 37, 56));
jPanel_AddPost.setPreferredSize(new java.awt.Dimension(1000, 600));

jPanel_Inner.setBackground(new java.awt.Color(17, 94, 111));

jLabel_Author.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
jLabel_Author.setForeground(new java.awt.Color(255, 255, 255));
jLabel_Author.setText("Book author ");

jLabel_Name.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
jLabel_Name.setForeground(new java.awt.Color(255, 255, 255));
jLabel_Name.setText("Book name ");

jLabel_Review.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
jLabel_Review.setForeground(new java.awt.Color(255, 255, 255));
jLabel_Review.setText("Book review ");

jLabel_Genre.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
jLabel_Genre.setForeground(new java.awt.Color(255, 255, 255));
jLabel_Genre.setText("Genre ");

```

```

        jLabel_Rating.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
        jLabel_Rating.setForeground(new java.awt.Color(255, 255,
255));
        jLabel_Rating.setText("Rating ");

        jLabel_Image.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
        jLabel_Image.setForeground(new java.awt.Color(255, 255, 255));
        jLabel_Image.setText("Image");

        jButton_Upload.setBackground(new java.awt.Color(255, 182,
28));
        jButton_Upload.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
        jButton_Upload.setForeground(new java.awt.Color(43, 37, 56));
        jButton_Upload.setText("Upload");
        jButton_Upload.setBorder(null);
        jButton_Upload.setFocusPainted(false);
        jButton_Upload.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_UploadActionPerformed(evt);
            }
        });
    });

    jLabelImagePath.setFont(new java.awt.Font("Dialog", 0, 12)); // NOI18N
    jLabelImagePath.setForeground(new java.awt.Color(255, 255,
255));
    jLabelImagePath.setText("image path");

    jButton_Submit.setBackground(new java.awt.Color(255, 182,
28));
    jButton_Submit.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
    jButton_Submit.setForeground(new java.awt.Color(43, 37, 56));
    jButton_Submit.setText("Submit");
    jButton_Submit.setBorder(null);
    jButton_Submit.setFocusPainted(false);
    jButton_Submit.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {

```

```

                jButton_SubmitActionPerformed(evt);
            }
        });

        jTextField_Author.setBackground(new java.awt.Color(43, 37,
56));
        jTextField_Author.setFont(new java.awt.Font("Malgun Gothic",
1, 12)); // NOI18N
        jTextField_Author.setForeground(new java.awt.Color(255, 255,
255));

        jTextField_Author.setBorder(javax.swing.BorderFactory.createE
mptyBorder(1, 5, 1, 1));
        jTextField_Author.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jTextField_AuthorActionPerformed(evt);
            }
        });

        jTextField_Rating.setBackground(new java.awt.Color(43, 37,
56));
        jTextField_Rating.setFont(new java.awt.Font("Malgun Gothic",
1, 12)); // NOI18N
        jTextField_Rating.setForeground(new java.awt.Color(255, 255,
255));

        jTextField_Rating.setBorder(javax.swing.BorderFactory.createE
mptyBorder(1, 5, 1, 1));
        jTextField_Rating.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jTextField_RatingActionPerformed(evt);
            }
        });

        jTextField_Genre.setBackground(new java.awt.Color(43, 37,
56));
        jTextField_Genre.setFont(new java.awt.Font("Malgun Gothic", 1,
12)); // NOI18N
        jTextField_Genre.setForeground(new java.awt.Color(255, 255,
255));
    }
}

```

```

jTextField_Genre.setBorder(javax.swing.BorderFactory.createEmptyBorder(1, 5, 1, 1));
jTextField_Genre.addActionListener(new
java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent
evt) {
        jTextField_GenreActionPerformed(evt);
    }
});

jTextArea_Summary.setBackground(new java.awt.Color(43, 37,
56));
jTextArea_Summary.setColumns(20);
jTextArea_Summary.setFont(new java.awt.Font("Malgun
Gothic", 1, 12)); // NOI18N
jTextArea_Summary.setForeground(new java.awt.Color(255,
255, 255));
jTextArea_Summary.setLineWrap(true);
jTextArea_Summary.setRows(5);
jTextArea_Summary.setWrapStyleWord(true);

jTextArea_Summary.setBorder(javax.swing.BorderFactory.create
EmptyBorder(1, 5, 1, 1));
jScrollPane1.setViewportView(jTextArea_Summary);

jTextField_BookName.setBackground(new java.awt.Color(43,
37, 56));
jTextField_BookName.setFont(new java.awt.Font("Malgun
Gothic", 1, 12)); // NOI18N
jTextField_BookName.setForeground(new java.awt.Color(255,
255, 255));

jTextField_BookName.setBorder(javax.swing.BorderFactory.create
EmptyBorder(1, 5, 1, 1));
jTextField_BookName.addActionListener(new
java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent
evt) {
        jTextField_BookNameActionPerformed(evt);
    }
});

jButton_GoBack.setBackground(new java.awt.Color(255, 182,
28));

```

```

        jButton_GoBack.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
        jButton_GoBack.setForeground(new java.awt.Color(43, 37, 56));
        jButton_GoBack.setText("Go Back");
        jButton_GoBack.setBorder(null);
        jButton_GoBack.setFocusPainted(false);
        jButton_GoBack.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_GoBackActionPerformed(evt);
            }
        });
    });

    jLabel_UploadedImage.setPreferredSize(new
java.awt.Dimension(300, 450));

    jLabel_Title.setFont(new java.awt.Font("Malgun Gothic", 1, 36));
// NOI18N
    jLabel_Title.setForeground(new java.awt.Color(255, 255, 255));
    jLabel_Title.setText("New Post");

    javax.swing.GroupLayout jPanel_InnerLayout = new
javax.swing.GroupLayout(jPanel_Inner);
    jPanel_Inner.setLayout(jPanel_InnerLayout);
    jPanel_InnerLayout.setHorizontalGroup(
        jPanel_InnerLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel_InnerLayout.createSequentialGroup()
                .addContainerGap()
                .addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel_InnerLayout.createSequentialGroup()
                        .addComponent(jLabel_Review)
                        .addGap(18, 18, 18)
                        .addComponent(jLabel_Rating))
                    .addGroup(jPanel_InnerLayout.createSequentialGroup()
                        .addComponent(jLabel_Review)
                        .addGap(18, 18, 18)
                        .addComponent(jLabel_Rating)))
                .addContainerGap())
        );
    );
    jPanel_InnerLayout.setVerticalGroup(
        jPanel_InnerLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel_InnerLayout.createSequentialGroup()
                .addContainerGap()
                .addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jLabel_Review)
                    .addComponent(jLabel_Rating))
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                .addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                    .addComponent(jLabel_Review)
                    .addComponent(jLabel_Rating)))
                .addContainerGap())
        );
}

```

```

        .addComponent(jLabel_Image,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGap(57, 57, 57)

        .addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.
GroupLayout.Alignment.LEADING)
.addComponent(jTextField_BookName,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jTextField_Author,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jTextField_Genre,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jScrollPane1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jTextField_Rating,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jLabelImagePath,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jButton_Upload,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
.addComponent(jLabel_Name)
.addComponent(jLabel_Title,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jLabel_Author)
.addComponent(jLabel_Genre))

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.RELATED, 28, Short.MAX_VALUE))
.addGroup(jPanel_InnerLayout.createSequentialGroup()
.addGap(25, 25, 25)
.addComponent(jButton_GoBack,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement

```

95,  
262,  
262,  
262,  
262,  
262,  
262,  
330,  
80,  
250,  
83,  
83,

```

.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
.addComponent(jButton_Submit,
javax.swing.GroupLayout.PREFERRED_SIZE, 80,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(98, 98, 98)))
.addComponent(jLabel_UploadedImage,
javax.swing.GroupLayout.PREFERRED_SIZE, 312,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(67, 67, 67))
);
jPanel_InnerLayout.setVerticalGroup(
jPanel_InnerLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_InnerLayout.createSequentialGroup()
.addComponent(jLabel_Title,
javax.swing.GroupLayout.PREFERRED_SIZE, 42,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(28, 28, 28)

.addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel_InnerLayout.createSequentialGroup()
.addComponent(jLabel_Name)
.addGap(25, 25, 25)

.addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(jLabel_Author)
.addComponent(jTextField_Author,
javax.swing.GroupLayout.PREFERRED_SIZE, 30,
javax.swing.GroupLayout.PREFERRED_SIZE)))
.addComponent(jTextField_BookName,
javax.swing.GroupLayout.PREFERRED_SIZE, 30,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGap(18, 18, 18)

.addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(jLabel_Genre)
.addComponent(jTextField_Genre,
javax.swing.GroupLayout.PREFERRED_SIZE, 30,
javax.swing.GroupLayout.PREFERRED_SIZE))

```

```

.addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.
    GroupLayout.Alignment.LEADING)
    .addGroup(jPanel_InnerLayout.createSequentialGroup()
        .addGap(18, 18, 18)
        .addComponent(jScrollPane1,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE))
    .addGroup(jPanel_InnerLayout.createSequentialGroup()
        .addGap(29, 29, 29)
        .addComponent(jLabel_Review)))
    .addGap(18, 18, 18)

.addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.
    GroupLayout.Alignment.BASELINE)
    .addComponent(jTextField_Rating,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE) 30,
    .addComponent(jLabel_Rating))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
    .RELATED,         javax.swing.GroupLayout.DEFAULT_SIZE,
    Short.MAX_VALUE)

.addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.
    GroupLayout.Alignment.LEADING)
    .addComponent(jLabel_Image,
        javax.swing.GroupLayout.Alignment.TRAILING)
    .addComponent(jButton_Upload,
        javax.swing.GroupLayout.Alignment.TRAILING,
        javax.swing.GroupLayout.PREFERRED_SIZE, 32,
        javax.swing.GroupLayout.PREFERRED_SIZE))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
    .UNRELATED)
    .addComponent(jLabelImagePath)
    .addGap(26, 26, 26)

.addGroup(jPanel_InnerLayout.createParallelGroup(javax.swing.
    GroupLayout.Alignment.BASELINE)
    .addComponent(jButton_GoBack,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE) 35,
        javax.swing.GroupLayout.PREFERRED_SIZE)

```

```

        .addComponent(jButton_Submit,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(20, 20, 20))
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel_InnerLayout.createSequentialGroup()
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jLabel_UploadedImage,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap())
    );
}

javax.swing.GroupLayout jPanel_AddPostLayout = new
javax.swing.GroupLayout(jPanel_AddPost);
jPanel_AddPost.setLayout(jPanel_AddPostLayout);
jPanel_AddPostLayout.setHorizontalGroup(
jPanel_AddPostLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel_AddPostLayout.createSequentialGroup()
            .addGap(30, 30, 30)
            .addComponent(jPanel_Inner,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(45, Short.MAX_VALUE))
    );
jPanel_AddPostLayout.setVerticalGroup(
jPanel_AddPostLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(jPanel_AddPostLayout.createSequentialGroup()
            .addGap(30, 30, 30)
            .addComponent(jPanel_Inner,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(65, Short.MAX_VALUE))
    );
}

javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
getContentPane().setLayout(layout);
layout.setHorizontalGroup(

```

35, 486, 505,

```

        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
        .addGroup(layout.createSequentialGroup()
        .addComponent(jPanel_AddPost,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 20, Short.MAX_VALUE))
    );
    layout.setVerticalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
LEADING)
        .addComponent(jPanel_AddPost,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    );
    pack();
    setLocationRelativeTo(null);
}

private void jTextField_BookNameActionPerformed(java.awt.event.ActionEvent evt) {
}

private void jTextField_RatingActionPerformed(java.awt.event.ActionEvent evt) {

}

private void jTextField_AuthorActionPerformed(java.awt.event.ActionEvent evt) {

}

private void jTextField_GenreActionPerformed(java.awt.event.ActionEvent evt) {
}

```

```

private void
jButton_UploadActionPerformed(java.awt.event.ActionEvent evt) {

    try{
        JFileChooser chooser = new JFileChooser();
        chooser.setCurrentDirectory(new
File(System.getProperty("user.home")));
        FileNameExtensionFilter extension = new
FileNameExtensionFilter("*Images",".png",".jpg",".jpeg")
        ;
        chooser.addChoosableFileFilter(extension);

        int filestate = chooser.showSaveDialog(null);
        if(filestate == JFileChooser.APPROVE_OPTION)
        {
            File selectedImage = chooser.getSelectedFile();
            image_path = selectedImage.getAbsolutePath();
            if(image_path.endsWith(".jpeg") ||
image_path.endsWith(".jpg") || image_path.endsWith(".png")){
                jLabelImagePath.setText(image_path);
                Image getAbsolutePath = null;
                ImageIcon icon = new
ImageIcon(image_path);
                Image image =
icon.getImage().getScaledInstance(jLabel_UploadedImage.getWidth(),
jLabel_UploadedImage.getHeight(), Image.SCALE_SMOOTH);
                jLabel_UploadedImage.setIcon(icon);
                JOptionPane.showMessageDialog(this,
"Image uploaded successfully!");
            }
            else{
                JOptionPane.showMessageDialog(this,
"Invalid file format.");
            }
        }
    }
    catch(Exception e){
        JOptionPane.showMessageDialog(null,e);
    }
}

private void
jButton_SubmitActionPerformed(java.awt.event.ActionEvent evt) {

```

```

String bookName = jTextField_BookName.getText();
String bookAuthor = jTextField_Author.getText();
String bookGenre = jTextField_Genre.getText();
String bookRating = jTextField_Rating.getText();
String bookSummary = jTextArea_Summary.getText();
if(bookName.trim().equals("") || bookAuthor.trim().equals("") ||
bookGenre.trim().equals("") || bookRating.trim().equals("")) {
    JOptionPane.showMessageDialog(this, "Please enter all
details.");
}
else{
    try{
        Float rating = Float.parseFloat(bookRating);
        Class.forName("oracle.jdbc.driver.OracleDriver");
        Connection con =
DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:XE","it
175","sravya");
        PreparedStatement pstmt =
con.prepareStatement("INSERT INTO POSTS(Name, Author, Genre,
Review, Rating, Image, Username, Time) VALUES(?,?,?,?,?,?,'");
        pstmt.setString(1, bookName);
        pstmt.setString(2, bookAuthor);
        pstmt.setString(3, bookGenre);
        pstmt.setString(4, bookSummary);
        pstmt.setFloat(5, rating);
        FileInputStream in =
new
FileInputStream(image_path);
        pstmt.setBinaryStream(6,in,in.available());
        pstmt.setString(7, username);
        Timestamp t =
new
Timestamp(System.currentTimeMillis());
        pstmt.setTimestamp(8, t);
        pstmt.execute();

        JOptionPane.showMessageDialog(this,"Success!");
    ;
}
    catch(Exception e){
        JOptionPane.showMessageDialog(this,e);
    }
}
}

```

```

private void
jButton_GoBackActionPerformed(java.awt.event.ActionEvent evt) {

    Posts p = new Posts(this.username);
    p.show();
    dispose();
}
private javax.swing.JButton jButton_GoBack;
private javax.swing.JButton jButton_Submit;
private javax.swing.JButton jButton_Upload;
private javax.swing.JLabel jLabel_Author;
private javax.swing.JLabel jLabel_Genre;
private javax.swing.JLabel jLabel_Image;
private javax.swing.JLabel jLabelImagePath;
private javax.swing.JLabel jLabel_Name;
private javax.swing.JLabel jLabel_Rating;
private javax.swing.JLabel jLabel_Review;
private javax.swing.JLabel jLabel_Title;
private javax.swing.JLabel jLabel_UnderlineImage;
private javax.swing.JPanel jPanel_AddPost;
private javax.swing.JPanel jPanel_Inner;
private javax.swing.JScrollPane jScrollPane1;
private javax.swing.JTextArea jTextArea_Summary;
private javax.swing.JTextField jTextField_Author;
private javax.swing.JTextField jTextField_BookName;
private javax.swing.JTextField jTextField_Genre;
private javax.swing.JTextField jTextField_Rating;

}

}

```

### 7.2.10. Trending.java

```

package booktap;

public class Trending extends javax.swing.JFrame {

    String username;
    public Trending(String u) {
        this.username = u;
        initComponents();
    }
    private void initComponents() {

```

```

jScrollPane1 = new javax.swing.JScrollPane();
jLayeredPane1 = new javax.swing.JLayeredPane();
jPanel1 = new javax.swing.JPanel();
jLayeredPane2 = new javax.swing.JLayeredPane();
jPanel2 = new javax.swing.JPanel();
jButton_Home = new javax.swing.JButton();
jButton_Books = new javax.swing.JButton();
jButton_Posts = new javax.swing.JButton();
jButton_Trending = new javax.swing.JButton();
jButton_Settings = new javax.swing.JButton();
jLabel1 = new javax.swing.JLabel();
jButton_Fiction = new javax.swing.JButton();
jLabel2 = new javax.swing.JLabel();
jButton_Adventure = new javax.swing.JButton();
jLabel3 = new javax.swing.JLabel();
jButton_Romance = new javax.swing.JButton();
jButton_Poetry = new javax.swing.JButton();
jLabel6 = new javax.swing.JLabel();
jLabel4 = new javax.swing.JLabel();
jButton_Classics = new javax.swing.JButton();
jLabel5 = new javax.swing.JLabel();
jButton_NonFiction = new javax.swing.JButton();
jLabel7 = new javax.swing.JLabel();
jButton_Horror = new javax.swing.JButton();
jLabel8 = new javax.swing.JLabel();
jButton_Mystery = new javax.swing.JButton();
jLabel9 = new javax.swing.JLabel();
jButton_Fantasy = new javax.swing.JButton();
jButton_Profile = new javax.swing.JButton();

```

```
setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
```

```
setTitle("TRENDING");
```

```
setSize(new java.awt.Dimension(1000, 600));
```

```
jPanel1.setBackground(new java.awt.Color(43, 37, 56));
```

```

javax.swing.GroupLayout jLayeredPane2Layout = new javax.swing.GroupLayout(jLayeredPane2);
jLayeredPane2.setLayout(jLayeredPane2Layout);
jLayeredPane2Layout.setHorizontalGroup(

```

```
jLayeredPane2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
```

```

        .addGap(0, 879, Short.MAX_VALUE)
    );
    jLayeredPane2Layout.setVerticalGroup(
        jLayeredPane2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGap(0, 1191, Short.MAX_VALUE)
    );

    jPanel2.setBackground(new java.awt.Color(17, 94, 111));

    jButton_Home.setBackground(new java.awt.Color(255, 182, 28));
    jButton_Home.setFont(new java.awt.Font("Malgung Gothic", 1, 16)); // NOI18N
    jButton_Home.setText("Home");
    jButton_Home.setBorder(null);
    jButton_Home.setFocusPainted(false);
    jButton_Home.addActionListener(new
        java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                jButton_HomeActionPerformed(evt);
            }
        });
}

jButton_Books.setBackground(new java.awt.Color(255, 182, 28));
jButton_Books.setFont(new java.awt.Font("Malgung Gothic", 1, 16)); // NOI18N
jButton_Books.setText("Books");
jButton_Books.setBorder(null);
jButton_Books.setFocusPainted(false);
jButton_Books.addActionListener(new
    java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent evt) {
            jButton_BooksActionPerformed(evt);
        }
    });
}

jButton_Posts.setBackground(new java.awt.Color(255, 182, 28));
jButton_Posts.setFont(new java.awt.Font("Malgung Gothic", 1, 16)); // NOI18N
jButton_Posts.setText("Posts");

```

```

        jButton_Posts.setBorder(null);
        jButton_Posts.setFocusPainted(false);
        jButton_Posts.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_PostsActionPerformed(evt);
            }
        });
    });

    jButton_Trending.setBackground(new java.awt.Color(255, 182,
28));
    jButton_Trending.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
    jButton_Trending.setText("Trending");
    jButton_Trending.setBorder(null);
    jButton_Trending.setFocusPainted(false);
    jButton_Trending.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_TrendingActionPerformed(evt);
            }
        });
    });

    jButton_Settings.setBackground(new java.awt.Color(255, 182,
28));
    jButton_Settings.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
    jButton_Settings.setText("Settings");
    jButton_Settings.setBorder(null);
    jButton_Settings.setFocusPainted(false);
    jButton_Settings.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_SettingsActionPerformed(evt);
            }
        });
    });

    jLabell.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/genres/fiction.jpeg")));
// NOI18N

```

```

        jButton_Fiction.setBackground(new java.awt.Color(251, 120,
74));
        jButton_Fiction.setFont(new java.awt.Font("Malgun Gothic", 1,
12)); // NOI18N
        jButton_Fiction.setForeground(new java.awt.Color(43, 37, 56));
        jButton_Fiction.setText("TOP 3 FICTION");
        jButton_Fiction.setBorder(null);
        jButton_Fiction.setFocusPainted(false);
        jButton_Fiction.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_FictionActionPerformed(evt);
            }
        });
    });

    jLabel2.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/genres/adv.jpeg"))); // NOI18N

    jButton_Adventure.setBackground(new java.awt.Color(251, 120,
74));
    jButton_Adventure.setFont(new java.awt.Font("Malgun Gothic",
1, 12)); // NOI18N
    jButton_Adventure.setForeground(new java.awt.Color(43, 37,
56));
    jButton_Adventure.setText("TOP 3 ADVENTURE");
    jButton_Adventure.setBorder(null);
    jButton_Adventure.setFocusPainted(false);
    jButton_Adventure.addActionListener(new
java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            jButton_AdventureActionPerformed(evt);
        }
    });
}

jLabel3.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/genres/romance.jpeg")))
; // NOI18N

    jButton_Romance.setBackground(new java.awt.Color(251, 120,
74));
    jButton_Romance.setFont(new java.awt.Font("Malgun Gothic",
1, 12)); // NOI18N

```

```

        jButton_Romance.setForeground(new java.awt.Color(43, 37,
56));
        jButton_Romance.setText("TOP 3 ROMANCE");
        jButton_Romance.setBorder(null);
        jButton_Romance.setFocusPainted(false);
        jButton_Romance.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_RomanceActionPerformed(evt);
            }
        });
    });

    jButton_Poetry.setBackground(new java.awt.Color(251, 120,
74));
    jButton_Poetry.setFont(new java.awt.Font("Malgun Gothic", 1,
12)); // NOI18N
    jButton_Poetry.setForeground(new java.awt.Color(43, 37, 56));
    jButton_Poetry.setText("TOP 3 POETRY");
    jButton_Poetry.setBorder(null);
    jButton_Poetry.setFocusPainted(false);
    jButton_Poetry.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_PoetryActionPerformed(evt);
            }
        });
    });

    jLabel6.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/genres/drama.jpeg"))); // NOI18N

    jLabel4.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/genres/class.jpeg"))); // NOI18N

    jButton_Classics.setBackground(new java.awt.Color(251, 120,
74));
    jButton_Classics.setFont(new java.awt.Font("Malgun Gothic", 1,
12)); // NOI18N
    jButton_Classics.setForeground(new java.awt.Color(43, 37, 56));
    jButton_Classics.setText("TOP 3 CLASSICS");
    jButton_Classics.setBorder(null);
    jButton_Classics.setFocusPainted(false);

```

```

        jButton_Classics.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_ClassicsActionPerformed(evt);
            }
        });

        jLabel5.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/genres/non-
fiction.jpg"))); // NOI18N
        jLabel5.setText("jLabel5");

        jButton_NonFiction.setBackground(new java.awt.Color(251,
120, 74));
        jButton_NonFiction.setFont(new java.awt.Font("Malgun Gothic",
1, 12)); // NOI18N
        jButton_NonFiction.setForeground(new java.awt.Color(43, 37,
56));
        jButton_NonFiction.setText("TOP 3 NON-FICTION");
        jButton_NonFiction.setBorder(null);
        jButton_NonFiction.setFocusPainted(false);
        jButton_NonFiction.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                jButton_NonFictionActionPerformed(evt);
            }
        });

        jLabel7.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/genres/horror.jpeg"))); // NOI18N

        jButton_Horror.setBackground(new java.awt.Color(251, 120,
74));
        jButton_Horror.setFont(new java.awt.Font("Malgun Gothic", 1,
12)); // NOI18N
        jButton_Horror.setForeground(new java.awt.Color(43, 37, 56));
        jButton_Horror.setText("TOP 3 HORROR");
        jButton_Horror.setBorder(null);
        jButton_Horror.setFocusPainted(false);
        jButton_Horror.addActionListener(new
java.awt.event.ActionListener() {

```

```

        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            jButton_HorrorActionPerformed(evt);
        }
    });

jLabel8.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/genres/thriller.jpeg")));
// NOI18N

jButton_Mystery.setBackground(new java.awt.Color(251, 120,
74));
jButton_Mystery.setFont(new java.awt.Font("Malgun Gothic", 1,
12)); // NOI18N
jButton_Mystery.setForeground(new java.awt.Color(43, 37, 56));
jButton_Mystery.setText("TOP 3 MYSTERY");
jButton_Mystery.setBorder(null);
jButton_Mystery.setFocusPainted(false);
jButton_Mystery.addActionListener(new
java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent
evt) {
        jButton_MysteryActionPerformed(evt);
    }
});

jLabel9.setIcon(new
javax.swing.ImageIcon(getClass().getResource("/genres/fantasy.jpeg")));
// NOI18N

jButton_Fantasy.setBackground(new java.awt.Color(251, 120,
74));
jButton_Fantasy.setFont(new java.awt.Font("Malgun Gothic", 1,
12)); // NOI18N
jButton_Fantasy.setForeground(new java.awt.Color(43, 37, 56));
jButton_Fantasy.setText("TOP 3 FANTASY");
jButton_Fantasy.setBorder(null);
jButton_Fantasy.setFocusPainted(false);
jButton_Fantasy.addActionListener(new
java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton_FantasyActionPerformed(evt);
    }
});

```



```
.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addComponent(jButton_Home,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(jButton_Books,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(jButton_Posts,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(jButton_Trending,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                Short.MAX_VALUE)
            .addComponent(jButton_Profile,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE)
            .addGap(18, 18, 18)
            .addComponent(jButton_Settings,
                javax.swing.GroupLayout.PREFERRED_SIZE,
                javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel2Layout.createSequentialGroup()
            .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING,
                javax.swing.GroupLayout.Alignment.TRAILING)
                .addGroup(jPanel2Layout.createSequentialGroup()
                    .addComponent(jLabel4)
                    .addGap(18, 18, 18)
                    .addComponent(jLabel8))
                .addGroup(jPanel2Layout.createSequentialGroup()
                    .addComponent(jLabel11)
                    .addGap(18, 18, 18)
                    .addComponent(jLabel12)))
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(18, 18, 18)
                .addComponent(jLabel13)
                .addGap(18, 18, 18)
                .addComponent(jLabel14))))
```

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
.addComponent(jLabel2))

.addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel2Layout.createSequentialGroup()
.addComponent(jLabel6,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.RELATED)
.addComponent(jLabel5,
javax.swing.GroupLayout.PREFERRED_SIZE, 200,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addGroup(javax.swing.GroupLayout.Alignment.LEADING,
jPanel2Layout.createSequentialGroup()
.addGap(50, 50, 50)
.addComponent(jButton_Poetry,
javax.swing.GroupLayout.PREFERRED_SIZE, 100,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
.addComponent(jButton_NonFiction,
javax.swing.GroupLayout.PREFERRED_SIZE, 131,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(32, 32, 32)))

.addGroup(jPanel2Layout.createParallelGroup(javax.swin
g.GroupLayout.Alignment.LEADING)

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createParallelGroup(javax.swing.GroupLayoutLa
yout.Alignment.LEADING)
.addGroup(jPanel2Layout.createSequentialGroup()
.addGap(90, 90, 90)

```

```

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
            .addComponent(jLabel3,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
            .addComponent(jLabel9,
                javax.swing.GroupLayout.DEFAULT_SIZE,
                javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(140, 140, 140)
                .addComponent(jButton_Fantasy,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE))) 106,
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING, jPanel2Layout.createSequentialGroup()
                    .addGroup(jPanel2Layout.createParallelGroup()
                        .addGroup(jPanel2Layout.createSequentialGroup()
                            .addGap(90, 90, 90)
                            .addComponent(jLabel7,
                                javax.swing.GroupLayout.PREFERRED_SIZE,
                                javax.swing.GroupLayout.PREFERRED_SIZE))))
                    .addGroup(jPanel2Layout.createSequentialGroup()
                        .addGap(23, 23, 23))
                    .addGroup(jPanel2Layout.createSequentialGroup()
                        .addGap(80, 80, 80)
                        .addComponent(jButton_Classics,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE))) 200,
                    .addGroup(jPanel2Layout.createSequentialGroup()
                        .addGap(23, 23, 23))
                    .addGroup(jPanel2Layout.createSequentialGroup()
                        .addGap(80, 80, 80)
                        .addComponent(jButton_Mystery,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)))
                .addGap(178, 178, 178)
                .addComponent(jButton_Horror,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE))) 110,
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(70, 70, 70))
        );
    jPanel2Layout.setVerticalGroup(
        jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(22, 22, 22)

        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
        .addComponent(jButton_Home,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton_Books,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton_Posts,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton_Trending,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton_Settings,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton_Profile,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(51, 51, 51)

        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(jLabel1)
        .addComponent(jLabel2)
        .addComponent(jLabel3))

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
        .addComponent(jButton_Fiction,
        javax.swing.GroupLayout.DEFAULT_SIZE, 27, Short.MAX_VALUE)
        .addComponent(jButton_Adventure,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        .addComponent(jButton_Romance,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))
        .addGap(50, 50, 50)
    
```

```

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
.addGroup(jPanel2Layout.createSequentialGroup()
.addComponent(jLabel9)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
.addComponent(jButton_Fantasy,
javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)) 28,

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING, false)
.addGroup(jPanel2Layout.createSequentialGroup()
.addComponent(jLabel6)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
.addComponent(jButton_Poetry,
javax.swing.GroupLayout.PREFERRED_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)) 27,

.addGroup(javax.swing.GroupLayout.Alignment.LEADING, jPanel2Layout.createSequentialGroup()
.addComponent(jLabel5)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
.addComponent(jButton_NonFiction,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)))
.addGap(50, 50, 50)

.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(jLabel4)
.addComponent(jLabel7)
.addComponent(jLabel8))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
.addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(jButton_Leading)
.addComponent(jButton_Trailing))

```

```
.addComponent(jButton_Classics,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
    .addComponent(jButton_Horror,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton_Mystery,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
    .addContainerGap(120, Short.MAX_VALUE))
);

javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout
yout.Alignment.LEADING)
.addGroup(jPanel1Layout.createSequentialGroup()
.addGap(60, 60, 60)
.addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.RELATED)
.addComponent(jLayeredPane2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addContainerGap(45, Short.MAX_VALUE))
);
jPanel1Layout.setVerticalGroup(
jPanel1Layout.createParallelGroup(javax.swing.GroupLayout
yout.Alignment.LEADING)
.addGroup(jPanel1Layout.createSequentialGroup()

.addGroup(jPanel1Layout.createParallelGroup(javax.swin
g.GroupLayout.Alignment.LEADING)
.addGroup(jPanel1Layout.createSequentialGroup()
.addGap(39, 39, 39)
```

```

        .addComponent(jLayeredPane2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(31, 31, 31)
        .addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(89, Short.MAX_VALUE))
    );

jLayeredPane1.setLayer(jPanel1,
javax.swing.JLayeredPane.DEFAULT_LAYER);

        javax.swing.GroupLayout jLayeredPane1Layout = new
javax.swing.GroupLayout(jLayeredPane1);
        jLayeredPane1.setLayout(jLayeredPane1Layout);
        jLayeredPane1Layout.setHorizontalGroup(
        jLayeredPane1Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
        .addComponent(jPanel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
        jLayeredPane1Layout.setVerticalGroup(
        jLayeredPane1Layout.createParallelGroup(javax.swing.G
roupLayout.Alignment.LEADING)
        .addComponent(jPanel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );

jScrollPane1.setViewportView(jLayeredPane1);

        javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

        .addComponent(jScrollPane1,
javax.swing.GroupLayout.DEFAULT_SIZE, 1000, Short.MAX_VALUE)
);
layout.setVerticalGroup(
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(jScrollPane1,
javax.swing.GroupLayout.DEFAULT_SIZE, 600, Short.MAX_VALUE)
);

pack();
setLocationRelativeTo(null);
}

private void jButton_HomeActionPerformed(java.awt.event.ActionEvent evt) {

    HomePage h = new HomePage(this.username);
    h.show();
    dispose();
}

private void jButton_PostsActionPerformed(java.awt.event.ActionEvent evt) {

    Posts p = new Posts(this.username);
    p.show();
    dispose();
}

private void jButton_SettingsActionPerformed(java.awt.event.ActionEvent evt) {

    Settings s = new Settings(this.username);
    s.show();
    dispose();
}

private void jButton_FictionActionPerformed(java.awt.event.ActionEvent evt) {

    String a = jButton_Fiction.getText();
    String genre = a.substring(6, 7) +
a.substring(7,a.length()).toLowerCase();
}

```

```

        new TrendList(genre,username).setVisible(true);
        setVisible(false);
    }

    private void jButton_AdventureActionPerformed(java.awt.event.ActionEvent evt) {

        String a = jButton_Adventure.getText();
        String genre = a.substring(6, 7) +
        a.substring(7,a.length()).toLowerCase();
        new TrendList(genre, username).setVisible(true);
        setVisible(false);
    }

    private void jButton_RomanceActionPerformed(java.awt.event.ActionEvent evt) {

        String a = jButton_Romance.getText();
        String genre = a.substring(6, 7) +
        a.substring(7,a.length()).toLowerCase();
        new TrendList(genre, username).setVisible(true);
        setVisible(false);
    }

    private void jButton_PoetryActionPerformed(java.awt.event.ActionEvent evt) {

        String a = jButton_Poetry.getText();
        String genre = a.substring(6, 7) +
        a.substring(7,a.length()).toLowerCase();
        new TrendList(genre,username).setVisible(true);
        setVisible(false);
    }

    private void jButton_NonFictionActionPerformed(java.awt.event.ActionEvent evt) {

        String a = jButton_NonFiction.getText();
        String genre = a.substring(6, 7) +
        a.substring(7,a.length()).toLowerCase();
        new TrendList(genre,username).setVisible(true);
        setVisible(false);
    }
}

```

```

    private void
jButton_FantasyActionPerformed(java.awt.event.ActionEvent evt) {

    String a = jButton_Fantasy.getText();
    String genre = a.substring(6, 7) +
a.substring(7,a.length()).toLowerCase();
    new TrendList(genre,username).setVisible(true);
    setVisible(false);
}

    private void
jButton_ClassicsActionPerformed(java.awt.event.ActionEvent evt) {

    String a = jButton_Classics.getText();
    String genre = a.substring(6, 7) +
a.substring(7,a.length()).toLowerCase();
    new TrendList(genre,username).setVisible(true);
    setVisible(false);
}

    private void
jButton_MysteryActionPerformed(java.awt.event.ActionEvent evt) {

    String a = jButton_Mystery.getText();
    String genre = a.substring(6, 7) +
a.substring(7,a.length()).toLowerCase();
    new TrendList(genre,username).setVisible(true);
    setVisible(false);
}

    private void
jButton_HorrorActionPerformed(java.awt.event.ActionEvent evt) {

    String a = jButton_Horror.getText();
    String genre = a.substring(6, 7) +
a.substring(7,a.length()).toLowerCase();
    new TrendList(genre,username).setVisible(true);
    setVisible(false);
}

    private void
jButton_BooksActionPerformed(java.awt.event.ActionEvent evt) {

    BooksPage b = new BooksPage(this.username);
    b.show();
}

```

```

        dispose();
    }

    private void jButton_ProfileActionPerformed(java.awt.event.ActionEvent evt) {

        Profile p = new Profile(this.username);
        p.show();
        dispose();
    }

    private void jButton_TrendingActionPerformed(java.awt.event.ActionEvent evt) {

    }

    private javax.swing.JButton jButton_Adventure;
    private javax.swing.JButton jButton_Books;
    private javax.swing.JButton jButton_Classics;
    private javax.swing.JButton jButton_Fantasy;
    private javax.swing.JButton jButton_Fiction;
    private javax.swing.JButton jButton_Home;
    private javax.swing.JButton jButton_Horror;
    private javax.swing.JButton jButton_Mystery;
    private javax.swing.JButton jButton_NonFiction;
    private javax.swing.JButton jButton_Poetry;
    private javax.swing.JButton jButton_Posts;
    private javax.swing.JButton jButton_Profile;
    private javax.swing.JButton jButton_Romance;
    private javax.swing.JButton jButton_Settings;
    private javax.swing.JButton jButton_Trending;
    private javax.swing.JLabel jLabel1;
    private javax.swing.JLabel jLabel2;
    private javax.swing.JLabel jLabel3;
    private javax.swing.JLabel jLabel4;
    private javax.swing.JLabel jLabel5;
    private javax.swing.JLabel jLabel6;
    private javax.swing.JLabel jLabel7;
    private javax.swing.JLabel jLabel8;
    private javax.swing.JLabel jLabel9;
    private javax.swing.JLayeredPane jLayeredPane1;
    private javax.swing.JLayeredPane jLayeredPane2;
    private javax.swing.JPanel jPanel1;
    private javax.swing.JPanel jPanel2;
    private javax.swing.JScrollPane jScrollPane1;

```

```
}
```

### 7.2.11. TrendList.java

```
package booktap;

import java.sql.Blob;
import java.sql.Connection;
import java.sql.DriverManager;
import java.sql.PreparedStatement;
import java.sql.ResultSet;
import javax.swing.ImageIcon;

public class TrendList extends javax.swing.JFrame {

    String username;

    public TrendList(String genre, String u) {
        this.username = u;
        initComponents();
        jLabel4.setText("Top 3 " + genre);
        retrieveImage(genre);
    }

    private void initComponents() {

        jLayeredPane1 = new javax.swing.JLayeredPane();
        jPanel1 = new javax.swing.JPanel();
        jLayeredPane2 = new javax.swing.JLayeredPane();
        jPanel2 = new javax.swing.JPanel();
        jButton1 = new javax.swing.JButton();
        jLabel1 = new javax.swing.JLabel();
        jLabel2 = new javax.swing.JLabel();
        jLabel3 = new javax.swing.JLabel();
        jLabel4 = new javax.swing.JLabel();

        setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
        setTitle("TOP 3");
        setPreferredSize(new java.awt.Dimension(1000, 600));
        setSize(new java.awt.Dimension(1000, 600));
    }
}
```



```

        .addGap(105, 105, 105)
        .addComponent(jLabel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.RELATED, 113, Short.MAX_VALUE)
        .addComponent(jLabel3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(58, 58, 58))
        .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(35, 35, 35)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 93,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE))
        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
        .addComponent(jLabel4,
javax.swing.GroupLayout.PREFERRED_SIZE, 245,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(272, 272, 272))
);
jPanel2Layout.setVerticalGroup(
    jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

        .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
jPanel2Layout.createSequentialGroup()
        .addContainerGap(35, Short.MAX_VALUE)

        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Grou
pLayout.Alignment.BASELINE)
        .addComponent(jLabel1,
javax.swing.GroupLayout.PREFERRED_SIZE, 300,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jLabel2,
javax.swing.GroupLayout.PREFERRED_SIZE,

```

```
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jLabel3,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGap(57, 57, 57)
.addComponent(jLabel4)
.addGap(4, 4, 4)
.addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(35, 35, 35))
);
```

35,

```
jLayeredPane2.setLayer(jPanel2,
javax.swing.JLayeredPane.DEFAULT_LAYER);
```

```
javax.swing.GroupLayout jLayeredPane2Layout = new
javax.swing.GroupLayout(jLayeredPane2);
jLayeredPane2.setLayout(jLayeredPane2Layout);
jLayeredPane2Layout.setHorizontalGroup(
```

```
jLayeredPane2Layout.createParallelGroup(javax.swing.GroupLayout
.yout.Alignment.LEADING)
.addGroup(jLayeredPane2Layout.createSequentialGroup()
.addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(0, 28, Short.MAX_VALUE))
);
jLayeredPane2Layout.setVerticalGroup(
```

```
jLayeredPane2Layout.createParallelGroup(javax.swing.GroupLayout
.yout.Alignment.LEADING)
.addGroup(jLayeredPane2Layout.createSequentialGroup()
.addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(0, 64, Short.MAX_VALUE))
);
```

```
javax.swing.GroupLayout jPanel1Layout = new
javax.swing.GroupLayout(jPanel1);
jPanel1.setLayout(jPanel1Layout);
jPanel1Layout.setHorizontalGroup(
    jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(30, 30, 30)
        .addComponent(jLayeredPane2,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
    );
jPanel1Layout.setVerticalGroup(
    jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel1Layout.createSequentialGroup()
        .addGap(35, 35, 35)
        .addComponent(jLayeredPane2,
            javax.swing.GroupLayout.PREFERRED_SIZE,
            javax.swing.GroupLayout.DEFAULT_SIZE,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(26, Short.MAX_VALUE))
    );
jLayeredPane1.setLayer(jPanel1,
    javax.swing.JLayeredPane.DEFAULT_LAYER);

javax.swing.GroupLayout jLayeredPane1Layout = new
javax.swing.GroupLayout(jLayeredPane1);
jLayeredPane1.setLayout(jLayeredPane1Layout);
jLayeredPane1Layout.setHorizontalGroup(
    jLayeredPane1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
    );
jLayeredPane1Layout.setVerticalGroup(
```

```

jLayeredPane1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addComponent(jPanel1,
    javax.swing.GroupLayout.DEFAULT_SIZE,
    javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE
);

        javax.swing.GroupLayout layout = new
        javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLayeredPane1)
        );
        layout.setVerticalGroup(
        layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addComponent(jLayeredPane1)
        );

        pack();
        setLocationRelativeTo(null);
    }

private void jButton1ActionPerformed(java.awt.event.ActionEvent evt)
{
    Trending t = new Trending(this.username);
    t.show();
    dispose();
}

public void retrieveImage(String genre){
    String [] array = new String[30];
    int i = 0;
    try{
        Class.forName("oracle.jdbc.driver.OracleDriver");
        Connection con =
        DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:XE","it
        175","sravya");
    }
}

```

```

String query = " SELECT * FROM TRENDING WHERE
GENRE = '" + genre + "' ";
PreparedStatement ps = con.prepareStatement(query);
ResultSet rs = ps.executeQuery();
while(rs.next()){
    array[i] = rs.getString(1);
    i++;
}

String p = array[0];
String s = " SELECT * FROM TRENDING WHERE
NAME = '" + p + "' ";
PreparedStatement ps1 = con.prepareStatement(s);
ResultSet rs1 = ps1.executeQuery();
if(rs1.next()){
    Blob b = rs1.getBlob(5);
    byte barr[] = b.getBytes(1,(int)b.length());
    ImageIcon icon = new ImageIcon(barr);
    java.awt.Image img = icon.getImage();
    java.awt.Image scale = img.getScaledInstance(jLabel1.getWidth(),
jLabel1.getHeight(),java.awt.Image.SCALE_SMOOTH);
    ImageIcon scaled = new ImageIcon(scale);
    jLabel1.setIcon(scaled);
}

String q = array[1];
String t = " SELECT * FROM TRENDING WHERE
NAME = '" + q + "' ";
PreparedStatement ps2 = con.prepareStatement(t);
ResultSet rs2 = ps2.executeQuery();
if(rs2.next()){
    Blob b1 = rs2.getBlob(5);
    byte barr[] = b1.getBytes(1,(int)b1.length());
    ImageIcon icon = new ImageIcon(barr);
    java.awt.Image img = icon.getImage();
    java.awt.Image scale = img.getScaledInstance(jLabel2.getWidth(),
jLabel2.getHeight(),java.awt.Image.SCALE_SMOOTH);
    ImageIcon scaled = new ImageIcon(scale);
    jLabel2.setIcon(scaled);
}

String r = array[2];

```

```

        String u = " SELECT * FROM TRENDING
WHERE NAME = '" + r + "' ";
        PreparedStatement ps3 = con.prepareStatement(u);
        ResultSet rs3 = ps3.executeQuery();
        if(rs3.next()){
            Blob b2 = rs3.getBlob(5);
            byte barr[] = b2.getBytes(1,(int)b2.length());
            ImageIcon icon = new ImageIcon(barr);
            java.awt.Image img = icon.getImage();
            java.awt.Image scale = img.getScaledInstance(jLabel1.getWidth(),
                jLabel1.getHeight(),java.awt.Image.SCALE_SMOOTH);
            ImageIcon scaled = new ImageIcon(scale);
            jLabel3.setIcon(scaled);
        }
        con.close();
    }
    catch (Exception e) {
        e.printStackTrace();
    }
}

private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLayeredPane jLayeredPane1;
private javax.swing.JLayeredPane jLayeredPane2;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
}

```

### 7.2.12. Profile.java

```

package booktap;

import javax.swing.*;
import java.awt.*;
import java.sql.*;
import javax.swing.border.*;

```

```

public class Profile extends javax.swing.JFrame {
    String username;

```

```

public Profile(String u) {
    this.username = u;
    initComponents();
}

private void initComponents() {

    scrollpane = new javax.swing.JScrollPane();
    outerlayeredpane = new javax.swing.JLayeredPane();
    outerpanel = new javax.swing.JPanel();
    innerlayeredpane = new javax.swing.JLayeredPane();
    innerpanel = new javax.swing.JPanel();
    Homebutton = new javax.swing.JButton();
    Booksbutton = new javax.swing.JButton();
    Postsbutton = new javax.swing.JButton();
    Trendingbutton = new javax.swing.JButton();
    Profileslabel = new javax.swing.JLabel();
    captionlabel = new javax.swing.JLabel();
    Gobackbutton = new javax.swing.JButton();
    usernamelabel = new javax.swing.JLabel();
    Emaillabel = new javax.swing.JLabel();
    usernametextfield = new javax.swing.JTextField();
    Emailtextfield = new javax.swing.JTextField();
    firstnamelabel = new javax.swing.JLabel();
    lastnamelabel = new javax.swing.JLabel();
    lastnametextfield = new javax.swing.JTextField();
    yourdetailspanel = new javax.swing.JPanel();
    yourdetailslabel = new javax.swing.JLabel();
    firstnametextfield = new javax.swing.JTextField();
    jButton1 = new javax.swing.JButton();
    jPanel2 = new javax.swing.JPanel();
    yourdetailspanel1 = new javax.swing.JPanel();
    yourdetailslabel1 = new javax.swing.JLabel();
    jScrollPane1 = new javax.swing.JScrollPane();
    jTextArea1 = new javax.swing.JTextArea();
    jPanel1 = new javax.swing.JPanel();
    jPanel3 = new javax.swing.JPanel();
    jLabel1 = new javax.swing.JLabel();
    jScrollPane2 = new javax.swing.JScrollPane();
    jPanel4 = new javax.swing.JPanel();

    setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
}

```

```

setTitle("PROFILE");

outerpanel.setBackground(new java.awt.Color(43, 37, 56));

javax.swing.GroupLayout innerlayeredpaneLayout = new
javax.swing.GroupLayout(innerlayeredpane);
innerlayeredpane.setLayout(innerlayeredpaneLayout);
innerlayeredpaneLayout.setHorizontalGroup(
innerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGap(0, 976, Short.MAX_VALUE)
);
innerlayeredpaneLayout.setVerticalGroup(
innerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGap(0, 492, Short.MAX_VALUE)
);

ineerpanel.setBackground(new java.awt.Color(17, 94, 111));
ineerpanel.setPreferredSize(new java.awt.Dimension(800, 496));

Homebutton.setBackground(new java.awt.Color(255, 182, 28));
Homebutton.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
Homebutton.setForeground(new java.awt.Color(43, 37, 56));
Homebutton.setText("Home");
Homebutton.setBorder(null);
Homebutton.setBorderPainted(false);
Homebutton.setFocusPainted(false);
Homebutton.addActionListener(new
java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent
evt) {
        HomebuttonActionPerformed(evt);
    }
});
Booksbutton.setBackground(new java.awt.Color(255, 182, 28));
Booksbutton.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
Booksbutton.setForeground(new java.awt.Color(43, 37, 56));
Booksbutton.setText("Books");
Booksbutton.setBorder(null);

```

```

        Booksbutton.setBorderPainted(false);
        Booksbutton.setFocusPainted(false);
        Booksbutton.addActionListener(new
            java.awt.event.ActionListener() {
                public void actionPerformed(java.awt.event.ActionEvent
evt) {
                    BooksbuttonActionPerformed(evt);
                }
            });
    }

    Postsbutton.setBackground(new java.awt.Color(255, 182, 28));
    Postsbutton.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
    // NOI18N
    Postsbutton.setForeground(new java.awt.Color(43, 37, 56));
    Postsbutton.setText("Posts");
    Postsbutton.setBorder(null);
    Postsbutton.setBorderPainted(false);
    Postsbutton.setFocusPainted(false);
    Postsbutton.addActionListener(new
        java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent
evt) {
                PostsbuttonActionPerformed(evt);
            }
        });
}

Trendingbutton.setBackground(new java.awt.Color(255, 182,
28));
Trendingbutton.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
Trendingbutton.setForeground(new java.awt.Color(43, 37, 56));
Trendingbutton.setText("Trending");
Trendingbutton.setBorder(null);
Trendingbutton.setBorderPainted(false);
Trendingbutton.setFocusPainted(false);
Trendingbutton.addActionListener(new
    java.awt.event.ActionListener() {
        public void actionPerformed(java.awt.event.ActionEvent
evt) {
            TrendingbuttonActionPerformed(evt);
        }
    });
}

Profileslabel.setFont(new java.awt.Font("Malgun Gothic", 0, 58));
// NOI18N

```

```

Profileslabel.setForeground(new java.awt.Color(255, 255, 255));
Profileslabel.setText("Profile");

captionlabel.setFont(new java.awt.Font("Malgun Gothic", 1, 18));
// NOI18N
captionlabel.setForeground(new java.awt.Color(255, 255, 255));
captionlabel.setText("Here you can view your details, liked genres
and posts");

Gobackbutton.setBackground(new java.awt.Color(255, 182, 28));
Gobackbutton.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
Gobackbutton.setForeground(new java.awt.Color(43, 37, 56));
Gobackbutton.setText("Go Back");
Gobackbutton.setBorder(null);
Gobackbutton.setBorderPainted(false);
Gobackbutton.setFocusPainted(false);
Gobackbutton.addActionListener(new
java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent
evt) {
        GobackbuttonActionPerformed(evt);
    }
});
```

usernameLabel.setBackground(new java.awt.Color(255, 255, 255));
usernameLabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
usernameLabel.setForeground(new java.awt.Color(255, 255, 255));
usernameLabel.setText("Username");

Emaillabel.setBackground(new java.awt.Color(255, 255, 255));
Emaillabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16));
// NOI18N
Emaillabel.setForeground(new java.awt.Color(255, 255, 255));
Emaillabel.setText("E-Mail");

usernametextfield.setBackground(new java.awt.Color(43, 37, 56));
usernametextfield.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
usernametextfield.setForeground(new java.awt.Color(255, 255, 255));

```

usernametextfield.setBorder(javax.swing.BorderFactory.createEmptyBorder(1, 5, 1, 1));

Emailtextfield.setBackground(new java.awt.Color(43, 37, 56));
Emailtextfield.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
Emailtextfield.setForeground(new java.awt.Color(255, 255, 255));

Emailtextfield.setBorder(javax.swing.BorderFactory.createEmptyBorder(1, 5, 1, 1));

firstnamelabel.setBackground(new java.awt.Color(255, 255, 255));
firstnamelabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
firstnamelabel.setForeground(new java.awt.Color(255, 255, 255));
firstnamelabel.setText("First Name");

lastnamelabel.setBackground(new java.awt.Color(255, 255, 255));
lastnamelabel.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
lastnamelabel.setForeground(new java.awt.Color(255, 255, 255));
lastnamelabel.setText("Last Name");

lastnametextField.setBackground(new java.awt.Color(43, 37, 56));
lastnametextField.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
lastnametextField.setForeground(new java.awt.Color(255, 255, 255));

lastnametextField.setBorder(javax.swing.BorderFactory.createEmptyBorder(1, 5, 1, 1));
lastnametextField.addActionListener(new java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        lastnametextFieldActionPerformed(evt);
    }
});

```

```

yourdetailspanel.setBackground(new java.awt.Color(43, 37, 56));

yourdetailslabel.setFont(new java.awt.Font("Malgun Gothic", 1,
18)); // NOI18N
yourdetailslabel.setForeground(new java.awt.Color(255, 255,
255));

yourdetailslabel.setHorizontalAlignment(javax.swing.SwingConstantsCons
tants.CENTER);
yourdetailslabel.setText("Your Details");

javax.swing.GroupLayout yourdetailspanelLayout = new
javax.swing.GroupLayout(yourdetailspanel);
yourdetailspanel.setLayout(yourdetailspanelLayout);
yourdetailspanelLayout.setHorizontalGroup(
yourdetailspanelLayout.createParallelGroup(javax.swing.GroupLayout
.Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
yourdetailspanelLayout.createSequentialGroup()
.createSequentialGroup()
.addGap(0, 0, Short.MAX_VALUE)
.addComponent(yourdetailslabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
131,
javax.swing.GroupLayout.PREFERRED_SIZE))
);
yourdetailspanelLayout.setVerticalGroup(
yourdetailspanelLayout.createParallelGroup(javax.swing.GroupLayout
.Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
yourdetailspanelLayout.createSequentialGroup()
.createSequentialGroup()
.addGap(0, 0, Short.MAX_VALUE)
.addComponent(yourdetailslabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
37,
javax.swing.GroupLayout.PREFERRED_SIZE))
);

firstnametextfield.setBackground(new java.awt.Color(43, 37,
56));
firstnametextfield.setFont(new java.awt.Font("Malgun Gothic", 1,
14)); // NOI18N
firstnametextfield.setForeground(new java.awt.Color(255, 255,
255));

```

```

        firstnametextfield.setBorder(javax.swing.BorderFactory.createEmptyBorder(1, 5, 1, 1));
        firstnametextfield.addActionListener(new
java.awt.event.ActionListener() {
            public void actionPerformed(java.awt.event.ActionEvent evt) {
                firstnametextfieldActionPerformed(evt);
            }
        });
    });

jButton1.setBackground(new java.awt.Color(255, 182, 28));
jButton1.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
jButton1.setForeground(new java.awt.Color(43, 37, 56));
jButton1.setText("Settings");
jButton1.setBorder(null);
jButton1.setFocusPainted(false);
jButton1.addActionListener(new java.awt.event.ActionListener()
{
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        jButton1ActionPerformed(evt);
    }
});
}

javax.swing.GroupLayout ineerpanelLayout = new
javax.swing.GroupLayout(ineerpanel);
ineerpanel.setLayout(ineerpanelLayout);
ineerpanelLayout.setHorizontalGroup(
    ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(ineerpanelLayout.createSequentialGroup()
            .addGap(48, 48, 48)
            .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(ineerpanelLayout.createSequentialGroup()
                    .addGap(48, 48, 48)
                    .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                        .addComponent(yourdetailpanel,
                                javax.swing.GroupLayout.PREFERRED_SIZE,

```

```

javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(Profilelabel)
.addComponent(captionlabel))
.addGap(0, 0, Short.MAX_VALUE))
.addGroup(ineerpanelLayout.createSequentialGroup()

.addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)

.addGroup(javax.swing.GroupLayout.Alignment.LEADING,
ineerpanelLayout.createSequentialGroup()
.addComponent(Homebutton,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(18, 18, 18)
.addComponent(Booksbutton,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(18, 18, 18)
.addComponent(Postsbutton,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(18, 18, 18)
.addComponent(Trendingbutton,
javax.swing.GroupLayout.PREFERRED_SIZE, 95,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.RELATED, javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)
.addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE, 83,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addGroup(javax.swing.GroupLayout.Alignment.LEADING,
ineerpanelLayout.createSequentialGroup()

.addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(usernametextfield,
javax.swing.GroupLayout.PREFERRED_SIZE, 239,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(usernamelabel)

```

```

        .addComponent(firstnametextfield,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(firstnamelabel))
        .addGap(158, 158, 158)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(lastnametextfield,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent>Emailtextfield,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(lastnamelabel)
        .addComponent(Emaillabel)))
        .addGap(18, 18, 18)
        .addComponent(Gobackbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(48, 48, 48)))
);
ineerpanelLayout.setVerticalGroup(
    ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(ineerpanelLayout.createSequentialGroup()
    .addGap(39, 39, 39)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
        .addComponent(Homebutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(Booksbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(Postsbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(Trendingbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(36, 36, 36)
);

```

```

        .addComponent(Gobackbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jButton1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(0, 0, Short.MAX_VALUE)
        .addComponent(Profileslabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(3, 3, 3)
        .addComponent(captionlabel)
        .addGap(28, 28, 28)
        .addComponent(yourdetailspanel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(Emaillabel)
.addComponent(usernamelabel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(Emailtextfield,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(usernametextField,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(27, 27, 27)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(firstnamelabel)
.addComponent(lastnamelabel))

```

```

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
.RELATED)

.addGroup(ineerpanelLayout.createParallelGroup(javax.swing.Gr
oupLayout.Alignment.BASELINE)
.addComponent(firstnametextfield,
javax.swing.GroupLayout.PREFERRED_SIZE, 38,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(lastnametextfield,
javax.swing.GroupLayout.PREFERRED_SIZE, 38,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGap(104, 104, 104))
);

jPanel2.setBackground(new java.awt.Color(17, 94, 111));

yourdetailspanel1.setBackground(new java.awt.Color(43, 37,
56));

yourdetailslabel1.setFont(new java.awt.Font("Malgun Gothic", 1,
18)); // NOI18N
yourdetailslabel1.setForeground(new java.awt.Color(255, 255,
255));

yourdetailslabel1.setHorizontalAlignment(javax.swing.SwingConstantsCon
stants.CENTER);
yourdetailslabel1.setText("Liked Genres");

javax.swing.GroupLayout yourdetailspanel1Layout = new
javax.swing.GroupLayout(yourdetailspanel1);
yourdetailspanel1.setLayout(yourdetailspanel1Layout);
yourdetailspanel1Layout.setHorizontalGroup(
yourdetailspanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.createSequentialGroup()
.addComponent(yourdetailslabel1,
javax.swing.GroupLayout.PREFERRED_SIZE, 131,
javax.swing.GroupLayout.PREFERRED_SIZE)
);
yourdetailspanel1Layout.setVerticalGroup(

```

```

yourdetailspanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
yourdetailspanel1Layout.createSequentialGroup()
    .addGroup(0, 0, Short.MAX_VALUE)
    .addComponent(yourdetailslabel1,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE))
);
42,
jTextArea1.setBackground(new java.awt.Color(43, 37, 56));
jTextArea1.setColumns(20);
jTextArea1.setFont(new java.awt.Font("Malgun Gothic", 1, 20));
// NOI18N
jTextArea1.setForeground(new java.awt.Color(255, 255, 255));
jTextArea1.setRows(5);
jScrollPane1.setViewportView(jTextArea1);

javax.swing.GroupLayout jPanel2Layout = new
javax.swing.GroupLayout(jPanel2);
jPanel2.setLayout(jPanel2Layout);
jPanel2Layout.setHorizontalGroup(
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(48, 48, 48)
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(48, 48, 48)
                .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                    .addGroup(jPanel2Layout.createSequentialGroup()
                        .addGap(48, 48, 48)
                        .addComponent(yourdetailspanel1,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.DEFAULT_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                        .addComponent(jScrollPane1,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE))
                    .addGroup(jPanel2Layout.createSequentialGroup()
                        .addGap(48, 48, 48)
                        .addComponent(jPanel2Layout.getVerticalGroup(),
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            Short.MAX_VALUE)))
                );
        );
    );
461,
jPanel2Layout.setVerticalGroup(
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(48, 48, 48)
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(48, 48, 48)
                .addComponent(yourdetailspanel1,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.DEFAULT_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jScrollPane1,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(48, 48, 48)
                .addComponent(jPanel2Layout.getVerticalGroup(),
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    Short.MAX_VALUE)))
        );
    );
);
jPanel2Layout.setVerticalGroup(
jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
    .addGroup(jPanel2Layout.createSequentialGroup()
        .addGap(48, 48, 48)
        .addGroup(jPanel2Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(48, 48, 48)
                .addComponent(yourdetailspanel1,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.DEFAULT_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE)
                .addComponent(jScrollPane1,
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    javax.swing.GroupLayout.PREFERRED_SIZE))
            .addGroup(jPanel2Layout.createSequentialGroup()
                .addGap(48, 48, 48)
                .addComponent(jPanel2Layout.getVerticalGroup(),
                    javax.swing.GroupLayout.PREFERRED_SIZE,
                    Short.MAX_VALUE)))
        );
    );
);

```

```

.addGroup(jPanel2Layout.createSequentialGroup()
.addGap(28, 28, 28)
.addComponent(yourdetailspanel1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGap(34, 34, 34)
.addComponent(jScrollPane1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addContainerGap(51, Short.MAX_VALUE))
);

jPanel1.setBackground(new java.awt.Color(17, 94, 111));           198,

jPanel3.setBackground(new java.awt.Color(43, 37, 56));

jLabel1.setFont(new java.awt.Font("Malgun Gothic", 1, 18)); // NOI18N
jLabel1.setForeground(new java.awt.Color(255, 255, 255));

jLabel1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
jLabel1.setText("Your Posts");

javax.swing.GroupLayout jPanel3Layout = new javax.swing.GroupLayout(jPanel3);
jPanel3.setLayout(jPanel3Layout);
jPanel3Layout.setHorizontalGroup(
jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel3Layout.createSequentialGroup()
.addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE, 111, javax.swing.GroupLayout.PREFERRED_SIZE)
);
jPanel3Layout.setVerticalGroup(
jPanel3Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(jPanel3Layout.createSequentialGroup()
.addComponent(jLabel1, javax.swing.GroupLayout.PREFERRED_SIZE, 40, javax.swing.GroupLayout.PREFERRED_SIZE)
);
);

displayMyPosts();

```

```

        java.awt.GridLayout      jPanel4Layout      =      new
java.awt.GridLayout(0, 1);
        jPanel4.setLayout(jPanel4Layout);
        jScrollPane2.setViewportView(jPanel4);
        jScrollPane2.setBorder(null);

        javax.swing.GroupLayout      jPanel1Layout      =      new
javax.swing.GroupLayout(jPanel1);
        jPanel1.setLayout(jPanel1Layout);
        jPanel1Layout.setHorizontalGroup(
                jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel1Layout.createSequentialGroup()
                    .addGap(48, 48, 48)
                    .addComponent(jPanel3,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.DEFAULT_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
                            Short.MAX_VALUE))
                .addComponent(jScrollPane2,
                        javax.swing.GroupLayout.Alignment.TRAILING)
            );
        jPanel1Layout.setVerticalGroup(
                jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel1Layout.createSequentialGroup()
                    .addGap(29, 29, 29)
                    .addComponent(jPanel3,
                            javax.swing.GroupLayout.PREFERRED_SIZE,
                            javax.swing.GroupLayout.DEFAULT_SIZE,
                            javax.swing.GroupLayout.PREFERRED_SIZE)
                    .addGap(18, 18, 18)
                    .addComponent(jScrollPane2))
            );

        javax.swing.GroupLayout      outerpanelLayout      =      new
javax.swing.GroupLayout(outerpanel);
        outerpanel.setLayout(outerpanelLayout);
        outerpanelLayout.setHorizontalGroup(
                outerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

```

```

.addGroup(outerpanelLayout.createSequentialGroup()
.addGap(29, 29, 29)

.addGroup(outerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
.addComponent(jPanel1,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
.addComponent(jPanel2,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
.addComponent(ineerpanel,
javax.swing.GroupLayout.DEFAULT_SIZE, 918, Short.MAX_VALUE))
.addGap(49, 49, 49)
.addComponent(innerlayeredpane,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addContainerGap(27, Short.MAX_VALUE))
);

outerpanelLayout.setVerticalGroup(
outerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addGroup(outerpanelLayout.createSequentialGroup()
.addGap(30, 30, 30)

.addGroup(outerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(innerlayeredpane,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addGroup(outerpanelLayout.createSequentialGroup()
.addComponent(ineerpanel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
.addComponent(jPanel2,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))

```

475,

```

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement
        .UNRELATED)
        .addComponent(jPanel1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(31, Short.MAX_VALUE))
);

        outerlayeredpane.setLayer(outerpanel,
javax.swing.JLayeredPane.DEFAULT_LAYER);

        javax.swing.GroupLayout outerlayeredpaneLayout = new
javax.swing.GroupLayout(outerlayeredpane);
        outerlayeredpane.setLayout(outerlayeredpaneLayout);
        outerlayeredpaneLayout.setHorizontalGroup(
outerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(outerpanel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
);
        outerlayeredpaneLayout.setVerticalGroup(
outerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(outerpanel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
);
        scrollpane.setViewportView(outerlayeredpane);

        javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(scrollpane,
javax.swing.GroupLayout.DEFAULT_SIZE, 1000, Short.MAX_VALUE)
)

```

```

);
layout.setVerticalGroup(
    layout.createParallelGroup(javax.swing.GroupLayout.Alignment.
    LEADING)
    .addComponent(scrollpane,
    javax.swing.GroupLayout.DEFAULT_SIZE,
    Short.MAX_VALUE)
);

displayLikedGenres();
displayMyPosts();
displayUserDetails();
pack();
 setLocationRelativeTo(null);
}

private void HomebuttonActionPerformed(java.awt.event.ActionEvent
evt) {

    HomePage h = new HomePage(this.username);
    h.show();
    dispose();
}

private void BooksbuttonActionPerformed(java.awt.event.ActionEvent
evt) {

    BooksPage b = new BooksPage(this.username);
    b.show();
    dispose();
}

private void PostsbuttonActionPerformed(java.awt.event.ActionEvent
evt) {

    Posts p = new Posts(this.username);
    p.show();
    dispose();
}

private void
TrendingbuttonActionPerformed(java.awt.event.ActionEvent evt) {

    Trending t = new Trending(this.username);
}

```

```

        t.show();
        dispose();
    }

    private void GobackbuttonActionPerformed(java.awt.event.ActionEvent evt) {

        HomePage h = new HomePage(this.username);
        h.show();
        dispose();
    }

    private void lastnametextfieldActionPerformed(java.awt.event.ActionEvent evt) {

    }

    private void firstnametextfieldActionPerformed(java.awt.event.ActionEvent evt) {

    }

    private void jButton1ActionPerformed(java.awt.event.ActionEvent evt)
    {

        Settings s = new Settings(this.username);
        s.show();
        dispose();
    }

    public void displayUserDetails() {
        try {
            Class.forName("oracle.jdbc.driver.OracleDriver");

            Connection con=DriverManager.getConnection(
                "jdbc:oracle:thin:@localhost:1521:xe","it175","sravya");

            Statement stmt=con.createStatement();
            ResultSet rs = stmt.executeQuery("SELECT * FROM
            USERS WHERE USERNAME = '" + this.username + "'");

            while(rs.next()) {
                String userName = rs.getString(1);
                String firstname = rs.getString(2);
                String lastname = rs.getString(3);

```

```

        String email = rs.getString(4);
        usernametextfield.setText(userName);
        firstnametextfield.setText(firstname);
        lastnametextfield.setText(lastname);
        Emailtextfield.setText(email);

    }

    con.close();
} catch(Exception e) {
    System.out.println(e);
}

}

public void displayLikedGenres() {
    jTextArea1.setBorder(new EmptyBorder(1, 5, 1, 1));
    jScrollPane1.setBorder(null);
    try {
        Class.forName("oracle.jdbc.driver.OracleDriver");

        Connection con=DriverManager.getConnection(
            "jdbc:oracle:thin:@localhost:1521:xe","it175","sravya");

        Statement stmt=con.createStatement();
        ResultSet rs = stmt.executeQuery("SELECT * FROM
LIKEDGENRES WHERE USERNAME = '" + username + "'");

        String allLikedGenres = "";
        int flag = 0;
        while(rs.next()) {
            String g = rs.getString(2);
            allLikedGenres += g + "\n";
            flag = 1;
        }

        if(flag == 1) {
            jTextArea1.setText(allLikedGenres);
        } else {
            jTextArea1.setText("YOU HAVE NO LIKED
GENRES!");
        }
    }

    con.close();
} catch(Exception e) {
}

```

```

        System.out.println(e);
    }
}

public void displayMyPosts() {
    jPanel4.removeAll();
    validate();
    repaint();
    jScrollPane2.validate();
    int flag = 0;
    String bookname = "";
    String authorName = "";
    String genre = "";
    String post = "";
    Float rating = 0F;

    try {
        Class.forName("oracle.jdbc.driver.OracleDriver");
        Connection con=DriverManager.getConnection(
        "jdbc:oracle:thin:@localhost:1521:xe","it175","sravya");
        Statement stmt=con.createStatement();
        ResultSet rs = stmt.executeQuery("SELECT * FROM
        POSTS WHERE USERNAME = '" + username + "' ORDER BY TIME
        DESC");

        while(rs.next()) {
            JLabel BookLabel = new JLabel();
            bookname = rs.getString(1);
            authorName = rs.getString(2);
            genre = rs.getString(3);
            post = rs.getString(4);
            rating = rs.getFloat(5);
            flag = 1;

            Blob b = rs.getBlob(6);
            byte barr[] = b.getBytes(1,(int)b.length());
            ImageIcon icon = new ImageIcon(barr);
            java.awt.Image img = icon.getImage();
            java.awt.Image scale = img.getScaledInstance(200,
            300,java.awt.Image.SCALE_SMOOTH);
            ImageIcon scaled = new ImageIcon(scale);
            BookLabel.setIcon(scaled);

            JPanel mainPanel = new javax.swing.JPanel();

```

```

        mainPanel.setBackground(new java.awt.Color(17,
94, 111));
        JPanel PostsPanel = new javax.swing.JPanel();
        JScrollPane SummaryScrollPane = new
        javax.swing.JScrollPane();
        JTextArea SummaryTextArea = new
        javax.swing.JTextArea();
        JLabel bookNameLabel = new
        javax.swing.JLabel();
        JLabel authorNameLabel = new
        javax.swing.JLabel();
        JLabel genreLabel = new javax.swing.JLabel();
        JLabel RatingLabel = new javax.swing.JLabel();
        JLabel ReviewLabel = new javax.swing.JLabel();
        JTextField BookTextField = new
        javax.swing.JTextField();
        JTextField AuthorTextField = new
        javax.swing.JTextField();
        JTextField GenreTextField = new
        javax.swing.JTextField();
        JTextField jTextField1 = new
        javax.swing.JTextField();
        JLabel UsernameLabel = new javax.swing.JLabel();
        JTextField usernametextfield = new
        javax.swing.JTextField();

        setDefaultCloseOperation(WindowConstants.EXIT_ON_CLOSE);
        setPreferredSize(new java.awt.Dimension(886,
345));

        PostsPanel.setBackground(new java.awt.Color(43,
37, 56));
        PostsPanel.setPreferredSize(new
        java.awt.Dimension(886, 400));

        SummaryTextArea.setBackground(new
        java.awt.Color(17, 94, 111));
        SummaryTextArea.setColumns(20);
        SummaryTextArea.setFont(new
        java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
        SummaryTextArea.setText(post);
        SummaryTextArea.setBorder(new
        EmptyBorder(5, 5, 5, 5));

```

```

        SummaryTextArea.setForeground(new
java.awt.Color(255, 255, 255));
        SummaryTextArea.setLineWrap(true);
        SummaryTextArea.setRows(5);
        SummaryTextArea.setWrapStyleWord(true);
SummaryScrollPane.setViewportView(SummaryTextArea);
SummaryScrollPane.setBorder(null);

bookNameLabel.setFont(new
java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
bookNameLabel.setForeground(new
java.awt.Color(255, 255, 255));
bookNameLabel.setText("Book");

authorNameLabel.setFont(new
java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
authorNameLabel.setForeground(new
java.awt.Color(255, 255, 255));
authorNameLabel.setText("Author ");

genreLabel.setFont(new java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
genreLabel.setForeground(new
java.awt.Color(255, 255, 255));
genreLabel.setText("Genre");

RatingLabel.setFont(new java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
RatingLabel.setForeground(new
java.awt.Color(255, 255, 255));
RatingLabel.setText("Rating");

ReviewLabel.setFont(new java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
ReviewLabel.setForeground(new
java.awt.Color(255, 255, 255));
ReviewLabel.setText("Review");

BookTextField.setBackground(new
java.awt.Color(17, 94, 111));
BookTextField.setText(bookname);
BookTextField.setBorder(new EmptyBorder(0, 5,
0, 0));
BookTextField.setFont(new
java.awt.Font("Malgun Gothic", 1, 11)); // NOI18N

```

```

        BookTextField.setForeground(new
java.awt.Color(255, 255, 255));

        AuthorTextField.setBackground(new
java.awt.Color(17, 94, 111));
        AuthorTextField.setText(authorName);
        AuthorTextField.setBorder(new EmptyBorder(0,
5, 0, 0));
        AuthorTextField.setFont(new
java.awt.Font("Malgun Gothic", 1, 11)); // NOI18N
        AuthorTextField.setForeground(new
java.awt.Color(255, 255, 255));

        GenreTextField.setBackground(new
java.awt.Color(17, 94, 111));
        GenreTextField.setBorder(new EmptyBorder(0, 5,
0, 0));
        GenreTextField.setFont(new
java.awt.Font("Malgun Gothic", 1, 11)); // NOI18N
        GenreTextField.setForeground(new
java.awt.Color(255, 255, 255));
        GenreTextField.setText(genre);
        GenreTextField.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {

        }

    });
}

jTextField1.setBackground(new
java.awt.Color(17, 94, 111));
jTextField1.setBorder(new EmptyBorder(0, 5, 0,
0));
jTextField1.setFont(new java.awt.Font("Malgun
Gothic", 1, 40)); // NOI18N
jTextField1.setForeground(new
java.awt.Color(255, 255, 255));
jTextField1.setText(rating.toString());
jTextField1.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {

        }

    });
}

```



```

.addGap(30, 30, 30)

.addGroup(PostsPanelLayout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING, false)

.addGroup(PostsPanelLayout.createSequentialGroup()

.addGroup(PostsPanelLayout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING)
.addComponent(AuthorTextField,
javax.swing.GroupLayout.PREFERRED_SIZE, 285,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(GenreTextField,
javax.swing.GroupLayout.PREFERRED_SIZE, 285,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGap(65, 65, 65)
.addComponent(jTextField1,
javax.swing.GroupLayout.PREFERRED_SIZE, 74,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(usernametextfield,
javax.swing.GroupLayout.PREFERRED_SIZE, 285,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addGroup(PostsPanelLayout.createSequentialGroup()
.addComponent(BookTextField,
javax.swing.GroupLayout.PREFERRED_SIZE, 285,
javax.swing.GroupLayout.PREFERRED_SIZE)

.addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.RELATED,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
.addComponent(RatingLabel)
.addGap(11, 11, 11)))
.addComponent(SummaryScrollPane))
.addContainerGap(44, Short.MAX_VALUE))
);

PostsPanelLayout.setVerticalGroup(
PostsPanelLayout.createParallelGroup(javax.swing.GroupLayout
Alignment.LEADING)
.addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
PostsPanelLayout.createSequentialGroup()
.addContainerGap(83, Short.MAX_VALUE)

```

```
.addGroup(PostsPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(javax.swing.GroupLayout.Alignment.TRAILING, PostsPanelLayout.createSequentialGroup()

.addGroup(PostsPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(PostsPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(usernameLabel)
.addComponent(usernameTextField,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

.addGroup(PostsPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(bookNameLabel)
.addComponent(BookTextField,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)

.addGroup(PostsPanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
.addComponent(authorNameLabel)
.addComponent(AuthorTextField,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))

.addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
```

```

        .addGroup(PostsPanelLayout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.BASELINE)
        .addComponent(genreLabel,
javax.swing.GroupLayout.PREFERRED_SIZE, 21,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(GenreTextField,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGroup(PostsPanelLayout.createSequentialGroup()
        .addGap(39, 39, 39)
        .addComponent(RatingLabel)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.UNRELATED)
        .addComponent(jTextField1,
javax.swing.GroupLayout.PREFERRED_SIZE, 55,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.UNRELATED)
        .addComponent(ReviewLabel)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.UNRELATED)
        .addComponent(SummaryScrollPane,
javax.swing.GroupLayout.PREFERRED_SIZE, 125,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addComponent(BookLabel,
javax.swing.GroupLayout.Alignment.TRAILING,
javax.swing.GroupLayout.PREFERRED_SIZE, 300,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(28, 28, 28))
    );
    mainPanel.add(PostsPanel);
    JLabel gap = new JLabel();
    gap.setBackground(Color.WHITE);
    mainPanel.add(gap);
    jPanel4.add(mainPanel);

}

if (flag == 0) {

```

```

        JLabel message = new JLabel("You haven't posted
anything yet!");
        message.setFont(new Font("Malgun Gothic", Font.BOLD,
30));
        message.setForeground(Color.WHITE);
        jPanel4.setBackground(new java.awt.Color(17, 94, 111));
        jPanel4.setBorder(new EmptyBorder(5, 200, 20, 5));
        jScrollPane2.setBorder(new LineBorder(Color.BLACK));
        jPanel4.add(message);
    }

} catch (Exception e) {
    System.out.println(e);
}

pack();
setPreferredSize(new Dimension(1000, 600));
setVisible(true);
}

private javax.swing.JButton Booksbutton;
private javax.swing.JLabel Emaillabel;
private javax.swing.JTextField Emailtextfield;
private javax.swing.JButton Gobackbutton;
private javax.swing.JButton Homebutton;
private javax.swing.JButton Postsbutton;
private javax.swing.JLabel Profileslabel;
private javax.swing.JButton Trendingbutton;
private javax.swing.JLabel captionlabel;
private javax.swing.JLabel firstnamelabel;
private javax.swing.JTextField firstnametextfield;
private javax.swing.JPanel ineerpanel;
private javax.swing.JLayeredPane innerlayeredpane;
private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;
private javax.swing.JPanel jPanel1;
private javax.swing.JPanel jPanel2;
private javax.swing.JPanel jPanel3;
private javax.swing.JPanel jPanel4;
private javax.swing.JScrollPane jScrollPane1;
private javax.swing.JScrollPane jScrollPane2;
private javax.swing.JTextArea jTextArea1;
private javax.swing.JLabel lastnamelabel;
private javax.swing.JTextField lastnametextfield;
private javax.swing.JLayeredPane outerlayeredpane;

```

```

private javax.swing.JPanel outerpanel;
private javax.swing.JScrollPane scrollpane;
private javax.swing.JLabel usernamelabel;
private javax.swing.JTextField usernametextfield;
private javax.swing.JLabel yourdetailslabel;
private javax.swing.JLabel yourdetailslabel1;
private javax.swing.JPanel yourdetailspanel;
private javax.swing.JPanel yourdetailspanel1;
}

```

### 7.2.13. Settings.java

```

package booktap;

import javax.swing.*;
import java.sql.*;

public class Settings extends javax.swing.JFrame {

    String username;
    public Settings(String u) {
        this.username = u;
        initComponents();
    }

    private void initComponents() {

        firstnametextfield1 = new javax.swing.JTextField();
        outerlayeredpane = new javax.swing.JLayeredPane();
        outerpanel = new javax.swing.JPanel();
        innerlayeredpane = new javax.swing.JLayeredPane();
        innerpanel = new javax.swing.JPanel();
        Homebutton = new javax.swing.JButton();
        Booksbutton = new javax.swing.JButton();
        Postsbutton = new javax.swing.JButton();
        Trendingbutton = new javax.swing.JButton();
        Settingslabel = new javax.swing.JLabel();
        captionlabel = new javax.swing.JLabel();
        Gobackbutton = new javax.swing.JButton();
        firstnamelabel = new javax.swing.JLabel();
        lastnamelabel = new javax.swing.JLabel();
        firstnametextfield = new javax.swing.JTextField();
        lastnametextfield = new javax.swing.JTextField();
        passwordlabel = new javax.swing.JLabel();

```

```

emaillabel = new javax.swing.JLabel();
emailtextfield = new javax.swing.JTextField();
savechangesbutton = new javax.swing.JButton();
jPanel1 = new javax.swing.JPanel();
jLabel1 = new javax.swing.JLabel();
jButton_Logout = new javax.swing.JButton();
jLabel_Password = new javax.swing.JTextField();

firstnametextfield1.setFont(new java.awt.Font("Malgun Gothic", 1, 14)); // NOI18N
firstnametextfield1.setForeground(new java.awt.Color(43, 37, 56));

firstnametextfield1.setBorder(javax.swing.BorderFactory.createEmptyBorder(1, 5, 1, 1));

setDefaultCloseOperation(javax.swing.WindowConstants.EXIT_ON_CLOSE);
setTitle("SETTINGS");
setSize(new java.awt.Dimension(1000, 600));

outerpanel.setBackground(new java.awt.Color(43, 37, 56));

ineerpanel.setBackground(new java.awt.Color(17, 94, 111));
ineerpanel.setPreferredSize(new java.awt.Dimension(884, 496));

Homebutton.setBackground(new java.awt.Color(255, 182, 28));
Homebutton.setFont(new java.awt.Font("Malgun Gothic", 1, 16)); // NOI18N
Homebutton.setForeground(new java.awt.Color(43, 37, 56));
Homebutton.setText("Home");
Homebutton.setBorder(null);
Homebutton.setBorderPainted(false);
Homebutton.setFocusPainted(false);
Homebutton.addActionListener(new
java.awt.event.ActionListener() {
    public void actionPerformed(java.awt.event.ActionEvent evt) {
        HomebuttonActionPerformed(evt);
    }
})

```

```

        }
    });

    Booksbutton.setBackground(new java.awt.Color(255,
182, 28));
    Booksbutton.setFont(new java.awt.Font("Malgun Gothic",
1, 16)); // NOI18N
    Booksbutton.setForeground(new java.awt.Color(43, 37,
56));
    Booksbutton.setText("Books");
    Booksbutton.setBorder(null);
    Booksbutton.setBorderPainted(false);
    Booksbutton.setFocusPainted(false);
    Booksbutton.addActionListener(new
java.awt.event.ActionListener() {
        public void
actionPerformed(java.awt.event.ActionEvent evt) {
            BooksbuttonActionPerformed(evt);
        }
    });
}

Postsbutton.setBackground(new java.awt.Color(255, 182,
28));
Postsbutton.setFont(new java.awt.Font("Malgun Gothic",
1, 16)); // NOI18N
Postsbutton.setForeground(new java.awt.Color(43, 37,
56));
Postsbutton.setText("Posts");
Postsbutton.setBorder(null);
Postsbutton.setBorderPainted(false);
Postsbutton.setFocusPainted(false);
Postsbutton.addActionListener(new
java.awt.event.ActionListener() {
        public void
actionPerformed(java.awt.event.ActionEvent evt) {
            PostsbuttonActionPerformed(evt);
        }
    });
}

Trendingbutton.setBackground(new java.awt.Color(255,
182, 28));
Trendingbutton.setFont(new java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
Trendingbutton.setForeground(new java.awt.Color(43, 37,
56));

```

```

Trendingbutton.setText("Trending");
Trendingbutton.setBorder(null);
Trendingbutton.setBorderPainted(false);
Trendingbutton.setFocusPainted(false);
Trendingbutton.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        TrendingbuttonActionPerformed(evt);
    }
});

Settingslabel.setFont(new java.awt.Font("Malgun Gothic",
0, 58)); // NOI18N
Settingslabel.setForeground(new java.awt.Color(255, 255,
255));
Settingslabel.setText("Settings");

captionlabel.setFont(new java.awt.Font("Malgun Gothic",
1, 18)); // NOI18N
captionlabel.setForeground(new java.awt.Color(255, 255,
255));
captionlabel.setText("Here you can edit your profile");

Gobackbutton.setBackground(new java.awt.Color(255,
182, 28));
Gobackbutton.setFont(new java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
Gobackbutton.setForeground(new java.awt.Color(43, 37,
56));
Gobackbutton.setText("Go Back");
Gobackbutton.setBorder(null);
Gobackbutton.setBorderPainted(false);
Gobackbutton.setFocusPainted(false);
Gobackbutton.addActionListener(new
java.awt.event.ActionListener() {
    public void
actionPerformed(java.awt.event.ActionEvent evt) {
        GobackbuttonActionPerformed(evt);
    }
});

firstnamelabel.setBackground(new java.awt.Color(255,
255, 255));

```

```

        firstnamelabel.setFont(new      java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
        firstnamelabel.setForeground(new    java.awt.Color(255,
255, 255));
        firstnamelabel.setText("First Name");

        lastnamelabel.setBackground(new     java.awt.Color(255,
255, 255));
        lastnamelabel.setFont(new      java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
        lastnamelabel.setForeground(new    java.awt.Color(255,
255, 255));
        lastnamelabel.setText("Last Name");

        firstnametextfield.setFont(new      java.awt.Font("Malgun
Gothic", 1, 14)); // NOI18N
        firstnametextfield.setForeground(new   java.awt.Color(43,
37, 56));

firstnametextfield.setBorder(javax.swing.BorderFactory.create
EmptyBorder(1, 5, 1, 1));

        lastnametextfield.setFont(new      java.awt.Font("Malgun
Gothic", 1, 14)); // NOI18N
        lastnametextfield.setForeground(new   java.awt.Color(43,
37, 56));

lastnametextfield.setBorder(javax.swing.BorderFactory.createE
mptyBorder(1, 5, 1, 1));

        passwordlabel.setBackground(new    java.awt.Color(255,
255, 255));
        passwordlabel.setFont(new      java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
        passwordlabel.setForeground(new    java.awt.Color(255,
255, 255));
        passwordlabel.setText("Password");

        emaillabel.setBackground(new  java.awt.Color(255, 255,
255));
        emaillabel.setFont(new java.awt.Font("Malgun Gothic", 1,
16)); // NOI18N
        emaillabel.setForeground(new  java.awt.Color(255, 255,
255));
        emaillabel.setText("E-Mail");

```

```

        emailtextfield.setFont(new           java.awt.Font("Malgun
Gothic", 1, 14)); // NOI18N
        emailtextfield.setForeground(new java.awt.Color(43, 37,
56));

        emailtextfield.setBorder(javax.swing.BorderFactory.create
EmptyBorder(1, 5, 1, 1));
        emailtextfield.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                emailtextfieldActionPerformed(evt);
            }
        });

        savechangesbutton.setBackground(new
java.awt.Color(255, 182, 28));
        savechangesbutton.setFont(new   java.awt.Font("Malgun
Gothic", 1, 16)); // NOI18N
        savechangesbutton.setForeground(new java.awt.Color(43,
37, 56));
        savechangesbutton.setText("Save Changes");
        savechangesbutton.setBorder(null);
        savechangesbutton.setBorderPainted(false);
        savechangesbutton.setFocusPainted(false);
        savechangesbutton.addActionListener(new
java.awt.event.ActionListener() {
            public void
actionPerformed(java.awt.event.ActionEvent evt) {
                savechangesbuttonActionPerformed(evt);
            }
        });

jPanel1.setBackground(new java.awt.Color(43, 37, 56));

jLabel1.setFont(new java.awt.Font("Malgun Gothic", 1,
18)); // NOI18N
jLabel1.setForeground(new   java.awt.Color(255, 255,
255));

jLabel1.setHorizontalAlignment(javax.swing.SwingConstants.CENTER);
jLabel1.setText("Edit Profile");

```

```

        javax.swing.GroupLayout jPanel1Layout = new
        javax.swing.GroupLayout(jPanel1);
        jPanel1.setLayout(jPanel1Layout);
        jPanel1Layout.setHorizontalGroup(
            jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel1Layout.createSequentialGroup()
                    .addGap(0, 0, Short.MAX_VALUE)
                    .addComponent(jLabel1,
                        javax.swing.GroupLayout.PREFERRED_SIZE,
                        javax.swing.GroupLayout.PREFERRED_SIZE))
            );
        jPanel1Layout.setVerticalGroup(
            jPanel1Layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                .addGroup(jPanel1Layout.createSequentialGroup()
                    .addGap(0, 0, Short.MAX_VALUE)
                    .addComponent(jLabel1,
                        javax.swing.GroupLayout.PREFERRED_SIZE,
                        javax.swing.GroupLayout.PREFERRED_SIZE))
            );
    }

    jButton_Logout.setBackground(new java.awt.Color(255,
        182, 28));
    jButton_Logout.setFont(new java.awt.Font("Malgun
        Gothic", 1, 16)); // NOI18N
    jButton_Logout.setForeground(new java.awt.Color(43, 37,
        56));
    jButton_Logout.setText("Logout");
    jButton_Logout.setBorder(null);
    jButton_Logout.setFocusPainted(false);
    jButton_Logout.addActionListener(new
        java.awt.event.ActionListener() {
            public void
            actionPerformed(java.awt.event.ActionEvent evt) {
                jButton_LogoutActionPerformed(evt);
            }
        });
}

jLabel_Password.setFont(new java.awt.Font("Malgun
        Gothic", 1, 14)); // NOI18N

```

```

        jLabel_Password.setForeground(new java.awt.Color(43,
37, 56));

        jLabel_Password.setBorder(javax.swing.BorderFactory.cr
eateEmptyBorder(1, 5, 1, 1));

        javax.swing.GroupLayout ineerpanelLayout = new
        javax.swing.GroupLayout(ineerpanel);
        ineerpanel.setLayout(ineerpanelLayout);
        ineerpanelLayout.setHorizontalGroup(
        ineerpanelLayout.createParallelGroup(javax.swing.Group
Layout.Alignment.LEADING)
        .addGroup(ineerpanelLayout.createSequentialGroup()
        .addGap(48, 48, 48)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING)
        .addGroup(ineerpanelLayout.createSequentialGroup()

        .addGroup(ineerpanelLayout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING)
        .addComponent(firstnametextfield,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(firstnamelabel)
        .addComponent(passwordlabel)
        .addComponent(jLabel_Password,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(95, 95, 95)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING)
        .addGroup(ineerpanelLayout.createSequentialGroup()

        .addGroup(ineerpanelLayout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING)
        .addComponent(emaiilabel)
        .addComponent(lastnametextfield,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(lastnamelabel)))

```

```

    .addContainerGap(javax.swing.GroupLayout.DEFAULT_
SIZE, Short.MAX_VALUE))

    .addGroup(javax.swing.GroupLayout.Alignment.TRAILING,
    ineerpanelLayout.createSequentialGroup()
    .addComponent(emailtextfield,
    javax.swing.GroupLayout.PREFERRED_SIZE, 239,
    javax.swing.GroupLayout.PREFERRED_SIZE)

    .addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.RELATED, 103, Short.MAX_VALUE)
    .addComponent(savechangesbutton,
    javax.swing.GroupLayout.PREFERRED_SIZE, 132,
    javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(50, 50, 50)))
    .addGroup(ineerpanelLayout.createSequentialGroup()

    .addGroup(ineerpanelLayout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.LEADING)
    .addComponent(captionlabel)
    .addComponent(Settingslabel)
    .addComponent(jPanel1,
    javax.swing.GroupLayout.PREFERRED_SIZE,
    javax.swing.GroupLayout.DEFAULT_SIZE,
    javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGroup(ineerpanelLayout.createSequentialGroup()
    .addComponent(Homebutton,
    javax.swing.GroupLayout.PREFERRED_SIZE, 95,
    javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(18, 18, 18)
    .addComponent(Booksbutton,
    javax.swing.GroupLayout.PREFERRED_SIZE, 95,
    javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(18, 18, 18)
    .addComponent(Postsbutton,
    javax.swing.GroupLayout.PREFERRED_SIZE, 95,
    javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(18, 18, 18)
    .addComponent(Trendingbutton,
    javax.swing.GroupLayout.PREFERRED_SIZE, 95,
    javax.swing.GroupLayout.PREFERRED_SIZE)
    .addGap(165, 165, 165)

```

```

        .addComponent(Gobackbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(18, 18, 18)
        .addComponent(jButton_Logout,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addContainerGap(50, Short.MAX_VALUE))))
);
ineerpanelLayout.setVerticalGroup(
    ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)

.addGroup(ineerpanelLayout.createSequentialGroup()
.addGap(39, 39, 39)

.addGroup(ineerpanelLayout.createParallelGroup(javax.s
wing.GroupLayout.Alignment.BASELINE)
.addComponent(Homebutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(Booksbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(Postsbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(Trendingbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(Gobackbutton,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addComponent(jButton_Logout,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGap(0, 12, Short.MAX_VALUE)
.addComponent(Settingslabel,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)
.addPreferredGap(javax.swing.LayoutStyle.ComponentPl
acement.UNRELATED)

```

```

        .addComponent(jPanel1,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE)

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
        .addComponent(captionlabel)
        .addGap(27, 27, 27)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
        .addComponent(lastnamelabel)
        .addComponent(firstnamelabel,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
        .addComponent(firstnametextfield,
javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.PREFERRED_SIZE) 36,
        .addComponent(lastnametextfield,
javax.swing.GroupLayout.PREFERRED_SIZE, 36,
javax.swing.GroupLayout.PREFERRED_SIZE))
        .addGap(27, 27, 27)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
        .addComponent(emaiillabel)
        .addComponent(passwordlabel))

        .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)

        .addGroup(ineerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING, false)
        .addComponent(savechangesbutton,
javax.swing.GroupLayout.DEFAULT_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE,
Short.MAX_VALUE)

```

```

        .addGroup(ineerpanelLayout.createParallelGroup(javax.s
            wing.GroupLayout.Alignment.BASELINE)
        .addComponent(emailtextfield,
            javax.swing.GroupLayout.PREFERRED_SIZE, 36,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addComponent(jLabel_Password,
            javax.swing.GroupLayout.PREFERRED_SIZE, 36,
            javax.swing.GroupLayout.PREFERRED_SIZE)))
        .addGap(72, 72, 72))
    );

    innerlayeredpane.setLayer(ineerpanel,
        javax.swing.JLayeredPane.DEFAULT_LAYER);

    javax.swing.GroupLayout innerlayeredpaneLayout = new
        javax.swing.GroupLayout(innerlayeredpane);
    innerlayeredpane.setLayout(innerlayeredpaneLayout);
    innerlayeredpaneLayout.setHorizontalGroup(
        innerlayeredpaneLayout.createParallelGroup(javax.swing.
            GroupLayout.Alignment.LEADING)
        .addGroup(innerlayeredpaneLayout.createSequentialGroup()
        .addComponent(ineerpanel,
            javax.swing.GroupLayout.PREFERRED_SIZE, 906,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addGap(0, 29, Short.MAX_VALUE))
    );
    innerlayeredpaneLayout.setVerticalGroup(
        innerlayeredpaneLayout.createParallelGroup(javax.swing.
            GroupLayout.Alignment.LEADING)
        .addGroup(innerlayeredpaneLayout.createSequentialGroup()
        .addContainerGap()
        .addComponent(ineerpanel,
            javax.swing.GroupLayout.PREFERRED_SIZE, 515,
            javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE,
            Short.MAX_VALUE))
    );

    javax.swing.GroupLayout outerpanelLayout = new
        javax.swing.GroupLayout(outerpanel);
    outerpanel.setLayout(outerpanelLayout);
    outerpanelLayout.setHorizontalGroup(

```

```

        outerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(outerpanelLayout.createSequentialGroup()
        .addGap(40, 40, 40)
        .addComponent(innerlayeredpane,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(27, Short.MAX_VALUE))
        );
        outerpanelLayout.setVerticalGroup(
        outerpanelLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(outerpanelLayout.createSequentialGroup()
        .addGap(30, 30, 30)
        .addComponent(innerlayeredpane,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap(44, Short.MAX_VALUE))
        );
        outerlayeredpane.setLayer(outerpanel,
        javax.swing.JLayeredPane.DEFAULT_LAYER);

        javax.swing.GroupLayout outerlayeredpaneLayout = new
        javax.swing.GroupLayout(outerlayeredpane);
        outerlayeredpane.setLayout(outerlayeredpaneLayout);
        outerlayeredpaneLayout.setHorizontalGroup(
        outerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addGroup(outerlayeredpaneLayout.createSequentialGroup()
        .addComponent(outerpanel,
        javax.swing.GroupLayout.PREFERRED_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.PREFERRED_SIZE)
        .addContainerGap())
        );
        outerlayeredpaneLayout.setVerticalGroup(
        outerlayeredpaneLayout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
        .addComponent(outerpanel,
        javax.swing.GroupLayout.DEFAULT_SIZE,
        javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE)
        );
    }
}

```

```

);

        javax.swing.GroupLayout layout = new
javax.swing.GroupLayout(getContentPane());
        getContentPane().setLayout(layout);
        layout.setHorizontalGroup(
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(outerlayeredpane,
javax.swing.GroupLayout.PREFERRED_SIZE, 992,
Short.MAX_VALUE)
);
        layout.setVerticalGroup(
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
.addComponent(outerlayeredpane)
);
        displayDetails();
        pack();
        setLocationRelativeTo(null);
    }

    private void HomebuttonActionPerformed(java.awt.event.ActionEvent evt) {

        HomePage h = new HomePage(this.username);
        h.show();
        dispose();
    }

    private void BooksbuttonActionPerformed(java.awt.event.ActionEvent evt) {

        BooksPage b = new BooksPage(this.username);
        b.show();
        dispose();
    }

    private void PostsbuttonActionPerformed(java.awt.event.ActionEvent evt) {

        Posts p = new Posts(this.username);

```

```

        p.show();
        dispose();
    }

    private void TrendingbuttonActionPerformed(java.awt.event.ActionEvent evt) {

        Trending t = new Trending(this.username);
        t.show();
        dispose();
    }

    private void GobackbuttonActionPerformed(java.awt.event.ActionEvent evt) {

        HomePage h = new HomePage(this.username);
        h.show();
        dispose();
    }

    private void emailtextfieldActionPerformed(java.awt.event.ActionEvent evt) {

    }

    private void savechangesbuttonActionPerformed(java.awt.event.ActionEvent evt) {

        String firstname = firstnametextfield.getText();
        String lastname = lastnametextfield.getText();
        String email = emailtextfield.getText();
        String password = String.valueOf(jLabel_Password.getText());

        System.out.println(firstname + " " + lastname + " " + password +
        " ");

        int flag = 0;

        if (firstname.trim().equals("") || lastname.trim().equals("") ||
password.trim().equals("") || email.trim().equals("")) {
            JOptionPane.showMessageDialog(this, "Please don't leave
any field blank.");
            firstnametextfield.setText(firstname);
            lastnametextfield.setText(lastname);
            jLabel_Password.setText(password);
        }
    }
}

```

```

emailtextfield.setText(email);

displayDetails();

pack();

flag = 1;
}

if (flag == 0) {
    try {
        Class.forName("oracle.jdbc.driver.OracleDriver");

        Connection con = DriverManager.getConnection(
            "jdbc:oracle:thin:@localhost:1521:xe","it175","sravya");

        if (firstname != "") {
            PreparedStatement preparedStatement =
                con.prepareStatement("UPDATE USERS SET FIRSTNAME=? WHERE
                    USERNAME='" + username + "'");
            preparedStatement.setString(1, firstname);
            preparedStatement.execute();
        }

        if (lastname != "") {
            PreparedStatement preparedStatement =
                con.prepareStatement("UPDATE USERS SET LASTNAME=? WHERE
                    USERNAME='" + username + "'");
            preparedStatement.setString(1, lastname);
            preparedStatement.execute();
        }

        if (password != "") {
            PreparedStatement preparedStatement =
                con.prepareStatement("UPDATE USERS SET PASSWORD=? WHERE
                    USERNAME='" + username + "'");
            preparedStatement.setString(1, password);
            preparedStatement.execute();
        }

        if (email != "") {
            PreparedStatement preparedStatement =
                con.prepareStatement("UPDATE USERS SET EMAIL=? WHERE
                    USERNAME='" + username + "'");
        }
    }
}

```

```

                preparedStatement.setString(1, email);
                preparedStatement.execute();
            }

            con.close();

            JOptionPane.showMessageDialog(this, "Update
Successful");

        } catch (Exception exc) {
            System.out.println(exc);
        }
    }
}

private void jButton_LogoutActionPerformed(java.awt.event.ActionEvent evt) {

    javax.swing.ImageIcon icon = new
javax.swing.ImageIcon("src/cutiee.png");
    int a = JOptionPane.showConfirmDialog(this,"Are you sure you
want to logout?","This will redirect to main
screen.",JOptionPane.YES_NO_OPTION ,
JOptionPane.PLAIN_MESSAGE,icon);
    if(a == JOptionPane.YES_OPTION){
        MainOptionsScreen m = new MainOptionsScreen();
        m.show();
        dispose();
    }
    else{
        ;
    }
}

public void displayDetails() {
    try {
        Class.forName("oracle.jdbc.driver.OracleDriver");

        Connection con = DriverManager.getConnection(
"jdbc:oracle:thin:@localhost:1521:xe","it175","sravya");

        Statement stmt=con.createStatement();
        ResultSet rs = stmt.executeQuery("SELECT * FROM
USERS WHERE Username='"+ + username + "'");
    }
}

```

```

        while(rs.next()) {
            String firstname = rs.getString(2);
            String lastname = rs.getString(3);
            String password = rs.getString(5);
            String email = rs.getString(4);
            firstnametextfield.setText(firstname);
            lastnametextfield.setText(lastname);
            jLabel_Password.setText(password);
            emailtextfield.setText(email);

        }
        con.close();
    }
    catch (Exception exc) {
        System.out.println(exc);
    }
}

private javax.swing.JButton Booksbutton;
private javax.swing.JButton Gobackbutton;
private javax.swing.JButton Homebutton;
private javax.swing.JButton Postsbutton;
private javax.swing.JLabel Settingslabel;
private javax.swing.JButton Trendingbutton;
private javax.swing.JLabel captionlabel;
private javax.swing.JLabel emaillabel;
private javax.swing.JTextField emailtextfield;
private javax.swing.JLabel firstnamelabel;
private javax.swing.JTextField firstnametextfield;
private javax.swing.JTextField firstnametextfield1;
private javax.swing.JPanel ineerpanel;
private javax.swing.JLayeredPane innerlayeredpane;
private javax.swing.JButton jButton_Logout;
private javax.swing.JLabel jLabel1;
private javax.swing.JTextField jLabel_Password;
private javax.swing.JPanel jPanel1;
private javax.swing.JLabel lastnamelabel;
private javax.swing.JTextField lastnametextfield;
private javax.swing.JLayeredPane outerlayeredpane;
private javax.swing.JPanel outerpanel;
private javax.swing.JLabel passwordlabel;
private javax.swing.JButton savechangesbutton;
}

```

## 8. GITHUB LINKS AND FOLDER STRUCTURE

We have segregated the files of our project into folders namely – src and tables. SRC folder contains all the java files used in our project and the Tables folder contains the images of tables (from database) which we used in our project. Our repository also contains a README file which has a brief description of our project. We have also uploaded report of our project on our github repository.

GitHub repository link: <https://github.com/SravyaReddyArrolla/BookTap>

 SravyaReddyArrolla Add files via upload	bfa17df 31 minutes ago	 3 commits
 Tables Add files via upload	43 minutes ago	
 src Add files via upload	31 minutes ago	
 README.md Initial commit	1 hour ago	

The folder “Tables” contains the following images.

 SravyaReddyArrolla Add files via upload	748159b 15 minutes ago	 History
..		
 Books.png Add files via upload	15 minutes ago	
 Genres.png Add files via upload	15 minutes ago	
 LikedGenres.png Add files via upload	15 minutes ago	
 Posts.png Add files via upload	15 minutes ago	
 Trending.jpg Add files via upload	15 minutes ago	
 Users.png Add files via upload	15 minutes ago	


The folder “src” contains the following folders.

 SravyaReddyArrolla Add files via upload	bfa17df 1 minute ago	 History
..		
 Homepage.images Add files via upload	1 minute ago	
 Login_Interests.images Add files via upload	1 minute ago	
 booktap Add files via upload	1 minute ago	
 genres Add files via upload	1 minute ago	
 cutiee.png Add files via upload	1 minute ago	


## 9. TESTING

### 9.1. SCREENS


#### 9.1.1. WelcomeSplashScreen.java




#### 9.1.2. MainOptionsScreen.java





### 9.1.3. Login.java




### 9.1.4. Register.java




### 9.1.5. Interests.java





### 9.1.6. HomePage.java



HOME

Home Books Posts Trending Profile Settings

## Welcome to BookTap!

Available Genres...

Adventure

Children

Classics

Fantasy

HOME

Home Books Posts Trending Profile Settings

## Welcome to BookTap!

Fiction

Horror

Mystery

Non-Fiction

Poetry

Romance

## 9.1.7. BooksPage.java

The screenshot shows a web-based application interface titled "BOOKS". At the top, there is a navigation bar with buttons for "Home", "Books", "Posts", "Trending", "Profile", and "Settings". Below the navigation bar is a search/filter section with a dropdown menu labeled "Select a Genre..." and a blue "Apply Filter" button. The main content area displays a grid of book titles. The grid has two columns. The first column contains: Alexander Hamilton, The Complete Sonnets and Poems by William Shakespeare, Jane Eyre, Gone With The Wind, The Hobbit, Invisible Man, Dracula, The Exorcist, A Brief History of Time, Life of Pi, The Mysterious Island, The Adventures of Tom Sawyer, Little Women, To Kill a Mockingbird, and Treasure Island. The second column contains: The Rumi Collection, The Poetry of Robert Frost, The Notebook, The Proposal, Gulliver's Travels, The Haunting of Hill House, The Shining, IT, The Diary of a Young Girl, Around the World in 80 Days, Jungle Book, The Tale of Despereaux, A Tale of Two Cities, Oliver Twist, and Harry Potter and the Sorcerer's Stone.

Alexander Hamilton	The Rumi Collection
The Complete Sonnets and Poems by William Shakespeare	The Poetry of Robert Frost
Jane Eyre	The Notebook
Gone With The Wind	The Proposal
The Hobbit	Gulliver's Travels
Invisible Man	The Haunting of Hill House
Dracula	The Shining
The Exorcist	IT
A Brief History of Time	The Diary of a Young Girl
Life of Pi	Around the World in 80 Days
The Mysterious Island	Jungle Book
The Adventures of Tom Sawyer	The Tale of Despereaux
Little Women	A Tale of Two Cities
To Kill a Mockingbird	Oliver Twist
Treasure Island	Harry Potter and the Sorcerer's Stone

The screenshot shows the same "BOOKS" application interface. The main content area now features a form for adding a new book. The form includes fields for "Book Name:", "Author Name:", "Genre:", and "Publisher:", each with a corresponding input text box. Below these fields is a larger text area labeled "Book Summary:".

Book Name:


Author Name:

Genre:


Publisher:

Book Summary:



## 9.1.8. Posts.java




## 9.1.9. AddPost.java




## 9.1.10. Trending.java



### 9.1.11. TrendList.java




### 9.1.12. Profile.java







### 9.1.13. Settings.java






## 9.2. OUTPUT TESTCASES

### 9.2.1. MainOptionsScreen.java






## 9.2.2. Login.java







### 9.2.3. Register.java












#### 9.2.4. Interests.java





## 9.2.5. HomePage.java





## 9.2.6. BooksPage.java

A screenshot of the BooksPage.java interface. At the top, it features a dark header bar with a "BOOKS" icon and the word "BOOKS". Below the header are four yellow buttons: "Home", "Books" (highlighted), "Posts", and "Trending". On the right side are "Profile" and "Settings" buttons. In the center, there is a search/filter section with a dropdown menu labeled "Select a Genre..." and a blue "Apply Filter" button. Below this is a table displaying a grid of book titles. The table has two columns and 18 rows. The first row contains the titles "Alexander Hamilton" and "The Rumi Collection". Subsequent rows list various classic and modern titles such as "The Complete Sonnets and Poems by William Shakespeare", "Jane Eyre", "Gone With The Wind", "The Hobbit", "Invisible Man", "Dracula", "The Exorcist", "A Brief History of Time", "Life of Pi", "The Mysterious Island", "The Adventures of Tom Sawyer", "Little Women", "To Kill a Mockingbird", "The Poetry of Robert Frost", "The Notebook", "The Proposal", "Gulliver's Travels", "The Haunting of Hill House", "The Shining", "IT", "The Diary of a Young Girl", "Around the World in 80 Days", "Jungle Book", "The Tale of Despereaux", "A Tale of Two Cities", and "Oliver Twist".

Alexander Hamilton	The Rumi Collection
The Complete Sonnets and Poems by William Shakespeare	The Poetry of Robert Frost
Jane Eyre	The Notebook
Gone With The Wind	The Proposal
The Hobbit	Gulliver's Travels
Invisible Man	The Haunting of Hill House
Dracula	The Shining
The Exorcist	IT
A Brief History of Time	The Diary of a Young Girl
Life of Pi	Around the World in 80 Days
The Mysterious Island	Jungle Book
The Adventures of Tom Sawyer	The Tale of Despereaux
Little Women	A Tale of Two Cities
To Kill a Mockingbird	Oliver Twist

BOOKS

Home Books Posts Trending Profile Settings

Book Name: Alexander Hamilton


Author Name: Ron Chernow

Genre: Non-Fiction

Publisher: Penguin Press

Book Summary:

It is a 2004 biography of American statesman Alexander Hamilton, written by historian and biographer Ron Chernow. Hamilton, one of the Founding Fathers of the United States, was an instrumental promoter of the U.S. Constitution, founder of the nation's financial system, and its first Secretary of the Treasury.





BOOKS

Home Books Posts Trending Profile Settings

Select a Genre... | Apply Filter

Select a Genre...		
Adventure		
Children	Hamilton	The Rumi Collection
Classics	by William Shakespeare	The Poetry of Robert Frost
Fantasy		The Notebook
Fiction	Wind	The Proposal
Horror		Gulliver's Travels
Mystery	Dracula	The Haunting of Hill House
	The Exorcist	The Shining
	A Brief History of Time	IT
	Life of Pi	The Diary of a Young Girl
	The Mysterious Island	Around the World in 80 Days
	The Adventures of Tom Sawyer	Jungle Book
	Little Women	The Tale of Despereaux
	To Kill a Mockingbird	A Tale of Two Cities
		Oliver Twist



BOOKS

Home Books Posts Trending Profile Settings

**Book Name:** The Hobbit


**Author Name:** J.R.R. Tolkien

**Genre:** Fiction Fantasy Adventure

**Publisher:** George Allen and Unwin

**Book Summary:**

One day while grading essays, JRR Tolkien wrote, "In a hole in the ground lived a hobbit," on the back of a student's paper. That single sentence launched this beloved children's story about one unwilling hobbit who is dragged there (and back again) onto an adventure to the Misty Mountains.





BOOKS

Home Books Posts Trending Profile Settings

Select a Genre... **Apply Filter**

Genre	Book Title	Author
Adventure	The Hobbit	J.R.R. Tolkien
Children	Gulliver's Travels	Jonathan Swift
Classics	The Poetry of Robert Frost	Robert Frost
Fantasy	The Notebook	Jodi Picoult
Fiction	The Proposal	Stanley Weisz
Horror	Gulliver's Travels	Jonathan Swift
Mystery	The Haunting of Hill House	Henry James
	The Shining	Stephen King
	IT	Stephen King
	The Diary of a Young Girl	Anne Frank
	Around the World in 80 Days	Jules Verne
	Jungle Book	Rudyard Kipling
	The Tale of Despereaux	Kate DiCamillo
	A Tale of Two Cities	Charles Dickens
	Oliver Twist	Charles Dickens
	To Kill a Mockingbird	Harper Lee
	Life of Pi	Yann Martel
	The Mysterious Island	Jules Verne
	The Adventures of Tom Sawyer	Mark Twain
	Little Women	Louis Untermeyer
	A Brief History of Time	Stephen Hawking
	The Exorcist	William Peter Blatty
	Dracula	Stoker



BOOKS

Home Books Posts Trending Profile Settings

**Book Name:** The Adventures of Tom Sawyer


**Author Name:** Mark Twain

**Genre:** Children Adventure

**Publisher:** American Publishing Company

**Book Summary:**

The Adventures of Tom Sawyer is an 1876 novel by Mark Twain about a boy growing up along the Mississippi River. It is set in the 1840s in the town of St. Petersburg, which is based on Hannibal, Missouri, where Twain lived as a boy.





BOOKS

Home Books Posts Trending Profile Settings

Select a Genre... | **Apply Filter**

Genre	Book Title	Author
Adventure	The Rumi Collection	Rumi
Children	The Poetry of Robert Frost	Robert Frost
Classics	The Notebook	Jeanine
Fantasy	The Proposal	Wendy
Fiction	Gulliver's Travels	Jonathan Swift
Horror	The Haunting of Hill House	Henry Jackson
Mystery	The Shining	Stephen King
	IT	Stephen King
	The Diary of a Young Girl	Anne Frank
	Around the World in 80 Days	Jules Verne
	Jungle Book	Rudyard Kipling
	The Tale of Despereaux	Kate DiCamillo
	A Tale of Two Cities	Charles Dickens
	Oliver Twist	Charles Dickens
	To Kill a Mockingbird	Harper Lee



BOOKS

Home Books Posts Trending Profile Settings

Book Name: Little Women


Author Name: Louisa May Alcott

Genre: Classics Romance

Publisher: Robert Brothers

Book Summary:

In Little Women, Louisa May Alcott set out to write a book in which girls would see themselves accurately reflected. The March sisters, with their four very different personalities and ambitions, accurately embody both the challenges of growing up and the irreplaceable bond of sisterhood. It is a story of growing up and changing and the world set around a group of young girls. This book is as timeless as it is beautiful.





BOOKS

Home Books Posts Trending Profile Settings

Select a Genre...

Genre	Book Title	Author
Adventure	The Hobbit	J.R.R. Tolkien
Children	Charlotte's Web	E.B. White
Classics	War and Peace	Lion Tolstoy
Fantasy	The Lord of the Rings	J.R.R. Tolkien
Fiction	Gone with the Wind	Margaret Mitchell
Horror	Dracula	Bram Stoker
Mystery	The Exorcist	William Peter Blatty
	A Brief History of Time	Stephen Hawking
	Life of Pi	Yann Martel
	The Mysterious Island	Jules Verne
	The Adventures of Tom Sawyer	Mark Twain
	Little Women	Louisa May Alcott
	To Kill a Mockingbird	Harper Lee
	The Rumi Collection	Rumi
	The Poetry of Robert Frost	Robert Frost
	The Notebook	Natalie Babbitt
	The Proposal	Wolfgang Amadeus Mozart
	Gulliver's Travels	Jonathan Swift
	The Haunting of Hill House	Henry James
	The Shining	Stephen King
	IT	Stephen King
	The Diary of a Young Girl	Anne Frank
	Around the World in 80 Days	Jules Verne
	Jungle Book	Rudyard Kipling
	The Tale of Despereaux	Kate DiCamillo
	A Tale of Two Cities	Charles Dickens
	Oliver Twist	Charles Dickens



BOOKS

Home Books Posts Trending Profile Settings

Book Name: Dracula


Author Name: Bram Stoker

Genre: Horror Fantasy

Publisher: Archibald Constable and Company

Book Summary:

This novel is told by multiple narrators in a series of diary entries, letters, newspaper articles and ships logs. An old folklore tale becomes a frightening reality for solicitor Jonathan Harker and his friends after he visits Count Dracula. And the Count is not a hero like our modern vampires aka Edward Cullen.



BOOKS

Home Books Posts Trending Profile Settings

Fantasy

Classics

Fantasy

Fiction

Horror

Mystery



Non-Fiction



Poetry



Romance

Apply Filter

Dracula	
	The Tale of Despereaux
Harry Potter and the Sorcerer's Stone	Alice's Adventures in Wonderland
The Lion, the Witch, and the Wardrobe	Moby Dick







BOOKS

Home Books Posts Trending Profile Settings

Book Name: IT


Author Name: Stephen King

Genre: Horror

Publisher: Viking

Book Summary:

The story follows the experiences of seven children as they are terrorized by an evil entity that exploits the fears of its victims to disguise itself while hunting its prey. "It" primarily appears in the form of Pennywise the Dancing Clown to attract its preferred prey of young children.





BOOKS

Home Books Posts Trending Profile Settings

Select a Genre...

Genre	Book Title	Author
Classics	The Rumi Collection	Rumi
Fantasy	The Poetry of Robert Frost	Robert Frost
Fiction	The Notebook	Nicholas Sparks
Horror	The Proposal	Dan Arieli
Mystery	Gulliver's Travels	Jonathan Swift
Non-Fiction	The Haunting of Hill House	Henry James
Poetry	The Shining	Stephen King
Romance	IT	Stephen King
	The Diary of a Young Girl	Anne Frank
	Around the World in 80 Days	Jules Verne
	Jungle Book	Rudyard Kipling
	The Tale of Despereaux	Kate DiCamillo
	A Tale of Two Cities	Charles Dickens
	Oliver Twist	Charles Dickens



BOOKS

Home Books Posts Trending Profile Settings

Book Name: Moby Dick  
Author Name: Herman Melville  
Genre: Adventure Fantasy Mystery  
Publisher: Richard Bentley, Harper and Brothers

Book Summary:  
Call me Ishmael, begins this epic story. Acclaimed as one of the greatest books of the sea that's ever been written, Moby-Dick relates the timeless story of a voyage to hunt and kill the great white whale that rules the ocean and haunts cruel captain Ahab's mind.





BOOKS

Home Books Posts Trending Profile Settings

Select a Genre...

Classics	1	The Rumi Collection
Fantasy	2	The Poetry of Robert Frost
Fiction	3	The Notebook
Horror	4	The Proposal
Mystery	5	Gulliver's Travels
Non-Fiction	6	The Haunting of Hill House
Poetry	7	The Shining
Romance	8	IT
	9	The Diary of a Young Girl
	10	Around the World in 80 Days
	11	Jungle Book
	12	The Tale of Despereaux
	13	A Tale of Two Cities
	14	Oliver Twist



BOOKS

Home Books Posts Trending Profile Settings

**Book Name:** A Brief History of Time

**Author Name:** Stephen Hawking

**Genre:** Non-Fiction

**Publisher:** Bantam Dell Publishing Group

**Book Summary:**



It is a book on theoretical cosmology by English physicist Stephen Hawking. Hawking wrote the book for readers who had no prior knowledge of physics and people who are interested in learning something new about interesting subjects. He writes in non-technical terms about the structure, origin, development and eventual fate of the Universe, which is the object of study of astronomy and modern physics.

BOOKS

Home Books Posts Trending Profile Settings

Select a Genre...

Author	Title	Author	Title
Shakespeare, William	The Rumi Collection	Robert Frost	The Poetry of Robert Frost
Woolf, Virginia	The Notebook	John Green	The Proposal
Gulliver, Lemuel	Gulliver's Travels	Hill House, Shirley Jackson	The Haunting of Hill House
Stoker, Bram	The Shining	Stephen King	IT
Campbell, John	The Diary of a Young Girl	Jules Verne	Around the World in 80 Days
London, Jack	The Jungle Book	Beatrix Potter	The Tale of Despereaux
Twain, Mark	The Tale of Two Cities	Charles Dickens	Oliver Twist
Conrad, Joseph	To Kill a Mockingbird		



BOOKS

Home Books Posts Trending Profile Settings

**Book Name:** The Rumi Collection


**Author Name:** Jalal ad-Din Muhammad Rumi

**Genre:** Poetry

**Publisher:** Oneworld Publications

**Book Summary:**

Jalal ad-Din Muhammad Rumi was a 13th-century Persian poet, theologian, scholar, and mystic whose poetry has transcended cultures and language barriers. In The Rumi Collection, several translators join together to offer their keen adaptations to this poet's ecstatic work, under the direction of editor Kabir Helminski. Each of the eighteen chapters are arranged by topic.






BOOKS

Home Books Posts Trending Profile Settings


Select a Genre... **Apply Filter**

Genre	Book Title
Classics	The Rumi Collection
Fantasy	The Poetry of Robert Frost
Fiction	The Notebook
Horror	The Proposal
Mystery	Gulliver's Travels
Non-Fiction	The Haunting of Hill House
Poetry	The Shining
Romance	IT
	The Diary of a Young Girl
	Around the World in 80 Days
	Jungle Book
	The Tale of Despereaux
	A Tale of Two Cities
	Oliver Twist





### 9.2.7. Posts.java



POSTS

Home Books Posts Trending Profile Settings + Add Post

**Username:** srawya  
**Book:** Alice's adventures in wonderland  
**Author:** Lewis Carroll  
**Genre:** Classics  
**Rating:** 4.3

**Review:**

The book is brilliant for children, but with enough hilarity and joy for life in it to please adults too. It is a lovely book with which one can take a brief respite from our overly rational and sometimes dreary world.



POSTS



Home Books Posts Trending Profile Settings + Add Post



**Username:** nikitha  
**Book:** The Guest List  
**Author:** Lucy Foley  
**Genre:** Mystery  
**Rating:** 4.3

**Review:**

Clever!








POSTS

Home Books Posts Trending Profile Settings + Add Post



**Username** sravya  
**Book** Life of Pi  
**Author** Yann Martel  
**Genre** Adventure  
**Rating** 4.8  
**Review**  
"Life of Pi" is a beautiful, emotionally resonant tale of faith, friendship, and perseverance.



POSTS



Home Books Posts Trending Profile Settings + Add Post




**Username** sravya  
**Book** Pride and prejudice  
**Author** Jane Austen  
**Genre** Romance  
**Rating** 4.3  
**Review**  
Austen gives you brave and good heroes and heroines, despicable villains, a decent dose of comic relief, a great and complex plot, and plenty of suspense of the mostly restrained, emotional variety.


## 9.2.8. AddPost.java










### 9.2.9. TrendList.java






TOP 3



### Top 3 Adventure

[Go Back](#)



TOP 3



### Top 3 Romance

[Go Back](#)




TOP 3



### Top 3 Poetry

[Go Back](#)




TOP 3



### Top 3 Non-fiction

[Go Back](#)



TOP 3



### Top 3 Fantasy

[Go Back](#)

TOP 3



### Top 3 Classics

[Go Back](#)

TOP 3

The image shows three book covers arranged horizontally on a teal background. From left to right:

- Truly, Devious** by Maureen Johnson: The cover features the title in large, stylized white and yellow letters against a dark blue background. Below the title, it says "a novel" and "NEW YORK TIMES BESTSELLER". The author's name, Maureen Johnson, is at the bottom.
- Sharp Objects** by Gillian Flynn: The cover is black with white text. It includes the title "SHARP OBJECTS" in large letters, the author's name "GILLIAN FLYNN" above it, and the subtitle "NEW YORK TIMES BESTSELLER" and "#1 NEW YORK TIMES BESTSELLER GONE GIRL" at the top.
- The Woman in the Window** by A.J. Finn: The cover has a dark, grainy texture. It features the title in large, yellow, sans-serif letters. At the top right, there is a circular badge with "No. 1" and "New York Times Bestseller". Below the title, it says "A.J. FINN". There is also a quote from Gillian Flynn: "Astounding, Thrilling, Amazing".

Below the books, the text "Top 3 Mystery" is centered, and a yellow "Go Back" button is located at the bottom left.



TOP 3



The image shows three book covers arranged horizontally on a teal background. From left to right:

- Such Pretty Things** by Lisa Heathfield: The cover features three baby dolls' faces in a row above the title. Below the title, it says "LISA HEATHFIELD".
- House of Crows** (Amazon Original Stories) by Lisa Unger: The cover has a dark, textured background with the title "LOVE THE WAY YOU LIE" in large, white, serif letters. Below the title, it says "Lisa Unger".
- Paradox Lake** by Vincent Zandri: The cover is dark with a textured, almost wood-grain appearance. The title "PARADOX LAKE" is written in large, white, serif letters across the middle. Below the title, it says "A NOVEL" and "VINCENT ZANDRI".


Below the books, the text "Top 3 Horror" is centered, and a yellow "Go Back" button is located at the bottom left.

## 9.2.10. Profile.java





PROFILE



THE GLOBAL BESTSELLER  
PAULA HAWKINS  
**THE GIRL ON THE TRAIN**  
YOU DON'T KNOW HER.  
BUT SHE KNOWS YOU.

WINNER OF THE MAN BOOKER PRIZE

Username: pallavi\_09  
Book: The Girl on the Train  
Author: Paula Hawkins  
Genre: Mystery

Rating: 4.2

Review:

I definitely recommend this book to someone who has never read any crime & mystery novel. The story is interesting and the plot is nice.

PROFILE



JANE AUSTEN  
*Pride and Prejudice*

YOU DON'T KNOW HER.  
BUT SHE KNOWS YOU.



Rating: 4.3



Username: pallavi\_09  
Book: Pride and Prejudice  
Author: Jane Austen  
Genre: Romance

Review:

Austen gives you brave and good heroes and heroines, despicable villains, a decent dose of comic relief, a great and complex plot, and plenty of suspense of the mostly restrained, emotional variety.

## 9.2.11. Settings.java





## **10. CONCLUSION**

To conclude, we have built a platform to bring the traditional bookstore to the user. A registered user can view different books of various genres, posts their opinions on the book they've read and view the top trending books in every genre. We have made this application to simplify the exhausting process of selecting a book to read and help connect book lovers across the web.

## **11. FUTURE SCOPE OF PROJECT**

Our future work includes incorporating more books into our database and we would like to add a feature which allows the User to add his/her liked books into a personal bookshelf. Other than this, we want to incorporate an Admin User who will have complete access and authority over the application.

This project can be further improved by converting it into a Web Application using Python and the Django Framework or a Mobile Application using Flutter or React Native.

## 12. REFERENCES

- Abraham Silberschatz, Henry F Korth, S. Sudarshan, Database System Concepts, 6th Edition, McGraw-Hill International Edition, 2010.
- Database Management Systems, Raghu Ramakrishnan, Johannes Gehrke, 3<sup>rd</sup> Edition, McGraw-Hill International Edition, 2003.
- [https://docs.oracle.com/cd/E11882\\_01/server.112/e40540/toc.htm](https://docs.oracle.com/cd/E11882_01/server.112/e40540/toc.htm)