

Importing Libraries

In [1]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

In [2]:

```
df=pd.read_csv("rainfall_himachal pradesh.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	1587	HIMACHAL PRADESH	1901	137.8	174.5	75.0	19.2	89.6	32.7	280.5	459.7	53.0	3.9	0.0
1	1588	HIMACHAL PRADESH	1902	6.5	27.0	104.4	76.2	61.3	78.8	258.6	199.3	113.4	23.6	2.5
2	1589	HIMACHAL PRADESH	1903	76.5	21.4	213.7	25.4	54.7	32.2	157.7	256.5	107.9	5.8	0.2
3	1590	HIMACHAL PRADESH	1904	79.3	22.4	131.7	48.0	90.3	33.1	241.1	184.3	56.4	51.6	17.3
4	1591	HIMACHAL PRADESH	1905	81.3	76.8	160.2	39.3	50.4	43.6	191.1	132.8	119.1	0.3	0.9
...
110	1697	HIMACHAL PRADESH	2011	43.9	97.4	49.7	62.4	45.1	118.3	177.7	380.2	120.3	6.0	0.3
111	1698	HIMACHAL PRADESH	2012	92.3	51.3	28.4	55.9	9.4	31.1	241.5	280.6	133.1	3.1	3.2
112	1699	HIMACHAL PRADESH	2013	79.9	182.6	76.6	28.9	32.6	233.6	208.8	240.0	65.8	21.8	16.6
113	1700	HIMACHAL PRADESH	2014	69.6	124.9	125.2	60.6	68.9	51.7	203.6	146.7	84.6	19.3	4.5
114	1701	HIMACHAL PRADESH	2015	67.2	156.6	192.5	84.9	45.0	85.8	249.9	195.9	75.5	17.7	14.5

115 rows × 20 columns



Data Cleaning and Data Preprocessing

In [3]:

```
df=df.dropna()
```

```
In [4]: df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
   'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
   'Mar-May', 'Jun-Sep', 'Oct-Dec'],
  dtype='object')
```


```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

```
In [6]: df.plot.line(subplots=True)
```

```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```




Line chart

In [7]:

```
df.plot.line()
```

Out[7]: <AxesSubplot:>




Bar chart

In [8]:

```
df.plot.bar()
```


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


```
Out[9]: <AxesSubplot:ylabel='Frequency'>
```



Area chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



Box chart

```
In [11]: df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```




Pie chart

```
In [12]: df.plot.pie(y='ANNUAL' )
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```






Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
```

```
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```




Seaborn

In [14]:

```
sns.pairplot(df)
```

Out[14]: <seaborn.axisgrid.PairGrid at 0x1ef58e8d850>




In [15]:
`sns.distplot(df['ANNUAL'])`

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning:
`distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
```

```
warnings.warn(msg, FutureWarning)
```

Out[15]: `<AxesSubplot:xlabel='ANNUAL', ylabel='Density'>`



```
In [16]: sns.heatmap(df.corr())
```

```
Out[16]: <AxesSubplot:
```

