Importing Libraries

```
In [1]: import numpy as np
        import pandas as pd
        import seaborn as sns
        import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]: df=pd.read_csv("rainfall_gujarat region.csv")
        df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	2277	GUJARAT REGION	1901	4.2	0.0	0.6	1.6	7.0	60.3	240.2	205.4	18.1	16.6
1	2278	GUJARAT REGION	1902	3.9	0.0	0.0	0.6	1.0	32.8	229.8	299.0	281.2	2.3
2	2279	GUJARAT REGION	1903	0.3	0.1	1.4	0.0	12.3	30.1	452.9	202.0	183.2	5.4
3	2280	GUJARAT REGION	1904	0.8	10.6	16.8	0.2	3.9	48.3	194.8	71.8	138.0	6.1
4	2281	GUJARAT REGION	1905	0.1	0.7	1.1	0.3	0.0	20.1	668.3	37.9	81.3	1.4
...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	2387	GUJARAT REGION	2011	0.0	0.2	0.0	0.0	0.0	16.3	259.2	451.7	162.5	0.4
111	2388	GUJARAT REGION	2012	0.1	0.0	0.0	0.0	0.0	34.4	178.2	230.3	263.8	7.1
112	2389	GUJARAT REGION	2013	0.0	0.9	0.1	4.6	0.0	155.7	405.4	211.1	287.3	53.2
113	2390	GUJARAT REGION	2014	5.7	0.1	0.2	1.0	1.3	11.6	307.5	138.6	235.1	3.3
114	2391	GUJARAT REGION	2015	1.8	0.0	6.1	5.5	0.9	120.7	354.7	37.4	93.4	2.2

115 rows × 20 columns

Data Cleaning and Data Preprocessing

In [3]: `df=df.dropna()`

In [4]: `df.columns`

Out[4]:
```
Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```

In [5]: `df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column       Non-Null Count   Dtype
---  ------       --------------   -----
 0   index        115 non-null     int64
 1   SUBDIVISION  115 non-null     object
 2   YEAR         115 non-null     int64
 3   JAN          115 non-null     float64
 4   FEB          115 non-null     float64
 5   MAR          115 non-null     float64
 6   APR          115 non-null     float64
 7   MAY          115 non-null     float64
 8   JUN          115 non-null     float64
 9   JUL          115 non-null     float64
 10  AUG          115 non-null     float64
 11  SEP          115 non-null     float64
 12  OCT          115 non-null     float64
 13  NOV          115 non-null     float64
 14  DEC          115 non-null     float64
 15  ANNUAL       115 non-null     float64
 16  Jan-Feb      115 non-null     float64
 17  Mar-May      115 non-null     float64
 18  Jun-Sep      115 non-null     float64
 19  Oct-Dec      115 non-null     float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

In [6]: `df.plot.line(subplots=True)`

Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
           <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
   <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
           <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)

Line chart

In [7]: `df.plot.line()`

Out[7]: <AxesSubplot:>

Bar chart

In [8]: `df.plot.bar()`

Out[8]: `<AxesSubplot:>`

Histogram

In [9]: `df.plot.hist()`

Out[9]: `<AxesSubplot:ylabel='Frequency'>`


Area chart

In [10]: `df.plot.area()`

Out[10]: `<AxesSubplot:>`


Box chart

In [11]: `df.plot.box()`

Out[11]: `<AxesSubplot:>`

Pie chart

```
In [12]:  df.plot.pie(y='ANNUAL' )
```

Out[12]: <AxesSubplot:ylabel='ANNUAL'>

	64
	65
	66
	67
	68
	69
	70
	71
	72
	73
	74
	75
	76
	77
	78
	79
	80
	81
	82
	83
	84
	85
	86
	87
	88
	89
	90
	91
	92
	93
	94
	95
	96
	97
	98
	99
	100
	101
	102
	103
	104
	105
	106
	107
	108
	109
	110
	111
	112
	113
	114

Scatter chart

In [13]: `df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')`

Out[13]: `<AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>`

Seaborn

In [14]: `sns.pairplot(df)`

Out[14]: `<seaborn.axisgrid.PairGrid at 0x165489a5a30>`

In [15]: `sns.distplot(df['ANNUAL'])`

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: F
utureWarning: `distplot` is a deprecated function and will be removed in a
future version. Please adapt your code to use either `displot` (a figure-le
vel function with similar flexibility) or `histplot` (an axes-level functio
n for histograms).
  warnings.warn(msg, FutureWarning)
```

Out[15]: `<AxesSubplot:xlabel='ANNUAL', ylabel='Density'>`

In [16]: `sns.heatmap(df.corr())`

Out[16]: `<AxesSubplot:>`