Importing Libraries

```
In [2]: import numpy as np
    import pandas as pd
    import seaborn as sns
    import matplotlib.pyplot as plt
```

Importing Datasets

115 rows × 20 columns

```
In [3]: df=pd.read_csv("rainfall_tamil nadu.csv")
df
```

Out[3]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	ОСТ
0	3427	TAMIL NADU	1901	24.5	39.1	21.7	36.0	74.0	41.8	49.3	67.9	191.1	122.3
1	3428	TAMIL NADU	1902	67.2	9.8	25.1	21.9	84.7	39.3	55.1	113.8	98.6	282.2
2	3429	TAMIL NADU	1903	19.3	7.8	1.7	18.2	128.5	58.5	72.6	115.0	210.4	128.1
3	3430	TAMIL NADU	1904	35.2	0.1	0.7	19.5	121.9	34.9	89.0	40.4	85.7	163.2
4	3431	TAMIL NADU	1905	6.5	7.5	17.2	64.8	83.7	49.8	39.0	101.8	73.5	250.4
110	3537	TAMIL NADU	2011	4.3	11.2	8.0	91.5	33.4	56.0	45.5	128.9	76.0	200.4
111	3538	TAMIL NADU	2012	3.0	0.1	2.5	35.5	41.9	30.1	46.5	98.0	84.9	235.2
112	3539	TAMIL NADU	2013	3.9	30.9	30.0	20.3	42.0	54.6	42.7	110.7	113.5	127.9
113	3540	TAMIL NADU	2014	7.4	6.1	8.1	8.3	139.1	47.8	50.6	117.7	98.9	252.2
114	3541	TAMIL NADU	2015	8.3	2.3	21.7	108.8	112.4	62.4	43.5	81.6	98.4	132.6

Data Cleaning and Data Preprocessing

```
In [6]: df.info()
```

<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):

#	Column	Non-Null Count	Dtype					
0	index	115 non-null	int64					
1	SUBDIVISION	115 non-null	object					
2	YEAR	115 non-null	int64					
3	JAN	115 non-null	float64					
4	FEB	115 non-null	float64					
5	MAR	115 non-null	float64					
6	APR	115 non-null	float64					
7	MAY	115 non-null	float64					
8	JUN	115 non-null	float64					
9	JUL	115 non-null	float64					
10	AUG	115 non-null	float64					
11	SEP	115 non-null	float64					
12	OCT	115 non-null	float64					
13	NOV	115 non-null	float64					
14	DEC	115 non-null	float64					
15	ANNUAL	115 non-null	float64					
16	Jan-Feb	115 non-null	float64					
17	Mar-May	115 non-null	float64					
18	Jun-Sep	115 non-null	float64					
19	Oct-Dec	115 non-null	float64					
<pre>dtypes: float64(17), int64(2), object(1)</pre>								
memory usage: 18.9+ KB								


Line chart

```
df.plot.line(subplots=True)
In [7]:
Out[7]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>], dtype=object)
                                               JAN
         100
100
100
                MAR
                                               MAY
                JUN
                                               JUL
                AUG
                                               SEP
                                               OCT
                                             Jan-Feb
                Mar-May
                                             Oct-Dec
                   20
                               60
```

Line chart

```
In [8]: df.plot.line()
```


Out[8]: <AxesSubplot:>



Bar chart

```
In [9]: df.plot.bar()
```


Out[9]: <AxesSubplot:>



Histogram

```
In [10]: df.plot.hist()
```


Out[10]: <AxesSubplot:ylabel='Frequency'>



Area chart

```
In [11]: df.plot.area()
```


Out[11]: <AxesSubplot:>



Box chart

```
In [12]: df.plot.box()
```


Out[12]: <AxesSubplot:>



Pie chart

```
In [13]: df.plot.pie(y='ANNUAL' )
Out[13]: <AxesSubplot:ylabel='ANNUAL'>
```






Scatter chart

```
In [14]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
```


Out[14]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>



Seaborn

In [15]: sns.pairplot(df)

Out[15]: <seaborn.axisgrid.PairGrid at 0x1e5f7d4aa30>




In [16]: | sns.distplot(df['ANNUAL'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: F utureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-le vel function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[16]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>



In [17]: sns.heatmap(df.corr())

Out[17]: <AxesSubplot:>

