Importing Libraries

```
In [1]: import numpy as np
    import pandas as pd
    import seaborn as sns
    import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]: df=pd.read_csv("rainfall_chhattisgarh.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	0
0	2967	CHHATTISGARH	1901	48.9	116.5	27.8	5.5	18.4	101.6	381.0	476.7	182.8	2
1	2968	CHHATTISGARH	1902	0.6	6.5	0.4	13.9	10.3	37.2	403.8	236.6	198.1	
2	2969	CHHATTISGARH	1903	6.2	13.9	0.4	6.8	51.1	110.7	365.9	396.0	212.0	16
3	2970	CHHATTISGARH	1904	0.0	8.6	32.3	0.2	77.5	369.5	303.6	483.6	86.8	12
4	2971	CHHATTISGARH	1905	50.3	22.6	19.0	24.6	31.8	40.4	443.7	270.8	338.8	
	•••												
110	3077	CHHATTISGARH	2011	0.3	11.5	2.6	35.0	16.8	183.5	272.6	379.8	382.2	1
111	3078	CHHATTISGARH	2012	36.6	4.8	1.1	14.9	9.4	147.3	430.6	442.2	245.3	1
112	3079	CHHATTISGARH	2013	2.8	19.7	4.9	45.8	5.7	263.6	418.8	336.6	140.9	18
113	3080	CHHATTISGARH	2014	2.3	29.0	21.4	17.3	25.0	104.9	416.7	327.7	252.7	7
114	3081	CHHATTISGARH	2015	15.8	1.2	21.2	37.0	13.0	257.6	248.6	286.6	216.9	1

115 rows × 20 columns

Data Cleaning and Data Preprocessing

```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
```

#	Column	Non-Null Count	Dtype					
0	index	115 non-null	int64					
1	SUBDIVISION	115 non-null	object					
2	YEAR	115 non-null	int64					
3	JAN	115 non-null	float64					
4	FEB	115 non-null	float64					
5	MAR	115 non-null	float64					
6	APR	115 non-null	float64					
7	MAY	115 non-null	float64					
8	JUN	115 non-null	float64					
9	JUL	115 non-null	float64					
10	AUG	115 non-null	float64					
11	SEP	115 non-null	float64					
12	OCT	115 non-null	float64					
13	NOV	115 non-null	float64					
14	DEC	115 non-null	float64					
15	ANNUAL	115 non-null	float64					
16	Jan-Feb	115 non-null	float64					
17	Mar-May	115 non-null	float64					
18	Jun-Sep	115 non-null	float64					
19	Oct-Dec	115 non-null	float64					
<pre>dtypes: float64(17), int64(2), object(1)</pre>								
memory usage: 18.9+ KB								

memory usage: 18.9+ KB


Line chart

```
In [6]: df.plot.line(subplots=True)
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
             <AxesSubplot:>, <AxesSubplot:>], dtype=object)
                JΑN
                                              FEB
        106
                MAR
                                              APR
        MAY
                                              JUN
                                              AUG
                                              OCT
                                              DEC
                                           ANNUAL
                                            lan-Feb
                                           Mar-May
                                            Oct-Dec
                                          100
```

Line chart

```
In [7]: df.plot.line()
```


Out[7]: <AxesSubplot:>



Bar chart

```
In [8]: df.plot.bar()
```


Out[8]: <AxesSubplot:>



Histogram

```
In [9]: df.plot.hist()
```


Out[9]: <AxesSubplot:ylabel='Frequency'>



Area chart

```
In [10]: df.plot.area()
```


Out[10]: <AxesSubplot:>



Box chart


```
In [11]: df.plot.box()
```


Out[11]: <AxesSubplot:>



Pie chart


```
In [12]: df.plot.pie(y='ANNUAL' )
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```





Scatter chart


```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



Seaborn

In [14]: sns.pairplot(df)

Out[14]: <seaborn.axisgrid.PairGrid at 0x179bbd80a60>




In [15]: | sns.distplot(df['ANNUAL'])

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: F utureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-le vel function with similar flexibility) or `histplot` (an axes-level function for histograms).


warnings.warn(msg, FutureWarning)

Out[15]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>



In [16]: sns.heatmap(df.corr())

Out[16]: <AxesSubplot:>



In []: