

Importing Libraries

```
In [1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

```
In [2]: df=pd.read_csv("rainfall_west rajasthan.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV
0	1817	WEST RAJASTHAN	1901	6.7	0.0	1.1	0.0	6.1	3.0	79.0	59.2	1.0	2.1	
1	1818	WEST RAJASTHAN	1902	0.0	0.0	0.0	0.5	4.0	49.1	27.0	71.3	41.8	1.8	
2	1819	WEST RAJASTHAN	1903	1.7	1.3	5.5	0.0	4.2	2.7	154.8	87.1	49.3	0.1	
3	1820	WEST RAJASTHAN	1904	3.8	2.9	16.3	0.7	11.4	14.6	39.8	45.6	21.4	1.4	
4	1821	WEST RAJASTHAN	1905	6.3	4.8	0.7	1.3	0.3	4.9	30.1	0.6	64.5	0.0	
...
110	1927	WEST RAJASTHAN	2011	0.0	11.8	1.5	1.5	7.8	24.4	88.5	166.8	116.3	0.1	
111	1928	WEST RAJASTHAN	2012	0.5	0.0	0.0	9.5	10.4	5.3	40.4	166.7	92.0	1.9	
112	1929	WEST RAJASTHAN	2013	8.6	21.8	4.2	3.1	1.7	37.6	104.5	138.2	58.7	10.1	
113	1930	WEST RAJASTHAN	2014	0.8	2.2	4.7	8.4	23.0	13.8	94.3	69.6	84.9	0.5	
114	1931	WEST RAJASTHAN	2015	1.4	0.9	30.3	25.2	15.5	53.2	234.6	60.5	35.7	1.1	

115 rows × 20 columns



Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
```

```
In [4]: df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
              'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
              'Mar-May', 'Jun-Sep', 'Oct-Dec'],
              dtype='object')
```


```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null    int64
1   SUBDIVISION     115 non-null    object
2   YEAR            115 non-null    int64
3   JAN             115 non-null    float64
4   FEB             115 non-null    float64
5   MAR             115 non-null    float64
6   APR             115 non-null    float64
7   MAY             115 non-null    float64
8   JUN             115 non-null    float64
9   JUL             115 non-null    float64
10  AUG             115 non-null    float64
11  SEP             115 non-null    float64
12  OCT             115 non-null    float64
13  NOV             115 non-null    float64
14  DEC             115 non-null    float64
15  ANNUAL          115 non-null    float64
16  Jan-Feb        115 non-null    float64
17  Mar-May        115 non-null    float64
18  Jun-Sep        115 non-null    float64
19  Oct-Dec        115 non-null    float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

```
In [6]: df.plot.line(subplots=True)
```


```
Out[6]: array([<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>,
<AxesSubplot:~>, <AxesSubplot:~>, <AxesSubplot:~>], dtype=object)
```



Line chart

```
In [7]: df.plot.line()
```


```
Out[7]: <AxesSubplot:~>
```



Bar chart

```
In [8]: df.plot.bar()
```


```
Out[8]: <AxesSubplot:>
```



Histogram

```
In [9]: df.plot.hist()
```


```
Out[9]: <AxesSubplot:ylabel='Frequency'>
```



Area chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



Box chart

```
In [11]: df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```




Pie chart

```
In [12]: df.plot.pie(y='ANNUAL' )
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```







Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION', y='ANNUAL')
```


```
Out[13]: <AxesSubplot: xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



Seaborn

```
In [14]: sns.pairplot(df)
```

```
Out[14]: <seaborn.axisgrid.PairGrid at 0x1af770ea4f0>
```




```
In [15]: sns.distplot(df['ANNUAL'])
```

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

```
warnings.warn(msg, FutureWarning)
```

```
Out[15]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [16]: sns.heatmap(df.corr())
```

```
Out[16]: <AxesSubplot:>
```

