

## Importing Libraries

```
In [1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

## Importing Datasets

```
In [2]: df=pd.read_csv("rainfall_west uttar pradesh.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	1127	WEST UTTAR PRADESH	1901	51.4	25.6	9.5	0.7	5.6	23.8	201.9	374.3	67.7	7.6
1	1128	WEST UTTAR PRADESH	1902	4.6	4.6	0.6	4.8	7.2	54.5	325.9	180.6	143.1	9.6
2	1129	WEST UTTAR PRADESH	1903	13.4	0.4	1.2	0.0	8.2	32.7	145.4	279.1	150.4	177.3
3	1130	WEST UTTAR PRADESH	1904	6.3	2.0	29.7	0.4	24.8	68.5	358.8	311.1	97.1	2.7
4	1131	WEST UTTAR PRADESH	1905	32.3	26.6	14.8	3.6	7.1	18.9	139.8	95.0	92.2	0.2
...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	1237	WEST UTTAR PRADESH	2011	2.1	10.4	3.9	2.8	29.6	175.9	215.9	232.3	101.7	0.7
111	1238	WEST UTTAR PRADESH	2012	14.5	0.1	1.4	4.7	0.3	4.0	145.1	149.1	67.8	0.5
112	1239	WEST UTTAR PRADESH	2013	20.4	69.5	3.5	1.6	2.1	190.6	233.9	287.1	52.2	61.2
113	1240	WEST UTTAR PRADESH	2014	48.3	29.4	22.6	5.3	11.0	22.0	151.6	81.0	84.7	14.6
114	1241	WEST UTTAR PRADESH	2015	31.6	7.2	66.8	21.0	8.1	72.0	194.2	143.5	26.5	6.9

115 rows × 20 columns



## Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
```

```
In [4]: df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
              'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
              'Mar-May', 'Jun-Sep', 'Oct-Dec'],
              dtype='object')
```


```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           115 non-null   int64
1   SUBDIVISION     115 non-null   object
2   YEAR            115 non-null   int64
3   JAN             115 non-null   float64
4   FEB             115 non-null   float64
5   MAR             115 non-null   float64
6   APR             115 non-null   float64
7   MAY             115 non-null   float64
8   JUN             115 non-null   float64
9   JUL             115 non-null   float64
10  AUG             115 non-null   float64
11  SEP             115 non-null   float64
12  OCT             115 non-null   float64
13  NOV             115 non-null   float64
14  DEC             115 non-null   float64
15  ANNUAL          115 non-null   float64
16  Jan-Feb        115 non-null   float64
17  Mar-May        115 non-null   float64
18  Jun-Sep        115 non-null   float64
19  Oct-Dec        115 non-null   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

## Line chart

In [6]: `df.plot.line(subplots=True)`


Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)



## Line chart

In [7]: `df.plot.line()`


Out[7]: <AxesSubplot:>



## Bar chart

```
In [8]: df.plot.bar()
```


```
Out[8]: <AxesSubplot:>
```



## Histogram

```
In [9]: df.plot.hist()
```


```
Out[9]: <AxesSubplot:ylabel='Frequency'>
```



## Area chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



## Box chart

```
In [11]: df.plot.box()
```

```
Out[11]: <AxesSubplot:>
```




## Pie chart


```
In [12]: df.plot.pie(y='ANNUAL' )
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```










Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION', y='ANNUAL')
```


```
Out[13]: <AxesSubplot: xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



## Seaborn

```
In [14]: sns.pairplot(df)
```

```
Out[14]: <seaborn.axisgrid.PairGrid at 0x16c9c3d0d00>
```




In [15]: `sns.distplot(df['ANNUAL'])`

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[15]: `<AxesSubplot:xlabel='ANNUAL', ylabel='Density'>`



In [16]: `sns.heatmap(df.corr())`

Out[16]: `<AxesSubplot:>`

