

## Importing Libraries

```
In [1]: import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

## Importing Datasets

```
In [2]: df=pd.read_csv("rainfall_jammu _ kashmir.csv")
df
```

Out[2]:

	index	SUBDIVISION	YEAR	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT
0	1702	JAMMU & KASHMIR	1901	66.4	69.3	69.6	132.2	105.8	53.4	171.7	181.3	101.8	24.1
1	1703	JAMMU & KASHMIR	1902	6.5	9.7	91.3	100.5	70.7	113.3	108.4	136.9	62.2	14.1
2	1704	JAMMU & KASHMIR	1903	96.2	21.5	238.6	58.7	57.3	18.9	332.5	218.6	176.9	10.1
3	1705	JAMMU & KASHMIR	1904	110.6	17.3	145.2	64.5	67.8	25.9	182.3	132.2	62.3	5.1
4	1706	JAMMU & KASHMIR	1905	146.7	76.3	161.4	71.7	65.2	43.3	145.2	111.5	239.7	1.1
...	...	...	...	...	...	...	...	...	...	...	...	...	...
110	1812	JAMMU & KASHMIR	2011	43.4	211.6	97.8	89.0	32.4	72.5	81.6	131.2	72.0	1.1
111	1813	JAMMU & KASHMIR	2012	150.9	95.8	45.2	86.6	48.9	32.6	118.8	264.9	106.7	1.1
112	1814	JAMMU & KASHMIR	2013	52.2	136.4	41.9	47.4	47.4	80.5	125.1	219.1	41.2	3.1
113	1815	JAMMU & KASHMIR	2014	75.8	64.0	153.1	76.1	52.7	25.3	100.5	134.6	362.8	3.1
114	1816	JAMMU & KASHMIR	2015	27.9	187.2	341.4	173.3	64.6	121.4	233.2	129.2	130.2	8.1

115 rows × 20 columns



## Data Cleaning and Data Preprocessing

```
In [3]: df=df.dropna()
```

```
In [4]: df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
              'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
              'Mar-May', 'Jun-Sep', 'Oct-Dec'],
              dtype='object')
```


```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 114 entries, 0 to 114
Data columns (total 20 columns):
#   Column          Non-Null Count  Dtype
---  -
0   index           114 non-null   int64
1   SUBDIVISION     114 non-null   object
2   YEAR            114 non-null   int64
3   JAN             114 non-null   float64
4   FEB             114 non-null   float64
5   MAR             114 non-null   float64
6   APR             114 non-null   float64
7   MAY             114 non-null   float64
8   JUN             114 non-null   float64
9   JUL             114 non-null   float64
10  AUG             114 non-null   float64
11  SEP             114 non-null   float64
12  OCT             114 non-null   float64
13  NOV             114 non-null   float64
14  DEC             114 non-null   float64
15  ANNUAL          114 non-null   float64
16  Jan-Feb        114 non-null   float64
17  Mar-May        114 non-null   float64
18  Jun-Sep        114 non-null   float64
19  Oct-Dec        114 non-null   float64
dtypes: float64(17), int64(2), object(1)
memory usage: 18.7+ KB
```

## Line chart

In [6]: `df.plot.line(subplots=True)`


Out[6]: `array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>], dtype=object)`



## Line chart

In [7]: `df.plot.line()`


Out[7]: `<AxesSubplot:>`



## Bar chart

```
In [8]: df.plot.bar()
```


```
Out[8]: <AxesSubplot:>
```



## Histogram

```
In [9]: df.plot.hist()
```


```
Out[9]: <AxesSubplot:ylabel='Frequency'>
```



## Area chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



## Box chart

```
In [11]: df.plot.box()
```

```
Out[11]: <AxesSubplot:>
```




## Pie chart


```
In [12]: df.plot.pie(y='ANNUAL' )
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```










Scatter chart

```
In [13]: df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL' )
```


```
Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>
```



## Seaborn

```
In [14]: sns.pairplot(df)
```

```
Out[14]: <seaborn.axisgrid.PairGrid at 0x193b2e75ca0>
```




In [15]: `sns.distplot(df['ANNUAL'])`

C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning: `distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).

warnings.warn(msg, FutureWarning)

Out[15]: `<AxesSubplot:xlabel='ANNUAL', ylabel='Density'>`



In [16]: `sns.heatmap(df.corr())`

Out[16]: `<AxesSubplot:>`

