OBJECTIVE QUESTIONS

1. **List the different dtypes of columns in table "ball_by_ball" (using information schema)**

   QUERY
   describe ipl.ball_by_ball;

   OUTPUT

Field	Type	Null	Key	Default	Extra
Match_Id	int	NO	PRI	NULL	
Over_Id	int	NO	PRI	NULL	
Ball_Id	int	NO	PRI	NULL	
Innings_No	int	NO	PRI	NULL	
Team_Batting	int	NO		NULL	
Team_Bowling	int	NO		NULL	
Striker_Batting_Position	int	NO		NULL	
Striker	int	NO		NULL	
Non_Striker	int	NO		NULL	
Bowler	int	NO		NULL	
Runs_Scored	int	YES		NULL	

2. **What is the total number of runs scored in 1st season by RCB (bonus: also include the extra runs using the extra runs table)**

   QUERY
   SELECT coalesce(SUM(b.Runs_scored),0) + coalesce(SUM(er.Extra_runs),0) AS total_runs
   FROM ball_by_ball b
   LEFT JOIN matches m ON m.Match_Id = b.Match_Id
   LEFT JOIN extra_runs er ON b.Ball_Id = er.Ball_Id
   AND b.Over_Id =er.Over_Id
   AND b.Match_Id = er.Match_Id
   AND b.Innings_No =er.Innings_No
   WHERE m.Season_Id = 6
   AND b.Team_Batting = (SELECT Team_Id FROM team WHERE Team_Name = 'Royal Challengers Bangalore');

   OUTPUT

total_runs
2601

3. **How many players were more than the age of 25 during season 2014?**

QUERY

```
SELECT COUNT(DISTINCT p.player_id) AS player_count
FROM player p
JOIN player_match pm ON p.player_id= pm.player_id
JOIN matches m ON pm.match_id = m.match_id
JOIN season s ON m.season_id = s.season_id
WHERE YEAR(p.DOB < '1989' and s.Season_Year =2014;
```

OUTPUT

	player_count
▶	102

4. **How many matches did RCB win in 2013?**

QUERY

```
SELECT COUNT(*) AS RCB_win_2013
FROM matches m
JOIN season s ON m.season_id=s.season_id
JOIN team t ON t.Team_Id=m.Match_Winner
WHERE Season_Year = '2013' AND t.Team_Name
='Royal Challengers Bangalore';
```

OUTPUT

	RCB_win_2013
▶	9

5. **List the top 10 players according to their strike rate in the last 4 seasons**

QUERY

```
SELECT p.Player_Id,p.Player_Name,
SUM(Runs_Scored) AS Runs_Scored,
COUNT(ball_id) AS balls_faced,
ROUND((SUM(Runs_Scored)/COUNT(ball_id))*100,
2) AS Strike_Rate FROM ball_by_ball b
JOIN matches m ON m.Match_Id = b.Match_Id JOIN
player p ON b.Striker=p.Player_Id
```

```
JOIN season s ON s.Season_Id =m.Season_Id JOIN
(SELECT Season_Id FROM season
ORDER BY Season_Year DESC
LIMIT 4) AS recent ON recent.Season_Id =s.Season_Id
GROUP BY p.Player_Id,p.Player_Name
ORDER BY Strike_Rate DESC LIMIT 10;
```

OUTPUT

Result Grid | Filter Rows: | Export: | Wrap C

Player_Id	Player_Name	Runs_Scored	balls_faced	Strike_Rate
259	RV Gomez	4	1	400.00
246	AN Ahmed	14	6	233.33
408	CR Brathwaite	83	40	207.50
116	PJ Sangwan	4	2	200.00
228	Bipul Sharma	52	27	192.59
413	KH Pandya	237	127	186.61
66	B Lee	21	12	175.00
190	M Morkel	66	38	173.68
402	SN Khan	177	103	171.84
385	BCJ Cutting	73	43	169.77

6. **What are the average runs scored by each batsman considering all the seasons?**

QUERY

```
WITH player_details AS ( SELECT striker AS Player_Id, SUM(Runs_Scored) AS total_runs,
COUNT(DISTINCT CONCAT(Match_Id,'-',Innings_No)) AS total_innings
FROM ball_by_ball GROUP BY striker ) SELECT
p.Player_name AS batsmen,
pd.total_runs,pd.total_innings,
ROUND((total_runs/total_innings),2) AS
average_runs
FROM player p JOIN player_details pd ON
p.Player_Id =pd.Player_Id ORDER BY average_runs
DESC
```

OUTPUT

Result Grid | Filter Rows: | Export:

batsmen	total_runs	total_innings	average_runs
LMP Simmons	942	22	42.82
V Kohli	2472	63	39.24
DA Warner	2348	62	37.87
N Rana	104	3	34.67
MEK Hussey	1019	30	33.97
AB de Villiers	1968	58	33.93
AM Rahane	1847	57	32.40
CH Gayle	1634	51	32.04
RV Uthappa	1852	60	30.87
DR Smith	1707	57	29.95

7. **What are the average wickets taken by each bowler considering all the seasons?**

QUERY

```
SELECT p.Player_Name AS Bowler,
COUNT(w.Ball_Id) AS total_wickets,
COUNT(DISTINCT CONCAT(b.Match_Id,'-',b.Innings_No)) AS total_Innings,
ROUND(COUNT(w.Ball_Id)/COUNT(DISTINCT CONCAT(b.Match_Id,'-
',b.Innings_No)),2) AS Average_wickets FROM
wicket_taken w
JOIN ball_by_ball b ON
w.Match_Id = b.Match_Id AND w.Over_Id =
b.Over_Id
AND w.Ball_Id = b.Ball_Id
AND w.Innings_No = b.Innings_No
JOIN player p ON p.Player_Id =b.Bowler GROUP BY
p.Player_Id,p.Player_Name ORDER BY
Average_wickets;
```

OUTPUT

Result Grid | Filter Rows: | Export: | W

Bowler	total_wickets	total_Innings	Average_wickets
MM Patel	3	1	3.00
AG Murtaza	3	1	3.00
A Zampa	12	4	3.00
SM Boland	3	1	3.00
CJ Jordan	13	5	2.60
DJG Sammy	14	6	2.33
Kuldeep Yadav	7	3	2.33
MP Stoinis	9	4	2.25
Imran Tahir	31	14	2.21
Azhar Mahmood	17	8	2.13
JD Unadkat	23	11	2.09

8. **List all the players who have average runs scored greater than the overall average and who have taken wickets greater than the overall average**

QUERY

```
WITH batting_data AS (
SELECT s.Striker AS Player_Id,
AVG(s.Runs_Scored) AS avg_runs
FROM ball_by_ball s
GROUP BY s.Striker),
bowling_data AS (
SELECT b.Bowler AS Player_Id,
COUNT(w.Ball_id) AS total_wickets
FROM ball_by_ball b
LEFT JOIN wicket_taken w ON
b.Match_Id = w.Match_Id AND b.Over_Id =
w.Over_Id
AND b.Ball_Id = w.Ball_Id
AND b.Innings_No = w. Innings_No GROUP BY
b.Bowler)
SELECT p.Player_Name,bd.avg_runs,wd.total_wickets FROM batting_data bd
JOIN bowling_data wd ON bd.Player_Id =
wd.Player_Id JOIN player p ON p.Player_Id
=bd.Player_Id
WHERE bd.avg_runs > (SELECT AVG(avg_runs)
FROM batting_data)
```

```
AND wd.total_wickets >(SELECT AVG(total_wickets)
FROM bowling_data) ORDER BY bd.avg_runs DESC;
```

OUTPUT

Result Grid | Filter Rows:

Player_Name	avg_runs	total_wickets
M Morkel	1.8333	43
AD Russell	1.7222	35
HV Patel	1.6842	25
CH Morris	1.6667	48
KK Cooper	1.6250	26
MJ McClenaghan	1.6207	36
KA Pollard	1.4865	19
TG Southee	1.4688	18
NLTC Perera	1.4436	32
JP Faulkner	1.4344	61
D Wiese	1.4111	17
R Vinay Kumar	1.3594	50
SR Watson	1.3501	54
Harbhajan Singh	1.3422	67
Shakib Al Hasan	1.3206	25
DR Smith	1.3001	15

9. **Create a table rcb_record table that shows the wins and losses of RCB in an individual venue.**

QUERY

```
CREATE TABLE rcb_record AS SELECT
v.Venue_Name, SUM(CASE
WHEN m.Match_Winner = 2 AND (m.Team_1 = 2
OR m.Team_2 = 2) THEN 1 ELSE 0
END) AS Wins, SUM(CASE
WHEN m.Match_Winner != 2 AND (m.Team_1 = 2 OR m.Team_2 = 2) AND
m.OutCome_Type = 1 THEN 1
ELSE 0
END) AS Losses FROM matches m
JOIN Venue v ON m.Venue_Id = v.Venue_Id WHERE
(m.Team_1 = 2 OR m.Team_2 = 2)
GROUP BY v.Venue_Name;
SELECT * FROM rcb_record;
```

OUTPUT

Result Grid | Filter Rows: | Export:

Venue_Name	Wins	Losses
M Chinnaswamy Stadium	16	11
Rajiv Gandhi International Stadium, Uppal	1	2
MA Chidambaram Stadium, Chepauk	0	2
Wankhede Stadium	1	3
Sawai Mansingh Stadium	0	1
Subrata Roy Sahara Stadium	1	0
Feroz Shah Kotla	2	0
JSCA International Stadium Complex	1	2
Punjab Cricket Association Stadium, Mohali	0	2
Sharjah Cricket Stadium	1	1
Dubai International Cricket Stadium	1	1
Sheikh Zayed Stadium	0	1

10. What is the impact of bowling style on wickets taken?

QUERY

```
SELECT bs.Bowling_skill AS
        bowling_style, COUNT(*) AS
        total_wickets
FROM Wicket_Taken wt
JOIN Ball_by_Ball b ON wt.Match_Id =b.
        Match_Id AND wt.Over_Id =
        b.Over_Id
  AND wt.Ball_Id = b.Ball_Id
  AND wt.Innings_No =b.Innings_No
JOIN Player p ON b.Bowler =p.Player_Id
JOIN Bowling_Style bs ON p.Bowling_skill
=bs.Bowling_Id GROUP BY bs.Bowling_skill
ORDER BY total_wickets DESC;
```

OUTPUT

Result Grid | Filter Rows:

bowling_style	total_wickets
Right-arm medium	617
Right-arm fast-medium	382
Right-arm medium-fast	343
Right-arm offbreak	290
Slow left-arm orthodox	283
Right-arm fast	237
Left-arm fast-medium	186
Legbreak googly	167
Legbreak	152
Left-arm medium-fast	114
Left-arm fast	99

11. Write the SQL query to provide a status of whether the performance of the team is better than the previous year's performance on the basis of the number of runs scored by the team in the season and the number of wickets taken

QUERY

```
WITH team_season AS (
SELECT t.Team_Id,s.Season_Year,
SUM(b.Runs_Scored) AS total_runs, COUNT(w.Player_Out) AS total_wickets
FROM matches m
JOIN season s ON s.Season_Id = m.Season_Id
JOIN ball_by_ball b ON m.Match_Id = b.Match_Id JOIN team t ON
b.Team_batting =t.Team_Id
LEFT JOIN wickets_taken w ON b.Match_Id = w.Match_Id
AND b.Ball_Id = w.Ball_Id
GROUP BY t.Team_Id,s.Season_Year
),

compare AS (
SELECT tsc.Team_Id, tsc.Season_Year,
tsc.total_runs AS current_runs, tsc.total_wickets AS current_wickets,
tsp.total_runs AS previous_runs,
tsp.total_wickets AS previous_wickets FROM team_season tsc
LEFT JOIN team_season tsp ON tsc.Team_Id = tsp.Team_Id
AND tsc.Season_Year =tsp.Season_Year + 1)
```

```
SELECT Team_Id,Season_Year,
current_runs,current_wickets,previous_runs,previous_wickets,
CASE WHEN previous_runs IS NULL THEN 'No Previous Data'
WHEN current_runs > previous_runs AND current_wickets >
previous_wickets
THEN 'Better'
WHEN current_runs = previous_runs AND current_wickets = previous_wickets
THEN 'Same'
ELSE 'Worse'
END AS performance_status FROM compare
ORDER BY Team_Id,Season_Year;
```

OUTPUT

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Team_Id	Season_Year	current_runs	current_wickets	previous_runs	previous_wickets	performance_status
1	2013	4292	3821	NULL	NULL	No Previous Data
1	2014	4561	3398	4292	3821	Worse
1	2015	3911	2853	4561	3398	Worse
1	2016	4254	3092	3911	2853	Better
2	2013	4630	3455	NULL	NULL	No Previous Data
2	2014	3674	2855	4630	3455	Worse
2	2015	4256	3036	3674	2855	Better
2	2016	5266	3209	4256	3036	Better
3	2013	5213	3976	NULL	NULL	No Previous Data
3	2014	4320	3117	5213	3976	Worse
3	2015	5279	4181	4320	3117	Better
4	2013	4399	3470	NULL	NULL	No Previous Data
4	2014	5443	3893	4399	3470	Better

12. Can you derive more KPIs for the team strategy?

1. **WIN PERCENTAGE:**

$$Win\ Perntage = \frac{No.of\ Wins}{No.of\ Matches\ Played}$$

- ✓ It is a core performance indicator that measures the proportion of matches a team wins out of the total games played.
- ✓ It provides a clear and quick image of team's overall effectiveness, helping asses competitive strength over time.

✓ By tracking and comparing this metric across seasons or opponents, teams can understand performance gaps and make informed decisions. In high-stakes leagues like the IPL, consistent analysis of win percentage supports data-driven planning and continuous improvement.

QUERY

```
SELECT t.Team_Name,
  (SUM(CASE WHEN m.Match_Winner =t.Team_Id THEN 1 ELSE 0 END)*100)/
   NULLIF(COUNT(CASE WHEN m.Match_Winner IS NOT NULL THEN 1 END),0) AS
  Win_Percentage
FROM Team t
JOIN Matches m ON m.Team_1 =t.Team_Id OR m.Team_2 =t.Team_ID
GROUP BY t.Team_Name
ORDER BY Win_Percentage DESC;
```

OUTPUT

Result Grid | Filter Rows:

Team_Name	Win_Percentage
Chennai Super Kings	62.7451
Mumbai Indians	57.8125
Gujarat Lions	56.2500
Rajasthan Royals	55.5556
Sunrisers Hyderabad	54.8387
Kolkata Knight Riders	53.3333
Royal Challengers Bangalore	51.6667
Kings XI Punjab	44.2623
Rising Pune Supergiants	35.7143
Delhi Daredevils	29.8246
Pune Warriors	25.0000

---

2. BOUNDARY PERCENTAGE

$$\boldsymbol{Boundary\ Percentage} = \frac{\boldsymbol{No.of\ Wins}}{\boldsymbol{No.of\ Matches\ Played}}$$

Boundary Percentage shows how much a team depends on fours and sixes for scoring runs. It helps understand the team's attacking intent and power-hitting strength. This KPI supports decisions on batting approach and player selection. Teams that score boundaries regularly while protecting wickets usually perform better in fast paced formats like IPL. Tracking this metric helps teams plan smarter batting strategies using data.

QUERY

```
SELECT t.Team_Name,
  (SUM(CASE WHEN b.Runs_Scored IN (4,6) THEN b.Runs_Scored ELSE 0 END)*100)/
   NULLIF(SUM(b.Runs_Scored),0) AS Boundary_Percentage
FROM team t
JOIN ball_by_ball b ON t.Team_Id =
b.Team_Batting GROUP BY t.Team_Name
```

OUTPUT

Result Grid | Filter Rows: | Exp

Team_Name	Boundary_Percentage
Delhi Daredevils	56.5047
Kolkata Knight Riders	57.7317
Royal Challengers Bangalore	63.4670
Mumbai Indians	61.3560
Sunrisers Hyderabad	55.4168
Pune Warriors	55.7032
Rajasthan Royals	57.0616
Chennai Super Kings	58.4473
Kings XI Punjab	58.5983
Rising Pune Supergiants	55.6575
Gujarat Lions	58.0673

3. CONSISTENCY INDEX

It helps measure how reliable a player or team is across matches. The variation of runs scored in match to match. It shows how much performance varies from game to game. A lower value indicates stable and predictable performance. This KPI helps team reduce risk and select players who can deliver steady result throughout a tournament.

QUERY

```
SELECT Player_Id,
  STDDEV(match_runs) AS consistency_index
FROM (
  SELECT Striker AS Player_Id,Match_Id,
         SUM(Runs_Scored) AS match_runs
  FROM ball_by_ball
   GROUP BY Striker,Match_Id) t
GROUP BY Player_Id
ORDER BY consistency_index ASC;
```

SAMPLE OUTPUT

Result Grid | Filter Rows:

Player_Id	consistency_index
423	0
424	0
430	0
432	0
186	0
434	0
346	0.433012701892...
333	0.433012701892...
73	0.471404520791...
429	0.471404520791...
77	0.5
210	0.5
387	0.5
131	0.577350269189...
258	1

4. DOT BALL PERCENTAGE

It shows how many balls a team faces without scoring any runs. It tells us how often batters get stuck and fail to rotate the strike. This KPI is important because fewer dot balls mean better momentum and more pressure on the bowling team. Teams that keep dot balls low usually score more consistently and have a better chance of reaching strong totals or chasing targets. Tracking this metric helps team improve shot selection and running between the wickets

QUERY

```
 SELECT t.Team_name,
ROUND(COUNT(CASE WHEN b.Runs_Scored =0 THEN 1 END)*100/COUNT(*),2) AS
  dot_ball_per
centage
 FROM Team t
JOIN ball_by_ball b ON t.Team_Id =
b.Team_Batting      GROUP BY t.Team_name
ORDER BY dot_ball_percentage DESC;
```

OUTPUT

Result Grid | Filter Rows:

Team_name	dot_ball_percentage
Pune Warriors	42.33
Delhi Daredevils	38.47
Mumbai Indians	38.44
Rajasthan Royals	37.78
Sunrisers Hyderabad	37.40
Kings XI Punjab	37.36
Royal Challengers Bangalore	37.27
Chennai Super Kings	36.54
Kolkata Knight Riders	36.53
Gujarat Lions	36.17
Rising Pune Supergiants	34.87

13. Using SQL, write a query to find out the average wickets taken by each bowler in each venue. Also, rank the gender according to the average value.

QUERY

```
WITH bowler_venue_details AS (
SELECT v.Venue_Name, b.Bowler AS Bowler_id, COUNT(w.Player_Out) AS total_wickets,
COUNT(DISTINCT b.Match_id) AS matches_played,
COUNT(w.Player_Out)*1.0 / COUNT(DISTINCT b.Match_id) AS avg_wickets FROM
ball_by_ball b
JOIN matches m ON b.Match_Id = m.Match_Id JOIN venue v ON m.Venue_Id = v.Venue_Id
LEFT JOIN wicket_taken w ON b.Match_Id = w.Match_id
AND b.Ball_Id = w.Ball_Id
GROUP BY v.Venue_Name,b.Bowler
)
SELECT Venue_Name,Bowler_Id,avg_wickets, RANK() OVER (
PARTITION BY Venue_Name ORDER BY avg_wickets DESC
```

```
) AS bowler_rank
FROM bowler_venue_details
ORDER BY Venue_Name,bowler_rank;
```

SAMPLE OUTPUT

Result Grid | Filter Rows: | Export:

Venue_Name	Bowler_Id	avg_wickets	bowler_rank
Barabati Stadium	451	37.00000	1
Barabati Stadium	364	36.00000	2
Barabati Stadium	83	36.00000	2
Barabati Stadium	359	36.00000	2
Barabati Stadium	367	35.00000	5
Barabati Stadium	374	34.00000	6
Barabati Stadium	190	33.50000	7
Barabati Stadium	194	33.00000	8
Barabati Stadium	50	33.00000	8
Barabati Stadium	276	32.00000	10
Barabati Stadium	315	32.00000	10
Barabati Stadium	67	32.00000	10

14. Which of the given players have consistently performed well in past seasons? (will you use any visualization to solve the problem)

QUERY

```
WITH player_season_details AS (
        SELECT
  p.Player_id,p.Player_Name,s.Season_Year,
  SUM(b.Runs_Scored) AS runs_in_season,
  COUNT(DISTINCT CONCAT(b.Match_Id,'-',b.Innings_No)) AS
  innings_played, COUNT(w.Player_Out) AS dismissals,
  ROUND(SUM(b.Runs_Scored)*1.0 / NULLIF(COUNT(w.Player_Out),0),2) AS
batting_average_in_season
  FROM Player p
  JOIN ball_by_ball b ON p.player_Id =b.Striker
  LEFT JOIN wicket_taken w ON b.Match_Id = w.Match_Id
                                                AND b.Over_Id =w.Over_Id
                AND b.Ball_Id = w.ball_Id
                AND b.Innings_No
                =w.Innings_No AND
                w.Player_Out
```

```
                =p.Player_Id
        JOIN Matches m ON b.Match_Id
  =m.Match_Id JOIN Season s ON
  m.Season_Id = s.Season_Id
   GROUP BY p.Player_Id, p.Player_Name, s.Season_Year),

   player_consistency AS (
                        SELECT Player_Id,Player_Name,
                                COUNT(Season_Year) AS
          seasons_played, ROUND(AVG(runs_in_season),2) AS
          avg_runs_per_season,
          ROUND(STDDEV_POP(runs_in_season),2) AS
                        runs_stddev FROM
                        player_season_details
        GROUP BY Player_Id,Player_Name
        )


SELECT Player_Id,
Player_Name,seasons_played,avg_runs_per_season,runs_stddev FROM
player_consistency
WHERE seasons_played >=3
AND avg_runs_per_season > (SELECT
                AVG(avg_runs_per_season) FROM
                player_consistency)
AND runs_stddev < 100
ORDER BY avg_runs_per_season DESC;
```

SAMPLE OUTPUT

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Player_Id	Player_Name	seasons_played	avg_runs_per_season	runs_stddev
57	RG Sharma	4	474.75	53.48
85	AM Rahane	4	461.75	74.52
21	SK Raina	4	461.00	75.54
147	DR Smith	4	426.75	87.74
40	G Gambhir	4	392.25	69.91
42	S Dhawan	4	385.50	70.74
20	MS Dhoni	4	372.00	62.58
221	KA Pollard	4	330.00	92.4
31	YK Pathan	4	318.25	33.84
208	AT Rayudu	4	310.25	38.87
185	M Vijay	4	305.75	92.83
303	F du Plessis	3	296.33	71.19
27	Yuvraj Singh	4	274.50	58.78
351	SV Samson	4	260.00	57.56



- ✓ Players with high average runs and low standard deviation (like RG Sharma, AM Rahane, SK Raina) are the most consistent performers.
- ✓ Players with higher variation (right side of the chart) deliver impactful but less predictable performances.
- ✓ Batters in the top-left area of the chart are ideal for building a stable and reliable team core.

15. Are there players whose performance is more suited to specific venues or conditions? (how would you present this using charts?)

<u>QUERY : Bowling Performance by Venue</u>

```
SELECT p.Player_Id,p.Player_Name,v.Venue_Id,v.Venue_Name, SUM(b.Runs_Scored) AS total_runs,
COUNT(DISTINCT CONCAT(b.Match_Id,'-',b.Innings_No)) AS Innings_Played,
ROUND(SUM(b.Runs_Scored)*1.0/ NULLIF(COUNT(DISTINCT CONCAT(b.Match_Id,'-',b.Innings_No)),0),2) AS avg_runs_per_inning FROM Player p
JOIN Ball_by_Ball b ON p.Player_Id =b.Striker
JOIN Matches m ON b.Match_Id = m.Match_Id
JOIN Venue v ON m.Venue_Id =v.Venue_Id
```

```
GROUP BY p.Player_Id,p.Player_Name,v.Venue_Id,v.venue_Name HAVING innings_played
>=5
ORDER BY p.Player_Name,v.Venue_Name;
```

SAMPLE OUTPUT

Result Grid | Filter Rows: | Export: | Wrap Cell Cont

Player_Id	Player_Name	Venue_Id	Venue_Name	total_wickets
190	M Morkel	20	Barabati Stadium	4
67	PP Chawla	20	Barabati Stadium	4
315	SP Narine	20	Barabati Stadium	3
50	Harbhajan Singh	20	Barabati Stadium	2
357	MG Johnson	20	Barabati Stadium	2
364	MM Sharma	20	Barabati Stadium	2
451	BW Hilfenhaus	20	Barabati Stadium	1
147	DR Smith	20	Barabati Stadium	1
305	GJ Maxwell	20	Barabati Stadium	1
383	LMP Simmons	20	Barabati Stadium	1
83	M Kartik	20	Barabati Stadium	1
333	P Awana	20	Barabati Stadium	1
356	R Dhawan	20	Barabati Stadium	1
367	Sandeep Sharma	20	Barabati Stadium	1



- ✓ The chart shows that certain players consistently score higher runs at specific venues, indicating strong venue-specific performance.
- ✓ Players like **V. Kohli at M. Chinnaswamy Stadium** and **RG Sharma at Wankhede Stadium** clearly dominate their home grounds, highlighting how pitch conditions and familiarity significantly influence batting success

SUBJECTIVE QUESTIONS

1. **How does the toss decision affect the result of the match? (which visualizations could be used to present your answer better) And is the impact limited to only specific venues?**

QUERY

```
SELECT v.venue_Name, m.Toss_Decide,
        COUNT(*) AS matches_layed,
   SUM(CASE WHEN m.Toss_Winner = m.Match_Winner THEN 1 ELSE 0 END) AS
toss_win_and_match_win,
   ROUND(SUM(CASE WHEN m.Toss_Winner = m.Match_Winner THEN 1 ELSE 0
END)*100.0/COUNT(*),2 )
   AS toss_win_percentage FROM
Matches m
JOIN Venue v ON m.venue_Id =
v.Venue_Id WHERE
m.Toss_Winner IS NOT NULL
GROUP BY v.Venue_Name, m.Toss_Decide
ORDER BY v.Venue_Name, toss_win_percentage DESC;
```

SAMPLE OUTPUT

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

venue_Name	Toss_Decide	matches_played	toss_win_and_match_win	toss_win_percentage
Barabati Stadium	1	3	2	66.67
Brabourne Stadium	2	1	1	100.00
Brabourne Stadium	1	3	1	33.33
Dr. Y.S. Rajasekhara Reddy ACA-VDCA Cr...	2	4	2	50.00
Dr. Y.S. Rajasekhara Reddy ACA-VDCA Cr...	1	5	2	40.00
Dubai International Cricket Stadium	1	4	2	50.00
Dubai International Cricket Stadium	2	3	1	33.33
Eden Gardens	1	16	10	62.50
Eden Gardens	2	10	3	30.00
Feroz Shah Kotla	1	18	12	66.67
Feroz Shah Kotla	2	7	3	42.86
Green Park	1	2	2	100.00
Himachal Pradesh Cricket Association Stadi...	1	2	0	0.00
JSCA International Stadium Complex	1	4	3	75.00



Insights:

- The chart shows that winning the toss improves match-winning chances, but the level of impact varies significantly across venues.
- At several venues, choosing to bat first results in a higher win percentage, suggesting that setting a target is an advantage.
- In contrast, some venues show better outcomes when teams field first, indicating that chasing is easier under certain pitch and ground conditions.
- The wide variation in win percentages across venues confirms that the impact of the toss is venue specific, not uniform for all grounds.

Recommendations:

- Teams should avoid a fixed toss strategy and instead base the bat/field decision on venue history and conditions.
- At venues where batting first shows high success rates, teams should aim to build strong top order lineups and set competitive totals.
- For venues favoring fielding first, selecting strong chasing batters and death- over bowlers can improve match outcomes.
- RCB should incorporate venue-based toss strategies into match planning rather than relying on general assumptions.

2. **Suggest some of the players who would be best fit for the team.**
   Based on the analysis, players were selected using performance indicators such as batting average, strike rate, and consistency across seasons. The data clearly highlights the following players as best fit for the team.

Top Batters

QUERY

```
SELECT
  p.Player_Id,
  p.Player_Name,
  COUNT(DISTINCT b.Match_Id) AS matches_played,
  SUM(b.Runs_Scored) AS total_runs,
  ROUND(100.0 * SUM(b.Runs_Scored) / COUNT(b.Ball_Id), 2) AS strike_rate,
  ROUND(
    SUM(b.Runs_Scored) * 1.0 /
  NULLIF(SUM(CASE WHEN w.Player_Out = p.Player_Id THEN 1 ELSE 0 END), 0),
  2) AS batting_average
FROM Player p
JOIN Ball_by_Ball b
  ON p.Player_Id = b.Striker
LEFT JOIN Wicket_Taken w
  ON b.Match_Id = w.Match_Id
  AND b.Over_Id = w.Over_Id
  AND b.Ball_Id = w.Ball_Id
  AND b.Innings_No = w.Innings_No
  AND w.Player_Out = p.Player_Id
GROUP BY p.Player_Id, p.Player_Name
HAVING matches_played >= 20
 AND batting_average >= 30
 AND strike_rate >= 130
ORDER BY batting_average DESC, strike_rate DESC;
```

SAMPLE OUTPUT

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Player_Id	Player_Name	matches_played	total_runs	strike_rate	batting_average
8	V Kohli	62	2472	135.68	49.44
110	AB de Villiers	57	1968	164.27	46.86
187	DA Warner	61	2348	140.94	46.04
20	MS Dhoni	60	1488	137.14	43.76
350	CH Morris	20	285	160.11	40.71
31	YK Pathan	53	1273	139.28	39.78
162	CH Gayle	49	1634	137.43	38.00
221	KA Pollard	59	1320	142.86	36.67

- **Virat Kohli**

The data shows that Virat Kohli has one of the highest batting averages along with the strong consistency across seasons. This indicates reliability and stability at the top order.

- **AB de Villiers**

AB de Villiers stands out with exceptionally high strike rate combined with solid batting average. The metrics confirm his ability to score quickly without compromising consistency, making him a high impact T20 batter.

- **David Warner**

Warner shows a balanced combination of high average and high strike rate in data. His consistent performance across multiple seasons makes him a dependable top order batsman.

- **MS Dhoni**

This data reflects Dhoni's very high strike rate, proving his effectiveness as a power hitter. His average also remains strong showing that his aggressive style delivers consistent returns.

Top Bowlers

QUERY

```
SELECT
  p.Player_Id,
  p.Player_Name,
  COUNT(DISTINCT b.Match_Id) AS matches_played,
  COUNT(DISTINCT CONCAT(
    w.Match_Id, '-', w.Over_Id, '-', w.Ball_Id, '-', w.Innings_No
  )) AS total_wickets,
  ROUND(
    COUNT(DISTINCT CONCAT(
      w.Match_Id, '-', w.Over_Id, '-', w.Ball_Id, '-', w.Innings_No
    )) * 1.0 / COUNT(DISTINCT b.Match_Id),
  2) AS avg_wickets_per_match
FROM Player p
JOIN Ball_by_Ball b
  ON p.Player_Id = b.Bowler
JOIN Wicket_Taken w
  ON b.Match_Id = w.Match_Id
  AND b.Over_Id = w.Over_Id
  AND b.Ball_Id = w.Ball_Id
  AND b.Innings_No = w.Innings_No
GROUP BY p.Player_Id, p.Player_Name
HAVING matches_played >= 20
ORDER BY total_wickets DESC, avg_wickets_per_match DESC;
```

SAMPLE OUTPUT

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Player_Id	Player_Name	matches_played	total_wickets	avg_wickets_per_match
71	DJ Bravo	42	81	1.93
364	MM Sharma	42	78	1.86
299	B Kumar	43	77	1.79
315	SP Narine	37	68	1.84
50	Harbhajan Singh	42	67	1.60
194	SL Malinga	36	66	1.83
310	JP Faulkner	32	61	1.91
367	Sandeep Sharma	34	59	1.74

- **DJ Bravo**

  Bravo leads the list with highest total wickets (81) and a strong average of 1.93 wickets per match. This shows his reliability as a consistent wicket taker, especially effective in pressure situations such as death overs.

- **MM Sharma**

  MM Sharma has taken 78 wickets with a solid average of 1.86 wickets per match across 42 matches. His numbers indicate dependable performance over multiple seasons, making him effective in both middle overs and crucial match phases.

- **Bhuvneshwar Kumar**

  The data shows a low bowling average along with controlled strike rate, proving his effectiveness as a new ball bowler who can restrict runs and take early wickets.

- **SP Narine**

  SP Narine has picked up 68 wickets with an impressive average of 1.84 wickets per match despite playing fewer matches. This reflects his ability to take regular wickets and apply pressure, especially on spin friendly pitches.

The data clearly supports the selection of these players based on strong batting averages, high strike rates, effective bowling metrics, and consistency over multiple seasons. These players provide a balance of reliability, impact, and match-winning ability, making them

3. **What are some of the parameters that should be focused on while selecting the players?**

While selecting players for a team like RCB, there are some important parameters to be considered such as:

a. Consistency
   It can be measured using average runs or wickets per match across multiple seasons. Players who perform steadily over time are more reliable than those with short-term

success

i. AVG(Runs per Match) = SUM(Runs_Scored) / COUNT(DISTINCT Match_Id)
ii. AVG(Wickets per Match) = COUNT(Wickets) / COUNT(DISTINCT Match_Id)

b. Match Impact
For batters, it includes strike rate and ability to score runs quickly, while for bowlers it includes regular wicket taking and control over runs conceded.
   i. Strike Rate = SUM(Runs_Scored) * 100 / COUNT(Ball_Id) Wickets per Match
c. Role Suitability
Team needs specialists such as openers, finishers, powerplay bowlers, and death-over bowlers.
   i. Runs in Powerplay (Over_Id BETWEEN 1 AND 6)
      Wickets in Death Overs (Over_Id BETWEEN 16 AND 20)
d. Venue-Specific Performance
Performance may vary with the venue. We need players who can handle pressure in batting friendly conditions. For that we have to analyse past performance at home and similar venues.
   i. Runs or wickets grouped by Venue_Id
e. Pressure Performance
Performance under high-pressure situations helps win close matches.
   i. Death-over strike rate and death-over wickets
f. Fitness and Availability
Players should be available consistently throughout the season.
   i. Matches Played per Season

By focusing on these parameters, teams can make data-driven decisions and build a balanced, competitive squad capable of performing consistently across seasons.

4. Which layers offer versatility in their skills and can contribute effectively with both bat and ball? (can you visualize the data for the same)

<u>QUERY</u>

```
SELECT p.Player_Id,p.Player_Name, -- Subjective Question NO.4--
        SUM(CASE WHEN b.Striker= p.Player_id THEN b.Runs_Scored
ELSE 0 END) AS total_runs,
   SUM(CASE WHEN b.Bowler= p.Player_id AND w.Player_Out IS NOT NULL
THEN 1 END) AS total_wickets
FROM player p
```

```
LEFT JOIN ball_by_ball b ON p.Player_Id = b.Striker OR p.Player_Id=
b.Bowler LEFT JOIN wicket_taken w ON b.Match_Id =w.Match_Id
        AND b.Ball_Id = w.
        Ball_Id AND
        b.Over_Id =
        w.Over_Id
        AND b.Innings_No
        =w.Innings_No AND
        w.Player_Out IS NOT
        NULL
GROUP BY p.Player_Id,p.Player_Name
HAVING total_runs >= 200 AND total_wickets
>= 15 ORDER BY total_runs DESC,
total_wickets DESC;
```

SAMPLE OUTPUT

Result Grid | Filter Rows: | Exp

Player_Id	Player_Name	total_runs	total_wickets
147	DR Smith	1707	15
221	KA Pollard	1320	19
32	SR Watson	1315	54
35	RA Jadeja	670	56
163	MC Henriques	643	37
255	STR Binny	553	20
334	AD Russell	527	35
9	JH Kallis	462	23
310	JP Faulkner	459	61
71	DJ Bravo	423	81
280	NLTC Perera	397	32
374	AR Patel	379	46
276	Shakib Al Ha...	379	25
50	Harbhajan Si...	353	67
350	CH Morris	285	48
166	KV Sharma	267	41
29	IK Pathan	219	17



Insights :

- Players like **Shane Watson, Kieron Pollard, Jacques Kallis**, and **DJ Bravo** appear in strong positions on the chart, showing meaningful contributions in both total runs and total wickets. This confirms their effectiveness as genuine all-rounders.
- **Shane Watson and Keiron Pollard** combine high run scoring with steady wicket-taking, making them high-impact players who influence matches in multiple phases.
- **DJ Bravo and JP Faulkner** standout for strong bowling contributions while still adding useful runs, indicating reliability in pressure situations such as death overs.
- Some players show dominance in one skill but limited contribution in the other, highlighting that not all high performers are true all-rounders.

Recommendations for Team selection:

- Prioritize genuine all rounders who consistently contribute with both bat and ball, as they provide flexibility in team combinations and better value for money
- Retain players like Watson, Pollard, Kallis, and Bravo, since their balanced skill sets reduce dependence on specialists and strengthen match-day strategies.

- Use versatile players to cover multiple roles, allowing the team to invest more efficiently in specialist batters and bowlers where needed.
- Avoid investing more on players who excel in only one department unless they offer exceptional impact, as balanced players improve overall team stability.

5. **Are there players whose presence positively influences the morale and performance of the team? (justify your answer using visualization)**

QUERY

```
SELECT Player_Name,
        COUNT(*) AS Matches_Played,
  SUM(CASE WHEN Team_Id =Match_Winner THEN 1 ELSE 0
END) AS Matches_Won,
  ROUND(SUM(CASE WHEN Team_Id =Match_winner THEN 1 ELSE 0
END)*100/ COUNT(*),2) AS Win_Percentage
FROM ( SELECT DISTINCT m.Match_Id,p.Player_Name,pb.Team_Batting AS
Team_Id,m.Match_Winner
                FROM ball_by_ball pb
    JOIN Matches m ON pb.Match_Id =m.Match_Id
    JOIN player p ON pb.Striker =p.Player_Id ) AS
player_matches GROUP BY Player_Name
HAVING Matches_Played >=10 AND
Matches_Won >=5 ORDER BY Win_Percentage
DESC, Matches_Won DESC;
```

SAMPLE OUTPUT

Result Grid | Filter Rows: | Export: | Wrap C

Player_Name	Matches_Played	Matches_Won	Win_Percentage
SR Tendulkar	14	10	71.43
LMP Simmons	22	15	68.18
RN ten Doeschate	15	10	66.67
SK Raina	65	40	61.54
CL White	13	8	61.54
DR Smith	57	35	61.40
BB McCullum	45	27	60.00
MEK Hussey	30	18	60.00
CA Pujara	10	6	60.00
PA Patel	49	29	59.18
R Dravid	17	10	58.82
MK Pandey	46	27	58.70
RG Sharma	64	37	57.81



Key Insights:

- The winners: Players located at the very top of the graph (**like Suresh Raina and Rohit Sharma**) are the most influential. While they play, the team will have better chance of winning the game. This shows that they are not just playing themselves, they make the whole team better.
- Consistency: Players like **Michael Hussey** show that steady, reliable performance helps the team stay calm. This keeps morale high because the rest of the team feels safe knowing the senior player is at the crease.
- Impact vs just playing: Not every famous player has a high win percentage. The graph helps distinguish between players who put up big individual numbers and those who actually lead their team to a victory.

Recommendations:

- Prioritize players with the highest win percentage, even if their personal score isn't the highest every game.
- Pair aggressive, high-risk batters with players who have a strong win record to maintain stability while taking scoring risks.
- Players with consistently high win percentages are strong choices for captain or vice-captain, as their presence improves team confidence and performance.
- Player selection should consider win percentage along with runs or wickets, since some players contribute significantly to overall team success.

6. **What would you suggest to RCB before going to the mega auction?**

To suggest players for RCB before the mega auction, SQL queries were used to analyze key performance indicators such as batting average, strike rate, total runs total wickets, and all-round contribution.

<u>QUERY:</u> (To find Consistent Performers with High Batting Average and Strike Rate)

```
SELECT p.Player_Id,p.Player_Name,
COUNT(DISTINCT b.Match_Id) AS matches_played, SUM(b.Runs_Scored) AS
total_runs,
ROUND(100.0* SUM(b.Runs_Scored)/COUNT(b.Ball_Id),2) AS strike_rate,
ROUND(SUM(b.Runs_Scored)*1.0/NULLIF(SUM(CASE WHEN
w.Player_Out=p.Player_Id THEN 1 ELSE 0 END),0),2) AS batting_average FROM
Player p
JOIN Ball_by_Ball b ON p.Player_Id = b.Striker
LEFT JOIN Wicket_Taken w ON b.Match_Id = w.Match_Id
AND b.Over_Id =w.Over_Id AND b.Ball_Id =w.Ball_Id
AND b.Innings_No =w.Innings_No AND w.Player_Out = p.Player_Id
GROUP BY p.Player_id,p.Player_Name HAVING matches_played >=20
AND batting_average >=30
AND strike_rate >=130
ORDER BY batting_average DESC,strike_rate DESC;
```

<u>OUTPUT</u>

Result Grid | Filter Rows: | Export: | Wrap Cell Content:

Player_Id	Player_Name	matches_played	total_runs	strike_rate	batting_average
8	V Kohli	62	2472	135.68	49.44
110	AB de Villiers	57	1968	164.27	46.86
187	DA Warner	61	2348	140.94	46.04
20	MS Dhoni	60	1488	137.14	43.76
350	CH Morris	20	285	160.11	40.71
31	YK Pathan	53	1273	139.28	39.78
162	CH Gayle	49	1634	137.43	38.00
221	KA Pollard	59	1320	142.86	36.67
306	SPD Smith	33	879	132.98	36.63
57	RG Sharma	64	1899	132.52	36.52
320	DA Miller	54	1382	141.45	36.37
21	SK Raina	65	1844	133.62	35.46

QUERY (Find All-Rounders who contribute with Bat and Ball)

```
WITH batting_details AS (
SELECT p.Player_Id,p.Player_Name,
SUM(b.Runs_Scored) AS total_runs FROM Player p
JOIN Ball_by_Ball b ON p.Player_id = b.Striker GROUP BY p.Player_Id,p.Player_name),
bowling_details AS (
SELECT p.Player_Id,
COUNT(DISTINCT CONCAT(w.Match_id,'-',w.ball_Id,'- ',w.Innings_No)) AS total_wickets
FROM Player p
JOIN Ball_by_Ball b ON p.Player_Id=b.Bowler
JOIN Wicket_Taken w ON b.Match_Id = w.Match_Id
AND b.Over_Id = w.Over_Id AND b.Ball_Id = w.Ball_Id
AND b.Innings_No = w.Innings_No AND w .Player_Out IS NOT NULL
GROUP BY p.Player_Id)
SELECT
bat.Player_Id, bat.Player_Name, bat.total_runs, bowl.total_wickets FROM
batting_details bat
JOIN bowling_details bowl ON bat.Player_Id = bowl.Player_Id WHERE
bat.total_runs >= 500 AND bowl.total_wickets >= 25 ORDER BY bat.total_runs
DESC, bowl.total_wickets DESC;
```

OUTPUT

Result Grid | Filter Rows: | Export:

Player_Id	Player_Name	total_runs	total_wickets
32	SR Watson	1315	52
35	RA Jadeja	670	51
163	MC Henriques	643	36
334	AD Russell	527	32

Insights & recommendations based on the query results:

- RCB should target batters with high averages and strike rates for stability and scoring speed.
- All-rounders with significant runs and wickets should be prioritized to improve team flexibility.
- Players with consistent performance across seasons should be preferred over one- season performers.
- Data-driven selection helps avoid overpaying for players based only on reputation.

Based on these insights, RCB should focus on consistent performers and multi-skill players rather than reputation-based selection.

7. **What do you think could be the factors contributing to the high-scoring matches and the impact on viewership and team strategies**

<u>Factors Contributing to High-Scoring Matches (Based on Data)</u>

a. **Batting-Friendly Venues**
   - Venue-wise run analysis shows that some grounds consistently record higher average runs per match.
   - Smaller boundaries and flatter pitches contribute to higher scoring.

b. **High Strike-Rate Batters**
   - Excel data highlights that players with high strike rates significantly increase total team scores.
   - Aggressive batting in powerplay and death overs boosts match totals.

c. **Impact of Powerplay Overs**
   - SQL analysis of runs per over indicates that a large portion of runs are scored during powerplay overs.
   - Fielding restrictions allow batters to score freely early in the innings**.**

d. **Limited Bowling Control in Death Overs**
   - Matches with higher economy rates in the final overs tend to have higher total scores.
   - Lack of effective death-over bowlers increases run flow.

e. **Rule and Format Influence**
   - T20 format encourages aggressive play, leading to more boundaries and faster scoring rates**.**

Impact on Viewership

- ✓ High-scoring matches are generally more entertaining and attract higher viewership.
- ✓ Frequent boundaries, close chases, and big totals increase fan engagement and excitement.
- ✓ Data trends suggest that matches with higher run rates are more competitive and appealing to audiences.

Impact on Team Strategies

- ✓ Teams prioritize high strike-rate batters and power hitters.
- ✓ Teams invest more in specialist bowlers who can control runs at the end of innings.
- ✓ Teams often prefer chasing at high-scoring venues, as targets are more predictable.
- ✓ Squad composition is adjusted based on venue run trends.

8. **Analyse the impact of home-ground advantage on team performance and identify strategies to maximize this advantage for RCB.**

The impact of home ground advantage on RCB performance is analysed using the following charts:



Insights: The venue-wise wins and losses chart clearly shows that RCB performs significantly better at M. Chinnaswamy Stadium compared to most other venues. The number of wins at this ground is noticeably higher than losses, indicating a strong home-ground advantage. In contrast, at many away venues, wins and losses are either balanced or tilted towards losses.



Insights: The venue-based batting performance chart shows that RCB scores its highest average runs at M. Chinnaswamy Stadium. This suggests that the team is more comfortable batting here, likely due to familiar conditions, shorter boundaries, and better understanding of pitch behaviour.



Insights: However, the venue-based bowling performance chart indicates that fewer wickets are taken at Chinnaswamy compared to Wankhede Stadium ground, confirming that it is a batting-friendly venue. This means RCB's success at home relies more on strong batting performances than bowling dominance.

<u>Recommendations to Maximize Home-Ground Advantage for RCB</u>

- Strengthen the batting lineup for home matches, especially with high strike-rate players who can exploit the small boundaries at Chinnaswamy.
- Prioritize death-over and variation bowlers who can control runs on high-scoring pitches where taking wickets is difficult.
- Adopt aggressive batting strategies at home, aiming to set or chase high totals rather than defend low scores.
- Select players with proven performance at Chinnaswamy, as familiarity with conditions clearly translates into better results.
- Use home matches to maximize points, since the data shows RCB has a higher probability of winning at this venue compared to away grounds.

9. **Come up with a visual and analytical analysis of the RCB's past season's performance and potential reasons for them not winning a trophy.**

To analyze RCB's past performance and understand the possible reasons for not winning an IPL trophy, three key visuals were created.



Insights: The bar chart showing the average runs scored by each batsman across all seasons highlights that RCB consistently had strong top-order batters. A few players contribute a significant portion of the team's total runs, indicating solid batting capability. However, this also shows heavy dependence on limited players, making the team vulnerable if these players fail in crucial matches.



Insights: The average wickets taken by each bowler across seasons reveal that RCB's bowling performance is less consistent compared to its batting strength. Only a small number of bowlers regularly take wickets, and the overall wicket-taking ability is relatively low. This weakness becomes critical in high-pressure matches.



Insights: The chart identifying consistently performing players shows that only a few players maintain steady performance over multiple seasons. While these players form a strong core, the lack of widespread consistency across the squad limits flexibility and increases reliance on individual performances.

<u>Key reasons why RCB has not won trophy:</u>

g. Strong batting performance not sufficiently supported by bowling
h. Inconsistent wicket-taking ability across seasons
i. Over-reliance on a small group of key players
j. Lack of depth and balance during crucial matches

<u>Recommendations:</u>

- Strengthen the bowling attack to support strong batting performances.
- Reduce dependency on a few top-order batters by improving middle order depth.
- Prioritize players who deliver consistent performance across multiple seasons.
- Invest in all-rounders to improve team balance and flexibility.
- Build a stable core team to perform better in high pressure matches.

10. **How would you approach this problem, if the objective and subjective questions weren't given?**

If the objective and subjective questions are not given to solve the problem,

- Begin by understanding the database schema and relationships between matches, players, teams, and venues.
- Identify key performance indicators such as runs scored, wickets taken, win–loss ratios, and player consistency using SQL queries.
- Create aggregated tables to analyze season-wise, player-wise, and venue-wise performance trends.
- Use Excel visualizations to highlight strengths, weaknesses, and recurring patterns in the data.
- Derive insights and strategic recommendations for team improvement based on observed data patterns rather than predefined questions.

11. **In the "Match" table, some entries in the "Opponent_Team" column are incorrectly spelled as "Delhi_Capitals" instead of "Delhi_Daredevils". Write an SQL query to replace all occurrences of "Delhi_Capitals" with "Delhi_Daredevils".**

<u>QUERY</u>

```
UPDATE Match
SET Opponent_Team = 'Delhi_Daredevils'
WHERE Opponent_Team = 'Delhi_Capitals'
```