

CUSTOMIZING THE API FOR PDF EXTRACT - 2

Objective:

I want to add new file in Payload for PDF Generation.

Step 1:

Navigate to API access under share option.

Step 2:

Navigate to Input Schema.

Step 3:

I have enabled 2 input schema, the Prompt template.

	Files	Supported file extensions: csv, json, pdf, txt, md, mdx, yaml, yml, xml, html, htm, docx, py, sh, sql, js, ts, tsx, adoc, asciidoc, asc, bmp, dotx, dotm, docm, jpg, jpeg, png, potx, ppsx, pptm, potm, ppsm, pptx, tiff, xls, xlsx, xhtml, webp; optionally bundled in file extensions: zip, tar, tgz, bz2, gz	Submission for Annual I... 38.1 KB
Expose Input	Field Name	Description	Current Value
	Template		As a Analyst, read the input file and extract the data and give me summary of 2 section. Section 1: Annual Inspection Pole details. This should contain as a Summary.

Step 4:

It Generated 2 cURL. 1 for uploading the file and second for the summary generation

```
curl --request POST \  
  --url "http://localhost:7860/api/v2/files" \  
  --header "x-api-key: YOUR_API_KEY_HERE" \  
  --form "file=@your_file_1.pdf"
```


```

curl -X POST \
  "http://localhost:7860/api/v1/run/f3d90864-5fc3-41ee-82e6-14e3d24ef0f2" \
  -H "Content-Type: application/json" \
  -H "x-api-key: YOUR_API_KEY_HERE" \
  -d '{
    "output_type": "text",
    "input_type": "text",
    "input_value": "hello world!",
    "session_id": "YOUR_SESSION_ID_HERE",
    "tweaks": {
      "File-2BwMI": {
        "path": [
          "REPLACE_WITH_FILE_PATH_FROM_UPLOAD_1"
        ]
      },
      "Prompt Template-WVKAj": {
        "template": "As a Analyst, read the input file and extract the data and give me summary of 2
section.\n\nSection 1: Annual Inspection Pole details.\n\nThis should contain as a Summary.\n\nExamp
The Structure ABC was inspected by Sree QA on inspection date. \nMentionthe segment, due date , next
steps if they have value.\n\nSection 2: Inspection details\n\nExplain the Issue if it's mentioned with the
priority and notes like a summary.\n\n{input}"
      }
    }
  }

```

Step 5:

Imported the first cURL in post man and uploaded a new file



Step 6:

Added the uploaded filepath in the second API and hit the payload

