ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

A Statutory Body under Ministry of Education, Govt. of India

AICTE SmartVerify AI — Statutory Compliance & Validation Summary

Institute:	Sri Krishna College of Engineering and Technology	**AICTE ID:**	**1-SKCET2026**
Application Ref:	**APP-2026-92F24** (Extension of Approval (EoA))	**Academic Year:**	AY 2026-2027
RuleSet Version:	v1.0	**Report ID:**	**REP-VAL-20261101-B498A4**
Generated On:	01-11-2026 14:46 UTC	**Language / User:**	English (en) | principal@skcet.ac.in

OVERALL STATUS: LIKELY TO FAIL
AICTE Automated Regulatory Scrutiny

Compliance Readiness Score: 0.0 / 100.0
Deficiency Breakdown: **Blockers: 0** | **Major: 7** | Minor: 4 | Advisory: 0

1. AI Compliance Explanation & Root Causes

Summary: Application Needs Attention: Remediation Required

Automated scrutiny of application APP-2026-92F24 for Sri Krishna College of Engineering and Technology identified 11 core compliance issues. The primary concern involves Anomaly Flag. Please follow the prioritized remediation steps below to ensure eligibility for AICTE approval.

AICTE Scrutiny Committee Focus: AICTE scrutiny officials will examine renewed statutory certificates, building safety approvals, and institutional data reconciliation records.

2. Rule-by-Rule Compliance Evaluation Results

Rule Code & Title	Severity	Result	Evidence / Reason	Suggested Action
DOC_EXP_SOON_FIRE_NOC Document Expiring Soon: 03_o	MINOR	WARNING	Document '03_occupancy_EXPIRING_SOON.pdf' (FIRE_NOC) expires in 18 days on 2026-11-19.	Initiate renewal process to ensure continued validity during approval cycle.
DOC_DUP_502 Duplicate Upload: 03_occupan	MAJOR	WARNING	Document #502 (03_occupancy_EXPIRING_SOON.pdf) shares identical SHA-256 hash with Document #499 (03_occupancy_EXPIRING_SOON.pdf).	Ensure that each required statutory certificate is an independent and genuine document.
DOC_MISMATCH_502 Document Mismatch: 03_occupa	MINOR	WARNING	Uploaded as FIRE_NOC but content looks like OCCUPANCY_CERT (Occupancy / Completion Certificate)	Verify the document content and rectify the document type classification if mislabeled.
ANOMALY_DUPLICATEDETECTOR_EXACT_HASH_DUPLICATE_207 Potential Anomaly (Duplicate	MAJOR	NEEDS_REVIEW	Identical SHA-256 file hash matches document #499 ('03_occupancy_EXPIRING_SOON.pdf'); potential anomaly requiring verification.	Review duplicate uploads and provide the unique certified record for this application.
ANOMALY_METADATADETECTOR_METADATA_CREATION_POSTDATES_ISSUE_208 Potential Anomaly (MetadataD	MINOR	NEEDS_REVIEW	Digital PDF creation date (2026-10-30) post-dates stated certificate issue date (2025-11-19); potential anomaly requiring verification.	Verify issuance timeline with statutory authority register.
ANOMALY_IDENTIFIERDETECTOR_IDENTIFIER_CROSS_INSTITUTE_REUSE_209 Potential Anomaly (Identifie	MAJOR	NEEDS_REVIEW	Certificate number ('OCC-SKCET-2025-EXS') matches a document uploaded by a different institution (Sri Krishna College of Engineering and Technology); potential anomaly requiring verification.	Perform statutory authority register inquiry to confirm institutional ownership.
ANOMALY_IDENTIFIERDETECTOR_IDENTIFIER_AICTE_ID_MISMATCH_210 Potential Anomaly (Identifie	MAJOR	NEEDS_REVIEW	Extracted AICTE identifier ('SKCET01') does not match registered institute AICTE ID ('1-SKCET2026'); needs verification.	Verify AICTE institution identifier recorded on statutory document.
ANOMALY_DUPLICATEDETECTOR_EXACT_HASH_DUPLICATE_211 Potential Anomaly (Duplicate	MAJOR	NEEDS_REVIEW	Identical SHA-256 file hash matches document #499 ('03_occupancy_EXPIRING_SOON.pdf'); potential anomaly requiring verification.	Review duplicate uploads and provide the unique certified record for this application.
ANOMALY_METADATADETECTOR_METADATA_CREATION_POSTDATES_ISSUE_212 Potential Anomaly (MetadataD	MINOR	NEEDS_REVIEW	Digital PDF creation date (2026-10-30) post-dates stated certificate issue date (2025-11-19); potential anomaly requiring verification.	Verify issuance timeline with statutory authority register.
ANOMALY_IDENTIFIERDETECTOR_IDENTIFIER_CROSS_INSTITUTE_REUSE_213 Potential Anomaly (Identifie	MAJOR	NEEDS_REVIEW	Certificate number ('OCC-SKCET-2025-EXS') matches a document uploaded by a different institution (Sri Krishna College of Engineering and Technology); potential anomaly requiring verification.	Perform statutory authority register inquiry to confirm institutional ownership.

ANOMALY_IDENTIFIERDETECTOR_IDENTIFIER_AICTE_ID_MISMATCH_214 Potential Anomaly (Identifie	MAJOR	**NEEDS_REVIEW**	Extracted AICTE identifier ('SKCET01') does not match registered institute AICTE ID ('1-SKCET2026'); needs verification.	Verify AICTE institution identifier recorded on statutory document.

Infrastructure Compliance (APH 2026-27 Norms)

Parameter / Metric	Prescribed Norm (Required)	Reported Data (Provided)	Compliance Result
Built-up Area per Intake	>= 4.0 sq m/student	59.03 sq m (42,500 m² / 720)	**PASS**
Instructional Classrooms	>= 16 classrooms	36 classrooms	**PASS**
Average Classroom Area	>= 66.0 sq m	68.0 sq m	**PASS**
Laboratories & Workshops	>= 20 laboratories	24 laboratories	**PASS**
Central Library Area	>= 400.0 sq m	1200.0 sq m	**PASS**
Library Books Repository	>= 10,000 volumes	25,000 volumes	**PASS**
Faculty-to-Student Ratio	<= 20:1	18.0:1 (2160 stud / 120 fac)	**PASS**
Computer-to-Student Ratio	>= 0.20 (1:5)	0.301 (650 term / 2160 stud)	**PASS**
Barrier-Free (Divyangjan)	Installed / Certified	Yes (Installed)	**PASS**
Fire Safety Equipment	Installed / Certified	Yes (Installed)	**PASS**

3. Statutory Document Verification Scrutiny & Extracted Fields

Document / File	Extracted Key Fields	Expiry Status	Verification Status
FIRE_NOC 03_occupancy_EXPIRING_SO	**full_text:** Coimbatore Municipal C **ocr_engine:** pymupdf **ocr_confidence:** 0.98 **noc_number:** OCC-SKCET-2025-EXS	Valid up to 2026-11-19	**VERIFIED** EMBEDDED_QR_CODE
FIRE_NOC test_live_fire_noc.pdf	**full_text:** GOVERNMENT OF TAMIL NA **ocr_engine:** pymupdf **ocr_confidence:** 0.98 **expiry_date:** 2026-01-10	Valid up to 2026-01-10	**MISMATCH DETECTED** Fire Dept
AFFIDAVIT DEMO-STAGE4-04_STATUTORY	**certificate_number:** AFF-PENDING-2026 **deponent_name:** Dr. K. Sundararajan **institute_name:** Sri Krishna College of	Active / Valid	**VERIFICATION PENDING** Pending Verification
FIRE_NOC DEMO-STAGE4-02_FIRE_NOC.	**certificate_number:** FSNOC-SKCET-2026-MIS **institute_name:** Sri Krishna College of **issue_date:** 2025-01-10 **expiry_date:** 2028-01-09	Valid up to 2028-01-09	**MISMATCH DETECTED** Fire Dept
NBA_CERT DEMO-STAGE4-01_NBA_ACCRE	**certificate_number:** NBA-SKCET-2026-VAL **institute_name:** Sri Krishna College of **issue_date:** 2024-06-15 **expiry_date:** 2027-06-14	Valid up to 2027-06-14	**VERIFIED** NBA

4. Preliminary Anomaly Indicators & Screening

Notice: *All anomaly detector outputs are preliminary indicators requiring human verification, never proof. Categorized under 'needs verification' and 'potential anomaly'.* ***Rules decide, AI explains, Officials approve.***

Document / Ref	Detector / Code	Severity	Preliminary Indicator & Reason	Action
FIRE_NOC test_live_fire_noc.pdf	**DuplicateDetector** VISUAL_NEAR_DUPLICATE	**MEDIUM**	Visual layout perceptual hash closely matches document #1 ('fire_safety_noc_2026.pdf') with distance 3; potential anomaly requiring verification.	Verify whether visual near-duplicate originates from a shared template or repeated scan.
FIRE_NOC test_live_fire_noc.pdf	**MetadataDetector** METADATA_MISSING_HEADERS	**INFO**	Standard PDF document metadata attributes are absent; needs verification.	Confirm document authenticity via primary statutory authority register.
FIRE_NOC test_live_fire_noc.pdf	**VerificationConflictDetector** VERIFICATION_CONFLICT_MISMATCH	**HIGH**	External statutory authority (Fire Dept) reported MISMATCH_DETECTED while document is submitted as valid; potential anomaly requiring verification.	Submit corrected statutory certificate or obtain official issuing authority confirmation.
FIRE_NOC test_live_fire_noc.pdf	**DuplicateDetector** VISUAL_NEAR_DUPLICATE	**MEDIUM**	Visual layout perceptual hash closely matches document #1 ('fire_safety_noc_2026.pdf') with distance 3; potential anomaly requiring verification.	Verify whether visual near-duplicate originates from a shared template or repeated scan.
FIRE_NOC test_live_fire_noc.pdf	**MetadataDetector** METADATA_MISSING_HEADERS	**INFO**	Standard PDF document metadata attributes are absent; needs verification.	Confirm document authenticity via primary statutory authority register.

FIRE_NOC test_live_fire_noc.pdf	**VerificationConflictDetector** VERIFICATION_CONFLICT_MISMATCH	**HIGH**	External statutory authority (Fire Dept) reported MISMATCH_DETECTED while document is submitted as valid; potential anomaly requiring verification.	Submit corrected statutory certificate or obtain official issuing authority confirmation.
FIRE_NOC test_live_fire_noc.pdf	**DuplicateDetector** VISUAL_NEAR_DUPLICATE	**MEDIUM**	Visual layout perceptual hash closely matches document #1 ('fire_safety_noc_2026.pdf') with distance 3; potential anomaly requiring verification.	Verify whether visual near-duplicate originates from a shared template or repeated scan.
FIRE_NOC test_live_fire_noc.pdf	**MetadataDetector** METADATA_MISSING_HEADERS	**INFO**	Standard PDF document metadata attributes are absent; needs verification.	Confirm document authenticity via primary statutory authority register.
FIRE_NOC test_live_fire_noc.pdf	**VerificationConflictDetector** VERIFICATION_CONFLICT_MISMATCH	**HIGH**	External statutory authority (Fire Dept) reported MISMATCH_DETECTED while document is submitted as valid; potential anomaly requiring verification.	Submit corrected statutory certificate or obtain official issuing authority confirmation.
FIRE_NOC test_live_fire_noc.pdf	**DuplicateDetector** VISUAL_NEAR_DUPLICATE	**MEDIUM**	Visual layout perceptual hash closely matches document #1 ('fire_safety_noc_2026.pdf') with distance 3; potential anomaly requiring verification.	Verify whether visual near-duplicate originates from a shared template or repeated scan.
FIRE_NOC test_live_fire_noc.pdf	**MetadataDetector** METADATA_MISSING_HEADERS	**INFO**	Standard PDF document metadata attributes are absent; needs verification.	Confirm document authenticity via primary statutory authority register.
FIRE_NOC test_live_fire_noc.pdf	**VerificationConflictDetector** VERIFICATION_CONFLICT_MISMATCH	**HIGH**	External statutory authority (Fire Dept) reported MISMATCH_DETECTED while document is submitted as valid; potential anomaly requiring verification.	Submit corrected statutory certificate or obtain official issuing authority confirmation.
FIRE_NOC 03_occupancy_EXPIRING_	**DuplicateDetector** EXACT_HASH_DUPLICATE	**HIGH**	Identical SHA-256 file hash matches document #499 ('03_occupancy_EXPIRING_SOON.pdf'); potential anomaly requiring verification.	Review duplicate uploads and provide the unique certified record for this application.
FIRE_NOC 03_occupancy_EXPIRING_	**MetadataDetector** METADATA_CREATION_POSTDATES_ISSUE	**MEDIUM**	Digital PDF creation date (2026-10-30) post-dates stated certificate issue date (2025-11-19); potential anomaly requiring verification.	Verify issuance timeline with statutory authority register.
FIRE_NOC 03_occupancy_EXPIRING_	**IdentifierDetector** IDENTIFIER_CROSS_INSTITUTE_REUSE	**HIGH**	Certificate number ('OCC-SKCET-2025-EXS') matches a document uploaded by a different institution (Sri Krishna College of Engineering and Technology); potential anomaly requiring verification.	Perform statutory authority register inquiry to confirm institutional ownership.
FIRE_NOC 03_occupancy_EXPIRING_	**IdentifierDetector** IDENTIFIER_AICTE_ID_MISMATCH	**HIGH**	Extracted AICTE identifier ('SKCET01') does not match registered institute AICTE ID ('1-SKCET2026'); needs verification.	Verify AICTE institution identifier recorded on statutory document.
FIRE_NOC 03_occupancy_EXPIRING_	**DuplicateDetector** EXACT_HASH_DUPLICATE	**HIGH**	Identical SHA-256 file hash matches document #499 ('03_occupancy_EXPIRING_SOON.pdf'); potential anomaly requiring verification.	Review duplicate uploads and provide the unique certified record for this application.
FIRE_NOC 03_occupancy_EXPIRING_	**MetadataDetector** METADATA_CREATION_POSTDATES_ISSUE	**MEDIUM**	Digital PDF creation date (2026-10-30) post-dates stated certificate issue date (2025-11-19); potential anomaly requiring verification.	Verify issuance timeline with statutory authority register.
FIRE_NOC 03_occupancy_EXPIRING_	**IdentifierDetector** IDENTIFIER_CROSS_INSTITUTE_REUSE	**HIGH**	Certificate number ('OCC-SKCET-2025-EXS') matches a document uploaded by a different institution (Sri Krishna College of Engineering and Technology); potential anomaly requiring verification.	Perform statutory authority register inquiry to confirm institutional ownership.
FIRE_NOC 03_occupancy_EXPIRING_	**IdentifierDetector** IDENTIFIER_AICTE_ID_MISMATCH	**HIGH**	Extracted AICTE identifier ('SKCET01') does not match registered institute AICTE ID ('1-SKCET2026'); needs verification.	Verify AICTE institution identifier recorded on statutory document.

5. Cross-Document Evidence & Consistency Analysis

Notice: *Evidence graph cross-references extracted metadata, authority verification results, and document attributes. All consistency flags are preliminary indicators categorized as 'needs verification'.*

Cross-document consistency check passed. Extracted institute identifiers, addresses, and statutory dates are consistent across submitted documents.

6. Recommended Next Steps Checklist (Ordered by Severity)

Seq	Priority	Mandatory Action Required	Applicable Rule
#1	MAJOR	Ensure that each required statutory certificate is an independent and genuine document.	DOC_DUP_502
#2	MAJOR	Review duplicate uploads and provide the unique certified record for this application.	ANOMALY_DUPLICATEDET
#3	MAJOR	Perform statutory authority register inquiry to confirm institutional ownership.	ANOMALY_IDENTIFIERDE
#4	MAJOR	Official confirmation required	ANOMALY_IDENTIFIERDE
#5	MINOR	Verify issuance timeline with statutory authority register.	ANOMALY_METADATADETE
#6	MINOR	Verify the document content and rectify the document type classification if mislabeled.	DOC_MISMATCH_502
#7	MINOR	Initiate renewal process to ensure continued validity during approval cycle.	DOC_EXP_SOON_FIRE_NO

STATUTORY NOTICE & MANDATORY DISCLAIMER:
Core Principle: "Rules decide, AI explains, Officials approve."
AI-generated decision support; final decisions rest with authorised AICTE officials. This validation summary is an automated compliance evaluation conducted pursuant to the AICTE Approval Process Handbook (APH 2026-27). This document serves as institutional pre-scrutiny advisory intelligence and does not constitute formal grant, renewal, or rejection of AICTE approval. All findings and classifications are subject to review by authorized AICTE officials.