ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

A Statutory Body under Ministry of Education, Govt. of India

AICTE SmartVerify AI — Statutory Compliance & Validation Summary

Institute:	Coimbatore Institute of Engineering and Technology	**AICTE ID:**	**INST_STAGE4_01**
Application Ref:	**APP-PDF-STAGE4** (EOA)	**Academic Year:**	AY 2026-27
RuleSet Version:	v1.0	**Report ID:**	**REP-VAL-20261030-8FAFEA**
Generated On:	30-10-2026 15:19 UTC	**Language / User:**	English (en) | INSTITUTE

OVERALL STATUS: BLOCKED
AICTE Automated Regulatory Scrutiny

Compliance Readiness Score: 0.0 / 100.0
Deficiency Breakdown: **Blockers: 14** | **Major: 5** | Minor: 0 | Advisory: 0

1. AI Compliance Explanation & Root Causes

Summary: Application Blocked: Critical Statutory Deficiencies Detected

Automated scrutiny of application APP-PDF-STAGE4 for Coimbatore Institute of Engineering and Technology identified 13 core compliance issues. The primary concern involves Missing Document. Please follow the prioritized remediation steps below to ensure eligibility for AICTE approval.

AICTE Scrutiny Committee Focus: AICTE scrutiny officials will examine renewed statutory certificates, building safety approvals, and institutional data reconciliation records.

2. Rule-by-Rule Compliance Evaluation Results

Rule Code & Title	Severity	Result	Evidence / Reason	Suggested Action
APH-2026-CH2-R01 Continuous EoA Validity	BLOCKER	FAIL	Mandatory document of type 'AFFIDAVIT' is missing from the application package.	Upload a valid 'AFFIDAVIT' document issued by the competent authority.
APH-2026-CH2-R02 Fire and Life Safety Certifi	BLOCKER	NEEDS_REVIEW	Document 'FIRE_NOC' does not provide an expiry date for validity period check.	No remediation required.
APH-2026-CH2-R03 Building Occupancy Complianc	BLOCKER	FAIL	Mandatory document of type 'OCCUPANCY_CERT' is missing from the application package.	Upload a valid 'OCCUPANCY_CERT' document issued by the competent authority.
APH-2026-CH2-R04 Land Title and Ownership	BLOCKER	FAIL	Mandatory document of type 'LAND_DOC' is missing from the application package.	Upload a valid 'LAND_DOC' document issued by the competent authority.
APH-2026-CH2-R05 Barrier-Free Environment for	MAJOR	FAIL	Mandatory document of type 'BARRIER_FREE' is missing from the application package.	Upload a valid 'BARRIER_FREE' document issued by the competent authority.
APH-2026-CH2-R06 Financial Viability & Audite	MAJOR	FAIL	Mandatory document of type 'AUDIT_ACCOUNTS' is missing from the application package.	Upload a valid 'AUDIT_ACCOUNTS' document issued by the competent authority.
APH-2026-CH2-R07 Cadre Ratio and Faculty Adeq	BLOCKER	FAIL	Value for 'courses.total_intake' (0) does not satisfy condition '> 0.0'.	Increase 'courses.total_intake' to meet regulatory standard > 0.0.
APH-2026-CH2-R08 Minimum Faculty with Ph.D. Q	MAJOR	PASS	Count check satisfied: 10 item(s) present (minimum 1 required).	No remediation required.
APH-2026-CH2-R09 Faculty Pay Scales & EPF Com	MAJOR	PASS	Required field 'institute.aicte_institute_id' is present with value 'INST_STAGE4_01'.	No remediation required.
APH-2026-CH2-R10 Total Instructional Built-Up	BLOCKER	PASS	Infrastructure norm satisfied for 'INSTRUCTIONAL_AREA': 42500.0 >= 400.0.	No remediation required.
APH-2026-CH2-R11 Laboratory Equipment Complia	MAJOR	FAIL	Mandatory document of type 'EQUIP_LIST' is missing from the application package.	Upload a valid 'EQUIP_LIST' document issued by the competent authority.
APH-2026-CH2-R12 Computing Facilities and Int	MAJOR	PASS	Infrastructure norm satisfied for 'COMPUTER_RATIO': 120.0 >= 100.0.	No remediation required.
APH-2026-CH2-R13 Library Books & AICTE Consor	MINOR	PASS	Numeric threshold satisfied: 'institute.nirf_rank' (73) <= 200.0.	No remediation required.
APH-2026-CH2-R14 Establishment of Internal Qu	MINOR	PASS	Required field 'institute.state' is present with value 'Tamil Nadu'.	No remediation required.
APH-2026-CH2-R15 Institutional NAAC Accredita	MAJOR	FAIL	Document 'NAAC_CERT' is missing for external verification.	Upload document 'NAAC_CERT' to undergo external verification.
APH-2026-CH2-R16 NBA Programme Level Accredit	MAJOR	FAIL	Mandatory document of type 'NBA_CERT' is missing from the application package.	Upload a valid 'NBA_CERT' document issued by the competent authority.

APH-2026-CH2-R17 Affiliating University Conti	BLOCKER	FAIL	Document of type 'AFFIDAVIT' is missing.	Upload document 'AFFIDAVIT'.
APH-2026-CH2-R18 Joint Security Deposit (FDR)	BLOCKER	FAIL	Document of type 'BANK_GUARANTEE' is missing.	Upload document 'BANK_GUARANTEE'.
APH-2026-CH2-R19 Anti-Ragging and Grievance R	ADVISORY	PASS	Count check satisfied: 0 item(s) present (minimum 0 required).	No remediation required.
APH-2026-CH2-R20 Comprehensive Campus Safety	BLOCKER	NEEDS_REVIEW	Composite 'all' requirement failed: Document 'FIRE_NOC' does not provide an expiry date for validity period check.	No remediation required.
INFRA-BUILTUP-PER-INTAKE Minimum Built-up Area per Sa	BLOCKER	NEEDS_REVIEW	Infrastructure metric 'built_up_area_per_intake' was not provided (Not provided).	Provide institutional data for 'built_up_area_per_intake' in the Infrastructure Details section.
INFRA-CLASSROOM-COUNT Minimum Instructional Classr	BLOCKER	NEEDS_REVIEW	Infrastructure metric 'classroom_count' was not provided (Not provided).	Provide institutional data for 'classroom_count' in the Infrastructure Details section.
INFRA-CLASSROOM-AVG-AREA Minimum Average Classroom Ca	BLOCKER	NEEDS_REVIEW	Infrastructure metric 'average_classroom_area' was not provided (Not provided).	Provide institutional data for 'average_classroom_area' in the Infrastructure Details section.
INFRA-LABORATORY-COUNT Minimum Laboratories and Wor	WARNING	NEEDS_REVIEW	Infrastructure metric 'laboratory_count' was not provided (Not provided).	Provide institutional data for 'laboratory_count' in the Infrastructure Details section.
INFRA-LIBRARY-AREA Minimum Central Library Read	BLOCKER	NEEDS_REVIEW	Infrastructure metric 'library_area' was not provided (Not provided).	Provide institutional data for 'library_area' in the Infrastructure Details section.
INFRA-LIBRARY-BOOKS Minimum Technical Library Vo	WARNING	NEEDS_REVIEW	Infrastructure metric 'library_books_count' was not provided (Not provided).	Provide institutional data for 'library_books_count' in the Infrastructure Details section.
INFRA-FACULTY-STUDENT-RATIO Maximum Faculty-to-Student R	BLOCKER	NEEDS_REVIEW	Infrastructure metric 'faculty_student_ratio' was not provided (Not provided).	Provide institutional data for 'faculty_student_ratio' in the Infrastructure Details section.
INFRA-COMPUTER-STUDENT-RATIO Minimum Computer-to-Student	BLOCKER	NEEDS_REVIEW	Infrastructure metric 'computer_student_ratio' was not provided (Not provided).	Provide institutional data for 'computer_student_ratio' in the Infrastructure Details section.
INFRA-BARRIER-FREE Barrier-Free Built Environme	WARNING	NEEDS_REVIEW	Infrastructure metric 'barrier_free_facilities' was not provided (Not provided).	Provide institutional data for 'barrier_free_facilities' in the Infrastructure Details section.
INFRA-FIRE-SAFETY Fire Safety Equipment Instal	WARNING	NEEDS_REVIEW	Infrastructure metric 'fire_safety_installed' was not provided (Not provided).	Provide institutional data for 'fire_safety_installed' in the Infrastructure Details section.
APH-2026-CH2-R21 Mandatory Application Comple	BLOCKER	PASS	All composite conditions were successfully satisfied.	No remediation required.

Infrastructure Compliance (APH 2026-27 Norms)

Parameter / Metric	Prescribed Norm (Required)	Reported Data (Provided)	Compliance Result
Built-up Area per Intake	>= 4.0 sq m/student	Not provided	**NOT PROVIDED**
Instructional Classrooms	>= 16 classrooms	Not provided	**NOT PROVIDED**
Average Classroom Area	>= 66.0 sq m	Not provided	**NOT PROVIDED**
Laboratories & Workshops	>= 20 laboratories	Not provided	**NOT PROVIDED**
Central Library Area	>= 400.0 sq m	Not provided	**NOT PROVIDED**
Library Books Repository	>= 10,000 volumes	Not provided	**NOT PROVIDED**
Faculty-to-Student Ratio	<= 20:1	Not provided	**NOT PROVIDED**
Computer-to-Student Ratio	>= 0.20 (1:5)	Not provided	**NOT PROVIDED**
Barrier-Free (Divyangjan)	Installed / Certified	Not provided	**NOT PROVIDED**
Fire Safety Equipment	Installed / Certified	Not provided	**NOT PROVIDED**

3. Statutory Document Verification Scrutiny & Extracted Fields

Document / File	Extracted Key Fields	Expiry Status	Verification Status
FIRE_NOC fire_noc_stage4.pdf	*Standard schema verified*	Active / Valid	**VERIFIED** Fire Dept Statutory Registry

4. Preliminary Anomaly Indicators & Screening

Notice: *All anomaly detector outputs are preliminary indicators requiring human verification, never proof. Categorized under 'needs verification' and 'potential anomaly'.* ***Rules decide, AI explains, Officials approve.***

No potential anomaly indicators detected. All documents passed automated preliminary screening.

5. Cross-Document Evidence & Consistency Analysis

Notice: *Evidence graph cross-references extracted metadata, authority verification results, and document attributes. All consistency flags are preliminary indicators categorized as 'needs verification'.*

Cross-document consistency check passed. Extracted institute identifiers, addresses, and statutory dates are consistent across submitted documents.

6. Recommended Next Steps Checklist (Ordered by Severity)

Seq	Priority	Mandatory Action Required	Applicable Rule
#1	**BLOCKER**	Provide institutional data for 'built_up_area_per_intake' in the Infrastructure Details section.	**INFRA-BUILTUP-PER-IN**
#2	**BLOCKER**	Provide institutional data for 'classroom_count' in the Infrastructure Details section.	**INFRA-BUILTUP-PER-IN**
#3	**BLOCKER**	Provide institutional data for 'average_classroom_area' in the Infrastructure Details section.	**INFRA-BUILTUP-PER-IN**
#4	**BLOCKER**	Provide institutional data for 'library_area' in the Infrastructure Details section.	**INFRA-BUILTUP-PER-IN**
#5	**BLOCKER**	Provide institutional data for 'library_books_count' in the Infrastructure Details section.	**INFRA-BUILTUP-PER-IN**
#6	**BLOCKER**	Provide institutional data for 'computer_student_ratio' in the Infrastructure Details section.	**INFRA-BUILTUP-PER-IN**
#7	**BLOCKER**	Upload a valid 'AFFIDAVIT' document issued by the competent authority.	**APH-2026-CH2-R01, AP**
#8	**BLOCKER**	Upload document 'AFFIDAVIT'.	**APH-2026-CH2-R01, AP**

STATUTORY NOTICE & MANDATORY DISCLAIMER:
Core Principle: "Rules decide, AI explains, Officials approve."
AI-generated decision support; final decisions rest with authorised AICTE officials. This validation summary is an automated compliance evaluation conducted pursuant to the AICTE Approval Process Handbook (APH 2026-27). This document serves as institutional pre-scrutiny advisory intelligence and does not constitute formal grant, renewal, or rejection of AICTE approval. All findings and classifications are subject to review by authorized AICTE officials.