# ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

A Statutory Body under Ministry of Education, Govt. of India

## AICTE SmartVerify AI — Statutory Compliance & Validation Summary

| | | | |
|---|---|---|---|
| **Institute:** | Coimbatore Institute of Engineering and Technology | **AICTE ID:** | **INST_STAGE4_01** |
| **Application Ref:** | **APP-PDF-STAGE4** (EOA) | **Academic Year:** | AY 2026-27 |
| **RuleSet Version:** | v1.0 | **Report ID:** | **REP-VAL-20261031-D1A337** |
| **Generated On:** | 31-10-2026 12:13 UTC | **Language / User:** | English (en) \| INSTITUTE |

**OVERALL STATUS: BLOCKED**
AICTE Automated Regulatory Scrutiny

**Compliance Readiness Score: 0.0 / 100.0**
Deficiency Breakdown: **Blockers: 14** | **Major: 5** | Minor: 0 | Advisory: 0

### 1. AI Compliance Explanation & Root Causes

**Summary:** Application Blocked: Critical Statutory Deficiencies Detected

Automated scrutiny of application APP-PDF-STAGE4 for Coimbatore Institute of Engineering and Technology identified 13 core compliance issues. The primary concern involves Missing Document. Please follow the prioritized remediation steps below to ensure eligibility for AICTE approval.

**AICTE Scrutiny Committee Focus:** AICTE scrutiny officials will examine renewed statutory certificates, building safety approvals, and institutional data reconciliation records.

### 2. Rule-by-Rule Compliance Evaluation Results

| Rule Code & Title | Severity | Result | Evidence / Reason | Suggested Action |
|---|---|---|---|---|
| **APH-2026-CH2-R01** Continuous EoA Validity | BLOCKER | FAIL | Mandatory document of type 'AFFIDAVIT' is missing from the application package. | Upload a valid 'AFFIDAVIT' document issued by the competent authority. |
| **APH-2026-CH2-R02** Fire and Life Safety Certifi | BLOCKER | NEEDS_REVIEW | Document 'FIRE_NOC' does not provide an expiry date for validity period check. | No remediation required. |
| **APH-2026-CH2-R03** Building Occupancy Complianc | BLOCKER | FAIL | Mandatory document of type 'OCCUPANCY_CERT' is missing from the application package. | Upload a valid 'OCCUPANCY_CERT' document issued by the competent authority. |
| **APH-2026-CH2-R04** Land Title and Ownership | BLOCKER | FAIL | Mandatory document of type 'LAND_DOC' is missing from the application package. | Upload a valid 'LAND_DOC' document issued by the competent authority. |
| **APH-2026-CH2-R05** Barrier-Free Environment for | MAJOR | FAIL | Mandatory document of type 'BARRIER_FREE' is missing from the application package. | Upload a valid 'BARRIER_FREE' document issued by the competent authority. |
| **APH-2026-CH2-R06** Financial Viability & Audite | MAJOR | FAIL | Mandatory document of type 'AUDIT_ACCOUNTS' is missing from the application package. | Upload a valid 'AUDIT_ACCOUNTS' document issued by the competent authority. |
| **APH-2026-CH2-R07** Cadre Ratio and Faculty Adeq | BLOCKER | FAIL | Value for 'courses.total_intake' (0) does not satisfy condition '> 0.0'. | Increase 'courses.total_intake' to meet regulatory standard > 0.0. |
| **APH-2026-CH2-R08** Minimum Faculty with Ph.D. Q | MAJOR | PASS | Count check satisfied: 10 item(s) present (minimum 1 required). | No remediation required. |
| **APH-2026-CH2-R09** Faculty Pay Scales & EPF Com | MAJOR | PASS | Required field 'institute.aicte_institute_id' is present with value 'INST_STAGE4_01'. | No remediation required. |
| **APH-2026-CH2-R10** Total Instructional Built-Up | BLOCKER | PASS | Infrastructure norm satisfied for 'INSTRUCTIONAL_AREA': 42500.0 >= 400.0. | No remediation required. |
| **APH-2026-CH2-R11** Laboratory Equipment Complia | MAJOR | FAIL | Mandatory document of type 'EQUIP_LIST' is missing from the application package. | Upload a valid 'EQUIP_LIST' document issued by the competent authority. |
| **APH-2026-CH2-R12** Computing Facilities and Int | MAJOR | PASS | Infrastructure norm satisfied for 'COMPUTER_RATIO': 120.0 >= 100.0. | No remediation required. |
| **APH-2026-CH2-R13** Library Books & AICTE Consor | MINOR | PASS | Numeric threshold satisfied: 'institute.nirf_rank' (73) <= 200.0. | No remediation required. |
| **APH-2026-CH2-R14** Establishment of Internal Qu | MINOR | PASS | Required field 'institute.state' is present with value 'Tamil Nadu'. | No remediation required. |
| **APH-2026-CH2-R15** Institutional NAAC Accredita | MAJOR | FAIL | Document 'NAAC_CERT' is missing for external verification. | Upload document 'NAAC_CERT' to undergo external verification. |
| **APH-2026-CH2-R16** NBA Programme Level Accredit | MAJOR | FAIL | Mandatory document of type 'NBA_CERT' is missing from the application package. | Upload a valid 'NBA_CERT' document issued by the competent authority. |

| | | | | |
|---|---|---|---|---|
| **APH-2026-CH2-R17** Affiliating University Conti | BLOCKER | FAIL | Document of type 'AFFIDAVIT' is missing. | Upload document 'AFFIDAVIT'. |
| **APH-2026-CH2-R18** Joint Security Deposit (FDR) | BLOCKER | FAIL | Document of type 'BANK_GUARANTEE' is missing. | Upload document 'BANK_GUARANTEE'. |
| **APH-2026-CH2-R19** Anti-Ragging and Grievance R | ADVISORY | PASS | Count check satisfied: 0 item(s) present (minimum 0 required). | No remediation required. |
| **APH-2026-CH2-R20** Comprehensive Campus Safety | BLOCKER | NEEDS_REVIEW | Composite 'all' requirement failed: Document 'FIRE_NOC' does not provide an expiry date for validity period check. | No remediation required. |
| **INFRA-BUILTUP-PER-INTAKE** Minimum Built-up Area per Sa | BLOCKER | NEEDS_REVIEW | Infrastructure metric 'built_up_area_per_intake' was not provided (Not provided). | Provide institutional data for 'built_up_area_per_intake' in the Infrastructure Details section. |
| **INFRA-CLASSROOM-COUNT** Minimum Instructional Classr | BLOCKER | NEEDS_REVIEW | Infrastructure metric 'classroom_count' was not provided (Not provided). | Provide institutional data for 'classroom_count' in the Infrastructure Details section. |
| **INFRA-CLASSROOM-AVG-AREA** Minimum Average Classroom Ca | BLOCKER | NEEDS_REVIEW | Infrastructure metric 'average_classroom_area' was not provided (Not provided). | Provide institutional data for 'average_classroom_area' in the Infrastructure Details section. |
| **INFRA-LABORATORY-COUNT** Minimum Laboratories and Wor | WARNING | NEEDS_REVIEW | Infrastructure metric 'laboratory_count' was not provided (Not provided). | Provide institutional data for 'laboratory_count' in the Infrastructure Details section. |
| **INFRA-LIBRARY-AREA** Minimum Central Library Read | BLOCKER | NEEDS_REVIEW | Infrastructure metric 'library_area' was not provided (Not provided). | Provide institutional data for 'library_area' in the Infrastructure Details section. |
| **INFRA-LIBRARY-BOOKS** Minimum Technical Library Vo | WARNING | NEEDS_REVIEW | Infrastructure metric 'library_books_count' was not provided (Not provided). | Provide institutional data for 'library_books_count' in the Infrastructure Details section. |
| **INFRA-FACULTY-STUDENT-RATIO** Maximum Faculty-to-Student R | BLOCKER | NEEDS_REVIEW | Infrastructure metric 'faculty_student_ratio' was not provided (Not provided). | Provide institutional data for 'faculty_student_ratio' in the Infrastructure Details section. |
| **INFRA-COMPUTER-STUDENT-RATIO** Minimum Computer-to-Student | BLOCKER | NEEDS_REVIEW | Infrastructure metric 'computer_student_ratio' was not provided (Not provided). | Provide institutional data for 'computer_student_ratio' in the Infrastructure Details section. |
| **INFRA-BARRIER-FREE** Barrier-Free Built Environme | WARNING | NEEDS_REVIEW | Infrastructure metric 'barrier_free_facilities' was not provided (Not provided). | Provide institutional data for 'barrier_free_facilities' in the Infrastructure Details section. |
| **INFRA-FIRE-SAFETY** Fire Safety Equipment Instal | WARNING | NEEDS_REVIEW | Infrastructure metric 'fire_safety_installed' was not provided (Not provided). | Provide institutional data for 'fire_safety_installed' in the Infrastructure Details section. |
| **APH-2026-CH2-R21** Mandatory Application Comple | BLOCKER | PASS | All composite conditions were successfully satisfied. | No remediation required. |

## Infrastructure Compliance (APH 2026-27 Norms)

| Parameter / Metric | Prescribed Norm (Required) | Reported Data (Provided) | Compliance Result |
|---|---|---|---|
| **Built-up Area per Intake** | >= 4.0 sq m/student | Not provided | **NOT PROVIDED** |
| **Instructional Classrooms** | >= 16 classrooms | Not provided | **NOT PROVIDED** |
| **Average Classroom Area** | >= 66.0 sq m | Not provided | **NOT PROVIDED** |
| **Laboratories & Workshops** | >= 20 laboratories | Not provided | **NOT PROVIDED** |
| **Central Library Area** | >= 400.0 sq m | Not provided | **NOT PROVIDED** |
| **Library Books Repository** | >= 10,000 volumes | Not provided | **NOT PROVIDED** |
| **Faculty-to-Student Ratio** | <= 20:1 | Not provided | **NOT PROVIDED** |
| **Computer-to-Student Ratio** | >= 0.20 (1:5) | Not provided | **NOT PROVIDED** |
| **Barrier-Free (Divyangjan)** | Installed / Certified | Not provided | **NOT PROVIDED** |
| **Fire Safety Equipment** | Installed / Certified | Not provided | **NOT PROVIDED** |

## 3. Statutory Document Verification Scrutiny & Extracted Fields

| Document / File | Extracted Key Fields | Expiry Status | Verification Status |
|---|---|---|---|
| **FIRE_NOC**<br>fire_noc_stage4.pdf | *Standard schema verified* | Active / Valid | **VERIFIED**<br>Fire Dept Statutory Registry |

## 4. Preliminary Anomaly Indicators & Screening

***Notice:*** *All anomaly detector outputs are preliminary indicators requiring human verification, never proof. Categorized under 'needs verification' and 'potential anomaly'.* ***Rules decide, AI explains, Officials approve.***

*No potential anomaly indicators detected. All documents passed automated preliminary screening.*

## 5. Cross-Document Evidence & Consistency Analysis

***Notice:*** *Evidence graph cross-references extracted metadata, authority verification results, and document attributes. All consistency flags are preliminary indicators categorized as 'needs verification'.*

*Cross-document consistency check passed. Extracted institute identifiers, addresses, and statutory dates are consistent across submitted documents.*

## 6. Recommended Next Steps Checklist (Ordered by Severity)

| Seq | Priority | Mandatory Action Required | Applicable Rule |
|---|---|---|---|
| **#1** | **BLOCKER** | Provide institutional data for 'built_up_area_per_intake' in the Infrastructure Details section. | **INFRA-BUILTUP-PER-IN** |
| **#2** | **BLOCKER** | Provide institutional data for 'classroom_count' in the Infrastructure Details section. | **INFRA-BUILTUP-PER-IN** |
| **#3** | **BLOCKER** | Provide institutional data for 'average_classroom_area' in the Infrastructure Details section. | **INFRA-BUILTUP-PER-IN** |
| **#4** | **BLOCKER** | Provide institutional data for 'library_area' in the Infrastructure Details section. | **INFRA-BUILTUP-PER-IN** |
| **#5** | **BLOCKER** | Provide institutional data for 'library_books_count' in the Infrastructure Details section. | **INFRA-BUILTUP-PER-IN** |
| **#6** | **BLOCKER** | Provide institutional data for 'computer_student_ratio' in the Infrastructure Details section. | **INFRA-BUILTUP-PER-IN** |
| **#7** | **BLOCKER** | Upload a valid 'AFFIDAVIT' document issued by the competent authority. | **APH-2026-CH2-R01, AP** |
| **#8** | **BLOCKER** | Upload document 'AFFIDAVIT'. | **APH-2026-CH2-R01, AP** |

**STATUTORY NOTICE & MANDATORY DISCLAIMER:**
**Core Principle: "Rules decide, AI explains, Officials approve."**
AI-generated decision support; final decisions rest with authorised AICTE officials. This validation summary is an automated compliance evaluation conducted pursuant to the AICTE Approval Process Handbook (APH 2026-27). This document serves as institutional pre-scrutiny advisory intelligence and does not constitute formal grant, renewal, or rejection of AICTE approval. All findings and classifications are subject to review by authorized AICTE officials.