# ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

A Statutory Body under Ministry of Education, Govt. of India

## AICTE SmartVerify AI — Statutory Compliance & Validation Summary

| | | | |
|---|---|---|---|
| **Institute:** | Sri Krishna College of Engineering and Technology | **AICTE ID:** | **SKCET01** |
| **Application Ref:** | **DEMO-BLOCKED** (EOA) | **Academic Year:** | AY 2026-27 |
| **RuleSet Version:** | v1.0 | **Report ID:** | **REP-VAL-20261101-0A7575** |
| **Generated On:** | 01-11-2026 14:36 UTC | **Language / User:** | English (en) \| INSTITUTE |

**OVERALL STATUS: BLOCKED**
AICTE Automated Regulatory Scrutiny

**Compliance Readiness Score: 20.0 / 100.0**
Deficiency Breakdown: **Blockers: 2** | **Major: 0** | Minor: 0 | Advisory: 0

### 1. AI Compliance Explanation & Root Causes

**Summary:** Application Blocked: Critical Statutory Deficiencies Detected

Automated scrutiny of application DEMO-BLOCKED for Sri Krishna College of Engineering and Technology identified 1 core compliance issues. The primary concern involves Missing Document. Please follow the prioritized remediation steps below to ensure eligibility for AICTE approval.

**AICTE Scrutiny Committee Focus:** AICTE scrutiny officials will examine renewed statutory certificates, building safety approvals, and institutional data reconciliation records.

### 2. Rule-by-Rule Compliance Evaluation Results

| Rule Code & Title | Severity | Result | Evidence / Reason | Suggested Action |
|---|---|---|---|---|
| **APH-2026-CH2-R01** Continuous EoA Validity | BLOCKER | PASS | Mandatory document 'AFFIDAVIT' is present and meets validity requirements. | No remediation required. |
| **APH-2026-CH2-R02** Fire and Life Safety Certifi | BLOCKER | FAIL | Document of type 'FIRE_NOC' is missing. | Upload document 'FIRE_NOC'. |
| **APH-2026-CH2-R03** Building Occupancy Complianc | BLOCKER | PASS | Mandatory document 'OCCUPANCY_CERT' is present and meets validity requirements. | No remediation required. |
| **APH-2026-CH2-R04** Land Title and Ownership | BLOCKER | PASS | Mandatory document 'LAND_DOC' is present and meets validity requirements. | No remediation required. |
| **APH-2026-CH2-R05** Barrier-Free Environment for | MAJOR | PASS | Mandatory document 'BARRIER_FREE' is present and meets validity requirements. | No remediation required. |
| **APH-2026-CH2-R06** Financial Viability & Audite | MAJOR | PASS | Mandatory document 'AUDIT_ACCOUNTS' is present and meets validity requirements. | No remediation required. |
| **APH-2026-CH2-R07** Cadre Ratio and Faculty Adeq | BLOCKER | PASS | Numeric threshold satisfied: 'courses.total_intake' (600) > 0.0. | No remediation required. |
| **APH-2026-CH2-R08** Minimum Faculty with Ph.D. Q | MAJOR | PASS | Count check satisfied: 10 item(s) present (minimum 1 required). | No remediation required. |
| **APH-2026-CH2-R09** Faculty Pay Scales & EPF Com | MAJOR | PASS | Required field 'institute.aicte_institute_id' is present with value 'SKCET01'. | No remediation required. |
| **APH-2026-CH2-R10** Total Instructional Built-Up | BLOCKER | PASS | Infrastructure norm satisfied for 'INSTRUCTIONAL_AREA': 42500.0 >= 400.0. | No remediation required. |
| **APH-2026-CH2-R11** Laboratory Equipment Complia | MAJOR | PASS | Mandatory document 'EQUIP_LIST' is present and meets validity requirements. | No remediation required. |
| **APH-2026-CH2-R12** Computing Facilities and Int | MAJOR | PASS | Infrastructure norm satisfied for 'COMPUTER_RATIO': 120.0 >= 100.0. | No remediation required. |
| **APH-2026-CH2-R13** Library Books & AICTE Consor | MINOR | PASS | Numeric threshold satisfied: 'institute.nirf_rank' (73) <= 200.0. | No remediation required. |
| **APH-2026-CH2-R14** Establishment of Internal Qu | MINOR | PASS | Required field 'institute.state' is present with value 'Tamil Nadu'. | No remediation required. |
| **APH-2026-CH2-R15** Institutional NAAC Accredita | MAJOR | PASS | Document 'NAAC_CERT' is verified with status 'VERIFIED'. | No remediation required. |
| **APH-2026-CH2-R16** NBA Programme Level Accredit | MAJOR | PASS | Mandatory document 'NBA_CERT' is present and meets validity requirements. | No remediation required. |

| | | | | |
|---|---|---|---|---|
| **APH-2026-CH2-R17** Affiliating University Conti | BLOCKER | PASS | Document 'AFFIDAVIT' is valid on 2026-11-01. | No remediation required. |
| **APH-2026-CH2-R18** Joint Security Deposit (FDR) | BLOCKER | PASS | Document 'BANK_GUARANTEE' is valid on 2026-11-01. | No remediation required. |
| **APH-2026-CH2-R19** Anti-Ragging and Grievance R | ADVISORY | PASS | Count check satisfied: 0 item(s) present (minimum 0 required). | No remediation required. |
| **APH-2026-CH2-R20** Comprehensive Campus Safety | BLOCKER | FAIL | Composite 'all' requirement failed: Document of type 'FIRE_NOC' is missing. | Upload document 'FIRE_NOC'. |
| **INFRA-BUILTUP-PER-INTAKE** Minimum Built-up Area per Sa | BLOCKER | PASS | Infrastructure norm satisfied for 'built_up_area_per_intake': 59.03 sq m/student >= 4.0 sq m/student. | No remediation required. |
| **INFRA-CLASSROOM-COUNT** Minimum Instructional Classr | BLOCKER | PASS | Infrastructure norm satisfied for 'classroom_count': 36 classrooms >= 16.0 classrooms. | No remediation required. |
| **INFRA-CLASSROOM-AVG-AREA** Minimum Average Classroom Ca | BLOCKER | PASS | Infrastructure norm satisfied for 'average_classroom_area': 68.0 sq m >= 66.0 sq m. | No remediation required. |
| **INFRA-LABORATORY-COUNT** Minimum Laboratories and Wor | WARNING | PASS | Infrastructure norm satisfied for 'laboratory_count': 24 laboratories >= 20.0 laboratories. | No remediation required. |
| **INFRA-LIBRARY-AREA** Minimum Central Library Read | BLOCKER | PASS | Infrastructure norm satisfied for 'library_area': 1200.0 sq m >= 400.0 sq m. | No remediation required. |
| **INFRA-LIBRARY-BOOKS** Minimum Technical Library Vo | WARNING | PASS | Infrastructure norm satisfied for 'library_books_count': 25000 volumes >= 10000.0 volumes. | No remediation required. |
| **INFRA-FACULTY-STUDENT-RATIO** Maximum Faculty-to-Student R | BLOCKER | PASS | Infrastructure norm satisfied for 'faculty_student_ratio': 18.0 :1 <= 20.0 :1. | No remediation required. |
| **INFRA-COMPUTER-STUDENT-RATIO** Minimum Computer-to-Student | BLOCKER | PASS | Infrastructure norm satisfied for 'computer_student_ratio': 0.301 terminals/student >= 0.2 terminals/student. | No remediation required. |
| **INFRA-BARRIER-FREE** Barrier-Free Built Environme | WARNING | PASS | Infrastructure norm satisfied for 'barrier_free_facilities': True == 1.0. | No remediation required. |
| **INFRA-FIRE-SAFETY** Fire Safety Equipment Instal | WARNING | PASS | Infrastructure norm satisfied for 'fire_safety_installed': True == 1.0. | No remediation required. |
| **APH-2026-CH2-R21** Mandatory Application Comple | BLOCKER | PASS | All composite conditions were successfully satisfied. | No remediation required. |

## Infrastructure Compliance (APH 2026-27 Norms)

| Parameter / Metric | Prescribed Norm (Required) | Reported Data (Provided) | Compliance Result |
|---|---|---|---|
| **Built-up Area per Intake** | >= 4.0 sq m/student | 59.03 sq m (42,500 m² / 720) | **PASS** |
| **Instructional Classrooms** | >= 16 classrooms | 36 classrooms | **PASS** |
| **Average Classroom Area** | >= 66.0 sq m | 68.0 sq m | **PASS** |
| **Laboratories & Workshops** | >= 20 laboratories | 24 laboratories | **PASS** |
| **Central Library Area** | >= 400.0 sq m | 1200.0 sq m | **PASS** |
| **Library Books Repository** | >= 10,000 volumes | 25,000 volumes | **PASS** |
| **Faculty-to-Student Ratio** | <= 20:1 | 18.0:1 (2160 stud / 120 fac) | **PASS** |
| **Computer-to-Student Ratio** | >= 0.20 (1:5) | 0.301 (650 term / 2160 stud) | **PASS** |
| **Barrier-Free (Divyangjan)** | Installed / Certified | Yes (Installed) | **PASS** |
| **Fire Safety Equipment** | Installed / Certified | Yes (Installed) | **PASS** |

## 3. Statutory Document Verification Scrutiny & Extracted Fields

| Document / File | Extracted Key Fields | Expiry Status | Verification Status |
|---|---|---|---|

| | | | |
|---|---|---|---|
| **NAAC_CERT**<br>DEMO-BLOCKED_naac_cert.p | **grade:** A++<br>**expiry_date:** 2027-11-01<br>**institute_name:** Sri Krishna College of<br>**demo_app_ref:** DEMO-BLOCKED | Valid up to 2027-11-01 | **VERIFICATION PENDING**<br>Authority Register |
| **CYBER_AUDIT**<br>DEMO-BLOCKED_cyber_audit | **cert_id:** CYB-DEMO-BLOCKED<br>**expiry_date:** 2027-11-01<br>**institute_name:** Sri Krishna College of<br>**demo_app_ref:** DEMO-BLOCKED | Valid up to 2027-11-01 | **VERIFICATION PENDING**<br>Authority Register |
| **BANK_GUARANTEE**<br>DEMO-BLOCKED_bank_guaran | **guarantee_no:** FDR-DEMO-BLOCKED<br>**expiry_date:** 2027-11-01<br>**institute_name:** Sri Krishna College of<br>**demo_app_ref:** DEMO-BLOCKED | Valid up to 2027-11-01 | **VERIFICATION PENDING**<br>Authority Register |
| **EQUIP_LIST**<br>DEMO-BLOCKED_equip_list. | **status:** VERIFIED<br>**institute_name:** Sri Krishna College of<br>**demo_app_ref:** DEMO-BLOCKED | Active / Valid | **VERIFICATION PENDING**<br>Authority Register |
| **AUDIT_ACCOUNTS**<br>DEMO-BLOCKED_audit_accou | **ca_membership_no:** CA-88219<br>**institute_name:** Sri Krishna College of<br>**demo_app_ref:** DEMO-BLOCKED | Active / Valid | **VERIFICATION PENDING**<br>Authority Register |
| **BARRIER_FREE**<br>DEMO-BLOCKED_barrier_fre | **audit_id:** BFA-DEMO-BLOCKED<br>**expiry_date:** 2027-11-01<br>**institute_name:** Sri Krishna College of<br>**demo_app_ref:** DEMO-BLOCKED | Valid up to 2027-11-01 | **VERIFICATION PENDING**<br>Authority Register |
| **NBA_CERT**<br>DEMO-BLOCKED_nba_cert.pd | **accreditation_id:** NBA-DEMO-BLOCKED<br>**expiry_date:** 2027-11-01<br>**institute_name:** Sri Krishna College of<br>**demo_app_ref:** DEMO-BLOCKED | Valid up to 2027-11-01 | **VERIFICATION PENDING**<br>Authority Register |
| **AFFIDAVIT**<br>DEMO-BLOCKED_affidavit.p | **deponent_name:** Dr. K. Sundararajan<br>**institute_name:** Sri Krishna College of<br>**expiry_date:** 2027-11-01<br>**issue_date:** 2026-09-02 | Valid up to 2027-11-01 | **VERIFICATION PENDING**<br>Authority Register |
| **LAND_DOC**<br>DEMO-BLOCKED_land_doc.pd | **deed_number:** LND-DEMO-BLOCKED<br>**land_area_acres:** 22.5<br>**institute_name:** Sri Krishna College of<br>**demo_app_ref:** DEMO-BLOCKED | Active / Valid | **VERIFICATION PENDING**<br>Authority Register |
| **OCCUPANCY_CERT**<br>DEMO-BLOCKED_occupancy_c | **certificate_id:** OCC-DEMO-BLOCKED<br>**institute_name:** Sri Krishna College of<br>**issue_date:** 2026-06-04<br>**demo_app_ref:** DEMO-BLOCKED | Active / Valid | **VERIFICATION PENDING**<br>Authority Register |
| **BUILDING_PLAN**<br>DEMO-BLOCKED_building_pl | **approval_number:** BPA-DEMO-BLOCKED<br>**total_built_up_area:** 42500<br>**instructional_area:** 42500<br>**institute_name:** Sri Krishna College of | Active / Valid | **VERIFICATION PENDING**<br>Authority Register |

## 4. Preliminary Anomaly Indicators & Screening

***Notice:*** *All anomaly detector outputs are preliminary indicators requiring human verification, never proof. Categorized under 'needs verification' and 'potential anomaly'.* ***Rules decide, AI explains, Officials approve.***

*No potential anomaly indicators detected. All documents passed automated preliminary screening.*

## 5. Cross-Document Evidence & Consistency Analysis

***Notice:*** *Evidence graph cross-references extracted metadata, authority verification results, and document attributes. All consistency flags are preliminary indicators categorized as 'needs verification'.*

*Cross-document consistency check passed. Extracted institute identifiers, addresses, and statutory dates are consistent across submitted documents.*

## 6. Recommended Next Steps Checklist (Ordered by Severity)

| Seq | Priority | Mandatory Action Required | Applicable Rule |
|---|---|---|---|
| **#1** | **BLOCKER** | Upload document 'FIRE_NOC'. | **APH-2026-CH2-R02, AP** |

**STATUTORY NOTICE & MANDATORY DISCLAIMER:**
**Core Principle: "Rules decide, AI explains, Officials approve."**
AI-generated decision support; final decisions rest with authorised AICTE officials. This validation summary is an automated compliance evaluation conducted pursuant to the AICTE Approval Process Handbook (APH 2026-27). This document serves as institutional pre-scrutiny advisory intelligence and does not constitute formal grant, renewal, or rejection of AICTE approval. All findings and classifications are subject to review by authorized AICTE officials.