ALL INDIA COUNCIL FOR TECHNICAL EDUCATION

A Statutory Body under Ministry of Education, Govt. of India

AICTE SmartVerify AI — Statutory Compliance & Validation Summary

Institute:	Sri Krishna College of Engineering and Technology	**AICTE ID:**	**SKCET01**
Application Ref:	**DEMO-BLOCKED** (EOA)	**Academic Year:**	AY 2026-27
RuleSet Version:	v1.0	**Report ID:**	**REP-VAL-20261101-BE8F4C**
Generated On:	01-11-2026 04:25 UTC	**Language / User:**	English (en) | INSTITUTE

OVERALL STATUS: BLOCKED
AICTE Automated Regulatory Scrutiny

Compliance Readiness Score: 20.0 / 100.0
Deficiency Breakdown: **Blockers: 2** | **Major: 0** | Minor: 0 | Advisory: 0

1. AI Compliance Explanation & Root Causes

Summary: Application Blocked: Critical Statutory Deficiencies Detected

Automated scrutiny of application DEMO-BLOCKED for Sri Krishna College of Engineering and Technology identified 1 core compliance issues. The primary concern involves Missing Document. Please follow the prioritized remediation steps below to ensure eligibility for AICTE approval.

AICTE Scrutiny Committee Focus: AICTE scrutiny officials will examine renewed statutory certificates, building safety approvals, and institutional data reconciliation records.

2. Rule-by-Rule Compliance Evaluation Results

Rule Code & Title	Severity	Result	Evidence / Reason	Suggested Action
APH-2026-CH2-R01 Continuous EoA Validity	BLOCKER	PASS	Mandatory document 'AFFIDAVIT' is present and meets validity requirements.	No remediation required.
APH-2026-CH2-R02 Fire and Life Safety Certifi	BLOCKER	FAIL	Document of type 'FIRE_NOC' is missing.	Upload document 'FIRE_NOC'.
APH-2026-CH2-R03 Building Occupancy Complianc	BLOCKER	PASS	Mandatory document 'OCCUPANCY_CERT' is present and meets validity requirements.	No remediation required.
APH-2026-CH2-R04 Land Title and Ownership	BLOCKER	PASS	Mandatory document 'LAND_DOC' is present and meets validity requirements.	No remediation required.
APH-2026-CH2-R05 Barrier-Free Environment for	MAJOR	PASS	Mandatory document 'BARRIER_FREE' is present and meets validity requirements.	No remediation required.
APH-2026-CH2-R06 Financial Viability & Audite	MAJOR	PASS	Mandatory document 'AUDIT_ACCOUNTS' is present and meets validity requirements.	No remediation required.
APH-2026-CH2-R07 Cadre Ratio and Faculty Adeq	BLOCKER	PASS	Numeric threshold satisfied: 'courses.total_intake' (600) > 0.0.	No remediation required.
APH-2026-CH2-R08 Minimum Faculty with Ph.D. Q	MAJOR	PASS	Count check satisfied: 10 item(s) present (minimum 1 required).	No remediation required.
APH-2026-CH2-R09 Faculty Pay Scales & EPF Com	MAJOR	PASS	Required field 'institute.aicte_institute_id' is present with value 'SKCET01'.	No remediation required.
APH-2026-CH2-R10 Total Instructional Built-Up	BLOCKER	PASS	Infrastructure norm satisfied for 'INSTRUCTIONAL_AREA': 42500.0 >= 400.0.	No remediation required.
APH-2026-CH2-R11 Laboratory Equipment Complia	MAJOR	PASS	Mandatory document 'EQUIP_LIST' is present and meets validity requirements.	No remediation required.
APH-2026-CH2-R12 Computing Facilities and Int	MAJOR	PASS	Infrastructure norm satisfied for 'COMPUTER_RATIO': 120.0 >= 100.0.	No remediation required.
APH-2026-CH2-R13 Library Books & AICTE Consor	MINOR	PASS	Numeric threshold satisfied: 'institute.nirf_rank' (73) <= 200.0.	No remediation required.
APH-2026-CH2-R14 Establishment of Internal Qu	MINOR	PASS	Required field 'institute.state' is present with value 'Tamil Nadu'.	No remediation required.
APH-2026-CH2-R15 Institutional NAAC Accredita	MAJOR	PASS	Document 'NAAC_CERT' is verified with status 'VERIFIED'.	No remediation required.
APH-2026-CH2-R16 NBA Programme Level Accredit	MAJOR	PASS	Mandatory document 'NBA_CERT' is present and meets validity requirements.	No remediation required.

APH-2026-CH2-R17 Affiliating University Conti	BLOCKER	PASS	Document 'AFFIDAVIT' is valid on 2026-11-01.	No remediation required.
APH-2026-CH2-R18 Joint Security Deposit (FDR)	BLOCKER	PASS	Document 'BANK_GUARANTEE' is valid on 2026-11-01.	No remediation required.
APH-2026-CH2-R19 Anti-Ragging and Grievance R	ADVISORY	PASS	Count check satisfied: 0 item(s) present (minimum 0 required).	No remediation required.
APH-2026-CH2-R20 Comprehensive Campus Safety	BLOCKER	FAIL	Composite 'all' requirement failed: Document of type 'FIRE_NOC' is missing.	Upload document 'FIRE_NOC'.
INFRA-BUILTUP-PER-INTAKE Minimum Built-up Area per Sa	BLOCKER	PASS	Infrastructure norm satisfied for 'built_up_area_per_intake': 59.03 sq m/student >= 4.0 sq m/student.	No remediation required.
INFRA-CLASSROOM-COUNT Minimum Instructional Classr	BLOCKER	PASS	Infrastructure norm satisfied for 'classroom_count': 36 classrooms >= 16.0 classrooms.	No remediation required.
INFRA-CLASSROOM-AVG-AREA Minimum Average Classroom Ca	BLOCKER	PASS	Infrastructure norm satisfied for 'average_classroom_area': 68.0 sq m >= 66.0 sq m.	No remediation required.
INFRA-LABORATORY-COUNT Minimum Laboratories and Wor	WARNING	PASS	Infrastructure norm satisfied for 'laboratory_count': 24 laboratories >= 20.0 laboratories.	No remediation required.
INFRA-LIBRARY-AREA Minimum Central Library Read	BLOCKER	PASS	Infrastructure norm satisfied for 'library_area': 1200.0 sq m >= 400.0 sq m.	No remediation required.
INFRA-LIBRARY-BOOKS Minimum Technical Library Vo	WARNING	PASS	Infrastructure norm satisfied for 'library_books_count': 25000 volumes >= 10000.0 volumes.	No remediation required.
INFRA-FACULTY-STUDENT-RATIO Maximum Faculty-to-Student R	BLOCKER	PASS	Infrastructure norm satisfied for 'faculty_student_ratio': 18.0 :1 <= 20.0 :1.	No remediation required.
INFRA-COMPUTER-STUDENT-RATIO Minimum Computer-to-Student	BLOCKER	PASS	Infrastructure norm satisfied for 'computer_student_ratio': 0.301 terminals/student >= 0.2 terminals/student.	No remediation required.
INFRA-BARRIER-FREE Barrier-Free Built Environme	WARNING	PASS	Infrastructure norm satisfied for 'barrier_free_facilities': True == 1.0.	No remediation required.
INFRA-FIRE-SAFETY Fire Safety Equipment Instal	WARNING	PASS	Infrastructure norm satisfied for 'fire_safety_installed': True == 1.0.	No remediation required.
APH-2026-CH2-R21 Mandatory Application Comple	BLOCKER	PASS	All composite conditions were successfully satisfied.	No remediation required.

Infrastructure Compliance (APH 2026-27 Norms)

Parameter / Metric	Prescribed Norm (Required)	Reported Data (Provided)	Compliance Result
Built-up Area per Intake	>= 4.0 sq m/student	59.03 sq m (42,500 m² / 720)	**PASS**
Instructional Classrooms	>= 16 classrooms	36 classrooms	**PASS**
Average Classroom Area	>= 66.0 sq m	68.0 sq m	**PASS**
Laboratories & Workshops	>= 20 laboratories	24 laboratories	**PASS**
Central Library Area	>= 400.0 sq m	1200.0 sq m	**PASS**
Library Books Repository	>= 10,000 volumes	25,000 volumes	**PASS**
Faculty-to-Student Ratio	<= 20:1	18.0:1 (2160 stud / 120 fac)	**PASS**
Computer-to-Student Ratio	>= 0.20 (1:5)	0.301 (650 term / 2160 stud)	**PASS**
Barrier-Free (Divyangjan)	Installed / Certified	Yes (Installed)	**PASS**
Fire Safety Equipment	Installed / Certified	Yes (Installed)	**PASS**

3. Statutory Document Verification Scrutiny & Extracted Fields

Document / File	Extracted Key Fields	Expiry Status	Verification Status

NAAC_CERT DEMO-BLOCKED_naac_cert.p	**grade:** A++ **expiry_date:** 2027-11-01 **institute_name:** Sri Krishna College of **demo_app_ref:** DEMO-BLOCKED	Valid up to 2027-11-01	**VERIFICATION PENDING** Authority Register
CYBER_AUDIT DEMO-BLOCKED_cyber_audit	**cert_id:** CYB-DEMO-BLOCKED **expiry_date:** 2027-11-01 **institute_name:** Sri Krishna College of **demo_app_ref:** DEMO-BLOCKED	Valid up to 2027-11-01	**VERIFICATION PENDING** Authority Register
BANK_GUARANTEE DEMO-BLOCKED_bank_guaran	**guarantee_no:** FDR-DEMO-BLOCKED **expiry_date:** 2027-11-01 **institute_name:** Sri Krishna College of **demo_app_ref:** DEMO-BLOCKED	Valid up to 2027-11-01	**VERIFICATION PENDING** Authority Register
EQUIP_LIST DEMO-BLOCKED_equip_list.	**status:** VERIFIED **institute_name:** Sri Krishna College of **demo_app_ref:** DEMO-BLOCKED	Active / Valid	**VERIFICATION PENDING** Authority Register
AUDIT_ACCOUNTS DEMO-BLOCKED_audit_accou	**ca_membership_no:** CA-88219 **institute_name:** Sri Krishna College of **demo_app_ref:** DEMO-BLOCKED	Active / Valid	**VERIFICATION PENDING** Authority Register
BARRIER_FREE DEMO-BLOCKED_barrier_fre	**audit_id:** BFA-DEMO-BLOCKED **expiry_date:** 2027-11-01 **institute_name:** Sri Krishna College of **demo_app_ref:** DEMO-BLOCKED	Valid up to 2027-11-01	**VERIFICATION PENDING** Authority Register
NBA_CERT DEMO-BLOCKED_nba_cert.pd	**accreditation_id:** NBA-DEMO-BLOCKED **expiry_date:** 2027-11-01 **institute_name:** Sri Krishna College of **demo_app_ref:** DEMO-BLOCKED	Valid up to 2027-11-01	**VERIFICATION PENDING** Authority Register
AFFIDAVIT DEMO-BLOCKED_affidavit.p	**deponent_name:** Dr. K. Sundararajan **institute_name:** Sri Krishna College of **expiry_date:** 2027-11-01 **issue_date:** 2026-09-02	Valid up to 2027-11-01	**VERIFICATION PENDING** Authority Register
LAND_DOC DEMO-BLOCKED_land_doc.pd	**deed_number:** LND-DEMO-BLOCKED **land_area_acres:** 22.5 **institute_name:** Sri Krishna College of **demo_app_ref:** DEMO-BLOCKED	Active / Valid	**VERIFICATION PENDING** Authority Register
OCCUPANCY_CERT DEMO-BLOCKED_occupancy_c	**certificate_id:** OCC-DEMO-BLOCKED **institute_name:** Sri Krishna College of **issue_date:** 2026-06-04 **demo_app_ref:** DEMO-BLOCKED	Active / Valid	**VERIFICATION PENDING** Authority Register
BUILDING_PLAN DEMO-BLOCKED_building_pl	**approval_number:** BPA-DEMO-BLOCKED **total_built_up_area:** 42500 **instructional_area:** 42500 **institute_name:** Sri Krishna College of	Active / Valid	**VERIFICATION PENDING** Authority Register

4. Preliminary Anomaly Indicators & Screening

Notice: *All anomaly detector outputs are preliminary indicators requiring human verification, never proof. Categorized under 'needs verification' and 'potential anomaly'.* ***Rules decide, AI explains, Officials approve.***

No potential anomaly indicators detected. All documents passed automated preliminary screening.

5. Cross-Document Evidence & Consistency Analysis

Notice: *Evidence graph cross-references extracted metadata, authority verification results, and document attributes. All consistency flags are preliminary indicators categorized as 'needs verification'.*

Cross-document consistency check passed. Extracted institute identifiers, addresses, and statutory dates are consistent across submitted documents.

6. Recommended Next Steps Checklist (Ordered by Severity)

Seq	Priority	Mandatory Action Required	Applicable Rule
#1	**BLOCKER**	Upload document 'FIRE_NOC'.	**APH-2026-CH2-R02, AP**

STATUTORY NOTICE & MANDATORY DISCLAIMER:
Core Principle: "Rules decide, AI explains, Officials approve."
AI-generated decision support; final decisions rest with authorised AICTE officials. This validation summary is an automated compliance evaluation conducted pursuant to the AICTE Approval Process Handbook (APH 2026-27). This document serves as institutional pre-scrutiny advisory intelligence and does not constitute formal grant, renewal, or rejection of AICTE approval. All findings and classifications are subject to review by authorized AICTE officials.