


RETAIL SALES ANALYSIS

Screenshots

1. Pipeline Overview

STEP 1.1 Full Pipeline Canvas



STEP 1.2 Pipeline Variables Panel

Parameters Variables Settings Output			
+ New Delete			
☐	Name	Type	Default value
☐	PageArray	Array	Value

2. Ingestion Activities

These three activities run in parallel at the start of the pipeline.

STEP 2.1 Customer_CSV — Copy Activity

Copy data

 Customer_CSV

Copy data

 Products_OnPrem



Data flow

 Minor

General

Source

Sink

Mapping

Settings

User properties

Source dataset *

 ds_CSV_Customers

▼

 Open

 New

 Preview data

[Learn more](#) 

File path type

☒ File path in dataset

☐ Wildcard file path

☐ List of files 

Filter by last modified 

Start time (UTC)

End time (UTC)



DelimitedText
ds_CSV_Customers

Connection Schema Parameters

Linked service *

Is_CSV_Customers

Test connection

Edit

New

Learn more

File path

raw

/

Directory

/

Customers.csv

|

Compression type

No compression

Column delimiter ⓘ

Comma (,)

Row delimiter ⓘ

Default (\r,\n, or \r\n)

Encoding ⓘ

Default(UTF-8)

Quote character ⓘ

Double quote (")

Escape character ⓘ

Backslash (\)

First row as header ⓘ

☒

 Azure Data Lake Storage Gen2 [Learn more](#) 

Name *

Is_CSV_Customers

Description

Connect via integration runtime * ⓘ

 AutoResolveIntegrationRuntime 

Authentication type

Account key 

Account selection method ⓘ

☐ From Azure subscription ☒ Enter manually

URL *

https://retailsalesgb.dfs.core.windows.net/

Storage account key Azure Key Vault

Storage account key *

.....

Test connection ⓘ

☒ To linked service ☐ To file path

Annotations

 New



Parquet
ds_Parq_Customers

Connection Schema Parameters

Linked service *

Is_Par_Customers

Test connection

Edit

New

Learn mor

File path

bronze

/

Customers

/

File name

Compression type

snappy

Name *

Is_Par_Customers

Description**Connect via integration runtime * ⓘ**

AutoResolveIntegrationRuntime

**Authentication type**

Account key

**Account selection method ⓘ**

From Azure subscription



Enter manually

URL *

https://retailsalesgb.dfs.core.windows.net/

Storage account key

Azure Key Vault

Storage account key *

.....

Test connection ⓘ

To linked service



To file path


Annotations

New

STEP 2.2 Products_OnPrem — Copy Activity

Connects to the on-premises SQL Server via the Self-Hosted IR.

- Source tab: Type = SqlServerSource, dataset = ds_Table_Products
- Sink tab: Type = ParquetSink



General **Source** Sink Mapping Settings User properties

Source dataset *

ds_Table_Products

 Open  New  Preview data [Learn more](#) 

Use query ☒ Table ☐ Query ☐ Stored procedure

Query timeout (minutes) ⓘ

120

Isolation level ⓘ

Select...

Partition option ⓘ ☒ None ☐ Physical partitions of table ⓘ ☐ Dynamic range ⓘ

 Please preview data to validate the partition settings.



Connection Schema Parameters

Linked service *	Is_Table_Products	Test connection	Edit	New
Integration runtime *	IR-Retail-GB	Edit		
Table	dbo.Products	Refresh	Preview data	
	Enter manually			

LINKED SERVICE

 SQL Server [Learn more](#) 

Is_Table_Products

Description

Connect via integration runtime *

 IR-Retail-GB  

Version

☒ 2.0 (Recommended) ☐ 1.0

Server name *

FALCON

Database name *

LearnSQL

Authentication type

SQL authentication 

User name *

Niran

Password

Azure Key Vault

Password *

.....

Always encrypted 

☐



Parquet
ds_Parq_Products

Connection Schema Parameters

linked service *

Is_Parq_Products

▼

Test connection

Edit

New

Learn more

file path

bronze

/

Products

/

File name

Compression type

snappy

▼

Name *

Is_Parq_Products

Description

Connect via integration runtime * ⓘ

✓ AutoResolveIntegrationRuntime

Authentication type

Account key

Account selection method ⓘ

☐ From Azure subscription ☒ Enter manually

URL *

https://retailsalesgb.dfs.core.windows.net/

Storage account key Azure Key Vault

Storage account key *

.....


Test connection ⓘ

☒ To linked service ☐ To file path

Annotations

+ New

STEP 2.3 Lookup Manifest — Lookup Activity



General **Settings** User properties

Source dataset * ds_manifest

[Open](#) [+ New](#) [Preview data](#) [Learn more](#)

First row only ☒

Request method * GET

Additional headers



JSON
ds_manifest

Connection Schema Parameters

Linked service *

Is_Manifests

Test connection

Base URL

https://raw.githubusercontent.com/SreeL...

Relative URL ⓘ

Preview data

Compression type

No compression

Encoding

Default(UTF-8)

 HTTP [Learn more](#) 

Name *

Is_Manifests

Description

Connect via integration runtime * ⓘ

 AutoResolveIntegrationRuntime 

Base URL *

https://raw.githubusercontent.com/[REDACTED]/Sales/manifest.json

 Information will be sent to the URL specified. Please ensure you trust the URL entered.

Server certificate validation ⓘ

☒ Enable ☐ Disable

Authentication type * ⓘ


Anonymous 

Auth headers ⓘ

 New

3. Pagination Logic

STEP 3.1 setPageArray — Set Variable Activity



General **Settings** User properties

Variable type ⓘ ☒ Pipeline variable ☐ Pipeline return value

Name * + New


Value

Pipeline expression builder

Add dynamic content below using any combination of [expressions](#), [functions](#) and [system variables](#).

```
@range(1, activity('LookupManifest').output.firstRow.totalPages)
```

STEP 3.2 ForEach1 — ForEach Activity



STEP 3.3 SalesData (inside ForEach) — Copy Activity

RetailSale_GB_Pipeline01 > ForEach1

Copy data

SalesData

General **Source** Sink Mapping Settings User properties

Source dataset *

ds_Sales_Source

Open New Preview data [Learn more](#)

Dataset properties ⓘ

Name	Value	Type
relativeURL	@item()	string

Request method ⓘ

GET

Request timeout ⓘ

00:01:40



Connection Parameters

Linked service *	Is_Sales_Sources Test connection Edit + New Learn more
Base URL	https://raw.githubusercontent.com/SreeL...
Relative URL ⓘ	@concat('sales_page_',dataset@).relative. Preview data

 REST [Learn more](#) 

Name *

Is_Sales_Sources

Description

Connect via integration runtime * ⓘ

 AutoResolveIntegrationRuntime 

Base URL *

https://raw.githubusercontent.com/[REDACTED]/Sales/

 Information will be sent to the URL specified. Please ensure you trust the URL entered.

Authentication type *

Anonymous 

Server certificate validation ⓘ

☒ Enable ☐ Disable

Auth headers ⓘ

 If you have specified the auth headers in plain text, they have been encrypted and may not be visible here. 

 New

Annotations

 New

Pipeline expression builder



Add dynamic content below using any combination of [expressions](#), [functions](#) and [system variables](#).

@concat('sales_page_',dataset().relativeURL,'.json')

Copy data

 SalesData

General Source Sink **Mapping** Settings User properties

 Import schemas  New mapping  Clear ⓘ  Delete  Advanced editor

Collection reference ⓘ

[\$['data']]

Map complex values to string ☐

Name	Type	Collection reference	Column name
▼ data	[] array	☒	
SaleID	any any	→	SaleID
CustomerID	any any	→	CustomerID
ProductID	any any	→	ProductID

 RetailSale_GB_Pipeline01 >  ForEach1

Copy data

 SalesData

General Source **Sink** Mapping Settings User properties

Sink dataset *

 ds_Sales_Parq

▼

 Open

Copy behavior ⓘ

Flatten hierarchy

▼

Max concurrent connections ⓘ

Block size (MB) ⓘ

Metadata ⓘ

 New

Max rows per file ⓘ

Is_Sales_Parq

Description

Connect via integration runtime * ⓘ

✓ AutoResolveIntegrationRuntime

Authentication type

Account key

Account selection method ⓘ

☐ From Azure subscription ☒ Enter manually

URL *

https://retailsalesgb.dfs.core.windows.net/

Storage account key

Azure Key Vault

Storage account key *

.....

Test connection ⓘ

☒ To linked service ☐ To file path

Annotations

+ New


4. Data Flows

Navigate to: ADF Studio → Author → Data Flows to access both mapping data flows.

STEP 4.1 RetailSale_DF — Bronze to Silver



STEP 4.5 RetailSale_DF2 — Silver to Gold



5. Integration Runtime

STEP 5.1 Integration Runtimes List

6. Trigger

STEP 6.1 DailyUpdate Trigger

Name *

DailyUpdate

Description

Type *

ScheduleTrigger

Start date * ⓘ

5/1/2026, 12:00:00 AM

Time zone * ⓘ

Dublin, Edinburgh, Lisbon, London (UTC+1) ▾

ⓘ This time zone observes daylight savings. Trigger will auto-adjust for one hour difference.

Recurrence * ⓘ

Every 1 Day(s) ▾

▾ Advanced recurrence options

Execute at these times ⓘ

Hours

Minutes

Schedule execution times

00:00

⌵

7. Pipeline Run & Monitoring

STEP 7.1 Activity Run Detail

All pipeline runs > ✔ RetailSale_GB_Pipeline01 - Activity runs

Refresh

Update pipeline

List

Gantt

This is a recent debug run. The local pipeline configuration is shown.

Lookup

LookupManifest

Set variable

ForEach

(x) setPageArray

ForEach1

Activities

Major	✔ Succeeded	Data flow	4/30/2026, 3:28:31 AM	27s	AutoResolveIntegrationRuntime (UK South)
Minor	✔ Succeeded	Data flow	4/30/2026, 3:23:10 AM	5m 19s	AutoResolveIntegrationRuntime (UK South)
SalesData	✔ Succeeded	Copy data	4/30/2026, 3:22:45 AM	21s	AutoResolveIntegrationRuntime (UK South)
SalesData	✔ Succeeded	Copy data	4/30/2026, 3:22:45 AM	21s	AutoResolveIntegrationRuntime (UK South)
SalesData	✔ Succeeded	Copy data	4/30/2026, 3:22:45 AM	17s	AutoResolveIntegrationRuntime (UK South)
SalesData	✔ Succeeded	Copy data	4/30/2026, 3:22:45 AM	19s	AutoResolveIntegrationRuntime (UK South)
SalesData	✔ Succeeded	Copy data	4/30/2026, 3:22:45 AM	20s	AutoResolveIntegrationRuntime (UK South)
SalesData	✔ Succeeded	Copy data	4/30/2026, 3:22:45 AM	21s	AutoResolveIntegrationRuntime (UK South)
SalesData	✔ Succeeded	Copy data	4/30/2026, 3:22:45 AM	22s	AutoResolveIntegrationRuntime (UK South)
SalesData	✔ Succeeded	Copy data	4/30/2026, 3:22:45 AM	16s	AutoResolveIntegrationRuntime (UK South)
SalesData	✔ Succeeded	Copy data	4/30/2026, 3:22:45 AM	17s	AutoResolveIntegrationRuntime (UK South)
SalesData	✔ Succeeded	Copy data	4/30/2026, 3:22:45 AM	22s	AutoResolveIntegrationRuntime (UK South)
ForEach1	✔ Succeeded	ForEach	4/30/2026, 3:22:44 AM	25s	
setPageArray	✔ Succeeded	Set variable	4/30/2026, 3:22:43 AM	Less than 1s	
Products_OnPrem	✔ Succeeded	Copy data	4/30/2026, 3:22:29 AM	25s	IR-Retail-GB

STEP 7.2 Data Flow Monitoring — Minor (RetailSale_DF)



Sinks All streams


Sink	Status	Processing time ↑↓	Highest proces... ↑↓	Rows written ↑↓	Stages
sink3	✓ Succeeded	11s	2s 987ms	899	
sink2	✓ Succeeded	4s 463ms	678ms	23	
sink1	✓ Succeeded	3s 916ms	1s 35ms	223	

STEP 7.3 Data Flow Monitoring — Major (RetailSale_DF2)

Major

Cluster startup time: 319ms Number of transformations: 6 Data flow status: Success

Refresh Auto refresh On Edit dataflow



Sinks All streams

Sink	Status	Processing time ↑↓	Highest proces... ↑↓	Rows written ↑↓	Stages 📄🕒
GoldLayer	✔ Succeeded	5s	4s 774ms	899	

RetailDB (retail-gb/RetailDB) | Query editor (preview) ☆ ...

STEP 8.2 Gold Table — Sample Rows

Home > RetailDB (retail-gb/RetailDB)

RetailDB (retail-gb/RetailDB) | Query editor (preview)

☆ ...

SQL database

Search

New query

Templates

Open in

Feedback

Sign out

Classic experience

Overview

Activity log

Tags

Diagnose and solve problems

Query editor (preview)

Mirror database in Fabric (preview)

Resource visualizer

Settings

Data management

Integrations

Power Platform

Security

Intelligent performance

Monitoring

Automation

Explorer

RetailDB

dbo

Tables

Sales

Views

Stored Procedures

Functions

Queries

SQL query 1

SQL query 2

SQL query 1

SQL query 2

Run

Save as view

Your queries will be lost when your session ends. Use **Save as view** to keep results as a database view, or copy your query text to

1

SELECT TOP (1000) * FROM [dbo].[Sales]

Messages

Results

{}

↓

123

ProductID

ABC

ProductN...

ABC

Category

e

Price

123

StockQu...

12L

StockLevel

12L

SaleID

12L

Custome...

ABC

S...

1

230

Soundbar 2.1

Electronics

1015.56

83

194

637

178

2024-1

2

242

Wireless Earb...

Electronics

1021.76

177

153

985

32

2024-1

3

86

Smart Plug Set

Electronics

1057.78

451

23

806

185

2024-1