

```
linga@Sweety MINGW64 ~ (master)
$ cd "C:\Users\linga\OneDrive\Documents\Desktop\Cognizant-De
epSkilling\Module-11-Version_control-GIT\3.GIT-HOL"
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-
DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ pwd
/c/Users/linga/OneDrive/Documents/Desktop/Cognizant-DeepSki
ling/Module-11-Version_control-GIT/3.GIT-HOL
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-
DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ git branch
* main
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-
DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.
```

```
nothing to commit, working tree clean
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-
DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ git checkout -b GitNewBranch
Switched to a new branch 'GitNewBranch'
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-
DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (GitNew
Branch)
$ git branch
* GitNewBranch
  main
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-
DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (GitNew
Branch)
```



```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (GitNewBranch)
```

```
$ echo "This is a feature file created in GitNewBranch" > feature.txt
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (GitNewBranch)
```

```
$ echo "Branch specific content" > branch-info.txt
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (GitNewBranch)
```

```
$ echo -e "Line 1\nLine 2\nLine 3\nThis is branch work" > multi-line.txt
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (GitNewBranch)
```

```
$ ls  
branch-info.txt  feature.txt  multi-line.txt
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (GitNewBranch)
```

```
$ cat feature.txt  
This is a feature file created in GitNewBranch
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (GitNewBranch)
```

```
$ git add .  
warning: in the working copy of 'Module-11-Version_control-GIT/3.GIT-HOL/branch-info.txt', LF will be replaced by CRLF the next time Git touches it  
warning: in the working copy of 'Module-11-Version_control-GIT/3.GIT-HOL/feature.txt', LF will be replaced by CRLF the next time Git touches it
```


linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (GitNewBranch)

\$ git add .

warning: in the working copy of 'Module-11-Version_control-GIT/3.GIT-HOL/branch-info.txt', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'Module-11-Version_control-GIT/3.GIT-HOL/feature.txt', LF will be replaced by CRLF the next time Git touches it

warning: in the working copy of 'Module-11-Version_control-GIT/3.GIT-HOL/multi-line.txt', LF will be replaced by CRLF the next time Git touches it

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (GitNewBranch)

\$ git commit -m "Added new files in GitNewBranch"

[GitNewBranch 92a4ed9] Added new files in GitNewBranch

3 files changed, 6 insertions(+)

create mode 100644 "Module-11\342\200\223Version_control-GIT/3.GIT-HOL/branch-info.txt"

create mode 100644 "Module-11\342\200\223Version_control-GIT/3.GIT-HOL/feature.txt"

create mode 100644 "Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt"

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (GitNewBranch)

\$ git status

On branch GitNewBranch

nothing to commit, working tree clean

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (GitNewBranch)

\$ git checkout main

Switched to branch 'main'

DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (GitNew Branch)

```
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
```

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)

```
$ git branch
  GitNewBranch
* main
```

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)

```
$ git diff main GitNewBranch
diff --git "a/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/branch-info.txt" "b/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/branch-info.txt"
```

```
new file mode 100644
index 0000000..f6fe121
```

```
--- /dev/null
```

```
+++ "b/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/branch-info.txt"
```

```
@@ -0,0 +1 @@
```

```
+Branch specific content
```

```
diff --git "a/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/feature.txt" "b/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/feature.txt"
```

```
new file mode 100644
index 0000000..7011838
```

```
--- /dev/null
```

```
+++ "b/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/feature.txt"
```

```
@@ -0,0 +1 @@
```

```
+This is a feature file created in GitNewBranch
```

```
diff --git "a/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt" "b/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt"
```

```
new file mode 100644
```



```
+++ "b/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/feature.txt"
@@ -0,0 +1 @@
+This is a feature file created in GitNewBranch
diff --git "a/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt" "b/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt"
new file mode 100644
index 0000000..0ee0626
--- /dev/null
+++ "b/Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt"
@@ -0,0 +1,4 @@
+Line 1
+Line 2
+Line 3
+This is branch work
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ git diff --stat main GitNewBranch
"Module-11\342\200\223Version_control-GIT/3.GIT-HOL/branch-info.txt" | 1 +
"Module-11\342\200\223Version_control-GIT/3.GIT-HOL/feature.txt" | 1 +
"Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt" | 4 ++++
3 files changed, 6 insertions(+)
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ git diff --name-status main GitNewBranch
A       "Module-11\342\200\223Version_control-GIT/3.GIT-HOL/branch-info.txt"
A       "Module-11\342\200\223Version_control-GIT/3.GIT-HOL/feature.txt"
A       "Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt"
```



```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ git config --global --unset difftool.p4merge.cmd
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ git config --global difftool.p4merge.path "C:/Program Files/Perforce/p4merge.exe"
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ git difftool --tool=p4merge main GitNewBranch
```

```
Viewing (1/3): 'Module-11-Version_control-GIT/3.GIT-HOL/branch-info.txt'
Launch 'p4merge' [Y/n]? y
```

```
Viewing (2/3): 'Module-11-Version_control-GIT/3.GIT-HOL/feature.txt'
Launch 'p4merge' [Y/n]? y
```

```
Viewing (3/3): 'Module-11-Version_control-GIT/3.GIT-HOL/multi-line.txt'
Launch 'p4merge' [Y/n]? y
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ git merge GitNewBranch
Updating 83c191a..92a4ed9
Fast-forward
```

```
"Module-11\342\200\223Version_control-GIT/3.GIT-HOL/branch-info.txt" | 1 +
"Module-11\342\200\223Version_control-GIT/3.GIT-HOL/feature.txt" | 1 +
"Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt" | 4 ++++
3 files changed, 6 insertions(+)
create mode 100644 "Module-11\342\200\223Version_control-GIT/3.GIT-HOL/branch-info.txt"
```


linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (main)

\$ git merge GitNewBranch

Updating 83c191a..92a4ed9

Fast-forward

"Module-11\342\200\223Version_control-GIT/3.GIT-HOL/branch-info.txt" | 1 +

"Module-11\342\200\223Version_control-GIT/3.GIT-HOL/feature.txt" | 1 +

"Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt" | 4 ++++

3 files changed, 6 insertions(+)

create mode 100644 "Module-11\342\200\223Version_control-GIT/3.GIT-HOL/branch-info.txt"

create mode 100644 "Module-11\342\200\223Version_control-GIT/3.GIT-HOL/feature.txt"

create mode 100644 "Module-11\342\200\223Version_control-GIT/3.GIT-HOL/multi-line.txt"

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (main)

\$ git log --oneline --graph --decorate

* 92a4ed9 (HEAD -> main, GitNewBranch) Added new files in GitNewBranch

* 83c191a (origin/main, origin/HEAD) added 2.git-hol

* d7bfb25 Added .gitignore to ignore log files

* d5b6e44 git handson

* 9043910 git handson

* 092edef Angular-10

* 8fe6465 Angular-9

* 097aa21 Angular-8

* 223e0aa Angular-7

* 0db7295 Angular-6

* f3208ef Angular-5

* b053c31 Angular-4

* 4399f90 Angular-3

* 883dd31 Angular-2

* 69acc6e Angular-1


```

* 9043910 git handson
* 092edef Angular-10
* 8fe6465 Angular-9
* 097aa21 Angular-8
* 223e0aa Angular-7
* 0db7295 Angular-6
* f3208ef Angular-5
* b053c31 Angular-4
* 4399f90 Angular-3
* 883dd31 Angular-2
* 69acc6e Angular-1
* 3cc29a5 Angular-1
* 734980b commit
* a500d9a Handson-19
* bcfd7cd Handson-18
* 459917e Handson-17
* 97a66a0 Handson-16
* 3b44aca Handson-15
* 205fb02 Handson-14
* 9409ad0 react
* efc372a handson-13
* b9e41be Handson-12
* 65087be eventExample
* da4ab9d officespacerental
* 2e16b06 cricketapp
* 45714c5 counterapp
* 65d59a2 shoppingapp
* d6e5799 TrainersApp
* ece7003 cohort
* 4cd79fb blogapp
* 5134db4 Remove blogapp
* 002c93f commit
* 511e336 scorecalculatorapp
    
```

```

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-
DeepSkilling/Module-11-Version_control-GIT/3.GIT-HOL (main)
$ git branch -d GitNewBranch
Deleted branch GitNewBranch (was 92a4ed9).
    
```



```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (main)
```

```
$ git branch
```

```
* main
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (main)
```

```
$ git status
```

```
On branch main
```

```
Your branch is ahead of 'origin/main' by 1 commit.
```

```
(use "git push" to publish your local commits)
```

```
nothing to commit, working tree clean
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (main)
```

```
$ ls
```

```
branch-info.txt  feature.txt  multi-line.txt
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (main)
```

```
$ cat feature.txt
```

```
This is a feature file created in GitNewBranch
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (main)
```

```
$ cat branch-info.txt
```

```
Branch specific content
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillig/Module-11-Version_control-GIT/3.GIT-HOL (main)
```

```
$ cat multi-line.txt
```

```
Line 1
```

```
Line 2
```

```
Line 3
```

```
This is branch work
```

```
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-
```