

```
MINGW64:/c/Users/linga/OneDrive/Documents/Desktop/Cognizant-DeepSkillling
linga@Sweety MINGW64 ~ (master)
$ cd ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillling/Module-11-Version_control-GIT
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillling/Module-11-Version_control-GIT (main)
$ mkdir 4.GIT-HOL
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillling/Module-11-Version_control-GIT (main)
$ cd 4.GIT-HOL
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git status
On branch main
Your branch is up to date with 'origin/main'.

nothing to commit, working tree clean
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git checkout -b GitWork
Switched to a new branch 'GitWork'
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillling/Module-11-Version_control-GIT/4.GIT-HOL (GitWork)
$ echo "<hello>Initial content</hello>" > hello.xml
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillling/Module-11-Version_control-GIT/4.GIT-HOL (GitWork)
$ echo "<hello>This is from GitWork branch</hello>" > hello.xml
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkillling/Module-11-Version_control-GIT/4.GIT-HOL (GitWork)
$ git status
On branch GitWork
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  ./
```

```
MINGW64:/c/Users/linga/OneDrive/Documents/Desktop/Cognizant-DeepSkill
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (GitWork)
$ git status
On branch GitWork
Untracked files:
  (use "git add <file>..." to include in what will be committed)
  ./

nothing added to commit but untracked files present (use "git add" to track)

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (GitWork)
$ git add hello.xml
warning: in the working copy of 'Module-11-Version_control-GIT/4.GIT-HOL/hello.xml', LF will be replaced by CRLF the next time Git touches it

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (GitWork)
$ git commit -m "Add hello.xml with branch content"
[GitWork 737c962] Add hello.xml with branch content
1 file changed, 1 insertion(+)
create mode 100644 "Module-11\342\200\223Version_control-GIT/4.GIT-HOL/hello.xml"

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (GitWork)
$ git branch
* GitWork
  main

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (GitWork)
$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ echo "<hello>This is from MASTER branch</hello>" > hello.xml
```

```
MINGW64:/c/Users/linga/OneDrive/Documents/Desktop/Cognizant-DeepSkilling
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ echo "<hello>This is from MASTER branch</hello>" > hello.xml

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git add hello.xml
warning: in the working copy of 'Module-11-Version_control-GIT/4.GIT-HOL/hello.xml', LF will be replaced by CRLF the next time G
it touches it

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git commit -m "Add hello.xml with master content"
[main 2cfcdb2] Add hello.xml with master content
1 file changed, 1 insertion(+)
create mode 100644 "Module-11\342\200\223Version_control-GIT/4.GIT-HOL/hello.xml"

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git log --oneline --graph --decorate --all
* 2cfcdb2 (HEAD -> main) Add hello.xml with master content
| * 737c962 (GitWork) Add hello.xml with branch content
|/
* 252ecf6 (origin/main, origin/HEAD) 3-GIT-HOL
* 92a4ed9 Added new files in GitNewBranch
* 83c191a added 2.git-hol
* d7bfb25 Added .gitignore to ignore log files
* d5b6e44 git handson
* 9043910 git handson
* 092edef Angular-10
* 8fe6465 Angular-9
* 097aa21 Angular-8
* 223e0aa Angular-7
* 0db7295 Angular-6
* f3208ef Angular-5
* b053c31 Angular-4
* 4399f90 Angular-3
* 883dd31 Angular-2
* 69acc6e Angular-1
```

MINGW64:/c/Users/linga/OneDrive/Documents/Desktop/Cognizant-DeepSkilling

```
* b053c31 Angular-4
* 4399f90 Angular-3
* 883dd31 Angular-2
* 69acc6e Angular-1
* 3cc29a5 Angular-1
* 734980b commit
* a500d9a HandsOn-19
* bcfd7cd HandsOn-18
* 459917e HandsOn-17
* 97a66a0 HandsOn-16
* 3b44aca HandsOn-15
* 205fb02 HandsOn-14
* 9409ad0 react
* efc372a handsOn-13
* b9e41be HandsOn-12
* 65087be eventExample
* da4ab9d officespacerental
* 2e16b06 cricketapp
* 45714c5 counterapp
* 65d59a2 shoppingapp
* d6e5799 TrainersApp
* ece7003 cohort
* 4cd79fb blogapp
* 5134db4 Remove blogapp
* 002c93f commit
* 511e336 scorecalculatorapp
```

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version\_control-GIT/4.GIT-HOL (main)

\$ git diff main GitWork

```
diff --git "a/Module-11\342\200\223Version_control-GIT/4.GIT-HOL/hello.xml" "b/Module-11\342\200\223Version_control-GIT/4.GIT-HOL/hello.xml"
```

```
index 142895d..a9a9179 100644
```

```
--- "a/Module-11\342\200\223Version_control-GIT/4.GIT-HOL/hello.xml"
```

```
+++ "b/Module-11\342\200\223Version_control-GIT/4.GIT-HOL/hello.xml"
```

```
@@ -1,1 @@
```

```
-<hello>This is from MASTER branch</hello>
```

```
+<hello>This is from GitWork branch</hello>
```

```
MINGW64:/c/Users/linga/OneDrive/Documents/Desktop/Cognizant-DeepSkilling
xml"
+++ "b/Module-11\342\200\223Version_control-GIT/4.GIT-HOL/hello.
xml"
@@ -1 +1 @@
-<hello>This is from MASTER branch</hello>
+<hello>This is from GitWork branch</hello>

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-Deep
Skillig/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git config --global diff.tool p4merge

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-Deep
Skillig/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git config --global difftool.p4merge.path "C:/Program Files/Pe
rforce/p4merge.exe"

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-Deep
Skillig/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git difftool main GitWork

viewing (1/1): 'Module-11-Version_control-GIT/4.GIT-HOL/hello.xml
1'
Launch 'p4merge' [Y/n]? y

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-Deep
Skillig/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git merge GitWork
Auto-merging Module-11-Version_control-GIT/4.GIT-HOL/hello.xml
CONFLICT (add/add): Merge conflict in Module-11-Version_control-
GIT/4.GIT-HOL/hello.xml
Automatic merge failed; fix conflicts and then commit the result
.

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-Deep
Skillig/Module-11-Version_control-GIT/4.GIT-HOL (main|MERGING)
$ cat hello.xml
<<<<<<< HEAD
<hello>This is from MASTER branch</hello>
=====
<hello>This is from GitWork branch</hello>
>>>>>>> GitWork
```



```
MINGW64:/c/Users/linga/OneDrive/Documents/Desktop/Cognizant-DeepSkilling
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main|MERGING)
$ git config --global merge.tool p4merge

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main|MERGING)
$ git config --global mergetool.p4merge.path "C:/Program Files/Perforce/p4merge.exe"

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main|MERGING)
$ git mergetool
Merging:
Module-11-Version_control-GIT/4.GIT-HOL/hello.xml

Normal merge conflict for 'Module-11-Version_control-GIT/4.GIT-HOL/hello.xml':
  {local}: created file
  {remote}: created file
error: invalid path './Module-11-Version_control-GIT/4.GIT-HOL/hello_BASE_1943.xml'

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main|MERGING)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

All conflicts fixed but you are still merging.
  (use "git commit" to conclude merge)

Changes to be committed:
  modified:   hello.xml

Untracked files:
  (use "git add <file>..." to include in what will be committed)
  hello.xml.orig

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-Deep
```

```
MINGW64:/c/Users/linga/OneDrive/Documents/Desktop/Cognizant-DeepSkilling
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main|MERGING)
$ git add hello.xml

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main|MERGING)
$ git commit -m "Resolved merge conflict in hello.xml"
[main 7cb8b0b] Resolved merge conflict in hello.xml

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git status
On branch main
Your branch is ahead of 'origin/main' by 3 commits.
  (use "git push" to publish your local commits)

Untracked files:
  (use "git add <file>..." to include in what will be committed)
    hello.xml.orig

nothing added to commit but untracked files present (use "git add" to track)

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ ls -la
total 10
drwxr-xr-x 1 linga 197609  0 Jul 21 09:26 ./
drwxr-xr-x 1 linga 197609  0 Jul 21 09:18 ../
-rw-r--r-- 1 linga 197609 44 Jul 21 09:26 hello.xml
-rw-r--r-- 1 linga 197609 127 Jul 21 09:25 hello.xml.orig

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ echo "*.orig" > .gitignore

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git add .gitignore
warning: in the working copy of 'Module-11-Version_control-GIT/4.GIT-HOL/.gitignore', LF will be replaced by CRLF the next time
```

```
MINGW64:/c/Users/linga/OneDrive/Documents/Desktop/Cognizant-DeepSkilling
linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ echo "*.orig" > .gitignore

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git add .gitignore
warning: in the working copy of 'Module-11-Version_control-GIT/4.GIT-HOL/.gitignore', LF will be replaced by CRLF the next time Git touches it

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git commit -m "Add .gitignore to ignore backup files"
[main 3fcb8c6] Add .gitignore to ignore backup files
1 file changed, 1 insertion(+)
create mode 100644 "Module-11\342\200\223Version_control-GIT/4.GIT-HOL/.gitignore"

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git branch
  Gitwork
* main

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git branch -d Gitwork
Deleted branch Gitwork (was 737c962).

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-DeepSkilling/Module-11-Version_control-GIT/4.GIT-HOL (main)
$ git log --oneline --graph --decorate
* 3fcb8c6 (HEAD -> main) Add .gitignore to ignore backup files
* 7cb8b0b Resolved merge conflict in hello.xml
| \
| * 737c962 Add hello.xml with branch content
* | 2cfcdb2 Add hello.xml with master content
| /
* 252ecf6 (origin/main, origin/HEAD) 3-GIT-HOL
* 92a4ed9 Added new files in GitNewBranch
```



```
MINGW64:/c/Users/linga/OneDrive/Documents/Desktop/Cognizant-DeepSkillig
* 7cb8b0b Resolved merge conflict in hello.xml
| \
| * 737c962 Add hello.xml with branch content
| * | 2cfcdb2 Add hello.xml with master content
| /
* 252ecf6 (origin/main, origin/HEAD) 3-GIT-HOL
* 92a4ed9 Added new files in GitNewBranch
* 83c191a added 2.git-hol
* d7bfb25 Added .gitignore to ignore log files
* d5b6e44 git handson
* 9043910 git handson
* 092edef Angular-10
* 8fe6465 Angular-9
* 097aa21 Angular-8
* 223e0aa Angular-7
* 0db7295 Angular-6
* f3208ef Angular-5
* b053c31 Angular-4
* 4399f90 Angular-3
* 883dd31 Angular-2
* 69acc6e Angular-1
* 3cc29a5 Angular-1
* 734980b commit
* a500d9a HandsOn-19
* bcfd7cd HandsOn-18
* 459917e HandsOn-17
* 97a66a0 HandsOn-16
* 3b44aca HandsOn-15
* 205fb02 HandsOn-14
* 9409ad0 react
* efc372a handsOn-13
* b9e41be HandsOn-12
* 65087be eventExample
* da4ab9d officespacerental
* 2e16b06 cricketapp
* 45714c5 counterapp
* 65d59a2 shoppingapp
* d6e5799 TrainersApp
* ece7003 cohort
* 4cd79fb blogapp

linga@Sweety MINGW64 ~/OneDrive/Documents/Desktop/Cognizant-Deep
```