TL_Cura_Checking_Appointment_Booked_or_Not

Execution Environment

Host name modep - LAPTOP-FMBJHFG0

Local OS Windows 11 64bit

Katalon version 9.2.0.212

Browser Chrome 120.0.0.0

Summary

ID Test Suites/Cura_TestSuite/TL_Cura_Checking_Appointment_Booked_or_Not

Description

Total 1

Passed 1 Failed 0
Error 0 Incomplete 0

Skipped 0

Start 29-01-2024 12:11:22 End 29-01-2024 12:12:36

Elapsed 1m - 14.042s

ID Description Status

1 Test Cases/Cura Health Care Services_Record and Playback Modes/TC_CHS_Home_Validate Checking the Appointment is Booked or Not_004 **PASSED**

Information

Test Cases/Cura Health Care Services_Record and Playback Modes/TC_CHS_Home_Validate Checking the

Appointment is Booked or Not_004

Description

Tag

Start 29-01-2024 12:11:34 End 29-01-2024 12:12:34

Elapsed 59.735s Status PASSED

Details

| # | Description | Elapsed | Status |
|---|--|---------|--------|
| 1 | Start listener action : sampleBeforeTestCase | 1.923s | PASSED |

Text ****** has been set on object 'Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/input_password'

| Description | Elapsed | Statu |
|---|---------|-------|
| Start listener action : sampleBeforeTestCase | 0.575s | ERRO |
| com.kms.katalon.core.exception.StepFailedException: Unable to click on object 'Object | | |
| Repository/CHS_Pages_Multiple Appointments/Page_CURA Healthcare Service/a_Login' | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.stepFailed | | |
| (WebUIKeywordMain.groovy:64) | | |
| at com.kms.katalon.core.webui.keyword.internal.WebUIKeywordMain.runKeyword | | |
| (WebUIKeywordMain.groovy:26) | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.click(ClickKeyword. | | |
| groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.execute (ClickKeyword.groovy:40) | | |
| at com.kms.katalon.core.keyword.internal.KeywordExecutor. | | |
| executeKeywordForPlatform(KeywordExecutor.groovy:74) | | |
| at com.kms.katalon.core.webui.keyword.WebUiBuiltInKeywords.click | | |
| (WebUiBuiltInKeywords.groovy:659) | | |
| $at\ Cura_Multiple Ppointments. sample Before Test Case (Cura_Multiple Ppointments.$ | | |
| groovy:32) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeMethod(TestHooker. | | |
| java:111) | | |
| at com.kms.katalon.core.context.internal.TestHooker.lambda\$3(TestHooker.java: | | |
| 95) | | |
| at com.kms.katalon.core.context.internal.TestHooker.invokeContextMethods | | |
| (TestHooker.java:94) at com.kms.katalon.core.context.internal.TestListenerCollector.lambda\$3 | | |
| (TestListenerCollector.java:88) | | |
| at com.kms.katalon.core.context.internal.TestListenerCollector. | | |
| handleListenerEvent(TestListenerCollector.java:85) | | |
| at com.kms.katalon.core.context.internal.ExecutionEventManager.publicEvent | | |
| (ExecutionEventManager.java:36) | | |
| at com.kms.katalon.core.main.TestCaseExecutor.execute(TestCaseExecutor. | | |
| java:268) at com.kms.katalon.core.common.CommonExecutor.accessTestCaseMainPhase | | |
| (CommonExecutor.java:65) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.accessTestSuiteMainPhase | | |
| (TestSuiteExecutor.java:148) | | |
| at com.kms.katalon.core.main.TestSuiteExecutor.execute(TestSuiteExecutor.java: | | |
| 106) | | |
| at com.kms.katalon.core.main.TestCaseMain.startTestSuite(TestCaseMain.java: | | |
| 180) | | |
| at TempTestSuite1706510475454.run(TempTestSuite1706510475454.groovy:36) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native | | |
| Method) | | |
| at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke | | |
| (NativeMethodAccessorImpl.java:77) | | |
| at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke | | |
| (DelegatingMethodAccessorImpl.java:43) | | |
| Caused by: org.openqa.selenium.ElementNotInteractableException: element not | | |
| interactable (Cassis prints) abrooms 430,0,0000,335) | | |
| (Session info: chrome=120.0.6099.225) | | |

Status

```
Description
                                                                                             Elapsed
System info: host: 'LAPTOP-FMBJHFG0', ip: '192.168.0.105', os.name: 'Windows 11', os.
arch: 'amd64', os.version: '10.0', java.version: '17.0.7'
Driver info: com.kms.katalon.selenium.driver.CChromeDriver
Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion:
120.0.6099.225, chrome: {chromedriverVersion: 120.0.6099.71 (9729082fe617...,
userDataDir: C:\Users\modep\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions:
{debuggerAddress: localhost:60103}, javascriptEnabled: true, networkConnectionEnabled:
false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy:
Proxy(), setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad:
300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:
credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true,
webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
Session ID: f7d781c1d4b1d11fd16855328b15b085
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0
(Native Method)
          at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance
(NativeConstructorAccessorImpl.java:77)
          at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance
(DelegatingConstructorAccessorImpl.java:45)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.createException
(W3CHttpResponseCodec.java:187)
          at org.openqa.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:122)
          at org.openga.selenium.remote.http.W3CHttpResponseCodec.decode
(W3CHttpResponseCodec.java:49)
          at org.openga.selenium.remote.HttpCommandExecutor.execute
(HttpCommandExecutor.java:158)
          at org.openga.selenium.remote.service.DriverCommandExecutor.execute
(DriverCommandExecutor.java:83)
          at\ org. open qa. selenium. remote. Remote Web Driver. execute (Remote Web Driver.)
java:552)
          at\ com. kms. katalon. selenium. driver. CChrome Driver. execute (CChrome Driver. java:
19)
          at org.openqa.selenium.remote.RemoteWebElement.execute
(RemoteWebElement.java:285)
          at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.
java:84)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke
(NativeMethodAccessorImpl.java:77)
          at\ java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke
(DelegatingMethodAccessorImpl.java:43)
          at org.openqa.selenium.support.events.
\label{thm:continuous} EventFiringWebDriver \$ EventFiringWebDriver. java: \\
404)
          at jdk.proxy2/jdk.proxy2.$Proxy26.click(Unknown Source)
          at org.openqa.selenium.support.events.
EventFiringWebDriver$EventFiringWebElement.click(EventFiringWebDriver.java:417)
          at org.openga.selenium.WebElement$click.call(Unknown Source)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy:81)
          at com.kms.katalon.core.webui.keyword.builtin.ClickKeyword.
clickUntilSuccessWithTimeout(ClickKeyword.groovy)
          at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native
Method)
```

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke



| # | Description | Elapsed | Status |
|----|--|---------|--------|
| 6 | click(findTestObject("Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/input_hospital_readmission")) Object: 'Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/input_hospital_readmission' is clicked on | 13.508s | PASSED |
| 7 | click(findTestObject("Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/div_Medicarecb3988")) Object: 'Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/div_Medicarecb3988' is clicked on | 0.471s | PASSED |
| 8 | click(findTestObject("Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/label_Medicaid")) Object: 'Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/label_Medicaid' is clicked on | 0.355s | PASSED |
| 9 | click(findTestObject("Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/span_glyphicon glyphicon-calendar")) Object: 'Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/span_glyphicon glyphicon-calendar' is clicked on | 0.384s | PASSED |
| 10 | click(findTestObject("Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/td_23")) Object: 'Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/td_23' is clicked on | 0.485s | PASSED |
| 11 | setText(findTestObject("Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/textarea_comment"), "Make Appointment") Text 'Make Appointment' is set on object 'Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/textarea_comment' | 0.884s | PASSED |
| 12 | click(findTestObject("Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/button_Book Appointment")) Object: 'Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/button_Book Appointment' is clicked on | 0.778s | PASSED |

| # | Description | Elapsed | Status |
|----|---|---------|--------|
| 13 | click(findTestObject("Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/a_Go to Homepage")) Object: 'Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/a_Go to Homepage' is clicked on | 0.990s | PASSED |
| 14 | Start listener action : sampleAfterTestCase Object: 'Object Repository/CHS_Pages_Checking Appointment is booked or Not_OR/Page_CURA Healthcare Service/i_fa fa-bars' is clicked on | 0.370s | PASSED |
| 15 | Start listener action : sampleAfterTestCase Object: 'Object Repository/CHS_Pages_Multiple Appointments/Page_CURA Healthcare Service/a_History' is clicked on | 0.957s | PASSED |
| 16 | Start listener action : sampleAfterTestCase Object: 'Object Repository/TL_CuraAppointment_OR/Page_CURA Healthcare Service/a_Logout' is clicked on | 1.615s | PASSED |