



**SREE NARAYANA GURUKULAM
COLLEGE OF ENGINEERING
KADAYIRUPPU, KOLENCHERY 682311**

**LABORATORY RECORD
YEAR: 2022 TO 2023**

NAME: SREERAG T V

SEMESTER: 3

ROLL NO: 34

BRANCH: COMPUTER APPLICATIONS

Certified that this is a Bonafide Record of Practical work done in partial fulfillment of the requirements for the award of the Degree in Master of Computer Applications of Sree Narayana Gurukulam College of Engineering.

Kadayiruppu

Date:

Head of the Department

Course Instructor

Submitted for University Practical Examination

Reg. No: SNG21MCA-2036 on

External Examiner

Internal Examiner

INDEX PAGE

NO	PROGRAM	DATE
COURSE OUTCOME 1		
1	LOGIN FORM	30/08/22
2	ACTIVITY LIFECYCLE	03/09/22
3	SIMPLE CALCULATOR	10/09/22
4	FORM VALIDATION	20/09/22
COURSE OUTCOME 2		
5	INTENT AND SHARED PREFERENCES	25/09/22
6	GRID CALCULATOR	30/09/22
7	FACEBOOK PAGE	05/10/22
8	TOGGLE IMAGE	20/10/22
COURSE OUTCOME 3		
9	INTENT	30/10/22
10	MENU	10/11/22
COURSE OUTCOME 5		
11	DATABASE MANAGEMENT	20/11/22

COURSE OUTCOME 1

PROGRAM NO:1

DATE: 30/08/22

LOGIN FORM

AIM

Design a Login Form with username and password using LinearLayout and toast valid credentials

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
    xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">
    <LinearLayout
        android:layout_width="409dp"
        android:layout_height="729dp"
        android:orientation="vertical"
        tools:layout_editor_absoluteX="1dp"
        tools:layout_editor_absoluteY="1dp"
        tools:ignore="MissingConstraints">
        <TextView
            android:id="@+id/textView5"
            android:layout_width="match_parent"
            android:layout_height="37dp"
            android:text="USERNAME"
            android:textSize="20dp"/>
        <EditText
            android:id="@+id/txt_uname"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:ems="10"
            android:hint="user name"
            android:inputType="textPersonName" />
        <TextView
            android:id="@+id/textView6"
            android:layout_width="match_parent"
            android:layout_height="35dp"
            android:text="PASSWORD"
            android:textSize="20dp"/>
        <EditText
            android:id="@+id/txt_pwd"
            android:layout_width="match_parent"
            android:layout_height="wrap_content"
            android:ems="10"
```

```

        android:hint="password"
        android:inputType="textPassword" />
<Button
    android:id="@+id/btn_login"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:background="#1B0000"
    android:onClick="login_user"
    android:text="LOGIN" />
</LinearLayout>
</androidx.constraintlayout.widget.ConstraintLayout>

```

JAVA CODE

```

package com.example.login_form;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {
    EditText EditUser,EditPass;
    Button BtnLogin;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);


        EditUser=findViewById(R.id.txt_uname);
        EditPass=findViewById(R.id.txt_pwd);
        BtnLogin=findViewById(R.id.btn_login);
    }

    public void login_user(View view) {
        String s1=EditUser.getText().toString();
        String s2=EditPass.getText().toString();
        if (s1.equals("Sreeragtv") && s2.equals("sreerag"))
        {
            Toast.makeText(this, "LOGIN SUCCESS Sreerag", Toast.LENGTH_SHORT).show();
        }
        else
        {
            Toast.makeText(this, "Invalid Username or Password",
Toast.LENGTH_SHORT).show();
        }
    }
}

```

```
}  
}
```

OUTPUT



PROGRAM NO:2

DATE: 03/09/22

ACTIVITY LIFECYCLE

AIM

Write a program that demonstrates Activity Lifecycle.

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="#020522"
    tools:context=".MainActivity">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:background="#020522"
        android:text="Hello SreeraG!"
        android:textColor="#FFFFFF"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent" />

</androidx.constraintlayout.widget.ConstraintLayout>
```

JAVA CODE

```
package com.example.lifecycle;

import androidx.appcompat.app.AppCompatActivity;


import android.os.Bundle;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
```

```
        setContentView(R.layout.activity_main);
        Toast.makeText(this,"onCreate", Toast.LENGTH_LONG).show();
    }
    @Override
    protected void onStart() {
        super.onStart();
        Toast.makeText(this,"onStart",Toast.LENGTH_LONG).show();
    }
    @Override
    protected void onResume() {
        super.onResume();
        Toast.makeText(this,"onResume",Toast.LENGTH_LONG).show();
    }
    @Override
    protected void onPause() {
        super.onPause();
        Toast.makeText(this,"onPause",Toast.LENGTH_LONG).show();
    }
    @Override
    protected void onStop() {
        super.onStop();
        Toast.makeText(this,"onStop",Toast.LENGTH_LONG).show();
    }
    @Override
    protected void onDestroy() {
        super.onDestroy();
        Toast.makeText(this,"onDestroy",Toast.LENGTH_LONG).show();
    }
}
```


OUTPUT



PROGRAM NO:3

DATE: 10/09/22

SIMPLE CALCULATOR

AIM

Implementing basic arithmetic operations of a simple calculator.

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity">

    <LinearLayout
        android:layout_width="409dp"
        android:layout_height="729dp"
        android:orientation="vertical"
        tools:layout_editor_absoluteX="1dp"
        tools:layout_editor_absoluteY="1dp"
        tools:ignore="MissingConstraints">

        <LinearLayout
            android:layout_width="match_parent"
            android:layout_height="77dp"
            android:orientation="horizontal">

            <TextView
                android:id="@+id/textView3"
                android:layout_width="97dp"
                android:layout_height="wrap_content"
                android:layout_weight="1"
                android:text="EnterNumber 1" />

            <EditText
                android:id="@+id/n1"
                android:layout_width="wrap_content"
                android:layout_height="wrap_content"
                android:layout_weight="1"
                android:ems="10"
                android:inputType="textPersonName" />
        </LinearLayout>
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="65dp"
    android:orientation="horizontal">

    <TextView
        android:id="@+id/textView7"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Enter Number 2" />

    <EditText
        android:id="@+id/n2"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:ems="10"
        android:inputType="textPersonName" />
</LinearLayout>
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="91dp"
    android:orientation="horizontal">

    <Button
        android:id="@+id/submit_btn"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:onClick="sum"
        android:text="Sum" />
</LinearLayout>
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="78dp"
    android:orientation="horizontal">

    <TextView
        android:id="@+id/textView8"
        android:layout_width="98dp"
        android:layout_height="wrap_content"
        android:layout_weight="1"
        android:text="Result" />

    <EditText
        android:id="@+id/result"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_weight="1"
```

```
        android:ems="10"
        android:inputType="textPersonName" />
    </LinearLayout>
</LinearLayout>
</androidx.constraintlayout.widget.ConstraintLayout>
```

JAVA CODE

```
package com.example.calculator;


import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;

public class MainActivity extends AppCompatActivity {
    EditText et_first,et_second,et_result;
    Button et_submit;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        et_first=findViewById(R.id.n1);
        et_second=findViewById(R.id.n2);
        et_result=findViewById(R.id.result);
        et_submit=findViewById(R.id.submit_btn);
    }
    public void sum(View view){
        int num1 = Integer.parseInt(et_first.getText().toString());
        int num2 = Integer.parseInt(et_second.getText().toString());
        int sum = num1+num2;
        et_result.setText(sum+"");
    }
}
```

OUTPUT



PROGRAM NO:4

DATE: 20/09/22

FORM VALIDATION

AIM

Implement validations on various UI controls.

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="#030303"
    tools:context=".MainActivity">
```

```
<LinearLayout
    android:layout_width="409dp"
    android:layout_height="729dp"
    android:orientation="vertical"
    tools:layout_editor_absoluteX="1dp"
    tools:layout_editor_absoluteY="1dp"
    tools:ignore="MissingConstraints">
```

```
<TextView
    android:id="@+id/textView"
    android:layout_width="match_parent"
    android:layout_height="45dp"
    android:background="#080"
    android:lineSpacingExtra="10sp"
    android:text="Enter the details for registration"
    android:textAlignment="center"
    android:textColor="#fff"
    android:textSize="27sp"
    android:textStyle="bold|italic" />
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="73dp"
    android:orientation="horizontal">
```

```
<EditText
    android:id="@+id/first"
    android:layout_width="wrap_content"
```

```
    android:layout_height="match_parent"
    android:layout_weight="1"
    android:ems="10"
    android:hint="First Name"
    android:inputType="textPersonName"
    android:textColor="#fff" />
```

```
<EditText
    android:id="@+id/last"
    android:layout_width="wrap_content"
    android:layout_height="73dp"
    android:layout_weight="1"
    android:ems="10"
    android:hint="Last Name"
    android:inputType="textPersonName" />
</LinearLayout>
```

```
<EditText
    android:id="@+id/email"
    android:layout_width="match_parent"
    android:layout_height="88dp"
    android:ems="10"
    android:hint="E-MAIL"
    android:inputType="textEmailAddress" />
```

```
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="113dp"
    android:orientation="horizontal">
```

```
<RadioGroup
    android:id="@+id/rd"
    android:layout_width="match_parent"
    android:layout_height="106dp"
    android:orientation="horizontal">
```

```
<RadioButton
    android:id="@+id/male"
    android:layout_width="wrap_content"
    android:layout_height="69dp"
    android:layout_weight="1"
    android:text="Male"
    android:textSize="20sp" />
```

```
<RadioButton
    android:id="@+id/female"
    android:layout_width="wrap_content"
    android:layout_height="71dp"
    android:layout_weight="1"
    android:text="Female"
```

```

        android:textSize="20sp" />

        <RadioButton
            android:id="@+id/other"
            android:layout_width="wrap_content"
            android:layout_height="68dp"
            android:layout_weight="1"
            android:text="Other"
            android:textSize="20sp" />
    </RadioGroup>

</LinearLayout>

<EditText
    android:id="@+id/date"
    android:layout_width="match_parent"
    android:layout_height="92dp"
    android:ems="10"
    android:hint="DATE"
    android:inputType="date" />

<EditText
    android:id="@+id/password"
    android:layout_width="match_parent"
    android:layout_height="73dp"
    android:ems="10"
    android:hint="PASSWORD"
    android:inputType="textPassword" />

<CheckBox
    android:id="@+id/checkBox"
    android:layout_width="match_parent"
    android:layout_height="72dp"
    android:text="Agree? Privacy and policy" />

<Button
    android:id="@+id/register"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:backgroundTint="#1F9F02"
    android:insetLeft="150dp"
    android:onClick="submit"
    android:text="REGISTER"
    android:textColor="@color/white" />

</LinearLayout>

</androidx.constraintlayout.widget.ConstraintLayout>

```


JAVA CODE

```
package com.example.registration_form;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.RadioButton;
import android.widget.RadioGroup;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {
    EditText first1, date1, last1, email1, password1;
    Button register1;
    RadioButton male1, female1, other1;
    boolean isAllFieldChecked = false;
    RadioGroup rp;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        first1 = findViewById(R.id.first);
        last1 = findViewById(R.id.last);
        date1 = findViewById(R.id.date);
        email1 = findViewById(R.id.email);
        password1 = findViewById(R.id.password);
        male1 = findViewById(R.id.male);
        female1 = findViewById(R.id.female);
        other1 = findViewById(R.id.other);
        rp = findViewById(R.id.rd);
    }

    public void submit(View view) {
        isAllFieldChecked = CheckAllFields();
        if (isAllFieldChecked){
            Toast.makeText(this, "Successfully Registered", Toast.LENGTH_SHORT).show();
        }
    }

    private boolean CheckAllFields() {
        if (first1.length()==0) {
            first1.setError("First Name is required");
            return false;
        }
        if (last1.length()==0) {
```

```

        last1.setError("Last Name is required");
        return false;
    }
    if (email1.length()==0){
        email1.setError("Email is required");
        return false;
    }
    else{
        String s_mail=email1.getText().toString();
        String checkEmail = "[a-zA-Z0-9._-]+@[a-z]+[.]+[a-z]+";
        if(!s_mail.matches(checkEmail)){
            email1.setError("Invalid Email!!");
            return false;
        }
    }
    if (date1.length()==0) {
        date1.setError("Date is requied");
        return false;
    }
    if (password1.length()==0) {
        password1.setError("password is requied");
        return false;
    }
    else if(password1.length()<8) {
        password1.setError("password must be minimum 8 charactors!");
        return false;
    }
    if (rp.getCheckedRadioButtonId() == -1) {
        other1.setError("Select gender");
        other1.requestFocus();
        return false;
    }
    return true;
}
}

```

OUTPUT

Registration_Form

Enter the details for registration

First Name ! Last_Name

First Name is required.

E-MAIL

☐ Male ☐ Female ☐ Other

DATE

PASSWORD

☐ Agree? Privacy and policy

REGISTER

Registration_Form

Enter the details for registration

SREERAG TV

stv@gmail.com

☒ Male ☐ Female ☐ Other

DATE

Date is required.

PASSWORD

☐ Agree? Privacy and policy

REGISTER

Registration_Form

Enter the details for registration

SREERAG TV

stv@gmail.com

☒ Male ☐ Female ☐ Other

03/12/1999

password must be minimum 8 characters!

☐ Agree? Privacy and policy

REGISTER

Registration_Form

Enter the details for registration

SREERAG TV

stv@gmail.com

☒ Male ☐ Female ☐ Other

03/12/1999

☒ Agree? Privacy and policy

REGISTER

Successfully Registered

COURSE OUTCOME 2

PROGRAM NO:5

DATE:25/09/22

INTENTS AND SHARED PREFERENCES

AIM

Design a registration activity and store registration details in local memory of phone using Intents and SharedPreferences

PAGE 1

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools" android:layout_width="match_parent"
    android:layout_height="match_parent" android:orientation="vertical"
    tools:context=".MainActivity">
    <TextView
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:gravity="center"
        android:background="@color/black"
        android:textColor="@color/white"
        android:text="ENTER THE DETAILS"
        android:layout_marginTop="30px"
        android:textSize="25sp"
    />
    <EditText
        android:id="@+id/fullname"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:ems="10"
        android:layout_marginTop="30sp"
        android:inputType="textPersonName"
        android:hint="FULL NAME" />
    <EditText
        android:id="@+id/email"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:ems="10"
        android:layout_marginTop="30sp"
        android:hint="EMAIL"
        android:inputType="textPersonName" />
    <EditText
        android:id="@+id/location"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:ems="10"
```

```
android:layout_marginTop="30sp"
android:inputType="textPersonName"
android:hint="LOCATION" />
```

```
<Button
    android:id="@+id/button"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="30sp"
    android:backgroundTint="#0A5302"
    android:onClick="reg"
    android:text="REGISTER" />
</LinearLayout>
```

JAVA CODE

```
package com.example.shared_preferences;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.content.SharedPreferences;
import android.os.Bundle;
import android.view.View;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {
    EditText name,email,location;
    SharedPreferences sp;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        name=findViewById(R.id.fullname);
        email=findViewById(R.id.email);
        location=findViewById(R.id.location);
        sp=getSharedPreferences("register",MODE_PRIVATE);
    }
    public void reg(View view) {
        Toast.makeText(this,"REGISTERED
SUCCESSFULLY",Toast.LENGTH_SHORT).show();
        Intent i=new Intent(MainActivity.this,MainActivity2.class);
        String val1=name.getText().toString();
        String val2=email.getText().toString();
        i.putExtra("name",val1);
        i.putExtra("email",val2);
        SharedPreferences.Editor ed=sp.edit();
        ed.putString("location",location.getText().toString());
    }
}
```

```
        ed.commit();
        startActivity(i);
    }
}
```

PAGE 2

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    tools:context=".MainActivity2">
```

```
    <TextView
        android:id="@+id/det"
        android:layout_width="match_parent"
        android:layout_marginTop="30px"
        android:fontFamily="serif"
        android:textStyle="bold"
        android:textColor="@color/white"
        android:gravity="center"
        android:background="@color/black"
        android:textSize="25sp"
        android:layout_height="wrap_content"
        android:text="REGISTRATION DETAILS" />
```

```
    <TextView
        android:id="@+id/name"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:layout_marginTop="30px"
        android:fontFamily="serif"
        android:gravity="center"
        android:text="NAME"
        android:textColor="#23ECD4"
        android:textSize="25sp"
        android:textStyle="bold" />
```

```
    <TextView
        android:id="@+id/email"
        android:textColor="#23ECD4"
        android:fontFamily="serif"
        android:layout_marginTop="30px"
        android:textSize="25sp"
        android:textStyle="bold"
```

```

        android:gravity="center"
        android:layout_width="match_parent"
        android:layout_height="wrap_content"
        android:text="EMAIL" />

<TextView
    android:id="@+id/location"
    android:textColor="#23ECD4"
    android:fontFamily="serif"
    android:layout_marginTop="30px"
    android:textSize="25sp"
    android:textStyle="bold"
    android:gravity="center"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="LOCATION" />
</LinearLayout>

```

JAVA CODE

```

package com.example.shared_preferences;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.content.SharedPreferences;
import android.os.Bundle;
import android.widget.TextView;

public class MainActivity2 extends AppCompatActivity {
    TextView t1,t2,t3;
    SharedPreferences sp;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main2);
        t1=findViewById(R.id.name);
        t2=findViewById(R.id.email);
        t3=findViewById(R.id.location);
        sp=getSharedPreferences("register",MODE_PRIVATE);

        Intent intent=getIntent();
        String val1=intent.getStringExtra("name");
        String val2=intent.getStringExtra("email");
        String val3=sp.getString("location","");


        t1.setText("NAME: "+val1);
        t2.setText("EMAIL: "+val2);
        t3.setText("LOCATION: "+val3);
    }
}

```



```
}  
}
```

OUTPUT



PROGRAM NO:6

DATE:30/09/22

GRID CALCULATOR

AIM

Design a simple Calculator using GridLayout and Cascaded LinearLayout

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<LinearLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:orientation="vertical"
    tools:context=".MainActivity">

    <EditText
        android:id="@+id/display"
        android:layout_width="390dp"
        android:layout_height="80dp"
        android:layout_gravity="center"
        android:layout_marginTop="30dp"
        android:background="#393131"
        android:gravity="center"
        android:inputType="textPersonName"
        android:textSize="48sp" />

    <androidx.gridlayout.widget.GridLayout
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginTop="30dp"
        android:layout_gravity="center">

        <Button
            android:id="@+id/b7"
            android:layout_width="wrap_content"
            android:layout_height="54dp"
            android:backgroundTint="#6e7778"
            android:text="7"
            app:layout_column="0"
            app:layout_row="0" />

        <Button
            android:id="@+id/b8"
            android:layout_width="wrap_content"
            android:layout_height="54dp"
            android:layout_marginLeft="10dp"
            android:backgroundTint="#6e7778"
```

```
        android:text="8"
        app:layout_column="1"
        app:layout_row="0" />
<Button
    android:id="@+id/b9"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="9"
    app:layout_column="2"
    app:layout_row="0" />
<Button
    android:id="@+id/div"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#3C393B"
    android:text="/"
    app:layout_column="3"
    app:layout_row="0" />
<Button
    android:id="@+id/b4"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:backgroundTint="#6e7778"
    android:text="4"
    app:layout_column="0"
    app:layout_row="1" />
<Button
    android:id="@+id/b5"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="5"
    app:layout_column="1"
    app:layout_row="1" />
<Button
    android:id="@+id/b6"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="6"
    app:layout_column="2"
    app:layout_row="1" />
<Button
    android:id="@+id/mul"
    android:layout_width="wrap_content"
```

```

        android:layout_height="54dp"
        android:layout_marginLeft="10dp"
        android:backgroundTint="#3C393B"
        android:text="x"
        app:layout_column="3"
        app:layout_row="1" />
<Button
    android:id="@+id/b1"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:backgroundTint="#6e7778"
    android:text="1"
    app:layout_column="0"
    app:layout_row="2" />
<Button
    android:id="@+id/b2"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="2"
    app:layout_column="1"
    app:layout_row="2" />
<Button
    android:id="@+id/b3"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#6e7778"
    android:text="3"
    app:layout_column="2"
    app:layout_row="2" />
<Button
    android:id="@+id/sub"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#3C393B"
    android:text="-"
    app:layout_column="3"
    app:layout_row="2" />
<Button
    android:id="@+id/clr"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:backgroundTint="#3C393B"
    android:text="clr"
    app:layout_column="0"
    app:layout_row="3" />
<Button

```

```

        android:id="@+id/b0"
        android:layout_width="wrap_content"
        android:layout_height="54dp"
        android:layout_marginLeft="10dp"
        android:backgroundTint="#6e7778"
        android:text="0"
        app:layout_column="1"
        app:layout_row="3" />
<Button
    android:id="@+id/equal"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#3C393B"
    android:text="="
    app:layout_column="2"
    app:layout_row="3" />
<Button
    android:id="@+id/add"
    android:layout_width="wrap_content"
    android:layout_height="54dp"
    android:layout_marginLeft="10dp"
    android:backgroundTint="#3C393B"
    android:text="+"
    app:layout_column="3"
    app:layout_row="3" />
</androidx.gridlayout.widget.GridLayout>
</LinearLayout>

```

JAVA CODE

```

package com.example.calculator;

import androidx.appcompat.app.AppCompatActivity;

import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;

public class MainActivity extends AppCompatActivity implements View.OnClickListener {
    EditText number;
    double num1=0;
    double num2=0;
    String op="";
    Button b1, b2, b3, b4, b5, b6, b7, b8, b9, b0, sum, sub, mul, div,equal, clear;

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
    }
}

```

```

setContentView(R.layout.activity_main);

number = findViewById(R.id.display);
b0 = findViewById(R.id.b0);
b1 = findViewById(R.id.b1);
b2 = findViewById(R.id.b2);
b3 = findViewById(R.id.b3);
b4 = findViewById(R.id.b4);
b5 = findViewById(R.id.b5);
b6 = findViewById(R.id.b6);
b7 = findViewById(R.id.b7);
b8 = findViewById(R.id.b8);
b9 = findViewById(R.id.b9);

sum = findViewById(R.id.add);
sub = findViewById(R.id.sub);
mul = findViewById(R.id.mul);
div = findViewById(R.id.div);
equal = findViewById(R.id.equal);
clear = findViewById(R.id.clr);

b0.setOnClickListener(this);
b1.setOnClickListener(this);
b2.setOnClickListener(this);
b3.setOnClickListener(this);
b4.setOnClickListener(this);

b5.setOnClickListener(this);
b6.setOnClickListener(this);
b7.setOnClickListener(this);
b8.setOnClickListener(this);
b9.setOnClickListener(this);

mul.setOnClickListener(this);
div.setOnClickListener(this);
sub.setOnClickListener(this);
sum.setOnClickListener(this);
clear.setOnClickListener(this);
equal.setOnClickListener(this);
}

@Override
public void onClick(View view) {
    Button b = (Button) view;
    if (view == clear) {
        number.setText("");
    } else if (view == sub || view == sum || view == mul || view == div) {
        num1 = Integer.parseInt(number.getText().toString());
        op = b.getText().toString();
        number.setText("");
    }
}

```

```

    } else if (view == equal) {
        num2 = Integer.parseInt(number.getText().toString());
        if (op.equals("+")) {
            number.setText(num1 + num2 + "");
        } else if (op.equals("-")) {
            number.setText(num1 - num2 + "");
        } else if (op.equals("x")) {
            number.setText(num1 * num2 + "");
        } else if (op.equals("/")) {
            number.setText(num1 / num2 + "");
        }
    } else {
        String s = number.getText().toString();
        number.setText(s + b.getText().toString());
    }
}
}
}

```

OUTPUT



PROGRAM NO:7

DATE:05/10/22

FACEBOOK PAGE

AIM

Create a Facebook page using RelativeLayout; set properties using .xml file

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<RelativeLayout xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="#3e52ab"
    tools:context=".MainActivity">

    <ImageView
        android:id="@+id/imageView"
        android:layout_width="match_parent"
        android:layout_height="100dp"
        android:layout_gravity="center"
        android:layout_marginTop="40dp"
        app:srcCompat="@drawable/fb2" />

    <EditText
        android:id="@+id/username"
        android:layout_width="match_parent"
        android:layout_height="50dp"
        android:layout_below="@+id/imageView"
        android:layout_marginLeft="10dp"
        android:layout_marginRight="10dp"
        android:layout_marginTop="60dp"
        android:background="@xml/back"
        android:ems="10"
        android:hint="Email or Phone Number"
        android:inputType="textPersonName"
        android:paddingLeft="30dp"
        android:textColor="@color/white"
        android:textColorHint="@color/white"
        android:textSize="19sp" />

    <EditText
        android:id="@+id/password"
        android:layout_width="match_parent"
        android:layout_height="50dp"
        android:layout_below="@+id/username"
        android:layout_marginLeft="10dp"
```



```
android:layout_marginTop="10dp"
android:layout_marginRight="10dp"
android:background="@xml/back"
android:ems="10"
android:hint="password"
android:inputType="textPersonName"
android:paddingLeft="30dp"
android:textColor="@color/white"
android:textColorHint="@color/white"
android:textSize="19sp" />
```

<Button

```
android:id="@+id/button"
android:layout_width="260dp"
android:layout_height="55dp"
android:layout_below="@+id/password"
android:layout_centerHorizontal="true"
android:layout_marginTop="40dp"
android:backgroundTint="#46b082"
android:text="Login"
android:textColor="#FFFFFF"
android:textSize="18sp" />
```

<TextView

```
android:id="@+id/textView"
android:layout_width="wrap_content"
android:layout_height="wrap_content"
android:layout_below="@id/button"
android:layout_centerHorizontal="true"
android:layout_marginTop="15dp"
android:text="Forgot account?"
android:textColor="@color/white"
android:textSize="22dp" />
```

<View

```
android:layout_width="match_parent"
android:layout_height="2dp"
android:layout_below="@+id/textView"
android:layout_marginTop="20dp"
android:background="#94918e" />
```

<Button

```
android:id="@+id/button2"
android:layout_width="260dp"
android:layout_height="55dp"
android:layout_below="@+id/textView"
android:layout_centerHorizontal="true"
android:layout_marginTop="70dp"
android:backgroundTint="#46b082"
android:text="Create New Account"
```

```

        android:textColor="#FFFFFF" />
</RelativeLayout>

<?xml version="1.0" encoding="utf-8"?>
<shape xmlns:android="http://schemas.android.com/apk/res/android"
    android:shape="rectangle" >

    <!-- View background color -->
    <solid
        android:color="#3e52ab" >
    </solid>

    <!-- View border color and width -->
    <stroke
        android:width="1dp"
        android:color="@color/white" >
    </stroke>

    <!-- The radius makes the corners rounded -->
    <corners
        android:radius="4dp" >
    </corners>

</shape>

```

OUTPUT



PROGRAM NO:8

DATE:20/10/22

TOGGLE IMAGE

AIM

Develop an application that toggles image using FrameLayout

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"

tools:context=".MainActivity">

<LinearLayout
    android:layout_width="409dp"
    android:layout_height="729dp"
    android:orientation="horizontal"
    tools:layout_editor_absoluteX="1dp"
    tools:layout_editor_absoluteY="1dp"
    tools:ignore="MissingConstraints">

    <ImageView
        android:id="@+id/img1"
        android:layout_width="wrap_content"
        android:layout_height="74dp"
        android:layout_weight="1"
        android:src="@drawable/pikachu"
        app:srcCompat="@android:drawable/btn_star_big_on" />

    <ImageView
        android:id="@+id/img2"
        android:layout_width="wrap_content"
        android:layout_height="72dp"
        android:layout_weight="1"
        android:src="@drawable/a"
        app:srcCompat="@android:drawable/checkbox_on_background" />
    </LinearLayout>
</androidx.constraintlayout.widget.ConstraintLayout>
```

JAVA CODE

```
package com.example.toggle;

import androidx.appcompat.app.AppCompatActivity;


import android.os.Bundle;
import android.view.View;
import android.widget.ImageView;

public class MainActivity extends AppCompatActivity implements View.OnClickListener {
    ImageView img,img1;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        img =(ImageView) findViewById(R.id.img1);
        img1 =(ImageView) findViewById(R.id.img2);

        img.setOnClickListener(this);
        img1.setOnClickListener(this);
    }

    @Override
    public void onClick(View view) {
        if (view == img){
            img.setVisibility(View.GONE);
            img1.setVisibility(View.VISIBLE);
        }
        else {
            img1.setVisibility(View.GONE);
            img.setVisibility(View.VISIBLE);
        }
    }
}
```

OUTPUT



COURSE OUTCOME 3

PROGRAM NO:9

DATE:30/10/22

INTENT

AIM

Implement Intent to navigate between multiple activities

PAGE 1

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <Button
        android:id="@+id/button"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:onClick="click"
        android:text="NEXT PAGE"
        tools:ignore="MissingConstraints"
        tools:layout_editor_absoluteX="147dp"
        tools:layout_editor_absoluteY="41dp" />
</androidx.constraintlayout.widget.ConstraintLayout>
```

JAVA CODE

```
package com.example.intent;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;

public class MainActivity extends AppCompatActivity {
    Button b1;
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        b1=findViewById(R.id.button);
    }
}
```

```

    public void click(View view) {
        Intent i=new Intent(MainActivity.this,MainActivity2.class);
        startActivity(i);
    }
}

```

PAGE 2

XML CODE

```

<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity2">

    <Button
        android:id="@+id/button2"
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:onClick="click"
        android:text="PREVIOUS PAGE"
        tools:layout_editor_absoluteX="129dp"
        tools:layout_editor_absoluteY="54dp"
        tools:ignore="MissingConstraints" />
</androidx.constraintlayout.widget.ConstraintLayout>

```

JAVA CODE

```

package com.example.intent;

import androidx.appcompat.app.AppCompatActivity;

import android.content.Intent;
import android.os.Bundle;
import android.view.View;

public class MainActivity2 extends AppCompatActivity {

    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main2);
    }


    public void click(View view) {
        Intent i=new Intent(MainActivity2.this,MainActivity.class);
    }
}

```



```
        startActivity(i);  
    }  
}
```

OUTPUT



PROGRAM NO:10

DATE:10/11/22

MENU

AIM

Implement Options Menu to navigate to activities

MENU

```
<?xml version="1.0" encoding="utf-8"?>
<menu xmlns:app="http://schemas.android.com/apk/res-auto"
      xmlns:android="http://schemas.android.com/apk/res/android">

    <item
        android:id="@+id/i1"
        android:title="STUDENTS" />
    <item
        android:id="@+id/i2"
        android:title="DEPARTMENT">
    <menu>
    <item
        android:id="@+id/s1"
        android:title="MCA" />
    <item
        android:id="@+id/s2"
        android:title="MBA" />
    <item
        android:id="@+id/s3"
        android:title="B-TECH" />
    </menu>
    </item>
    <item
        android:id="@+id/i3"
        android:title="MANAGEMENT" />
</menu>
```

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context=".MainActivity">

    <TextView
        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
```

```
    android:text="MENU"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
```

```
</androidx.constraintlayout.widget.ConstraintLayout>
```

JAVA CODE

```
package com.example.menu;
```

```
import androidx.appcompat.app.AppCompatActivity;
```

```
import android.os.Bundle;
```

```
import android.view.Menu;
```

```
import android.view.MenuInflater;
```

```
import android.view.MenuItem;
```

```
import android.widget.Toast;
```

```
public class MainActivity extends AppCompatActivity {
```

```
    @Override
```

```
    protected void onCreate(Bundle savedInstanceState) {
```

```
        super.onCreate(savedInstanceState);
```

```
        setContentView(R.layout.activity_main);
```

```
    }
```

```
    public boolean onCreateOptionsMenu(Menu menu)
```

```
    {
```

```
        MenuInflater inflater = getMenuInflater();
```

```
        inflater.inflate(R.menu.samplemenu, menu);
```

```
        return true;
```

```
    }
```

```
    public boolean onOptionsItemSelected(MenuItem item){
```

```
        switch(item.getItemId()){
```

```
            case R.id.i1:
```

```
                Toast.makeText(this,"STUDENTS",Toast.LENGTH_LONG).show();
```

```
                // Intent i=new Intent(this,MainActivity2.class);
```

```
                // startActivity(i);
```

```
                break;
```

```
            case R.id.i2:
```

```
                Toast.makeText(this,"DEPARTMENT",Toast.LENGTH_LONG).show();
```

```
                break;
```

```
            case R.id.s1:
```

```
                Toast.makeText(this,"MCA",Toast.LENGTH_LONG).show();
```

```
                break;
```

```
            case R.id.s2:
```

```
                Toast.makeText(this,"MBA",Toast.LENGTH_LONG).show();
```

```
                break;
```


```
            case R.id.s3:
```

```

        Toast.makeText(this,"B-TECH",Toast.LENGTH_LONG).show();
        break;
    case R.id.i3:
        Toast.makeText(this,"MANAGEMENT",Toast.LENGTH_LONG).show();
        break;
    }
    return false;
}
}

```

OUTPUT



COURSE OUTCOME 5

PROGRAM NO:11

DATE:20/11/22

DATABASE MANAGEMENT

AIM

Create database using SQLite and perform INSERT,SELECT,UPDATE AND DELETE

XML CODE

```
<?xml version="1.0" encoding="utf-8"?>
<androidx.constraintlayout.widget.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
tools:context=".MainActivity">
```

```
<LinearLayout
    android:layout_width="407dp"
    android:layout_height="739dp"
    android:orientation="vertical"
    tools:layout_editor_absoluteX="2dp"
    tools:layout_editor_absoluteY="-4dp">
```

```
<TextView
    android:id="@+id/textView"
    android:layout_width="match_parent"
    android:layout_height="47dp"
    android:text="ID" />
```

```
<EditText
    android:id="@+id/id"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:ems="10"
    android:hint="Enter id"
    android:inputType="textPersonName" />
```

```
<TextView
    android:id="@+id/textView2"
    android:layout_width="match_parent"
    android:layout_height="40dp"
    android:text="NAME" />
```

```
<EditText
    android:id="@+id/name"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
```

```
        android:ems="10"
        android:hint="Enter name"
        android:inputType="textPersonName" />

<TextView
    android:id="@+id/textView3"
    android:layout_width="match_parent"
    android:layout_height="50dp"
    android:text="PLACE" />

<EditText
    android:id="@+id/place"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:ems="10"
    android:hint="Enter your place"
    android:inputType="textPersonName" />

<Button
    android:id="@+id/insert"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="INSERT" />

<Button
    android:id="@+id/select"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="SELECT" />

<Button
    android:id="@+id/update"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="UPDATE" />

<Button
    android:id="@+id/delete"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="DELETE" />

<Button
    android:id="@+id/clear"
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:text="CLEAR" />
</LinearLayout>
</androidx.constraintlayout.widget.ConstraintLayout>
```

JAVA CODE

```
package com.example.co_5_database;

import androidx.annotation.RequiresApi;
import androidx.appcompat.app.AppCompatActivity;

import android.app.AlertDialog;
import android.database.Cursor;
import android.database.sqlite.SQLiteDatabase;
import android.os.Build;
import android.os.Bundle;
import android.view.View;
import android.widget.Button;
import android.widget.EditText;
import android.widget.Toast;

public class MainActivity extends AppCompatActivity {
    EditText eid,ename,eplace;
    Button bins,bsel,bup,bdel,bclr;
    AlertDialog.Builder builder;
    SQLiteDatabase db;
    @RequiresApi(api = Build.VERSION_CODES.ICE_CREAM_SANDWICH_MR1)
    @Override
    protected void onCreate(Bundle savedInstanceState) {
        super.onCreate(savedInstanceState);
        setContentView(R.layout.activity_main);
        eid = findViewById(R.id.id);
        ename = findViewById(R.id.name);
        eplace = findViewById(R.id.place);
        bins = findViewById(R.id.insert);
        bsel = findViewById(R.id.select);
        bup = findViewById(R.id.update);
        bdel = findViewById(R.id.delete);
        bclr = findViewById(R.id.clear);
        builder = new AlertDialog.Builder(this);

        try{
            db = openOrCreateDatabase("empdb",MODE_PRIVATE,null);
            db.execSQL("create table employee(id integer primary key,name Text,place Text)");
            Toast.makeText(getApplicationContext(),"Created
            Successfully",Toast.LENGTH_SHORT).show();
        }
        catch(Exception e){

        }

        bins.setOnClickListener(new View.OnClickListener() {
            @Override
            public void onClick(View view) {
```



```

        try{
            db.execSQL("insert into employee
values("+eid.getText().toString()+","+ename.getText().toString()+","+eplace.getText().toStr
ing()+")");
            Toast.makeText(getApplicationContext(),"Record Inserted
Successfully",Toast.LENGTH_SHORT).show();
        }
        catch(Exception e){
            Toast.makeText(getApplicationContext(), "Error in Data",
Toast.LENGTH_SHORT).show();
        }
    }
});

bclr.setOnClickListener();

bsel.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        Cursor c = db.rawQuery("select * from employee", null);
        if(c.getCount()==0){
            Toast.makeText(getApplicationContext(), "No such Record!",
Toast.LENGTH_SHORT).show();
        }
        else{
            StringBuffer b = new StringBuffer();
            while(c.moveToNext()){
                b.append("ID : " + c.getString(0) + "\n");
                b.append("NAME : " + c.getString(1) + "\n");
                b.append("PLCE : " + c.getString(2) + "\n");
            }

            Toast.makeText(getApplicationContext(),b.toString(),Toast.LENGTH_LONG).show();
            builder.setMessage(b.toString());
            AlertDialog alert = builder.create();
            alert.setTitle("---EMPLOYEE DATA---");
            alert.show();
        }
    }
});

bup.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        db.execSQL("update employee set
name="+ename.getText().toString()+",place="+eplace.getText().toString()+" where
id="+eid.getText().toString()+");
        Toast.makeText(getApplicationContext(), "---Updated---",
Toast.LENGTH_SHORT).show();
    }
}

```

```

});

bdel.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        db.execSQL("delete from employee where id="+eid.getText().toString());
        Toast.makeText(getApplicationContext(), "---Item Deleted---",
        Toast.LENGTH_SHORT).show();
    }
});

bclr.setOnClickListener(new View.OnClickListener() {
    @Override
    public void onClick(View view) {
        eid.setText("");
        ename.setText("");
        eplace.setText("");
    }
});
bclr.callOnClick();
}
}

```

OUTPUT

