

Tours And Travel Agency

A Skill Oriented Course Web Application report

Submitted in the partial fulfilment of the requirements for

the award of the degree of

Bachelor of Technology

In

Computer Science and Engineering

by

Sriram.Yagna Priya

22761A05C0

Under the guidance of

Mr. A. Sudhakar,

Sr. Assistant Professor, Dept. of CSE



Department of Computer Science and Engineering
Lakireddy Bali Reddy College of Engineering (Autonomous)

Accredited by NAAC & NBA (Under Tier - I)

Affiliated to JNTUK, Kakinada; ISO 9001:2015 Certified
2023-24



LAKIREDDY BALI REDDY COLLEGE OF ENGINEERING (AUTONOMOUS)

Accredited by NAAC with 'A' Grade & NBA (Under Tier - I),
An ISO 21001:2018, 14001:2015, 50001:2018 Certified Institution
Approved by AICTE, New Delhi and Affiliated to JNTUK, Kakinada
L.B. REDDY NAGAR, MYLAVARAM, NTR DIST., A.P.-521 230.

hodcse@lbrce.ac.in, cseoffice@lbrce.ac.in, Phone: 08659-222 933, Fax: 08659-222931

DEPARTMENT OF COMPUTER SCIENCE & ENGINEERING

CERTIFICATE

This is to certify that the “20CSS2-Web Application Development using Full Stack Module-I (Frontend Development)” project entitled “Tours And Travel Agency” is being submitted by **Sriram.Yagna Priya (22761A05C0)** in partial fulfilment for the award of B. Tech in Computer Science & Engineering to the Jawaharlal Nehru Technological University Kakinada is a record of bonafide work carried out by him/her under our guidance.

The results embodied in this Skill Oriented Course Web Application / Project report have not been submitted to any other University or Institute for the award of any degree or diploma.

Project Guide

Mr. A. Sudhakar,
Sr. Assistant Professor.

Head of the department

Dr. D. Veeraiah,
Professor.

External Examiner

ACKNOWLEDGEMENT

I would like to thank **Mr. A. Sudhakar**, Sr. Assistant Professor, CSE department for encouraging and support in carrying out this Skill Oriented Course Web Application.

I also take the privilege to record my thanks to **Dr. D. Veeraiah**, Professor, Head of the Department of CSE whose encouragement, cooperation and valuable support crown my success.

I express my thanks to the support given by management in completing my Web Application / Project. I also express my sincere gratitude & deep sense of respect to the Principal, **Dr. K. Appa Rao** for making us available all the required assistance and his support and inspiration to carry out this Skill Oriented Course Web Application / Project in the Institute.

I am thankful to the teaching and non-teaching staff of CSE department for their direct as well as indirect help in my Skill Oriented Course Web Application / Project.

I am elated to avail my selves to this opportunity to express my deep sense of gratitude to my parents.

ABSTRACT

This abstract introduces a state-of-the-art Tours and Travel Agency website developed using HTML, CSS, and JavaScript. The website is designed to offer an immersive and user-friendly experience, harnessing the power of these web technologies to create a visually appealing and responsive interface. The HTML structure provides a solid foundation, while CSS stylings enhance the aesthetic appeal, and JavaScript functionalities add dynamic elements for an engaging user interaction.

The website boasts a sleek and intuitive design, seamlessly blending HTML for structure, CSS for styling, and JavaScript for dynamic features. Leveraging HTML5, the site ensures a robust and semantically meaningful structure, facilitating accessibility and search engine optimization. CSS is employed to craft a visually appealing layout, ensuring a responsive design that adapts to various screen sizes and devices. The integration of JavaScript introduces interactive elements such as smooth animations, dynamic content updates, and real-time form validation, elevating the overall user experience.

Through the harmonious integration of HTML, CSS, and JavaScript, this Tours and Travel Agency website provides users with an immersive journey into the world of travel planning. From responsive navigation menus to interactive booking forms, the website harnesses the capabilities of each technology to create a seamless and enjoyable experience for users exploring destinations, planning itineraries, and making reservations. The synergy of these technologies results in a modern, dynamic, and user-centric platform that embodies the essence of the travel agency's commitment to providing a top-tier service.

CONTENTS

SNO	CONTENTS	Page No
1	Introduction	
2	Modules	
3	Technologies Used	
	i)HTML	
	ii)CSS	
	ii)JAVA SCRIPT	
4	Implementation	
	i)HTML code	
	ii)CSS code	
	iii)JavaScript Code	
5	ScreenShots	
6	Conclusion	
7	Web References	

INTRODUCTION

Embark on a journey into the enchanting realm of tours and travel agencies, where the world unfolds as an expansive tapestry of destinations waiting to be explored. In an era characterized by an insatiable thirst for adventure and cultural enrichment, tours and travel agencies emerge as the architects of bespoke experiences, transforming wanderlust into meticulously crafted itineraries. At the heart of this dynamic industry lies the promise of discovery, with these agencies serving as the orchestrators of seamless journeys, guiding travelers through the intricacies of exploration and ensuring each sojourn is an unforgettable chapter in the grand narrative of global discovery.

Beyond the logistics of transportation and accommodation, tours and travel agencies play a pivotal role in curating diverse experiences that cater to the myriad interests and desires of today's discerning travelers. From cultural immersions that breathe life into historical narratives to exhilarating escapades that test the boundaries of adventure, these agencies navigate the spectrum of possibilities, offering a kaleidoscope of travel opportunities. Join us as we unravel the layers of this vibrant industry, exploring how tours and travel agencies not only facilitate movement across geographical landscapes but also serve as the custodians of transformative moments and memories that last a lifetime.

MODULES

1. Home Page

1. **Content:** Video slider with dynamic content emphasizing the allure of adventure.
2. **Call-to-Action:** Invites users to explore more through a prominent button.
3. **Special Features:** Video slider automatically transitions to maintain user engagement.

2. Book Page

1. **Booking Form:** Allows users to plan their travel.
2. **Form Fields:**
 1. **Destination:** Where users want to go.
 2. **Number of Guests:** Specify the group size.
 3. **Arrival and Departure Dates:** Choose travel dates.
3. **Submission:** Users can submit the form to initiate the booking process.

3. Packages Page

- **Travel Packages:**
 - Each package includes an image, showcasing the destination.
 - Location, description, and star rating accompany each package.
 - Pricing information with a discounted rate and a "book now" button.

4. Services Page

- **Highlighted Services:**
 - Icons representing different services offered by the travel agency.
 - Descriptions for each service, providing details about what the agency provides.

5. Gallery Page

- **Image Showcase:**

- Features a collection of captivating images from various destinations.
- Each image is paired with a title and a brief description.

6. **Review Page**

- **Customer Testimonials:**

- Utilizes a Swiper slider to present reviews from satisfied customers.
- Each testimonial includes an image, customer name, feedback, and star rating.

7. **Contact Page**

- **Contact Form:**

- Fields for name, email, phone number, subject, and message.
- Enables users to reach out to the agency for inquiries or assistance.

8. **Footer:**

- **Agency Information:**

- Provides an overview of the agency.
- Branch locations listed for user convenience.

- **Quick Links:**

- Navigation links to key sections of the website.

- **Social Media:**

- Links to the agency's social media profiles.

- **Brand Slider:**


- Displays logos of associated brands or partners.

TECHNOLOGIES USED

1.HTML:

HTML stands for Hyper Text Markup Language. It is used to design web pages using a markup language. HTML is the combination of Hypertext and Markup language. Hypertext defines the link between web pages. A markup language is used to define the text document within the tag which defines the structure of web pages. This language is used to annotate (make notes for the computer) text so that a machine can understand it and manipulate text accordingly. Most markup languages (e.g., HTML) are human-readable. The language uses tags to define what manipulation has to be done on the text.

HTML is a markup language used by the browser to manipulate text, images, and other content, in order to display it in the required format. HTML was created by Tim Berners-Lee in 1991. The first-ever version of HTML was HTML 1.0, but the first standard version was HTML 2.0, published in 1995.



Elements and Tags: HTML uses predefined tags and elements which tell the browser how to properly display the content. Remember to include closing tags. If omitted, the browser applies the effect of the opening tag until the end of the page.

HTML page structure: The basic structure of an HTML page is laid out below. It contains the essential building-block elements (i.e., doctype declaration, HTML, head, title, and body elements) upon which all web pages are created.

<html>: This is called the HTML root element. All other elements are contained within it.

<head>: The head tag contains the “behind the scenes” elements for a webpage.

Elements within the head aren’t visible on the front-end of a webpage. HTML elements used inside the <head> element include:

<style>-This html tag allows us to insert styling into our webpages and make them appealing to look at with the help of CSS.

<title>-The title is what is displayed on the top of your browser when you visit a website and contains title of the webpage that you are viewing.

<base>-It specifies the base URL for all relative URLs in a document.

<noscript>– Defines a section of HTML that is inserted when the scripting has been turned off in the user’s browser.

<script>-This tag is used to add functionality in the website with the help of JavaScript.

<meta>-This tag encloses the meta data of the website that must be loaded every time the website is visited.

For e.g.: - the metadata charset allows you to use the standard UTF-8 encoding in your website. This in turn allows the users to view your webpage in the language of their choice. It is a self-closing tag.

<link>– The ‘link’ tag is used to tie together HTML, CSS and JavaScript. It is self-closing.

<body>: The body tag is used to enclose all the visible content of a webpage. In other words, the body content is what the browser will show on the front-end.

An HTML document can be created using any text editor. Save the text file using .html or .htm. Once saved as an HTML document, the file can be opened as a webpage in the browser.

Features of HTML:

It is easy to learn and easy to use.

It is platform-independent.

Images, videos, and audio can be added to a web page.

Hypertext can be added to the text.

It is a markup language.

Why learn HTML?

It is a simple markup language. Its implementation is easy.

It is used to create a website.

Helps in developing fundamentals about web programming.

Boost professional career.

Advantages:

HTML is used to build websites.

It is supported by all browsers.

It can be integrated with other languages like CSS, JavaScript, etc.

Disadvantages:

HTML can only create static web pages. For dynamic web pages, other languages have to be used.

A large amount of code has to be written to create a simple web page.

The security feature is not good.

2.CSS:

Cascading Style Sheets, fondly referred to as **CSS**, is a simply designed language intended to simplify the process of making web pages presentable. CSS allows you to apply styles to web pages. More importantly, CSS enables you to do this independent of the HTML that makes up each web page. It describes how a webpage should look: it prescribes colors, fonts, spacing, and much more. In short, you can make your website look however you want. CSS lets developers and designers define how it behaves, including how elements are positioned in the browser.

While html uses tags, css uses rulesets. CSS is easy to learn and understand, but it provides powerful control over the presentation of an HTML document.

Why CSS?

CSS saves time: You can write CSS once and reuse the same sheet in multiple HTML pages.


Easy Maintenance: To make a global change simply change the style, and all elements in all the webpages will be updated automatically.

Search Engines: CSS is considered a clean coding technique, which means search engines won't have to struggle to "read" its content.

Superior styles to HTML: CSS has a much wider array of attributes than HTML, so you can give a far better look to your HTML page in comparison to HTML attributes.

Offline Browsing: CSS can store web applications locally with the help of an offline cache. Using this we can view offline websites.

CSS versions release years:



Advantages of CSS

- **CSS saves time** – You can write CSS once and then reuse same sheet in multiple HTML pages. You can define a style for each HTML element and apply it to as many Web pages as you want.
- **Pages load faster** – If you are using CSS, you do not need to write HTML tag attributes every time. Just write one CSS rule of a tag and apply it to all the occurrences of that tag. So less code means faster download times.
- **Easy maintenance** – To make a global change, simply change the style, and all elements in all the web pages will be updated automatically.

- **Superior styles to HTML** – CSS has a much wider array of attributes than HTML, so you can give a far better look to your HTML page in comparison to HTML attributes.
- **Multiple Device Compatibility** – Style sheets allow content to be optimized for more than one type of device. By using the same HTML document, different versions of a website can be presented for handheld devices such as PDAs and cell phones or for printing.
- **Global web standards** – Now HTML attributes are being deprecated and it is being recommended to use CSS. So its a good idea to start using CSS in all the HTML pages to make them compatible to future browsers.
- **Offline Browsing** – CSS can store web applications locally with the help of an offline cache. Using of this, we can view offline websites. The cache also ensures faster loading and better overall performance of the website.
- **Platform Independence** – The Script offer consistent platform independence and can support latest browsers as well.

CSS Selectors: CSS selectors are used to “find” (or select) HTML elements based on their element name, id, class, attribute, and more.

1. UNIVERSAL SELECTORS: Rather than selecting elements of a specific type, the universal selector quite simply matches the name of any element type.

2.ELEMENT SELECTORS: The element selector selects elements based on the element name. You can select all p elements on a page like this (in this case, all p elements will be center-aligned, with a red text color).

3.DESCENDANT SELECTORS: Suppose you want to apply a style rule to a particular element only when it lies inside a particular element. As given in the following example, the style rule will apply to the em element only when it lies inside the ul tag.

4.ID SELECTORS:

The id selector uses the id attribute of an HTML element to select a specific element.

The id of an element should be unique within a page, so the id selector is used to select one unique element!

To select an element with a specific id, write a hash (#) character, followed by the id of the element.

The style rule below will be applied to the HTML element with id=”para1”:

5.CLASS SELECTORS:

The class selector selects elements with a specific class attribute.

To select elements with a specific class, write a period (.) character, followed by the name of the class.

In the example below, all HTML elements with class = "center" will be green and center-aligned:

CSS Properties:

Text Properties:

- color: blue;
- text-align: center/left/right/justify;
- text-decoration: overline/line-through/underline;
- text-transform: uppercase/lowercase/capitalize;
- text-indent: 10px/-10px;
- letter-spacing: 5px/-5px;
- line-height: 0.8;
- direction: rtl;
- word-spacing: 10px;
- text-shadow: 3px 2px red;

iii) JAVA SCRIPT:

JavaScript is the scripting language of the Web.

JavaScript is used in millions of Web pages to add functionality, validate forms, detect browsers, and much more.

Introduction to JavaScript

JavaScript is used in millions of Web pages to improve the design, validate forms, detect browsers, create cookies, and much more.

JavaScript is the most popular scripting language on the Internet, and works in all major browsers, such as Internet Explorer, Mozilla Firefox, and Opera.

- JavaScript was designed to add interactivity to HTML pages
- JavaScript is a scripting language

- A scripting language is a lightweight programming language
 - JavaScript is usually embedded directly into HTML pages
 - JavaScript is an interpreted language (means that scripts without preliminary compilation)
 - Everyone can use JavaScript without purchasing a license Java and JavaScript are two completely different languages in both concept and design! Java (developed by Sun Microsystems) is a powerful and much more complex programming language - in the same category as C and C++.
-
- JavaScript gives HTML designers a programming tool - HTML authors are normally not programmers, but JavaScript is a scripting language with a very simple syntax! Almost anyone can put small "snippets" of code into their HTML pages
 - JavaScript can put dynamic text into an HTML page - A JavaScript statement like this: `document.write("" + name + "")` can write a variable text into an HTML page
 - JavaScript can react to events - A JavaScript can be set to execute when something happens, like when a page has finished loading or when a user clicks on an HTML element
 - JavaScript can read and write HTML elements - A JavaScript can read and change the content of an HTML element
 - JavaScript can be used to validate data - A JavaScript can be used to validate form data before it is submitted to a server. This saves the server from extra processing
 - JavaScript can be used to detect the visitor's browser - A JavaScript can be used to detect the visitor's browser, and - depending on the browser - load another page specifically designed for that browser

JavaScript Variables

Variables are "containers" for storing information. JavaScript variables are used to hold values or expressions.

A variable can have a short name, like `x`, or a more descriptive name, like `carname`.

Rules for JavaScript variable names:

- Variable names are case sensitive (`y` and `Y` are two different variables)
- Variable names must begin with a letter or the underscore character

Declaring (Creating) JavaScript Variables

Creating variables in JavaScript is most often referred to as "declaring" variables.

You can declare JavaScript variables with the `var` statement:

```
var x; var carname;
```

After the declaration shown above, the variables are empty (they have no values yet).

However, you can also assign values to the variables when you declare them:

```
var x=5; var carname="Scorpio";
```

After the execution of the statements above, the variable `x` will hold the value 5, and `carname` will hold the value Scorpio.

Note: When you assign a text value to a variable, use quotes around the value.

Assigning Values to Undeclared JavaScript Variables If you assign values to variables that have not yet been declared, the variables will automatically be declared.

These statements:

```
x=5; carname="Scorpio";
```

have the same effect as:

```
var x=5; var carname="Scorpio";
```

Redeclaring JavaScript Variables If you redeclare a JavaScript variable, it will not lose its original value.

```
var x=5; var x;
```

DataTypes

- Numbers - are values that can be processed and calculated. You don't enclose them in quotation marks. The numbers can be either positive or negative.

- Strings - are a series of letters and numbers enclosed in quotation marks.

JavaScript uses the string literally; it doesn't process it. You'll use strings for text you want displayed or values you want passed along.

- Boolean (true/false) - lets you evaluate whether a condition meets or does not meet specified criteria.

- Null - is an empty value. null is not the same as 0 -- 0 is a real, calculable number, whereas null is the absence of any value.

4.IMPLEMENTATION

HTML:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>complete response tour and travel agency website design tutorial</title>
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.css" />

  <!-- font awesome cdn link -->
  <link rel="stylesheet" href="https://cdn.jsdelivr.net/npm/@fortawesome/fontawesome-free@6.4.2/css/all.min.css">
  <!-- custom css file link -->
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <header>
    <div id="menu-bar" class="fas fa-bars"></div>
    <a href="#" class="logo"><span>T</span>ravel</a>
    <nav class="navbar">
      <a href="#home">home</a>
      <a href="#book">book</a>
      <a href="#packages">packages</a>
      <a href="#services">services</a>
      <a href="#gallery">gallery</a>
      <a href="#review">review</a>
      <a href="#contact">contact</a>
    </nav>
```

```
<div class="icons">
  <i class="fas fa-search" id="search-btn"></i>
  <i class="fas fa-user" id="login-btn"></i>
</div>

<form action="" class="search-bar-container">
  <input type="search" id="search-bar" placeholder="search here...">
  <label for="search-bar" class="fas fa-search"></label>
</form>
</header>
```

```
<!-- header section ends-->
```

```
<!--login form container-->
```

```
<div class="login-form-container">
  <i class="fas fa-times" id="form-close"></i>
  <form action="">
    <h3>login</h3>
    <input type="email" class="box" placeholder="enter your email">
    <input type="password" class="box" placeholder="enter your password">
    <input type="submit" value="login now" class="btn">
    <input type="checkbox" id="remember">
    <label for="remember">remember me</label>
    <p>forget password?<a href="#">click here</a></p>
    <p>don't have an account? <a href="#">register now</a></p>
  </form>
</div>
```

```
<!--home section starts -->
```

```
<section class="home" id="home">
```

```
<div class="content">
```

```
    <h3>adventure is worthwhile</h3>
```

```
    <p>discover new places with us,adventure awaits</p>
```

```
    <a href="#" class="btn">discover more</a>
```

```
</div>
```

```
<div class="controls">
```

```
    <span class="vid-btn active" data-src="vid2.mp4"></span>
```

```
    <span class="vid-btn" data-src="vid3.mp4"></span>
```

```
    <span class="vid-btn" data-src="vid5.mp4"></span>
```

```
    <span class="vid-btn" data-src="vid6.mp4"></span>
```

```
    <span class="vid-btn" data-src="vid1.mp4"></span>
```

```
</div>
```

```
<div class="video-container">
```

```
    <video src="vid7.mp4" id="video-slider" loop autoplay muted></video>
```

```
</div>
```

```
</section>
```

```
<!--home section ends-->
```

```
<!--book section starts-->
```

```
<section class="book" id="book">
```

```
    <h1 class="heading">
```

```
        <span>b</span>
```

```
        <span>o</span>
```

```
        <span>o</span>
```

```
        <span>k</span>
```

```
        <span class="space"></span>
```

```
        <span>n</span>
```

```
        <span>o</span>
```

```
        <span>w</span>
```

</h1>

<div class="row">

<div class="image">

</div>

<form action="">

<div class="inputBox">

<h3>where to</h3>

<input type="text" placeholder="place name">

</div>

<div class="inputBox">

<h3>how many</h3>

<input type="number" placeholder="number of guests">

</div>

<div class="inputBox">

<h3>arrivals</h3>

<input type="date">

</div>

<div class="inputBox">

<h3>leaving</h3>

<input type="date">

</div>

<input type="submit" class="btn" value="book now">

</form>

</div>

</section>

<!--book section ends-->

```
<!--package section starts-->
```

```
<section class="packages" id="packages">
```

```
  <h1 class="heading">
```

```
    <span>p</span>
```

```
    <span>a</span>
```

```
    <span>c</span>
```

```
    <span>k</span>
```

```
    <span>a</span>
```

```
    <span>g</span>
```

```
    <span>e</span>
```

```
    <span>s</span>
```

```
</h1>
```

```
<div class="box-container">
```

```
  <div class="box">
```

```
    
```

```
    <div class="content">
```

```
      <h3><i class="fas fa-map-marker-alt"></i>charminar</h3>
```

```
      <p>Lorem ipsum dolor sit amet consectetur adipisicing
```

```
elit. Veritatis, nam!</p>
```

```
      <div class="stars">
```

```
        <i class="fas fa-times"></i>
```

```
        <i class="fas fa-times"></i>
```

```
        <i class="fas fa-times"></i>
```

```
        <i class="fas fa-times"></i>
```

```
        <i class="far fa-times"></i>
```

```
      </div>
```

```
      <div class="price"> $90.00 <span>$120.00</span></div>
```

```
      <a href="#" class="btn">book now</a>
```

```
    </div>
```

```
</div>
```

```
<div class="box">
  
  <div class="content">
    <h3><i class="fas fa-map-marker-alt"></i>maldives</h3>
    <p>Lorem ispum dolor sit amet consectetur adipisicing
elit.Veritatis,nam!</p>
    <div class="stars">
      <i class="fas fa-times"></i>
      <i class="fas fa-times"></i>
      <i class="fas fa-times"></i>
      <i class="fas fa-times"></i>
      <i class="far fa-times"></i>
    </div>
    <div class="price"> $90.00 <span>$120.00</span></div>
    <a href="#" class="btn">book now</a>
  </div>
</div>
<div class="box">
  
  <div class="content">
    <h3><i class="fas fa-map-marker-alt"></i>new york</h3>
    <p>Lorem ispum dolor sit amet consectetur adipisicing
elit.Veritatis,nam!</p>
    <div class="stars">
      <i class="fas fa-times"></i>
      <i class="fas fa-times"></i>
      <i class="fas fa-times"></i>
      <i class="fas fa-times"></i>
      <i class="far fa-times"></i>
    </div>
    <div class="price"> $90.00 <span>$120.00</span></div>
```



```
        <a href="#" class="btn">book now</a>
    </div>
</div>
<div class="box">
    
    <div class="content">
        <h3><i class="fas fa-map-marker-alt"></i>paris</h3>
        <p>Lorem ispum dolor sit amet consectetur adipisicing
elit.Veritatis,nam!</p>
        <div class="stars">
            <i class="fas fa-times"></i>
            <i class="fas fa-times"></i>
            <i class="fas fa-times"></i>
            <i class="fas fa-times"></i>
            <i class="far fa-times"></i>
        </div>
        <div class="price"> $90.00 <span>$120.00</span></div>
        <a href="#" class="btn">book now</a>
    </div>
</div>
<div class="box">
    
    <div class="content">
        <h3><i class="fas fa-map-marker-alt"></i>mountain river</h3>
        <p>Lorem ispum dolor sit amet consectetur adipisicing
elit.Veritatis,nam!</p>
        <div class="stars">
            <i class="fas fa-times"></i>
            <i class="fas fa-times"></i>
            <i class="fas fa-times"></i>
            <i class="fas fa-times"></i>
        </div>
    </div>
</div>
```

```

        <i class="far fa-times"></i>
    </div>
    <div class="price"> $90.00 <span>$120.00</span></div>
    <a href="#" class="btn">book now</a>
</div>
</div>
<div class="box">
    
    <div class="content">
        <h3><i class="fas fa-map-marker-alt"></i>egypt</h3>
        <p>Lorem ipsum dolor sit amet consectetur adipisicing
elit.Veritatis,nam!</p>
        <div class="stars">
            <i class="fas fa-times"></i>
            <i class="fas fa-times"></i>
            <i class="fas fa-times"></i>
            <i class="fas fa-times"></i>
            <i class="far fa-times"></i>
        </div>
        <div class="price"> $90.00 <span>$120.00</span></div>
        <a href="#" class="btn">book now</a>
    </div>
</div>
</div>
</section>

<!--package section ends-->

```

```
<!--service section starts-->
```

```
<section class="services" id="services">
```

```
  <h1 class="heading">
```

```
    <span>s</span>
```

```
    <span>e</span>
```

```
    <span>r</span>
```

```
    <span>v</span>
```

```
    <span>i</span>
```

```
    <span>c</span>
```

```
    <span>e</span>
```

```
    <span>s</span>
```

```
</h1>
```

```
<div class="box-container">
```

```
  <div class="box">
```

```
    <i class="fas fa-hotel"></i>
```

```
    <h3>affordable hotels</h3>
```

```
    <p>
```

loren ispum dolors sit amet cosecutor,adipising elit.inventore commoid
earum,quis volputate exercitation ut minius itaque iusto ispum corruptil!

```
    </p>
```

```
  </div>
```

```
  <div class="box">
```

```
    <i class="fas fa-utensils"></i>
```

```
    <h3>food and drink</h3>
```

```
    <p>
```

loren ispum dolors sit amet cosecutor,adipising elit.inventore commoid
earum,quis volputate exercitation ut minius itaque iusto ispum corruptil!

```
    </p>
```

```
  </div>
```

```
<div class="box">
  <i class="fas fa-bullhorn"></i>
  <h3>safety guide</h3>
  <p>
    lorem ispum dolors sit amet cosecutor,adipising elit.inventore commoid
    earum,quis volputate exercitation ut minius itaque iusto ispum corruptil!
  </p>
```

```
</div>
```

```
<div class="box">
  <i class="fas fa-globe-asia"></i>
  <h3>around the world</h3>
  <p>
    lorem ispum dolors sit amet cosecutor,adipising elit.inventore commoid
    earum,quis volputate exercitation ut minius itaque iusto ispum corruptil!
  </p>
```

```
</div>
```

```
<div class="box">
  <i class="fas fa-plane"></i>
  <h3>fastest travel</h3>
  <p>
    lorem ispum dolors sit amet cosecutor,adipising elit.inventore commoid
    earum,quis volputate exercitation ut minius itaque iusto ispum corruptil!
  </p>
```

```
</div>
```

```
<div class="box">
  <i class="fas fa-hiking"></i>
  <h3>adventures</h3>
  <p>
    lorem ispum dolors sit amet cosecutor,adipising elit.inventore commoid
    earum,quis volputate exercitation ut minius itaque iusto ispum corruptil!
  </p>
```

</div>

</div>

</section>

<!--service section ends-->

<!--gallery section starts-->

<section class="gallery" id="gallery">

<h1 class="heading">

g

a

l

l

e

r

y

</h1>

<div class="box-container">

<div class="box">

<div class="content">

<h3>amazing places</h3>

<p>loren ispum dolors sit amet cosecutor,adipising elit.inventore
commoid earum,quis volputate exercitation ut minius itaque iusto ispum
corruptil!</p>

See More

</div>

</div>

```
<div class="box">
  
  <div class="content">
    <h3>amazing places</h3>
    <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore
commoid earum,quis volputate exercitation ut minius itaque iusto ispum
corruptil!</p>
    <a href="#" class="btn">See More</a>
  </div>
</div>

<div class="box">
  
  <div class="content">
    <h3>amazing places</h3>
    <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore
commoid earum,quis volputate exercitation ut minius itaque iusto ispum
corruptil!</p>
    <a href="#" class="btn">See More</a>
  </div>
</div>

<div class="box">
  
  <div class="content">
    <h3>amazing places</h3>
    <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore
commoid earum,quis volputate exercitation ut minius itaque iusto ispum
corruptil!</p>
    <a href="#" class="btn">See More</a>
  </div>
</div>

<div class="box">
```

```

```

```
<div class="content">
```

```
    <h3>amazing places</h3>
```

```
    <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore  
    commoid earum,quis volputate exercitation ut minius itaque iusto ispum  
    corruptil!</p>
```

```
    <a href="#" class="btn">See More</a>
```

```
</div>
```

```
</div>
```

```
<div class="box">
```

```
    
```

```
    <div class="content">
```

```
        <h3>amazing places</h3>
```

```
        <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore  
        commoid earum,quis volputate exercitation ut minius itaque iusto ispum  
        corruptil!</p>
```

```
        <a href="#" class="btn">See More</a>
```

```
    </div>
```

```
</div>
```

```
<div class="box">
```

```
    
```

```
    <div class="content">
```

```
        <h3>amazing places</h3>
```

```
        <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore  
        commoid earum,quis volputate exercitation ut minius itaque iusto ispum  
        corruptil!</p>
```

```
        <a href="#" class="btn">See More</a>
```

```
    </div>
```

```
</div>
```

```
<div class="box">
```

```
    
```

```

        <div class="content">
            <h3>amazing places</h3>
            <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore
            commoid earum,quis volputate exercitation ut minius itaque iusto ispum
            corruptil!</p>
            <a href="#" class="btn">See More</a>
        </div>
    </div>
    <div class="box">
        
        <div class="content">
            <h3>amazing places</h3>
            <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore
            commoid earum,quis volputate exercitation ut minius itaque iusto ispum
            corruptil!</p>
            <a href="#" class="btn">See More</a>
        </div>
    </div>
</div>
</section>

<!--gallery section ends-->

<!--review section starts-->
<section class="review" id="review">
    <h1 class="heading">
        <span>r</span>
        <span>e</span>
        <span>v</span>
        <span>i</span>
        <span>e</span>
    </h1>

```



```

        <span>w</span>
</h1>
<div class="swiper review-slider">
    <div class="swiper-wrapper">
        <div class="swiper-slide box">
            <div class="box">
                
                <h3>john deo</h3>
                <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore
                commoid earum,quis volputate exercitation ut minius itaque iusto
                ispum corruptil!</p>
                <div class="stars">
                    <i class="fas fa-star"></i>
                    <i class="fas fa-star"></i>
                    <i class="fas fa-star"></i>
                    <i class="fas fa-star"></i>
                    <i class="far fa-star"></i>
                </div>
            </div>
        </div>
        <div class="swiper-slide box">
            <div class="box">
                
                <h3>john deo</h3>
                <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore
                commoid earum,quis volputate exercitation ut minius itaque iusto
                ispum corruptil!</p>
                <div class="stars">
                    <i class="fas fa-star"></i>
                    <i class="fas fa-star"></i>
                    <i class="fas fa-star"></i>
                </div>
            </div>
        </div>
    </div>
</div>

```

```
<i class="fas fa-star"></i>
<i class="far fa-star"></i>
</div>
</div>
<div class="swiper-slide box">
  <div class="box">
    
    <h3>john deo</h3>
    <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore
    commoid earum,quis volputate exercitation ut minius itaque iusto
    ispum corruptil!</p>
    <div class="stars">
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
      <i class="far fa-star"></i>
    </div>
  </div>
</div>
<div class="swiper-slide box">
  <div class="box">
    
    <h3>john deo</h3>
    <p>loren ispum dolors sit amet cosecutor,adipising elit.inventore
    commoid earum,quis volputate exercitation ut minius itaque iusto
    ispum corruptil!</p>
    <div class="stars">
      <i class="fas fa-star"></i>
      <i class="fas fa-star"></i>
```

<i class="fas fa-star"></i>

<i class="fas fa-star"></i>

<i class="far fa-star"></i>

</div>

</div>

</div>

</div>

</div>

</section>

<!--review section ends-->

<!--contact section starts -->

<section class="contact" id="contact">

<h1 class="heading">

c

o

n

t

a

c

t

</h1>

<div class="row">

<div class="image">

</div>

```
<form actions="">
  <div class="inputBox">
    <input type="text" placeholder="name" />
    <input type="email" placeholder="email" />
  </div>
  <div class="inputBox">
    <input type="number" placeholder="number" />
    <input type="text" placeholder="subject"/>
  </div>
  <textarea placeholder="message" name="" id="" cols="30"
rows="10"></textarea>
  <input type="submit" class="btn" value="send message" />
</form>
</div>
</section>
```

```
<!--contact section ends-->
```

```
<!--brand section-->
```

```
<section class="brand-container">
  <div class="swiper-container brand-slider">
    <div class="swiper-wrapper">
      <div class="swiper-slide"></div>
      <div class="swiper-slide"></div>
    </div>
  </div>
</section>
```

```
<!--footer section-->
```

```
<section class="footer">
  <div class="box-container">
    <div class="box">
      <h3>about us</h3>
      <p>loren ipsum dolor sit consecutor adipisicing elit.asuumenda quas equals
        partiatut est accusanitem enim facilis.</p>
    </div>
    <div class="box">
      <h3>branch locations</h3>
      <a href="#">india</a>
      <a href="#">usa</a>
      <a href="#">japan</a>
      <a href="#">france</a>
      <a href="#">australia</a>
    </div>
    <div class="box">
      <h3>quick links</h3>
      <a href="#">home</a>
      <a href="#">book</a>
      <a href="#">packages</a>
      <a href="#">services</a>
      <a href="#">gallery</a>
      <a href="#">review</a>
      <a href="#">contact</a>
    </div>
    <div class="box">
      <h3>follow us</h3>
      <a href="#">facebook</a>
      <a href="#">instagram</a>
      <a href="#">Linkedin</a>
      <a href="#">twitter</a>
    </div>
  </div>
</section>
```

```
        </div>
    </div>
    <h1 class="credit">created by<span>Sriram.Yagna Priya</span>!all rights reserved</h1>
</section>
<script src="https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.js"></script>
<script src="script.js"></script>
</body>
</html>
```

CSS CODE

@import

```
url('https://fonts.googleapis.com/css2?family=Nunito:ital,wght@0,200;0,300;0,400;0,700;1,600&display=swap');
```

```
:root{
    --orange:#ffa500;
}
*{
    font-family:'Nunito',sans-serif;
    margin:0;padding:0;
    box-sizing:border-box;
    text-transform:capitalize;
    outline:none;border:none;
    text-decoration:none;
    transition:all.2s linear;
}
*::selection{
    background:var(--orange);
    color:#fff;
}
html{
    font-size:62.5%;
```

```
        overflow-x: hidden;
        scroll-padding-top: 6rem;
        scroll-behavior: smooth;
    }
    section {
        padding: 2rem 9%;
    }
    .heading {
        text-align: center;
        padding: 2.5rem 0;
    }
    .heading span {
        font-size: 3.5rem;
        background: rgba(255, 165, 0, .2);
        color: var(--orange);
        border-radius: .5rem;
        padding: .2rem 1rem
        /* display inline-block */
    }
    .heading span.space {
        background: none;
    }
    .btn {
        display: inline-block;
        margin-top: 1rem;
        background: var(--orange);
        color: #fff;
        padding: .8rem 3rem;
        border: .2rem solid var(--orange);
        cursor: pointer;
        font-size: 1.7rem;
```

```
}  
.btn:hover{  
    background:rgba(255,165,0,.2);  
    color:var(--orange);  
}  
header{  
    position:fixed;  
    top:0;left:0;right:0;  
    background:#333;  
    z-index:1000;  
    display:flex;  
    align-items:center;  
    justify-content:space-between;  
    padding:2rem 9%;  
}  
header .logo{  
    font-size: 2.5rem;  
    font-weight: bolder;  
    color:#fff;  
    text-transform:uppercase;  
}  
header .logo span {  
    color: var(--orange);  
}  
header .navbar a {  
    color: #fff;  
    font-size: 2rem;  
    margin: 0.8rem;  
}  
header .navbar a:hover{  
    color:var(--orange);
```



```
}  
header .icons i{  
    font-size:2.5rem;  
    color:#fff;  
    cursor:pointer;  
    margin-right:2rem;  
}  
header .icons i:hover{  
    color:var(--orange);  
}  
header .search-bar-container{  
    position:absolute;  
    top:100%;left:0;right:0;  
    padding:1.5rem 2rem;  
    background:#333;  
    border-top: .1rem solid rgba(255,255,255,.2);  
    display:flex;  
    align-items:center;  
    z-index:1001;  
    clip-path:polygon(0 0, 100% 0, 100% 0, 0 0);  
}  
header .search-bar-container.active {  
    clip-path: polygon(0 0, 100% 0, 100% 100%, 0 100%);  
}  
header .search-bar-container #search-bar{  
    width:100%;  
    padding:1rem;  
    text-transform:none;  
    color:#333;  
    font-size:1.7rem;  
    border-radius:.5rem;
```

```
}
header .search-bar-container label{
    color:#fff;
    cursor:pointer;
    font-size:3rem;
    margin-left:1.5rem;
}
header .search-bar-container label:hover{
    color:var(--orange);
}
.login-form-container{
    position:fixed;
    top:-120%; left:0;
    z-index: 10000;
    min-height: 100vh;
    width:100%;
    background:rgba(0,0,0,.7);
    display:flex;
    align-items:center;
    justify-content:center;
}
.login-form-container.active{
    top: 0;
}
.login-form-container form{
    margin:2rem;
    padding:1.5rem 2rem;
    border-radius:.5rem;
    background:#fff;
    width:50rem;
}
```

```
.login-form-container form h3 {
    font-size: 3rem;
    color: #444;
    text-transform: uppercase;
    text-align: center;
    padding: 1rem 0;
}

.login-form-container form .box {
    width: 100%;
    padding: 1rem;
    font-size: 1.7rem;
    color: #333;
    margin: .6rem 0;
    border: .1rem solid rgba(0,0,0,.3);
    text-transform: none;
}

.login-form-container form .box:focus {
    border-color: var(--orange);
}

.login-form-container form #remember {
    margin: 2rem 0;
}

.login-form-container form label {
    font-size: 1.5rem;
}

.login-form-container form .btn {
    display: block;
    width: 100%;
}

.login-form-container form p {
```

```
padding:.5rem 0;
font-size:1.5rem;
color:#666;
}
.login-form-container form p a{
    color:var(--orange);
}
.login-form-container form p a:hover{
    color:#333;
    text-decoration:underline;
}
.login-form-container #form-close{
    position:absolute;
    top:2rem; right:3rem;
    font-size:5rem;
    color:#fff;
    cursor:pointer;
}
#menu-bar{
    color:#fff;
    border:.1rem solid #fff;
    border-radius: .5rem;
    font-size: 3rem;
    padding:.5rem 1.2rem;
    cursor:pointer;
    display:none;
}
.home{
    min-height: 100vh;
    display: flex;
    align-items: center;
```

```
        justify-content: center;
        flex-flow: column;
        position: relative;
        z-index: 0;
    }
    .home .content{
        text-align:center;
    }
    .home .content h3{
        font-size: 4.5rem;
        color:#fff;
        text-transform: uppercase;
        text-shadow: 0 .3rem .5rem rgba(0,0,0,.3);
    }
    .home .content p{
        font-size: 2.5rem;
        color:#fff;
        padding:.5rem 0;
    }
    .home .video-container video{
        position: absolute;
        top:0;left: 0;
        z-index: -1;
        height: 100%;
        width:100%;
        object-fit:cover;
    }
    .home .controls{
        padding:1rem;
        border-radius: 5rem;
        background:rgba(0,0,0,.7);
```

```
        position:relative;
        top:10rem;
    }
    .home .controls .vid-btn{
        height:2rem;
        width:2rem;
        display: inline-block;
        border-radius: 50%;
        background:#fff;
        cursor:pointer;
        margin:0 .5rem;
    }
    .home .controls .vid-btn.active{
        background:var(--orange);
    }
    .book .row{
        display:flex;
        flex-wrap:wrap;
        gap:1.5rem;
        align-items:center;
    }
    .book .row .image{
        flex:1 1 40rem;
    }
    .book .row .image img{
        width:100%;
    }
    .book .row form{
        flex:1 1 40rem;
        padding:2rem;
        box-shadow:0 1rem 2rem rgba(0,0,0,.1);
    }
```

```
        border-radius: .5rem;
    }
    .book .row form .inputBox{
        padding:.5rem 0;
    }
    .book .row form .inputBox input{
        width:100%;
        padding:1rem;
        border:.1rem solid rgba(0,0,0,.1);
        font-size:1.7rem;
        color:#333;
        text-transform:none;
    }
    .book .row form .inputBox h3{
        font-size:2rem;
        padding:1rem 0;
        color:#666;
    }
    .packages .box-container{
        display:flex;
        flex-wrap:wrap;
        gap:2rem;
    }
    .packages .box-container .box{
        flex:1 1 30rem;
        border-radius: .5rem;
        overflow:hidden;
        box-shadow:0 1rem 2rem rgba(0,0,0,.1);
    }
    .packages .box-container .box img{
        height:25rem;
```

```
        width:100%;
        object-fit:cover;
    }
    .packages .box-container .box .content{
        padding:2rem;
    }
    .packages .box-container .box .content h3 i{
        color:var(--orange);
    }
    .packages .box-container .box .content p{
        font-size:1.7rem;
        color:#666;
        padding:1rem 0;
    }
    .packages .box-container .box .content .stars i{
        font-size:1.7rem;
        color:var(--orange);
    }
    .packages .box-container .box .content .price{
        font-size: 2rem;
        color:#333;
        padding: 1rem;
    }
    .packages .box-container .box .content .price span{
        color:#666;
        font-size:1.5rem;
        text-decoration:line-through;
    }
    .services .box-container{
        display:flex;
        flex-wrap:wrap;
```



```
        gap:1.5rem;
    }
    .services .box-container .box{
        flex:1 1 30rem;
        border-radius: .5rem;
        padding:2rem;
        text-align:center;
    }
    .services .box-container .box i{
        padding: 1rem;
        font-size: 5rem;
        color: var(--orange);
    }
    .services .box-container .box h3 {
        font-size: 2.5rem;
        color: #333;
    }
    .services .box-container .box p{
        font-size:1.5rem;
        color:#666;
        padding:1rem 0;
    }
    .services .box-container .box:hover{
        box-shadow:0 1rem 2rem rgba(0,0,0,.1);
    }
    .gallery .box-container{
        display:flex;
        flex-wrap:wrap;
        gap:1.5rem;
    }
    .gallery .box-container .box{
```

```
        overflow:hidden;
        box-shadow:0 1rem 2rem rgba(0,0,0,.1);
        border:1rem solid #fff;
        border-radius: .5rem;
        flex:1 1 30rem;
        height:25rem;
        position:relative;
    }
    .gallery .box-container .box img{
        height:100%;
        width:100%;
        object-fit:cover;
    }
    .gallery .box-container .box .content{
        position:absolute;
        top:-100%;left:0;
        height:100%;
        width:100%;
        text-align:center;
        background:rgba(0,0,0,.7);
        padding:2rem;
        padding-top:5rem;
    }
    .gallery .box-container .box:hover .content{
        top:0%;
    }
    .gallery .box-container .box .content h3{
        font-size:2.5rem;
        color:var(--orange);
    }
    .gallery .box-container .box .content p{
```

```
        font-size:1.5rem;
        color:#eee;
        padding:.5rem 0;
    }
    .review .review-slider{
        border:0px solid;
        padding:1rem;
    }
    .review .review-slider .box{
        padding:3rem 2rem;
        text-align:center;
        box-shadow:var(--box-shadow);
        border-radius: .5rem;
        outline-offset:-1rem;
        outline:var(--outline);
        transition:.2s linear;
    }
    .review .review-slider .box:hover{
        box-shadow:1px 1px 10px 4px var(--orange);
    }
    .review .review-slider .box img{
        height:10rem;
        width:10rem;
        border-radius:50%;
    }
    .review .review-slider .box h3{
        color:#333;
        font-size:2.5rem;
    }
    .review .review-slider .box p{
        color:#666;
```

```
padding:1rem 0;
line-height:1.8;
font-size:1.8rem;
}
.review .review-slider .box .stars i{
    color:var(--orange);
    font-size:1.7rem;
}
.contact .row{
    display:flex;
    flex-wrap:wrap;
    gap:1.5rem;
    align-items:center;
}
.contact .row .image{
    flex:1 1 35rem;
}
.contact .row .image img{
    width:100%;
}
.contact .row form{
    flex:1 1 50rem;
    padding:2rem;
    box-shadow:0 1rem 2rem rgba(0,0,0,.1);
    border-radius: .5rem;
}
.contact .row form .inputBox{
    display:flex;
    flex-wrap:wrap;
    justify-content:space-between;
}
```

```
.contact .row form .inputBox input{
    width:49%;
    margin:1rem 0;
    padding:1rem;
    font-size:1.7rem;
    color:#333;
    background:#f7f7f7;
    text-transform:none;
}
.contact .row form textarea{
    height:15rem;
    resize:none;
    width:100%;
}
.brand-container{
    text-align:center;
}
.footer{
    background:#333;
}
.footer .box-container{
    display:flex;
    flex-wrap:wrap;
    gap:1.5rem;
}
.footer .box-container .box{
    padding:1rem 0;
    flex:1 1 25rem;
}
.footer .box-container .box h3{
    font-size:2.5rem;
```

```
padding:.7rem 0;
color:#fff;
}
.footer .box-container .box p{
font-size:1.5rem;
padding:.7rem 0;
color:#eee;
}
.footer .box-container .box a{
display:block;
font-size:1.5rem;
padding:.7rem 0;
color:#eee;
}
.footer .box-container .box a:hover{
color:var(--orange);
text-decoration:underline;
}
.footer .credit{
text-align:center;
padding:2rem 1rem;
margin-top:1rem;
font-size:2rem;
font-weight:normal;
color:#fff;
border-top:.1rem solid rgba(255,255,255,.2);
}
.footer .credit span{
color:var(--orange);
}
```

```
body {  
    height: 300rem;  
}  
/*media queries*/  
@media (max-width:1200px){  
    html{  
        font-size: 55%;  
    }  
}  
@media (max-width:991px){  
    header{  
        padding:2rem;  
    }  
    section{  
        padding:2rem;  
    }  
}  
@media(max-width:768px) {  
    #menu-bar {  
        display: initial;  
    }  
  
    header .navbar {  
        position: absolute;  
        top: 100%;right: 0;left: 0;  
        background: #333;  
        border-top: .1rem solid rgba(255,255,255,.2);  
        padding: 1rem 2rem;  
        clip-path: polygon(0 0,100% 0,100% 0,0 0);  
    }  
}
```

```

header .navbar.active{
    clip-path: polygon(0 0,100% 0,100% 100%,0 100%);
}
header .navbar a{
    display: block;
    border-radius: .5rem;
    padding: 1.5rem;
    margin: 1.5rem 0;
    background: #222;
}
}
@media(max-width:450px) {
    html {
        font-size: 50%;
    }
    .heading span{
        font-size: 2.5rem;
    }

    .contact .row form .inputBox input{
        width: 100%;
    }
}

```

JavaScript:

```

let searchBtn = document.querySelector('#search-btn');
let searchBar = document.querySelector('.search-bar-container');
let formBtn = document.querySelector('#login-btn');
let loginForm = document.querySelector('.login-form-container');
let formClose = document.querySelector('#form-close');
let menu = document.querySelector('#menu-bar');
let navbar = document.querySelector('.navbar');
let videoBtn = document.querySelectorAll('.vid-btn');

```



```

window.onscroll = () => {
  searchBtn.classList.remove('fa-times');
  searchBar.classList.remove('active');
  menu.classList.remove('fa-times');
  navbar.classList.remove('active');
  loginForm.classList.remove('active');
};

menu.addEventListener('click', () => {
  menu.classList.toggle('fa-times');
  navbar.classList.toggle('active');
});
searchBtn.addEventListener('click', () => {
  searchBtn.classList.toggle('fa-times');
  searchBar.classList.toggle('active');
});
formBtn.addEventListener('click', () => {
  loginForm.classList.add('active');
});

formClose.addEventListener('click', () => {
  loginForm.classList.remove('active');
});


videoBtn.forEach(btn => {
  btn.addEventListener('click', () => {
    document.querySelector('.controls .active').classList.remove('active');
    btn.classList.add('active');
    let src = btn.getAttribute('data-src');
    document.querySelector('#video-slider').src = src;
  });
});
var swiper = new Swiper(".review-slider", {
  spaceBetween: 20,
  loop: true,
  autoplay: {
    delay: 2500,
    disableOnInteraction: false,
  },
  breakpoints: {
    640: {
      slidesPreView: 1,
    },
    768: {
      slidesPreView: 2,
    },
    1024: {
      slidesPreView: 3,
    },
  },
});
var swiper = new Swiper(".brand-slider", {
  spaceBetween: 20,
  loop: true,
  autoplay: {
    delay: 2500,
    disableOnInteraction: false,
  },
});

```


```
    },
    breakpoints: {
      450: {
        slidesPreView: 2,
      },
      768: {
        slidesPreView: 3,
      },
      991: {
        slidesPreView: 4,
      },
      1200: {
        slidesPreView: 5,
      }
    },
  });
```

SCREENSHOTS:

HOME:



BOOK NOW:



Pacakages:


complete response tour and tra x Travel Agency: Adventure Archi: x +

File | C:/Users/Kali%20Prasad/Desktop/22761A05C0/html/index.html#packages

Inbox (103) - sriram... (1) WhatsApp Exam Profile - Pers... Week-1 - Google D... Gmail YouTube Maps Inbox (413) - sriram... All Bookmarks

TRAVEL Home Book Packages Services Gallery Review Contact

P A C K A G E S




Charminar

Lorem Ipsum Dolor Sit Amet Consectetur
Adisicing Elit.Veritatis,Nam!

XXXXX

\$90.00 ~~\$120.00~~

Book Now




Maldives

Lorem Ipsum Dolor Sit Amet Consectetur
Adisicing Elit.Veritatis,Nam!

XXXXX

\$90.00 ~~\$120.00~~

Book Now



New York

Lorem Ipsum Dolor Sit Amet Consectetur
Adisicing Elit.Veritatis,Nam!

XXXXX

\$90.00 ~~\$120.00~~

Book Now

Search Address 20... ENG IN 06:51 13-12-2023


complete response tour and tra x Travel Agency: Adventure Archi: x +

File | C:/Users/Kali%20Prasad/Desktop/22761A05C0/html/index.html#packages

Inbox (103) - sriram... (1) WhatsApp Exam Profile - Pers... Week-1 - Google D... Gmail YouTube Maps Inbox (413) - sriram... All Bookmarks

TRAVEL Home Book Packages Services Gallery Review Contact

P A C K A G E S




Paris

Lorem Ipsum Dolor Sit Amet Consectetur
Adisicing Elit.Veritatis,Nam!

XXXXX

\$90.00 ~~\$120.00~~

Book Now




Mountain River

Lorem Ipsum Dolor Sit Amet Consectetur
Adisicing Elit.Veritatis,Nam!

XXXXX

\$90.00 ~~\$120.00~~

Book Now



Egypt

Lorem Ipsum Dolor Sit Amet Consectetur
Adisicing Elit.Veritatis,Nam!

XXXXX

\$90.00 ~~\$120.00~~

Book Now

Search Address 20... ENG IN 06:51 13-12-2023

SERVICES:


complete response tour and tra x Travel Agency: Adventure Archi: x +

File | C:/Users/Kali%20Prasad/Desktop/22761A05C0/html/index.html#packages

Inbox (103) - sriram... (1) WhatsApp Exam Profile - Pers... Week-1 - Google D... Gmail YouTube Maps Inbox (413) - sriram... All Bookmarks


TRAVEL Home Book Packages Services Gallery Review Contact

S E R V I C E S




Affordable Hotels

Loren Ipsum Dolors Sit Amet
Cosecutor,Adipising Elit.Inventore Commoid
Earum, Quis Volputate Exercitation Ut Minius
Itaque Iusto Ipsum Corrupti!!




Food And Drink

Loren Ipsum Dolors Sit Amet
Cosecutor,Adipising Elit.Inventore Commoid
Earum, Quis Volputate Exercitation Ut Minius
Itaque Iusto Ipsum Corrupti!!




Safety Guide

Loren Ipsum Dolors Sit Amet
Cosecutor,Adipising Elit.Inventore Commoid
Earum, Quis Volputate Exercitation Ut Minius
Itaque Iusto Ipsum Corrupti!!




Around The World

Loren Ipsum Dolors Sit Amet
Cosecutor,Adipising Elit.Inventore Commoid
Earum, Quis Volputate Exercitation Ut Minius
Itaque Iusto Ipsum Corrupti!!



Fastest Travel

Loren Ipsum Dolors Sit Amet
Cosecutor,Adipising Elit.Inventore Commoid
Earum, Quis Volputate Exercitation Ut Minius
Itaque Iusto Ipsum Corrupti!!



Adventures

Loren Ipsum Dolors Sit Amet
Cosecutor,Adipising Elit.Inventore Commoid
Earum, Quis Volputate Exercitation Ut Minius
Itaque Iusto Ipsum Corrupti!!

Search Address 20... ENG 06:52 13-12-2023



complete response tour and tra x Travel Agency: Adventure Archi: x +

File | C:/Users/Kali%20Prasad/Desktop/22761A05C0/html/index.html#packages

Inbox (103) - sriram... (1) WhatsApp Exam Profile - Pers... Week-1 - Google D... Gmail YouTube Maps Inbox (413) - sriram... All Bookmarks

TRAVEL Home Book Packages Services Gallery Review Contact


G A L L E R Y






Amazing Places


Loren Ipsum Dolors Sit Amet
Cosecutor,Adipising Elit.Inventore Commoid
Earum, Quis Volputate Exercitation Ut Minius
Itaque Iusto Ipsum Corrupti!!

See More






Search Address 20... ENG 06:53 13-12-2023



REVIEW:



CONTACT:

complete response tour and tra x Travel Agency: Adventure Archi: x +

File | C:/Users/Kali%20Prasad/Desktop/22761A05C0/html/index.html#contact

Inbox (103) - sriram... (1) WhatsApp Exam Profile - Pers... Week-1 - Google D... Gmail YouTube Maps Inbox (413) - sriram... All Bookmarks

TRAVEL Home Book Packages Services Gallery Review Contact

CONTACT

Illustration of a person with a suitcase and a globe, with a plane flying above.

name email
number subject
Message
Send Message

Search 20... 06:55 13-12-2023

complete response tour and tra x Travel Agency: Adventure Archi: x +

File | C:/Users/Kali%20Prasad/Desktop/22761A05C0/html/index.html#contact

Inbox (103) - sriram... (1) WhatsApp Exam Profile - Pers... Week-1 - Google D... Gmail YouTube Maps Inbox (413) - sriram... All Bookmarks

TRAVEL Home Book Packages Services Gallery Review Contact

E-LIBRARY

About Us
Loren Ipsum Dolor Sit Consecutor
Adipiscing Elit. Asuumenda Quas
Equals Partiatut Est Accusantium
Enimo Facilis.

Branch Locations
India
Usa
Japan
France
Australia

Quick Links
Home
Book
Packages
Services
Gallery
Review
Contact

Follow Us
Facebook
Instagram
Linkedin
Twitter

Created By **Sriram.Yagna Priya** All Rights Reserved

Search 20... 06:56 13-12-2023

CONCLUSION:

In this web design tutorial, we've delved into the creation of a tour and travel agency website, exploring the various components that make it engaging and functional. The HTML structure forms the backbone, providing a semantic and organized layout for the content. The use of external stylesheets and libraries, such as Swiper and Font Awesome, enhances the visual appeal and functionality of the site, ensuring a responsive and dynamic user experience across different devices.

The website's architecture encompasses key sections like Home, Book, Packages, Services, Gallery, Review, and Contact, each contributing to a comprehensive user journey. From the captivating home section with video sliders to the intuitive booking form and visually appealing travel packages, the design prioritizes user engagement. The inclusion of a responsive navigation menu and search functionality further emphasizes accessibility and ease of use.

Moreover, the website features a review section with a dynamic swiper slider, allowing users to explore testimonials seamlessly. The Contact section provides a visually appealing form for user inquiries, complemented by the brand section and footer that add a professional touch. Overall, this tutorial not only demonstrates the technical aspects of web development but also emphasizes the significance of user-centric design in creating a successful tour and travel agency website.

REFERENCE LINKS:

- 1) <https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.css>
- 2) <https://cdnjs.cloudflare.com/ajax/libs/font-awesome/6.4.2/css/all.min.css>
- 3) <https://cdn.jsdelivr.net/npm/swiper@11/swiper-bundle.min.js>